



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 08:09 pm BST

PDB ID : 3UP5
Title : Crystal Structure of OTEMO complex with FAD and NADP (form 4)
Authors : Shi, R.; Matte, A.; Cygler, M.; Lau, P.
Deposited on : 2011-11-17
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	545	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 15%, green 81%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> % 81% 15% .. </div> </div>
1	B	545	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 18%, green 78%, grey 2%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> % 78% 18% .. </div> </div>



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 48	C 21	N 7	O 17	P 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	134	Total O 134 134	0	0
4	B	164	Total O 164 164	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: OTEMO



• Molecule 1: OTEMO



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.84Å 94.39Å 93.14Å 90.00° 102.38° 90.00°	Depositor
Resolution (Å)	48.35 – 2.45 48.35 – 2.45	Depositor EDS
% Data completeness (in resolution range)	96.2 (48.35-2.45) 96.2 (48.35-2.45)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.99 (at 2.45Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.185 , 0.236 0.184 , 0.234	Depositor DCC
R_{free} test set	2017 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.904	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9004	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	1/4382 (0.0%)	0.87	1/5953 (0.0%)
1	B	0.95	0/4350	0.93	6/5909 (0.1%)
All	All	0.94	1/8732 (0.0%)	0.90	7/11862 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	444	CYS	CB-SG	-5.57	1.72	1.81

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	397	ASP	CB-CG-OD1	8.02	125.52	118.30
1	B	307	ASP	CB-CG-OD1	7.34	124.91	118.30
1	B	281	ARG	NE-CZ-NH2	-6.11	117.25	120.30
1	A	273	ASP	CB-CG-OD2	-5.95	112.94	118.30
1	B	147	SER	N-CA-C	-5.15	97.09	111.00
1	B	397	ASP	CB-CG-OD2	-5.13	113.68	118.30
1	B	435	VAL	CB-CA-C	5.13	121.14	111.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	444	CYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4269	0	4113	63	0
1	B	4235	0	4085	61	0
2	A	53	0	31	1	0
2	B	53	0	31	4	0
3	A	48	0	25	2	0
3	B	48	0	25	5	0
4	A	134	0	0	7	0
4	B	164	0	0	8	0
All	All	9004	0	8310	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:ASN:HD22	1:A:103:ARG:HH21	1.07	0.98
2:B:551:FAD:O1P	4:B:685:HOH:O	1.84	0.96
1:A:367:THR:HG22	1:A:369:GLU:H	1.30	0.94
1:A:149:SER:HB3	1:A:168:SER:OG	1.71	0.90
1:B:537:ASN:HB2	4:B:612:HOH:O	1.71	0.89
1:B:424:GLN:HE21	1:B:474:PRO:HD3	1.40	0.86
1:A:181:VAL:N	4:A:646:HOH:O	2.14	0.79
1:A:424:GLN:HE21	1:A:474:PRO:HD3	1.48	0.77
1:B:259:ARG:HH22	1:B:296:LEU:HD22	1.49	0.77
1:B:96:ALA:O	1:B:100:MET:HG3	1.88	0.74
1:B:94:ASN:HD22	1:B:103:ARG:HH21	1.34	0.74
1:B:18:GLY:CA	4:B:685:HOH:O	2.36	0.73
1:B:199:GLN:OE1	3:B:552:NAP:H4N	1.90	0.72
1:B:42:GLU:HG2	1:B:109:ASN:HD21	1.55	0.71
1:B:131:GLU:HG2	1:B:132:GLU:N	2.02	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:481:ARG:NH1	4:B:701:HOH:O	2.25	0.69
1:A:424:GLN:NE2	1:A:474:PRO:HD3	2.08	0.69
1:A:147:SER:O	1:A:389:PHE:HB3	1.92	0.69
1:A:94:ASN:HD22	1:A:103:ARG:NH2	1.86	0.68
1:B:18:GLY:HA3	4:B:685:HOH:O	1.93	0.67
1:B:424:GLN:NE2	1:B:474:PRO:HD3	2.10	0.66
1:B:147:SER:O	1:B:148:ALA:HB3	1.95	0.66
1:A:367:THR:HG22	1:A:369:GLU:N	2.07	0.65
1:A:94:ASN:ND2	1:A:103:ARG:HH21	1.88	0.64
1:B:287:ILE:HD11	1:B:305:LEU:HD11	1.78	0.64
1:A:530:ARG:HB3	1:A:530:ARG:NH2	2.13	0.64
1:A:469:PHE:O	4:A:679:HOH:O	2.14	0.63
1:B:51:ASN:O	1:B:86:GLN:HG3	1.99	0.63
1:A:166:HIS:CD2	1:A:168:SER:H	2.17	0.63
1:A:331:HIS:HB2	1:A:332:PRO:HD2	1.79	0.63
1:A:354:HIS:HA	4:A:563:HOH:O	1.98	0.62
1:A:187:ARG:NH1	1:A:379:ASP:O	2.33	0.62
1:B:59:ASP:HB2	1:B:340:MET:CE	2.31	0.61
2:B:551:FAD:HM73	3:B:552:NAP:C5N	2.29	0.61
1:A:96:ALA:O	1:A:100:MET:HG3	2.01	0.60
1:A:508:LYS:HE3	1:A:514:VAL:HG21	1.82	0.60
2:A:551:FAD:HM73	3:A:552:NAP:C5N	2.32	0.60
1:A:51:ASN:O	1:A:86:GLN:HG3	2.01	0.60
1:A:220:TRP:O	1:A:339:PRO:HD2	2.03	0.59
1:B:337:ARG:O	1:B:339:PRO:HD3	2.02	0.59
1:B:116:ARG:NH1	4:B:602:HOH:O	2.33	0.59
1:B:173:ASP:OD2	1:B:177:ALA:HB3	2.03	0.59
1:A:318:LYS:O	1:A:320:PRO:HD3	2.04	0.58
1:B:172:THR:HA	1:B:177:ALA:O	2.03	0.58
1:B:24:GLN:HE21	1:B:434:LEU:HD11	1.69	0.57
1:B:166:HIS:HD2	1:B:168:SER:H	1.51	0.57
1:B:166:HIS:CD2	1:B:168:SER:H	2.23	0.57
1:A:180:GLY:CA	4:A:646:HOH:O	2.53	0.56
1:B:45:GLY:HA3	1:B:49:TYR:HB2	1.87	0.56
1:A:166:HIS:HD2	1:A:168:SER:H	1.54	0.56
1:A:116:ARG:HG2	1:A:402:ARG:HB2	1.89	0.55
1:A:507:THR:HG22	1:A:513:VAL:HG22	1.88	0.55
1:B:501:TRP:HE1	3:B:552:NAP:HO3N	1.55	0.55
1:B:202:PRO:HG3	1:B:344:TYR:HA	1.88	0.54
1:B:165:PHE:HE2	1:B:170:TRP:CZ3	2.26	0.54
1:B:172:THR:HB	1:B:176:GLY:HA2	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:131:GLU:HG2	1:B:132:GLU:H	1.71	0.53
1:B:18:GLY:N	4:B:685:HOH:O	2.41	0.53
1:A:85:SER:OG	1:A:87:PRO:HD2	2.09	0.53
1:B:187:ARG:NH1	1:B:379:ASP:O	2.39	0.53
1:A:165:PHE:HD1	1:A:171:PRO:HD2	1.74	0.51
1:A:418:SER:HB2	1:A:516:ARG:NH1	2.25	0.51
1:A:215:GLN:HG2	4:A:610:HOH:O	2.11	0.50
2:B:551:FAD:C6	3:B:552:NAP:C2N	2.90	0.50
1:B:74:ILE:HG21	1:B:95:ARG:HG3	1.94	0.50
1:B:94:ASN:ND2	1:B:103:ARG:HH21	2.05	0.50
1:A:520:HIS:C	1:A:520:HIS:CD2	2.86	0.49
1:A:490:PHE:CE2	1:A:496:ALA:HA	2.48	0.49
1:A:508:LYS:HB3	1:A:509:PRO:HD2	1.95	0.48
1:B:440:GLY:HA2	1:B:520:HIS:CD2	2.48	0.48
1:A:379:ASP:O	1:A:380:LEU:HD23	2.13	0.48
1:B:53:TYR:HB2	1:B:54:PRO:HD2	1.97	0.47
1:A:147:SER:OG	1:A:147:SER:O	2.30	0.47
1:B:265:THR:C	1:B:267:VAL:H	2.17	0.47
1:B:295:LEU:HD11	1:B:305:LEU:HD23	1.97	0.47
1:B:515:ARG:O	1:B:516:ARG:HG2	2.14	0.47
1:B:220:TRP:O	1:B:339:PRO:HD2	2.16	0.46
1:A:12:ALA:O	1:A:35:VAL:HA	2.16	0.46
1:A:255:PHE:CE1	1:A:285:TYR:HD2	2.34	0.46
1:A:13:VAL:HA	1:A:36:LEU:O	2.16	0.46
1:B:147:SER:O	1:B:148:ALA:CB	2.62	0.46
1:A:331:HIS:HB2	1:A:332:PRO:CD	2.46	0.45
1:B:490:PHE:CE1	1:B:517:THR:HG23	2.51	0.45
1:A:324:GLU:O	1:A:329:LYS:NZ	2.49	0.45
1:B:332:PRO:HG2	1:B:335:ALA:HB2	1.98	0.45
1:B:502:TRP:CD1	1:B:503:VAL:HG23	2.51	0.45
1:A:263:LYS:HD3	1:A:293:ARG:HH12	1.82	0.44
1:A:96:ALA:HB1	1:A:100:MET:HE3	1.99	0.44
2:B:551:FAD:HM73	3:B:552:NAP:C6N	2.47	0.44
1:A:217:THR:OG1	3:A:552:NAP:O2X	2.35	0.44
1:B:458:LEU:HG	1:B:458:LEU:O	2.12	0.44
1:A:458:LEU:HD13	1:A:458:LEU:C	2.38	0.44
1:B:146:LEU:HD23	1:B:146:LEU:HA	1.76	0.44
1:A:54:PRO:HG3	1:A:181:VAL:HG12	2.00	0.43
1:B:426:ARG:HG3	1:B:426:ARG:HH11	1.83	0.43
1:A:149:SER:HB3	1:A:168:SER:HG	1.74	0.43
1:B:421:LEU:HA	1:B:482:TRP:CE2	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:GLY:HA2	1:A:93:VAL:HG11	2.00	0.43
1:A:13:VAL:HG22	1:A:36:LEU:HB3	2.00	0.43
1:B:423:LEU:O	1:B:432:PHE:HA	2.18	0.43
1:B:62:SER:HB3	1:B:79:TRP:CD2	2.54	0.43
1:B:220:TRP:CD1	1:B:333:PHE:HA	2.54	0.42
1:A:17:ALA:HB2	1:A:106:TYR:CE2	2.55	0.42
1:B:369:GLU:HB2	4:B:704:HOH:O	2.18	0.42
1:B:94:ASN:HD22	1:B:103:ARG:NH2	2.07	0.42
1:A:42:GLU:HG2	1:A:109:ASN:HD21	1.84	0.42
1:B:53:TYR:CZ	1:B:196:THR:HG23	2.55	0.42
1:B:67:TYR:CE2	1:B:71:LYS:HG3	2.55	0.42
1:A:342:THR:HB	4:A:577:HOH:O	2.18	0.41
1:B:165:PHE:HE2	1:B:170:TRP:CE3	2.37	0.41
1:A:426:ARG:NH1	1:A:474:PRO:O	2.50	0.41
1:B:129:ASP:C	1:B:130[A]:ASN:OD1	2.59	0.41
1:B:59:ASP:HB2	1:B:340:MET:HE3	2.01	0.41
1:B:218:PRO:O	1:B:328:PRO:HG3	2.21	0.41
1:A:166:HIS:HD2	1:A:168:SER:OG	2.04	0.41
1:B:173:ASP:HB2	1:B:174:ALA:H	1.67	0.41
1:B:347:THR:HG22	1:B:353:VAL:HG21	2.02	0.41
1:A:79:TRP:O	1:A:229:MET:HG2	2.20	0.41
1:A:267:VAL:HG23	1:A:272:ARG:HG2	2.01	0.41
1:A:195:ALA:HA	1:A:339:PRO:HB3	2.02	0.41
1:A:389:PHE:N	1:A:389:PHE:CD2	2.89	0.41
1:A:530:ARG:HB3	1:A:530:ARG:HH21	1.83	0.41
1:A:324:GLU:HG3	1:A:329:LYS:NZ	2.36	0.41
1:A:154:ILE:HA	1:A:154:ILE:HD13	1.81	0.40
1:A:185:GLY:HA2	1:A:209:LYS:HB2	2.04	0.40
1:A:119:GLU:HG2	4:A:567:HOH:O	2.21	0.40
1:A:165:PHE:CD1	1:A:171:PRO:HD2	2.54	0.40
1:A:163:GLU:HB2	1:A:382:VAL:HG22	2.03	0.40
1:B:390:ASP:HB3	1:B:394:GLY:HA3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	534/545 (98%)	511 (96%)	21 (4%)	2 (0%)	34	41
1	B	530/545 (97%)	498 (94%)	30 (6%)	2 (0%)	34	41
All	All	1064/1090 (98%)	1009 (95%)	51 (5%)	4 (0%)	34	41

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	148	ALA
1	A	435	VAL
1	B	148	ALA
1	B	445	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	446/454 (98%)	424 (95%)	22 (5%)	25	32
1	B	442/454 (97%)	419 (95%)	23 (5%)	23	30
All	All	888/908 (98%)	843 (95%)	45 (5%)	24	31

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	SER
1	A	111	ARG
1	A	119	GLU
1	A	131	GLU
1	A	147	SER
1	A	164	SER
1	A	215	GLN
1	A	216	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	217	THR
1	A	259	ARG
1	A	263	LYS
1	A	273	ASP
1	A	285	TYR
1	A	293	ARG
1	A	296	LEU
1	A	330	ASP
1	A	359	ARG
1	A	363	ILE
1	A	389	PHE
1	A	444	CYS
1	A	465	LYS
1	A	520	HIS
1	B	102	VAL
1	B	130[A]	ASN
1	B	130[B]	ASN
1	B	131	GLU
1	B	147	SER
1	B	149	SER
1	B	150	ARG
1	B	273	ASP
1	B	285	TYR
1	B	293	ARG
1	B	296	LEU
1	B	325	LYS
1	B	372	LYS
1	B	390	ASP
1	B	435	VAL
1	B	441	SER
1	B	444	CYS
1	B	465	LYS
1	B	471	TYR
1	B	499	ASN
1	B	504	LYS
1	B	517	THR
1	B	543	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	82	ASN
1	A	94	ASN
1	A	109	ASN
1	A	166	HIS
1	A	215	GLN
1	A	315	GLN
1	A	424	GLN
1	A	520	HIS
1	B	24	GLN
1	B	51	ASN
1	B	82	ASN
1	B	94	ASN
1	B	105	HIS
1	B	109	ASN
1	B	166	HIS
1	B	315	GLN
1	B	424	GLN
1	B	467	ASN
1	B	480	ASN
1	B	520	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAP	A	552	-	45,52,52	2.21	6 (13%)	56,80,80	1.41	7 (12%)
2	FAD	A	551	-	51,58,58	1.66	8 (15%)	60,89,89	1.75	8 (13%)
2	FAD	B	551	-	51,58,58	1.55	7 (13%)	60,89,89	1.69	9 (15%)
3	NAP	B	552	-	45,52,52	1.98	8 (17%)	56,80,80	1.45	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	A	552	-	-	12/31/67/67	0/5/5/5
2	FAD	A	551	-	-	4/30/50/50	0/6/6/6
2	FAD	B	551	-	-	6/30/50/50	0/6/6/6
3	NAP	B	552	-	-	1/31/67/67	0/5/5/5

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	552	NAP	O7N-C7N	11.27	1.45	1.24
3	B	552	NAP	O7N-C7N	8.63	1.40	1.24
3	A	552	NAP	C2A-N3A	5.62	1.41	1.32
2	A	551	FAD	C4X-N5	5.57	1.41	1.33
2	B	551	FAD	C1'-N10	4.89	1.53	1.48
2	B	551	FAD	C4X-N5	4.70	1.40	1.33
2	A	551	FAD	C2A-N3A	4.59	1.39	1.32
3	B	552	NAP	C2A-N3A	4.48	1.39	1.32
2	A	551	FAD	C10-N1	4.11	1.38	1.33
3	A	552	NAP	C2N-N1N	4.07	1.39	1.35
2	B	551	FAD	C10-N1	4.06	1.38	1.33
3	B	552	NAP	C2N-N1N	4.04	1.39	1.35
2	A	551	FAD	C1'-N10	3.68	1.52	1.48
3	B	552	NAP	O4D-C1D	3.55	1.46	1.41
2	B	551	FAD	C4-N3	3.45	1.39	1.33
2	A	551	FAD	C2A-N1A	3.20	1.39	1.33
3	A	552	NAP	C2A-N1A	3.20	1.39	1.33
2	B	551	FAD	C2A-N1A	2.95	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	552	NAP	O4B-C1B	2.91	1.45	1.41
2	A	551	FAD	O4B-C1B	2.89	1.45	1.41
2	B	551	FAD	C2A-N3A	2.82	1.36	1.32
2	A	551	FAD	C4-N3	2.47	1.37	1.33
2	B	551	FAD	O4'-C4'	-2.40	1.38	1.43
3	B	552	NAP	C2A-N1A	2.36	1.38	1.33
2	A	551	FAD	C5X-N5	2.28	1.39	1.35
3	B	552	NAP	C2D-C1D	2.23	1.57	1.53
3	A	552	NAP	O4D-C1D	2.21	1.44	1.41
3	B	552	NAP	P2B-O2B	2.03	1.63	1.59
3	B	552	NAP	C5N-C4N	2.02	1.43	1.38

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	551	FAD	N3A-C2A-N1A	-6.58	118.39	128.68
2	A	551	FAD	C4-N3-C2	5.38	119.69	115.14
3	B	552	NAP	C3N-C7N-N7N	5.34	124.16	117.75
2	B	551	FAD	N3A-C2A-N1A	-5.07	120.75	128.68
2	B	551	FAD	C10-C4X-N5	-4.38	118.23	121.26
3	A	552	NAP	N3A-C2A-N1A	-4.24	122.05	128.68
2	B	551	FAD	C4-C4X-N5	4.24	123.44	118.60
3	A	552	NAP	C3N-C7N-N7N	-4.23	112.68	117.75
3	B	552	NAP	O7N-C7N-C3N	-4.22	114.58	119.63
2	B	551	FAD	C4X-N5-C5X	4.07	120.84	116.77
2	B	551	FAD	C4-N3-C2	3.96	118.48	115.14
3	B	552	NAP	N3A-C2A-N1A	-3.82	122.70	128.68
2	A	551	FAD	C4X-N5-C5X	3.81	120.57	116.77
2	A	551	FAD	C10-C4X-N5	-3.67	118.72	121.26
2	A	551	FAD	C4-C4X-N5	3.63	122.75	118.60
3	A	552	NAP	C3D-C2D-C1D	3.56	106.34	100.98
2	A	551	FAD	O3B-C3B-C4B	-3.55	100.78	111.05
3	A	552	NAP	C4A-C5A-N7A	-3.14	106.12	109.40
2	B	551	FAD	O3B-C3B-C4B	-3.13	102.00	111.05
3	A	552	NAP	C3N-C2N-N1N	-3.04	117.45	120.43
2	A	551	FAD	C1'-N10-C9A	2.90	120.58	118.29
3	B	552	NAP	C4A-C5A-N7A	-2.58	106.71	109.40
2	B	551	FAD	C4-C4X-C10	-2.46	118.32	119.95
2	B	551	FAD	C1'-N10-C10	2.45	120.60	118.41
3	A	552	NAP	O7N-C7N-C3N	2.41	122.52	119.63
3	B	552	NAP	O4D-C1D-C2D	2.26	110.22	106.93
2	B	551	FAD	O4'-C4'-C3'	-2.22	103.71	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	551	FAD	C4-C4X-C10	-2.21	118.49	119.95
3	B	552	NAP	C5B-C4B-C3B	-2.18	107.02	115.18
3	A	552	NAP	C2N-C3N-C4N	2.16	120.71	118.26
3	B	552	NAP	C5N-C6N-N1N	-2.15	117.32	120.40

There are no chirality outliers.

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	552	NAP	C5B-O5B-PA-O3
3	A	552	NAP	C2N-C3N-C7N-O7N
3	A	552	NAP	C2N-C3N-C7N-N7N
2	A	551	FAD	N10-C1'-C2'-O2'
2	B	551	FAD	N10-C1'-C2'-O2'
2	B	551	FAD	PA-O3P-P-O5'
3	A	552	NAP	C4N-C3N-C7N-O7N
3	A	552	NAP	C4N-C3N-C7N-N7N
3	A	552	NAP	O4B-C4B-C5B-O5B
2	A	551	FAD	O4B-C4B-C5B-O5B
3	A	552	NAP	C3B-C4B-C5B-O5B
3	A	552	NAP	PA-O3-PN-O5D
3	A	552	NAP	PN-O3-PA-O2A
3	A	552	NAP	C5B-O5B-PA-O1A
3	A	552	NAP	C5B-O5B-PA-O2A
2	A	551	FAD	N10-C1'-C2'-C3'
2	B	551	FAD	N10-C1'-C2'-C3'
2	A	551	FAD	C3B-C4B-C5B-O5B
2	B	551	FAD	P-O3P-PA-O1A
2	B	551	FAD	O4B-C4B-C5B-O5B
2	B	551	FAD	P-O3P-PA-O2A
3	B	552	NAP	O4B-C4B-C5B-O5B
3	A	552	NAP	PN-O3-PA-O1A


There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	552	NAP	2	0
2	A	551	FAD	1	0
2	B	551	FAD	4	0
3	B	552	NAP	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand FAD B 551





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	537/545 (98%)	-0.33	5 (0%)	84 85	16, 27, 41, 52	0
1	B	532/545 (97%)	-0.39	4 (0%)	86 86	16, 23, 35, 44	0
All	All	1069/1090 (98%)	-0.36	9 (0%)	86 86	16, 25, 39, 52	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	180	GLY	4.0
1	A	509	PRO	3.3
1	B	506	THR	3.1
1	B	175	GLU	3.0
1	A	150	ARG	2.6
1	A	149	SER	2.5
1	B	179	LYS	2.4
1	A	512	SER	2.3
1	A	130	ASN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAP	A	552	48/48	0.93	0.31	32,39,49,50	0
3	NAP	B	552	48/48	0.96	0.14	16,23,36,41	0
2	FAD	B	551	53/53	0.98	0.11	10,16,21,22	0
2	FAD	A	551	53/53	0.98	0.11	16,23,27,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around NAP B 552:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 551:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.