



# Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 03:27 pm BST

PDB ID : 3UQC  
Title : Structure of the Intracellular Kinase Homology Domain of Rv3910 at 2.2 Å resolution  
Authors : Alber, T.; Gee, C.L.; Blair, S.R.; TB Structural Genomics Consortium (TB-SGC)  
Deposited on : 2011-11-20  
Resolution : 2.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	<div> <div>10%</div> <div>67% 18% • 14%</div> </div>
1	B	286	<div> <div>%</div> <div>72% 13% • 15%</div> </div>
1	C	286	<div> <div>7%</div> <div>70% 16% • 13%</div> </div>
1	D	286	<div> <div>2%</div> <div>69% 18% 13%</div> </div>

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7711 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROBABLE CONSERVED TRANSMEMBRANE PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	246	Total	C	N	O	S	31	0	0
			1828	1144	339	342	3			
1	B	244	Total	C	N	O	S	21	1	0
			1823	1140	337	342	4			
1	C	250	Total	C	N	O	S	35	2	0
			1870	1167	345	355	3			
1	D	249	Total	C	N	O	S	51	1	0
			1856	1160	342	351	3			

- Molecule 2 is SUCCINIC ACID (three-letter code: SIN) (formula: C<sub>4</sub>H<sub>6</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			8	4	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	54	Total 54	O 54	0	0
3	B	136	Total 136	O 136	0	0
3	C	86	Total 86	O 86	0	0
3	D	50	Total 50	O 50	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: PROBABLE CONSERVED TRANSMEMBRANE PROTEIN




#### • Molecule 1: PROBABLE CONSERVED TRANSMEMBRANE PROTEIN



#### • Molecule 1: PROBABLE CONSERVED TRANSMEMBRANE PROTEIN



#### • Molecule 1: PROBABLE CONSERVED TRANSMEMBRANE PROTEIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.97Å 59.38Å 144.03Å 90.00° 97.34° 90.00°	Depositor
Resolution (Å)	47.88 – 2.26 47.88 – 2.26	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.88-2.26) 99.8 (47.88-2.26)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.53 (at 2.24Å)	Xtriage
Refinement program	PHENIX (phenix.refine), ELVES	Depositor
R, $R_{free}$	0.199 , 0.240 0.195 , 0.237	Depositor DCC
$R_{free}$ test set	2345 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.8	Xtriage
Anisotropy	0.525	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 59.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7711	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.79% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SIN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.23	0/1862	0.47	0/2545
1	B	0.26	0/1857	0.53	0/2537
1	C	0.24	0/1904	0.51	1/2603 (0.0%)
1	D	0.24	0/1893	0.50	0/2588
All	All	0.24	0/7516	0.50	1/10273 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	D	0	1
All	All	0	3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	13	PRO	N-CA-CB	5.89	110.36	103.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	199	PRO	Peptide
1	B	169	PRO	Peptide

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	D	169	PRO	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1828	0	1848	43	1
1	B	1823	0	1841	24	1
1	C	1870	0	1874	33	0
1	D	1856	0	1872	29	0
2	B	8	0	4	1	0
3	A	54	0	0	2	0
3	B	136	0	0	1	0
3	C	86	0	0	1	0
3	D	50	0	0	1	0
All	All	7711	0	7439	128	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:200:GLU:HG3	1:A:201:ALA:H	1.25	1.02
1:B:143:ARG:HH11	1:B:143:ARG:HG3	1.36	0.90
1:A:200:GLU:HG3	1:A:201:ALA:N	1.94	0.82
1:B:143:ARG:HH11	1:B:143:ARG:CG	1.93	0.81
1:B:227:ASP:O	1:B:229:PRO:HD3	1.84	0.77
1:C:40:PRO:HG3	1:C:66:LEU:HD11	1.70	0.74
1:A:200:GLU:CG	1:A:201:ALA:H	2.02	0.71
1:A:200:GLU:CG	1:A:201:ALA:N	2.54	0.71
1:A:200:GLU:OE2	1:A:205:SER:HB2	1.90	0.71
1:B:51:LEU:HD21	1:C:94:ASP:HA	1.73	0.70
1:D:59:PHE:HB3	1:D:62:PRO:HG3	1.73	0.70
1:C:96:VAL:HG22	1:C:103:LEU:HB3	1.73	0.70
1:A:84:ILE:CD1	1:A:141:ALA:HA	2.25	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:186:ALA:HA	1:C:197:PRO:HG2	1.78	0.65
1:C:189:TYR:CG	1:C:197:PRO:HG3	2.34	0.62
1:C:221:PRO:HB2	1:C:228:ILE:HD11	1.80	0.62
1:A:252:LEU:O	1:A:256:MET:HG3	1.99	0.62
1:D:211:GLU:HB3	1:D:219:ILE:HD12	1.81	0.62
1:D:23:ARG:HB3	1:D:27:GLY:HA2	1.81	0.62
1:D:89:VAL:HG23	1:D:137:ALA:HB1	1.81	0.62
1:A:16:VAL:CG2	1:A:99:ARG:HG3	2.29	0.61
1:B:53:ARG:HG3	1:B:53:ARG:HH11	1.65	0.61
1:C:204:ARG:HA	1:C:204:ARG:HH11	1.65	0.61
1:D:128:ILE:HD11	1:D:256:MET:HG2	1.83	0.61
1:C:221:PRO:C	1:C:228:ILE:HD11	2.21	0.61
1:C:59:PHE:HB3	1:C:62:PRO:HG3	1.83	0.60
1:B:110:ARG:NH1	1:B:160:ILE:HD13	2.16	0.59
1:B:37:GLY:HA2	1:B:43:PHE:CE1	2.38	0.58
1:C:73:GLU:CG	1:C:173:PRO:HG3	2.34	0.58
1:A:110:ARG:NH1	1:A:160:ILE:HD13	2.19	0.57
1:D:231:GLN:O	1:D:235:VAL:HG23	2.04	0.56
1:C:68:ASP:O	1:C:72:GLN:HG2	2.06	0.56
1:A:110:ARG:HH12	1:A:160:ILE:HD13	1.69	0.56
1:A:152:HIS:CE1	1:A:154:SER:HB2	2.40	0.56
1:A:16:VAL:HG21	1:A:99:ARG:HG3	1.87	0.56
1:A:89:VAL:HG23	1:A:137:ALA:HB1	1.89	0.55
1:C:117:VAL:HG21	1:C:158:VAL:HB	1.90	0.54
1:A:34:PHE:HB2	1:A:44:TRP:CH2	2.42	0.54
1:A:200:GLU:CD	1:A:205:SER:HB2	2.28	0.54
1:A:97:HIS:HB3	3:A:308:HOH:O	2.06	0.54
1:A:73:GLU:HG3	1:A:77:ARG:HE	1.72	0.54
1:D:153:PRO:HG3	1:D:196:TRP:CD2	2.43	0.53
1:C:221:PRO:CB	1:C:228:ILE:HD11	2.39	0.52
1:D:155:ARG:HH12	1:D:170:ALA:H	1.57	0.52
1:D:84:ILE:HG23	1:D:86:LYS:HG3	1.91	0.52
1:D:81:LEU:HD11	1:D:148:LEU:HD23	1.91	0.52
1:B:200:GLU:OE2	2:B:301:SIN:O2	2.27	0.51
1:D:227:ASP:HA	3:D:338:HOH:O	2.09	0.51
1:B:252:LEU:HD11	1:B:256:MET:HE3	1.93	0.51
1:B:186:ALA:HA	1:B:197:PRO:HG3	1.93	0.51
1:A:34:PHE:CE1	1:A:36:GLY:HA2	2.47	0.50
1:D:85:ASP:C	1:D:86:LYS:HG2	2.32	0.50
1:A:153:PRO:HG3	1:A:196:TRP:CD2	2.48	0.49
1:C:73:GLU:HG2	1:C:173:PRO:HG3	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:85:ASP:O	1:C:86:LYS:HG2	2.13	0.49
1:C:40:PRO:CG	1:C:66:LEU:HD11	2.42	0.49
1:C:15:ASP:OD1	1:C:99:ARG:HB2	2.12	0.49
1:D:77:ARG:HH11	1:D:173:PRO:HA	1.77	0.48
1:C:61:ASP:HB2	1:C:66:LEU:HD12	1.96	0.48
1:A:68:ASP:O	1:A:72:GLN:HG2	2.12	0.48
1:B:59:PHE:HB3	1:B:62:PRO:HG3	1.95	0.48
1:A:16:VAL:HG22	1:A:99:ARG:HG3	1.96	0.48
1:B:51:LEU:HD23	1:B:53:ARG:NH2	2.29	0.48
1:C:193:VAL:HG21	1:C:224:ILE:HD12	1.95	0.48
1:A:131:MET:CB	1:A:256:MET:HE1	2.45	0.47
1:C:153:PRO:HG3	1:C:196:TRP:CD2	2.50	0.47
1:A:129:ARG:HH21	1:A:260:THR:HG22	1.79	0.47
1:B:143:ARG:NH1	1:B:143:ARG:CG	2.60	0.47
1:A:88:GLY:HA3	1:A:137:ALA:HB2	1.98	0.46
1:A:193:VAL:O	1:A:193:VAL:HG12	2.15	0.46
1:B:53:ARG:CG	1:B:53:ARG:HH11	2.28	0.46
1:C:193:VAL:O	1:C:193:VAL:CG1	2.63	0.46
1:D:117:VAL:HG21	1:D:158:VAL:HB	1.97	0.46
1:D:85:ASP:O	1:D:86:LYS:HG2	2.14	0.46
1:D:139:ASP:HA	1:D:249:ALA:HB3	1.97	0.46
1:A:69:ASP:HB3	3:A:327:HOH:O	2.15	0.46
1:B:84:ILE:HG23	1:B:86:LYS:HG3	1.97	0.46
1:C:231:GLN:HE21	1:C:231:GLN:HB2	1.55	0.46
1:D:246:ILE:H	1:D:246:ILE:HD12	1.80	0.46
1:B:131[B]:MET:SD	1:B:164:VAL:HG21	2.55	0.46
1:A:220:GLU:O	1:A:224:ILE:HG13	2.16	0.45
1:D:172:MET:HB3	1:D:173:PRO:HD2	1.98	0.45
1:B:242:GLY:HA3	3:B:455:HOH:O	2.17	0.45
1:A:198:LEU:O	1:A:200:GLU:N	2.49	0.45
1:C:228:ILE:HA	1:C:229:PRO:HD3	1.74	0.45
1:C:196:TRP:HB3	3:C:349:HOH:O	2.18	0.44
1:B:41:LEU:HD23	1:B:60:VAL:HA	1.97	0.44
1:A:34:PHE:CZ	1:A:36:GLY:HA2	2.52	0.44
1:C:96:VAL:CG2	1:C:103:LEU:HB3	2.43	0.44
1:C:84:ILE:CD1	1:C:141:ALA:HA	2.47	0.44
1:D:93:LEU:HD23	1:D:93:LEU:HA	1.74	0.44
1:D:152:HIS:HA	1:D:153:PRO:HD3	1.90	0.44
1:B:23:ARG:HB3	1:B:27:GLY:HA2	2.00	0.43
1:D:213:ASP:OD2	1:D:217:GLN:HB2	2.18	0.43
1:B:152:HIS:ND1	1:B:153:PRO:HD2	2.33	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:155:ARG:HH12	1:B:170:ALA:H	1.66	0.43
1:D:231:GLN:NE2	1:D:262:VAL:HG11	2.33	0.43
1:A:79:LEU:HD23	1:A:79:LEU:HA	1.90	0.43
1:A:85:ASP:O	1:A:86:LYS:HG2	2.19	0.42
1:A:36:GLY:HA3	1:A:204:ARG:HB2	2.01	0.42
1:D:180:ASP:O	1:D:184:ILE:HG13	2.19	0.42
1:A:152:HIS:HA	1:A:153:PRO:HD3	1.87	0.42
1:A:85:ASP:C	1:A:86:LYS:HG2	2.39	0.42
1:C:155:ARG:HH12	1:C:170:ALA:H	1.68	0.42
1:A:172:MET:HB3	1:A:173:PRO:HD2	2.02	0.42
1:D:34:PHE:CZ	1:D:36:GLY:HA2	2.54	0.42
1:A:182:ARG:HE	1:A:242:GLY:N	2.18	0.42
1:C:88:GLY:HA3	1:C:137:ALA:HB2	2.01	0.42
1:A:129:ARG:HE	1:A:260:THR:HG21	1.86	0.41
1:D:96:VAL:CG2	1:D:103:LEU:HB3	2.50	0.41
1:A:178:GLN:O	1:A:182:ARG:HG3	2.20	0.41
1:C:222:ALA:N	1:C:228:ILE:HD11	2.35	0.41
1:C:39:PRO:HA	1:C:41:LEU:H	1.85	0.41
1:D:213:ASP:C	1:D:213:ASP:OD1	2.59	0.41
1:D:51:LEU:N	1:D:51:LEU:HD12	2.35	0.41
1:A:153:PRO:HG3	1:A:196:TRP:CE3	2.56	0.41
1:A:220:GLU:HA	1:A:221:PRO:HD3	1.91	0.41
1:A:236:ALA:O	1:A:240:VAL:HG23	2.20	0.41
1:C:193:VAL:HG12	1:C:195:ARG:HB2	2.03	0.41
1:A:34:PHE:HD2	1:A:44:TRP:CE2	2.39	0.41
1:B:152:HIS:HA	1:B:153:PRO:HD3	1.91	0.41
1:B:61:ASP:OD1	1:B:64:GLY:HA2	2.20	0.41
1:C:153:PRO:HB3	1:C:207:LEU:HD12	2.03	0.41
1:A:231:GLN:H	1:A:231:GLN:HG3	1.65	0.41
1:C:28:ARG:HG2	1:C:29:TYR:CE2	2.56	0.40
1:B:85:ASP:C	1:B:86:LYS:HG2	2.40	0.40
1:D:182:ARG:HH12	1:D:198:LEU:HD22	1.86	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:ARG:NE	1:B:227:ASP:OD1[1_545]	2.14	0.06

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/286 (85%)	234 (96%)	10 (4%)	0	100	100
1	B	243/286 (85%)	239 (98%)	3 (1%)	1 (0%)	34	37
1	C	250/286 (87%)	239 (96%)	11 (4%)	0	100	100
1	D	248/286 (87%)	243 (98%)	5 (2%)	0	100	100
All	All	985/1144 (86%)	955 (97%)	29 (3%)	1 (0%)	51	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	243	ASP

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/222 (85%)	182 (96%)	7 (4%)	34	40
1	B	189/222 (85%)	182 (96%)	7 (4%)	34	40
1	C	194/222 (87%)	182 (94%)	12 (6%)	18	17
1	D	193/222 (87%)	187 (97%)	6 (3%)	40	49
All	All	765/888 (86%)	733 (96%)	32 (4%)	30	34

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	VAL
1	A	63	GLN
1	A	69	ASP
1	A	115	GLN
1	A	123	SER
1	A	212	ARG
1	A	214	THR
1	B	19	VAL
1	B	80	ARG
1	B	99	ARG
1	B	143	ARG
1	B	212	ARG
1	B	243	ASP
1	B	260	THR
1	C	38	VAL
1	C	53	ARG
1	C	76[A]	SER
1	C	76[B]	SER
1	C	79	LEU
1	C	82	SER
1	C	83	ARG
1	C	99	ARG
1	C	204	ARG
1	C	226	ARG
1	C	228	ILE
1	C	231	GLN
1	D	15	ASP
1	D	16	VAL
1	D	91	ARG
1	D	98	THR
1	D	123	SER
1	D	176	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	241	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SIN	B	301	-	1,7,7	0.15	0	2,8,8	1.79	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SIN	B	301	-	-	0/1/5/5	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	SIN	C3-C2-C1	-2.29	108.83	112.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	SIN	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	246/286 (86%)	0.52	29 (11%) 4 4	25, 47, 81, 104	7 (2%)
1	B	244/286 (85%)	-0.06	2 (0%) 86 87	18, 29, 50, 91	4 (1%)
1	C	250/286 (87%)	0.32	20 (8%) 12 13	18, 39, 71, 91	7 (2%)
1	D	249/286 (87%)	0.18	6 (2%) 59 62	23, 42, 65, 87	10 (4%)
All	All	989/1144 (86%)	0.24	57 (5%) 23 25	18, 38, 75, 104	28 (2%)

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	243	ASP	6.0
1	B	242	GLY	5.0
1	C	214	THR	4.8
1	A	222	ALA	4.4
1	A	232	ILE	4.4
1	A	261	ALA	4.3
1	A	228	ILE	4.2
1	C	225	ASP	4.1
1	A	224	ILE	4.1
1	A	260	THR	3.8
1	A	225	ASP	3.8
1	A	221	PRO	3.7
1	A	203	VAL	3.7
1	A	219	ILE	3.7
1	D	243	ASP	3.7
1	C	221	PRO	3.7
1	A	227	ASP	3.6
1	A	217	GLN	3.5
1	A	201	ALA	3.2
1	A	223	ASP	3.2
1	D	214	THR	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	205	SER	3.1
1	A	210	ALA	3.0
1	C	202	GLY	3.0
1	C	222	ALA	3.0
1	A	16	VAL	2.8
1	C	206	GLY	2.8
1	C	224	ILE	2.7
1	C	232	ILE	2.7
1	C	227	ASP	2.6
1	A	231	GLN	2.6
1	A	214	THR	2.6
1	A	243	ASP	2.6
1	C	125	VAL	2.6
1	D	203	VAL	2.5
1	C	213	ASP	2.5
1	C	231	GLN	2.5
1	A	254	ASN	2.4
1	A	242	GLY	2.4
1	D	202	GLY	2.3
1	A	189	TYR	2.3
1	C	261	ALA	2.3
1	A	241	GLN	2.3
1	A	239	SER	2.2
1	A	191	LEU	2.2
1	C	204	ARG	2.2
1	D	226	ARG	2.2
1	D	143	ARG	2.1
1	C	208	ALA	2.1
1	C	195	ARG	2.1
1	A	119	ASP	2.1
1	C	262	VAL	2.1
1	A	202	GLY	2.1
1	C	207	LEU	2.0
1	A	204	ARG	2.0
1	A	236	ALA	2.0
1	C	193	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SIN	B	301	8/8	0.73	0.21	27,34,39,39	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.