



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 04:17 am BST

PDB ID : 4URQ
Title : Crystal Structure of GGDEF domain (I site mutant) from T.maritima
Authors : Deepthi, A.; Liew, C.W.; Liang, Z.X.; Swamianthan, K.; Lescar, J.
Deposited on : 2014-07-01
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	U	167	<div> <div>5%</div> <div> <div></div> <div>77%</div> <div>14%</div> <div>• 8%</div> </div> </div>
1	V	167	<div> <div>5%</div> <div> <div></div> <div>75%</div> <div>16%</div> <div>• 8%</div> </div> </div>
1	W	167	<div> <div>4%</div> <div> <div></div> <div>76%</div> <div>16%</div> <div>8%</div> </div> </div>
1	X	167	<div> <div>5%</div> <div> <div></div> <div>76%</div> <div>16%</div> <div>• 8%</div> </div> </div>
1	Y	167	<div> <div>5%</div> <div> <div></div> <div>81%</div> <div>10%</div> <div>• 8%</div> </div> </div>
1	Z	167	<div> <div>4%</div> <div> <div></div> <div>77%</div> <div>14%</div> <div>• 8%</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7658 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIGUANYLATE CYCLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	U	154	Total	C	N	O	S	0	0	0
			1258	809	216	229	4			
1	V	153	Total	C	N	O	S	0	0	0
			1250	803	215	228	4			
1	W	154	Total	C	N	O	S	0	1	0
			1257	810	213	229	5			
1	X	154	Total	C	N	O	S	0	0	0
			1258	809	216	229	4			
1	Y	154	Total	C	N	O	S	0	0	0
			1258	809	216	229	4			
1	Z	153	Total	C	N	O	S	0	0	0
			1250	803	215	228	4			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	90	MET	-	expression tag	UNP Q9X2A8
U	158	ALA	ARG	engineered mutation	UNP Q9X2A8
U	249	LEU	-	expression tag	UNP Q9X2A8
U	250	GLU	-	expression tag	UNP Q9X2A8
U	251	HIS	-	expression tag	UNP Q9X2A8
U	252	HIS	-	expression tag	UNP Q9X2A8
U	253	HIS	-	expression tag	UNP Q9X2A8
U	254	HIS	-	expression tag	UNP Q9X2A8
U	255	HIS	-	expression tag	UNP Q9X2A8
U	256	HIS	-	expression tag	UNP Q9X2A8
V	90	MET	-	expression tag	UNP Q9X2A8
V	158	ALA	ARG	engineered mutation	UNP Q9X2A8
V	249	LEU	-	expression tag	UNP Q9X2A8
V	250	GLU	-	expression tag	UNP Q9X2A8
V	251	HIS	-	expression tag	UNP Q9X2A8
V	252	HIS	-	expression tag	UNP Q9X2A8
V	253	HIS	-	expression tag	UNP Q9X2A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
V	254	HIS	-	expression tag	UNP Q9X2A8
V	255	HIS	-	expression tag	UNP Q9X2A8
V	256	HIS	-	expression tag	UNP Q9X2A8
W	90	MET	-	expression tag	UNP Q9X2A8
W	158	ALA	ARG	engineered mutation	UNP Q9X2A8
W	249	LEU	-	expression tag	UNP Q9X2A8
W	250	GLU	-	expression tag	UNP Q9X2A8
W	251	HIS	-	expression tag	UNP Q9X2A8
W	252	HIS	-	expression tag	UNP Q9X2A8
W	253	HIS	-	expression tag	UNP Q9X2A8
W	254	HIS	-	expression tag	UNP Q9X2A8
W	255	HIS	-	expression tag	UNP Q9X2A8
W	256	HIS	-	expression tag	UNP Q9X2A8
X	90	MET	-	expression tag	UNP Q9X2A8
X	158	ALA	ARG	engineered mutation	UNP Q9X2A8
X	249	LEU	-	expression tag	UNP Q9X2A8
X	250	GLU	-	expression tag	UNP Q9X2A8
X	251	HIS	-	expression tag	UNP Q9X2A8
X	252	HIS	-	expression tag	UNP Q9X2A8
X	253	HIS	-	expression tag	UNP Q9X2A8
X	254	HIS	-	expression tag	UNP Q9X2A8
X	255	HIS	-	expression tag	UNP Q9X2A8
X	256	HIS	-	expression tag	UNP Q9X2A8
Y	90	MET	-	expression tag	UNP Q9X2A8
Y	158	ALA	ARG	engineered mutation	UNP Q9X2A8
Y	249	LEU	-	expression tag	UNP Q9X2A8
Y	250	GLU	-	expression tag	UNP Q9X2A8
Y	251	HIS	-	expression tag	UNP Q9X2A8
Y	252	HIS	-	expression tag	UNP Q9X2A8
Y	253	HIS	-	expression tag	UNP Q9X2A8
Y	254	HIS	-	expression tag	UNP Q9X2A8
Y	255	HIS	-	expression tag	UNP Q9X2A8
Y	256	HIS	-	expression tag	UNP Q9X2A8
Z	90	MET	-	expression tag	UNP Q9X2A8
Z	158	ALA	ARG	engineered mutation	UNP Q9X2A8
Z	249	LEU	-	expression tag	UNP Q9X2A8
Z	250	GLU	-	expression tag	UNP Q9X2A8
Z	251	HIS	-	expression tag	UNP Q9X2A8
Z	252	HIS	-	expression tag	UNP Q9X2A8
Z	253	HIS	-	expression tag	UNP Q9X2A8
Z	254	HIS	-	expression tag	UNP Q9X2A8
Z	255	HIS	-	expression tag	UNP Q9X2A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Z	256	HIS	-	expression tag	UNP Q9X2A8


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	U	22	Total O 22 22	0	0
2	V	26	Total O 26 26	0	0
2	W	23	Total O 23 23	0	0
2	X	19	Total O 19 19	0	0
2	Y	18	Total O 18 18	0	0
2	Z	19	Total O 19 19	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: DIGUANYLATE CYCLASE




• Molecule 1: DIGUANYLATE CYCLASE



• Molecule 1: DIGUANYLATE CYCLASE





• Molecule 1: DIGUANYLATE CYCLASE





LEU
SER
LEU
GLU
HIS
HIS
HIS
HIS
HIS

● Molecule 1: DIGUANYLATE CYCLASE



● Molecule 1: DIGUANYLATE CYCLASE



HIS
HIS
HIS
HIS
HIS
HIS

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	159.41Å 91.98Å 87.59Å 90.00° 90.04° 90.00°	Depositor
Resolution (Å)	38.37 – 2.50 36.28 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.7 (38.37-2.50) 99.4 (36.28-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.51Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.222 , 0.247 0.228 , 0.254	Depositor DCC
R_{free} test set	2196 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	45.5	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.479 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.478 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.478 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.479 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.487 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7658	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	U	0.51	0/1281	0.72	0/1721
1	V	0.52	0/1273	0.70	0/1710
1	W	0.52	0/1283	0.71	0/1724
1	X	0.51	0/1281	0.71	0/1721
1	Y	0.51	0/1281	0.71	0/1721
1	Z	0.51	0/1273	0.70	0/1710
All	All	0.51	0/7672	0.71	0/10307

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	U	1258	0	1283	17	0
1	V	1250	0	1272	20	0
1	W	1257	0	1281	17	0
1	X	1258	0	1283	17	0
1	Y	1258	0	1283	13	0
1	Z	1250	0	1272	14	0
2	U	22	0	0	0	0
2	V	26	0	0	0	0
2	W	23	0	0	0	0
2	X	19	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	Y	18	0	0	0	0
2	Z	19	0	0	0	0
All	All	7658	0	7674	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:215:ARG:HH22	1:X:246:SER:HB2	1.27	1.00
1:Y:215:ARG:HH22	1:Y:246:SER:HB2	1.27	1.00
1:V:215:ARG:HH22	1:V:246:SER:HB2	1.28	0.96
1:Z:215:ARG:HH22	1:Z:246:SER:HB2	1.28	0.96
1:W:215:ARG:HH22	1:W:246:SER:HB2	1.27	0.96
1:V:127:LEU:HD11	1:V:149:VAL:HG11	1.74	0.69
1:V:194:PHE:HB2	1:V:209:PRO:HG3	1.76	0.68
1:U:194:PHE:HB2	1:U:209:PRO:HG3	1.76	0.67
1:Z:194:PHE:HB2	1:Z:209:PRO:HG3	1.75	0.67
1:Y:194:PHE:HB2	1:Y:209:PRO:HG3	1.76	0.67
1:W:194:PHE:HB2	1:W:209:PRO:HG3	1.76	0.66
1:V:108:ARG:HG3	1:X:105:LEU:HD21	1.79	0.65
1:V:103:PHE:HE2	1:V:224:GLU:HG3	1.61	0.65
1:W:103:PHE:HE2	1:W:224:GLU:HG3	1.61	0.64
1:U:105:LEU:HD21	1:Y:108:ARG:HG3	1.80	0.64
1:X:215:ARG:HH22	1:X:246:SER:CB	2.09	0.64
1:Z:103:PHE:HE2	1:Z:224:GLU:HG3	1.61	0.64
1:U:103:PHE:HE2	1:U:224:GLU:HG3	1.61	0.64
1:X:103:PHE:HE2	1:X:224:GLU:HG3	1.61	0.64
1:U:108:ARG:HG3	1:Y:105:LEU:HD21	1.80	0.64
1:V:105:LEU:HD21	1:X:108:ARG:HG3	1.82	0.62
1:Y:125:VAL:HG22	1:Y:211:ILE:HG12	1.79	0.62
1:V:114:LYS:HG3	1:V:216:PHE:HZ	1.68	0.59
1:U:114:LYS:HG3	1:U:216:PHE:HZ	1.68	0.58
1:W:114:LYS:HG3	1:W:216:PHE:HZ	1.68	0.58
1:W:125:VAL:HG22	1:W:211:ILE:HG12	1.85	0.58
1:V:125:VAL:HG22	1:V:211:ILE:HG12	1.85	0.57
1:V:215:ARG:HH22	1:V:246:SER:CB	2.09	0.57
1:X:125:VAL:HG22	1:X:211:ILE:HG12	1.85	0.57
1:X:194:PHE:HB2	1:X:209:PRO:HG3	1.87	0.57
1:U:125:VAL:HG22	1:U:211:ILE:HG12	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Z:114:LYS:HG3	1:Z:216:PHE:HZ	1.69	0.57
1:X:127:LEU:HD11	1:X:149:VAL:HG11	1.88	0.56
1:Y:114:LYS:HG3	1:Y:216:PHE:HZ	1.69	0.56
1:X:114:LYS:HG3	1:X:216:PHE:HZ	1.69	0.56
1:W:215:ARG:HH22	1:W:246:SER:CB	2.09	0.56
1:Z:125:VAL:HG22	1:Z:211:ILE:HG12	1.87	0.56
1:Z:215:ARG:HH22	1:Z:246:SER:CB	2.09	0.56
1:Y:215:ARG:HH22	1:Y:246:SER:CB	2.09	0.54
1:U:156:ARG:HH22	1:Z:196:GLU:HG2	1.74	0.53
1:V:156:ARG:HH22	1:W:196:GLU:HG2	1.75	0.51
1:W:114:LYS:HG3	1:W:216:PHE:CZ	2.47	0.48
1:Y:114:LYS:HG3	1:Y:216:PHE:CZ	2.48	0.48
1:Y:190:ILE:O	1:Y:193:THR:HG22	2.14	0.48
1:U:191:LEU:HD11	1:U:244:TYR:HD2	1.79	0.48
1:X:114:LYS:HG3	1:X:216:PHE:CZ	2.49	0.48
1:Y:111:ASP:HA	1:Y:114:LYS:HD2	1.96	0.47
1:Z:114:LYS:HG3	1:Z:216:PHE:CZ	2.49	0.47
1:V:145:VAL:HG23	1:V:200:VAL:HG21	1.97	0.47
1:Z:127:LEU:CD1	1:Z:149:VAL:HG11	2.43	0.47
1:V:114:LYS:HG3	1:V:216:PHE:CZ	2.48	0.47
1:Z:111:ASP:HA	1:Z:114:LYS:HD2	1.96	0.47
1:V:156:ARG:NH2	1:W:196:GLU:HG2	2.29	0.47
1:W:111:ASP:HA	1:W:114:LYS:HD2	1.96	0.47
1:U:114:LYS:HG3	1:U:216:PHE:CZ	2.48	0.47
1:X:111:ASP:HA	1:X:114:LYS:HD2	1.96	0.47
1:W:127:LEU:HD11	1:W:149:VAL:HG11	1.97	0.47
1:U:111:ASP:HA	1:U:114:LYS:HD2	1.96	0.46
1:V:111:ASP:HA	1:V:114:LYS:HD2	1.96	0.46
1:U:127:LEU:CD1	1:U:149:VAL:HG11	2.46	0.45
1:X:99:ARG:HE	1:X:100:ARG:NH2	2.15	0.44
1:U:190:ILE:O	1:U:193:THR:HG22	2.18	0.44
1:U:104:GLU:O	1:U:108:ARG:HG2	2.18	0.44
1:V:104:GLU:O	1:V:108:ARG:HG2	2.17	0.43
1:X:104:GLU:O	1:X:108:ARG:HG2	2.18	0.43
1:V:115:ARG:NH2	1:X:176:TYR:O	2.43	0.43
1:Z:104:GLU:O	1:Z:108:ARG:HG2	2.18	0.43
1:W:104:GLU:O	1:W:108:ARG:HG2	2.19	0.43
1:Y:104:GLU:O	1:Y:108:ARG:HG2	2.19	0.42
1:W:127:LEU:CD1	1:W:149:VAL:HG11	2.50	0.42
1:X:100:ARG:HA	1:X:100:ARG:HD3	1.92	0.42
1:X:106:GLY:HA3	1:X:223:LEU:HD22	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Z:165:ARG:NH1	1:Z:168:GLY:O	2.53	0.42
1:W:106:GLY:HA3	1:W:223:LEU:HD22	2.02	0.41
1:U:198:VAL:N	1:U:205:LEU:O	2.52	0.41
1:Z:106:GLY:HA3	1:Z:223:LEU:HD22	2.03	0.41
1:W:198:VAL:N	1:W:205:LEU:O	2.54	0.41
1:V:106:GLY:HA3	1:V:223:LEU:HD22	2.02	0.41
1:U:156:ARG:NH2	1:Z:196:GLU:HG2	2.34	0.41
1:V:227:LEU:HB3	1:Y:140:LEU:HD11	2.02	0.40
1:U:124:PHE:O	1:U:211:ILE:HA	2.21	0.40
1:W:121:PHE:HB2	1:W:175:LEU:HB2	2.03	0.40
1:Y:121:PHE:HB2	1:Y:175:LEU:HB2	2.03	0.40
1:U:121:PHE:HB2	1:U:175:LEU:HB2	2.03	0.40
1:V:121:PHE:HB2	1:V:175:LEU:HB2	2.03	0.40
1:V:195:ARG:NH1	1:W:155:ASP:O	2.54	0.40
1:X:121:PHE:HB2	1:X:175:LEU:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	U	152/167 (91%)	147 (97%)	5 (3%)	0	100	100
1	V	151/167 (90%)	146 (97%)	5 (3%)	0	100	100
1	W	153/167 (92%)	145 (95%)	7 (5%)	1 (1%)	22	39
1	X	152/167 (91%)	145 (95%)	7 (5%)	0	100	100
1	Y	152/167 (91%)	145 (95%)	7 (5%)	0	100	100
1	Z	151/167 (90%)	144 (95%)	7 (5%)	0	100	100
All	All	911/1002 (91%)	872 (96%)	38 (4%)	1 (0%)	51	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	W	167	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	U	136/149 (91%)	132 (97%)	4 (3%)	42	69
1	V	135/149 (91%)	132 (98%)	3 (2%)	52	77
1	W	136/149 (91%)	133 (98%)	3 (2%)	52	77
1	X	136/149 (91%)	131 (96%)	5 (4%)	34	60
1	Y	136/149 (91%)	133 (98%)	3 (2%)	52	77
1	Z	135/149 (91%)	130 (96%)	5 (4%)	34	60
All	All	814/894 (91%)	791 (97%)	23 (3%)	43	70

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	U	105	LEU
1	U	193	THR
1	U	234	MET
1	U	246	SER
1	V	105	LEU
1	V	193	THR
1	V	234	MET
1	W	105	LEU
1	W	193	THR
1	W	234	MET
1	X	105	LEU
1	X	165	ARG
1	X	193	THR
1	X	196	GLU
1	X	234	MET
1	Y	105	LEU
1	Y	193	THR
1	Y	234	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	Z	105	LEU
1	Z	119	LYS
1	Z	165	ARG
1	Z	193	THR
1	Z	234	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	U	222	ASN
1	V	222	ASN
1	W	222	ASN
1	X	134	ASN
1	X	222	ASN
1	Z	222	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	U	154/167 (92%)	0.55	9 (5%) 23 24	30, 51, 83, 98	0
1	V	153/167 (91%)	0.52	8 (5%) 27 29	30, 51, 82, 96	0
1	W	154/167 (92%)	0.56	7 (4%) 33 36	31, 50, 84, 101	0
1	X	154/167 (92%)	0.64	9 (5%) 23 24	30, 51, 83, 105	0
1	Y	154/167 (92%)	0.55	8 (5%) 27 29	30, 50, 85, 104	0
1	Z	153/167 (91%)	0.44	7 (4%) 32 34	31, 50, 83, 96	0
All	All	922/1002 (92%)	0.55	48 (5%) 27 29	30, 51, 84, 105	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	V	101	TYR	4.4
1	V	94	THR	4.2
1	X	131	LYS	4.2
1	W	94	THR	3.7
1	U	96	LEU	3.6
1	Y	199	ARG	3.6
1	X	96	LEU	3.5
1	X	245	PHE	3.5
1	Y	95	GLY	3.5
1	W	169	ASP	3.4
1	Y	101	TYR	3.4
1	U	131	LYS	3.3
1	W	245	PHE	2.9
1	Y	245	PHE	2.9
1	Z	244	TYR	2.9
1	Z	135	ASP	2.9
1	V	245	PHE	2.9
1	U	245	PHE	2.8
1	V	109	TYR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	W	100	ARG	2.7
1	V	96	LEU	2.6
1	Z	245	PHE	2.6
1	V	131	LYS	2.6
1	V	100	ARG	2.6
1	Z	101	TYR	2.5
1	X	95	GLY	2.5
1	X	135	ASP	2.5
1	U	101	TYR	2.4
1	X	100	ARG	2.4
1	V	95	GLY	2.4
1	W	130	PHE	2.4
1	U	194	PHE	2.3
1	Y	135	ASP	2.3
1	Y	121	PHE	2.2
1	Z	100	ARG	2.2
1	X	94	THR	2.2
1	Y	109	TYR	2.1
1	U	135	ASP	2.1
1	X	102	PHE	2.1
1	W	199	ARG	2.1
1	Z	196	GLU	2.1
1	U	132	ALA	2.1
1	Z	169	ASP	2.1
1	U	242	VAL	2.1
1	X	109	TYR	2.1
1	W	95	GLY	2.1
1	Y	239	GLU	2.1
1	U	244	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.