



wwPDB X-ray Structure Validation Summary Report ⓘ

May 14, 2020 – 09:27 am BST

PDB ID : 5UUZ
Title : Crystal Structure of the Catalytic Domain of the Inosine Monophosphate Dehydrogenase from Bacillus anthracis in the complex with IMP and the inhibitor P200
Authors : Kim, Y.; Maltseva, N.; Mulligan, R.; Makowska-Grzyska, M.; Gu, M.; Gollapalli, D.; Hedstrom, L.; Anderson, W.F.; Joachimiak, A.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2017-02-17
Resolution : 2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	<div> <div>2%</div> <div> <div></div> <div>75%</div> <div>15%</div> <div>•</div> <div>9%</div> </div> </div>
1	B	384	<div> <div>4%</div> <div> <div></div> <div>73%</div> <div>17%</div> <div>•</div> <div>9%</div> </div> </div>
1	C	384	<div> <div>2%</div> <div> <div></div> <div>77%</div> <div>13%</div> <div>•</div> <div>9%</div> </div> </div>
1	D	384	<div> <div>3%</div> <div> <div></div> <div>78%</div> <div>13%</div> <div>•</div> <div>9%</div> </div> </div>
1	E	384	<div> <div>2%</div> <div> <div></div> <div>75%</div> <div>16%</div> <div>•</div> <div>9%</div> </div> </div>
1	F	384	<div> <div>10%</div> <div> <div></div> <div>76%</div> <div>14%</div> <div>•</div> <div>9%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	384	<div><div></div><div>14%</div><div>79%</div><div>13%</div><div>•</div><div>8%</div></div>
1	H	384	<div><div></div><div>7%</div><div>74%</div><div>16%</div><div>•</div><div>10%</div></div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 21056 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Inosine-5'-monophosphate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	348	Total	C	N	O	S	0	0	0
			2550	1600	447	487	16			
1	B	349	Total	C	N	O	S	0	0	0
			2561	1609	449	487	16			
1	C	348	Total	C	N	O	S	0	0	0
			2549	1600	446	487	16			
1	D	351	Total	C	N	O	S	0	0	0
			2578	1620	451	491	16			
1	E	351	Total	C	N	O	S	0	0	0
			2576	1617	452	491	16			
1	F	348	Total	C	N	O	S	0	0	0
			2552	1603	447	486	16			
1	G	352	Total	C	N	O	S	0	0	0
			2587	1626	453	492	16			
1	H	347	Total	C	N	O	S	0	0	0
			2543	1597	445	485	16			

There are 208 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-23	MET	-	initiating methionine	UNP Q81W29
A	-22	HIS	-	expression tag	UNP Q81W29
A	-21	HIS	-	expression tag	UNP Q81W29
A	-20	HIS	-	expression tag	UNP Q81W29
A	-19	HIS	-	expression tag	UNP Q81W29
A	-18	HIS	-	expression tag	UNP Q81W29
A	-17	HIS	-	expression tag	UNP Q81W29
A	-16	SER	-	expression tag	UNP Q81W29
A	-15	SER	-	expression tag	UNP Q81W29
A	-14	GLY	-	expression tag	UNP Q81W29
A	-13	VAL	-	expression tag	UNP Q81W29
A	-12	ASP	-	expression tag	UNP Q81W29
A	-11	LEU	-	expression tag	UNP Q81W29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	GLY	-	expression tag	UNP Q81W29
A	-9	THR	-	expression tag	UNP Q81W29
A	-8	GLU	-	expression tag	UNP Q81W29
A	-7	ASN	-	expression tag	UNP Q81W29
A	-6	LEU	-	expression tag	UNP Q81W29
A	-5	TYR	-	expression tag	UNP Q81W29
A	-4	PHE	-	expression tag	UNP Q81W29
A	-3	GLN	-	expression tag	UNP Q81W29
A	-2	SER	-	expression tag	UNP Q81W29
A	-1	ASN	-	expression tag	UNP Q81W29
A	0	ALA	-	expression tag	UNP Q81W29
A	92	GLY	-	linker	UNP Q81W29
A	220	GLY	-	linker	UNP Q81W29
B	-23	MET	-	initiating methionine	UNP Q81W29
B	-22	HIS	-	expression tag	UNP Q81W29
B	-21	HIS	-	expression tag	UNP Q81W29
B	-20	HIS	-	expression tag	UNP Q81W29
B	-19	HIS	-	expression tag	UNP Q81W29
B	-18	HIS	-	expression tag	UNP Q81W29
B	-17	HIS	-	expression tag	UNP Q81W29
B	-16	SER	-	expression tag	UNP Q81W29
B	-15	SER	-	expression tag	UNP Q81W29
B	-14	GLY	-	expression tag	UNP Q81W29
B	-13	VAL	-	expression tag	UNP Q81W29
B	-12	ASP	-	expression tag	UNP Q81W29
B	-11	LEU	-	expression tag	UNP Q81W29
B	-10	GLY	-	expression tag	UNP Q81W29
B	-9	THR	-	expression tag	UNP Q81W29
B	-8	GLU	-	expression tag	UNP Q81W29
B	-7	ASN	-	expression tag	UNP Q81W29
B	-6	LEU	-	expression tag	UNP Q81W29
B	-5	TYR	-	expression tag	UNP Q81W29
B	-4	PHE	-	expression tag	UNP Q81W29
B	-3	GLN	-	expression tag	UNP Q81W29
B	-2	SER	-	expression tag	UNP Q81W29
B	-1	ASN	-	expression tag	UNP Q81W29
B	0	ALA	-	expression tag	UNP Q81W29
B	92	GLY	-	linker	UNP Q81W29
B	220	GLY	-	linker	UNP Q81W29
C	-23	MET	-	initiating methionine	UNP Q81W29
C	-22	HIS	-	expression tag	UNP Q81W29
C	-21	HIS	-	expression tag	UNP Q81W29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-20	HIS	-	expression tag	UNP Q81W29
C	-19	HIS	-	expression tag	UNP Q81W29
C	-18	HIS	-	expression tag	UNP Q81W29
C	-17	HIS	-	expression tag	UNP Q81W29
C	-16	SER	-	expression tag	UNP Q81W29
C	-15	SER	-	expression tag	UNP Q81W29
C	-14	GLY	-	expression tag	UNP Q81W29
C	-13	VAL	-	expression tag	UNP Q81W29
C	-12	ASP	-	expression tag	UNP Q81W29
C	-11	LEU	-	expression tag	UNP Q81W29
C	-10	GLY	-	expression tag	UNP Q81W29
C	-9	THR	-	expression tag	UNP Q81W29
C	-8	GLU	-	expression tag	UNP Q81W29
C	-7	ASN	-	expression tag	UNP Q81W29
C	-6	LEU	-	expression tag	UNP Q81W29
C	-5	TYR	-	expression tag	UNP Q81W29
C	-4	PHE	-	expression tag	UNP Q81W29
C	-3	GLN	-	expression tag	UNP Q81W29
C	-2	SER	-	expression tag	UNP Q81W29
C	-1	ASN	-	expression tag	UNP Q81W29
C	0	ALA	-	expression tag	UNP Q81W29
C	92	GLY	-	linker	UNP Q81W29
C	220	GLY	-	linker	UNP Q81W29
D	-23	MET	-	initiating methionine	UNP Q81W29
D	-22	HIS	-	expression tag	UNP Q81W29
D	-21	HIS	-	expression tag	UNP Q81W29
D	-20	HIS	-	expression tag	UNP Q81W29
D	-19	HIS	-	expression tag	UNP Q81W29
D	-18	HIS	-	expression tag	UNP Q81W29
D	-17	HIS	-	expression tag	UNP Q81W29
D	-16	SER	-	expression tag	UNP Q81W29
D	-15	SER	-	expression tag	UNP Q81W29
D	-14	GLY	-	expression tag	UNP Q81W29
D	-13	VAL	-	expression tag	UNP Q81W29
D	-12	ASP	-	expression tag	UNP Q81W29
D	-11	LEU	-	expression tag	UNP Q81W29
D	-10	GLY	-	expression tag	UNP Q81W29
D	-9	THR	-	expression tag	UNP Q81W29
D	-8	GLU	-	expression tag	UNP Q81W29
D	-7	ASN	-	expression tag	UNP Q81W29
D	-6	LEU	-	expression tag	UNP Q81W29
D	-5	TYR	-	expression tag	UNP Q81W29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-4	PHE	-	expression tag	UNP Q81W29
D	-3	GLN	-	expression tag	UNP Q81W29
D	-2	SER	-	expression tag	UNP Q81W29
D	-1	ASN	-	expression tag	UNP Q81W29
D	0	ALA	-	expression tag	UNP Q81W29
D	92	GLY	-	linker	UNP Q81W29
D	220	GLY	-	linker	UNP Q81W29
E	-23	MET	-	initiating methionine	UNP Q81W29
E	-22	HIS	-	expression tag	UNP Q81W29
E	-21	HIS	-	expression tag	UNP Q81W29
E	-20	HIS	-	expression tag	UNP Q81W29
E	-19	HIS	-	expression tag	UNP Q81W29
E	-18	HIS	-	expression tag	UNP Q81W29
E	-17	HIS	-	expression tag	UNP Q81W29
E	-16	SER	-	expression tag	UNP Q81W29
E	-15	SER	-	expression tag	UNP Q81W29
E	-14	GLY	-	expression tag	UNP Q81W29
E	-13	VAL	-	expression tag	UNP Q81W29
E	-12	ASP	-	expression tag	UNP Q81W29
E	-11	LEU	-	expression tag	UNP Q81W29
E	-10	GLY	-	expression tag	UNP Q81W29
E	-9	THR	-	expression tag	UNP Q81W29
E	-8	GLU	-	expression tag	UNP Q81W29
E	-7	ASN	-	expression tag	UNP Q81W29
E	-6	LEU	-	expression tag	UNP Q81W29
E	-5	TYR	-	expression tag	UNP Q81W29
E	-4	PHE	-	expression tag	UNP Q81W29
E	-3	GLN	-	expression tag	UNP Q81W29
E	-2	SER	-	expression tag	UNP Q81W29
E	-1	ASN	-	expression tag	UNP Q81W29
E	0	ALA	-	expression tag	UNP Q81W29
E	92	GLY	-	linker	UNP Q81W29
E	220	GLY	-	linker	UNP Q81W29
F	-23	MET	-	initiating methionine	UNP Q81W29
F	-22	HIS	-	expression tag	UNP Q81W29
F	-21	HIS	-	expression tag	UNP Q81W29
F	-20	HIS	-	expression tag	UNP Q81W29
F	-19	HIS	-	expression tag	UNP Q81W29
F	-18	HIS	-	expression tag	UNP Q81W29
F	-17	HIS	-	expression tag	UNP Q81W29
F	-16	SER	-	expression tag	UNP Q81W29
F	-15	SER	-	expression tag	UNP Q81W29

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-14	GLY	-	expression tag	UNP Q81W29
F	-13	VAL	-	expression tag	UNP Q81W29
F	-12	ASP	-	expression tag	UNP Q81W29
F	-11	LEU	-	expression tag	UNP Q81W29
F	-10	GLY	-	expression tag	UNP Q81W29
F	-9	THR	-	expression tag	UNP Q81W29
F	-8	GLU	-	expression tag	UNP Q81W29
F	-7	ASN	-	expression tag	UNP Q81W29
F	-6	LEU	-	expression tag	UNP Q81W29
F	-5	TYR	-	expression tag	UNP Q81W29
F	-4	PHE	-	expression tag	UNP Q81W29
F	-3	GLN	-	expression tag	UNP Q81W29
F	-2	SER	-	expression tag	UNP Q81W29
F	-1	ASN	-	expression tag	UNP Q81W29
F	0	ALA	-	expression tag	UNP Q81W29
F	92	GLY	-	linker	UNP Q81W29
F	220	GLY	-	linker	UNP Q81W29
G	-23	MET	-	initiating methionine	UNP Q81W29
G	-22	HIS	-	expression tag	UNP Q81W29
G	-21	HIS	-	expression tag	UNP Q81W29
G	-20	HIS	-	expression tag	UNP Q81W29
G	-19	HIS	-	expression tag	UNP Q81W29
G	-18	HIS	-	expression tag	UNP Q81W29
G	-17	HIS	-	expression tag	UNP Q81W29
G	-16	SER	-	expression tag	UNP Q81W29
G	-15	SER	-	expression tag	UNP Q81W29
G	-14	GLY	-	expression tag	UNP Q81W29
G	-13	VAL	-	expression tag	UNP Q81W29
G	-12	ASP	-	expression tag	UNP Q81W29
G	-11	LEU	-	expression tag	UNP Q81W29
G	-10	GLY	-	expression tag	UNP Q81W29
G	-9	THR	-	expression tag	UNP Q81W29
G	-8	GLU	-	expression tag	UNP Q81W29
G	-7	ASN	-	expression tag	UNP Q81W29
G	-6	LEU	-	expression tag	UNP Q81W29
G	-5	TYR	-	expression tag	UNP Q81W29
G	-4	PHE	-	expression tag	UNP Q81W29
G	-3	GLN	-	expression tag	UNP Q81W29
G	-2	SER	-	expression tag	UNP Q81W29
G	-1	ASN	-	expression tag	UNP Q81W29
G	0	ALA	-	expression tag	UNP Q81W29
G	92	GLY	-	linker	UNP Q81W29

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	220	GLY	-	linker	UNP Q81W29
H	-23	MET	-	initiating methionine	UNP Q81W29
H	-22	HIS	-	expression tag	UNP Q81W29
H	-21	HIS	-	expression tag	UNP Q81W29
H	-20	HIS	-	expression tag	UNP Q81W29
H	-19	HIS	-	expression tag	UNP Q81W29
H	-18	HIS	-	expression tag	UNP Q81W29
H	-17	HIS	-	expression tag	UNP Q81W29
H	-16	SER	-	expression tag	UNP Q81W29
H	-15	SER	-	expression tag	UNP Q81W29
H	-14	GLY	-	expression tag	UNP Q81W29
H	-13	VAL	-	expression tag	UNP Q81W29
H	-12	ASP	-	expression tag	UNP Q81W29
H	-11	LEU	-	expression tag	UNP Q81W29
H	-10	GLY	-	expression tag	UNP Q81W29
H	-9	THR	-	expression tag	UNP Q81W29
H	-8	GLU	-	expression tag	UNP Q81W29
H	-7	ASN	-	expression tag	UNP Q81W29
H	-6	LEU	-	expression tag	UNP Q81W29
H	-5	TYR	-	expression tag	UNP Q81W29
H	-4	PHE	-	expression tag	UNP Q81W29
H	-3	GLN	-	expression tag	UNP Q81W29
H	-2	SER	-	expression tag	UNP Q81W29
H	-1	ASN	-	expression tag	UNP Q81W29
H	0	ALA	-	expression tag	UNP Q81W29
H	92	GLY	-	linker	UNP Q81W29
H	220	GLY	-	linker	UNP Q81W29

- Molecule 2 is INOSINIC ACID (three-letter code: IMP) (formula: C₁₀H₁₃N₄O₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	E	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	F	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	G	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	H	1	Total	C	N	O	P	0	0
			23	10	4	8	1		

- Molecule 3 is 3-(2-([(4-chlorophenyl)carbamoyl]amino}propan-2-yl)-N-hydroxybenzene-1-carboximidamide (three-letter code: 8L4) (formula: C₁₇H₁₉ClN₄O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	B	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	C	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	D	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	E	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	F	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	G	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	H	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	1	Total	K	0	0
			1	1		
4	E	2	Total	K	0	0
			2	2		
4	B	1	Total	K	0	0
			1	1		
4	C	1	Total	K	0	0
			1	1		


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	K	0	0
			2	2		
4	F	1	Total	K	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	30	Total	O	0	0
			30	30		
5	B	22	Total	O	0	0
			22	22		
5	C	36	Total	O	0	0
			36	36		
5	D	30	Total	O	0	0
			30	30		
5	E	19	Total	O	0	0
			19	19		
5	F	12	Total	O	0	0
			12	12		
5	G	12	Total	O	0	0
			12	12		
5	H	15	Total	O	0	0
			15	15		




• Molecule 1: Inosine-5'-monophosphate dehydrogenase




• Molecule 1: Inosine-5'-monophosphate dehydrogenase





• Molecule 1: Inosine-5'-monophosphate dehydrogenase






• Molecule 1: Inosine-5'-monophosphate dehydrogenase



• Molecule 1: Inosine-5'-monophosphate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	82.82Å 89.89Å 104.62Å 99.27° 89.94° 96.15°	Depositor
Resolution (Å)	40.75 – 2.50 48.07 – 2.50	Depositor EDS
% Data completeness (in resolution range)	89.1 (40.75-2.50) 89.1 (48.07-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.70 (at 2.48Å)	Xtriage
Refinement program	PHENIX (1.11.1 _2575: ???)	Depositor
R, R_{free}	0.223 , 0.255 0.223 , 0.255	Depositor DCC
R_{free} test set	4588 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	38.2	Xtriage
Anisotropy	0.114	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	21056	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IMP, K, 8L4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/2586	0.51	0/3496
1	B	0.29	0/2597	0.51	0/3510
1	C	0.30	0/2585	0.52	0/3496
1	D	0.30	0/2615	0.51	0/3535
1	E	0.30	0/2612	0.51	0/3530
1	F	0.30	0/2588	0.51	2/3499 (0.1%)
1	G	0.30	0/2624	0.51	0/3546
1	H	0.29	0/2579	0.51	0/3488
All	All	0.30	0/20786	0.51	2/28100 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	90	ARG	NE-CZ-NH2	-5.19	117.70	120.30
1	F	90	ARG	NE-CZ-NH1	5.17	122.88	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2550	0	2602	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2561	0	2621	42	0
1	C	2549	0	2600	37	0
1	D	2578	0	2630	36	0
1	E	2576	0	2634	42	0
1	F	2552	0	2608	41	0
1	G	2587	0	2643	29	0
1	H	2543	0	2595	42	0
2	A	23	0	11	2	0
2	B	23	0	11	1	0
2	C	23	0	11	0	0
2	D	23	0	11	1	0
2	E	23	0	11	0	0
2	F	23	0	11	1	0
2	G	23	0	11	1	0
2	H	23	0	11	3	0
3	A	24	0	0	0	0
3	B	24	0	0	0	0
3	C	24	0	0	0	0
3	D	24	0	0	0	0
3	E	24	0	0	0	0
3	F	24	0	0	0	0
3	G	24	0	0	0	0
3	H	24	0	0	0	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	E	2	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
5	A	30	0	0	0	0
5	B	22	0	0	1	0
5	C	36	0	0	0	0
5	D	30	0	0	1	0
5	E	19	0	0	0	0
5	F	12	0	0	0	0
5	G	12	0	0	0	0
5	H	15	0	0	0	0
All	All	21056	0	21021	263	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 263 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:252:THR:HG21	1:A:260:VAL:HG21	1.66	0.77
1:G:414:VAL:HG21	1:H:437:GLY:HA3	1.71	0.72
1:E:412:LYS:O	1:G:433:HIS:NE2	2.21	0.70
1:B:252:THR:HG21	1:B:260:VAL:HG21	1.73	0.70
1:E:81:GLN:HE21	1:E:225:ALA:HB1	1.57	0.70

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	344/384 (90%)	337 (98%)	7 (2%)	0	100	100
1	B	345/384 (90%)	339 (98%)	6 (2%)	0	100	100
1	C	344/384 (90%)	338 (98%)	6 (2%)	0	100	100
1	D	347/384 (90%)	341 (98%)	6 (2%)	0	100	100
1	E	347/384 (90%)	340 (98%)	7 (2%)	0	100	100
1	F	344/384 (90%)	338 (98%)	6 (2%)	0	100	100
1	G	348/384 (91%)	342 (98%)	6 (2%)	0	100	100
1	H	343/384 (89%)	337 (98%)	6 (2%)	0	100	100
All	All	2762/3072 (90%)	2712 (98%)	50 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/298 (89%)	260 (98%)	6 (2%)	50	76
1	B	267/298 (90%)	259 (97%)	8 (3%)	41	68
1	C	266/298 (89%)	259 (97%)	7 (3%)	46	72
1	D	269/298 (90%)	263 (98%)	6 (2%)	52	77
1	E	269/298 (90%)	262 (97%)	7 (3%)	46	72
1	F	266/298 (89%)	262 (98%)	4 (2%)	65	85
1	G	270/298 (91%)	261 (97%)	9 (3%)	38	64
1	H	265/298 (89%)	257 (97%)	8 (3%)	41	68
All	All	2138/2384 (90%)	2083 (97%)	55 (3%)	46	72

5 of 55 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	350	MET
1	E	89	LYS
1	H	350	MET
1	D	360	VAL
1	E	59	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	434	GLN
1	H	484	ASN
1	C	449	GLN
1	A	381	GLN
1	F	275	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 8 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	IMP	B	500	-	21,25,25	1.30	3 (14%)	23,38,38	1.46	4 (17%)
2	IMP	H	501	-	21,25,25	1.26	3 (14%)	23,38,38	1.50	4 (17%)
3	8L4	E	502	-	25,25,25	1.16	4 (16%)	32,35,35	1.26	2 (6%)
2	IMP	D	501	-	21,25,25	1.30	3 (14%)	23,38,38	1.49	3 (13%)
3	8L4	G	502	-	25,25,25	1.10	3 (12%)	32,35,35	1.38	2 (6%)
3	8L4	H	502	-	25,25,25	1.08	3 (12%)	32,35,35	1.21	2 (6%)
3	8L4	A	502	-	25,25,25	1.14	3 (12%)	32,35,35	1.41	2 (6%)
2	IMP	G	501	-	21,25,25	1.37	3 (14%)	23,38,38	1.44	3 (13%)
3	8L4	C	502	-	25,25,25	1.10	4 (16%)	32,35,35	1.50	4 (12%)
3	8L4	D	502	-	25,25,25	1.09	3 (12%)	32,35,35	1.38	2 (6%)
3	8L4	F	501	-	25,25,25	1.13	3 (12%)	32,35,35	1.46	2 (6%)
2	IMP	A	501	-	21,25,25	1.26	3 (14%)	23,38,38	1.57	3 (13%)
3	8L4	B	501	-	25,25,25	1.04	3 (12%)	32,35,35	1.39	2 (6%)
2	IMP	F	500	-	21,25,25	1.35	3 (14%)	23,38,38	1.45	3 (13%)
2	IMP	E	501	-	21,25,25	1.24	3 (14%)	23,38,38	1.49	3 (13%)
2	IMP	C	501	-	21,25,25	1.26	3 (14%)	23,38,38	1.42	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IMP	B	500	-	-	0/6/26/26	0/3/3/3
2	IMP	H	501	-	-	1/6/26/26	0/3/3/3
3	8L4	E	502	-	-	0/19/21/21	0/2/2/2
2	IMP	D	501	-	-	5/6/26/26	0/3/3/3
3	8L4	G	502	-	-	2/19/21/21	0/2/2/2
3	8L4	H	502	-	-	2/19/21/21	0/2/2/2
3	8L4	A	502	-	-	1/19/21/21	0/2/2/2
2	IMP	G	501	-	-	2/6/26/26	0/3/3/3
3	8L4	C	502	-	-	1/19/21/21	0/2/2/2
3	8L4	D	502	-	-	0/19/21/21	0/2/2/2
3	8L4	F	501	-	-	2/19/21/21	0/2/2/2
2	IMP	A	501	-	-	0/6/26/26	0/3/3/3
3	8L4	B	501	-	-	2/19/21/21	0/2/2/2
2	IMP	F	500	-	-	0/6/26/26	0/3/3/3
2	IMP	E	501	-	-	2/6/26/26	0/3/3/3
2	IMP	C	501	-	-	0/6/26/26	0/3/3/3

The worst 5 of 50 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	501	IMP	C2-N3	4.16	1.38	1.32
2	D	501	IMP	C2-N3	4.14	1.38	1.32
2	F	500	IMP	C2-N3	4.13	1.38	1.32
2	B	500	IMP	C2-N3	3.97	1.38	1.32
2	C	501	IMP	C2-N3	3.91	1.38	1.32

The worst 5 of 43 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	8L4	C5-C7-N1	6.36	124.55	114.69
3	G	502	8L4	C5-C7-N1	6.21	124.32	114.69
3	F	501	8L4	C5-C7-N1	6.18	124.27	114.69
3	B	501	8L4	C5-C7-N1	6.11	124.16	114.69
3	A	502	8L4	C5-C7-N1	5.99	123.98	114.69

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	501	IMP	C5'-O5'-P-O2P
2	D	501	IMP	C5'-O5'-P-O3P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	501	IMP	C5'-O5'-P-O2P
2	D	501	IMP	C5'-O5'-P-O1P
3	G	502	8L4	C4-C5-C7-N1


There are no ring outliers.

6 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	500	IMP	1	0
2	H	501	IMP	3	0
2	D	501	IMP	1	0
2	G	501	IMP	1	0
2	A	501	IMP	2	0
2	F	500	IMP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand IMP B 500




Ligand IMP H 501




Ligand 8L4 E 502




Ligand IMP D 501







Ligand 8L4 H 502





Ligand 8L4 A 502




Ligand IMP G 501









Ligand 8L4 F 501




Ligand IMP A 501




Ligand 8L4 B 501



Ligand IMP F 500





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/384 (90%)	0.33	9 (2%) 56 59	22, 42, 71, 108	0
1	B	349/384 (90%)	0.51	17 (4%) 29 31	22, 46, 72, 91	0
1	C	348/384 (90%)	0.26	9 (2%) 56 59	20, 39, 67, 95	0
1	D	351/384 (91%)	0.32	10 (2%) 53 56	19, 39, 69, 94	0
1	E	351/384 (91%)	0.44	9 (2%) 56 59	24, 45, 75, 101	1 (0%)
1	F	348/384 (90%)	0.80	40 (11%) 4 4	26, 56, 84, 111	0
1	G	352/384 (91%)	0.92	54 (15%) 2 1	25, 51, 84, 106	1 (0%)
1	H	347/384 (90%)	0.60	25 (7%) 15 16	30, 53, 85, 101	0
All	All	2794/3072 (90%)	0.52	173 (6%) 20 21	19, 46, 80, 111	2 (0%)

The worst 5 of 173 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	413	LEU	6.5
1	H	413	LEU	6.1
1	F	251	ASP	6.1
1	G	77	SER	5.8
1	H	251	ASP	5.7

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	K	F	502	1/1	0.81	0.26	93,93,93,93	0
4	K	E	503	1/1	0.82	0.44	95,95,95,95	0
3	8L4	F	501	24/24	0.85	0.22	51,54,57,61	0
3	8L4	G	502	24/24	0.88	0.21	34,46,51,56	0
3	8L4	H	502	24/24	0.89	0.22	45,49,55,58	0
3	8L4	B	501	24/24	0.89	0.21	34,41,49,52	0
3	8L4	A	502	24/24	0.90	0.22	26,32,41,41	0
3	8L4	D	502	24/24	0.90	0.19	36,42,45,51	0
4	K	A	503	1/1	0.92	0.13	52,52,52,52	0
3	8L4	C	502	24/24	0.92	0.19	33,38,45,48	0
3	8L4	E	502	24/24	0.92	0.15	30,41,49,56	0
4	K	C	503	1/1	0.93	0.31	74,74,74,74	0
4	K	G	503	1/1	0.95	0.28	83,83,83,83	0
2	IMP	G	501	23/23	0.95	0.13	31,35,37,37	0
2	IMP	A	501	23/23	0.96	0.15	25,30,34,36	0
2	IMP	H	501	23/23	0.96	0.13	30,38,41,42	0
2	IMP	E	501	23/23	0.96	0.15	26,33,35,39	0
2	IMP	B	500	23/23	0.96	0.17	28,32,36,38	0
2	IMP	F	500	23/23	0.96	0.14	32,35,37,37	0
2	IMP	D	501	23/23	0.97	0.13	22,26,27,29	0
4	K	A	504	1/1	0.97	0.17	52,52,52,52	0
4	K	B	502	1/1	0.98	0.18	52,52,52,52	0
2	IMP	C	501	23/23	0.98	0.14	20,26,29,30	0
4	K	E	504	1/1	0.98	0.17	52,52,52,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 8L4 F 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8L4 G 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8L4 H 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 8L4 B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8L4 A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 8L4 D 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8L4 C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8L4 E 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IMP G 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IMP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IMP H 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IMP E 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IMP B 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IMP F 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IMP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around IMP C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.