



wwPDB EM Validation Summary Report ⓘ

Nov 3, 2022 – 08:59 AM EDT

PDB ID : 5UYQ
EMDB ID : EMD-8620
Title : 70S ribosome bound with near-cognate ternary complex base-paired to A site codon, closed 30S (Structure III-nc)
Authors : Loveland, A.B.; Demo, G.; Grigorieff, N.; Korostelev, A.A.
Deposited on : 2017-02-24
Resolution : 3.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev43
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	04	271	
2	05	209	
3	06	201	
4	07	177	
5	08	176	
6	09	149	
7	10	131	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	11	141	
9	12	142	
10	13	122	
11	14	143	
12	15	136	
13	16	120	
14	17	116	
15	18	114	
16	19	117	
17	20	103	
18	21	110	
19	22	93	
20	23	102	
21	24	94	
22	25	75	
23	26	77	
24	27	63	
25	28	58	
26	29	66	
27	30	56	
28	31	50	
29	32	46	
30	33	64	
31	34	38	
32	B	218	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	C	206	
34	D	205	
35	E	157	
36	F	100	
37	G	151	
38	H	129	
39	I	127	
40	J	98	
41	K	116	
42	L	123	
43	M	114	
44	N	100	
45	O	88	
46	P	82	
47	Q	80	
48	R	65	
49	S	79	
50	T	85	
51	U	65	
52	03	223	
53	A	1539	
54	01	2903	
55	02	120	
56	W	77	
56	X	77	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	V	18	 6% 67% 33%
58	Y	76	 5% 36% 46% 18%
59	Z	392	 13% 47% 49% .

2 Entry composition

There are 63 unique types of molecules in this entry. The entry contains 153759 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	04	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 2 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	05	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 3 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	06	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 4 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	07	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 5 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	08	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 6 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	09	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 7 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	10	131	Total	C	N	O	S	0	0
			989	625	175	184	5		

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	11	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	12	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	13	122	Total	C	N	O	S	0	0
			939	587	180	166	6		

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	14	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	15	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	16	120	Total	C	N	O	S	0	0
			961	593	196	167	5		

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	17	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	18	114	Total	C	N	O	S	0
			917	574	179	163	1	0

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	19	117	Total	C	N	O		0
			947	604	192	151		0

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	20	103	Total	C	N	O	S	0
			816	516	153	145	2	0

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	21	110	Total	C	N	O	S	0
			857	532	166	156	3	0

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	22	93	Total	C	N	O	S	0
			739	466	139	132	2	0

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	23	102	Total	C	N	O		0
			780	492	146	142		0

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	24	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	25	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	26	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	27	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	28	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	29	66	Total	C	N	O	S	0	0
			523	323	99	95	6		

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	30	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	31	50	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	32	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	33	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	34	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 32 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	B	218	Total	C	N	O	S	0	0
			1705	1081	305	312	7		

- Molecule 33 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	C	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 34 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	D	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 35 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	E	157	Total	C	N	O	S	0	0
			1157	719	218	214	6		

- Molecule 36 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	F	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 37 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	G	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 38 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	H	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 39 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	I	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 40 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	J	98	Total	C	N	O	S	0	0
			787	493	150	143	1		

- Molecule 41 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	K	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 42 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	L	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	M	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 44 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	N	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	O	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	P	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Q	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	R	65	Total	C	N	O	S	0	0
			536	339	100	96	1		

- Molecule 49 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	S	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	T	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 51 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	U	65	Total	C	N	O	S	0	0
			545	335	117	92	1		

- Molecule 52 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	03	134	Total	C	N	O	S	0	0
			1027	645	186	194	2		

- Molecule 53 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	A	1539	Total	C	N	O	P	0	0
			33012	14725	6052	10697	1538		

- Molecule 54 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	01	2903	Total	C	N	O	P	0	0
			62317	27801	11468	20146	2902		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
01	747	C	U	conflict	GB 802133627

- Molecule 55 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	02	120	Total	C	N	O	P	0	0
			2568	1145	471	833	119		

- Molecule 56 is a RNA chain called tRNAfMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	X	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		
56	W	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		

- Molecule 57 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	V	18	Total	C	N	O	P	0	0
			395	178	84	116	17		

- Molecule 58 is a RNA chain called tRNA^{Lys}.

Mol	Chain	Residues	Atoms						AltConf	Trace
58	Y	76	Total	C	N	O	P	S	0	0
			1618	723	282	536	76	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	34	U8U	-	insertion	GB 558570689

- Molecule 59 is a protein called Elongation factor Tu 2.


Mol	Chain	Residues	Atoms					AltConf	Trace
59	Z	392	Total	C	N	O	S	0	0
			3029	1915	521	580	13		

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C₆H₁₁NO₃S).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	W	1	10	6	1	2	1	0

- Molecule 61 is LYSINE (three-letter code: LYS) (formula: $C_6H_{15}N_2O_2$).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
61	Y	1	9	6	2	1	0

- Molecule 62 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
62	Z	1	Total Mg 1 1	0

- Molecule 63 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: GCP) (formula: $\text{C}_{11}\text{H}_{18}\text{N}_5\text{O}_{13}\text{P}_3$).




Mol	Chain	Residues	Atoms					AltConf
63	Z	1	Total 32	C 11	N 5	O 13	P 3	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 50S ribosomal protein L2




• Molecule 2: 50S ribosomal protein L3




• Molecule 3: 50S ribosomal protein L4






• Molecule 4: 50S ribosomal protein L5

Chain 07: 54% 45% .




• Molecule 5: 50S ribosomal protein L6


Chain 08: 6% 60% 38% .




• Molecule 6: 50S ribosomal protein L9

Chain 09: 54% 65% 35%







• Molecule 7: 50S ribosomal protein L10




• Molecule 8: 50S ribosomal protein L11




• Molecule 9: 50S ribosomal protein L13




• Molecule 10: 50S ribosomal protein L14







- Molecule 11: 50S ribosomal protein L15




- Molecule 12: 50S ribosomal protein L16



- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19

Chain 18:  54% 44%




- Molecule 16: 50S ribosomal protein L20

Chain 19:  59% 40%




- Molecule 17: 50S ribosomal protein L21

Chain 20:  60% 37%




- Molecule 18: 50S ribosomal protein L22

Chain 21:  5% 58% 38%




- Molecule 19: 50S ribosomal protein L23


Chain 22:  66% 31%




- Molecule 20: 50S ribosomal protein L24




- Molecule 21: 50S ribosomal protein L25




- Molecule 22: 50S ribosomal protein L27




- Molecule 23: 50S ribosomal protein L28




- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31




- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33




- Molecule 29: 50S ribosomal protein L34



- Molecule 30: 50S ribosomal protein L35




- Molecule 31: 50S ribosomal protein L36




- Molecule 32: 30S ribosomal protein S2







- Molecule 33: 30S ribosomal protein S3



- Molecule 34: 30S ribosomal protein S4





- Molecule 35: 30S ribosomal protein S5







- Molecule 36: 30S ribosomal protein S6




- Molecule 37: 30S ribosomal protein S7




- Molecule 38: 30S ribosomal protein S8




- Molecule 39: 30S ribosomal protein S9




- Molecule 40: 30S ribosomal protein S10




- Molecule 41: 30S ribosomal protein S11




- Molecule 42: 30S ribosomal protein S12




- Molecule 43: 30S ribosomal protein S13




- Molecule 44: 30S ribosomal protein S14




- Molecule 45: 30S ribosomal protein S15




- Molecule 46: 30S ribosomal protein S16




- Molecule 47: 30S ribosomal protein S17




- Molecule 48: 30S ribosomal protein S18





- Molecule 49: 30S ribosomal protein S19






- Molecule 50: 30S ribosomal protein S20








- Molecule 51: 30S ribosomal protein S21




• Molecule 52: 50S ribosomal protein L1




• Molecule 53: 16S ribosomal RNA






• Molecule 54: 23S ribosomal RNA

Chain 01: 50% 43% 7%




G1410	G1319	G1225	A1142	U1060	U970	C873	A792	G707	A627	G581	A457	G338	G254	G175
U1411	C1320	U1234	A1143	U1061	G971	G874	A793	U710	A633	U552	G458	U339	A254	A176
G1416	G1324	U1235	C1146	G1062	A972	G875	A794	U711	A634	G553	U459	C341	A256	G177
G1417	U1325	G1236	U1147	G1063	A973	G876	C796	G712	G635	U554	U464	C340	G257	A181
G1418	U1148	U1237	U1148	U1065	G974	A877	C797	G713	G636	G555	U465	G350	G258	G185
A1419	G1149	G1239	G1149	U1066	A975	A878	G798	U714	G637	U558	A466	C351	G259	G186
A1420	C1150	U1240	C1150	A1067	G976	A879	G799	U715	A638	G559	G467	A352	G260	G187
G1421	A1151	G1241	A1151	U1068	G977	C885	A800	A716	U639	G560	A470	C353	A261	G188
G1422	C1152	C1243	C1152	A1070	A983	A886	G801	C717	C640	G561	G473	U360	G262	G189
G1423	C1153	G1244	C1153	G1071	A984	A887	A802	A718	A643	U562	G474	U361	G263	A190
A1427	G1154	G1245	G1154	C1072	A985	C888	A803	A719	A644	G563	G475	U362	G264	A191
C1428	A1155	G1246	A1155	A1073	A986	C889	A804	U720	C645	G564	G476	A363	C267	C192
G1432	A1156	U1247	A1156	G1074	A987	C890	G805	A721	U646	C565	A477	G364	C275	A195
A1433	G1157	G1248	G1157	C1075	C991	U807	C812	G726	G647	U568	A478	G365	U276	A196
A1434	C1161	U1249	C1161	G1076	C992	U808	U813	A727	G648	U569	A479	U366	G277	A197
A1435	G1162	G1250	G1162	C1077	C993	G893	C814	A728	G649	G570	A480	U367	G278	C198
G1436	C1167	U1251	C1167	U1078	C994	C894	C815	G729	U650	U571	G481	G367	A279	A199
G1437	G1168	G1252	G1168	C1079	C995	U895	U816	A730	A654	A572	G488	A371	U280	U200
U1438	A1169	U1253	A1169	U1083	A996	U896	U817	G731	A655	U573	G489	G372	A282	C201
G1443	C1170	G1254	C1170	A1084	A1001	A900	C818	U744	A656	A574	G490	U373	G283	A204
G1444	G1171	C1255	G1171	A1085	G1002	C901	C819	U745	G657	A575	G491	U374	U286	G205
G1445	C1172	U1256	C1172	A1086	G1003	A910	G820	U746	U658	U576	G492	G386	G287	U266
C1446	U1173	G1257	U1173	A1087	C1004	A911	U821	U747	A661	G577	G493	U387	C291	A207
G1447	G1174	U1258	G1174	A1088	C1005	A912	G822	A748	G662	U578	G494	A401	G292	C208
A1448	U1175	G1259	A1175	U1092	U1012	C913	C823	A749	A666	C581	A504	A402	U293	C209
G1449	C1176	U1260	C1176	G1093	C1013	U913	G824	A750	U667	A582	A505	U403	G294	C210
G1451	U1177	G1261	G1177	U1094	U1014	G914	U825	G751	A668	G583	G506	U404	G295	G215
G1452	C1178	U1262	C1178	U1095	U1015	C915	U826	G752	A669	U588	A507	U405	U296	A216
A1453	U1179	G1263	U1179	U1096	U1016	G916	U827	A753	G670	U589	A513	G406	G297	A217
C1454	C1180	U1264	C1180	U1097	U1017	A917	U828	G754	G671	A590	G517	G411	G301	A218
G1461	U1181	G1265	U1181	U1101	U1018	C922	G830	G755	C672	U591	G518	A414	C302	G219
G1462	G1182	U1266	G1182	A1103	U1019	U929	U833	G756	C673	A592	C519	A415	G303	A221
C1463	U1183	G1267	U1183	C1104	G1020	U932	G834	A761	U674	U593	G520	U416	U304	A222
U1468	G1186	U1268	G1186	U1105	U1021	U933	A845	A762	A677	U594	U525	C435	C305	C225
A1469	C1187	G1269	C1187	G1106	A1022	A936	U846	C765	C678	C595	A526	C436	A309	A226
A1470	U1188	U1270	U1188	U1107	G1023	C937	U847	G765	C679	U596	G527	U419	A310	A227
G1471	A1189	G1271	A1189	G1112	U1024	C938	C848	G770	C680	U597	A528	U419	A311	C228
G1472	G1190	U1272	G1190	U1113	A1039	A941	C849	G771	G681	U598	A529	C421	A312	C229
G1473	U1191	C1290	U1191	C1114	A1040	G942	U850	C772	G682	A599	G530	A422	G312	G230
A1474	G1198	G1291	A1198	U1123	G1041	A943	U851	G773	U686	G600	A531	A423	G313	G231
G1475	U1199	U1292	U1199	G1124	U1042	A944	U852	G774	C687	A602	G532	G424	G314	C232
U1476	C1203	G1293	C1203	U1125	G1043	C946	G856	G775	U688	A603	G533	C435	C318	A233
C1386	A1204	U1294	A1204	A1129	U1044	A947	C857	G776	C692	G604	G534	C436	G319	U234
A1387	G1205	G1295	G1205	U1130	G1045	C948	U858	G780	C693	G605	A538	U441	A320	A241
U1394	U1206	U1296	U1206	G1131	G1046	G949	C859	A781	G695	U615	G543	G442	U321	G242
A1395	C1306	G1297	C1306	U1132	G1047	G953	U860	A782	G696	G616	C544	G443	A322	U243
G1310	G1212	U1298	G1212	A1133	U1048	G954	A861	A783	A699	G617	C545	G444	C323	A244
G1311	A1213	G1299	A1213	C1135	C1053	G955	G862	A784	G700	A621	U546	A449	G327	G245
G1312	G1214	U1299	G1214	G1054	A1054	C957	A863	G785	G701	G622	A547	A451	U328	C246
G1313	G1215	U1299	G1215	G1055	G1055	C958	G864	G786	U703	G623	G548	G455	G329	G247
C1315	U1222	G1300	U1222	G1138	G1056	C961	C865	G787	G704	G624	G549	C456	A330	C248
G1315	U1223	U1301	U1223	C1139	G1057	C962	U870	G788	A705	C550	G550	C456	A331	C249
G1315	U1224	G1302	U1224	U1141	G1059	C963	U871	A789	A706				C337	






• Molecule 55: 5S ribosomal RNA



• Molecule 56: tRNAfMet




• Molecule 56: tRNAfMet




• Molecule 57: mRNA



• Molecule 58: tRNALys



• Molecule 59: Elongation factor Tu 2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	5758	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; CTFFIND3 was used to determine CTF values. FREALIGN applied CTF correction.	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.0	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	60976	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	12.791	Depositor
Minimum map value	-6.406	Depositor
Average map value	-0.340	Depositor
Map value standard deviation	1.063	Depositor
Recommended contour level	2.85	Depositor
Map size (\AA)	393.6, 393.6, 393.6	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.82, 0.82, 0.82	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GCP, U8U, FME, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	04	0.32	0/2122	0.59	0/2852
2	05	0.36	0/1586	0.59	0/2134
3	06	0.35	0/1571	0.57	0/2113
4	07	0.39	0/1435	0.54	0/1926
5	08	0.34	0/1343	0.59	0/1816
6	09	0.39	0/1122	0.61	0/1515
7	10	0.42	0/1002	0.66	0/1350
8	11	0.40	0/1046	0.65	0/1410
9	12	0.34	0/1152	0.55	0/1551
10	13	0.34	0/948	0.59	0/1268
11	14	0.35	0/1054	0.65	0/1403
12	15	0.38	0/1093	0.58	0/1460
13	16	0.36	0/974	0.58	0/1301
14	17	0.34	0/902	0.54	0/1209
15	18	0.35	0/929	0.58	0/1242
16	19	0.37	0/960	0.51	0/1278
17	20	0.39	0/829	0.62	0/1107
18	21	0.32	0/864	0.56	0/1156
19	22	0.34	0/745	0.57	0/994
20	23	0.38	0/788	0.59	0/1051
21	24	0.38	0/766	0.58	0/1025
22	25	0.39	0/582	0.56	0/769
23	26	0.34	0/635	0.54	0/848
24	27	0.32	0/510	0.55	0/677
25	28	0.33	0/453	0.53	0/605
26	29	0.41	0/532	0.57	0/709
27	30	0.31	0/450	0.52	0/599
28	31	0.40	0/417	0.54	0/554
29	32	0.39	0/380	0.53	0/498
30	33	0.34	0/513	0.60	0/676
31	34	0.30	0/303	0.59	0/397
32	B	0.38	0/1736	0.62	0/2338

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	C	0.35	0/1652	0.54	0/2225
34	D	0.36	0/1665	0.59	0/2227
35	E	0.36	0/1170	0.59	0/1573
36	F	0.36	0/836	0.60	0/1128
37	G	0.35	0/1196	0.55	0/1602
38	H	0.35	0/989	0.57	0/1326
39	I	0.36	0/1034	0.63	1/1375 (0.1%)
40	J	0.34	0/797	0.61	0/1077
41	K	0.36	0/886	0.59	0/1195
42	L	0.33	0/969	0.62	0/1300
43	M	0.31	0/893	0.63	0/1193
44	N	0.35	0/817	0.57	0/1088
45	O	0.35	0/722	0.57	0/964
46	P	0.37	0/659	0.60	0/884
47	Q	0.36	0/658	0.64	0/881
48	R	0.40	0/545	0.70	1/731 (0.1%)
49	S	0.39	0/653	0.55	0/877
50	T	0.34	0/671	0.48	0/888
51	U	0.41	0/551	0.64	0/728
52	03	0.40	0/1034	0.69	0/1387
53	A	0.36	0/36963	0.69	4/57662 (0.0%)
54	01	0.37	0/69796	0.68	8/108888 (0.0%)
55	02	0.36	0/2872	0.68	0/4479
56	W	0.38	0/1832	0.69	0/2855
56	X	0.44	0/1832	0.73	1/2855 (0.0%)
57	V	0.40	0/446	0.67	0/696
58	Y	0.47	1/1780 (0.1%)	0.72	0/2767
59	Z	0.38	0/3085	0.65	0/4173
All	All	0.37	1/166745 (0.0%)	0.66	15/248855 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	Y	1	G	OP3-P	-6.99	1.52	1.61

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	A	246	A	C2'-C3'-O3'	8.00	127.11	109.50
56	X	69	C	N1-C1'-C2'	6.77	122.80	114.00
53	A	1301	U	N1-C1'-C2'	6.05	121.86	114.00
54	01	2326	C	C2'-C3'-O3'	5.39	122.33	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	I	90	ASP	N-CA-C	5.33	125.41	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	04	2083	0	2157	86	0
2	05	1565	0	1616	64	0
3	06	1552	0	1619	57	0
4	07	1411	0	1447	70	0
5	08	1323	0	1374	47	0
6	09	1111	0	1148	33	0
7	10	989	0	1025	59	0
8	11	1032	0	1088	69	0
9	12	1129	0	1162	51	0
10	13	939	0	1012	35	0
11	14	1045	0	1117	53	0
12	15	1074	0	1157	34	0
13	16	961	0	1000	44	0
14	17	892	0	923	38	0
15	18	917	0	965	54	0
16	19	947	0	1022	43	0
17	20	816	0	839	36	0
18	21	857	0	922	38	0
19	22	739	0	807	30	0
20	23	780	0	834	33	0
21	24	753	0	780	31	0
22	25	575	0	592	18	0
23	26	625	0	655	24	0
24	27	509	0	543	27	0
25	28	449	0	491	14	0
26	29	523	0	524	18	0
27	30	444	0	461	23	0
28	31	410	0	440	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
29	32	377	0	418	14	0
30	33	504	0	574	19	0
31	34	302	0	343	15	0
32	B	1705	0	1732	89	0
33	C	1625	0	1699	66	0
34	D	1643	0	1710	72	0
35	E	1157	0	1199	47	0
36	F	818	0	808	43	0
37	G	1182	0	1240	41	0
38	H	979	0	1034	36	0
39	I	1022	0	1070	62	0
40	J	787	0	828	38	0
41	K	870	0	878	48	0
42	L	955	0	1019	55	0
43	M	884	0	944	49	0
44	N	805	0	847	42	0
45	O	714	0	737	25	0
46	P	649	0	666	36	0
47	Q	649	0	691	37	0
48	R	536	0	552	25	0
49	S	638	0	665	38	0
50	T	665	0	714	34	0
51	U	545	0	579	34	0
52	03	1027	0	1092	50	0
53	A	33012	0	16618	559	0
54	01	62317	0	31346	1043	0
55	02	2568	0	1303	56	0
56	W	1640	0	836	18	0
56	X	1640	0	837	35	0
57	V	395	0	198	5	0
58	Y	1618	0	820	44	0
59	Z	3029	0	3043	171	0
60	W	10	0	10	0	0
61	Y	9	0	12	1	0
62	Z	1	0	0	0	0
63	Z	32	0	14	3	0
All	All	153759	0	104796	3661	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 3661 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
54:01:45:G:H5''	54:01:46:G:H5'	1.41	1.03
58:Y:13:C:H2'	58:Y:14:A:H5''	1.39	1.00
12:15:45:GLN:HE21	54:01:2485:G:H5''	1.30	0.96
59:Z:88:VAL:HG11	59:Z:121:LEU:HD13	1.45	0.96
42:L:33:CYS:H	42:L:54:VAL:HG13	1.32	0.95

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	04	269/271 (99%)	236 (88%)	31 (12%)	2 (1%)	22	60
2	05	207/209 (99%)	174 (84%)	28 (14%)	5 (2%)	6	37
3	06	199/201 (99%)	167 (84%)	26 (13%)	6 (3%)	4	33
4	07	175/177 (99%)	156 (89%)	15 (9%)	4 (2%)	6	38
5	08	174/176 (99%)	155 (89%)	15 (9%)	4 (2%)	6	38
6	09	147/149 (99%)	124 (84%)	21 (14%)	2 (1%)	11	46
7	10	129/131 (98%)	90 (70%)	29 (22%)	10 (8%)	1	15
8	11	139/141 (99%)	111 (80%)	20 (14%)	8 (6%)	1	21
9	12	140/142 (99%)	123 (88%)	16 (11%)	1 (1%)	22	60
10	13	120/122 (98%)	94 (78%)	22 (18%)	4 (3%)	4	32
11	14	141/143 (99%)	112 (79%)	23 (16%)	6 (4%)	2	26
12	15	134/136 (98%)	107 (80%)	23 (17%)	4 (3%)	4	33
13	16	118/120 (98%)	100 (85%)	15 (13%)	3 (2%)	5	36
14	17	114/116 (98%)	104 (91%)	8 (7%)	2 (2%)	8	42
15	18	112/114 (98%)	92 (82%)	20 (18%)	0	100	100
16	19	115/117 (98%)	101 (88%)	13 (11%)	1 (1%)	17	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
17	20	101/103 (98%)	87 (86%)	10 (10%)	4 (4%)	3	28
18	21	108/110 (98%)	88 (82%)	19 (18%)	1 (1%)	17	54
19	22	91/93 (98%)	78 (86%)	12 (13%)	1 (1%)	14	51
20	23	100/102 (98%)	83 (83%)	10 (10%)	7 (7%)	1	17
21	24	92/94 (98%)	83 (90%)	9 (10%)	0	100	100
22	25	73/75 (97%)	61 (84%)	9 (12%)	3 (4%)	3	27
23	26	75/77 (97%)	67 (89%)	8 (11%)	0	100	100
24	27	61/63 (97%)	56 (92%)	5 (8%)	0	100	100
25	28	56/58 (97%)	50 (89%)	6 (11%)	0	100	100
26	29	64/66 (97%)	49 (77%)	14 (22%)	1 (2%)	9	44
27	30	54/56 (96%)	46 (85%)	8 (15%)	0	100	100
28	31	48/50 (96%)	47 (98%)	1 (2%)	0	100	100
29	32	44/46 (96%)	39 (89%)	5 (11%)	0	100	100
30	33	62/64 (97%)	52 (84%)	8 (13%)	2 (3%)	4	32
31	34	36/38 (95%)	29 (81%)	7 (19%)	0	100	100
32	B	216/218 (99%)	173 (80%)	35 (16%)	8 (4%)	3	29
33	C	204/206 (99%)	182 (89%)	21 (10%)	1 (0%)	29	66
34	D	203/205 (99%)	163 (80%)	34 (17%)	6 (3%)	4	33
35	E	155/157 (99%)	125 (81%)	21 (14%)	9 (6%)	1	21
36	F	98/100 (98%)	81 (83%)	14 (14%)	3 (3%)	4	33
37	G	149/151 (99%)	124 (83%)	23 (15%)	2 (1%)	12	48
38	H	127/129 (98%)	112 (88%)	13 (10%)	2 (2%)	9	44
39	I	125/127 (98%)	93 (74%)	23 (18%)	9 (7%)	1	17
40	J	96/98 (98%)	76 (79%)	13 (14%)	7 (7%)	1	16
41	K	114/116 (98%)	93 (82%)	15 (13%)	6 (5%)	2	23
42	L	121/123 (98%)	92 (76%)	25 (21%)	4 (3%)	4	32
43	M	112/114 (98%)	92 (82%)	17 (15%)	3 (3%)	5	35
44	N	98/100 (98%)	79 (81%)	17 (17%)	2 (2%)	7	41
45	O	86/88 (98%)	71 (83%)	13 (15%)	2 (2%)	6	38
46	P	80/82 (98%)	63 (79%)	15 (19%)	2 (2%)	5	36
47	Q	78/80 (98%)	62 (80%)	13 (17%)	3 (4%)	3	29

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	R	63/65 (97%)	45 (71%)	13 (21%)	5 (8%)	1	14
49	S	77/79 (98%)	63 (82%)	13 (17%)	1 (1%)	12	48
50	T	83/85 (98%)	79 (95%)	4 (5%)	0	100	100
51	U	63/65 (97%)	44 (70%)	16 (25%)	3 (5%)	2	24
52	03	130/223 (58%)	106 (82%)	18 (14%)	6 (5%)	2	24
59	Z	390/392 (100%)	331 (85%)	51 (13%)	8 (2%)	7	40
All	All	6366/6563 (97%)	5310 (83%)	883 (14%)	173 (3%)	8	35

5 of 173 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	05	134	HIS
3	06	84	THR
3	06	89	PRO
4	07	173	ASP
5	08	174	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	04	216/216 (100%)	208 (96%)	8 (4%)	34	62
2	05	164/164 (100%)	162 (99%)	2 (1%)	71	84
3	06	165/165 (100%)	161 (98%)	4 (2%)	49	71
4	07	148/148 (100%)	147 (99%)	1 (1%)	84	91
5	08	137/137 (100%)	135 (98%)	2 (2%)	65	81
6	09	114/114 (100%)	114 (100%)	0	100	100
7	10	100/100 (100%)	97 (97%)	3 (3%)	41	66
8	11	109/109 (100%)	105 (96%)	4 (4%)	34	62
9	12	116/116 (100%)	114 (98%)	2 (2%)	60	78
10	13	103/103 (100%)	103 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	14	102/102 (100%)	100 (98%)	2 (2%)	55	75
12	15	109/109 (100%)	108 (99%)	1 (1%)	78	88
13	16	100/100 (100%)	99 (99%)	1 (1%)	76	86
14	17	86/86 (100%)	84 (98%)	2 (2%)	50	72
15	18	99/99 (100%)	96 (97%)	3 (3%)	41	66
16	19	89/89 (100%)	87 (98%)	2 (2%)	52	72
17	20	84/84 (100%)	82 (98%)	2 (2%)	49	71
18	21	93/93 (100%)	89 (96%)	4 (4%)	29	58
19	22	80/80 (100%)	78 (98%)	2 (2%)	47	70
20	23	83/83 (100%)	81 (98%)	2 (2%)	49	71
21	24	78/78 (100%)	77 (99%)	1 (1%)	69	82
22	25	57/57 (100%)	57 (100%)	0	100	100
23	26	67/67 (100%)	67 (100%)	0	100	100
24	27	55/55 (100%)	54 (98%)	1 (2%)	59	77
25	28	48/48 (100%)	48 (100%)	0	100	100
26	29	59/59 (100%)	59 (100%)	0	100	100
27	30	47/47 (100%)	46 (98%)	1 (2%)	53	74
28	31	45/45 (100%)	44 (98%)	1 (2%)	52	72
29	32	38/38 (100%)	37 (97%)	1 (3%)	46	69
30	33	51/51 (100%)	51 (100%)	0	100	100
31	34	34/34 (100%)	33 (97%)	1 (3%)	42	67
32	B	180/180 (100%)	175 (97%)	5 (3%)	43	68
33	C	170/170 (100%)	167 (98%)	3 (2%)	59	77
34	D	172/172 (100%)	169 (98%)	3 (2%)	60	78
35	E	119/119 (100%)	118 (99%)	1 (1%)	81	89
36	F	87/87 (100%)	85 (98%)	2 (2%)	50	72
37	G	124/124 (100%)	123 (99%)	1 (1%)	81	89
38	H	104/104 (100%)	101 (97%)	3 (3%)	42	67
39	I	105/105 (100%)	102 (97%)	3 (3%)	42	67
40	J	86/86 (100%)	85 (99%)	1 (1%)	71	84
41	K	89/89 (100%)	86 (97%)	3 (3%)	37	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	L	103/103 (100%)	100 (97%)	3 (3%)	42	67
43	M	92/92 (100%)	90 (98%)	2 (2%)	52	72
44	N	83/83 (100%)	82 (99%)	1 (1%)	71	84
45	O	76/76 (100%)	75 (99%)	1 (1%)	69	82
46	P	65/65 (100%)	64 (98%)	1 (2%)	65	81
47	Q	74/74 (100%)	72 (97%)	2 (3%)	44	69
48	R	56/56 (100%)	55 (98%)	1 (2%)	59	77
49	S	70/70 (100%)	70 (100%)	0	100	100
50	T	65/65 (100%)	65 (100%)	0	100	100
51	U	55/55 (100%)	53 (96%)	2 (4%)	35	63
52	03	110/174 (63%)	107 (97%)	3 (3%)	44	69
59	Z	324/325 (100%)	312 (96%)	12 (4%)	34	62
All	All	5285/5350 (99%)	5179 (98%)	106 (2%)	57	75

5 of 106 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
32	B	224	ARG
39	I	30	ASN
59	Z	170	VAL
33	C	53	ARG
36	F	13	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 111 such sidechains are listed below:

Mol	Chain	Res	Type
32	B	177	ASN
59	Z	329	GLN
36	F	3	HIS
59	Z	290	GLN
50	T	54	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
53	A	1538/1539 (99%)	170 (11%)	11 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
54	01	2902/2903 (99%)	397 (13%)	17 (0%)
55	02	119/120 (99%)	12 (10%)	1 (0%)
56	W	76/77 (98%)	7 (9%)	0
56	X	76/77 (98%)	13 (17%)	0
57	V	17/18 (94%)	1 (5%)	0
58	Y	74/76 (97%)	19 (25%)	0
All	All	4802/4810 (99%)	619 (12%)	29 (0%)

5 of 619 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
53	A	7	A
53	A	9	G
53	A	22	G
53	A	32	A
53	A	39	G

5 of 29 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
54	01	421	C
54	01	2655	G
54	01	859	G
54	01	1940	U
54	01	774	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	U8U	Y	34	58,57	19,24,25	1.29	3 (15%)	23,34,37	0.95	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	U8U	Y	34	58,57	-	0/9/28/29	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	Y	34	U8U	C6-N1	3.84	1.44	1.38
58	Y	34	U8U	C4-C5	2.43	1.50	1.45
58	Y	34	U8U	C2-N3	2.05	1.42	1.37

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	Y	34	U8U	C2'-C1'-N1	2.27	119.64	113.22
58	Y	34	U8U	C5-C6-N1	2.04	125.64	122.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
63	GCP	Z	402	62	27,34,34	2.01	7 (25%)	34,54,54	4.05	18 (52%)
60	FME	W	101	-	8,9,10	0.71	0	7,9,11	1.27	1 (14%)
61	LYS	Y	101	58	7,8,9	0.64	0	3,8,10	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
63	GCP	Z	402	62	-	9/15/38/38	0/3/3/3
60	FME	W	101	-	-	3/7/9/11	-
61	LYS	Y	101	58	-	0/6/7/9	-

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
63	Z	402	GCP	PB-O3A	-5.09	1.52	1.58
63	Z	402	GCP	O4'-C1'	4.60	1.47	1.41
63	Z	402	GCP	C6-N1	3.33	1.38	1.33
63	Z	402	GCP	C2'-C1'	2.72	1.57	1.53
63	Z	402	GCP	PB-O2B	-2.47	1.50	1.56

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
63	Z	402	GCP	C1'-N9-C4	14.33	151.82	126.64
63	Z	402	GCP	C5-C6-N1	-8.76	111.46	123.43
63	Z	402	GCP	C2-N1-C6	7.07	127.17	115.93
63	Z	402	GCP	O1G-PG-C3B	-7.00	96.17	111.24
63	Z	402	GCP	O4'-C1'-C2'	-5.29	99.19	106.93

There are no chirality outliers.

5 of 12 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
60	W	101	FME	O1-CN-N-CA
60	W	101	FME	O-C-CA-CB
63	Z	402	GCP	PB-C3B-PG-O1G
63	Z	402	GCP	PB-C3B-PG-O2G
63	Z	402	GCP	PG-C3B-PB-O1B

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
63	Z	402	GCP	3	0
61	Y	101	LYS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8620. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 251




Y Index: 249




Z Index: 220


6.3.2 Raw map



X Index: 251



Y Index: 245



Z Index: 241

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 2.85. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1643 nm³; this corresponds to an approximate mass of 1484 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.263 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.56	7.69	4.78

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.56 differs from the reported value 3.8 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-8620 and PDB model 5UYQ. Per-residue inclusion information can be found in section [3](#) on page [17](#).


9.1 Map-model overlay [i](#)



X



Y



Z


The images above show the 3D surface view of the map at the recommended contour level 2.85 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.85).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ





















































The table lists the average atom inclusion at the recommended contour level (2.85) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8630	 0.3510
01	 0.9394	 0.3650
02	 0.9385	 0.3420
03	 0.5723	 0.2270
04	 0.7883	 0.3960
05	 0.7477	 0.3970
06	 0.7507	 0.3560
07	 0.7620	 0.3230
08	 0.7764	 0.3490
09	 0.3805	 0.2820
10	 0.3963	 0.2190
11	 0.4746	 0.2300
12	 0.7545	 0.3650
13	 0.6565	 0.3860
14	 0.7835	 0.3670
15	 0.6833	 0.3780
16	 0.8082	 0.3710
17	 0.7995	 0.3370
18	 0.7173	 0.3750
19	 0.8051	 0.3640
20	 0.7754	 0.3860
21	 0.7464	 0.3710
22	 0.7787	 0.3610
23	 0.7917	 0.3470
24	 0.7669	 0.3550
25	 0.7567	 0.4010
26	 0.7537	 0.3720
27	 0.8008	 0.3120
28	 0.7597	 0.3800
29	 0.7793	 0.3040
30	 0.7967	 0.3740
31	 0.7214	 0.3340
32	 0.7972	 0.3730
33	 0.8248	 0.4000
34	 0.7945	 0.3930



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
A	 0.9343	 0.3520
B	 0.6921	 0.3210
C	 0.7315	 0.3580
D	 0.6906	 0.2980
E	 0.7507	 0.3560
F	 0.7629	 0.3650
G	 0.7083	 0.3150
H	 0.7719	 0.3720
I	 0.7845	 0.3360
J	 0.6706	 0.3120
K	 0.7813	 0.3530
L	 0.6916	 0.3640
M	 0.7688	 0.3270
N	 0.7765	 0.3410
O	 0.7783	 0.3530
P	 0.7927	 0.3310
Q	 0.7425	 0.3420
R	 0.8019	 0.3570
S	 0.8167	 0.3490
T	 0.7723	 0.3090
U	 0.6062	 0.3210
V	 0.7392	 0.3100
W	 0.8733	 0.3330
X	 0.6652	 0.2080
Y	 0.7929	 0.2760
Z	 0.6845	 0.2940