



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 20, 2020 – 08:17 AM BST

PDB ID : 4V4I
Title : Crystal Structure of a 70S Ribosome-tRNA Complex Reveals Functional Interactions and Rearrangements.
Authors : Korostelev, A.; Trakhanov, S.; Laurberg, M.; Noller, H.F.
Deposited on : 2007-02-15
Resolution : 3.71 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1089 (3.90-3.54)
Ramachandran outliers	138981	1114 (3.90-3.54)
Sidechain outliers	138945	1110 (3.90-3.54)
RSRZ outliers	127900	1020 (3.90-3.54)
RNA backbone	3102	1027 (4.40-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	w	2889	<div> <div>3%</div> <div>57%</div> <div>39%</div> <div>.</div> </div>
2	x	121	<div> <div>61%</div> <div>36%</div> <div>..</div> </div>
3	A	229	<div> <div>3%</div> <div>39%</div> <div>14%</div> <div>.</div> <div>45%</div> </div>
4	B	276	<div> <div>5%</div> <div>57%</div> <div>38%</div> <div>..</div> </div>
5	C	206	<div> <div>5%</div> <div>56%</div> <div>34%</div> <div>7%</div> <div>.</div> </div>
6	D	205	<div> <div>4%</div> <div>55%</div> <div>35%</div> <div>5%</div> <div>5%</div> </div>
























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	E	182	
8	F	180	
9	G	148	
10	H	163	
11	I	122	
12	J	150	
13	K	141	
14	L	118	
15	M	112	
16	N	146	
17	O	118	
18	P	101	
19	Q	113	
20	R	96	
21	S	110	
22	T	206	
23	U	85	
24	V	98	
25	W	72	
26	X	60	
27	Y	60	
28	Z	49	
29	a	65	
30	b	37	
31	y	1522	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
32	z	76	
33	o	76	
34	l	10	
35	c	256	
36	d	239	
37	e	209	
38	f	162	
39	g	101	
40	h	156	
41	i	138	
42	j	128	
43	k	105	
44	l	129	
45	m	132	
46	n	126	
47	o	61	
48	p	89	
49	q	88	
50	r	105	
51	s	88	
52	t	93	
53	u	106	
54	v	27	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	H2U	z	16	-	-	-	X

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 146532 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S LARGE SUBUNIT RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	w	2889	Total	C	N	O	P	0	0	0
			62213	27690	11624	20011	2888			

- Molecule 2 is a RNA chain called 5S LARGE SUBUNIT RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	x	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 3 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	127	Total	C	N	O	S	0	0	0
			996	627	184	184	1			

- Molecule 4 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	272	Total	C	N	O	S	0	0	0
			2115	1335	420	357	3			

- Molecule 5 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	C	201	Total	C	N	O	S	0	0	0
			1541	974	295	267	5			

- Molecule 6 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	D	194	Total	C	N	O	S	0	0	0
			1517	969	283	263	2			

- Molecule 7 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	E	180	Total	C	N	O	S	0	0	0
			1468	938	267	259	4			

- Molecule 8 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	F	173	Total	C	N	O	S	0	0	0
			1319	839	245	234	1			

- Molecule 9 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	G	148	Total	C	N	O	S	0	0	0
			1156	737	204	214	1			

- Molecule 10 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	H	138	Total	C	N	O	S	0	0	0
			1103	712	206	182	3			

- Molecule 11 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	I	122	Total	C	N	O	S	0	0	0
			932	587	171	170	4			

- Molecule 12 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	J	146	Total	C	N	O	S	0	0	0
			1114	692	227	193	2			

- Molecule 13 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	K	137	Total	C	N	O	S	0	0	0
			1089	698	207	177	7			

- Molecule 14 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	L	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 15 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	M	106	Total	C	N	O	S	0	0	0
			846	534	168	144				

- Molecule 16 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	N	137	Total	C	N	O	S	0	0	0
			1143	713	234	195	1			

- Molecule 17 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	O	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			

- Molecule 18 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	P	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			

- Molecule 19 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	Q	109	Total	C	N	O	S	0	0	0
			868	547	170	150	1			

- Molecule 20 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	R	92	Total	C	N	O	S	0	0	0
			725	471	131	123				

- Molecule 21 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	S	103	Total	C	N	O	S	0	0	0
			793	510	151	126	6			

- Molecule 22 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	T	185	Total	C	N	O	S	0	0	0
			1475	941	262	269	3			

- Molecule 23 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	U	76	Total	C	N	O	S	0	0	0
			605	376	126	102	1			

- Molecule 24 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	V	88	Total	C	N	O		0	0	0
			694	435	141	118				

- Molecule 25 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	W	62	Total	C	N	O	S	0	0	0
			520	325	102	91	2			

- Molecule 26 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	X	60	Total	C	N	O	S	0	0	0
			477	303	91	82	1			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	Y	56	Total	C	N	O	S	0	0	0
			436	275	84	72	5			

- Molecule 28 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	Z	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 29 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	a	63	Total	C	N	O	S	0	0	0
			507	326	101	78	2			

- Molecule 30 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	b	35	Total	C	N	O	S	0	0	0
			294	181	66	44	3			

- Molecule 31 is a RNA chain called 16S SMALL SUBUNIT RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	y	1502	Total	C	N	O	P	0	0	0
			32302	14386	5984	10431	1501			

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
y	450	G	C	CONFLICT	GB 155076
y	516	PSU	U	MODIFIED RESIDUE	GB 155076
y	527	7MG	G	MODIFIED RESIDUE	GB 155076
y	966	M2G	G	MODIFIED RESIDUE	GB 155076
y	967	5MC	C	MODIFIED RESIDUE	GB 155076
y	1207	2MG	G	MODIFIED RESIDUE	GB 155076
y	1400	5MC	C	MODIFIED RESIDUE	GB 155076
y	1402	4OC	C	MODIFIED RESIDUE	GB 155076
y	1404	5MC	C	MODIFIED RESIDUE	GB 155076
y	1407	5MC	C	MODIFIED RESIDUE	GB 155076
y	1498	UR3	U	MODIFIED RESIDUE	GB 155076
y	1518	MA6	A	MODIFIED RESIDUE	GB 155076
y	1519	MA6	A	MODIFIED RESIDUE	GB 155076

- Molecule 32 is a RNA chain called P-site PHE-tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	z	76	Total	C	N	O	P	S	0	0
			1628	731	290	530	75	2		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
z	8	4SU	U	MODIFIED RESIDUE	GB 174422
z	16	H2U	U	MODIFIED RESIDUE	GB 174422
z	20	H2U	U	MODIFIED RESIDUE	GB 174422
z	32	PSU	U	MODIFIED RESIDUE	GB 174422
z	37	MIA	A	MODIFIED RESIDUE	GB 174422
z	39	PSU	U	MODIFIED RESIDUE	GB 174422
z	46	7MG	G	MODIFIED RESIDUE	GB 174422
z	54	5MU	U	MODIFIED RESIDUE	GB 174422
z	55	PSU	U	MODIFIED RESIDUE	GB 174422

- Molecule 33 is a RNA chain called E-TRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	0	76	Total	C	N	O	P	0	0	0
			1621	725	293	528	75			

- Molecule 34 is a RNA chain called MRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1	6	Total	C	N	O	P	0	0	0
			122	56	19	42	5			

- Molecule 35 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	c	234	Total	C	N	O	S	0	0	0
			1900	1213	341	341	5			

- Molecule 36 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	d	206	Total	C	N	O	S	0	0	0
			1612	1016	314	281	1			

- Molecule 37 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	e	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 38 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	f	150	Total	C	N	O	S	0	0	0
			1146	724	217	201	4			

- Molecule 39 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	g	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	h	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 41 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	i	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 42 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
42	j	127	Total	C	N	O	0	0	0
			1011	639	198	174			

- Molecule 43 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	k	98	Total	C	N	O	S	0	0	0
			794	499	156	138	1			

- Molecule 44 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	l	116	Total	C	N	O	S	0	0	0
			864	537	164	160	3			

- Molecule 45 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	m	124	Total	C	N	O	S	0	0	0
			970	611	195	163	1			

- Molecule 46 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	n	125	Total	C	N	O	S	0	0	0
			997	617	207	171	2			

- Molecule 47 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	o	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 48 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	p	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 49 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	q	83	Total	C	N	O	S	0	0	0
			700	443	139	117	1			

- Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	r	104	Total	C	N	O	S	0	0	0
			857	547	161	147	2			

- Molecule 51 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
51	s	73	Total	C	N	O	0	0	0
			598	381	118	99			

- Molecule 52 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	t	80	Total	C	N	O	S	0	0	0
			647	414	119	112	2			

- Molecule 53 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	u	99	Total	C	N	O	S	0	0	0
			762	469	162	129	2			


- Molecule 54 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
54	v	24	Total	C	N	O	0	0	0
			208	128	50	30			


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S LARGE SUBUNIT RIBOSOMAL RNA



U2130	C2043	A1953	U1841	G1758	A1655	G1563	G1488	C1399	A1302	G1232	C1152	A1046	A959
G2131	U2047	G1954	G1842	A1759	C1662	A1569	U1489	G1400	C1305	G1223	G1152	G1047	A960
U2132	G2048	U1955	C1843	G1763	C1663	G1573	A1490	U1406	G1310	C1224	A1155	A1054	C961
G2133	G2049	G1960	G1846	G1764	A1665	C1574	G1491	U1406	G1311	G1225	G1160	G1059	U963
C2138	C2050	A1963	A1847	A1666	A1665	C1575	U1497	G1413	G1312	A1226	G1161	G1060	C964
A2051	A2051	U1964	A1848	G1667	G1666	C1576	C1498	G1416	U1313	G1227	G1162	U1061	C965
G2052	G2053	G1965	G1849	A1667	A1667	C1577	C1499	U1416	C1314	G1228	G1163	G1061	G966
G2145	A2054	A1966	G1850	A1668	A1668	C1578	G1500	G1419	G1319	G1229	G1164	U1061	
G2148	G2055	C1967	G1851	C1670	C1670	C1579	C1501	A1419	U1185	C1230	U1165	A1070	G972
G2153	G2056	A1968	G1852	U1671	U1671	C1580	C1502	U1420	A1420	G1231	C1166	G1071	A973
A2057	A2057	A1969	C1682	C1672	C1672	C1582	C1506	G1421	A1321	G1236	U1167	A1071	A974
A2060	A2060	G1761	U1688	U1673	U1673	C1583	A1508	G1424	A1322	A1237	G1170	C1079	C974B
G2061	G2061	A1784	U1689	A1763	A1763	A1583	A1509	G1424	U1323	G1238	G1171	C1080	G975
A2062	A2062	A1785	G1674	U1674	U1674	A1585	A1509	G1426	G1239	U1094	G1172	U1081	C976
C2063	C2063	A1786	G1682	G1673	G1673	A1586	A1510	G1427	G1324	U1240	G1173	U1082	C977
C2064	C2064	A1787	C1683	U1682	U1682	A1596	U1516	C1428	G1325	G1244	A1174	U1083	
G2065	G2065	A1788	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2067	A2067	G1791	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2068	A2068	G1792	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2069	G2069	G1793	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2070	A2070	A1794	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2071	C2071	A1795	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2071	A2071	G1796	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2072	G2072	C1797	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2076	U2076	U1798	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2077	A2077	U1799	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2078	C2078	C1799	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2079	A2079	G1800	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2080	G2080	A1801	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2081	A2081	A1802	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2082	G2082	A1803	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2086	U2086	C1806	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2090	C2090	A1809	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2091	U2091	A1810	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2093	G2093	G1811	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2096	U2096	A1812	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2097	C2097	A1913	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2098	U2098	G1814	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2099	G2099	U1915	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2100	A2100	A1916	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2101	G2101	U1917	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2102	A2102	A1918	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2110	C2110	A1819	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2111	G2111	U1820	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2112	C2112	A1821	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2113	U2113	G1822	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2114	G2114	A1823	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2115	C2115	G1824	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2116	G2116	A1825	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2117	A2117	C1742	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2118	U2118	G1743	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2119	G2119	G1746	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2120	A2120	A1827	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2121	C2121	A1828	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2122	U2122	A1829	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2123	G2123	U1931	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2124	C2124	A1934	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2125	A2125	G1935	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2126	G2126	A1936	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2127	C2127	A1937	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2128	U2128	A1938	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2129	G2129	U1939	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2130	A2130	C1836	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2131	C2131	C1837	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2132	U2132	A1943	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2133	G2133	U1944	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2134	A2134	G1945	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2135	C2135	A1946	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2136	G2136	C1838	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2137	A2137	A1839	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2138	C2138	G1840	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2139	G2139	U1757	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2140	A2140	A1553	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2141	C2141	A1554	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2142	G2142	A1558	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2143	A2143	C1644	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2144	C2144	G1645	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2145	U2145	C1646	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2146	G2146	G1647	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2147	A2147	C1648	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2148	C2148	G1649	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2149	G2149	A1562	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2150	A2150	C1650	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2151	C2151	G1651	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2152	U2152	A1562	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2153	G2153	C1652	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2154	A2154	G1653	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2155	C2155	A1563	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
U2156	U2156	C1654	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
G2157	G2157	G1655	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
A2158	A2158	A1564	U1688	U1688	U1688	A1596	G1517	G1429	U1326	G1245	U1175	A1087	A980
C2159	C2159	C1656	U1688	U1688	U1688	A1596	G1517						




• Molecule 2: 5S LARGE SUBUNIT RIBOSOMAL RNA

Chain x: 61% 36%




• Molecule 3: 50S ribosomal protein L1

Chain A: 3% 39% 14% 45%







• Molecule 4: 50S ribosomal protein L2




• Molecule 5: 50S ribosomal protein L3




• Molecule 6: 50S ribosomal protein L4




- Molecule 7: 50S ribosomal protein L5




- Molecule 8: 50S ribosomal protein L6



- Molecule 9: 50S ribosomal protein L9




- Molecule 10: 50S ribosomal protein L13




- Molecule 11: 50S ribosomal protein L14







• Molecule 12: 50S ribosomal protein L15




• Molecule 13: 50S ribosomal protein L16




• Molecule 14: 50S ribosomal protein L17




• Molecule 15: 50S ribosomal protein L18




- Molecule 16: 50S ribosomal protein L19




- Molecule 17: 50S ribosomal protein L20




- Molecule 18: 50S ribosomal protein L21




- Molecule 19: 50S ribosomal protein L22




- Molecule 20: 50S ribosomal protein L23





- Molecule 21: 50S ribosomal protein L24



- Molecule 22: 50S ribosomal protein L25



- Molecule 23: 50S ribosomal protein L27




- Molecule 24: 50S ribosomal protein L28



- Molecule 25: 50S ribosomal protein L29





- Molecule 26: 50S ribosomal protein L30




- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L34





- Molecule 29: 50S ribosomal protein L35




- Molecule 30: 50S ribosomal protein L36




- Molecule 31: 16S SMALL SUBUNIT RIBOSOMAL RNA









• Molecule 33: E-TRNA




• Molecule 34: MRNA



• Molecule 35: 30S ribosomal protein S2



• Molecule 36: 30S ribosomal protein S3




• Molecule 37: 30S ribosomal protein S4







- Molecule 38: 30S ribosomal protein S5




- Molecule 39: 30S ribosomal protein S6




- Molecule 40: 30S ribosomal protein S7




- Molecule 41: 30S ribosomal protein S8




- Molecule 42: 30S ribosomal protein S9




• Molecule 43: 30S ribosomal protein S10




• Molecule 44: 30S ribosomal protein S11



• Molecule 45: 30S ribosomal protein S12




• Molecule 46: 30S ribosomal protein S13






- Molecule 47: 30S ribosomal protein S14





- Molecule 48: 30S ribosomal protein S15



- Molecule 49: 30S ribosomal protein S16




- Molecule 50: 30S ribosomal protein S17



- Molecule 51: 30S ribosomal protein S18




- Molecule 52: 30S ribosomal protein S19




LYS
LYS

• Molecule 53: 30S ribosomal protein S20



• Molecule 54: 30S ribosomal protein Thx



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	507.81Å 507.81Å 689.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 3.71 72.78 – 3.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (30.00-3.71) 97.9 (72.78-3.70)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 3.67Å)	Xtriage
Refinement program	REFMAC 5.2.0019, CNS	Depositor
R, R_{free}	0.348 , 0.353 0.367 , 0.372	Depositor DCC
R_{free} test set	11428 reflections (2.48%)	wwPDB-VP
Wilson B-factor (Å ²)	40.4	Xtriage
Anisotropy	0.192	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.26$, $\langle L^2 \rangle = 0.11$	Xtriage
Estimated twinning fraction	0.228 for -1/2*h+1/2*k-1/2*l, 1/2*h-1/2*k-1/2*l, -h-k 0.219 for -1/2*h-1/2*k+1/2*l, -1/2*h-1/2*k-1/2*l, h-k	Xtriage
F_o, F_c correlation	0.76	EDS
Total number of atoms	146532	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, M2G, MA6, MIA, H2U, 2MG, 5MC, UR3, 4OC, 4SU, 7MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	w	1.06	48/69679 (0.1%)	1.11	232/108779 (0.2%)
2	x	0.89	0/2878	1.03	11/4490 (0.2%)
3	A	0.50	0/1015	0.57	0/1369
4	B	0.49	0/2165	0.63	0/2919
5	C	0.57	0/1574	0.68	0/2125
6	D	0.57	0/1551	0.66	0/2101
7	E	0.55	0/1492	0.65	0/2006
8	F	0.55	0/1345	0.66	1/1819 (0.1%)
9	G	0.53	0/1171	0.65	0/1583
10	H	0.47	0/1130	0.59	0/1525
11	I	0.54	0/942	0.66	0/1268
12	J	0.50	0/1131	0.64	0/1504
13	K	0.62	0/1110	0.71	1/1483 (0.1%)
14	L	0.51	0/982	0.65	0/1312
15	M	0.54	0/856	0.63	0/1138
16	N	0.49	0/1157	0.62	0/1544
17	O	0.54	0/982	0.67	0/1306
18	P	0.51	0/790	0.62	0/1057
19	Q	0.56	0/878	0.66	0/1179
20	R	0.59	0/739	0.69	0/993
21	S	0.58	0/806	0.64	0/1074
22	T	0.54	0/1507	0.64	0/2045
23	U	0.57	0/613	0.65	0/816
24	V	0.49	0/701	0.60	0/932
25	W	0.52	0/522	0.65	0/690
26	X	0.56	0/482	0.73	0/646
27	Y	0.45	0/449	0.55	0/606
28	Z	0.80	0/426	0.73	0/561
29	a	0.58	0/515	0.69	0/679
30	b	0.55	0/297	0.61	0/392
31	y	0.97	13/35859 (0.0%)	1.07	96/55966 (0.2%)
32	z	0.98	1/1603 (0.1%)	1.05	3/2497 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	0	0.89	1/1791 (0.1%)	0.97	2/2791 (0.1%)
34	1	0.94	0/135	1.02	0/208
35	c	0.55	0/1935	0.60	0/2609
36	d	0.51	0/1636	0.62	0/2205
37	e	0.53	0/1733	0.62	1/2318 (0.0%)
38	f	0.51	0/1162	0.60	0/1564
39	g	0.56	0/856	0.63	0/1154
40	h	0.53	0/1276	0.57	0/1709
41	i	0.51	0/1136	0.62	0/1527
42	j	0.47	0/1029	0.53	0/1378
43	k	0.52	0/807	0.59	0/1085
44	l	0.49	0/879	0.59	0/1187
45	m	0.57	0/986	0.72	0/1320
46	n	0.52	0/1008	0.61	0/1347
47	o	0.53	0/501	0.57	0/664
48	p	0.49	0/745	0.58	0/992
49	q	0.49	0/716	0.63	0/963
50	r	0.55	0/870	0.63	0/1159
51	s	0.51	0/604	0.63	0/801
52	t	0.54	0/661	0.64	0/890
53	u	0.21	0/764	0.44	0/1006
54	v	0.57	0/212	0.52	0/277
All	All	0.91	63/158789 (0.0%)	0.99	347/237558 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	w	0	24
2	x	2	0
31	y	0	8
All	All	2	32

The worst 5 of 63 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	w	926	A	O3'-P	30.08	1.97	1.61
1	w	1506	C	O3'-P	29.80	1.97	1.61
1	w	1171	G	O3'-P	28.10	1.94	1.61
1	w	890	A	O3'-P	28.02	1.94	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	w	1481	U	O3'-P	24.13	1.90	1.61

The worst 5 of 347 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	w	1822	G	N9-C1'-C2'	-18.71	89.67	114.00
1	w	1577	C	N1-C1'-C2'	-15.42	93.96	114.00
1	w	712(B)	A	P-O3'-C3'	-14.26	102.58	119.70
31	y	93	U	N1-C1'-C2'	-14.11	95.66	114.00
31	y	832	C	N1-C1'-C2'	-13.21	96.82	114.00

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	x	14	U	C3'
2	x	24	G	C3'

5 of 32 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	w	138	G	Sidechain
1	w	241	A	Sidechain
1	w	338	G	Sidechain
1	w	566	U	Sidechain
1	w	74	A	Sidechain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	123/229 (54%)	54 (44%)	39 (32%)	30 (24%)	0	0
4	B	270/276 (98%)	103 (38%)	84 (31%)	83 (31%)	0	0
5	C	199/206 (97%)	89 (45%)	48 (24%)	62 (31%)	0	0
6	D	192/205 (94%)	76 (40%)	54 (28%)	62 (32%)	0	0
7	E	178/182 (98%)	84 (47%)	53 (30%)	41 (23%)	0	0
8	F	171/180 (95%)	76 (44%)	53 (31%)	42 (25%)	0	0
9	G	146/148 (99%)	75 (51%)	30 (20%)	41 (28%)	0	0
10	H	136/163 (83%)	48 (35%)	40 (29%)	48 (35%)	0	0
11	I	120/122 (98%)	50 (42%)	37 (31%)	33 (28%)	0	0
12	J	144/150 (96%)	59 (41%)	39 (27%)	46 (32%)	0	0
13	K	135/141 (96%)	52 (38%)	44 (33%)	39 (29%)	0	0
14	L	116/118 (98%)	60 (52%)	28 (24%)	28 (24%)	0	0
15	M	104/112 (93%)	40 (38%)	31 (30%)	33 (32%)	0	0
16	N	135/146 (92%)	59 (44%)	36 (27%)	40 (30%)	0	0
17	O	115/118 (98%)	64 (56%)	27 (24%)	24 (21%)	0	1
18	P	99/101 (98%)	30 (30%)	32 (32%)	37 (37%)	0	0
19	Q	107/113 (95%)	49 (46%)	30 (28%)	28 (26%)	0	0
20	R	90/96 (94%)	28 (31%)	29 (32%)	33 (37%)	0	0
21	S	101/110 (92%)	36 (36%)	34 (34%)	31 (31%)	0	0
22	T	183/206 (89%)	104 (57%)	41 (22%)	38 (21%)	0	1
23	U	74/85 (87%)	35 (47%)	23 (31%)	16 (22%)	0	1
24	V	86/98 (88%)	30 (35%)	31 (36%)	25 (29%)	0	0
25	W	60/72 (83%)	28 (47%)	12 (20%)	20 (33%)	0	0
26	X	58/60 (97%)	32 (55%)	15 (26%)	11 (19%)	0	1
27	Y	54/60 (90%)	22 (41%)	12 (22%)	20 (37%)	0	0
28	Z	46/49 (94%)	25 (54%)	9 (20%)	12 (26%)	0	0
29	a	61/65 (94%)	20 (33%)	22 (36%)	19 (31%)	0	0
30	b	33/37 (89%)	22 (67%)	5 (15%)	6 (18%)	0	2
35	c	232/256 (91%)	109 (47%)	66 (28%)	57 (25%)	0	0
36	d	204/239 (85%)	98 (48%)	49 (24%)	57 (28%)	0	0
37	e	206/209 (99%)	99 (48%)	44 (21%)	63 (31%)	0	0
38	f	148/162 (91%)	89 (60%)	33 (22%)	26 (18%)	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
39	g	99/101 (98%)	61 (62%)	24 (24%)	14 (14%)	0	4
40	h	153/156 (98%)	84 (55%)	40 (26%)	29 (19%)	0	1
41	i	136/138 (99%)	71 (52%)	35 (26%)	30 (22%)	0	1
42	j	125/128 (98%)	73 (58%)	31 (25%)	21 (17%)	0	3
43	k	96/105 (91%)	50 (52%)	24 (25%)	22 (23%)	0	0
44	l	114/129 (88%)	59 (52%)	28 (25%)	27 (24%)	0	0
45	m	122/132 (92%)	51 (42%)	32 (26%)	39 (32%)	0	0
46	n	123/126 (98%)	53 (43%)	35 (28%)	35 (28%)	0	0
47	o	58/61 (95%)	22 (38%)	19 (33%)	17 (29%)	0	0
48	p	86/89 (97%)	46 (54%)	23 (27%)	17 (20%)	0	1
49	q	81/88 (92%)	37 (46%)	28 (35%)	16 (20%)	0	1
50	r	102/105 (97%)	46 (45%)	31 (30%)	25 (24%)	0	0
51	s	71/88 (81%)	42 (59%)	12 (17%)	17 (24%)	0	0
52	t	78/93 (84%)	26 (33%)	31 (40%)	21 (27%)	0	0
53	u	97/106 (92%)	42 (43%)	37 (38%)	18 (19%)	0	1
54	v	22/27 (82%)	11 (50%)	7 (32%)	4 (18%)	0	2
All	All	5689/6186 (92%)	2619 (46%)	1567 (28%)	1503 (26%)	0	0

5 of 1503 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	63	VAL
3	A	179	ALA
3	A	180	SER
3	A	201	LYS
3	A	203	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	106/181 (59%)	91 (86%)	15 (14%)	3	20
4	B	214/218 (98%)	169 (79%)	45 (21%)	1	7
5	C	163/166 (98%)	126 (77%)	37 (23%)	1	6
6	D	154/162 (95%)	123 (80%)	31 (20%)	1	8
7	E	154/156 (99%)	127 (82%)	27 (18%)	2	12
8	F	142/148 (96%)	124 (87%)	18 (13%)	4	23
9	G	124/124 (100%)	103 (83%)	21 (17%)	2	13
10	H	117/139 (84%)	90 (77%)	27 (23%)	1	6
11	I	100/100 (100%)	79 (79%)	21 (21%)	1	7
12	J	112/116 (97%)	89 (80%)	23 (20%)	1	7
13	K	108/111 (97%)	77 (71%)	31 (29%)	0	2
14	L	101/101 (100%)	79 (78%)	22 (22%)	1	6
15	M	84/88 (96%)	66 (79%)	18 (21%)	1	7
16	N	121/128 (94%)	97 (80%)	24 (20%)	1	8
17	O	93/94 (99%)	79 (85%)	14 (15%)	3	18
18	P	82/82 (100%)	70 (85%)	12 (15%)	3	18
19	Q	89/92 (97%)	72 (81%)	17 (19%)	1	9
20	R	74/78 (95%)	62 (84%)	12 (16%)	2	15
21	S	86/91 (94%)	75 (87%)	11 (13%)	4	23
22	T	163/179 (91%)	140 (86%)	23 (14%)	3	20
23	U	61/67 (91%)	47 (77%)	14 (23%)	1	6
24	V	73/83 (88%)	60 (82%)	13 (18%)	2	11
25	W	58/67 (87%)	42 (72%)	16 (28%)	0	3
26	X	52/52 (100%)	41 (79%)	11 (21%)	1	7
27	Y	49/52 (94%)	44 (90%)	5 (10%)	7	31
28	Z	41/42 (98%)	32 (78%)	9 (22%)	1	6
29	a	53/55 (96%)	39 (74%)	14 (26%)	0	3
30	b	33/34 (97%)	30 (91%)	3 (9%)	9	36
35	c	202/220 (92%)	154 (76%)	48 (24%)	0	5
36	d	160/188 (85%)	130 (81%)	30 (19%)	1	10
37	e	180/181 (99%)	143 (79%)	37 (21%)	1	7
38	f	115/123 (94%)	94 (82%)	21 (18%)	1	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	g	90/90 (100%)	75 (83%)	15 (17%)	2	14
40	h	126/127 (99%)	110 (87%)	16 (13%)	4	23
41	i	119/119 (100%)	97 (82%)	22 (18%)	1	10
42	j	98/99 (99%)	82 (84%)	16 (16%)	2	15
43	k	88/92 (96%)	76 (86%)	12 (14%)	3	21
44	l	88/99 (89%)	72 (82%)	16 (18%)	1	10
45	m	104/109 (95%)	85 (82%)	19 (18%)	1	10
46	n	100/101 (99%)	85 (85%)	15 (15%)	3	18
47	o	49/50 (98%)	39 (80%)	10 (20%)	1	7
48	p	79/80 (99%)	65 (82%)	14 (18%)	2	12
49	q	72/74 (97%)	60 (83%)	12 (17%)	2	14
50	r	96/97 (99%)	76 (79%)	20 (21%)	1	7
51	s	64/77 (83%)	52 (81%)	12 (19%)	1	10
52	t	71/80 (89%)	58 (82%)	13 (18%)	1	10
53	u	76/82 (93%)	70 (92%)	6 (8%)	12	42
54	v	19/22 (86%)	16 (84%)	3 (16%)	2	16
All	All	4803/5116 (94%)	3912 (81%)	891 (19%)	1	10

5 of 891 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
20	R	26	TYR
26	X	43	ILE
48	p	84	LYS
20	R	89	ILE
23	U	36	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 167 such sidechains are listed below:

Mol	Chain	Res	Type
23	U	35	ASN
35	c	113	HIS
48	p	71	GLN
23	U	50	ASN
28	Z	6	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	w	2888/2889 (99%)	1138 (39%)	0
2	x	119/121 (98%)	42 (35%)	0
31	y	1498/1522 (98%)	502 (33%)	0
32	z	74/76 (97%)	28 (37%)	0
33	0	75/76 (98%)	30 (40%)	5 (6%)
34	1	5/10 (50%)	2 (40%)	0
All	All	4659/4694 (99%)	1742 (37%)	5 (0%)

5 of 1742 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	w	10	G
1	w	12	U
1	w	13	A
1	w	15	G
1	w	16	G

All (5) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
33	0	7	U
33	0	9	A
33	0	46	G
33	0	48	C
33	0	56	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

22 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
31	2MG	y	1207	31	19,26,27	2.06	5 (26%)	21,38,41	2.87	8 (38%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	7MG	z	46	32	22,26,27	2.40	5 (22%)	28,39,42	2.26	8 (28%)
31	PSU	y	516	31	17,21,22	1.13	2 (11%)	20,30,33	3.55	8 (40%)
32	H2U	z	20	32	18,21,22	0.76	0	21,30,33	0.89	1 (4%)
33	PSU	0	55	33	17,21,22	2.08	4 (23%)	20,30,33	4.32	9 (45%)
32	MIA	z	37	32	24,31,32	2.36	6 (25%)	26,44,47	2.58	6 (23%)
31	M2G	y	966	31	20,27,28	2.95	6 (30%)	22,40,43	2.78	7 (31%)
31	4OC	y	1402	31	16,23,24	1.68	4 (25%)	17,32,35	1.65	4 (23%)
31	5MC	y	1404	31	15,22,23	1.51	2 (13%)	19,32,35	1.40	2 (10%)
31	UR3	y	1498	31	14,22,23	1.87	3 (21%)	15,32,35	1.36	3 (20%)
32	PSU	z	55	32	17,21,22	2.06	1 (5%)	20,30,33	3.85	9 (45%)
31	5MC	y	1407	31	15,22,23	1.49	3 (20%)	19,32,35	1.46	3 (15%)
32	PSU	z	39	32	17,21,22	1.74	3 (17%)	20,30,33	3.70	9 (45%)
32	H2U	z	16	32	18,21,22	0.97	1 (5%)	21,30,33	0.93	1 (4%)
32	4SU	z	8	32	14,21,22	1.83	4 (28%)	15,30,33	2.33	5 (33%)
31	7MG	y	527	31	22,26,27	2.31	5 (22%)	28,39,42	2.28	6 (21%)
32	5MU	z	54	32	15,22,23	1.80	4 (26%)	16,32,35	2.86	4 (25%)
31	MA6	y	1519	31	19,26,27	2.16	2 (10%)	18,38,41	1.90	4 (22%)
31	5MC	y	1400	31	15,22,23	1.11	1 (6%)	19,32,35	1.77	5 (26%)
31	MA6	y	1518	31	19,26,27	1.80	3 (15%)	18,38,41	2.29	6 (33%)
31	5MC	y	967	31	15,22,23	1.07	1 (6%)	19,32,35	1.46	2 (10%)
32	PSU	z	32	32	17,21,22	1.17	2 (11%)	20,30,33	3.65	9 (45%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	2MG	y	1207	31	-	0/5/27/28	0/3/3/3
32	7MG	z	46	32	-	0/7/37/38	0/3/3/3
31	PSU	y	516	31	-	2/7/25/26	0/2/2/2
32	H2U	z	20	32	-	2/7/38/39	0/2/2/2
33	PSU	0	55	33	-	1/7/25/26	0/2/2/2
32	MIA	z	37	32	-	5/11/33/34	0/3/3/3
31	M2G	y	966	31	-	0/7/29/30	0/3/3/3
31	4OC	y	1402	31	-	3/9/29/30	0/2/2/2
31	5MC	y	1404	31	-	3/5/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	UR3	y	1498	31	-	4/5/25/26	0/2/2/2
32	PSU	z	55	32	-	3/7/25/26	0/2/2/2
31	5MC	y	1407	31	-	0/5/25/26	0/2/2/2
32	PSU	z	39	32	-	3/7/25/26	0/2/2/2
32	H2U	z	16	32	-	2/7/38/39	0/2/2/2
32	4SU	z	8	32	-	2/5/25/26	0/2/2/2
31	7MG	y	527	31	-	0/7/37/38	0/3/3/3
32	5MU	z	54	32	-	0/5/25/26	0/2/2/2
31	MA6	y	1519	31	-	1/7/29/30	0/3/3/3
31	5MC	y	1400	31	-	0/5/25/26	0/2/2/2
31	MA6	y	1518	31	-	2/7/29/30	0/3/3/3
31	5MC	y	967	31	-	0/5/25/26	0/2/2/2
32	PSU	z	32	32	-	2/7/25/26	0/2/2/2

The worst 5 of 67 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	y	966	M2G	C6-N1	8.38	1.47	1.33
32	z	55	PSU	C5-C1'	-7.33	1.46	1.52
32	z	46	7MG	C6-N1	7.03	1.45	1.33
31	y	1207	2MG	C6-N1	6.48	1.44	1.33
32	z	37	MIA	C13-C14	6.35	1.50	1.32

The worst 5 of 119 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	0	55	PSU	N1-C2-N3	-11.63	119.19	128.43
32	z	32	PSU	N1-C2-N3	-11.57	119.23	128.43
32	z	39	PSU	N1-C2-N3	-11.38	119.38	128.43
31	y	516	PSU	N1-C2-N3	-11.10	119.61	128.43
32	z	55	PSU	N1-C2-N3	-10.69	119.93	128.43

There are no chirality outliers.

5 of 35 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
31	y	516	PSU	C2'-C1'-C5-C4
31	y	516	PSU	C2'-C1'-C5-C6
32	z	37	MIA	O4'-C4'-C5'-O5'
32	z	37	MIA	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
32	z	37	MIA	C5-C6-N6-C12

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	w	31
31	y	5

The worst 5 of 36 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	w	926:A	O3'	928:G	P	1.97
1	w	1506:C	O3'	1508:A	P	1.96
1	w	890:A	O3'	892:G	P	1.94
1	w	1171:G	O3'	1173:G	P	1.94
1	w	1481:U	O3'	1483:G	P	1.90

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	w	2889/2889 (100%)	0.35	77 (2%) 54 46	5, 5, 117, 159	0
2	x	120/121 (99%)	0.24	0 100 100	5, 13, 95, 127	0
3	A	127/229 (55%)	-0.05	8 (6%) 20 15	5, 50, 148, 151	0
4	B	272/276 (98%)	0.14	14 (5%) 28 24	5, 60, 148, 155	0
5	C	201/206 (97%)	0.09	10 (4%) 28 25	5, 49, 148, 159	0
6	D	194/205 (94%)	-0.19	8 (4%) 37 31	5, 55, 148, 165	0
7	E	180/182 (98%)	-0.39	9 (5%) 28 25	5, 58, 148, 156	0
8	F	173/180 (96%)	-0.29	10 (5%) 23 18	5, 67, 148, 160	0
9	G	148/148 (100%)	-0.33	3 (2%) 65 58	5, 43, 148, 151	0
10	H	138/163 (84%)	0.37	11 (7%) 12 10	5, 52, 147, 152	0
11	I	122/122 (100%)	0.37	10 (8%) 11 10	5, 35, 142, 148	0
12	J	146/150 (97%)	-0.12	9 (6%) 20 16	5, 90, 150, 160	0
13	K	137/141 (97%)	1.03	36 (26%) 0 0	5, 24, 148, 152	0
14	L	118/118 (100%)	-0.11	4 (3%) 45 37	5, 44, 148, 148	0
15	M	106/112 (94%)	0.54	20 (18%) 1 1	5, 48, 148, 160	0
16	N	137/146 (93%)	-0.20	1 (0%) 87 85	5, 74, 150, 167	0
17	O	117/118 (99%)	0.28	20 (17%) 1 1	5, 35, 114, 148	0
18	P	101/101 (100%)	0.23	16 (15%) 2 1	5, 79, 148, 159	0
19	Q	109/113 (96%)	0.34	13 (11%) 4 4	5, 33, 137, 149	0
20	R	92/96 (95%)	0.46	16 (17%) 1 1	5, 73, 148, 161	0
21	S	103/110 (93%)	0.81	25 (24%) 0 0	5, 86, 160, 163	0
22	T	185/206 (89%)	-0.48	2 (1%) 80 76	5, 50, 148, 161	0
23	U	76/85 (89%)	0.35	11 (14%) 2 2	5, 57, 151, 166	0
24	V	88/98 (89%)	0.98	21 (23%) 0 0	5, 91, 148, 154	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	W	62/72 (86%)	-0.38	0 100 100	5, 88, 149, 155	0
26	X	60/60 (100%)	-0.78	0 100 100	5, 36, 148, 150	0
27	Y	56/60 (93%)	0.42	11 (19%) 1 1	7, 77, 164, 168	0
28	Z	48/49 (97%)	0.21	1 (2%) 63 56	5, 5, 42, 126	0
29	a	63/65 (96%)	0.67	8 (12%) 3 4	5, 50, 151, 157	0
30	b	35/37 (94%)	2.44	18 (51%) 0 0	5, 102, 149, 153	0
31	y	1490/1522 (97%)	0.32	27 (1%) 68 62	5, 9, 113, 163	0
32	z	67/76 (88%)	0.24	1 (1%) 73 68	5, 6, 82, 117	0
33	0	75/76 (98%)	0.26	1 (1%) 77 72	5, 37, 129, 148	0
34	l	6/10 (60%)	0.27	0 100 100	5, 5, 54, 67	0
35	c	234/256 (91%)	-0.60	2 (0%) 84 80	5, 50, 151, 165	0
36	d	206/239 (86%)	-0.11	13 (6%) 20 15	5, 57, 148, 151	0
37	e	208/209 (99%)	-0.27	5 (2%) 59 51	5, 50, 148, 157	0
38	f	150/162 (92%)	-0.06	9 (6%) 21 16	5, 62, 148, 154	0
39	g	101/101 (100%)	-0.42	3 (2%) 50 40	5, 72, 148, 156	0
40	h	155/156 (99%)	-0.16	12 (7%) 13 11	5, 73, 155, 163	0
41	i	138/138 (100%)	-0.13	5 (3%) 42 35	5, 43, 148, 149	0
42	j	127/128 (99%)	0.36	16 (12%) 3 4	5, 85, 150, 154	0
43	k	98/105 (93%)	-0.25	1 (1%) 82 78	5, 83, 151, 164	0
44	l	116/129 (89%)	-0.33	8 (6%) 16 12	5, 71, 150, 162	0
45	m	124/132 (93%)	0.02	6 (4%) 30 26	5, 30, 148, 152	0
46	n	125/126 (99%)	-0.22	10 (8%) 12 10	5, 74, 148, 162	0
47	o	60/61 (98%)	1.78	23 (38%) 0 0	5, 66, 151, 161	0
48	p	88/89 (98%)	-0.43	3 (3%) 45 37	5, 57, 148, 163	0
49	q	83/88 (94%)	0.52	12 (14%) 2 2	5, 50, 148, 148	0
50	r	104/105 (99%)	0.11	7 (6%) 17 13	5, 52, 148, 158	0
51	s	73/88 (82%)	-0.75	0 100 100	5, 69, 149, 157	0
52	t	80/93 (86%)	-0.39	1 (1%) 77 72	5, 52, 148, 159	0
53	u	99/106 (93%)	0.90	21 (21%) 0 1	10, 66, 199, 199	0
54	v	24/27 (88%)	0.17	2 (8%) 11 9	5, 47, 139, 142	0
All	All	10434/10880 (95%)	0.17	580 (5%) 24 20	5, 32, 148, 199	0

The worst 5 of 580 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
15	M	81	GLY	10.0
15	M	82	ILE	8.0
8	F	179	LYS	8.0
44	l	125	PHE	7.7
47	o	13	THR	7.7

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
32	PSU	z	55	20/21	0.64	0.30	40,50,52,53	0
33	PSU	0	55	20/21	0.75	0.22	36,36,36,36	0
31	4OC	y	1402	22/23	0.80	0.28	10,13,16,16	0
32	H2U	z	16	20/21	0.80	0.55	80,92,93,95	0
32	MIA	z	37	29/30	0.81	0.28	20,26,32,32	0
32	H2U	z	20	20/21	0.81	0.38	124,124,133,133	0
31	5MC	y	967	21/22	0.81	0.39	124,124,133,133	0
31	PSU	y	516	20/21	0.82	0.20	137,138,148,148	0
32	7MG	z	46	24/25	0.82	0.20	5,5,12,12	0
31	MA6	y	1519	24/25	0.84	0.25	5,5,6,8	0
31	M2G	y	966	25/26	0.85	0.28	15,16,20,31	0
31	MA6	y	1518	24/25	0.85	0.20	31,39,52,53	0
32	4SU	z	8	20/21	0.85	0.24	5,5,5,5	0
31	5MC	y	1404	21/22	0.89	0.33	5,6,8,9	0
32	PSU	z	32	20/21	0.89	0.30	42,52,58,59	0
31	2MG	y	1207	24/25	0.90	0.23	21,22,26,26	0
32	PSU	z	39	20/21	0.90	0.22	5,5,5,5	0
31	7MG	y	527	24/25	0.90	0.23	7,10,24,26	0
32	5MU	z	54	21/22	0.90	0.23	5,5,5,5	0
31	5MC	y	1400	21/22	0.93	0.21	5,5,5,5	0
31	UR3	y	1498	21/22	0.94	0.20	5,5,5,5	0
31	5MC	y	1407	21/22	0.95	0.16	25,28,30,30	0

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.