



wwPDB X-ray Structure Validation Summary Report ⓘ

May 22, 2020 – 08:03 pm BST

PDB ID : 4V4T
Title : Crystal structure of the whole ribosomal complex with a stop codon in the A-site.
Authors : Petry, S.; Brodersen, D.E.; Murphy IV, F.V.; Dunham, C.M.; Selmer, M.; Tarry, M.J.; Kelley, A.C.; Ramakrishnan, V.
Deposited on : 2005-10-12
Resolution : 6.46 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 6.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1000 (9.00-3.90)
Clashscore	141614	1064 (9.00-3.90)
Ramachandran outliers	138981	1012 (9.00-3.88)
Sidechain outliers	138945	1010 (9.00-3.84)
RSRZ outliers	127900	1002 (9.00-3.80)
RNA backbone	3102	1077 (9.50-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1522	
2	AV	76	
3	AW	76	
4	AX	18	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	AB	256	
6	AC	239	
7	AD	209	
8	AE	162	
9	AF	101	
10	AG	156	
11	AH	138	
12	AI	128	
13	AJ	105	
14	AK	129	
15	AL	135	
16	AM	126	
17	AN	61	
18	AO	89	
19	AP	88	
20	AQ	105	
21	AR	88	
22	AS	93	
23	AT	106	
24	AU	27	
25	BB	123	
26	BA	2916	
27	BD	173	
28	BE	338	
29	BF	246	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	BG	176	
31	BH	177	
32	BI	149	
33	BN	145	
34	BO	122	
35	BP	164	
36	BQ	138	
37	BS	186	
38	BT	66	
39	BW	113	
40	BX	84	
41	BY	119	
42	BZ	253	
43	BR	118	
44	BU	118	
45	BV	100	
46	B2	70	
47	B3	60	
48	B0	91	
49	B4	73	
50	B5	60	
51	B6	82	
52	B7	47	
53	B8	64	
54	B9	36	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
55	BK	141	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	YYG	AW	37	X	-	X	X
3	PSU	AW	39	-	-	-	X

2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 142447 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1515	Total	C	N	O	P	0	0	0
			32551	14490	6022	10525	1514			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	416	G	-	INSERTION	GB 155076
AA	905	U	-	INSERTION	GB 155076
AA	1395	C	-	INSERTION	GB 155076

- Molecule 2 is a RNA chain called P-site tRNA (Phe).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AV	76	Total	C	N	O	P	0	0	0
			1622	725	293	529	75			

- Molecule 3 is a RNA chain called E-site tRNA (Phe).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AW	76	Total	C	N	O	P	0	0	0
			1638	736	294	533	75			

- Molecule 4 is a RNA chain called 5'-D(*AP*UP*GP*UP*UP*CP*UP*AP*GP*UP*AP*C
P*AP*AP*UP*AP*AP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AX	17	Total	C	N	O	P	0	0	11
			136	56	19	44	17			

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AB	234	Total	C	N	O	S	0	0	0
			1900	1213	341	341	5			

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AC	206	Total	C	N	O	S	0	0	0
			1612	1016	314	281	1			

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AE	150	Total	C	N	O	S	0	0	0
			1146	724	217	201	4			

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
12	AI	127	Total	C	N	O			
			1011	639	198	174	0	0	0

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AJ	98	Total	C	N	O	S			
			794	499	156	138	1	0	0	0

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AK	119	Total	C	N	O	S			
			885	549	168	165	3	0	0	0

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AL	124	Total	C	N	O	S			
			970	611	195	163	1	0	0	0

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AM	125	Total	C	N	O	S			
			997	617	207	171	2	0	0	0

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AN	60	Total	C	N	O	S			
			492	312	104	72	4	0	0	0

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	AO	88	Total	C	N	O	S			
			734	459	147	126	2	0	0	0

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AP	83	Total	C	N	O	S	0	0	0
			700	443	139	117	1			

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AQ	104	Total	C	N	O	S	0	0	0
			857	547	161	147	2			

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AR	73	Total	C	N	O		0	0	0
			597	380	118	99				

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	AS	80	Total	C	N	O	S	0	0	0
			647	414	119	112	2			

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	AT	99	Total	C	N	O	S	0	0	0
			762	469	162	129	2			

- Molecule 24 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	AU	24	Total	C	N	O		0	0	0
			208	128	50	30				

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	BB	123	Total	C	N	O	P	0	0	0
			2637	1175	488	852	122			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BB	-1	A	-	INSERTION	GB 48271

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BA	2814	Total	C	N	O	P	0	0	0
			60600	26974	11331	19482	2813			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BA	493	G	-	INSERTION	GB 48268

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	BD	173	Total	C	N	O	S	0	0	0
			1308	820	246	236	6			

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	BE	191	Total	C	N	O	S	0	0	0
			1507	940	290	273	4			

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	BF	189	Total	C	N	O	S	0	0	0
			1430	872	255	302	1			

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	BG	122	Total	C	N	O	S	0	0	0
			957	597	176	180	4			

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	BH	164	Total	C	N	O	S	0	0	0
			1251	787	225	237	2			

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	BI	148	Total	C	N	O	S	0	0	0
			1145	727	205	212	1			

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	BN	117	Total	C	N	O	S	0	0	0
			917	570	164	180	3			

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BO	122	Total	C	N	O	S	0	0	0
			937	585	180	169	3			

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
35	BP	84	Total	C	N	O	0	0	0
			639	391	109	139			

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	BQ	138	Total	C	N	O	S	0	0	0
			1081	678	208	192	3			

- Molecule 37 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BS	113	Total	C	N	O	S	0	0	0
			866	536	165	164	1			

- Molecule 38 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BT	52	Total	C	N	O	S	0	0	0
			406	242	74	85	5			

- Molecule 39 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
39	BW	108	Total	C	N	O	0	0	0
			860	542	169	149			

- Molecule 40 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	BX	76	Total	C	N	O	S	0	0	0
			602	366	102	131	3			

- Molecule 41 is a protein called 50S ribosomal protein 24.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	BY	110	Total	C	N	O	0	0	0
			879	531	166	182			

- Molecule 42 is a protein called 50S ribosomal protein CTC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BZ	177	Total	C	N	O	S	0	0	0
			1360	859	238	257	6			

- Molecule 43 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
43	BR	105	Total	C	N	O	0	0	0
			855	536	174	145			

- Molecule 44 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	BU	117	Total	C	N	O	S	0	0	0
			978	608	210	159	1			

- Molecule 45 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	BV	100	Total	C	N	O	S	0	0	0
			787	495	146	145	1			

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	B2	64	Total	C	N	O	S	0	0	0
			494	301	93	99	1			

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	B3	60	Total	C	N	O	S	0	0	0
			477	303	91	82	1			

- Molecule 48 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	B0	86	Total	C	N	O	S	0	0	0
			641	402	124	114	1			

- Molecule 49 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	B4	73	Total	C	N	O	S	0	0	0
			604	382	110	108	4			

- Molecule 50 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	B5	58	Total	C	N	O	S	0	0	0
			457	281	94	77	5			

- Molecule 51 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	B6	53	Total	C	N	O	S	0	0	0
			431	274	80	76	1			

- Molecule 52 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	B7	46	Total	C	N	O	S	0	0	0
			383	230	91	60	2			

- Molecule 53 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	B8	63	Total	C	N	O	S	0	0	0
			496	312	101	78	5			

- Molecule 54 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	B9	35	Total	C	N	O	S	0	0	0
			285	172	64	45	4			


- Molecule 55 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	BK	133	Total	C	N	O	S	0	0	0
			999	642	169	182	6			

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S ribosomal RNA







- Molecule 2: P-site tRNA (Phe)




- Molecule 3: E-site tRNA (Phe)



- Molecule 4: 5'-D(*AP*UP*GP*UP*UP*CP*UP*AP*GP*UP*AP*CP*AP*AP*UP*AP*AP*U)-3'




- Molecule 5: 30S ribosomal protein S2




- Molecule 6: 30S ribosomal protein S3






• Molecule 7: 30S ribosomal protein S4



• Molecule 8: 30S ribosomal protein S5




• Molecule 9: 30S ribosomal protein S6







- Molecule 10: 30S ribosomal protein S7





- Molecule 11: 30S ribosomal protein S8



- Molecule 12: 30S ribosomal protein S9




- Molecule 13: 30S ribosomal protein S10









- Molecule 14: 30S ribosomal protein S11




- Molecule 15: 30S ribosomal protein S12



- Molecule 16: 30S ribosomal protein S13



- Molecule 17: 30S ribosomal protein S14





- Molecule 18: 30S ribosomal protein S15







- Molecule 19: 30S ribosomal protein S16




- Molecule 20: 30S ribosomal protein S17



- Molecule 21: 30S ribosomal protein S18




- Molecule 22: 30S ribosomal protein S19




- Molecule 23: 30S ribosomal protein S20










• Molecule 24: 30S ribosomal protein Thx



• Molecule 25: 5S ribosomal RNA



• Molecule 26: 23S ribosomal RNA







G2012	G1949	G1886	G1813	G1752	G1670	A1610	G1542	A1477	A1412	G1351	A1284	A1220
A2013	G1950	C1887	G1814	G1753	U1671	C1611	A1543	G1478	U1415	U1352	G1285	C1221
A2014	U1951	G1888	A1815	C1754	G1672	G1612	C1544	G1479	G1415	A1354	A1286	C1222
A2015	A1952	A1889	G1816	A1755	U1673	G1613	A1545	G1480	G1416	G1355	C1287	C1223
U2016	G1953	A1890	G1817	G1756	G1674	A1614	A545A	U1482	C1417	G1356	U1288	G1224
U2017	G1954	G1891	U1818	U1757	C1675	C1615	A1546	U1483	G1418	C1357	C1289	G1225
G2018	U1955	A1892	A1819	G1758	A1676	A1616	C1547	G1484	A1419	U1357	U1294	G1226
A2019	C1955	C1895	U1820	A1759	A1677	C1617	C1548	G1485	U1420	G1358	G1294	G1227
A2020	G1957	G1896	A1821	A1760	G1678	A1618	G1552	U1489	G1421	C1359	G1228	G1228
C2021	G1958	G1899	G1822	G1761	U1679	G1619	A1553	A1490	G1422	A1360	C1297	G1229
U2022	G1959	A1900	G1823	A1762	U1680	G1620	A1553	G1423	G1423	G1361	C1298	C1230
G2023	A1960	A1901	G1824	G1763	G1681	U1621	A1554	G1424	G1424	C1362	U1299	
G2024	C1961	C1902	A1825	G1764	G1682	G1624	G1555	G1425	G1425	G1363	U1300	U1284
C2025	C1962	C1903	G1826	G1765	G1683	G1625	C1556	C1426	G1426	G1364	A1301	G1285
G2026	U1963	G1904	G1827	U1766	C1684	G1626	C1557	A1494	A1427	A1365	A1302	G1286
G2027	G1964	C1905	G1828	G1767	C1685	A1626	A1558	A1495	C1428	A1366	G1303	G1287
U2028	C1965	C1906	A1829	U1768	C1686	G1627	G1559	A1496	G1429	A1367	C1304	G1288
G2029	A1966	G1907	G1830	G1769	G1687	G1628	U1560	U1497	C1430	G1368	G1305	G1289
A2030	G1967	C1908	G1831	G1770	U1688	U1629	G1561	C1498	U1431	G1369	C1306	G1290
A2031	G1968	C1909	C1832	C1771	A1689	G1630		C1499	C1432	C1370	A1307	U1240
C2032	A1969	G1910	U1833	G1772	A1690	C630A	C1564	U1500	U1433	C1371	A1308	A1242
A2033	A1970	G1911	G1834	A1773	U1693	A1631	G1565	C1501	A1434	U1372	G1309	G1243
U2034	A1971	U1911	G1835	C1774	U1694	A1632	A1566	C1502		A1373	G1310	G1244
G2035	A1972	A1912	C1836	U1775	G1695	G1633	A1567	G1506	U1437	G1375	G1311	G1245
C2036	G1973	A1913	C1837	G1776	G1696	A1634	G1568	C1507	U1438	C1376	U1312	G1246
G2037	C1974	G1914	C1838	U1777	G1697	G1635	A1569	A1507	A1439	C1377	U1313	A1247
G2038	U1975	U1915	G1839	U1778	A1698	C1636	A1570	A1508	G1440	A1378	C1314	G1248
C2039	U1976	A1916	A1840	U1779	A1698	A1637	A1571	C1509	G1441	A1379	U1315	U1249
C2040	A1977	U1917	U1841	A1780	G1699	C1638	A1572	A1510	G1442	G1380	U1316	G1250
U2041	A1978	A1918	G1842	C1781	A1700	G1639	G1573	A1511	G1443	A1317	A1317	G1251
C2042	C1979	A1919	C1843	C1782	A1701	C1640	C1574	G1512	G1444	G1381	C1318	G1252
C2043	G1980	C1920	C1844	A1783	G1702	A1641	C1575	C1513	A444A	C1382	G1319	A1283
C2044	A1981	G1921		A1784	G1703	G1642	U1576	U1514	G1447	C1383	C1320	U1285
C2045	C1982	U1922	A1847	A1785	G1704	G1643	C1577	C1515	G1448	G1385	A1321	G1256
G2046	C1983	U1923	A1848	A1786	G1705	C1644	U1578	C1516	G1449	G1386	G1324	G1257
U2047	G1984			A1787	U1706	G1645	A1579	G1517	A1499	G1325	G1325	G1258
G2048		C1924	U1851	G1788	G1707	C1646	A1580	C1518	G449A	U1326	U1326	G1259
C2049	C1988	U1925	C1852	A1789	G1708	G1647	C1581	G1519	C1450	C1327	G1260	
C2050	G1989	U1926	A1853	C1790	U1709	C1648	C1582	U1520	C1451	U1328	C1261	
A2051	C1990	A1927	A1854	A1791	C1710	G1649	A1583	G1521	A1453	U1329	A1262	
G2052	U1991	G1928	G1855	G1792		G1650	C1585	G1522	U1454	G1399	G1269	
G2053	G1992	G1930	G1856	G1793		G1651	A1586	U1523	A1455	A1393	U1263	
A2054	U1993	U1931	G1857	G1795	G1718	A1652	A1587	G1524	G1456	A1331	G1264	
C2055	C1994	A1932	G1858	U1796	G1725	G1653	C1588	G1525	A1457	A1395	A1285	
G2056	U1995	G1933	A1859	C1797	U1727	A1654		G1526	A1460	U1397	G1266	
A2057	C1996	C1934	G1860	U1798	G1728	A1655	G1595	G1527	G1461	C1397	U1267	
C2058	G1997	G1935	G1861	G1799	A1729	C1656	A1596	A1528	G1462	C1398	A1268	
A2059	G1998	A1936	G1862	C1800	U1730	C1657	A1597	G1529	C1462	A1336	A1269	
G2060	C1999	A1937		G1801	G1731	C1658	G1598	G1530	G1463	G1400	G1270	
G2061	G2000	U1938	C1870	A1802	A1732	U1659	C1599	C1531		G1401	G1271	
A2062	A2001	U1939	G1871	G1733	G1733	C1660	C1600	C1532	G1466	C1402	U1272	
C2063	G2002	U1940	A1872	C1804	G1734	G1661	G1601	C1533	C1467	C1403	U1273	
C2064	C1941	C1942	G1878	U1805	C1735	A1662	U1602	G1534		A1404	A1274	
C2065	C1942	C1942	C1879	C1806	C1741	C1663	A1603	U1535	G1470	U1405	A1275	
C2066	U1943	U1943	G1880	G1807	G1742	A1664	C1604	A1536	A1471	A1406	A1276	
G2067	C2007	U1944	C1881	G1743	G1743	A1665	C1605	C1537	A1472	G1407	G1277	
U2068	C2008	G1945	C1882	A1808	G1746	G1666	G1606	G1538	G1473	C1468	A1278	
G2069	G2009	U1946	G1883	A1810	G1747	G1667	C1607	G1539	C1474	G1409	G1279	
G2070	C1947	A1884	A1884	G1811		A1668	A1608	G1475	G1475	A1349	G1280	
A2071	U2011	G1948	A1885	A1812	G1751	A1669	A1609	U1541	C1476	C1411	G1283	

G2864	G2803	A2741	U2682	U2562	G2502	C2442	G2382	U2262	G2192	G2072
U2865	C2804	C2742	C2683	U2563	A2503	C2443	G2383	C2263	G2193	C2073
G2866	G2805	C2743	G2684	A2564	U2504	G2444	G2384	C2264	G2194	C2074
G2867	G2807	G2744	G2685	U2565	G2505	G2445	C2385	U2265	C2195	U2075
A2868	U2808	C2745	C2686	U2566	U2506	G2446	C2386	C2266	C	A2076
G2869	A2809	G2746	G2687	A2567	C2507	G2447	C2387	A2267	U2197	C2077
A2810	A2810	G2747	U2688	C2568	G2508	A2448	A2388	A2268	A2198	C2078
C2811	G2811	A2748	G2689	U2569	G2509	A2449	G2389	A2269	A2199	U2079
G2812	G2812	A2749	G2690	G2570	U2510	A2450	C2390	G2270	C	G2080
A2813	A2813	G2750	C2691	C2571	U2511	A2451	G2391	C2271	C	C2081
G2814	C2814	G2751	C2692	A2572	C2512	C2452	C2392	U2272	G	A2082
C2815	A2815	C2752	C2693	C2573	G2513	A2453	C2393	U2273	C	G2083
C2816	G2816	A2753	G2694	C2574	U2514	G2454	C2394	A2274	U	C2084
G2817	G2817	U2754	C2695	C2575	C2515	G2455	C2395	C2275	C	C2085
G2818	G2818	C2755	U2696	U2576	G2516	A2456	G2396	C2276	C	U2086
U2819	U2819	U2756	A2697	A2577	C2517	U2457	G2397	G2277	C	G2087
A2820	A2820	A2757	U2698	U2578	A2518	G2458	U2398	A2278	G	G2088
C2821	A2821	A2758	C2699	C2579	U2519	A2459	G2399	G2279	G	U2089
G2822	G2822	G2759	U2700	U2580	C2520	U2460	G2400	G2280	U	G2090
A2823	A2823	C2760	G2701	G2581	C2521	C2461	U2401	C2281	G	U2091
C2824	C2824	G2761	U2702	C2582	U2522	U2462	C2402	G2282	G	U2092
G2825	G2825	G2762	C2703	G2583	G2523	C2463	C2403	C2283	G	G2093
G2826	A2826	G2763	C2704	U2584	G2524	C2464	C2404	G2284	G	G2094
U2827	A2827	A2764	G2705	U2585	G2525	C2465	G2405	C2285	G	C2095
G2828	C2828	A2765	G2706	C2586	G2526	C2466	U2406	A2286	G	U2096
C2829	C2829	G2766	G2707	A2587	C2527	C2467	G2407	A2287	G	C2097
G2830	G2830	C2767	G2708	U2588	U2528	G2468	U2408	A2288	A	U2098
A2831	C2831	C2768	G2709	A2589	G2529	A2469	G2409	G2289	G	U2099
U2832	U2832	C2769	C2710	U2590	A2530	G2470	G2410	G2290	G	G2100
G2833	G2833	G2770	A2711	C2591	A2531	C2471	G2411	U2291	C	G2101
C2834	C2834	C2771	U2712	U2592	G2532	G2472	A2412	C2292	U	U2102
A2835	A2835	C2772	A2713	U2593	A2533	U2473	G2413	C2293	C	C2103
U2836	U2836	G2773	A2714	C2594	A2534	C2474	A2414	C2294	C	G2104
G2837	G2837	C2774	G2715	U2595	G2535	C2475	G2415	C2295	G	C2105
A2838	A2838	A2775	C2716	U2596	G2536	A2476	C2416	U2296	G	G
G2839	G2839	A2776	U2717	G2597	U2537	C2477	C2417	C2297	U	C
C2840	C2840	G2777	G2717	A2598	C2538	A2478	A2418	A2298	C	C
U2841	U2841	A2778	G2718	U2599	C2539	G2479	U2419	G2299	A	U
G2842	G2842	U2779	G2719	A2600	C2540	G2480	C2420	G2300	G	G
C2843	C2843	G2780	U2720	C2601	A2541	G2481	G2421	C2301	A	C
A2844	A2844	A2781	A2721	A2602	A2542	G2482	A2422	G2302	C	C
G2845	G2845	G2782	G2722	G2603	G2543	C2483	U2423	G2303	U	U
C2846	C2846	G2783	C2723	U2604	G2544	G2484	C2424	G2304	A	A
G2847	G2847	C2784	C2724	U2605	G2545	G2485	A2425	A2305	C	G
U2848	U2848	C2785	A2725	C2606	U2546	G2486	A2426	C2306	A	G
A2849	A2849	U2786	U2726	G2607	U2547	A2487	G2427	G2307	C	A
G2850	G2850	C2787	G2727	U2608	G2548	A2488	G2428	G2308	C	A
A2851	A2851	C2788	U2728	U2609	G2549	G2489	C2429	A2309	U	U
G2852	G2852	C2789	G2729	C2610	G2550	G2490	A2430	G2310	G	G
C2853	C2853	A2790	C2730	U2611	G2551	U2491	U2431	A2311	C	C
U2854	U2854	G2791	G2731	C2612	U2552	U2492	A2432	U2312	U	G
G2855	G2855	C2792	G2732	U2613	G2553	U2493	A2433	G2313	G	U
C2856	C2856	A2793	A2733	A2614	U2554	G2494	A2434	C2314	G	G
G2857	G2857	C2794	G2734	C2615	U2555	G2495	A2435	G2315	G	G
U2858	U2858	G2795	G2735	C2616	G2556	C2496	G2436	G2316	A	A
C2859	C2859	U2796	G2736	C2617	G2557	A2497	U2437	C2317	G	C
A2860	A2860	C2797	G2737	G2618	C2558	C2498	U2438	G2318	C	C
G2861	G2861	A2798	G2738	G2619	C2559	C2499	A2439	G2319	U	U
U2862	U2862	U2799	U2739	C2620	U2560	U2500	C2440	A2320	G	G
C2863	C2863	G2802	A2740	A2621	A2561	C2501	C2441	C2321	G	G


• Molecule 27: 50S ribosomal protein L2




• Molecule 28: 50S ribosomal protein L3




• Molecule 29: 50S ribosomal protein L4







• Molecule 30: 50S ribosomal protein L5




• Molecule 31: 50S ribosomal protein L6




• Molecule 32: 50S ribosomal protein L9




● Molecule 33: 50S ribosomal protein L13




● Molecule 34: 50S ribosomal protein L14




● Molecule 35: 50S ribosomal protein L15




● Molecule 36: 50S ribosomal protein L16







• Molecule 37: 50S ribosomal protein L18




• Molecule 38: 50S ribosomal protein L19




• Molecule 39: 50S ribosomal protein L22




• Molecule 40: 50S ribosomal protein L23









- Molecule 41: 50S ribosomal protein 24




- Molecule 42: 50S ribosomal protein CTC



- Molecule 43: 50S ribosomal protein L17






- Molecule 44: 50S ribosomal protein L20






• Molecule 45: 50S ribosomal protein L21




• Molecule 46: 50S ribosomal protein L29




• Molecule 47: 50S ribosomal protein L30




• Molecule 48: 50S ribosomal protein L27



• Molecule 49: 50S ribosomal protein L31








- Molecule 50: 50S ribosomal protein L32




- Molecule 51: 50S ribosomal protein L33





- Molecule 52: 50S ribosomal protein L34




- Molecule 53: 50S ribosomal protein L35




- Molecule 54: 50S ribosomal protein L36



- Molecule 55: 50S ribosomal protein L11





4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	517.41Å 517.41Å 365.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 6.46 99.57 – 6.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (40.00-6.46) 99.7 (99.57-6.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 6.19Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.354 , 0.361 0.329 , 0.344	Depositor DCC
R_{free} test set	6075 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	240.8	Xtriage
Anisotropy	0.222	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.10 , 90.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	142447	wwPDB-VP
Average B, all atoms (Å ²)	314.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: YYG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AA	1.32	68/36413 (0.2%)	1.49	439/56777 (0.8%)
2	AV	0.74	3/1812 (0.2%)	1.20	8/2819 (0.3%)
3	AW	1.81	19/1739 (1.1%)	2.15	47/2698 (1.7%)
4	AX	0.18	0/139	0.67	0/213
5	AB	0.60	2/1935 (0.1%)	0.61	0/2609
6	AC	0.73	2/1636 (0.1%)	0.61	4/2205 (0.2%)
7	AD	0.70	4/1733 (0.2%)	1.03	11/2318 (0.5%)
8	AE	0.83	1/1162 (0.1%)	0.63	1/1564 (0.1%)
9	AF	0.35	0/856	0.54	0/1154
10	AG	0.34	0/1276	0.59	3/1709 (0.2%)
11	AH	0.41	0/1136	0.66	0/1527
12	AI	0.34	0/1029	0.54	0/1378
13	AJ	0.35	0/807	0.56	0/1085
14	AK	0.59	1/900 (0.1%)	0.54	0/1213
15	AL	1.33	1/986 (0.1%)	1.11	3/1320 (0.2%)
16	AM	0.92	1/1007 (0.1%)	0.59	1/1344 (0.1%)
17	AN	0.49	1/501 (0.2%)	0.65	1/664 (0.2%)
18	AO	0.32	0/745	0.54	0/992
19	AP	0.40	0/716	0.59	1/963 (0.1%)
20	AQ	1.23	2/870 (0.2%)	1.38	6/1159 (0.5%)
21	AR	0.40	0/603	0.70	0/799
22	AS	0.34	0/661	0.53	0/890
23	AT	0.32	0/764	0.57	1/1006 (0.1%)
24	AU	0.33	0/212	0.49	0/277
25	BB	1.25	6/2950 (0.2%)	1.44	25/4602 (0.5%)
26	BA	1.17	153/67839 (0.2%)	1.46	906/105818 (0.9%)
27	BD	0.38	0/1328	0.60	0/1783
28	BE	0.65	4/1540 (0.3%)	1.07	7/2078 (0.3%)
29	BF	0.76	3/1444 (0.2%)	0.83	1/1954 (0.1%)
30	BG	0.25	0/971	0.46	0/1304
31	BH	0.54	1/1272 (0.1%)	0.80	3/1721 (0.2%)
32	BI	0.32	0/1156	0.71	3/1544 (0.2%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	BN	0.35	0/927	0.55	0/1245
34	BO	0.32	0/946	0.57	0/1269
35	BP	1.59	3/643 (0.5%)	1.31	5/870 (0.6%)
36	BQ	0.32	0/1106	0.53	0/1490
37	BS	1.13	3/877 (0.3%)	0.69	1/1179 (0.1%)
38	BT	0.39	0/412	0.70	0/554
39	BW	0.75	3/869 (0.3%)	0.75	4/1166 (0.3%)
40	BX	0.49	1/608 (0.2%)	1.04	3/820 (0.4%)
41	BY	0.26	0/887	0.83	3/1195 (0.3%)
42	BZ	0.32	1/1385 (0.1%)	0.62	3/1883 (0.2%)
43	BR	0.30	0/867	0.50	0/1162
44	BU	0.64	1/994 (0.1%)	0.74	3/1323 (0.2%)
45	BV	0.82	1/796 (0.1%)	0.91	3/1058 (0.3%)
46	B2	0.37	0/497	1.00	2/668 (0.3%)
47	B3	0.31	0/482	0.50	0/646
48	B0	0.38	1/649 (0.2%)	0.87	3/860 (0.3%)
49	B4	0.89	2/620 (0.3%)	0.54	0/831
50	B5	0.36	0/469	0.90	3/629 (0.5%)
51	B6	0.32	0/438	0.55	1/583 (0.2%)
52	B7	0.38	0/387	0.64	0/509
53	B8	0.91	2/503 (0.4%)	0.92	3/657 (0.5%)
54	B9	0.33	0/286	0.59	0/375
55	BK	0.27	1/1014 (0.1%)	0.44	0/1363
All	All	1.09	291/154800 (0.2%)	1.33	1508/231822 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	AW	1	5
5	AB	0	1
6	AC	0	1
7	AD	0	1
14	AK	0	1
15	AL	0	1
20	AQ	0	1
27	BD	0	1
28	BE	0	3
29	BF	0	4
31	BH	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
32	BI	0	1
35	BP	0	1
37	BS	0	1
40	BX	0	1
41	BY	0	1
46	B2	0	1
50	B5	0	1
55	BK	0	1
All	All	1	28

The worst 5 of 291 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BA	2199	A	O3'-P	-71.04	0.75	1.61
1	AA	1278	U	O3'-P	-56.53	0.93	1.61
1	AA	1337	G	O3'-P	-53.91	0.96	1.61
26	BA	1546	C	O3'-P	-51.62	0.99	1.61
1	AA	1004	A	O3'-P	48.18	2.19	1.61

The worst 5 of 1508 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AW	65	G	P-O3'-C3'	-50.68	58.88	119.70
26	BA	712(A)	A	P-O3'-C3'	-43.62	67.36	119.70
26	BA	2199	A	O3'-P-O5'	-43.07	22.17	104.00
2	AV	65	G	P-O3'-C3'	39.88	167.56	119.70
1	AA	1255	G	P-O3'-C3'	-38.36	73.67	119.70

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	AW	37	YYG	C15

5 of 28 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	AW	16	U	Sidechain
3	AW	17	U	Sidechain
3	AW	18	G	Sidechain
3	AW	19	G	Sidechain
3	AW	62	A	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32551	0	16459	2042	3
2	AV	1622	0	821	231	0
3	AW	1638	0	836	243	0
4	AX	136	0	63	26	0
5	AB	1900	0	1950	97	0
6	AC	1612	0	1675	99	0
7	AD	1703	0	1761	289	0
8	AE	1146	0	1206	68	0
9	AF	843	0	857	30	0
10	AG	1257	0	1295	102	0
11	AH	1116	0	1177	100	0
12	AI	1011	0	1040	80	0
13	AJ	794	0	840	81	0
14	AK	885	0	904	53	0
15	AL	970	0	1056	72	0
16	AM	997	0	1070	149	0
17	AN	492	0	529	82	0
18	AO	734	0	771	28	0
19	AP	700	0	720	70	0
20	AQ	857	0	928	80	0
21	AR	597	0	668	40	0
22	AS	647	0	673	155	0
23	AT	762	0	859	37	0
24	AU	208	0	221	84	0
25	BB	2637	0	1339	219	1
26	BA	60600	0	30514	11060	138
27	BD	1308	0	1346	1086	0
28	BE	1507	0	1478	1144	3
29	BF	1430	0	1357	1085	0
30	BG	957	0	952	692	0
31	BH	1251	0	1291	754	0
32	BI	1145	0	1225	625	3
33	BN	917	0	896	771	2
34	BO	937	0	992	613	0
35	BP	639	0	605	482	0
36	BQ	1081	0	1047	932	0
37	BS	866	0	866	677	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	BT	406	0	359	167	0
39	BW	860	0	909	557	0
40	BX	602	0	558	460	0
41	BY	879	0	860	755	0
42	BZ	1360	0	1378	902	0
43	BR	855	0	904	579	0
44	BU	978	0	996	895	0
45	BV	787	0	782	635	0
46	B2	494	0	504	393	0
47	B3	477	0	527	460	0
48	B0	641	0	661	531	0
49	B4	604	0	587	489	0
50	B5	457	0	456	279	0
51	B6	431	0	454	289	0
52	B7	383	0	409	382	0
53	B8	496	0	539	349	0
54	B9	285	0	312	195	0
55	BK	999	0	1064	573	0
All	All	142447	0	94546	28969	145

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 123.

The worst 5 of 28969 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
50:B5:33:CYS:SG	50:B5:36:CYS:HB2	1.24	1.69
26:BA:2470:G:C2	26:BA:2471:C:C5	1.81	1.68
52:B7:30:ILE:HA	52:B7:33:ARG:CD	1.21	1.67
26:BA:2712:U:C6	26:BA:712(A):A:C8	1.77	1.67
26:BA:2580:U:C6	26:BA:2581:G:C8	1.82	1.66

The worst 5 of 145 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:BA:6:A:O4'	26:BA:2902:C:C2'[8_554]	0.72	1.48
26:BA:2899:G:N1	26:BA:2901:C:C4[8_554]	0.79	1.41
26:BA:6:A:C4'	26:BA:2902:C:C2'[8_554]	0.97	1.23
26:BA:2900:A:N7	26:BA:2900:A:N6[8_554]	1.03	1.17

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:BA:3:U:O4	26:BA:2899:G:O2'[8_554]	1.09	1.11

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AB	232/256 (91%)	183 (79%)	33 (14%)	16 (7%)	1	15
6	AC	204/239 (85%)	166 (81%)	24 (12%)	14 (7%)	1	15
7	AD	206/209 (99%)	157 (76%)	33 (16%)	16 (8%)	1	13
8	AE	148/162 (91%)	116 (78%)	29 (20%)	3 (2%)	7	38
9	AF	99/101 (98%)	85 (86%)	10 (10%)	4 (4%)	3	23
10	AG	153/156 (98%)	131 (86%)	18 (12%)	4 (3%)	5	31
11	AH	136/138 (99%)	101 (74%)	25 (18%)	10 (7%)	1	13
12	AI	125/128 (98%)	86 (69%)	31 (25%)	8 (6%)	1	16
13	AJ	96/105 (91%)	73 (76%)	14 (15%)	9 (9%)	0	10
14	AK	117/129 (91%)	88 (75%)	22 (19%)	7 (6%)	1	17
15	AL	122/135 (90%)	90 (74%)	13 (11%)	19 (16%)	0	3
16	AM	121/126 (96%)	95 (78%)	20 (16%)	6 (5%)	2	20
17	AN	58/61 (95%)	42 (72%)	12 (21%)	4 (7%)	1	15
18	AO	86/89 (97%)	76 (88%)	9 (10%)	1 (1%)	13	50
19	AP	81/88 (92%)	64 (79%)	11 (14%)	6 (7%)	1	13
20	AQ	102/105 (97%)	78 (76%)	18 (18%)	6 (6%)	1	17
21	AR	71/88 (81%)	54 (76%)	11 (16%)	6 (8%)	1	11
22	AS	78/93 (84%)	60 (77%)	15 (19%)	3 (4%)	3	24
23	AT	97/106 (92%)	79 (81%)	12 (12%)	6 (6%)	1	17
24	AU	22/27 (82%)	17 (77%)	3 (14%)	2 (9%)	1	11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	BD	169/173 (98%)	60 (36%)	34 (20%)	75 (44%)	0	0
28	BE	183/338 (54%)	89 (49%)	34 (19%)	60 (33%)	0	0
29	BF	179/246 (73%)	51 (28%)	47 (26%)	81 (45%)	0	0
30	BG	116/176 (66%)	46 (40%)	31 (27%)	39 (34%)	0	0
31	BH	162/177 (92%)	74 (46%)	39 (24%)	49 (30%)	0	0
32	BI	144/149 (97%)	71 (49%)	29 (20%)	44 (31%)	0	0
33	BN	111/145 (77%)	34 (31%)	21 (19%)	56 (50%)	0	0
34	BO	120/122 (98%)	61 (51%)	27 (22%)	32 (27%)	0	0
35	BP	82/164 (50%)	28 (34%)	21 (26%)	33 (40%)	0	0
36	BQ	130/138 (94%)	38 (29%)	35 (27%)	57 (44%)	0	0
37	BS	105/186 (56%)	36 (34%)	20 (19%)	49 (47%)	0	0
38	BT	48/66 (73%)	17 (35%)	13 (27%)	18 (38%)	0	0
39	BW	104/113 (92%)	41 (39%)	16 (15%)	47 (45%)	0	0
40	BX	72/84 (86%)	26 (36%)	18 (25%)	28 (39%)	0	0
41	BY	108/119 (91%)	49 (45%)	20 (18%)	39 (36%)	0	0
42	BZ	175/253 (69%)	52 (30%)	53 (30%)	70 (40%)	0	0
43	BR	103/118 (87%)	35 (34%)	20 (19%)	48 (47%)	0	0
44	BU	115/118 (98%)	22 (19%)	23 (20%)	70 (61%)	0	0
45	BV	96/100 (96%)	39 (41%)	25 (26%)	32 (33%)	0	0
46	B2	62/70 (89%)	8 (13%)	9 (14%)	45 (73%)	0	0
47	B3	58/60 (97%)	24 (41%)	13 (22%)	21 (36%)	0	0
48	B0	84/91 (92%)	32 (38%)	17 (20%)	35 (42%)	0	0
49	B4	71/73 (97%)	21 (30%)	16 (22%)	34 (48%)	0	0
50	B5	56/60 (93%)	16 (29%)	18 (32%)	22 (39%)	0	0
51	B6	51/82 (62%)	21 (41%)	9 (18%)	21 (41%)	0	0
52	B7	44/47 (94%)	4 (9%)	7 (16%)	33 (75%)	0	0
53	B8	61/64 (95%)	22 (36%)	10 (16%)	29 (48%)	0	0
54	B9	33/36 (92%)	14 (42%)	9 (27%)	10 (30%)	0	0
55	BK	129/141 (92%)	73 (57%)	18 (14%)	38 (30%)	0	0
All	All	5325/6250 (85%)	2945 (55%)	1015 (19%)	1365 (26%)	0	1

5 of 1365 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	AB	24	TRP
5	AB	104	ASN
5	AB	153	ARG
5	AB	154	LEU
5	AB	161	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AB	202/220 (92%)	173 (86%)	29 (14%)	3	16
6	AC	160/188 (85%)	146 (91%)	14 (9%)	10	31
7	AD	180/181 (99%)	162 (90%)	18 (10%)	7	26
8	AE	115/123 (94%)	94 (82%)	21 (18%)	1	10
9	AF	90/90 (100%)	83 (92%)	7 (8%)	12	36
10	AG	126/127 (99%)	116 (92%)	10 (8%)	12	36
11	AH	119/119 (100%)	92 (77%)	27 (23%)	1	5
12	AI	98/99 (99%)	90 (92%)	8 (8%)	11	34
13	AJ	88/92 (96%)	77 (88%)	11 (12%)	4	19
14	AK	90/99 (91%)	85 (94%)	5 (6%)	21	46
15	AL	104/111 (94%)	93 (89%)	11 (11%)	6	24
16	AM	100/101 (99%)	87 (87%)	13 (13%)	4	18
17	AN	49/50 (98%)	43 (88%)	6 (12%)	5	20
18	AO	79/80 (99%)	70 (89%)	9 (11%)	5	21
19	AP	72/74 (97%)	62 (86%)	10 (14%)	3	17
20	AQ	96/97 (99%)	87 (91%)	9 (9%)	8	28
21	AR	64/77 (83%)	57 (89%)	7 (11%)	6	23
22	AS	71/80 (89%)	64 (90%)	7 (10%)	8	26
23	AT	76/82 (93%)	68 (90%)	8 (10%)	7	24
24	AU	19/22 (86%)	19 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
27	BD	135/135 (100%)	99 (73%)	36 (27%)	0	3
28	BE	156/284 (55%)	128 (82%)	28 (18%)	2	10
29	BF	152/193 (79%)	124 (82%)	28 (18%)	1	10
30	BG	102/147 (69%)	93 (91%)	9 (9%)	10	31
31	BH	137/147 (93%)	111 (81%)	26 (19%)	1	9
32	BI	119/119 (100%)	98 (82%)	21 (18%)	2	11
33	BN	95/121 (78%)	80 (84%)	15 (16%)	2	14
34	BO	101/101 (100%)	81 (80%)	20 (20%)	1	8
35	BP	67/126 (53%)	56 (84%)	11 (16%)	2	13
36	BQ	110/110 (100%)	83 (76%)	27 (24%)	0	4
37	BS	89/149 (60%)	73 (82%)	16 (18%)	1	10
38	BT	44/52 (85%)	30 (68%)	14 (32%)	0	2
39	BW	88/92 (96%)	74 (84%)	14 (16%)	2	14
40	BX	67/73 (92%)	44 (66%)	23 (34%)	0	1
41	BY	97/105 (92%)	80 (82%)	17 (18%)	2	11
42	BZ	151/203 (74%)	130 (86%)	21 (14%)	3	17
43	BR	89/101 (88%)	71 (80%)	18 (20%)	1	7
44	BU	96/97 (99%)	68 (71%)	28 (29%)	0	2
45	BV	79/79 (100%)	69 (87%)	10 (13%)	4	19
46	B2	51/56 (91%)	37 (72%)	14 (28%)	0	3
47	B3	52/52 (100%)	47 (90%)	5 (10%)	8	27
48	B0	64/67 (96%)	57 (89%)	7 (11%)	6	23
49	B4	66/66 (100%)	54 (82%)	12 (18%)	1	10
50	B5	51/53 (96%)	43 (84%)	8 (16%)	2	14
51	B6	46/69 (67%)	39 (85%)	7 (15%)	3	15
52	B7	39/40 (98%)	31 (80%)	8 (20%)	1	7
53	B8	50/51 (98%)	39 (78%)	11 (22%)	1	6
54	B9	34/35 (97%)	30 (88%)	4 (12%)	5	20
55	BK	108/113 (96%)	104 (96%)	4 (4%)	34	58
All	All	4533/5148 (88%)	3841 (85%)	692 (15%)	2	15

5 of 692 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
29	BF	120	ASP
33	BN	87	LEU
49	B4	15	ILE
30	BG	13	MET
31	BH	137	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 129 such sidechains are listed below:

Mol	Chain	Res	Type
28	BE	242	ASN
32	BI	64	ASN
48	B0	71	ASN
28	BE	260	GLN
29	BF	219	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1497/1522 (98%)	520 (34%)	164 (10%)
2	AV	73/76 (96%)	16 (21%)	1 (1%)
25	BB	122/123 (99%)	45 (36%)	3 (2%)
26	BA	2780/2916 (95%)	1487 (53%)	360 (12%)
3	AW	70/76 (92%)	16 (22%)	3 (4%)
4	AX	5/18 (27%)	0	0
All	All	4547/4731 (96%)	2084 (45%)	531 (11%)

5 of 2084 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	6	G
1	AA	7	G
1	AA	8	A
1	AA	9	G
1	AA	12	U

5 of 531 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
26	BA	646	A
26	BA	1126	A
26	BA	2612	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BA	704	G
26	BA	827	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	PSU	AW	39	3	17,21,22	1.27	2 (11%)	20,30,33	5.38	5 (25%)
3	YYG	AW	37	10,3	29,42,43	1.05	3 (10%)	29,62,65	2.17	7 (24%)
3	PSU	AW	55	3	17,21,22	1.42	3 (17%)	20,30,33	5.26	6 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PSU	AW	39	3	-	0/7/25/26	0/2/2/2
3	YYG	AW	37	10,3	1/1/8/9	7/20/42/43	0/4/4/4
3	PSU	AW	55	3	-	0/7/25/26	0/2/2/2

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AW	55	PSU	C4-N3	4.34	1.40	1.33
3	AW	39	PSU	C6-C5	-3.31	1.33	1.38
3	AW	39	PSU	C4-N3	3.19	1.38	1.33
3	AW	37	YYG	C6-N1	2.91	1.42	1.37
3	AW	55	PSU	C6-C5	-2.88	1.34	1.38

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	AW	39	PSU	N1-C2-N3	-17.74	114.33	128.43
3	AW	55	PSU	N1-C2-N3	-17.51	114.51	128.43
3	AW	39	PSU	C4-N3-C2	12.63	125.80	115.14
3	AW	55	PSU	C4-N3-C2	11.74	125.06	115.14
3	AW	39	PSU	C5-C4-N3	-8.08	114.95	125.36

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	AW	37	YYG	C15

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	AW	37	YYG	C12-C13-C14-C15
3	AW	37	YYG	C15-C16-O18-C19
3	AW	37	YYG	O17-C16-O18-C19
3	AW	37	YYG	C13-C14-C15-C16
3	AW	37	YYG	C14-C15-C16-O18

There are no ring outliers.

2 monomers are involved in 42 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	AW	39	PSU	4	0
3	AW	37	YYG	38	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
26	BA	98
1	AA	68
3	AW	7
25	BB	4
2	AV	3
36	BQ	3
49	B4	2
5	AB	2
16	AM	2
45	BV	2
20	AQ	2
6	AC	2
39	BW	2
14	AK	1
53	B8	1
35	BP	1
8	AE	1
29	BF	1
44	BU	1
7	AD	1
55	BK	1
15	AL	1
37	BS	1
27	BD	1
48	B0	1
31	BH	1

The worst 5 of 210 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	AA	30(D):A	O3'	1031:G	P	5.01
1	BA	142(A):A	O3'	1143:A	P	4.98
1	AW	73:A	O3'	74:C	P	4.88
1	BA	1171:G	O3'	1173:G	P	4.41
1	AA	440:A	O3'	442:C	P	4.34

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1515/1522 (99%)	0.48	151 (9%) 7 10	188, 339, 400, 400	0
2	AV	76/76 (100%)	0.90	8 (10%) 6 9	242, 299, 394, 394	0
3	AW	73/76 (96%)	0.44	9 (12%) 4 8	253, 400, 400, 400	0
4	AX	17/18 (94%)	1.31	5 (29%) 0 2	400, 400, 400, 400	0
5	AB	234/256 (91%)	0.10	12 (5%) 28 27	395, 395, 400, 400	0
6	AC	206/239 (86%)	1.60	58 (28%) 0 2	393, 398, 398, 398	0
7	AD	208/209 (99%)	1.61	67 (32%) 0 2	257, 391, 400, 400	0
8	AE	150/162 (92%)	3.17	90 (60%) 0 0	371, 400, 400, 400	0
9	AF	101/101 (100%)	-0.42	1 (0%) 82 75	400, 400, 400, 400	0
10	AG	155/156 (99%)	1.88	55 (35%) 0 1	358, 400, 400, 400	0
11	AH	138/138 (100%)	1.39	43 (31%) 0 2	396, 396, 396, 396	0
12	AI	127/128 (99%)	0.70	27 (21%) 0 3	395, 395, 395, 395	0
13	AJ	98/105 (93%)	1.25	14 (14%) 2 6	400, 400, 400, 400	0
14	AK	119/129 (92%)	0.82	18 (15%) 2 5	202, 202, 400, 400	0
15	AL	124/135 (91%)	0.96	25 (20%) 1 3	399, 399, 400, 400	0
16	AM	125/126 (99%)	0.47	17 (13%) 3 6	348, 400, 400, 400	0
17	AN	60/61 (98%)	1.49	19 (31%) 0 2	400, 400, 400, 400	0
18	AO	88/89 (98%)	-0.12	2 (2%) 60 54	400, 400, 400, 400	0
19	AP	83/88 (94%)	1.76	32 (38%) 0 1	400, 400, 400, 400	0
20	AQ	104/105 (99%)	1.84	41 (39%) 0 1	400, 400, 400, 400	0
21	AR	73/88 (82%)	-0.38	0 100 100	400, 400, 400, 400	0
22	AS	80/93 (86%)	0.67	17 (21%) 0 3	400, 400, 400, 400	0
23	AT	99/106 (93%)	-0.06	7 (7%) 16 16	400, 400, 400, 400	0
24	AU	24/27 (88%)	1.91	10 (41%) 0 1	400, 400, 400, 400	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	BB	123/123 (100%)	-0.16	6 (4%) 29 28	267, 323, 388, 388	0
26	BA	2814/2916 (96%)	0.34	156 (5%) 25 25	65, 238, 393, 400	0
27	BD	173/173 (100%)	1.56	60 (34%) 0 2	392, 392, 400, 400	0
28	BE	191/338 (56%)	2.04	89 (46%) 0 1	400, 400, 400, 400	0
29	BF	189/246 (76%)	-0.33	9 (4%) 30 29	393, 396, 396, 396	0
30	BG	122/176 (69%)	0.06	7 (5%) 23 23	400, 400, 400, 400	0
31	BH	164/177 (92%)	0.26	14 (8%) 10 13	400, 400, 400, 400	0
32	BI	148/149 (99%)	1.42	48 (32%) 0 2	400, 400, 400, 400	0
33	BN	117/145 (80%)	1.71	46 (39%) 0 1	400, 400, 400, 400	0
34	BO	122/122 (100%)	1.10	25 (20%) 1 3	400, 400, 400, 400	0
35	BP	84/164 (51%)	1.02	15 (17%) 1 4	395, 395, 400, 400	0
36	BQ	138/138 (100%)	2.38	70 (50%) 0 1	393, 393, 393, 393	0
37	BS	113/186 (60%)	-0.12	2 (1%) 68 60	278, 400, 400, 400	0
38	BT	52/66 (78%)	3.00	31 (59%) 0 0	400, 400, 400, 400	0
39	BW	108/113 (95%)	0.18	6 (5%) 24 24	278, 395, 400, 400	0
40	BX	76/84 (90%)	0.80	18 (23%) 0 2	400, 400, 400, 400	0
41	BY	110/119 (92%)	0.70	15 (13%) 3 6	400, 400, 400, 400	0
42	BZ	177/253 (69%)	0.28	10 (5%) 24 24	396, 398, 398, 398	0
43	BR	105/118 (88%)	0.35	8 (7%) 13 15	400, 400, 400, 400	0
44	BU	117/118 (99%)	0.44	14 (11%) 4 8	391, 391, 400, 400	0
45	BV	100/100 (100%)	1.10	20 (20%) 1 3	400, 400, 400, 400	0
46	B2	64/70 (91%)	0.03	4 (6%) 20 19	400, 400, 400, 400	0
47	B3	60/60 (100%)	0.28	4 (6%) 17 18	398, 398, 398, 398	0
48	B0	86/91 (94%)	1.44	23 (26%) 0 2	396, 400, 400, 400	0
49	B4	73/73 (100%)	1.92	34 (46%) 0 1	396, 397, 397, 397	0
50	B5	58/60 (96%)	-0.14	0 100 100	400, 400, 400, 400	0
51	B6	53/82 (64%)	-0.08	2 (3%) 40 36	400, 400, 400, 400	0
52	B7	46/47 (97%)	0.80	3 (6%) 18 18	396, 396, 396, 396	0
53	B8	63/64 (98%)	1.02	13 (20%) 1 3	400, 400, 400, 400	0
54	B9	35/36 (97%)	3.63	21 (60%) 0 0	400, 400, 400, 400	0
55	BK	133/141 (94%)	0.06	4 (3%) 50 43	392, 400, 400, 400	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	10091/10981 (91%)	0.70	1505 (14%) 2 5	65, 395, 400, 400	0

The worst 5 of 1505 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
13	AJ	61	GLU	17.3
13	AJ	62	HIS	16.0
13	AJ	48	THR	14.7
8	AE	134	ALA	13.7
54	B9	24	LEU	13.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	YYG	AW	37	39/40	0.17	0.79	399,399,399,399	0
3	PSU	AW	39	20/21	0.58	0.44	399,399,399,399	0
3	PSU	AW	55	20/21	0.94	0.09	400,400,400,400	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.