



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2020 – 02:30 AM BST

PDB ID : 5V4O
Title : Crystal structure of the D141A/Q233E/N240D variant of catalase-peroxidase from *B. pseudomallei*
Authors : Loewen, P.C.
Deposited on : 2017-03-10
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	<div> <div>2%</div> <div> <div></div> <div>89%</div> <div>8%</div> <div>••</div> </div> </div>
1	B	728	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>8%</div> <div>••</div> </div> </div>

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12310 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Catalase-peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	713	Total	C	N	O	S	0	6	0
			5551	3505	989	1043	14			
1	B	713	Total	C	N	O	S	0	4	0
			5529	3493	983	1039	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	141	ALA	ASP	engineered mutation	UNP Q3JNW6
A	233	GLU	GLN	engineered mutation	UNP Q3JNW6
A	240	ASP	ASN	engineered mutation	UNP Q3JNW6
B	141	ALA	ASP	engineered mutation	UNP Q3JNW6
B	233	GLU	GLN	engineered mutation	UNP Q3JNW6
B	240	ASP	ASN	engineered mutation	UNP Q3JNW6

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Na	0	0
			1	1		
3	A	1	Total	Na	0	0
			1	1		

- Molecule 4 is OXYGEN MOLECULE (three-letter code: OXY) (formula: O₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			2	2		
4	B	1	Total	O	0	0
			2	2		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	550	Total	O	0	0
			550	550		
7	B	546	Total	O	0	0
			546	546		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Catalase-peroxidase



• Molecule 1: Catalase-peroxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	100.83Å 115.45Å 175.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.20 – 1.95 46.20 – 1.95	Depositor EDS
% Data completeness (in resolution range)	94.6 (46.20-1.95) 94.6 (46.20-1.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.149 , 0.181 0.162 , 0.188	Depositor DCC
R_{free} test set	7043 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	26.8	Xtriage
Anisotropy	0.627	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12310	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: TOX, OXY, NA, PO4, MPD, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.27	17/5680 (0.3%)	1.14	40/7720 (0.5%)
1	B	1.29	22/5658 (0.4%)	1.17	45/7692 (0.6%)
All	All	1.28	39/11338 (0.3%)	1.16	85/15412 (0.6%)

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	198	GLU	CG-CD	9.77	1.66	1.51
1	B	726	GLU	CD-OE2	9.32	1.35	1.25
1	A	589	GLU	CD-OE2	8.54	1.35	1.25
1	A	725	GLN	CG-CD	8.36	1.70	1.51
1	B	726	GLU	CG-CD	7.28	1.62	1.51
1	B	410	GLU	CG-CD	6.90	1.62	1.51
1	A	589	GLU	CG-CD	6.83	1.62	1.51
1	B	512	ASP	CG-OD2	6.74	1.40	1.25
1	B	544	GLN	CD-NE2	6.72	1.49	1.32
1	A	233	GLU	CD-OE2	6.65	1.32	1.25
1	B	730	ARG	CZ-NH1	6.62	1.41	1.33
1	B	205	GLU	CD-OE1	6.09	1.32	1.25
1	A	719	TYR	CE1-CZ	6.09	1.46	1.38
1	A	584	GLU	CG-CD	6.04	1.61	1.51
1	A	198	GLU	CG-CD	5.99	1.60	1.51
1	B	313	TYR	CG-CD1	5.88	1.46	1.39
1	B	541	GLY	C-O	5.85	1.33	1.23
1	A	454	ASP	CB-CG	5.79	1.64	1.51
1	A	657	GLU	CD-OE1	5.71	1.31	1.25
1	B	746	ASP	CB-CG	5.70	1.63	1.51
1	B	514	GLU	CD-OE2	-5.66	1.19	1.25
1	B	269	GLU	CD-OE2	-5.63	1.19	1.25
1	B	584	GLU	CD-OE1	5.63	1.31	1.25
1	B	418	ARG	CZ-NH2	-5.63	1.25	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	210	GLU	CD-OE1	5.59	1.31	1.25
1	A	73	GLU	CG-CD	5.51	1.60	1.51
1	B	178	GLU	CG-CD	5.45	1.60	1.51
1	A	233	GLU	CG-CD	5.32	1.59	1.51
1	A	327	GLU	CG-CD	5.29	1.59	1.51
1	B	725	GLN	CD-NE2	5.28	1.46	1.32
1	B	36	GLY	N-CA	5.26	1.53	1.46
1	A	36	GLY	N-CA	5.16	1.53	1.46
1	A	711	GLN	CG-CD	5.12	1.62	1.51
1	A	217	SER	CB-OG	5.11	1.48	1.42
1	A	589	GLU	CD-OE1	5.08	1.31	1.25
1	A	410	GLU	CG-CD	5.05	1.59	1.51
1	B	193	ASP	CB-CG	5.04	1.62	1.51
1	B	336	GLN	CG-CD	5.03	1.62	1.51
1	B	719	TYR	CD1-CE1	5.02	1.46	1.39

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	393	ARG	NE-CZ-NH2	-9.93	115.34	120.30
1	B	198	GLU	OE1-CD-OE2	-9.85	111.48	123.30
1	A	407	GLU	OE1-CD-OE2	-9.62	111.75	123.30
1	A	433	ARG	NE-CZ-NH1	9.49	125.04	120.30
1	A	532	ARG	NE-CZ-NH2	-9.32	115.64	120.30
1	A	713	ARG	NE-CZ-NH1	9.13	124.86	120.30
1	B	40	ARG	NE-CZ-NH1	8.67	124.64	120.30
1	A	649	ARG	NE-CZ-NH1	8.54	124.57	120.30
1	A	60	ASP	CB-CG-OD1	8.38	125.84	118.30
1	B	713	ARG	NE-CZ-NH1	8.36	124.48	120.30
1	A	426[A]	ARG	NE-CZ-NH1	-8.22	116.19	120.30
1	A	426[B]	ARG	NE-CZ-NH1	-8.22	116.19	120.30
1	B	108	ARG	NE-CZ-NH2	-8.19	116.21	120.30
1	B	60	ASP	CB-CG-OD1	8.15	125.64	118.30
1	A	670	ASP	CB-CG-OD2	-8.10	111.01	118.30
1	B	506	ARG	NE-CZ-NH1	7.95	124.27	120.30
1	B	404	ARG	NE-CZ-NH1	7.72	124.16	120.30
1	B	198	GLU	CG-CD-OE1	7.72	133.74	118.30
1	A	587	ASP	CB-CG-OD1	7.69	125.22	118.30
1	A	649	ARG	NE-CZ-NH2	-7.57	116.52	120.30
1	A	407	GLU	CG-CD-OE1	7.55	133.41	118.30
1	B	587	ASP	CB-CG-OD1	7.55	125.10	118.30
1	B	60	ASP	CB-CG-OD2	-7.53	111.52	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	258	ARG	NE-CZ-NH1	7.40	124.00	120.30
1	B	649	ARG	NE-CZ-NH1	7.38	123.99	120.30
1	B	404	ARG	NE-CZ-NH2	-7.34	116.63	120.30
1	B	426	ARG	NE-CZ-NH1	-7.24	116.68	120.30
1	B	433	ARG	NE-CZ-NH1	7.15	123.88	120.30
1	B	418	ARG	NE-CZ-NH1	7.15	123.88	120.30
1	B	82	ARG	NE-CZ-NH1	7.14	123.87	120.30
1	A	210	GLU	OE1-CD-OE2	-7.09	114.79	123.30
1	B	149	ARG	NE-CZ-NH1	6.98	123.79	120.30
1	A	730	ARG	NE-CZ-NH1	6.83	123.72	120.30
1	B	123	ARG	NE-CZ-NH1	6.73	123.67	120.30
1	A	701	ARG	NE-CZ-NH1	6.71	123.66	120.30
1	B	512	ASP	CB-CG-OD1	-6.69	112.28	118.30
1	B	688	ARG	NE-CZ-NH1	6.68	123.64	120.30
1	A	73	GLU	OE1-CD-OE2	-6.67	115.29	123.30
1	A	376	ASP	CB-CG-OD2	-6.57	112.38	118.30
1	B	608	LYS	CD-CE-NZ	6.56	126.79	111.70
1	B	689	ASP	CB-CG-OD1	6.50	124.15	118.30
1	B	40	ARG	NE-CZ-NH2	-6.48	117.06	120.30
1	A	532	ARG	NE-CZ-NH1	6.45	123.53	120.30
1	A	689	ASP	CB-CG-OD2	-6.32	112.61	118.30
1	A	40	ARG	NE-CZ-NH1	6.31	123.45	120.30
1	A	689	ASP	CB-CG-OD1	6.27	123.94	118.30
1	B	713	ARG	NE-CZ-NH2	-6.24	117.18	120.30
1	B	649	ARG	NE-CZ-NH2	-6.19	117.20	120.30
1	B	744	ARG	NE-CZ-NH1	6.19	123.40	120.30
1	A	395	ASP	CB-CG-OD1	6.15	123.83	118.30
1	B	48	ASP	CB-CG-OD1	6.15	123.83	118.30
1	A	268	ASP	CB-CG-OD2	-6.13	112.78	118.30
1	A	149	ARG	NE-CZ-NH1	6.05	123.33	120.30
1	A	108	ARG	NE-CZ-NH1	6.05	123.33	120.30
1	B	249	ASP	CB-CG-OD1	6.01	123.71	118.30
1	A	434	TYR	CB-CG-CD1	5.97	124.58	121.00
1	B	639	ARG	NE-CZ-NH1	5.93	123.27	120.30
1	B	454	ASP	CB-CG-OD1	5.88	123.59	118.30
1	B	532	ARG	NE-CZ-NH2	-5.87	117.36	120.30
1	B	76	ASP	CB-CG-OD2	-5.81	113.07	118.30
1	B	167	ASP	CB-CG-OD1	5.68	123.42	118.30
1	A	602	ARG	NE-CZ-NH2	-5.67	117.47	120.30
1	A	40	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	A	608	LYS	CA-CB-CG	5.53	125.58	113.40
1	A	587	ASP	CB-CG-OD2	-5.53	113.32	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	454	ASP	CB-CG-OD2	5.50	123.25	118.30
1	A	54	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	B	414	ASP	CB-CG-OD2	5.44	123.20	118.30
1	B	433	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	B	268	ASP	CB-CG-OD1	5.33	123.10	118.30
1	B	218	ARG	NE-CZ-NH2	-5.33	117.63	120.30
1	B	108	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	B	434	TYR	CB-CG-CD1	5.27	124.17	121.00
1	A	639	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	A	82	ARG	NE-CZ-NH2	-5.23	117.69	120.30
1	A	48	ASP	CB-CG-OD1	5.20	122.98	118.30
1	B	730	ARG	NE-CZ-NH2	-5.13	117.73	120.30
1	A	506	ARG	NE-CZ-NH1	5.12	122.86	120.30
1	A	82	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	B	584	GLU	CG-CD-OE1	5.08	128.47	118.30
1	B	690	ARG	NE-CZ-NH1	5.07	122.84	120.30
1	A	55	HIS	CB-CA-C	5.07	120.54	110.40
1	A	73	GLU	CG-CD-OE1	5.02	128.34	118.30
1	A	258	ARG	NE-CZ-NH1	5.00	122.80	120.30
1	B	98	ASP	CB-CG-OD1	-5.00	113.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5551	0	5365	14	0
1	B	5529	0	5347	11	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
5	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	5	0	0	0	0
6	A	24	0	42	2	0
6	B	8	0	14	3	0
7	A	550	0	0	2	0
7	B	546	0	0	3	0
All	All	12310	0	10828	30	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (30) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119[B]:THR:HG21	7:A:976:HOH:O	1.67	0.94
1:B:119[B]:THR:HG21	7:B:991:HOH:O	1.79	0.80
1:B:360:HIS:ND1	7:B:901:HOH:O	2.15	0.78
1:A:725:GLN:NE2	1:A:726[A]:GLU:HG3	2.04	0.72
6:B:805:MPD:O4	6:B:805:MPD:H12	1.93	0.67
1:A:725:GLN:HE21	1:A:726[A]:GLU:HG3	1.63	0.63
1:B:607:GLY:C	1:B:608:LYS:HE2	2.21	0.61
6:B:805:MPD:O4	6:B:805:MPD:C1	2.49	0.60
1:B:608:LYS:N	1:B:608:LYS:HE2	2.18	0.58
1:A:161:ARG:NH2	7:A:903:HOH:O	2.17	0.55
1:A:725:GLN:NE2	1:A:726[A]:GLU:CG	2.70	0.54
1:B:178:GLU:OE1	7:B:902:HOH:O	2.19	0.53
6:A:806:MPD:H11	6:A:806:MPD:H53	1.93	0.51
1:A:198:GLU:HG3	1:A:200:VAL:HG23	1.93	0.49
1:A:633[A]:VAL:CG2	1:A:719:TYR:CZ	2.96	0.49
1:A:119[A]:THR:CG2	1:A:265:ALA:HB2	2.43	0.48
1:B:633[A]:VAL:CG2	1:B:719:TYR:CZ	2.98	0.46
1:A:119[B]:THR:HG23	1:A:593:VAL:HG11	1.98	0.45
1:A:119[A]:THR:HG21	1:A:265:ALA:HB2	1.98	0.45
1:B:661:THR:HA	1:B:725:GLN:HE22	1.82	0.43
1:A:247:ASN:HD22	1:A:248:PRO:HD2	1.83	0.43
6:B:805:MPD:HO4	6:B:805:MPD:H12	1.83	0.43
6:A:805:MPD:O4	6:A:805:MPD:CM	2.67	0.43
1:A:313:TYR:CE2	1:A:314:ARG:HD3	2.54	0.42
1:A:509:PRO:HD2	1:A:591:MET:HG2	2.01	0.41
1:B:119[A]:THR:CG2	1:B:265:ALA:HB2	2.50	0.41
1:A:510:GLN:HG2	1:A:513:TRP:CH2	2.55	0.41
1:B:608:LYS:CE	1:B:608:LYS:N	2.82	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:405:PHE:HB3	1:B:412:PHE:HB2	2.03	0.40
1:B:633[B]:VAL:HG23	1:B:728:PHE:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	716/728 (98%)	708 (99%)	8 (1%)	0	100	100
1	B	714/728 (98%)	706 (99%)	8 (1%)	0	100	100
All	All	1430/1456 (98%)	1414 (99%)	16 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	554/559 (99%)	546 (99%)	8 (1%)	67	62
1	B	552/559 (99%)	544 (99%)	8 (1%)	67	62
All	All	1106/1118 (99%)	1090 (99%)	16 (1%)	65	62

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ARG
1	A	64	LYS
1	A	118	ARG
1	A	608	LYS
1	A	610	ARG
1	A	649	ARG
1	A	696	LYS
1	A	725	GLN
1	B	40	ARG
1	B	118	ARG
1	B	540	ARG
1	B	544	GLN
1	B	608	LYS
1	B	647	GLN
1	B	649	ARG
1	B	696	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	247	ASN
1	B	227	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TOX	B	111	1	10,17,18	2.22	3 (30%)	10,23,25	1.93	3 (30%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TOX	A	111	1,2	10,17,18	2.00	1 (10%)	10,23,25	2.20	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TOX	B	111	1	-	2/4/8/10	0/2/2/2
1	TOX	A	111	1,2	-	2/4/8/10	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	111	TOX	O-C	5.18	1.40	1.19
1	B	111	TOX	O-C	5.08	1.40	1.19
1	B	111	TOX	CE3-CD2	-2.98	1.36	1.42
1	B	111	TOX	CZ2-CE2	-2.28	1.36	1.41

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	111	TOX	CZ2-CE2-CD2	-5.66	113.24	120.94
1	B	111	TOX	CZ2-CE2-CD2	-4.55	114.76	120.94
1	B	111	TOX	CH2-CZ3-CE3	-2.60	116.80	120.44
1	A	111	TOX	CB-CA-C	2.14	115.49	111.47
1	B	111	TOX	CE3-CD2-CG	-2.10	130.57	134.42

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	111	TOX	N-CA-CB-CG
1	B	111	TOX	C-CA-CB-CG
1	A	111	TOX	N-CA-CB-CG
1	A	111	TOX	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PO4	B	804	-	4,4,4	1.27	0	6,6,6	1.27	0
6	MPD	A	805	-	7,7,7	0.78	0	9,10,10	1.44	1 (11%)
6	MPD	B	805	-	7,7,7	0.67	0	9,10,10	1.89	3 (33%)
5	PO4	A	804	-	4,4,4	0.81	0	6,6,6	1.32	1 (16%)
2	HEM	B	801	1	27,50,50	1.73	8 (29%)	17,82,82	2.21	6 (35%)
2	HEM	A	801	1	27,50,50	1.30	3 (11%)	17,82,82	2.48	7 (41%)
4	OXY	A	803	-	1,1,1	0.23	0	-		
6	MPD	A	807	-	7,7,7	1.10	0	9,10,10	1.67	1 (11%)
4	OXY	B	803	-	1,1,1	0.37	0	-		
6	MPD	A	806	-	7,7,7	0.68	0	9,10,10	1.61	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MPD	A	805	-	-	0/5/5/5	-
6	MPD	B	805	-	-	3/5/5/5	-
2	HEM	B	801	1	-	0/6/54/54	-
2	HEM	A	801	1	-	0/6/54/54	-
6	MPD	A	807	-	-	3/5/5/5	-
6	MPD	A	806	-	-	1/5/5/5	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	HEM	CAA-C2A	-4.77	1.45	1.52
2	B	801	HEM	C1A-NA	3.78	1.43	1.36
2	B	801	HEM	C3B-C2B	-3.53	1.35	1.40
2	A	801	HEM	C3B-C2B	-3.19	1.35	1.40
2	A	801	HEM	C4D-C3D	2.32	1.47	1.42
2	B	801	HEM	C1A-CHA	-2.30	1.34	1.41
2	A	801	HEM	CMD-C2D	-2.24	1.47	1.51
2	B	801	HEM	C3C-C2C	-2.19	1.37	1.40
2	B	801	HEM	C2A-C3A	-2.13	1.31	1.37
2	B	801	HEM	C3B-CAB	2.12	1.52	1.47
2	B	801	HEM	C4D-C3D	2.03	1.47	1.42

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	HEM	CAA-CBA-CGA	-5.25	103.86	112.67
2	B	801	HEM	CAD-CBD-CGD	4.48	120.18	112.67
2	A	801	HEM	C4A-C3A-C2A	-4.45	103.90	107.00
6	A	807	MPD	O2-C2-CM	-4.27	94.38	108.08
2	A	801	HEM	CBD-CAD-C3D	4.04	119.92	112.48
2	B	801	HEM	C1D-C2D-C3D	-3.80	104.35	107.00
2	B	801	HEM	CBD-CAD-C3D	3.57	119.05	112.48
6	A	806	MPD	CM-C2-C1	-3.25	103.81	110.57
2	A	801	HEM	CBA-CAA-C2A	3.03	118.08	112.49
6	B	805	MPD	C1-C2-C3	2.96	123.76	109.96
6	B	805	MPD	O2-C2-CM	2.69	116.70	108.08
6	B	805	MPD	O2-C2-C3	-2.65	99.84	109.80
6	A	805	MPD	O4-C4-C3	-2.59	100.90	111.36
2	B	801	HEM	CBA-CAA-C2A	2.53	117.15	112.49
2	B	801	HEM	CMD-C2D-C3D	2.53	129.71	124.94
2	A	801	HEM	CAD-CBD-CGD	2.49	116.85	112.67
2	A	801	HEM	C4C-C3C-C2C	-2.35	105.26	106.90
2	A	801	HEM	CMD-C2D-C1D	-2.34	124.86	128.46
2	B	801	HEM	CMB-C2B-C3B	2.23	128.85	124.68
6	A	806	MPD	O4-C4-C3	-2.14	102.71	111.36
5	A	804	PO4	O3-P-O1	2.12	118.65	110.89

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	805	MPD	C1-C2-C3-C4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	B	805	MPD	O2-C2-C3-C4
6	A	807	MPD	O2-C2-C3-C4
6	A	807	MPD	CM-C2-C3-C4
6	A	806	MPD	C2-C3-C4-C5
6	B	805	MPD	CM-C2-C3-C4
6	A	807	MPD	C2-C3-C4-O4


There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	805	MPD	1	0
6	B	805	MPD	3	0
6	A	806	MPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	712/728 (97%)	-0.34	13 (1%) 68 76	21, 29, 49, 91	0
1	B	712/728 (97%)	-0.42	8 (1%) 80 85	21, 28, 48, 85	0
All	All	1424/1456 (97%)	-0.38	21 (1%) 73 81	21, 29, 49, 91	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	748	ALA	9.6
1	B	748	ALA	5.7
1	B	540	ARG	5.1
1	A	540	ARG	4.3
1	A	541	GLY	4.0
1	B	610	ARG	3.3
1	A	221	GLY	3.2
1	A	454	ASP	3.1
1	A	215	PRO	2.9
1	B	680	ALA	2.9
1	B	608	LYS	2.9
1	A	680	ALA	2.7
1	A	679	ALA	2.7
1	B	679	ALA	2.7
1	B	541	GLY	2.5
1	A	220	SER	2.5
1	A	213	GLY	2.4
1	A	610	ARG	2.3
1	A	608	LYS	2.3
1	B	65	ASP	2.2
1	A	222	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TOX	B	111	16/17	0.97	0.15	21,22,24,24	2
1	TOX	A	111	16/17	0.97	0.15	19,24,25,26	2

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	MPD	A	807	8/8	0.81	0.42	72,78,84,88	0
4	OXY	A	803	2/2	0.86	0.21	46,46,46,56	0
6	MPD	A	805	8/8	0.91	0.16	60,64,82,82	0
6	MPD	B	805	8/8	0.93	0.17	55,61,67,74	0
4	OXY	B	803	2/2	0.93	0.21	38,38,38,46	0
6	MPD	A	806	8/8	0.93	0.18	53,56,69,70	0
5	PO4	B	804	5/5	0.95	0.20	50,62,67,70	0
5	PO4	A	804	5/5	0.96	0.20	63,75,79,85	0
2	HEM	B	801	43/43	0.99	0.14	20,23,26,28	0
2	HEM	A	801	43/43	0.99	0.11	22,25,31,32	0
3	NA	A	802	1/1	0.99	0.09	26,26,26,26	0
3	NA	B	802	1/1	1.00	0.05	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM B 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.