



## wwPDB EM Validation Summary Report ⓘ

Nov 20, 2022 – 03:55 AM EST

PDB ID : 4V66  
EMDB ID : EMD-1056  
Title : Structure of the E. coli ribosome and the tRNAs in Post-accommodation state  
Authors : Devkota, B.; Caulfield, T.R.; Tan, R.-Z.; Harvey, S.C.  
Deposited on : 2008-08-03  
Resolution : 9.00 Å(reported)  
Based on initial models : 1EHZ, 2I2P

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 9.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	76	<div> <div>64%</div> <div>22% 37% 39% .</div> </div>
1	AE	76	<div> <div>54%</div> <div>22% 62% 16%</div> </div>
1	AP	76	<div> <div>57%</div> <div>21% 53% 25% .</div> </div>
2	AM	20	<div> <div>10%</div> <div>15% 30% 55%</div> </div>
3	A1	1530	<div> <div>66%</div> <div>15% 47% 38%</div> </div>
4	AB	241	<div> <div>70%</div> <div>61% 23% 5% 10%</div> </div>
5	AC	129	<div> <div>46%</div> <div>57% 26% 5% . 9%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	AD	124	
7	AF	118	
8	AG	101	
9	AH	89	
10	AI	82	
11	AJ	84	
12	AK	75	
13	AL	92	
14	AN	87	
15	AO	233	
16	AQ	71	
17	AR	206	
18	AS	159	
19	AT	135	
20	AU	179	
21	AV	130	
22	AW	130	
23	AX	103	
24	BA	117	
25	BB	2903	
26	BC	94	
27	BD	123	
28	BE	144	
29	BF	136	
30	BG	127	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
31	BH	117	
32	BI	115	
33	BJ	118	
34	BK	103	
35	BL	110	
36	BM	99	
37	BN	270	
38	BO	103	
39	BP	85	
40	BQ	63	
41	BR	59	
42	BS	70	
43	BT	57	
44	BU	54	
45	BV	46	
46	BW	64	
47	BX	38	
48	BY	209	
49	BZ	213	
50	B1	201	
51	B2	178	
52	B3	177	
53	B4	149	
54	B5	142	
55	B6	140	

## 2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 149248 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called A/T, P and E-site tRNAs.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	75	Total	C	N	O	P	0	0
			1600	715	288	523	74		
1	AP	75	Total	C	N	O	P	0	0
			1600	715	288	523	74		
1	AE	76	Total	C	N	O	P	0	0
			1622	725	293	529	75		

- Molecule 2 is a RNA chain called mRNA model.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AM	20	Total	C	N	O	P	0	0
			397	180	40	158	19		

- Molecule 3 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A1	1530	Total	C	N	O	P	0	0
			32828	14642	6024	10633	1529		

- Molecule 4 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AB	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 5 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AC	117	Total	C	N	O	S	0	0
			876	540	174	159	3		

- Molecule 6 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AD	123	Total	C	N	O	S	0	0
			954	590	196	164	4		

- Molecule 7 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AF	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 8 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AG	96	Total	C	N	O	S	0	0
			773	483	160	127	3		

- Molecule 9 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AH	88	Total	C	N	O	S	0	0
			715	440	146	128	1		

- Molecule 10 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AI	82	Total	C	N	O	S	0	0
			648	406	128	113	1		

- Molecule 11 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AJ	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 12 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	AK	55	Total	C	N	O	0	0
			455	288	86	81		

- Molecule 13 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AL	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 14 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	85	Total	C	N	O	S	0	0
			664	411	137	113	3		

- Molecule 15 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 16 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AQ	51	Total	C	N	O	S	0	0
			425	265	86	73	1		

- Molecule 17 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AR	205	Total	C	N	O	S	0	0
			1642	1026	315	297	4		

- Molecule 18 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AS	150	Total	C	N	O	S	0	0
			1105	687	211	201	6		

- Molecule 19 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AT	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 20 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AU	150	Total	C	N	O	S	0	0
			1174	730	226	214	4		

- Molecule 21 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AV	129	Total	C	N	O	S	0	0
			978	616	173	183	6		

- Molecule 22 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AW	127	Total	C	N	O	S	0	0
			1021	634	206	178	3		

- Molecule 23 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AX	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 24 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	BA	117	Total	C	N	O	P	0	0
			2504	1116	459	813	116		

- Molecule 25 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BB	2903	Total	C	N	O	P	0	0
			62317	27801	11467	20147	2902		

- Molecule 26 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BC	94	Total	C	N	O	S	0	0
			752	479	137	133	3		

- Molecule 27 is a protein called 50S ribosomal protein L14.



Mol	Chain	Residues	Atoms					AltConf	Trace
27	BD	121	Total	C	N	O	S	0	0
			930	582	179	164	5		

- Molecule 28 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BE	144	Total	C	N	O	S	0	0
			1052	654	207	189	2		

- Molecule 29 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BF	136	Total	C	N	O	S	0	0
			1073	686	205	176	6		

- Molecule 30 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BG	127	Total	C	N	O	S	0	0
			1007	621	204	177	5		

- Molecule 31 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BH	117	Total	C	N	O	S	0	0
			899	557	179	162	1		

- Molecule 32 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BI	114	Total	C	N	O	S	0	0
			916	574	179	162	1		

- Molecule 33 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	BJ	117	Total	C	N	O	0	0
			946	604	192	150		

- Molecule 34 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BK	103	Total	C	N	O	S	0	0
			815	516	153	144	2		

- Molecule 35 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BL	110	Total	C	N	O	S	0	0
			856	532	166	155	3		

- Molecule 36 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BM	99	Total	C	N	O	S	0	0
			777	491	145	139	2		

- Molecule 37 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BN	267	Total	C	N	O	S	0	0
			2053	1271	416	359	7		

- Molecule 38 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BO	102	Total	C	N	O	S	0	0
			779	492	146	141			

- Molecule 39 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BP	84	Total	C	N	O	S	0	0
			633	391	129	112	1		

- Molecule 40 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BQ	63	Total	C	N	O	S	0	0
			508	313	99	94	2		

- Molecule 41 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BR	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 42 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BS	70	Total	C	N	O	S	0	0
			548	339	104	99	6		

- Molecule 43 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BT	56	Total	C	N	O	S	0	0
			443	269	94	79	1		

- Molecule 44 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BU	54	Total	C	N	O	S	0	0
			440	284	81	75			

- Molecule 45 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BV	46	Total	C	N	O	S	0	0
			376	228	90	56	2		

- Molecule 46 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BW	64	Total	C	N	O	S	0	0
			503	323	105	73	2		

- Molecule 47 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BX	38	Total	C	N	O	S	0	0
			301	185	65	47	4		

- Molecule 48 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BY	209	Total	C	N	O	S	0	0
			1564	979	288	293	4		

- Molecule 49 is a protein called 50S ribosomal protein L1P.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BZ	213	Total	C	N	O	S	0	0
			1687	1078	300	308	1		

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BZ	1	MET	-	insertion	UNP P35024
BZ	?	-	MET	deletion	UNP P35024
BZ	70	SER	PHE	conflict	UNP P35024
BZ	82	LYS	ASN	conflict	UNP P35024
BZ	?	-	MET	deletion	UNP P35024
BZ	?	-	MET	deletion	UNP P35024
BZ	?	-	MET	deletion	UNP P35024

- Molecule 50 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	B1	201	Total	C	N	O	S	0	0
			1551	974	283	289	5		

- Molecule 51 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B2	178	Total	C	N	O	S	0	0
			1419	905	251	257	6		

- Molecule 52 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B3	176	Total	C	N	O	S	0	0
			1322	832	243	245	2		

- Molecule 53 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B4	149	Total	C	N	O	S	0	0
			1110	699	197	213	1		

- Molecule 54 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B5	141	Total	C	N	O	S	0	0
			1031	651	179	195	6		


- Molecule 55 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	B6	140	Total	C	N	O	S	0	0
			1112	704	210	194	4		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: A/T, P and E-site tRNAs



- Molecule 1: A/T, P and E-site tRNAs



- Molecule 1: A/T, P and E-site tRNAs




- Molecule 2: mRNA model





## ● Molecule 3: 16S rRNA














• Molecule 4: 30S ribosomal protein S2




• Molecule 5: 30S ribosomal protein S11




• Molecule 6: 30S ribosomal protein S12




• Molecule 7: 30S ribosomal protein S13




• Molecule 8: 30S ribosomal protein S14




• Molecule 9: 30S ribosomal protein S15



• Molecule 10: 30S ribosomal protein S16




• Molecule 11: 30S ribosomal protein S17








• Molecule 12: 30S ribosomal protein S18




• Molecule 13: 30S ribosomal protein S19



• Molecule 14: 30S ribosomal protein S20





• Molecule 15: 30S ribosomal protein S3







- Molecule 16: 30S ribosomal protein S21





- Molecule 17: 30S ribosomal protein S4





- Molecule 18: 30S ribosomal protein S5




- Molecule 19: 30S ribosomal protein S6





- Molecule 20: 30S ribosomal protein S7




- Molecule 21: 30S ribosomal protein S8




- Molecule 22: 30S ribosomal protein S9





- Molecule 23: 30S ribosomal protein S10










• Molecule 24: 5S rRNA



• Molecule 25: 23S rRNA




U1201	U1441	U1081	A1021	C961	C901	G841	A781	A721	A661	C601	A541	G481
G1202	A1442	U1082	G1022	G962	C902	U842	A782	A722	G662	A602	C542	A482
U1203	A1443	U1083	U1023	G962	C903	G843	A783	C723	G663	A603	C542	A483
A1204	A1444	A1084	G1024	U963	G904	A844	A784	U724	U664	G604	C544	C484
A1205	C1446	A1085	G1025	C965	A905	A845	G785	G725	A665	G605	U545	C485
G1206	A1447	A1086	G1026	U966	U906	U846	G786	G726	U667	U606	U546	C486
C1207	U1448	G1087	A1027	U967	G907	U847	C787	A727	A668	U607	U547	C487
U1208	G1449	A1088	A1028	C968	A909	C848	A788	G728	G669	A608	U547	C488
U1209	U1449	U1089	A1029	U969	A910	U850	A789	G729	G670	A609	G549	C489
C1210	C1450	A1090	G1030	U970	A911	U852	U790	A730	A670	C610	C550	C490
G1211	A1451	G1091	A1031	G971	C912	C853	C791	C731	C571	C611	C550	C491
A1212	G1452	C1092	U1033	A972	U913	C854	A792	C732	C572	G612	G551	A492
G1213	C1453	G1093	G1034	A973	G914	C855	A793	G733	C573	G613	U552	A493
A1214	A1454	U1094	U1035	G974	C915	G855	A794	A734	G674	A614	G553	A494
G1215	A1455	A1095	G1036	A975	C916	G856	C795	C735	A676	U615	G554	G495
A1216	A1456	A1096	G1037	G976	G917	G857	C796	C737	A677	G616	G555	G496
U1217	C1457	U1097	G1038	G977	A917	G858	G797	C738	C578	G617	A566	A497
G1218	C1458	U1098	A1039	G978	U919	U859	G798	A739	C579	G618	C557	G498
U1219	U1459	A1099	A1040	A979	A920	U860	G799	C740	C580	G619	U558	U499
G1220	G1460	C1099	U1041	A980	C921	A861	G799	U741	G681	G620	G559	G500
C1221	G1461	C1100	G1042	A981	C922	G862	A800	A742	G882	A621	C560	A501
G1222	G1462	U101	C1043	C982	C923	A863	G801	A743	U683	G622	G561	A502
U1223	G1463	C102	C1044	A983	G924	C864	A802	U744	G884	C623	U562	A503
G1224	A1464	A1103	C1045	A984	A925	C865	U803	G745	G884	G624	A563	A504
C1225	G1465	C104	A1046	C985	G926	A866	A804	U746	A685	G625	C564	A505
A1226	C1466	U105	A1047	C986	A927	C867	G805	U747	U886	A626	G565	G506
G1227	C1467	U106	G1047	C986	A927	U868	C806	U748	C887	A627	C566	A507
C1228	U1468	G1106	A1048	C987	A928	U869	U807	A749	U888	G628	U566	A508
U1229	A1469	G1107	C1049	A988	U929	U870	U807	A749	U888	G629	U567	C509
A1230	G1470	U108	A1050	G989	U931	U871	G808	A750	A689	G630	U568	C510
G1231	C1471	C109	A1051	A990	U932	U872	G809	A751	C591	A631	U569	U511
C1232	G1472	G1110	C1052	C991	A933	C873	U811	A752	C892	A632	G570	G512
U1233	U1473	A1111	C1053	G992	U934	G874	C812	A753	A693	A633	U571	A513
G1234	U1474	G1112	A1054	G993	C935	G875	C813	U754	C634	A634	A572	A514
A1235	U1475	C1114	G1055	C994	A936	C876	C814	U755	U694	C635	U573	A515
U1236	A1476	U1113	G1056	C995	C937	A877	G815	U756	G695	G636	A574	C516
G1237	U1477	C1115	A1057	A996	C937	A878	C816	A757	G696	A637	A575	C517
U1238	G1478	G1116	U1058	A997	G938	U878	C817	G757	G696	G637	U576	G518
C1239	U1479	C1117	G1059	C997	G939	G879	G818	C758	G697	G638	G577	U519
A1240	U1480	U1060	U1060	C998	G940	G880	A819	G759	C698	G639	G578	G520
U1241	G1481	U1061	U1061	U999	A941	G881	A820	G760	A699	C640	G579	U521
C1242	U1482	C1118	G1062	A1000	G942	G882	A821	A761	G700	C641	U580	C522
G1243	U1483	U1119	G1063	A1001	A943	G883	G822	U762	G701	C642	C523	G523
A1244	U1484	G1120	C1064	G1002	C944	G884	G823	U763	G702	U642	A582	G524
U1245	G1485	C1121	U1065	A945	A945	U884	A764	C765	U703	A643	G583	A526
G1246	U1486	G1122	U1066	C1005	C946	C885	U824	G766	G704	A644	A527	A528
A1247	C1487	C1123	A1067	C1006	C947	A886	A825	U767	A705	G645	A529	G530
U1248	U1488	G1124	G1068	C1007	C948	U887	U826	G768	G706	U646	A586	C531
G1249	U1489	C1125	U1069	C1008	G949	U888	U827	G769	G707	G647	C587	G532
U1250	C1490	A1126	A1070	A1008	G950	C888	U828	U770	U708	G648	U588	A533
C1251	U1491	U1061	G1071	A1009	C951	C889	U829	G771	U709	G649	U589	G534
U1252	U1492	A1127	C1072	A1010	G952	C890	A829	C772	U710	G650	A590	U535
A1253	G1493	G1128	A1073	G1011	G953	G891	G831	U773	G711	C651	U591	G536
C1254	U1494	U1130	G1074	U1012	U955	A892	U832	G774	G712	G652	A592	G537
U1255	G1495	C1131	C1075	C1013	G956	C893	A833	G775	G713	U653	A593	A538
G1256	U1496	U1132	C1076	A1014	C957	U894	G834	G776	U714	G654	U594	G539
C1257	U1497	A1133	A1077	U1015	G958	U895	C835	G777	A715	A655	U595	C540
U1258	U1498	C1134	U1078	G1016	U958	A896	G836	G778	A716	A656	U596	G540
G1259	C1499	G1135	C1079	G1017	A959	C897	C837	U779	C717	G656	U597	G540
A1260	U1499	G1136	A1080	U1018	A960	C898	C838	G780	A718	U657	G597	G540
	C1200	G1137		U1019		C899	U839		C719	U658	U598	
		G1138		A1020		A900	C840		U720	G659	G600	
		C1140								C560		



WORLDWIDE  
**PDB**  
PROTEIN DATA BANK




A2761	C2762	G2763	A2764	A2765	A2766	G2767	U2768	U2769	G2770	G2771	G2772	G2773	G2774	G2775	G2776	G2777	A2778	U2779	G2780	A2781	G2782	U2783	U2784	G2785	G2786	G2787	G2788	G2789	U2790	G2791	A2792	G2793	G2794	G2795	G2796	U2797	A2798	A2799	G2800	G2801	G2802	G2803	U2804	G2805	G2806	G2807	U2808	U2809	A2810	G2811	A2812	G2813	U2814	A2815	G2816	A2817	U2818	G2819	A2820
U2701	G2702	G2703	G2704	A2705	A2706	U2707	G2708	G2709	G2710	G2711	G2712	G2713	G2714	G2715	G2716	G2717	G2718	G2719	G2720	A2721	G2722	G2723	G2724	G2725	A2726	A2727	U2728	G2729	U2730	G2731	G2732	A2733	A2734	G2735	A2736	G2737	A2738	U2739	A2740	A2741	G2742	U2743	G2744	A2745	U2746	G2747	A2748	U2749	A2750	G2751	G2752	A2753	U2754	G2755	U2756	A2757	A2758	G2759	G2760
G2641	G2642	G2643	G2644	G2645	G2646	U2647	U2648	G2649	U2650	G2651	G2652	G2653	G2654	G2655	G2656	A2657	G2658	G2659	A2660	G2661	A2662	G2663	G2664	A2665	G2666	G2667	G2668	G2669	A2670	G2671	U2672	G2673	G2674	A2675	G2676	G2677	G2678	A2679	U2680	G2681	A2682	G2683	U2684	G2685	G2686	U2687	G2688	U2689	U2690	G2691	G2692	G2693	G2694	U2695	U2696	G2697	U2698	G2699	A2700
G2581	G2582	G2583	U2584	U2585	U2586	U2587	G2588	G2589	A2590	G2591	G2592	U2593	G2594	G2595	U2596	G2597	G2598	G2599	A2600	G2601	A2602	G2603	U2604	U2605	G2606	G2607	G2608	U2609	G2610	G2611	G2612	U2613	G2614	U2615	G2616	U2617	G2618	G2619	G2620	G2621	U2622	G2623	G2624	G2625	G2626	G2627	G2628	U2629	G2630	G2631	A2632	G2633	A2634	A2635	G2636	U2637	G2638	G2639	G2640
C2521	U2522	G2523	G2524	G2525	G2526	G2527	U2528	G2529	A2530	A2531	G2532	U2533	A2534	G2535	U2536	U2537	G2538	G2539	G2540	A2541	A2542	G2543	G2544	G2545	G2546	A2547	U2548	G2549	G2550	C2551	U2552	G2553	U2554	U2555	G2556	G2557	G2558	G2559	A2560	U2561	U2562	U2563	A2564	A2565	A2566	U2567	G2568	G2569	G2570	U2571	A2572	G2573	G2574	G2575	G2576	U2577	G2578	G2579	U2580
A2461	C2462	C2463	G2464	C2465	C2466	C2467	A2468	A2469	G2470	A2471	G2472	U2473	U2474	C2475	A2476	A2477	U2478	U2479	G2480	A2481	A2482	C2483	G2484	C2485	C2486	G2487	U2488	U2489	G2490	U2491	U2492	U2493	G2494	G2495	C2496	A2497	C2498	C2499	U2500	G2501	G2502	A2503	U2504	G2505	G2506	G2507	G2508	G2509	G2510	U2511	A2512	G2513	A2514	G2515	U2516	G2517	A2518	U2519	C2520
U2401	U2402	C2403	U2404	G2405	A2406	A2407	U2408	G2409	G2410	A2411	A2412	G2413	G2414	G2415	C2416	A2417	U2418	U2419	G2420	G2421	C2422	U2423	C2424	A2425	A2426	G2427	G2428	G2429	A2430	U2431	A2432	A2433	A2434	A2435	G2436	U2437	U2438	A2439	G2440	U2441	C2442	C2443	G2444	G2445	G2446	G2447	A2448	U2449	A2450	A2451	G2452	A2453	G2454	G2455	G2456	U2457	G2458	A2459	U2460
G2341	C2342	U2343	U2344	G2345	A2346	C2347	U2348	U2349	G2350	G2351	A2352	G2353	G2354	C2355	G2356	G2357	A2358	G2359	G2360	G2361	G2362	G2363	G2364	G2365	A2366	G2367	C2368	A2369	G2370	G2371	U2372	G2373	G2374	G2375	A2376	A2377	A2378	G2379	C2380	A2381	G2382	G2383	U2384	C2385	A2386	U2387	A2388	G2389	U2390	G2391	A2392	U2393	C2394	G2395	G2396	G2397	U2398	G2399	G2400
A2281	G2282	G2283	A2284	G2285	G2286	A2287	A2288	G2289	G2290	U2291	U2292	G2293	G2294	U2295	U2296	A2297	A2298	U2299	G2300	C2301	U2302	G2303	U2304	G2305	C2306	G2307	G2308	A2309	G2310	A2311	U2312	G2313	A2314	G2315	G2316	G2317	G2318	G2319	U2320	U2321	A2322	G2323	U2324	G2325	G2326	A2327	A2328	U2329	G2330	G2331	G2332	A2333	U2334	A2335	A2336	G2337	G2338	A2339	A2340
G2221	G2222	G2223	A2224	G2225	G2226	A2227	G2228	U2229	G2230	U2231	C2232	U2233	G2234	G2235	U2236	G2237	G2238	G2239	U2240	A2241	G2242	U2243	U2244	U2245	G2246	A2247	G2248	U2249	G2250	G2251	G2252	G2253	G2254	G2255	G2256	U2257	G2258	U2259	G2260	G2261	U2262	G2263	C2264	G2265	G2266	U2267	A2268	G2269	A2270	G2271	U2272	A2273	A2274	G2275	G2276	G2277	A2278	G2279	G2280
C2161	G2162	A2163	C2164	G2165	U2166	U2167	U2168	A2169	A2170	A2171	U2172	A2173	A2174	C2175	G2176	A2177	U2178	A2179	G2120	G2121	U2122	U2123	A2124	A2125	G2126	G2127	U2128	U2129	U2130	U2131	U2132	G2133	A2134	U2135	G2136	U2137	U2138	A2139	G2200	G2201	U2202	U2203	G2204	A2205	G2206	C2207	G2208	G2209	U2210	A2211	A2212	U2213	G2214	G2215	G2216	G2217	U2218	U2219	U2220
A2101	G2102	C2103	C2104	U2105	U2106	G2107	A2108	U2109	G2110	U2111	G2112	U2113	A2114	G2115	G2116	A2117	U2118	A2119	G2120	G2121	U2122	U2123	A2124	A2125	G2126	G2127	U2128	U2129	U2130	U2131	U2132	G2133	A2134	U2135	G2136	U2137	U2138	A2139	G2200	G2201	U2202	U2203	G2204	A2205	G2206	C2207	G2208	G2209	U2210	A2211	A2212	U2213	G2214	G2215	G2216	G2217	U2218	U2219	U2220
U2041	A2042	C2043	C2044	C2045	C2046	G2047	G2048	G2049	C2050	A2051	A2052	G2053	A2054	C2055	G2056	G2057	A2058	A2059	A2060	G2061	A2062	C2063	C2064	C2065	C2066	G2067	U2068	G2069	A2070	A2071	C2072	C2073	U2074	U2075	U2076	A2077	C2078	U2079	A2080	U2081	A2082	G2083	C2084	U2085	U2086	G2087	A2088	G2089	A2090	C2091	U2092	G2093	A2094	A2095	G2096	A2097	U2098	U2099	G2100





• Molecule 26: 50S ribosomal protein L25



• Molecule 27: 50S ribosomal protein L14




• Molecule 28: 50S ribosomal protein L15





• Molecule 29: 50S ribosomal protein L16







• Molecule 30: 50S ribosomal protein L17




• Molecule 31: 50S ribosomal protein L18




• Molecule 32: 50S ribosomal protein L19




• Molecule 33: 50S ribosomal protein L20








• Molecule 34: 50S ribosomal protein L21




• Molecule 35: 50S ribosomal protein L22




• Molecule 36: 50S ribosomal protein L23



• Molecule 37: 50S ribosomal protein L2






• Molecule 38: 50S ribosomal protein L24



• Molecule 39: 50S ribosomal protein L27




• Molecule 40: 50S ribosomal protein L29




• Molecule 41: 50S ribosomal protein L30







- Molecule 42: 50S ribosomal protein L31




- Molecule 43: 50S ribosomal protein L32





- Molecule 44: 50S ribosomal protein L33




- Molecule 45: 50S ribosomal protein L34




- Molecule 46: 50S ribosomal protein L35





- Molecule 47: 50S ribosomal protein L36







• Molecule 48: 50S ribosomal protein L3




• Molecule 49: 50S ribosomal protein L1P




• Molecule 50: 50S ribosomal protein L4






• Molecule 51: 50S ribosomal protein L5

Chain B2: 33% 58% 33% 8%




• Molecule 52: 50S ribosomal protein L6

Chain B3: 79% 67% 27%



• Molecule 53: 50S ribosomal protein L9


Chain B4: 93% 70% 26%






- Molecule 54: 50S ribosomal protein L11

Chain B5:



- Molecule 55: 50S ribosomal protein L13

Chain B6:



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	52181	Depositor
Resolution determination method	Not provided	
CTF correction method	Not provided	
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	15	Depositor
Minimum defocus (nm)	2000	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	50000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	250.773	Depositor
Minimum map value	-142.587	Depositor
Average map value	1.513	Depositor
Map value standard deviation	24.331	Depositor
Recommended contour level	43.4	Depositor
Map size ( $\text{\AA}$ )	366.6, 366.6, 366.6	wwPDB
Map dimensions	130, 130, 130	wwPDB
Map angles ( $^\circ$ )	90, 90, 90	wwPDB
Pixel spacing ( $\text{\AA}$ )	2.82, 2.82, 2.82	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	AA	3.40	236/1789 (13.2%)	4.38	561/2788 (20.1%)
1	AE	3.39	235/1814 (13.0%)	4.16	549/2827 (19.4%)
1	AP	4.04	200/1789 (11.2%)	4.62	517/2788 (18.5%)
2	AM	2.83	38/436 (8.7%)	3.84	119/672 (17.7%)
3	A1	3.49	4705/36759 (12.8%)	4.27	10939/57346 (19.1%)
4	AB	1.61	8/1735 (0.5%)	2.18	57/2338 (2.4%)
5	AC	1.67	7/892 (0.8%)	2.45	47/1205 (3.9%)
6	AD	1.69	12/968 (1.2%)	2.37	39/1300 (3.0%)
7	AF	1.58	5/892 (0.6%)	2.47	46/1193 (3.9%)
8	AG	1.66	9/785 (1.1%)	2.56	33/1046 (3.2%)
9	AH	1.80	12/723 (1.7%)	2.44	37/966 (3.8%)
10	AI	1.65	6/658 (0.9%)	2.62	33/884 (3.7%)
11	AJ	1.59	5/657 (0.8%)	2.37	33/881 (3.7%)
12	AK	1.77	5/462 (1.1%)	2.48	33/621 (5.3%)
13	AL	1.63	3/652 (0.5%)	2.09	19/877 (2.2%)
14	AN	1.53	3/670 (0.4%)	2.09	21/888 (2.4%)
15	AO	1.66	19/1651 (1.2%)	2.22	58/2225 (2.6%)
16	AQ	1.74	6/430 (1.4%)	2.77	30/570 (5.3%)
17	AR	1.65	17/1664 (1.0%)	2.37	81/2227 (3.6%)
18	AS	1.67	10/1118 (0.9%)	2.31	38/1504 (2.5%)
19	AT	1.63	5/835 (0.6%)	2.30	36/1128 (3.2%)
20	AU	1.68	10/1187 (0.8%)	2.46	56/1591 (3.5%)
21	AV	1.64	7/988 (0.7%)	2.27	43/1326 (3.2%)
22	AW	1.78	14/1033 (1.4%)	2.59	48/1375 (3.5%)
23	AX	1.57	4/796 (0.5%)	2.46	38/1077 (3.5%)
24	BA	3.32	357/2800 (12.8%)	4.36	854/4367 (19.6%)
25	BB	15.87	8884/69795 (12.7%)	4.40	21260/108884 (19.5%)
26	BC	1.63	10/765 (1.3%)	2.11	24/1025 (2.3%)
27	BD	1.69	7/939 (0.7%)	2.47	44/1258 (3.5%)
28	BE	1.68	9/1061 (0.8%)	2.33	37/1413 (2.6%)
29	BF	1.62	6/1092 (0.5%)	2.24	37/1460 (2.5%)
30	BG	1.70	10/1020 (1.0%)	2.53	58/1364 (4.3%)
31	BH	1.69	11/909 (1.2%)	2.40	43/1219 (3.5%)
32	BI	1.71	8/928 (0.9%)	2.37	36/1242 (2.9%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	BJ	1.71	15/959 (1.6%)	2.50	62/1278 (4.9%)
34	BK	1.62	5/828 (0.6%)	2.36	35/1107 (3.2%)
35	BL	1.52	4/863 (0.5%)	2.38	33/1156 (2.9%)
36	BM	1.54	4/784 (0.5%)	2.16	28/1048 (2.7%)
37	BN	1.74	26/2092 (1.2%)	2.34	97/2813 (3.4%)
38	BO	1.59	2/787 (0.3%)	2.39	37/1051 (3.5%)
39	BP	1.71	7/641 (1.1%)	2.42	28/848 (3.3%)
40	BQ	1.67	5/509 (1.0%)	2.16	15/677 (2.2%)
41	BR	1.60	5/452 (1.1%)	2.10	15/605 (2.5%)
42	BS	1.65	8/558 (1.4%)	2.43	20/745 (2.7%)
43	BT	1.77	7/449 (1.6%)	2.34	22/599 (3.7%)
44	BU	1.61	3/447 (0.7%)	2.19	18/594 (3.0%)
45	BV	1.74	3/379 (0.8%)	2.64	22/498 (4.4%)
46	BW	1.55	3/512 (0.6%)	2.18	20/676 (3.0%)
47	BX	1.56	2/302 (0.7%)	2.90	18/397 (4.5%)
48	BY	1.69	11/1585 (0.7%)	2.23	58/2134 (2.7%)
49	BZ	1.57	8/1711 (0.5%)	2.13	57/2305 (2.5%)
50	B1	1.66	15/1570 (1.0%)	2.30	70/2113 (3.3%)
51	B2	1.67	11/1443 (0.8%)	2.29	62/1937 (3.2%)
52	B3	1.60	9/1342 (0.7%)	2.13	50/1816 (2.8%)
53	B4	1.61	11/1121 (1.0%)	2.08	27/1515 (1.8%)
54	B5	1.51	4/1045 (0.4%)	2.16	35/1410 (2.5%)
55	B6	1.69	9/1135 (0.8%)	2.39	60/1529 (3.9%)
All	All	10.61	15060/162206 (9.3%)	3.93	36793/242726 (15.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	52
1	AE	0	46
1	AP	2	51
2	AM	0	12
3	A1	4	995
4	AB	0	8
5	AC	0	4
6	AD	0	9
7	AF	0	8
8	AG	0	3
9	AH	0	2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
10	AI	0	9
11	AJ	0	4
12	AK	0	3
13	AL	0	8
14	AN	1	0
15	AO	0	9
16	AQ	0	5
17	AR	0	5
18	AS	0	2
19	AT	0	9
20	AU	0	8
21	AV	0	4
22	AW	0	9
23	AX	0	2
24	BA	0	81
25	BB	3	1853
26	BC	0	2
27	BD	0	4
28	BE	0	5
29	BF	0	9
30	BG	0	5
31	BH	0	7
32	BI	0	6
33	BJ	0	3
34	BK	0	11
35	BL	0	4
36	BM	0	3
37	BN	0	12
38	BO	0	4
39	BP	0	7
41	BR	0	4
42	BS	0	7
43	BT	0	3
44	BU	0	3
45	BV	0	4
46	BW	0	7
47	BX	0	1
48	BY	0	8
49	BZ	0	9
50	B1	0	9
51	B2	0	7
52	B3	0	7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
53	B4	0	3
54	B5	0	3
55	B6	0	12
All	All	10	3370

The worst 5 of 15060 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	995	C	C4-C5	2385.00	20.50	1.43
25	BB	995	C	C2-N3	2363.63	20.26	1.35
25	BB	995	C	C4-N4	2355.33	22.53	1.33
3	A1	1429	A	P-O5'	178.05	3.37	1.59
3	A1	1340	A	C3'-O3'	103.07	2.86	1.42

The worst 5 of 36793 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	995	C	C5-C4-N4	-167.42	3.01	120.20
25	BB	995	C	C4-C5-C6	-165.92	34.44	117.40
25	BB	995	C	N1-C2-N3	-110.87	41.59	119.20
1	AP	74	C	P-O3'-C3'	-90.94	10.58	119.70
25	BB	995	C	N3-C4-C5	-73.62	92.45	121.90

5 of 10 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	AP	31	A	C2',C1'
3	A1	13	U	C2',C1'
3	A1	1198	G	C4'
3	A1	1483	A	C2'
14	AN	13	SER	CA

5 of 3370 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	1	G	Sidechain
1	AA	3	G	Sidechain
1	AA	4	G	Sidechain
1	AA	5	A	Sidechain
1	AA	6	U	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	1600	0	754	13	0
1	AE	1622	0	773	5	0
1	AP	1600	0	756	42	0
2	AM	397	0	202	4	0
3	A1	32828	0	15398	147	0
4	AB	1704	0	1732	7	0
5	AC	876	0	887	5	0
6	AD	954	0	1019	5	0
7	AF	883	0	944	5	0
8	AG	773	0	824	4	0
9	AH	715	0	742	3	0
10	AI	648	0	666	0	0
11	AJ	648	0	691	2	0
12	AK	455	0	478	1	0
13	AL	637	0	665	5	0
14	AN	664	0	714	5	0
15	AO	1624	0	1699	2	0
16	AQ	425	0	449	1	0
17	AR	1642	0	1710	6	0
18	AS	1105	0	1148	3	0
19	AT	817	0	808	2	0
20	AU	1174	0	1230	0	0
21	AV	978	0	1034	3	0
22	AW	1021	0	1070	0	0
23	AX	786	0	828	7	0
24	BA	2504	0	1160	13	0
25	BB	62317	0	29301	262	0
26	BC	752	0	780	2	0
27	BD	930	0	1000	1	0
28	BE	1052	0	1129	6	0
29	BF	1073	0	1157	8	0
30	BG	1007	0	1045	5	0
31	BH	899	0	935	2	0
32	BI	916	0	965	6	0
33	BJ	946	0	1022	3	0
34	BK	815	0	839	5	0
35	BL	856	0	922	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
36	BM	777	0	840	5	0
37	BN	2053	0	2122	10	0
38	BO	779	0	834	8	0
39	BP	633	0	656	0	0
40	BQ	508	0	543	5	0
41	BR	448	0	491	0	0
42	BS	548	0	552	0	0
43	BT	443	0	461	1	0
44	BU	440	0	485	1	0
45	BV	376	0	418	5	0
46	BW	503	0	574	3	0
47	BX	301	0	343	0	0
48	BY	1564	0	1616	7	0
49	BZ	1687	0	1814	4	0
50	B1	1551	0	1619	6	0
51	B2	1419	0	1460	6	0
52	B3	1322	0	1374	4	0
53	B4	1110	0	1148	1	0
54	B5	1031	0	1088	2	0
55	B6	1112	0	1147	1	0
All	All	149248	0	97061	544	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 544 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:BB:1687:G:C2'	25:BB:1687:G:C3'	1.94	1.42
25:BB:1687:G:C2'	25:BB:1687:G:C1'	1.98	1.40
1:AP:31:A:C2'	3:A1:1340:A:H3'	1.50	1.40
25:BB:1687:G:C3'	25:BB:1687:G:C4'	1.99	1.37
1:AP:31:A:C2'	1:AP:31:A:C1'	2.04	1.35

There are no symmetry-related clashes.



## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	AB	216/241 (90%)	173 (80%)	35 (16%)	8 (4%)	3	24
5	AC	115/129 (89%)	85 (74%)	26 (23%)	4 (4%)	3	25
6	AD	121/124 (98%)	71 (59%)	35 (29%)	15 (12%)	0	5
7	AF	112/118 (95%)	76 (68%)	27 (24%)	9 (8%)	1	12
8	AG	94/101 (93%)	71 (76%)	18 (19%)	5 (5%)	2	19
9	AH	86/89 (97%)	67 (78%)	14 (16%)	5 (6%)	1	18
10	AI	80/82 (98%)	56 (70%)	15 (19%)	9 (11%)	0	7
11	AJ	78/84 (93%)	51 (65%)	22 (28%)	5 (6%)	1	16
12	AK	53/75 (71%)	40 (76%)	9 (17%)	4 (8%)	1	13
13	AL	77/92 (84%)	57 (74%)	13 (17%)	7 (9%)	1	11
14	AN	83/87 (95%)	68 (82%)	12 (14%)	3 (4%)	3	25
15	AO	204/233 (88%)	157 (77%)	33 (16%)	14 (7%)	1	15
16	AQ	49/71 (69%)	38 (78%)	7 (14%)	4 (8%)	1	12
17	AR	203/206 (98%)	165 (81%)	29 (14%)	9 (4%)	2	22
18	AS	148/159 (93%)	111 (75%)	26 (18%)	11 (7%)	1	14
19	AT	98/135 (73%)	76 (78%)	15 (15%)	7 (7%)	1	14
20	AU	148/179 (83%)	118 (80%)	20 (14%)	10 (7%)	1	15
21	AV	127/130 (98%)	102 (80%)	17 (13%)	8 (6%)	1	17
22	AW	125/130 (96%)	96 (77%)	22 (18%)	7 (6%)	2	19
23	AX	96/103 (93%)	73 (76%)	15 (16%)	8 (8%)	1	12
26	BC	92/94 (98%)	70 (76%)	16 (17%)	6 (6%)	1	16
27	BD	119/123 (97%)	84 (71%)	25 (21%)	10 (8%)	1	12
28	BE	142/144 (99%)	90 (63%)	27 (19%)	25 (18%)	0	3
29	BF	134/136 (98%)	74 (55%)	37 (28%)	23 (17%)	0	3
30	BG	125/127 (98%)	82 (66%)	32 (26%)	11 (9%)	1	11

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
31	BH	115/117 (98%)	78 (68%)	27 (24%)	10 (9%)	1	11
32	BI	112/115 (97%)	67 (60%)	32 (29%)	13 (12%)	0	6
33	BJ	115/118 (98%)	84 (73%)	19 (16%)	12 (10%)	0	8
34	BK	101/103 (98%)	57 (56%)	32 (32%)	12 (12%)	0	6
35	BL	108/110 (98%)	71 (66%)	18 (17%)	19 (18%)	0	3
36	BM	97/99 (98%)	70 (72%)	19 (20%)	8 (8%)	1	12
37	BN	265/270 (98%)	167 (63%)	49 (18%)	49 (18%)	0	2
38	BO	100/103 (97%)	51 (51%)	31 (31%)	18 (18%)	0	3
39	BP	82/85 (96%)	42 (51%)	26 (32%)	14 (17%)	0	3
40	BQ	61/63 (97%)	44 (72%)	13 (21%)	4 (7%)	1	16
41	BR	56/59 (95%)	39 (70%)	10 (18%)	7 (12%)	0	5
42	BS	68/70 (97%)	47 (69%)	14 (21%)	7 (10%)	0	8
43	BT	54/57 (95%)	37 (68%)	11 (20%)	6 (11%)	0	7
44	BU	52/54 (96%)	35 (67%)	14 (27%)	3 (6%)	1	18
45	BV	44/46 (96%)	33 (75%)	9 (20%)	2 (4%)	2	22
46	BW	62/64 (97%)	31 (50%)	16 (26%)	15 (24%)	0	1
47	BX	36/38 (95%)	23 (64%)	6 (17%)	7 (19%)	0	2
48	BY	207/209 (99%)	120 (58%)	54 (26%)	33 (16%)	0	3
49	BZ	211/213 (99%)	169 (80%)	33 (16%)	9 (4%)	2	22
50	B1	199/201 (99%)	117 (59%)	53 (27%)	29 (15%)	0	4
51	B2	176/178 (99%)	125 (71%)	35 (20%)	16 (9%)	1	11
52	B3	174/177 (98%)	145 (83%)	19 (11%)	10 (6%)	1	18
53	B4	147/149 (99%)	109 (74%)	31 (21%)	7 (5%)	2	21
54	B5	139/142 (98%)	116 (84%)	17 (12%)	6 (4%)	2	22
55	B6	138/140 (99%)	78 (56%)	40 (29%)	20 (14%)	0	4
All	All	5844/6172 (95%)	4106 (70%)	1175 (20%)	563 (10%)	1	10

5 of 563 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	AB	21	TYR
4	AB	97	GLY
4	AB	169	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
5	AC	118	ASN
6	AD	15	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	AB	180/199 (90%)	167 (93%)	13 (7%)	14	39
5	AC	90/99 (91%)	81 (90%)	9 (10%)	7	26
6	AD	103/104 (99%)	91 (88%)	12 (12%)	5	21
7	AF	92/96 (96%)	82 (89%)	10 (11%)	6	23
8	AG	79/84 (94%)	76 (96%)	3 (4%)	33	57
9	AH	76/77 (99%)	71 (93%)	5 (7%)	16	41
10	AI	65/65 (100%)	61 (94%)	4 (6%)	18	43
11	AJ	74/78 (95%)	69 (93%)	5 (7%)	16	41
12	AK	48/66 (73%)	42 (88%)	6 (12%)	4	19
13	AL	70/79 (89%)	62 (89%)	8 (11%)	5	21
14	AN	65/66 (98%)	58 (89%)	7 (11%)	6	23
15	AO	170/190 (90%)	158 (93%)	12 (7%)	14	39
16	AQ	44/61 (72%)	39 (89%)	5 (11%)	5	21
17	AR	172/173 (99%)	156 (91%)	16 (9%)	9	28
18	AS	113/119 (95%)	97 (86%)	16 (14%)	3	16
19	AT	87/116 (75%)	78 (90%)	9 (10%)	7	25
20	AU	123/147 (84%)	109 (89%)	14 (11%)	5	21
21	AV	104/105 (99%)	98 (94%)	6 (6%)	20	45
22	AW	105/107 (98%)	95 (90%)	10 (10%)	8	27
23	AX	86/90 (96%)	81 (94%)	5 (6%)	20	45
26	BC	78/78 (100%)	76 (97%)	2 (3%)	46	66
27	BD	102/104 (98%)	94 (92%)	8 (8%)	12	36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	BE	103/103 (100%)	84 (82%)	19 (18%)	1	9
29	BF	109/109 (100%)	94 (86%)	15 (14%)	3	17
30	BG	103/103 (100%)	94 (91%)	9 (9%)	10	31
31	BH	87/87 (100%)	82 (94%)	5 (6%)	20	45
32	BI	99/100 (99%)	95 (96%)	4 (4%)	31	55
33	BJ	89/90 (99%)	79 (89%)	10 (11%)	6	22
34	BK	84/84 (100%)	73 (87%)	11 (13%)	4	18
35	BL	93/93 (100%)	83 (89%)	10 (11%)	6	23
36	BM	83/83 (100%)	71 (86%)	12 (14%)	3	15
37	BN	213/215 (99%)	188 (88%)	25 (12%)	5	21
38	BO	83/84 (99%)	74 (89%)	9 (11%)	6	23
39	BP	62/63 (98%)	53 (86%)	9 (14%)	3	15
40	BQ	55/55 (100%)	45 (82%)	10 (18%)	1	10
41	BR	48/49 (98%)	45 (94%)	3 (6%)	18	43
42	BS	62/62 (100%)	58 (94%)	4 (6%)	17	42
43	BT	47/48 (98%)	34 (72%)	13 (28%)	0	3
44	BU	48/48 (100%)	43 (90%)	5 (10%)	7	24
45	BV	38/38 (100%)	32 (84%)	6 (16%)	2	13
46	BW	51/51 (100%)	41 (80%)	10 (20%)	1	8
47	BX	34/34 (100%)	32 (94%)	2 (6%)	19	45
48	BY	164/164 (100%)	150 (92%)	14 (8%)	10	33
49	BZ	187/187 (100%)	172 (92%)	15 (8%)	12	35
50	B1	165/165 (100%)	143 (87%)	22 (13%)	4	18
51	B2	149/149 (100%)	133 (89%)	16 (11%)	6	23
52	B3	137/138 (99%)	123 (90%)	14 (10%)	7	25
53	B4	114/114 (100%)	104 (91%)	10 (9%)	10	31
54	B5	109/110 (99%)	100 (92%)	9 (8%)	11	34
55	B6	114/114 (100%)	102 (90%)	12 (10%)	7	24
All	All	4856/5043 (96%)	4368 (90%)	488 (10%)	11	26

5 of 488 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
31	BH	54	VAL
52	B3	21	GLN
37	BN	66	PHE
51	B2	146	ASP
54	B5	117	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
37	BN	162	GLN
55	B6	76	HIS
43	BT	3	GLN
30	BG	16	HIS
37	BN	114	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	75/76 (98%)	21 (28%)	10 (13%)
1	AE	75/76 (98%)	12 (16%)	5 (6%)
1	AP	74/76 (97%)	10 (13%)	9 (12%)
2	AM	20/20 (100%)	10 (50%)	8 (40%)
24	BA	116/117 (99%)	36 (31%)	18 (15%)
25	BB	2901/2903 (99%)	1500 (51%)	494 (17%)
3	A1	1529/1530 (99%)	730 (47%)	270 (17%)
All	All	4790/4798 (99%)	2319 (48%)	814 (16%)

5 of 2319 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	C
1	AA	3	G
1	AA	10	G
1	AA	16	U
1	AA	17	U

5 of 814 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
25	BB	814	C
25	BB	1497	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
25	BB	2799	A
25	BB	958	U
25	BB	811	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
25	BB	1
1	AP	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BB	1959:G	O3'	1960:A	P	3.49
1	AP	74:C	O3'	75:C	P	1.29


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1056. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 65



Y Index: 65




Z Index: 65


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 68



Y Index: 68




Z Index: 58


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 43.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.




## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2462 nm<sup>3</sup>; this corresponds to an approximate mass of 2224 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.111 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-1056 and PDB model 4V66. Per-residue inclusion information can be found in [section 3](#) on [page 14](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 43.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (43.4).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 36% of all backbone atoms, 36% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary ⓘ















































The table lists the average atom inclusion at the recommended contour level (43.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.3626	-0.0040
A1	0.3038	-0.0060
AA	0.3113	0.0030
AB	0.2263	-0.0120
AC	0.4425	0.0120
AD	0.2315	-0.0130
AE	0.4020	-0.0090
AF	0.4054	-0.0120
AG	0.1038	-0.0300
AH	0.1727	0.0060
AI	0.0000	-0.0250
AJ	0.2611	-0.0340
AK	0.6445	0.0240
AL	0.0370	-0.0070
AM	0.7103	0.0400
AN	0.4176	0.0020
AO	0.6426	0.0220
AP	0.3775	-0.0140
AQ	0.3892	-0.0540
AR	0.4317	-0.0070
AS	0.5974	-0.0040
AT	0.2312	0.0030
AU	0.5163	-0.0040
AV	0.4661	0.0180
AW	0.1319	0.0180
AX	0.2562	-0.0200
B1	0.2469	-0.0070
B2	0.6614	0.0260
B3	0.1921	-0.0360
B4	0.0749	-0.0060
B5	0.5769	-0.0120
B6	0.5014	0.0050
BA	0.3055	-0.0250
BB	0.4047	-0.0030
BC	0.2334	-0.0090



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
BD	 0.3823	 -0.0020
BE	 0.3734	 -0.0020
BF	 0.3477	 -0.0040
BG	 0.5841	 -0.0030
BH	 0.4218	 0.0030
BI	 0.4104	 -0.0180
BJ	 0.1775	 -0.0330
BK	 0.0766	 0.0020
BL	 0.4599	 0.0040
BM	 0.2615	 -0.0100
BN	 0.3831	 0.0020
BO	 0.0013	 -0.0340
BP	 0.5964	 0.0340
BQ	 0.4778	 0.0290
BR	 0.4427	 -0.0030
BS	 0.2924	 0.0010
BT	 0.4895	 -0.0090
BU	 0.1713	 -0.0080
BV	 0.4435	 0.0120
BW	 0.2551	 -0.0220
BX	 0.2887	 -0.0030
BY	 0.5368	 0.0070
BZ	 0.0446	 -0.0170