



wwPDB X-ray Structure Validation Summary Report ⓘ

May 17, 2020 – 09:51 pm BST

PDB ID : 4V6D
Title : Crystal structure of the E. coli 70S ribosome in an intermediate state of ratcheting
Authors : Zhang, W.; Dunkle, J.A.; Cate, J.H.D.
Deposited on : 2009-06-27
Resolution : 3.81 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1231 (4.04-3.60)
Clashscore	141614	1031 (4.02-3.62)
Ramachandran outliers	138981	1261 (4.04-3.60)
Sidechain outliers	138945	1255 (4.04-3.60)
RSRZ outliers	127900	1139 (4.04-3.60)
RNA backbone	3102	1037 (4.62-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AB	241	<div> <div>44%</div> <div> <div>17%</div> <div>55%</div> <div>15%</div> <div>•</div> <div>10%</div> </div> </div>
1	CB	241	<div> <div>20%</div> <div> <div>20%</div> <div>56%</div> <div>13%</div> <div>•</div> <div>10%</div> </div> </div>
2	AC	233	<div> <div>2%</div> <div> <div>33%</div> <div>44%</div> <div>10%</div> <div>•</div> <div>12%</div> </div> </div>
2	CC	233	<div> <div>0%</div> <div> <div>32%</div> <div>45%</div> <div>11%</div> <div>•</div> <div>12%</div> </div> </div>


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	AD	206	
3	CD	206	
4	AE	167	
4	CE	167	
5	AF	135	
5	CF	135	
6	AG	179	
6	CG	179	
7	AH	130	
7	CH	130	
8	AI	130	
8	CI	130	
9	AJ	103	
9	CJ	103	
10	AK	129	
10	CK	129	
11	AL	124	
11	CL	124	
12	AM	118	
12	CM	118	
13	AN	101	
13	CN	101	
14	AO	89	
14	CO	89	
15	AP	82	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	CP	82	
16	AQ	84	
16	CQ	84	
17	AR	75	
17	CR	75	
18	AS	92	
18	CS	92	
19	AT	87	
19	CT	87	
20	AU	71	
20	CU	71	
21	AA	1533	
22	AV	17	
22	CV	17	
23	AW	6	
23	CW	6	
24	BA	2903	
24	DA	2903	
25	BB	118	
26	BC	273	
26	DC	273	
27	BD	209	
27	DD	209	
28	BE	201	
28	DE	201	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	BF	179	
29	DF	179	
30	BG	177	
30	DG	177	
31	BH	149	
31	DH	149	
32	BI	142	
32	DI	142	
33	BJ	142	
33	DJ	142	
34	BK	123	
34	DK	123	
35	BL	144	
35	DL	144	
36	BM	136	
36	DM	136	
37	BN	127	
37	DN	127	
38	BO	117	
38	DO	117	
39	BP	115	
39	DP	115	
40	BQ	118	
40	DQ	118	
41	BR	103	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
41	DR	103	
42	BS	110	
42	DS	110	
43	BT	100	
43	DT	100	
44	BU	104	
44	DU	104	
45	BV	94	
45	DV	94	
46	BW	85	
46	DW	85	
47	BX	78	
47	DX	78	
48	BY	63	
48	DY	63	
49	BZ	59	
49	DZ	59	
50	B0	57	
50	D0	57	
51	B1	55	
51	D1	55	
52	B2	46	
52	D2	46	
53	B3	65	
53	D3	65	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	B4	38	
54	D4	38	
55	CA	1530	
56	DB	117	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	AA	1619	-	-	-	X
57	MG	BA	3131	-	-	-	X
57	MG	CA	1617	-	-	-	X
57	MG	CA	1624	-	-	-	X
57	MG	DA	3004	-	-	-	X
57	MG	DA	3016	-	-	-	X
57	MG	DA	3059	-	-	-	X
57	MG	DA	3060	-	-	-	X
57	MG	DA	3062	-	-	-	X
57	MG	DA	3064	-	-	-	X
57	MG	DA	3065	-	-	-	X
57	MG	DA	3071	-	-	-	X
57	MG	DA	3076	-	-	-	X
57	MG	DA	3093	-	-	-	X
57	MG	DA	3099	-	-	-	X
57	MG	DA	3109	-	-	-	X
57	MG	DA	3110	-	-	-	X
57	MG	DA	3112	-	-	-	X
57	MG	DA	3126	-	-	-	X
57	MG	DA	3128	-	-	-	X
57	MG	DA	3131	-	-	-	X
57	MG	DA	3133	-	-	-	X

2 Entry composition

There are 59 unique types of molecules in this entry. The entry contains 285420 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AB	218	Total	C	N	O	S	0	0	0
			1704	1081	305	311	7			
1	CB	218	Total	C	N	O	S	0	0	0
			1704	1081	305	311	7			

- Molecule 2 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AC	206	Total	C	N	O	S	0	0	0
			1624	1028	305	288	3			
2	CC	206	Total	C	N	O	S	0	0	0
			1624	1028	305	288	3			

- Molecule 3 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			
3	CD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			

- Molecule 4 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AE	150	Total	C	N	O	S	0	0	0
			1105	687	211	201	6			
4	CE	150	Total	C	N	O	S	0	0	0
			1105	687	211	201	6			

- Molecule 5 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AF	100	Total	C	N	O	S	0	0	0
			817	515	148	148	6			
5	CF	100	Total	C	N	O	S	0	0	0
			817	515	148	148	6			

- Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AG	151	Total	C	N	O	S	0	0	0
			1181	735	227	215	4			
6	CG	150	Total	C	N	O	S	0	0	0
			1174	730	226	214	4			

- Molecule 7 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			
7	CH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			

- Molecule 8 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			
8	CI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			

- Molecule 9 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AJ	98	Total	C	N	O	S	0	0	0
			786	493	150	142	1			
9	CJ	98	Total	C	N	O	S	0	0	0
			786	493	150	142	1			

- Molecule 10 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	CK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			

- Molecule 11 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AL	123	Total	C	N	O	S	0	0	0
			955	590	196	165	4			
11	CL	123	Total	C	N	O	S	0	0	0
			955	590	196	165	4			

- Molecule 12 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AM	114	Total	C	N	O	S	0	0	0
			883	546	178	156	3			
12	CM	113	Total	C	N	O	S	0	0	0
			876	541	177	155	3			

- Molecule 13 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AN	96	Total	C	N	O	S	0	0	0
			774	483	160	128	3			
13	CN	95	Total	C	N	O	S	0	0	0
			769	480	159	127	3			

- Molecule 14 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AO	88	Total	C	N	O	S	0	0	0
			714	439	144	130	1			
14	CO	88	Total	C	N	O	S	0	0	0
			714	439	144	130	1			

- Molecule 15 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			
15	CP	80	Total	C	N	O	S	0	0	0
			638	400	126	111	1			

- Molecule 16 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AQ	80	Total	C	N	O	S	0	0	0
			648	411	121	113	3			
16	CQ	80	Total	C	N	O	S	0	0	0
			648	411	121	113	3			

- Molecule 17 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
17	AR	55	Total	C	N	O	0	0	0
			455	288	86	81			
17	CR	55	Total	C	N	O	0	0	0
			455	288	86	81			

- Molecule 18 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	AS	79	Total	C	N	O	S	0	0	0
			637	408	120	107	2			
18	CS	79	Total	C	N	O	S	0	0	0
			637	408	120	107	2			

- Molecule 19 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			
19	CT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			

- Molecule 20 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AU	51	Total	C	N	O	S	0	0	0
			425	265	86	73	1			
20	CU	51	Total	C	N	O	S	0	0	0
			425	265	86	73	1			

- Molecule 21 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AA	1533	Total	C	N	O	P	0	0	0
			32895	14671	6036	10655	1533			

- Molecule 22 is a RNA chain called P-site tRNA ASL fragment.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	AV	17	Total	C	N	O	P	0	0	0
			360	161	64	118	17			
22	CV	17	Total	C	N	O	P	0	0	0
			360	161	64	118	17			

- Molecule 23 is a RNA chain called messenger RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	AW	6	Total	C	N	O	P	0	0	0
			125	56	18	45	6			
23	CW	6	Total	C	N	O	P	0	0	0
			125	56	18	45	6			

- Molecule 24 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	BA	2854	Total	C	N	O	P	0	0	0
			61274	27334	11279	19807	2854			
24	DA	2841	Total	C	N	O	P	0	0	0
			60995	27210	11229	19715	2841			

- Molecule 25 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	BB	118	Total	C	N	O	P	0	0	0
			2529	1126	464	821	118			

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BC	271	Total	C	N	O	S	0	0	0
			2082	1288	423	364	7			
26	DC	271	Total	C	N	O	S	0	0	0
			2082	1288	423	364	7			

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	BD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			
27	DD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			

- Molecule 28 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	BE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			
28	DE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	BF	177	Total	C	N	O	S	0	0	0
			1410	899	249	256	6			
29	DF	178	Total	C	N	O	S	0	0	0
			1420	905	251	258	6			

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	BG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			
30	DG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			

- Molecule 31 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	BH	149	Total	C	N	O	S	0	0	0
			1111	699	197	214	1			
31	DH	149	Total	C	N	O	S	0	0	0
			1111	699	197	214	1			

- Molecule 32 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	BI	141	Total	C	N	O	S	0	0	0
			1032	651	179	196	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	DI	141	Total	C	N	O	S	0	0	0
			1032	651	179	196	6			

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	BJ	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			
33	DJ	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BK	122	Total	C	N	O	S	0	0	0
			938	587	180	165	6			
34	DK	122	Total	C	N	O	S	0	0	0
			938	587	180	165	6			

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	BL	143	Total	C	N	O	S	0	0	0
			1045	649	206	189	1			
35	DL	143	Total	C	N	O	S	0	0	0
			1045	649	206	189	1			

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	BM	136	Total	C	N	O	S	0	0	0
			1074	686	205	177	6			
36	DM	136	Total	C	N	O	S	0	0	0
			1074	686	205	177	6			

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BN	120	Total	C	N	O	S	0	0	0
			960	593	196	166	5			
37	DN	120	Total	C	N	O	S	0	0	0
			960	593	196	166	5			

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
38	BO	116	Total	C	N	O	0	0	0
			892	552	178	162			
38	DO	116	Total	C	N	O	0	0	0
			892	552	178	162			

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BP	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			
39	DP	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	BQ	117	Total	C	N	O	0	0	0
			947	604	192	151			
40	DQ	117	Total	C	N	O	0	0	0
			947	604	192	151			

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	BR	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			
41	DR	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BS	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			
42	DS	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	BT	93	Total	C	N	O	S	0	0	0
			738	466	139	131	2			
43	DT	93	Total	C	N	O	S	0	0	0
			738	466	139	131	2			

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	BU	102	Total	C	N	O	S	0	0	0
			779	492	146	141				
44	DU	102	Total	C	N	O	S	0	0	0
			779	492	146	141				

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	BV	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			
45	DV	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	BW	79	Total	C	N	O	S	0	0	0
			596	367	120	108	1			
46	DW	79	Total	C	N	O	S	0	0	0
			596	367	120	108	1			

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	BX	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			
47	DX	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	BY	63	Total	C	N	O	S	0	0	0
			509	313	99	95	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	DY	63	Total	C	N	O	S	0	0	0
			509	313	99	95	2			

- Molecule 49 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	BZ	58	Total	C	N	O	S	0	0	0
			449	281	87	79	2			
49	DZ	58	Total	C	N	O	S	0	0	0
			449	281	87	79	2			

- Molecule 50 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	B0	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			
50	D0	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			

- Molecule 51 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
51	B1	50	Total	C	N	O	0	0	0
			409	263	75	71			
51	D1	50	Total	C	N	O	0	0	0
			409	263	75	71			

- Molecule 52 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	B2	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			
52	D2	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			

- Molecule 53 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	B3	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			
53	D3	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			

- Molecule 54 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	B4	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			
54	D4	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			

- Molecule 55 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	CA	1530	Total	C	N	O	P	0	0	0
			32831	14642	6024	10635	1530			

- Molecule 56 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	DB	117	Total	C	N	O	P	0	0	0
			2507	1116	459	815	117			

- Molecule 57 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	BB	4	Total	Mg	0	0
			4	4		
57	BA	136	Total	Mg	0	0
			136	136		
57	CA	42	Total	Mg	0	0
			42	42		
57	DJ	1	Total	Mg	0	0
			1	1		
57	BD	1	Total	Mg	0	0
			1	1		
57	AA	43	Total	Mg	0	0
			43	43		
57	DA	134	Total	Mg	0	0
			134	134		
57	DC	1	Total	Mg	0	0
			1	1		
57	DB	1	Total	Mg	0	0
			1	1		

- Molecule 58 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
58	B4	1	Total Zn 1 1	0	0
58	D4	1	Total Zn 1 1	0	0

- Molecule 59 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
59	AE	1	Total O 1 1	0	0
59	AL	3	Total O 3 3	0	0
59	AN	5	Total O 5 5	0	0
59	AT	3	Total O 3 3	0	0
59	AU	1	Total O 1 1	0	0
59	AA	195	Total O 195 195	0	0
59	BA	615	Total O 615 615	0	0
59	BB	19	Total O 19 19	0	0
59	BC	7	Total O 7 7	0	0
59	BD	2	Total O 2 2	0	0
59	BE	1	Total O 1 1	0	0
59	BL	4	Total O 4 4	0	0
59	BN	2	Total O 2 2	0	0
59	BQ	1	Total O 1 1	0	0
59	BT	1	Total O 1 1	0	0
59	BV	1	Total O 1 1	0	0
59	B2	2	Total O 2 2	0	0
59	B3	3	Total O 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	B4	2	Total 2	O 2	0	0
59	CE	3	Total 3	O 3	0	0
59	CI	1	Total 1	O 1	0	0
59	CL	1	Total 1	O 1	0	0
59	CN	2	Total 2	O 2	0	0
59	CT	2	Total 2	O 2	0	0
59	CU	2	Total 2	O 2	0	0
59	CA	196	Total 196	O 196	0	0
59	DC	14	Total 14	O 14	0	0
59	DD	4	Total 4	O 4	0	0
59	DE	2	Total 2	O 2	0	0
59	DJ	3	Total 3	O 3	0	0
59	DL	5	Total 5	O 5	0	0
59	DN	2	Total 2	O 2	0	0
59	DT	2	Total 2	O 2	0	0
59	DU	1	Total 1	O 1	0	0
59	DV	1	Total 1	O 1	0	0
59	D2	1	Total 1	O 1	0	0
59	D3	1	Total 1	O 1	0	0
59	D4	5	Total 5	O 5	0	0
59	DA	598	Total 598	O 598	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	DB	4	Total	O	0	0
			4	4		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 30S ribosomal protein S2




• Molecule 1: 30S ribosomal protein S2




• Molecule 2: 30S ribosomal protein S3






• Molecule 2: 30S ribosomal protein S3




• Molecule 3: 30S ribosomal protein S4




• Molecule 3: 30S ribosomal protein S4







• Molecule 4: 30S ribosomal protein S5



• Molecule 4: 30S ribosomal protein S5



• Molecule 5: 30S ribosomal protein S6



SER
GLU
GLU
GLU
GLU
GLU
GLU

Chain AG:


34% 44% 6% 16%

Category	Value
34%	Green
44%	Yellow
6%	Orange
16%	Grey


Chain CG:

Chain AH: 





- Molecule 9: 30S ribosomal protein S10



- Molecule 10: 30S ribosomal protein S11



- Molecule 10: 30S ribosomal protein S11




- Molecule 11: 30S ribosomal protein S12




- Molecule 11: 30S ribosomal protein S12







• Molecule 12: 30S ribosomal protein S13





• Molecule 12: 30S ribosomal protein S13




• Molecule 13: 30S ribosomal protein S14




• Molecule 13: 30S ribosomal protein S14




• Molecule 14: 30S ribosomal protein S15




• Molecule 14: 30S ribosomal protein S15




• Molecule 15: 30S ribosomal protein S16



• Molecule 15: 30S ribosomal protein S16



• Molecule 16: 30S ribosomal protein S17







- Molecule 16: 30S ribosomal protein S17





- Molecule 17: 30S ribosomal protein S18



- Molecule 17: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S19



- Molecule 18: 30S ribosomal protein S19






- Molecule 19: 30S ribosomal protein S20

Chain AT: 33% 53% 11%




- Molecule 19: 30S ribosomal protein S20

Chain CT: 9% 47% 40% 10%




- Molecule 20: 30S ribosomal protein S21

Chain AU: 8% 17% 37% 17% 28%



- Molecule 20: 30S ribosomal protein S21


Chain CU: 10% 21% 25% 21% 28%



- Molecule 21: 16S rRNA

Chain AA: 19% 46% 17% 18%


G927	G928	G929	G930	G931	C934	A935	C936	A937	A938	G939	C940	G941	G942	A946	A947	C948	A949	U950	G953	U954	U955	U956	U957	A958	A959	U960	U961	C962	U965	C966	A968	A969	C970	G971	C972	G973	A974	U975	G976	A977	A978	C979	U982	A983	C984	C985	U986	G987	G988	U991	U992	U993															
A787	U788	A789	U790	C791	G792	U793	A794	C795	U796	A797	U798	G803	U804	C809	C810	C811	C812	U813	A814	A815	A816	C817	U818	A819	U820	U821	U822	C823	G824	A825	U826	U827	U828	C829	G830	A831	G832	G833	U834	U835	U836	U837	G838	U839	A840	U841	U842	U843	U844	U845	U846	U847	C857	G858	U859	G860											
U653	G654	U655	U656	U657	U658	U659	U660	U661	U662	U663	U664	U665	U666	U667	U668	U669	U670	U671	U672	U673	U674	U675	U676	U677	U678	U679	U680	U681	U682	U683	U684	U685	U686	U687	U688	U689	U690	U691	U692	U693	U694	U695	U696	U697	U698	U699	U700	U701	U702	U703	U704	U705	U706	U707	U708	U709	U710	U711	U712	U713	U714	U715	U716				
U717	A718	C719	U720	G721	U722	U723	U724	U725	U726	U727	U728	G731	U732	U733	U734	U735	U736	U737	U738	U739	U740	U741	U742	U743	U744	U745	U746	U747	U748	U749	U750	U751	U752	U753	U754	U755	U756	U757	U758	U759	U760	U761	U762	U763	U764	U765	U766	U767	U768	U769	U770	U771	U772	U773	U774	U775	U776	U777	U778	U779	U780	U781	U782	U783	U784	U785	U786
A787	U788	A789	U790	C791	G792	U793	A794	C795	U796	A797	U798	G803	U804	C809	C810	C811	C812	U813	A814	A815	A816	C817	U818	A819	U820	U821	U822	C823	G824	A825	U826	U827	U828	C829	G830	A831	G832	G833	U834	U835	U836	U837	G838	U839	A840	U841	U842	U843	U844	U845	U846	U847	C857	G858	U859	G860											
G861	A864	A865	C866	C867	C868	C869	U870	U871	A872	A873	U874	U875	C876	A878	C879	C880	C881	C882	C883	U884	C885	C886	A888	C889	U890	U891	U892	C893	G894	G895	C896	A900	A901	G902	G903	U904	A908	A909	C910	U911	C912	A913	A914	A915	U916	G917	A918	A919	U920	U921	U922	A923	C924	U925	G926												
G927	G928	G929	G930	G931	C934	A935	C936	A937	A938	G939	C940	G941	G942	A946	A947	C948	A949	U950	G953	U954	U955	U956	U957	A958	A959	U960	U961	C962	U965	C966	A968	A969	C970	G971	C972	G973	A974	U975	G976	A977	A978	C979	U982	A983	C984	C985	U986	G987	G988	U991	U992	U993															
A2	A3	U4	U5	G6	A7	A8	C9	A10	G11	U12	U13	U14	C15	U16	U17	C18	U19	U20	G21	G22	C23	A26	G27	A28	U29	U30	G31	A32	A33	C34	G35	C36	U37	G38	G39	G45	C47	C48	U49	A50	A51	C52	A53	C54	G57	C58	A59	A60	G61	U62	C63	G64	A65	A66	C67												



• Molecule 22: P-site tRNA ASL fragment



• Molecule 22: P-site tRNA ASL fragment




• Molecule 23: messenger RNA





G1681	A1615	G1616	A1618	G1619	G1623	G1624	G1625	A1626	G1627	G1628	G1629	A1630	G1631	G1632	G1633	A1634	G1635	G1636	A1637	G1640	A1641	G1642	G1647	A1648	G1649	A1650	G1651	G1652	G1653	A1654	A1655	G1656	G1657	A1658	G1659	G1660	G1661	G1662	G1663	A1664	A1665	G1666	G1667	A1668	A1669	C1670	G1671	G1672	G1673	A1674	G1675	A1676	A1677	G1678	A1679	G1680																																																																																																																																																																																		
A1548	A1549	C1550	A1551	A1552	A1553	G1554	G1555	C1558	G1559	G1560	C1561	G1562	G1563	G1564	C1565	A1566	G1567	G1568	A1569	A1570	A1571	A1572	G1576	C1577	A1578	A1579	A1580	G1581	C1582	A1583	A1584	A1585	A1586	G1587	C1588	C1592	A1596	A1597	A1598	G1599	C1600	G1601	A1602	A1603	C1604	C1605	C1606	A1607	A1608	A1609	A1610	C1611	C1612	A1614																																																																																																																																																																																				
A1477	G1478	G1482	G1486	G1487	G1488	G1489	G1490	G1491	G1492	G1493	G1494	G1495	A1496	A1497	A1498	A1499	G1500	G1501	A1502	A1503	A1504	A1505	G1506	C1507	A1508	A1509	G1510	G1511	G1514	A1515	G1516	A1522	G1523	G1524	C1526	A1528	G1529	A1532	C1533	G1534	A1535	C1536	G1537	C1538	C1539	G1540	C1541	G1542	G1543	G1546	C1547																																																																																																																																																																																							
G1446	C1447	G1448	A1449	A1450	A1451	A1452	A1453	A1454	A1455	A1456	A1457	A1458	A1459	A1460	A1461	A1462	A1463	A1464	A1465	A1466	A1467	A1468	A1469	A1470	A1471	A1472	A1473	A1474	A1475	A1476	A1477	A1478	A1479	A1480	A1481	A1482	A1483	A1484	A1485	A1486	A1487	A1488	A1489	A1490	A1491	A1492	A1493	A1494	A1495	A1496	A1497	A1498	A1499	A1500	A1501	A1502	A1503	A1504	A1505	A1506	A1507	A1508	A1509	A1510	A1511	A1512	A1513	A1514	A1515	A1516	A1517	A1518	A1519	A1520	A1521	A1522	A1523	A1524	A1525	A1526	A1527	A1528	A1529	A1530	A1531	A1532	A1533	A1534	A1535	A1536	A1537	A1538	A1539	A1540	A1541	A1542	A1543	A1544	A1545	A1546	A1547	A1548	A1549	A1550	A1551	A1552	A1553	A1554	A1555	A1556	A1557	A1558	A1559	A1560	A1561	A1562	A1563	A1564	A1565	A1566	A1567	A1568	A1569	A1570	A1571	A1572	A1573	A1574	A1575	A1576	A1577	A1578	A1579	A1580	A1581	A1582	A1583	A1584	A1585	A1586	A1587	A1588	A1589	A1590	A1591	A1592	A1593	A1594	A1595	A1596	A1597	A1598	A1599	A1600	A1601	A1602	A1603	A1604	A1605	A1606	A1607	A1608	A1609	A1610	A1611	A1612	A1613	A1614	A1615	A1616	A1617	A1618	A1619	A1620	A1621	A1622	A1623	A1624	A1625	A1626	A1627	A1628	A1629	A1630	A1631	A1632	A1633	A1634	A1635	A1636	A1637	A1638	A1639	A1640	A1641	A1642	A1643	A1644	A1645	A1646	A1647	A1648	A1649	A1650	A1651	A1652	A1653	A1654	A1655	A1656	A1657	A1658	A1659	A1660	A1661	A1662	A1663	A1664	A1665	A1666	A1667	A1668	A1669	A1670	A1671	A1672	A1673	A1674	A1675	A1676	A1677	A1678	A1679	A1680
G1279	G1280	G1281	G1282	G1283	G1284	A1285	A1286	A1287	G1288	G1289	G1290	G1291	G1292	G1293	G1294	G1295	G1296	G1297	G1298	G1299	G1300	G1301	A1302	G1303	A1304	G1309	G1310	G1311	G1312	G1313	G1314	G1315	G1316	G1317	G1318	G1319	G1320	A1321	A1322	G1323	G1324	G1325	G1326	A1327	A1328	G1329	G1330	G1331	G1332	G1333	G1334	G1335	A1336	G1337	G1338	G1339	G1340	G1341																																																																																																																																																																																
A1342	G1343	C1344	C1345	A1346	A1347	C1348	C1349	C1350	C1351	C1352	A1353	A1354	G1355	G1356	A1359	G1360	G1361	C1362	A1365	G1368	G1369	G1370	G1371	G1372	A1373	A1374	G1375	C1376	G1377	A1378	G1379	G1380	G1381	G1382	G1383	A1384	C1385	C1386	A1387	G1388	A1392	A1393	A1394	A1395	G1396	G1397	C1398	C1399	G1400	G1401	G1402	G1406	G1407																																																																																																																																																																																					
A1213	A1214	G1220	G1221	G1222	G1223	G1224	G1225	A1226	G1227	G1228	G1229	A1230	G1231	G1232	G1233	G1234	G1235	G1236	A1237	G1238	G1239	G1240	G1243	A1244	A1247	G1248	G1249	G1250	G1251	G1252	A1253	A1254	G1255	G1256	G1257	G1258	A1259	A1260	G1261	A1262	G1263	A1264	A1265	G1266	G1267	A1268	A1269	G1270	G1271	A1272	G1273	A1274	A1275	A1276	G1277	G1278																																																																																																																																																																																		
G1149	C1150	A1151	C1152	C1153	G1154	A1155	A1156	G1157	C1158	C1159	G1160	C1161	G1162	G1163	A1164	A1165	G1166	C1167	G1168	A1169	C1170	G1171	C1172	C1173	G1174	A1175	G1176	G1177	G1178	G1179	G1180	G1181	G1182	G1183	G1184	G1185	G1186	G1187	G1188	A1189	G1190	G1191	G1192	G1193	C1196	G1197	G1198	G1199	G1203	A1204	A1205	G1206	C1207	G1210	G1211	G1212																																																																																																																																																																																		
G1087	A1088	A1089	A1090	G1091	C1092	G1093	G1094	A1095	A1096	G1097	A1098	G1099	C1102	A1103	C1104	C1105	G1106	G1107	G1108	C1109	G1110	A1111	G1112	C1113	C1114	G1115	C1118	G1119	G1120	C1121	G1122	C1123	G1124	G1125	A1126	G1127	G1128	A1129	G1130	G1131	G1132	A1133	A1134	G1135	G1136	G1137	G1138	G1139	C1140	G1141	A1142	A1143	G1144	C1145	C1146	G1147	G1148																																																																																																																																																																																	
G1023	U1023	G1024	G1025	G1026	A1027	A1028	A1029	G1030	G1031	A1032	G1033	G1034	C1035	G1036	G1037	G1038	A1039	G1040	G1041	A1044	C1045	A1046	G1047	C1048	C1049	A1050	G1056	A1057	G1058	G1059	C1060	U1061	G1062	G1063	C1064	G1065	A1066	A1067	G1068	A1069	A1070	G1071	C1072	A1073	G1074	G1075	C1076	A1077	G1078	C1079	A1080	G1081	G1082	G1083	A1084	A1085	A1086																																																																																																																																																																																	
G962	U963	A1089	C965	C966	G1026	C968	G969	U970	U971	G972	A973	A974	A975	G976	G977	U978	A979	A980	A981	C982	A983	A984	C985	C986	C987	A988	G989	A990	C991	G992	G993	C994	C995	A996	G997	C998	G999	A1000	A1001	G1002	G1003	A1004	C1005	C1006	C1007	A1008	A1009	A1010	G1011	C1012	G1013	A1014	G1015	G1016	G1017	A1018	A1019	A1020	A1021																																																																																																																																																																															
A900	C901	G904	G905	A906	G907	A910	A911	C912	U913	G914	C915	G916	A917	A918	U919	A920	C921	C922	G923	G924	A925	G926	A927	A928	A929	A930	U931	U932	A933	U930	G934	C935	A936	G937	G938	G939	A940	G941	G942	A943	A944	A945	C946	A947	A948	A949	G950	C951	C952	G953	G954	U955	C956	G957	A958	A959	A960	C961																																																																																																																																																																																
U839	C840	G841	U842	A843	A844	A845	U846	U847	C848	A849	U850	C851	U852	C853	C854	A855	A856	A857	C858	C859	U860	A861	C862	A863	G864	C865	A866	U867	U868	G869	U870	U871	G874	C875	C876	A877	A878	G879	G880	G881	G882	G883	U884	C885	A	U	C	C	g	A892	C893	A894	U895	U896	A897	U898	A899	C897	C898	A899																																																																																																																																																																														
G778	U779	G780	A781	A782	A783	G784	G785	G786	C787	A788	U789	A790	C791	A792	A793	A794	C795	C796	G799	A800	G801	A802	U803	A804	C805	C806	U807	G808	G809	U810	U811	C812	U813	C814	C815	C816	C817	G818	A819	G820	G821	C822	C823	U824	A825	U826	U827	U828	A829	G830	G831	U832	A833	G834	C835	C836	C837	C838																																																																																																																																																																																

A2565	G2505	C2440	A2378	U2249	A2184	G	C2061	C2001	A1938	C1874	A1809	G1743
A2566	U2506	U2441	G2379	G2250	U2185	G	A2062	G2002	U1939	G1875	A1809	A1744
G2567	C2507	A2312	C2380	G2251	C2186	A	C2063	A2003	C2063	A1877	U1812	A1745
U2568	G2508	C2313	A2381	G2252	U2187	G	C2064	G2004	C1941	G1878	G1813	A1746
G2569	G2509	A2314	G2382	G2253	U2188	G	C2065	A2005	C1942	G1879	A1814	U1747
G2570	C2510	G2315	G2383		U2189	C	C2066	C2006	C1943	C2066	A1815	C1748
U2571	U2511	G2316	U2384	G2256	C2190	U	C2067	U2007	U1944	U1880	C1816	A1749
A2572	C2512	A2317	C2385	U2257	C2191	U	U2068	C2008	G1946	C1881	G1817	U1750
C2573	A2513	G2318	A2386	C2258	A2192	U	G2069	A2009	U1946	U1882	U1818	U1751
G2574	U2514	U2449	U2387	U2259	G2193	G2133	A2070	G2010	C1947	U1883	A1819	C1752
C2575	C2515	A2450	A2388	C2260	U2194	A2134	A2071	G2011	G1948	G1884	U1820	G1753
G2576	A2516	G2451	G2389	C2261	U2195	A2135	C2072	G2012		A1885	A1821	A1754
U2577	C2517	C2452	U2390	U2262	C2196	G2136	C2073	G2013		U1886	A1822	A1755
G2578	A2518	A2453	G2392	C2263	U2197	U2137	U2074	A2014	A1952	C1887	G1823	G1756
C2579	U2519		A2392	C2264	A2198	G2138	U2075		A1953	G1888	U1824	
U2580	C2520	G2458	U2393	U2265	A2199	U2139	U2076	A2015	G1954	U1889	G1824	U1757
G2581	C2521	U2459	C2394	A2266	G2200	G2140	A2077	U2016	U1955	A1890	A1825	U1758
U2582	U2522	U2460	G2395	A2267	G2201	G2141	C2078	G2017	U1956	A1891	C1832	A1759
G2583	C2523	A2461	G2396	A2268	U2202	A2142	U2079	A2019	C1958	C1892	C1833	C1760
U2584	G2524	C2462	U2397	G2269	U2203	C2143	U2080	A2020	G1959		G1830	C1761
U2585	G2525	C2465	G2399	A2270	A2205	C2145	U2081	C2021	A1960	G1897	G1831	A1762
U2586	C2526	C2466	G2400	U2271	A2206	C2146	A2082	U2022	C1961	U1898	C1832	G1763
A2587	G2527	G2467	G2401	U2272		C2147		U2023	C1962	U1899	C1833	U1765
G2588	U2528	A2468	U2402	A2273	G2209	A2148	U2086	G2024	U1963	A1900	G1828	G1766
	C2529	C2469	C2403	G2274	A2210	G2149	C2087	G2025	G1964	A1901	A1829	G1767
C2591	A2530	A2470	G2404	G2275	A2211	U2150	A2088	U2026	C1965	C1902	G1838	C1768
U2592	C2531	A2471	A2411	G2276	U2212	C2151	C2089	G2027		G1903	G1839	U1769
G2593	G2532	G2472	G2412	G2277	U2213	U2152	A2090	U2028	C1967	G1904	C1832	G1770
	U2533	C2473	A2405	A2278	C2214	C2153	U2091	G2029	G1968	C1905	U1841	
U2596	A2534	U2474	G2407	G2279	G2215	C2154	U2092	A2030	A1969	G1906	G1842	
G2597	C2535	U2475	U2408	G2280	G2216	U2155	C2093	A2031	A1970	G1907	C1843	A1773
A2598	G2536	C2475	G2409	A2281	G2217	U2156	A2094	G2032	U1971		G1846	U1774
G2599	U2537	A2476	G2410	G2282	G2218	G2157	A2095	A2033	U1972	G1940	G1846	U1775
A2600	C2538	U2477	A2411	C2283	U2219	A	C2096	U2034	G1973	A1911	A1847	G1776
C2601	G2539	A2478	G2412	A2284		C	A2097	G2035	C1974	U1912	A1848	U1777
A2602	C2540	C2479	G2413	G2285	G2223	G	U2098	C2036		A1913	G1849	U1778
G2603	A2541	C2480	G2414	C2286	G2224	C	U2099	A2037	A1977	C1914	G1850	U1779
U2604	A2542	G2481	G2415	A2287	A2225	C	G2100	G2038	U1978	U1915	U1780	U1781
U2605	G2543	A2482	C2416	A2288	C2226	G	C2103	U2039	U1979	A1916	U1851	U1782
C2606	C2544	G2483	C2417	C2289	A2227	A	C2104	G2040	G1980	U1917	U1852	U1783
G2607	G2545	G2484	A2418	G2290	G2228	C	U2105	U2041	A1981	A1918	A1853	A1784
U2608	U2546	G2485	U2419	U2291	U2229	C	U2106	A2042	U1982	U1855	G1854	A1785
G2609	A2547		C2420	G2292	G2230	U	G2107	C2043	G1983	C1920	U1856	A1786
C2610	U2548	G2488	G2421	G2293	U2231	U	A2108	C2044	G1984	G1921	G1857	A1787
U2611	G2549	U2489	C2422	G2294	C2232	G	U2109	C2045	C1985	G1922	A1858	C1788
C2612	C2550	G2490	U2423	C2295	U2233	A	G2110	G2046	A1987	U1923	U1859	C1789
U2613	C2551	U2491	C2424	U2296	G2234	A	U	G2048	G1988	C1924	G1860	C1790
A2614	U2552	U2492	A2425	C2297	G2235	A	U	G2049	G1989	C1925	G1861	A1791
U2615	G2553	U2493	A2426	A2298	U2236	U	G	C2050	U1926	U1927	G1862	
C2616	U2554	G2494	C2427	C2299	G2237	A	U	C2051	A1928	G1863	G1797	
U2617	U2555	G2495	G2428	C2300	G2238	C	A	A2052	U1929	U1864	U1798	
G2618	G2556	A2496	A2429	C2301	G2239	C	G	G2053	G1992	U1865	G1799	
C2619	C2557	U2497	U2430	U2302	U2240	A	G	C2054	G1993	A1866	C1800	
	G2558	G2498	G2431	G2303	A2241	C	A	U2055	C1994	G1867	A1801	
G2623	C2559	C2499	A2432	G2304	U2242	C	U	C2056	A1932	G1868	A1802	
U2624	A2560	U2500	A2433	U2305	U2243	A	A	G2056	C1995	G1869	G1803	
G2625	U2561	C2501	A2434	C2306	U2244	U2180	G	G2057	C1997	C1934	C1870	
C2626	U2562	A2435	A2435	G2307	U2245	U2181	U	A2058	A1998	G1935	A1871	
G2627	U2563	A2502	G2372	C2308	G2246	U2182	G	U2059	C1999	A1936	A1872	
G2628	A2564	U2504	A2377	A2309		A2183	G	A2060	C2000	A1937	A1808	




• Molecule 24: 23S rRNA




G1388	G1389	A1328	A1327	U1263	U1264	U1199	U1198	G1137	A1014	G953	G	A821	G760	U694	6628	U566	C565
G1390	G1391	U1329	A1328	A1265	A1264	C1200	G1138	G1137	U1015	G954	U	G822	G761	G695	6629	U567	U566
U1391	U1392	C1330	G1266	G1265	A1266	U1201	G1139	A1077	G1016	U955	C	C823	A761	G696	6630	U568	U567
A1392	G1331	U1267	U1203	U1202	U1206	U1202	G1140	U1078	G1017	U956	A	U824	U762	G697	6631	U569	U568
A1393	G1332	U1268	U1204	U1203	A1268	U1203	U1141	C1079	U1018	U957	U	A825	G763	G698	6632	U570	U569
U1394	G1333	A1269	A1205	A1204	A1269	A1205	A1142	A1080	U1019	U958	C	U826	A764	A699	6633	U571	U570
A1395	G1334	C1270	A1206	A1205	C1270	A1206	A1143	U1081	A1020	A859	C	U827	C765	G700	6634	A572	A571
U1396	C1335	G1271	C1207	C1206	G1271	C1207	A1144	U1082	G1021	A960	C	U828	U767	G701	6635	A573	A572
U1397	A1336	A1272	C1208	C1207	A1272	C1208	C1145	U1083	G1022	A961	G	A829	U768	G702	6636	A574	A573
C1398	G1337	U1273	U1209	U1208	U1273	U1209	A1084	A1084	U1023	G962	A	G830	G769	A705	6637	A575	A574
C1399	G1338	A1274	G1210	G1209	A1274	G1210	A1085	A1086	G1024	U963	C	G831	U769	A706	6638	U576	U575
U1400	G1339	A1275	C1211	C1210	A1275	C1211	A1087	U1087	G1025	G964	U	U832	U773	G707	6639	U577	U576
G1401	U1340	A1276	G1212	G1211	A1276	G1212	A1151	A1088	A1026	G966	A	G834	G774	G708	6640	G577	G576
U1402	G1341	G1277	A1213	A1212	G1277	A1213	C1152	A1089	A1028	U967	C	G835	G775			G578	G577
A1403	A1342	C1278	A1214	A1213	C1278	A1214	C1153	A1090	A1029	G968			G776			G579	U580
C1404	G1343	G1279	G1215	G1214	G1279	G1215	G1154	U1091	G1030	G969		U839	G777			C581	C580
U1405	U1344	G1280	G1281	G1280	G1280	G1281	G1093	C1092	G1031	U970	C903	U840	G778	A715	6646	U582	U581
U1406	C1345	U1281	U1282	U1281	U1281	U1282	U1094	U1094	A1032	G971	G904	G841	U779	A716	6647	U583	U582
G1407	G1346	U1283	G1283	U1283	U1283	G1283	G1155	A1095	U1033	A972		U842	G780	C717	6648	U584	U583
A1408	A1347	A1284	A1284	A1284	A1284	A1284	G1156	A1096	U1034	A973		G843	A781	A718	6649	U585	U584
U1409	C1348	A1285	A1285	A1285	A1285	A1285	C1157	U1097	G1035	G974	C908	A844	A782	C719	6650	U586	U585
	C1349	G1286	G1286	G1286	G1286	G1286	G1161	U1098	U1036	A975	A909	A845	A783	U720	6651	C587	C586
A1413	C1350	A1287	A1287	A1287	A1287	A1287	G1162	A1098		G976	A910	U846	G784	A721	6652	U588	U587
C1414	C1351	G1288	G1288	G1288	G1288	G1288	G1163	U1099	A1039	G977	A911	U847	G785	A722	6653	U589	U588
U1415	U1352	C1289	C1289	C1289	C1289	C1289	G1164	C1100	A1040	G978	C912	U848	C786	C723	6654	A590	A589
G1416	A1353	U1290	U1290	U1290	U1290	U1290	G1165	U1101	G1041	A979		U849	C787	U724	6655	U591	U590
C1417	A1354	G1291	G1291	G1291	G1291	G1291	C1166	C1102	G1042		U913	U850	A788	U725	6656	A592	A591
A1418	G1355	C1292	C1292	C1292	C1292	C1292	C1167	U1103	C1043	C982	G914	U851	A789	G726	6657	U593	U592
A1419	G1356	G1293	G1293	G1293	G1293	G1293	C1168	A1104	G1044	A983	C915	U852	A790	A727	6658	U594	U593
A1420	C1357	U1294	U1294	U1294	U1294	U1294	G1169	U1105	G1045	A984	C916	U853	C791	G728	6659	C595	C594
G1421	G1358	C1295	C1295	C1295	C1295	C1295	C1170	G1106	A1046	C985		U854	A792	G729	6660	G600	G600
G1422	A1359	U1296	U1296	U1296	U1296	U1296	G1171	U1107	G1047	C986	A920	U855	A793	A730	6661	A601	A601
G1423	C1360	G1297	G1297	G1297	G1297	G1297	C1172	U1108	A1048	C987	C921	U856	A794	C731	6662	G602	G602
A1424	G1361	C1298	C1298	C1298	C1298	C1298	U1173	C1109	C1049	A988	C922	U857	C795	C732	6663	A603	A603
G1425	C1362	A1301	A1301	A1301	A1301	A1301	U1174	G1110	A1050	G989	G923	U858	C796	G733	6664	G604	G604
G1426	G1363	U1299	U1299	U1299	U1299	U1299	A1175	G1111	G1051	A990	G924	U859	G797	A734	6665	U606	U606
A1427	G1364	C1302	C1302	C1302	C1302	C1302	U1176	G1112	C1052	C991	A925	U860	G798	A735	6666	U607	U607
G1428	A1365	U1299	U1299	U1299	U1299	U1299	G1177	U1113	C1053	C992	G926	U861	G799	C736	6667	A608	A608
G1430	G1368	A1307	A1307	A1307	A1307	A1307	C1178	C1114	A1054	C993	A927	U862	A800	G738	6668	A609	A609
A1431	G1369	G1309	G1309	G1309	G1309	G1309	U1179	G1115	G1055	C994	U929	U863	G801	A739	6669	C610	C610
A1432	G1370	G1310	G1310	G1310	G1310	G1310	U1181	U1119	A1056	A996	G930	U864	U803	C740	6670	G611	G611
A1433	G1371	U1311	U1311	U1311	U1311	U1311	U1182	G1120	A1057	G997	G931	U865	A804	U741	6671	G612	G612
A1434	U1372	G1312	G1312	G1312	G1312	G1312	U1183	G1121	U1058	C998	U932	U866	G805	A742	6672	A613	A613
G1435	A1373	U1313	U1313	U1313	U1313	U1313	U1184	G1122	G1059	U999	U933	U867	C806	A743	6673	U615	U615
G1436	G1374	G1314	G1314	G1314	G1314	G1314	G1185	C1123	U1060	A1000	U934	U868	U807	U744	6674	G616	G616
C1437	U1375	C1315	C1315	C1315	C1315	C1315	G1186	G1124	G1061	A1001		U869	G808	G745	6675	G617	G617
U1438	G1376	U1316	U1316	U1316	U1316	U1316	G1187	G1125	G1062	G1002	G940	U870	G809	U746	6676	A618	A618
A1439	G1377	G1317	G1317	G1317	G1317	G1317	U1188	A1126	C1064	G1003	U941	U871	U810	U747	6677	G619	G619
U1440	A1378	U1318	U1318	U1318	U1318	U1318	A1189	A1127	U1065	U1004	G942	U872	U811	G748	6678	G620	G620
G1441	G1379	G1319	G1319	G1319	G1319	G1319	G1190	G1128	U1066	C1005	G943	U873	C812	A749	6679	G621	G621
U1442	G1380	C1320	C1320	C1320	C1320	C1320	A1129	A1129	A1067	U1006	C944	U874	U813	A750	6680	G622	G622
U1443	G1381	A1321	A1321	A1321	A1321	A1321	G1191	U1130	G1068	C1007	A945	U875	C814	A751	6681	U688	U688
U1444	G1382	G1322	G1322	G1322	G1322	G1322	G1192	U1131	A1069	A1008	C946	U876	C815	A752	6682	G623	G623
G1445	A1383	U1323	U1323	U1323	U1323	U1323	G1193	U1132	A1070	A1009	A947	U877	C816	A753	6683	G624	G624
C1446	A1384	G1324	G1324	G1324	G1324	G1324	A1194	U1133	A1071	A1010	C948	U878	C817	U754	6684	G625	G625
G1447	A1385	U1325	U1325	U1325	U1325	U1325	G1195	A1134	G1071	A1011	G949	U879	G818	U755	6685	A626	A626
G1448	C1386	U1326	U1326	U1326	U1326	U1326	G1196	A1135	C1072	U1012		U880	A819	A756	6686	G627	G627
	A1387	A1262	A1262	A1262	A1262	A1262	G1197	G1136	G1074	C1013	G952		A820	G757	6687	A627	A627







• Molecule 26: 50S ribosomal protein L2




• Molecule 27: 50S ribosomal protein L3




• Molecule 27: 50S ribosomal protein L3







• Molecule 28: 50S ribosomal protein L4




• Molecule 28: 50S ribosomal protein L4




• Molecule 29: 50S ribosomal protein L5







• Molecule 29: 50S ribosomal protein L5




• Molecule 30: 50S ribosomal protein L6




• Molecule 30: 50S ribosomal protein L6




• Molecule 31: 50S ribosomal protein L9




• Molecule 31: 50S ribosomal protein L9



• Molecule 32: 50S ribosomal protein L11



• Molecule 32: 50S ribosomal protein L11






• Molecule 33: 50S ribosomal protein L13

Chain BJ: 27% 53% 17% .




• Molecule 33: 50S ribosomal protein L13

Chain DJ: 2% 34% 54% 10% .




• Molecule 34: 50S ribosomal protein L14

Chain BK: 24% 48% 25% ..




• Molecule 34: 50S ribosomal protein L14


Chain DK: 2% 27% 48% 24% ..




• Molecule 35: 50S ribosomal protein L15



• Molecule 35: 50S ribosomal protein L15




• Molecule 36: 50S ribosomal protein L16




• Molecule 36: 50S ribosomal protein L16






• Molecule 37: 50S ribosomal protein L17

Chain BN: 38% 39% 15% 6%




• Molecule 37: 50S ribosomal protein L17

Chain DN: 19% 25% 54% 16% 6%




• Molecule 38: 50S ribosomal protein L18


Chain BO: 39% 48% 10%




• Molecule 38: 50S ribosomal protein L18

Chain DO: 46% 27% 60% 11%









• Molecule 39: 50S ribosomal protein L19





• Molecule 39: 50S ribosomal protein L19




• Molecule 40: 50S ribosomal protein L20




• Molecule 40: 50S ribosomal protein L20




• Molecule 41: 50S ribosomal protein L21







• Molecule 41: 50S ribosomal protein L21




• Molecule 42: 50S ribosomal protein L22



• Molecule 42: 50S ribosomal protein L22




• Molecule 43: 50S ribosomal protein L23




- Molecule 43: 50S ribosomal protein L23

Chain DT:




- Molecule 44: 50S ribosomal protein L24

Chain BU:




- Molecule 44: 50S ribosomal protein L24

Chain DU:



- Molecule 45: 50S ribosomal protein L25


Chain BV:



- Molecule 45: 50S ribosomal protein L25

Chain DV:







- Molecule 46: 50S ribosomal protein L27




- Molecule 46: 50S ribosomal protein L27



- Molecule 47: 50S ribosomal protein L28



- Molecule 47: 50S ribosomal protein L28




- Molecule 48: 50S ribosomal protein L29






- Molecule 48: 50S ribosomal protein L29



- Molecule 49: 50S ribosomal protein L30




- Molecule 49: 50S ribosomal protein L30



- Molecule 50: 50S ribosomal protein L32




- Molecule 50: 50S ribosomal protein L32




- Molecule 51: 50S ribosomal protein L33




- Molecule 51: 50S ribosomal protein L33



- Molecule 52: 50S ribosomal protein L34




- Molecule 52: 50S ribosomal protein L34



- Molecule 53: 50S ribosomal protein L35




- Molecule 53: 50S ribosomal protein L35



- Molecule 54: 50S ribosomal protein L36



- Molecule 54: 50S ribosomal protein L36



- Molecule 55: 16S rRNA

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	210.72Å 435.07Å 628.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	75.71 – 3.81 75.71 – 3.81	Depositor EDS
% Data completeness (in resolution range)	78.6 (75.71-3.81) 78.7 (75.71-3.81)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 3.77Å)	Xtriage
Refinement program	PHENIX ?	Depositor
R, R_{free}	0.207 , 0.253 0.218 , 0.261	Depositor DCC
R_{free} test set	8842 reflections (2.02%)	wwPDB-VP
Wilson B-factor (Å ²)	99.2	Xtriage
Anisotropy	0.140	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.22 , 63.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	285420	wwPDB-VP
Average B, all atoms (Å ²)	125.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AB	0.27	0/1735	0.48	0/2338
1	CB	0.28	0/1735	0.52	0/2338
2	AC	0.28	0/1651	0.50	0/2225
2	CC	0.29	0/1651	0.48	0/2225
3	AD	0.29	0/1665	0.48	0/2227
3	CD	0.36	0/1665	0.53	0/2227
4	AE	0.35	0/1118	0.64	1/1504 (0.1%)
4	CE	0.34	0/1118	0.55	0/1504
5	AF	0.27	0/835	0.49	0/1128
5	CF	0.26	0/835	0.48	0/1128
6	AG	0.26	0/1195	0.45	0/1602
6	CG	0.30	0/1187	0.51	0/1591
7	AH	0.31	0/989	0.49	0/1326
7	CH	0.30	0/989	0.50	0/1326
8	AI	0.26	0/1034	0.46	0/1375
8	CI	0.26	0/1034	0.46	0/1375
9	AJ	0.26	0/796	0.49	0/1077
9	CJ	0.26	0/796	0.50	0/1077
10	AK	0.26	0/893	0.48	0/1205
10	CK	0.30	0/893	0.52	0/1205
11	AL	0.34	0/969	0.60	0/1300
11	CL	0.30	0/969	0.56	0/1300
12	AM	0.27	0/892	0.54	1/1193 (0.1%)
12	CM	0.36	0/884	1.04	4/1181 (0.3%)
13	AN	0.25	0/785	0.45	0/1043
13	CN	0.26	0/780	0.45	0/1036
14	AO	0.25	0/722	0.45	0/964
14	CO	0.26	0/722	0.47	0/964
15	AP	0.30	0/659	0.50	0/884
15	CP	0.30	0/648	0.49	0/870
16	AQ	0.32	0/657	0.57	0/881
16	CQ	0.31	0/657	0.49	0/881

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	AR	0.25	0/462	0.46	0/621
17	CR	0.31	0/462	0.49	0/621
18	AS	0.25	0/652	0.44	0/877
18	CS	0.25	0/652	0.46	0/877
19	AT	0.30	0/671	0.51	0/888
19	CT	0.27	0/671	0.46	0/888
20	AU	0.28	0/430	0.53	0/570
20	CU	0.33	0/430	0.57	0/570
21	AA	0.57	0/36834	1.45	646/57462 (1.1%)
22	AV	0.56	0/401	1.20	2/622 (0.3%)
22	CV	0.55	0/401	1.18	1/622 (0.2%)
23	AW	0.76	0/138	1.54	3/212 (1.4%)
23	CW	0.79	0/138	1.93	4/212 (1.9%)
24	BA	0.77	12/68626 (0.0%)	1.70	1788/107056 (1.7%)
24	DA	0.57	3/68314 (0.0%)	1.49	1376/106569 (1.3%)
25	BB	0.71	0/2828	1.59	62/4410 (1.4%)
26	BC	0.47	0/2121	0.73	1/2852 (0.0%)
26	DC	0.35	0/2121	0.58	0/2852
27	BD	0.52	0/1586	0.81	1/2134 (0.0%)
27	DD	0.32	0/1586	0.60	0/2134
28	BE	0.45	0/1571	0.67	0/2113
28	DE	0.33	0/1571	0.53	0/2113
29	BF	0.44	1/1434 (0.1%)	0.62	1/1926 (0.1%)
29	DF	0.45	3/1444 (0.2%)	0.79	5/1937 (0.3%)
30	BG	0.38	0/1343	0.64	0/1816
30	DG	0.28	0/1343	0.50	0/1816
31	BH	0.48	1/1122 (0.1%)	0.62	1/1515 (0.1%)
31	DH	0.39	0/1122	0.54	0/1515
32	BI	0.24	0/1046	0.50	0/1410
32	DI	0.24	0/1046	0.44	0/1410
33	BJ	0.56	0/1152	0.77	1/1551 (0.1%)
33	DJ	0.37	0/1152	0.62	0/1551
34	BK	0.53	0/947	0.82	1/1268 (0.1%)
34	DK	0.35	0/947	0.61	0/1268
35	BL	0.47	0/1054	0.76	1/1403 (0.1%)
35	DL	0.34	0/1054	0.58	0/1403
36	BM	0.50	0/1093	0.70	0/1460
36	DM	0.45	0/1093	0.63	0/1460
37	BN	0.48	0/973	0.73	1/1301 (0.1%)
37	DN	0.32	0/973	0.56	0/1301
38	BO	0.41	0/902	0.61	0/1209
38	DO	0.44	0/902	0.71	2/1209 (0.2%)
39	BP	0.48	0/929	0.74	0/1242

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
39	DP	0.33	0/929	0.52	0/1242
40	BQ	0.58	0/960	0.74	0/1278
40	DQ	0.36	0/960	0.54	0/1278
41	BR	0.57	0/829	0.77	0/1107
41	DR	0.38	0/829	0.58	0/1107
42	BS	0.54	0/864	0.78	0/1156
42	DS	0.30	0/864	0.56	0/1156
43	BT	0.44	0/744	0.67	0/994
43	DT	0.27	0/744	0.51	0/994
44	BU	0.42	0/787	0.71	1/1051 (0.1%)
44	DU	0.35	0/787	0.56	1/1051 (0.1%)
45	BV	0.47	0/766	0.68	0/1025
45	DV	0.68	3/766 (0.4%)	0.81	3/1025 (0.3%)
46	BW	0.54	0/603	0.84	0/797
46	DW	0.34	0/603	0.55	0/797
47	BX	0.41	0/635	0.68	1/848 (0.1%)
47	DX	0.32	0/635	0.55	0/848
48	BY	0.42	0/510	0.67	0/677
48	DY	0.28	0/510	0.49	0/677
49	BZ	0.47	0/453	0.73	0/605
49	DZ	0.32	0/453	0.58	0/605
50	B0	0.40	0/450	0.70	0/599
50	D0	0.31	0/450	0.55	0/599
51	B1	0.40	0/416	0.59	0/554
51	D1	0.31	0/416	0.49	0/554
52	B2	0.48	0/380	0.80	0/498
52	D2	0.31	0/380	0.53	0/498
53	B3	0.46	0/513	0.67	0/676
53	D3	0.36	0/513	0.57	0/676
54	B4	0.50	0/303	0.80	0/397
54	D4	0.41	0/303	0.60	0/397
55	CA	0.55	1/36762 (0.0%)	1.45	694/57350 (1.2%)
56	DB	0.68	4/2803 (0.1%)	1.79	112/4371 (2.6%)
All	All	0.57	28/307815 (0.0%)	1.37	4715/460233 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
27	BD	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
29	DF	0	1
36	DM	0	1
All	All	0	4

The worst 5 of 28 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	BA	1142	A	N9-C4	-11.34	1.31	1.37
45	DV	31	TYR	CE1-CZ	10.97	1.52	1.38
24	DA	1060	U	C2-N3	7.54	1.43	1.37
24	BA	1142	A	C8-N7	7.36	1.36	1.31
24	BA	2857	G	N3-C4	7.16	1.40	1.35

The worst 5 of 4715 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	CM	2	ARG	NE-CZ-NH1	-22.49	109.06	120.30
24	BA	2447	G	C6-N1-C2	-18.42	114.05	125.10
12	CM	2	ARG	NE-CZ-NH2	17.95	129.28	120.30
24	BA	1330	C	N1-C1'-C2'	-17.28	91.53	114.00
56	DB	104	A	C8-N9-C4	-16.28	99.29	105.80

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
27	BD	10	GLY	Peptide
27	BD	9	VAL	Peptide
29	DF	78	ILE	Peptide
36	DM	135	VAL	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AB	1704	0	1732	269	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	CB	1704	0	1732	208	0
2	AC	1624	0	1699	139	0
2	CC	1624	0	1699	159	0
3	AD	1643	0	1710	172	0
3	CD	1643	0	1710	143	0
4	AE	1105	0	1148	242	0
4	CE	1105	0	1148	122	0
5	AF	817	0	808	78	0
5	CF	817	0	808	79	0
6	AG	1181	0	1240	98	0
6	CG	1174	0	1230	151	0
7	AH	979	0	1034	118	0
7	CH	979	0	1034	95	0
8	AI	1022	0	1070	116	0
8	CI	1022	0	1070	141	0
9	AJ	786	0	828	77	0
9	CJ	786	0	828	124	0
10	AK	877	0	887	85	0
10	CK	877	0	887	99	0
11	AL	955	0	1019	96	0
11	CL	955	0	1019	102	0
12	AM	883	0	944	71	0
12	CM	876	0	937	137	0
13	AN	774	0	827	80	0
13	CN	769	0	822	89	0
14	AO	714	0	737	54	0
14	CO	714	0	737	40	0
15	AP	649	0	666	55	0
15	CP	638	0	656	65	0
16	AQ	648	0	691	82	0
16	CQ	648	0	691	47	0
17	AR	455	0	478	42	0
17	CR	455	0	478	40	0
18	AS	637	0	665	51	0
18	CS	637	0	665	78	0
19	AT	665	0	714	59	0
19	CT	665	0	714	47	0
20	AU	425	0	449	68	0
20	CU	425	0	449	76	0
21	AA	32895	0	16553	1701	0
22	AV	360	0	185	10	0
22	CV	360	0	185	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
23	AW	125	0	63	4	0
23	CW	125	0	63	6	0
24	BA	61274	0	30819	3143	0
24	DA	60995	0	30677	3530	0
25	BB	2529	0	1281	108	0
26	BC	2082	0	2157	200	0
26	DC	2082	0	2157	211	0
27	BD	1565	0	1616	189	0
27	DD	1565	0	1616	165	0
28	BE	1552	0	1619	150	0
28	DE	1552	0	1619	167	0
29	BF	1410	0	1447	123	0
29	DF	1420	0	1460	197	0
30	BG	1323	0	1374	163	0
30	DG	1323	0	1374	147	0
31	BH	1111	0	1148	109	0
31	DH	1111	0	1148	106	0
32	BI	1032	0	1088	110	0
32	DI	1032	0	1088	67	0
33	BJ	1129	0	1162	158	0
33	DJ	1129	0	1162	118	0
34	BK	938	0	1012	113	0
34	DK	938	0	1012	112	0
35	BL	1045	0	1117	123	0
35	DL	1045	0	1117	142	0
36	BM	1074	0	1157	111	0
36	DM	1074	0	1157	109	0
37	BN	960	0	1000	99	0
37	DN	960	0	1000	115	0
38	BO	892	0	923	67	0
38	DO	892	0	923	155	0
39	BP	917	0	965	134	0
39	DP	917	0	965	106	0
40	BQ	947	0	1022	130	0
40	DQ	947	0	1022	129	0
41	BR	816	0	839	88	0
41	DR	816	0	839	97	0
42	BS	857	0	922	69	0
42	DS	857	0	922	69	0
43	BT	738	0	807	108	0
43	DT	738	0	807	93	0
44	BU	779	0	834	54	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	DU	779	0	834	107	0
45	BV	753	0	780	53	0
45	DV	753	0	780	118	0
46	BW	596	0	610	179	0
46	DW	596	0	610	120	0
47	BX	625	0	655	69	0
47	DX	625	0	655	73	0
48	BY	509	0	543	67	0
48	DY	509	0	543	62	0
49	BZ	449	0	491	46	0
49	DZ	449	0	491	38	0
50	B0	444	0	461	32	0
50	D0	444	0	461	52	0
51	B1	409	0	440	37	0
51	D1	409	0	440	33	0
52	B2	377	0	418	32	0
52	D2	377	0	418	33	0
53	B3	504	0	574	46	0
53	D3	504	0	574	50	0
54	B4	302	0	340	32	0
54	D4	302	0	340	24	0
55	CA	32831	0	16521	1808	0
56	DB	2507	0	1270	203	0
57	AA	43	0	0	0	0
57	BA	136	0	0	0	0
57	BB	4	0	0	0	0
57	BD	1	0	0	0	0
57	CA	42	0	0	0	0
57	DA	134	0	0	0	0
57	DB	1	0	0	0	0
57	DC	1	0	0	0	0
57	DJ	1	0	0	0	0
58	B4	1	0	0	0	0
58	D4	1	0	0	0	0
59	AA	195	0	0	7	0
59	AE	1	0	0	0	0
59	AL	3	0	0	1	0
59	AN	5	0	0	0	0
59	AT	3	0	0	0	0
59	AU	1	0	0	0	0
59	B2	2	0	0	0	0
59	B3	3	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
59	B4	2	0	0	0	0
59	BA	615	0	0	31	0
59	BB	19	0	0	0	0
59	BC	7	0	0	1	0
59	BD	2	0	0	3	0
59	BE	1	0	0	1	0
59	BL	4	0	0	1	0
59	BN	2	0	0	0	0
59	BQ	1	0	0	0	0
59	BT	1	0	0	1	0
59	BV	1	0	0	1	0
59	CA	196	0	0	4	0
59	CE	3	0	0	1	0
59	CI	1	0	0	0	0
59	CL	1	0	0	0	0
59	CN	2	0	0	0	0
59	CT	2	0	0	0	0
59	CU	2	0	0	0	0
59	D2	1	0	0	0	0
59	D3	1	0	0	0	0
59	D4	5	0	0	0	0
59	DA	598	0	0	14	0
59	DB	4	0	0	0	0
59	DC	14	0	0	2	0
59	DD	4	0	0	0	0
59	DE	2	0	0	0	0
59	DJ	3	0	0	0	0
59	DL	5	0	0	0	0
59	DN	2	0	0	0	0
59	DT	2	0	0	0	0
59	DU	1	0	0	0	0
59	DV	1	0	0	0	0
All	All	285420	0	191332	18973	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 40.

The worst 5 of 18973 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
24:DA:1439:A:C2	24:DA:1552:A:C6	2.21	1.28

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
24:DA:1439:A:N1	24:DA:1552:A:C5	2.03	1.26
24:DA:1439:A:C2	24:DA:1552:A:C5	2.25	1.25
38:DO:100:HIS:CE1	56:DB:48:U:O2'	1.89	1.25
38:DO:30:ARG:HB2	38:DO:30:ARG:NH1	1.53	1.21

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AB	216/241 (90%)	128 (59%)	60 (28%)	28 (13%)	0	5
1	CB	216/241 (90%)	145 (67%)	49 (23%)	22 (10%)	0	9
2	AC	204/233 (88%)	139 (68%)	51 (25%)	14 (7%)	1	18
2	CC	204/233 (88%)	146 (72%)	41 (20%)	17 (8%)	1	13
3	AD	203/206 (98%)	126 (62%)	52 (26%)	25 (12%)	0	6
3	CD	203/206 (98%)	141 (70%)	40 (20%)	22 (11%)	0	8
4	AE	148/167 (89%)	100 (68%)	31 (21%)	17 (12%)	0	6
4	CE	148/167 (89%)	98 (66%)	37 (25%)	13 (9%)	1	12
5	AF	98/135 (73%)	62 (63%)	25 (26%)	11 (11%)	0	7
5	CF	98/135 (73%)	65 (66%)	21 (21%)	12 (12%)	0	6
6	AG	149/179 (83%)	109 (73%)	29 (20%)	11 (7%)	1	16
6	CG	148/179 (83%)	80 (54%)	44 (30%)	24 (16%)	0	3
7	AH	127/130 (98%)	97 (76%)	22 (17%)	8 (6%)	1	20
7	CH	127/130 (98%)	96 (76%)	24 (19%)	7 (6%)	2	22
8	AI	125/130 (96%)	80 (64%)	34 (27%)	11 (9%)	1	12
8	CI	125/130 (96%)	86 (69%)	33 (26%)	6 (5%)	2	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	AJ	96/103 (93%)	69 (72%)	12 (12%)	15 (16%)	0	3
9	CJ	96/103 (93%)	61 (64%)	20 (21%)	15 (16%)	0	3
10	AK	115/129 (89%)	86 (75%)	22 (19%)	7 (6%)	1	20
10	CK	115/129 (89%)	74 (64%)	31 (27%)	10 (9%)	1	12
11	AL	121/124 (98%)	80 (66%)	24 (20%)	17 (14%)	0	4
11	CL	121/124 (98%)	86 (71%)	25 (21%)	10 (8%)	1	13
12	AM	112/118 (95%)	87 (78%)	16 (14%)	9 (8%)	1	14
12	CM	111/118 (94%)	65 (59%)	30 (27%)	16 (14%)	0	4
13	AN	92/101 (91%)	58 (63%)	25 (27%)	9 (10%)	0	10
13	CN	91/101 (90%)	59 (65%)	24 (26%)	8 (9%)	1	12
14	AO	86/89 (97%)	64 (74%)	17 (20%)	5 (6%)	1	21
14	CO	86/89 (97%)	72 (84%)	13 (15%)	1 (1%)	13	49
15	AP	80/82 (98%)	54 (68%)	15 (19%)	11 (14%)	0	4
15	CP	78/82 (95%)	56 (72%)	14 (18%)	8 (10%)	0	9
16	AQ	78/84 (93%)	48 (62%)	21 (27%)	9 (12%)	0	6
16	CQ	78/84 (93%)	59 (76%)	13 (17%)	6 (8%)	1	15
17	AR	53/75 (71%)	40 (76%)	11 (21%)	2 (4%)	3	28
17	CR	53/75 (71%)	44 (83%)	6 (11%)	3 (6%)	1	21
18	AS	77/92 (84%)	67 (87%)	6 (8%)	4 (5%)	2	23
18	CS	77/92 (84%)	54 (70%)	19 (25%)	4 (5%)	2	23
19	AT	83/87 (95%)	55 (66%)	21 (25%)	7 (8%)	1	13
19	CT	83/87 (95%)	59 (71%)	21 (25%)	3 (4%)	3	30
20	AU	49/71 (69%)	22 (45%)	18 (37%)	9 (18%)	0	2
20	CU	49/71 (69%)	20 (41%)	17 (35%)	12 (24%)	0	1
26	BC	269/273 (98%)	184 (68%)	59 (22%)	26 (10%)	0	10
26	DC	269/273 (98%)	181 (67%)	60 (22%)	28 (10%)	0	8
27	BD	207/209 (99%)	141 (68%)	32 (16%)	34 (16%)	0	3
27	DD	207/209 (99%)	132 (64%)	45 (22%)	30 (14%)	0	4
28	BE	199/201 (99%)	151 (76%)	24 (12%)	24 (12%)	0	6
28	DE	199/201 (99%)	130 (65%)	43 (22%)	26 (13%)	0	4
29	BF	175/179 (98%)	133 (76%)	25 (14%)	17 (10%)	0	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	DF	176/179 (98%)	97 (55%)	45 (26%)	34 (19%)	0	2
30	BG	174/177 (98%)	112 (64%)	35 (20%)	27 (16%)	0	4
30	DG	174/177 (98%)	105 (60%)	41 (24%)	28 (16%)	0	3
31	BH	147/149 (99%)	62 (42%)	54 (37%)	31 (21%)	0	1
31	DH	147/149 (99%)	76 (52%)	50 (34%)	21 (14%)	0	4
32	BI	139/142 (98%)	84 (60%)	44 (32%)	11 (8%)	1	14
32	DI	139/142 (98%)	81 (58%)	39 (28%)	19 (14%)	0	4
33	BJ	140/142 (99%)	106 (76%)	20 (14%)	14 (10%)	0	9
33	DJ	140/142 (99%)	95 (68%)	33 (24%)	12 (9%)	1	12
34	BK	120/123 (98%)	84 (70%)	18 (15%)	18 (15%)	0	4
34	DK	120/123 (98%)	80 (67%)	21 (18%)	19 (16%)	0	3
35	BL	141/144 (98%)	101 (72%)	28 (20%)	12 (8%)	1	12
35	DL	141/144 (98%)	83 (59%)	37 (26%)	21 (15%)	0	4
36	BM	134/136 (98%)	94 (70%)	25 (19%)	15 (11%)	0	7
36	DM	134/136 (98%)	92 (69%)	25 (19%)	17 (13%)	0	5
37	BN	118/127 (93%)	87 (74%)	21 (18%)	10 (8%)	1	12
37	DN	118/127 (93%)	71 (60%)	35 (30%)	12 (10%)	0	9
38	BO	114/117 (97%)	79 (69%)	26 (23%)	9 (8%)	1	14
38	DO	114/117 (97%)	76 (67%)	29 (25%)	9 (8%)	1	14
39	BP	112/115 (97%)	71 (63%)	22 (20%)	19 (17%)	0	3
39	DP	112/115 (97%)	67 (60%)	28 (25%)	17 (15%)	0	3
40	BQ	115/118 (98%)	88 (76%)	18 (16%)	9 (8%)	1	15
40	DQ	115/118 (98%)	79 (69%)	26 (23%)	10 (9%)	1	12
41	BR	101/103 (98%)	79 (78%)	14 (14%)	8 (8%)	1	14
41	DR	101/103 (98%)	72 (71%)	19 (19%)	10 (10%)	0	10
42	BS	108/110 (98%)	76 (70%)	27 (25%)	5 (5%)	2	24
42	DS	108/110 (98%)	81 (75%)	18 (17%)	9 (8%)	1	13
43	BT	91/100 (91%)	53 (58%)	23 (25%)	15 (16%)	0	3
43	DT	91/100 (91%)	48 (53%)	28 (31%)	15 (16%)	0	3
44	BU	100/104 (96%)	71 (71%)	13 (13%)	16 (16%)	0	3
44	DU	100/104 (96%)	51 (51%)	28 (28%)	21 (21%)	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
45	BV	92/94 (98%)	75 (82%)	15 (16%)	2 (2%)	6	38
45	DV	92/94 (98%)	59 (64%)	26 (28%)	7 (8%)	1	15
46	BW	77/85 (91%)	29 (38%)	22 (29%)	26 (34%)	0	0
46	DW	77/85 (91%)	32 (42%)	27 (35%)	18 (23%)	0	1
47	BX	75/78 (96%)	59 (79%)	13 (17%)	3 (4%)	3	27
47	DX	75/78 (96%)	48 (64%)	21 (28%)	6 (8%)	1	14
48	BY	61/63 (97%)	36 (59%)	17 (28%)	8 (13%)	0	4
48	DY	61/63 (97%)	44 (72%)	12 (20%)	5 (8%)	1	13
49	BZ	56/59 (95%)	39 (70%)	13 (23%)	4 (7%)	1	17
49	DZ	56/59 (95%)	31 (55%)	18 (32%)	7 (12%)	0	6
50	B0	54/57 (95%)	39 (72%)	9 (17%)	6 (11%)	0	7
50	D0	54/57 (95%)	40 (74%)	8 (15%)	6 (11%)	0	7
51	B1	48/55 (87%)	37 (77%)	7 (15%)	4 (8%)	1	13
51	D1	48/55 (87%)	35 (73%)	9 (19%)	4 (8%)	1	13
52	B2	44/46 (96%)	35 (80%)	8 (18%)	1 (2%)	6	38
52	D2	44/46 (96%)	32 (73%)	7 (16%)	5 (11%)	0	7
53	B3	62/65 (95%)	49 (79%)	11 (18%)	2 (3%)	4	32
53	D3	62/65 (95%)	39 (63%)	17 (27%)	6 (10%)	0	10
54	B4	36/38 (95%)	29 (81%)	4 (11%)	3 (8%)	1	13
54	D4	36/38 (95%)	22 (61%)	9 (25%)	5 (14%)	0	4
All	All	11238/11970 (94%)	7499 (67%)	2485 (22%)	1254 (11%)	0	7

5 of 1254 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	AB	20	ARG
1	AB	22	TRP
1	AB	40	ILE
1	AB	71	THR
1	AB	72	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AB	180/199 (90%)	147 (82%)	33 (18%)	1	11
1	CB	180/199 (90%)	157 (87%)	23 (13%)	4	23
2	AC	170/190 (90%)	148 (87%)	22 (13%)	4	23
2	CC	170/190 (90%)	153 (90%)	17 (10%)	7	32
3	AD	172/173 (99%)	144 (84%)	28 (16%)	2	15
3	CD	172/173 (99%)	146 (85%)	26 (15%)	3	18
4	AE	113/126 (90%)	90 (80%)	23 (20%)	1	8
4	CE	113/126 (90%)	97 (86%)	16 (14%)	3	20
5	AF	87/116 (75%)	77 (88%)	10 (12%)	5	27
5	CF	87/116 (75%)	78 (90%)	9 (10%)	7	31
6	AG	124/147 (84%)	116 (94%)	8 (6%)	17	48
6	CG	123/147 (84%)	97 (79%)	26 (21%)	1	8
7	AH	104/105 (99%)	92 (88%)	12 (12%)	5	27
7	CH	104/105 (99%)	87 (84%)	17 (16%)	2	15
8	AI	105/107 (98%)	88 (84%)	17 (16%)	2	15
8	CI	105/107 (98%)	91 (87%)	14 (13%)	4	22
9	AJ	86/90 (96%)	72 (84%)	14 (16%)	2	15
9	CJ	86/90 (96%)	74 (86%)	12 (14%)	3	21
10	AK	90/99 (91%)	81 (90%)	9 (10%)	7	32
10	CK	90/99 (91%)	73 (81%)	17 (19%)	1	10
11	AL	103/104 (99%)	85 (82%)	18 (18%)	2	13
11	CL	103/104 (99%)	85 (82%)	18 (18%)	2	13
12	AM	92/96 (96%)	87 (95%)	5 (5%)	22	53
12	CM	91/96 (95%)	75 (82%)	16 (18%)	2	13
13	AN	79/84 (94%)	74 (94%)	5 (6%)	18	49
13	CN	79/84 (94%)	67 (85%)	12 (15%)	3	17
14	AO	76/77 (99%)	69 (91%)	7 (9%)	9	35
14	CO	76/77 (99%)	71 (93%)	5 (7%)	16	47
15	AP	65/65 (100%)	59 (91%)	6 (9%)	9	35

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
15	CP	65/65 (100%)	59 (91%)	6 (9%)	9	35
16	AQ	74/78 (95%)	57 (77%)	17 (23%)	1	6
16	CQ	74/78 (95%)	64 (86%)	10 (14%)	4	22
17	AR	48/65 (74%)	47 (98%)	1 (2%)	53	73
17	CR	48/65 (74%)	45 (94%)	3 (6%)	18	49
18	AS	70/79 (89%)	62 (89%)	8 (11%)	5	27
18	CS	70/79 (89%)	59 (84%)	11 (16%)	2	17
19	AT	65/66 (98%)	56 (86%)	9 (14%)	3	21
19	CT	65/66 (98%)	58 (89%)	7 (11%)	6	29
20	AU	44/61 (72%)	36 (82%)	8 (18%)	1	11
20	CU	44/61 (72%)	33 (75%)	11 (25%)	0	4
26	BC	216/218 (99%)	177 (82%)	39 (18%)	1	12
26	DC	216/218 (99%)	191 (88%)	25 (12%)	5	27
27	BD	164/164 (100%)	133 (81%)	31 (19%)	1	10
27	DD	164/164 (100%)	144 (88%)	20 (12%)	5	24
28	BE	165/165 (100%)	128 (78%)	37 (22%)	1	6
28	DE	165/165 (100%)	150 (91%)	15 (9%)	9	36
29	BF	148/150 (99%)	129 (87%)	19 (13%)	4	23
29	DF	149/150 (99%)	121 (81%)	28 (19%)	1	10
30	BG	137/138 (99%)	108 (79%)	29 (21%)	1	7
30	DG	137/138 (99%)	120 (88%)	17 (12%)	4	24
31	BH	114/114 (100%)	98 (86%)	16 (14%)	3	21
31	DH	114/114 (100%)	97 (85%)	17 (15%)	3	18
32	BI	109/110 (99%)	92 (84%)	17 (16%)	2	17
32	DI	109/110 (99%)	102 (94%)	7 (6%)	17	48
33	BJ	116/116 (100%)	91 (78%)	25 (22%)	1	7
33	DJ	116/116 (100%)	105 (90%)	11 (10%)	8	34
34	BK	103/104 (99%)	82 (80%)	21 (20%)	1	8
34	DK	103/104 (99%)	85 (82%)	18 (18%)	2	13
35	BL	102/103 (99%)	77 (76%)	25 (24%)	0	5
35	DL	102/103 (99%)	87 (85%)	15 (15%)	3	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	BM	109/109 (100%)	89 (82%)	20 (18%)	1	11
36	DM	109/109 (100%)	96 (88%)	13 (12%)	5	26
37	BN	100/103 (97%)	78 (78%)	22 (22%)	1	7
37	DN	100/103 (97%)	87 (87%)	13 (13%)	4	23
38	BO	86/87 (99%)	69 (80%)	17 (20%)	1	9
38	DO	86/87 (99%)	76 (88%)	10 (12%)	5	27
39	BP	99/100 (99%)	77 (78%)	22 (22%)	1	7
39	DP	99/100 (99%)	91 (92%)	8 (8%)	11	41
40	BQ	89/90 (99%)	73 (82%)	16 (18%)	1	12
40	DQ	89/90 (99%)	78 (88%)	11 (12%)	4	24
41	BR	84/84 (100%)	68 (81%)	16 (19%)	1	10
41	DR	84/84 (100%)	72 (86%)	12 (14%)	3	20
42	BS	93/93 (100%)	76 (82%)	17 (18%)	1	11
42	DS	93/93 (100%)	80 (86%)	13 (14%)	3	21
43	BT	80/84 (95%)	63 (79%)	17 (21%)	1	7
43	DT	80/84 (95%)	75 (94%)	5 (6%)	18	49
44	BU	83/85 (98%)	73 (88%)	10 (12%)	5	25
44	DU	83/85 (98%)	72 (87%)	11 (13%)	4	22
45	BV	78/78 (100%)	64 (82%)	14 (18%)	2	12
45	DV	78/78 (100%)	65 (83%)	13 (17%)	2	15
46	BW	59/63 (94%)	39 (66%)	20 (34%)	0	1
46	DW	59/63 (94%)	43 (73%)	16 (27%)	0	3
47	BX	67/68 (98%)	56 (84%)	11 (16%)	2	15
47	DX	67/68 (98%)	58 (87%)	9 (13%)	4	22
48	BY	55/55 (100%)	41 (74%)	14 (26%)	0	4
48	DY	55/55 (100%)	51 (93%)	4 (7%)	14	44
49	BZ	48/49 (98%)	34 (71%)	14 (29%)	0	2
49	DZ	48/49 (98%)	39 (81%)	9 (19%)	1	10
50	B0	47/48 (98%)	43 (92%)	4 (8%)	10	40
50	D0	47/48 (98%)	41 (87%)	6 (13%)	4	23
51	B1	45/49 (92%)	35 (78%)	10 (22%)	1	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
51	D1	45/49 (92%)	41 (91%)	4 (9%)	9	37
52	B2	38/38 (100%)	32 (84%)	6 (16%)	2	17
52	D2	38/38 (100%)	34 (90%)	4 (10%)	7	30
53	B3	51/52 (98%)	45 (88%)	6 (12%)	5	26
53	D3	51/52 (98%)	42 (82%)	9 (18%)	2	13
54	B4	34/34 (100%)	29 (85%)	5 (15%)	3	19
54	D4	34/34 (100%)	29 (85%)	5 (15%)	3	19
All	All	9331/9756 (96%)	7927 (85%)	1404 (15%)	3	18

5 of 1404 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
42	BS	29	VAL
1	CB	19	THR
42	DS	22	ASP
43	BT	17	SER
47	BX	24	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 327 such sidechains are listed below:

Mol	Chain	Res	Type
45	BV	51	GLN
3	CD	125	ASN
44	DU	53	GLN
46	BW	49	ASN
1	CB	14	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
21	AA	1532/1533 (99%)	474 (30%)	255 (16%)
22	AV	16/17 (94%)	0	0
22	CV	16/17 (94%)	1 (6%)	0
23	AW	5/6 (83%)	3 (60%)	1 (20%)
23	CW	5/6 (83%)	2 (40%)	1 (20%)
24	BA	2850/2903 (98%)	958 (33%)	492 (17%)
24	DA	2838/2903 (97%)	1000 (35%)	519 (18%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
25	BB	117/118 (99%)	33 (28%)	19 (16%)
55	CA	1530/1530 (100%)	519 (33%)	252 (16%)
56	DB	116/117 (99%)	42 (36%)	18 (15%)
All	All	9025/9150 (98%)	3032 (33%)	1557 (17%)

5 of 3032 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
21	AA	5	U
21	AA	6	G
21	AA	7	A
21	AA	9	G
21	AA	13	U

5 of 1557 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
24	BA	2609	U
55	CA	500	G
24	DA	2287	A
24	BA	2732	G
55	CA	89	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 365 ligands modelled in this entry, 365 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AB	218/241 (90%)	2.67	105 (48%) 0 0	206, 268, 283, 298	0
1	CB	218/241 (90%)	0.97	48 (22%) 0 1	146, 174, 199, 216	0
2	AC	206/233 (88%)	0.32	4 (1%) 66 59	106, 135, 169, 198	0
2	CC	206/233 (88%)	0.21	3 (1%) 73 66	111, 140, 177, 195	0
3	AD	205/206 (99%)	0.20	10 (4%) 29 25	102, 139, 185, 204	0
3	CD	205/206 (99%)	-0.26	1 (0%) 91 86	86, 109, 140, 157	0
4	AE	150/167 (89%)	2.98	80 (53%) 0 0	102, 214, 237, 255	0
4	CE	150/167 (89%)	0.44	8 (5%) 26 22	86, 134, 166, 209	0
5	AF	100/135 (74%)	0.64	15 (15%) 2 2	140, 166, 186, 192	0
5	CF	100/135 (74%)	0.72	13 (13%) 3 4	140, 170, 200, 208	0
6	AG	151/179 (84%)	0.48	9 (5%) 21 17	128, 157, 186, 202	0
6	CG	150/179 (83%)	0.49	21 (14%) 2 3	115, 165, 204, 219	0
7	AH	129/130 (99%)	0.47	9 (6%) 16 12	102, 134, 158, 182	0
7	CH	129/130 (99%)	0.23	3 (2%) 60 52	106, 135, 159, 174	0
8	AI	127/130 (97%)	0.47	10 (7%) 12 10	108, 158, 190, 210	0
8	CI	127/130 (97%)	0.74	18 (14%) 2 3	114, 174, 206, 221	0
9	AJ	98/103 (95%)	0.16	1 (1%) 82 76	105, 150, 194, 211	0
9	CJ	98/103 (95%)	0.82	16 (16%) 1 2	113, 165, 210, 220	0
10	AK	117/129 (90%)	0.85	16 (13%) 3 3	100, 149, 183, 200	0
10	CK	117/129 (90%)	0.60	11 (9%) 8 7	89, 133, 167, 192	0
11	AL	123/124 (99%)	0.16	4 (3%) 46 37	75, 95, 132, 157	0
11	CL	123/124 (99%)	0.09	2 (1%) 72 64	83, 101, 132, 151	0
12	AM	114/118 (96%)	0.54	13 (11%) 5 5	122, 182, 213, 232	0
12	CM	113/118 (95%)	0.62	9 (7%) 12 10	133, 193, 225, 235	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	AN	96/101 (95%)	0.25	4 (4%) 36 30	111, 142, 184, 210	0
13	CN	95/101 (94%)	0.56	10 (10%) 6 5	117, 149, 199, 207	0
14	AO	88/89 (98%)	0.15	1 (1%) 80 74	105, 133, 163, 199	0
14	CO	88/89 (98%)	0.13	2 (2%) 60 52	113, 141, 174, 197	0
15	AP	82/82 (100%)	0.93	18 (21%) 0 1	95, 127, 165, 208	0
15	CP	80/82 (97%)	0.88	10 (12%) 3 4	98, 122, 156, 189	0
16	AQ	80/84 (95%)	0.74	6 (7%) 14 11	69, 100, 142, 159	0
16	CQ	80/84 (95%)	0.92	8 (10%) 7 6	72, 111, 142, 159	0
17	AR	55/75 (73%)	0.61	7 (12%) 3 4	129, 148, 180, 190	0
17	CR	55/75 (73%)	0.87	8 (14%) 2 2	131, 150, 170, 182	0
18	AS	79/92 (85%)	0.82	13 (16%) 1 1	140, 176, 210, 235	0
18	CS	79/92 (85%)	1.23	16 (20%) 1 1	151, 182, 215, 230	0
19	AT	85/87 (97%)	0.15	0 100 100	89, 121, 149, 180	0
19	CT	85/87 (97%)	0.66	8 (9%) 8 7	115, 153, 185, 206	0
20	AU	51/71 (71%)	0.61	6 (11%) 4 4	98, 145, 201, 208	0
20	CU	51/71 (71%)	0.65	7 (13%) 3 3	104, 139, 173, 193	0
21	AA	1533/1533 (100%)	-0.49	15 (0%) 82 76	65, 123, 208, 301	0
22	AV	17/17 (100%)	-0.16	1 (5%) 22 17	102, 112, 149, 197	0
22	CV	17/17 (100%)	-0.22	1 (5%) 22 17	99, 104, 145, 179	0
23	AW	6/6 (100%)	0.56	1 (16%) 1 2	100, 109, 120, 155	0
23	CW	6/6 (100%)	0.21	0 100 100	98, 105, 123, 130	0
24	BA	2854/2903 (98%)	-0.43	40 (1%) 75 67	36, 66, 188, 342	0
24	DA	2841/2903 (97%)	-0.08	57 (2%) 65 57	79, 132, 236, 340	0
25	BB	118/118 (100%)	-0.65	0 100 100	52, 81, 113, 162	0
26	BC	271/273 (99%)	-0.12	4 (1%) 73 66	44, 80, 122, 159	0
26	DC	271/273 (99%)	0.44	15 (5%) 25 21	89, 133, 164, 189	0
27	BD	209/209 (100%)	-0.14	0 100 100	37, 59, 105, 146	0
27	DD	209/209 (100%)	0.50	19 (9%) 9 7	83, 131, 164, 186	0
28	BE	201/201 (100%)	-0.04	4 (1%) 65 57	38, 84, 131, 164	0
28	DE	201/201 (100%)	0.51	16 (7%) 12 10	95, 171, 212, 250	0
29	BF	177/179 (98%)	0.99	27 (15%) 2 2	90, 148, 201, 218	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
29	DF	178/179 (99%)	2.88	103 (57%) 0 0	250, 278, 301, 305	0
30	BG	176/177 (99%)	0.02	2 (1%) 80 74	66, 91, 135, 160	0
30	DG	176/177 (99%)	0.99	28 (15%) 1 2	120, 148, 177, 204	0
31	BH	149/149 (100%)	3.03	69 (46%) 0 0	89, 262, 290, 299	0
31	DH	149/149 (100%)	2.48	66 (44%) 0 0	156, 244, 279, 286	0
32	BI	141/142 (99%)	2.25	64 (45%) 0 0	237, 306, 364, 376	0
32	DI	141/142 (99%)	2.79	79 (56%) 0 0	277, 331, 367, 378	0
33	BJ	142/142 (100%)	-0.30	0 100 100	41, 57, 102, 157	0
33	DJ	142/142 (100%)	0.20	3 (2%) 63 55	92, 115, 142, 181	0
34	BK	122/123 (99%)	-0.22	0 100 100	41, 56, 110, 177	0
34	DK	122/123 (99%)	0.51	3 (2%) 57 48	93, 115, 144, 173	0
35	BL	143/144 (99%)	-0.22	1 (0%) 87 83	38, 77, 119, 160	0
35	DL	143/144 (99%)	0.70	19 (13%) 3 3	93, 155, 197, 209	0
36	BM	136/136 (100%)	-0.13	1 (0%) 87 83	41, 67, 114, 152	0
36	DM	136/136 (100%)	0.89	22 (16%) 1 2	80, 107, 142, 164	0
37	BN	120/127 (94%)	-0.12	0 100 100	46, 63, 84, 138	0
37	DN	120/127 (94%)	1.09	24 (20%) 1 1	122, 154, 180, 217	0
38	BO	116/117 (99%)	-0.28	0 100 100	73, 84, 124, 149	0
38	DO	116/117 (99%)	2.06	54 (46%) 0 0	165, 197, 217, 225	0
39	BP	114/115 (99%)	-0.20	1 (0%) 84 78	49, 67, 123, 152	0
39	DP	114/115 (99%)	0.46	6 (5%) 26 22	117, 137, 163, 182	0
40	BQ	117/118 (99%)	-0.49	0 100 100	40, 58, 100, 127	0
40	DQ	117/118 (99%)	0.47	7 (5%) 21 17	97, 119, 143, 172	0
41	BR	103/103 (100%)	-0.11	1 (0%) 82 76	39, 70, 116, 158	0
41	DR	103/103 (100%)	0.86	17 (16%) 1 1	96, 133, 157, 164	0
42	BS	110/110 (100%)	-0.37	0 100 100	41, 58, 95, 161	0
42	DS	110/110 (100%)	0.68	11 (10%) 7 6	98, 141, 173, 188	0
43	BT	93/100 (93%)	0.38	4 (4%) 35 29	56, 95, 135, 165	0
43	DT	93/100 (93%)	2.17	49 (52%) 0 0	144, 196, 226, 237	0
44	BU	102/104 (98%)	0.27	3 (2%) 51 41	77, 105, 139, 194	0
44	DU	102/104 (98%)	2.36	57 (55%) 0 0	174, 208, 248, 279	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
45	BV	94/94 (100%)	0.02	0	100	100	60, 81, 115, 143	0
45	DV	94/94 (100%)	1.79	37 (39%)	0	0	125, 188, 226, 239	0
46	BW	79/85 (92%)	0.09	2 (2%)	57	48	50, 75, 131, 168	0
46	DW	79/85 (92%)	1.22	20 (25%)	0	0	88, 134, 164, 184	0
47	BX	77/78 (98%)	-0.26	2 (2%)	56	46	50, 84, 126, 147	0
47	DX	77/78 (98%)	0.92	16 (20%)	1	1	110, 157, 187, 203	0
48	BY	63/63 (100%)	0.22	7 (11%)	5	5	87, 109, 154, 163	0
48	DY	63/63 (100%)	0.91	11 (17%)	1	1	196, 218, 251, 257	0
49	BZ	58/59 (98%)	-0.07	2 (3%)	45	37	49, 63, 106, 145	0
49	DZ	58/59 (98%)	0.50	4 (6%)	16	12	97, 116, 142, 155	0
50	B0	56/57 (98%)	-0.48	0	100	100	40, 63, 119, 143	0
50	D0	56/57 (98%)	0.53	5 (8%)	9	8	93, 152, 190, 202	0
51	B1	50/55 (90%)	0.38	1 (2%)	65	57	63, 91, 117, 156	0
51	D1	50/55 (90%)	1.18	11 (22%)	0	1	113, 142, 173, 179	0
52	B2	46/46 (100%)	-0.30	1 (2%)	62	53	50, 61, 80, 165	0
52	D2	46/46 (100%)	0.20	1 (2%)	62	53	118, 137, 161, 174	0
53	B3	64/65 (98%)	-0.28	0	100	100	45, 63, 98, 133	0
53	D3	64/65 (98%)	0.45	2 (3%)	49	39	105, 123, 146, 174	0
54	B4	38/38 (100%)	-0.16	0	100	100	54, 68, 100, 118	0
54	D4	38/38 (100%)	0.82	1 (2%)	56	46	95, 117, 138, 142	0
55	CA	1530/1530 (100%)	-0.27	28 (1%)	68	61	77, 126, 214, 305	0
56	DB	117/117 (100%)	-0.41	0	100	100	87, 166, 194, 210	0
All	All	20477/21120 (96%)	0.23	1598 (7%)	13	10	36, 125, 246, 378	0

The worst 5 of 1598 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
31	BH	92	GLY	21.8
31	DH	92	GLY	21.4
31	DH	93	SER	20.7
29	DF	129	MET	20.6
31	BH	119	ASN	18.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	DA	3076	1/1	-0.06	1.26	109,109,109,109	0
57	MG	AA	1619	1/1	0.19	0.85	136,136,136,136	0
57	MG	AA	1607	1/1	0.19	0.36	88,88,88,88	0
57	MG	DA	3060	1/1	0.23	0.54	96,96,96,96	0
57	MG	DA	3110	1/1	0.34	1.51	82,82,82,82	0
57	MG	DA	3007	1/1	0.47	0.36	192,192,192,192	0
57	MG	DA	3112	1/1	0.49	0.71	115,115,115,115	0
57	MG	DA	3065	1/1	0.52	1.83	84,84,84,84	0
57	MG	DC	301	1/1	0.53	0.38	103,103,103,103	0
57	MG	DA	3093	1/1	0.53	0.52	93,93,93,93	0
57	MG	DA	3047	1/1	0.55	0.20	148,148,148,148	0
57	MG	BA	3070	1/1	0.57	0.19	140,140,140,140	0
57	MG	DA	3090	1/1	0.58	0.34	92,92,92,92	0
57	MG	DA	3085	1/1	0.60	0.15	190,190,190,190	0
57	MG	DA	3004	1/1	0.61	1.92	150,150,150,150	0
57	MG	DA	3133	1/1	0.63	0.67	115,115,115,115	0
57	MG	DA	3109	1/1	0.65	0.44	92,92,92,92	0
57	MG	DA	3016	1/1	0.66	1.17	96,96,96,96	0
57	MG	CA	1617	1/1	0.67	0.45	130,130,130,130	0
57	MG	DA	3107	1/1	0.68	0.23	130,130,130,130	0
57	MG	CA	1606	1/1	0.68	0.14	85,85,85,85	0
57	MG	DA	3088	1/1	0.68	0.21	101,101,101,101	0
57	MG	DA	3084	1/1	0.68	0.15	157,157,157,157	0
57	MG	CA	1612	1/1	0.69	0.33	86,86,86,86	0
57	MG	DA	3062	1/1	0.69	1.05	85,85,85,85	0
57	MG	AA	1621	1/1	0.69	0.19	67,67,67,67	0
57	MG	AA	1618	1/1	0.69	0.17	104,104,104,104	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	DA	3131	1/1	0.69	0.89	103,103,103,103	0
57	MG	CA	1632	1/1	0.69	0.15	125,125,125,125	0
57	MG	DA	3086	1/1	0.70	0.20	148,148,148,148	0
57	MG	DA	3041	1/1	0.70	0.26	113,113,113,113	0
57	MG	AA	1636	1/1	0.70	0.38	120,120,120,120	0
57	MG	DA	3099	1/1	0.71	0.80	98,98,98,98	0
57	MG	CA	1624	1/1	0.71	0.92	79,79,79,79	0
57	MG	DA	3128	1/1	0.72	0.56	100,100,100,100	0
57	MG	DA	3009	1/1	0.73	0.20	121,121,121,121	0
57	MG	DA	3071	1/1	0.74	0.60	94,94,94,94	0
57	MG	AA	1624	1/1	0.75	0.21	94,94,94,94	0
57	MG	AA	1630	1/1	0.76	0.13	79,79,79,79	0
57	MG	BA	3131	1/1	0.76	0.75	48,48,48,48	0
57	MG	DA	3126	1/1	0.77	0.48	99,99,99,99	0
57	MG	CA	1622	1/1	0.77	0.11	138,138,138,138	0
57	MG	CA	1603	1/1	0.77	0.39	92,92,92,92	0
57	MG	CA	1616	1/1	0.78	0.13	136,136,136,136	0
57	MG	BA	3115	1/1	0.78	0.31	49,49,49,49	0
57	MG	CA	1634	1/1	0.78	0.11	97,97,97,97	0
57	MG	DA	3059	1/1	0.78	0.46	88,88,88,88	0
57	MG	DB	201	1/1	0.79	0.31	108,108,108,108	0
57	MG	DA	3089	1/1	0.79	0.30	110,110,110,110	0
57	MG	CA	1638	1/1	0.79	0.12	141,141,141,141	0
57	MG	DA	3064	1/1	0.79	0.50	87,87,87,87	0
57	MG	CA	1627	1/1	0.80	0.24	106,106,106,106	0
57	MG	AA	1625	1/1	0.80	0.15	90,90,90,90	0
57	MG	DA	3075	1/1	0.80	0.11	255,255,255,255	0
57	MG	BA	3079	1/1	0.80	0.09	89,89,89,89	0
57	MG	DA	3068	1/1	0.80	0.16	86,86,86,86	0
57	MG	AA	1604	1/1	0.80	0.12	126,126,126,126	0
57	MG	DA	3045	1/1	0.80	0.20	141,141,141,141	0
57	MG	CA	1601	1/1	0.80	0.07	142,142,142,142	0
57	MG	AA	1628	1/1	0.81	0.33	107,107,107,107	0
57	MG	AA	1637	1/1	0.81	0.21	87,87,87,87	0
57	MG	CA	1602	1/1	0.81	0.39	106,106,106,106	0
57	MG	BB	201	1/1	0.81	0.57	105,105,105,105	0
57	MG	DA	3081	1/1	0.81	0.14	87,87,87,87	0
57	MG	DA	3005	1/1	0.81	0.12	157,157,157,157	0
57	MG	DA	3134	1/1	0.82	1.44	126,126,126,126	0
57	MG	BA	3015	1/1	0.82	0.64	38,38,38,38	0
57	MG	DA	3021	1/1	0.82	0.68	132,132,132,132	0
57	MG	DA	3015	1/1	0.82	0.23	88,88,88,88	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	BA	3124	1/1	0.82	0.55	41,41,41,41	0
57	MG	DA	3070	1/1	0.82	0.14	94,94,94,94	0
57	MG	BA	3095	1/1	0.82	0.30	75,75,75,75	0
57	MG	DA	3017	1/1	0.82	0.53	102,102,102,102	0
57	MG	CA	1615	1/1	0.83	0.37	118,118,118,118	0
57	MG	BA	3058	1/1	0.83	0.49	44,44,44,44	0
57	MG	AA	1641	1/1	0.83	0.33	89,89,89,89	0
57	MG	DA	3057	1/1	0.83	0.13	92,92,92,92	0
57	MG	BA	3119	1/1	0.83	0.35	52,52,52,52	0
57	MG	BA	3007	1/1	0.83	0.22	90,90,90,90	0
57	MG	BA	3071	1/1	0.83	0.36	38,38,38,38	0
57	MG	CA	1607	1/1	0.83	0.23	89,89,89,89	0
57	MG	BA	3111	1/1	0.83	0.15	38,38,38,38	0
57	MG	DA	3019	1/1	0.84	0.13	150,150,150,150	0
57	MG	CA	1614	1/1	0.84	0.23	114,114,114,114	0
57	MG	CA	1639	1/1	0.84	0.24	165,165,165,165	0
57	MG	DA	3027	1/1	0.84	0.18	87,87,87,87	0
57	MG	BA	3026	1/1	0.84	0.35	41,41,41,41	0
57	MG	DA	3100	1/1	0.84	0.55	149,149,149,149	0
57	MG	DA	3066	1/1	0.84	0.34	92,92,92,92	0
57	MG	DA	3006	1/1	0.84	0.21	149,149,149,149	0
57	MG	BA	3112	1/1	0.84	0.22	46,46,46,46	0
57	MG	BA	3028	1/1	0.85	0.21	39,39,39,39	0
57	MG	DA	3120	1/1	0.85	0.67	96,96,96,96	0
57	MG	DA	3116	1/1	0.85	0.17	98,98,98,98	0
57	MG	BA	3040	1/1	0.85	0.15	41,41,41,41	0
57	MG	CA	1625	1/1	0.85	0.33	86,86,86,86	0
57	MG	AA	1617	1/1	0.85	0.10	123,123,123,123	0
57	MG	BA	3052	1/1	0.85	0.13	38,38,38,38	0
57	MG	BA	3037	1/1	0.85	0.36	42,42,42,42	0
57	MG	CA	1609	1/1	0.85	0.17	96,96,96,96	0
57	MG	BA	3075	1/1	0.86	0.47	40,40,40,40	0
57	MG	BA	3102	1/1	0.86	0.31	40,40,40,40	0
57	MG	DA	3048	1/1	0.86	0.19	131,131,131,131	0
57	MG	BA	3025	1/1	0.86	0.10	41,41,41,41	0
57	MG	CA	1619	1/1	0.86	0.83	119,119,119,119	0
57	MG	DA	3031	1/1	0.86	0.39	98,98,98,98	0
57	MG	CA	1610	1/1	0.86	0.10	129,129,129,129	0
57	MG	BA	3135	1/1	0.86	0.48	43,43,43,43	0
57	MG	DA	3097	1/1	0.86	0.20	119,119,119,119	0
57	MG	BA	3035	1/1	0.86	0.20	55,55,55,55	0
57	MG	BA	3046	1/1	0.86	0.17	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	BA	3133	1/1	0.86	0.56	53,53,53,53	0
57	MG	DA	3054	1/1	0.86	0.39	88,88,88,88	0
57	MG	CA	1642	1/1	0.86	0.12	102,102,102,102	0
57	MG	DA	3032	1/1	0.86	0.27	87,87,87,87	0
57	MG	DJ	201	1/1	0.87	0.43	101,101,101,101	0
57	MG	DA	3129	1/1	0.87	0.28	83,83,83,83	0
57	MG	DA	3035	1/1	0.87	0.20	88,88,88,88	0
57	MG	DA	3043	1/1	0.87	0.20	107,107,107,107	0
57	MG	DA	3078	1/1	0.87	0.31	79,79,79,79	0
57	MG	CA	1613	1/1	0.87	0.24	79,79,79,79	0
57	MG	AA	1642	1/1	0.87	0.20	74,74,74,74	0
57	MG	BA	3005	1/1	0.87	0.21	73,73,73,73	0
57	MG	CA	1629	1/1	0.87	0.51	111,111,111,111	0
57	MG	BA	3062	1/1	0.87	0.52	38,38,38,38	0
57	MG	BA	3044	1/1	0.88	0.10	71,71,71,71	0
57	MG	AA	1620	1/1	0.88	0.20	144,144,144,144	0
57	MG	DA	3052	1/1	0.88	0.15	118,118,118,118	0
57	MG	BA	3094	1/1	0.88	0.12	75,75,75,75	0
57	MG	DA	3012	1/1	0.88	0.31	96,96,96,96	0
57	MG	BA	3080	1/1	0.88	0.13	74,74,74,74	0
57	MG	DA	3111	1/1	0.88	0.21	164,164,164,164	0
57	MG	DA	3023	1/1	0.88	0.65	101,101,101,101	0
57	MG	DA	3029	1/1	0.88	0.29	108,108,108,108	0
57	MG	DA	3011	1/1	0.88	0.54	110,110,110,110	0
57	MG	DA	3040	1/1	0.88	0.49	102,102,102,102	0
57	MG	CA	1620	1/1	0.88	0.26	93,93,93,93	0
57	MG	DA	3115	1/1	0.89	0.21	84,84,84,84	0
57	MG	BA	3084	1/1	0.89	0.55	49,49,49,49	0
57	MG	AA	1632	1/1	0.89	0.16	95,95,95,95	0
57	MG	BA	3092	1/1	0.89	0.19	108,108,108,108	0
57	MG	DA	3049	1/1	0.89	0.16	150,150,150,150	0
57	MG	BA	3060	1/1	0.89	0.31	39,39,39,39	0
57	MG	DA	3119	1/1	0.89	0.16	138,138,138,138	0
57	MG	DA	3124	1/1	0.89	0.19	133,133,133,133	0
57	MG	BA	3123	1/1	0.89	0.17	63,63,63,63	0
57	MG	AA	1640	1/1	0.89	0.12	132,132,132,132	0
57	MG	BA	3107	1/1	0.89	0.18	49,49,49,49	0
57	MG	AA	1635	1/1	0.89	0.10	114,114,114,114	0
57	MG	BA	3045	1/1	0.90	0.25	62,62,62,62	0
57	MG	BA	3090	1/1	0.90	0.13	47,47,47,47	0
57	MG	DA	3008	1/1	0.90	0.22	177,177,177,177	0
57	MG	CA	1630	1/1	0.90	0.28	79,79,79,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	CA	1628	1/1	0.90	0.35	79,79,79,79	0
57	MG	DA	3053	1/1	0.90	0.24	101,101,101,101	0
57	MG	AA	1606	1/1	0.90	0.12	96,96,96,96	0
57	MG	DA	3094	1/1	0.90	0.18	126,126,126,126	0
57	MG	DA	3108	1/1	0.90	0.26	82,82,82,82	0
57	MG	DA	3096	1/1	0.90	0.62	120,120,120,120	0
57	MG	DA	3020	1/1	0.90	0.16	153,153,153,153	0
57	MG	BA	3099	1/1	0.90	0.21	41,41,41,41	0
57	MG	AA	1629	1/1	0.90	0.23	129,129,129,129	0
57	MG	CA	1636	1/1	0.90	0.75	88,88,88,88	0
57	MG	DA	3050	1/1	0.90	0.20	148,148,148,148	0
57	MG	DA	3014	1/1	0.90	0.35	90,90,90,90	0
57	MG	AA	1638	1/1	0.91	0.14	81,81,81,81	0
57	MG	CA	1608	1/1	0.91	0.22	86,86,86,86	0
57	MG	DA	3083	1/1	0.91	0.22	121,121,121,121	0
57	MG	CA	1604	1/1	0.91	0.13	106,106,106,106	0
57	MG	CA	1635	1/1	0.91	0.09	114,114,114,114	0
57	MG	DA	3002	1/1	0.91	0.30	125,125,125,125	0
57	MG	BA	3077	1/1	0.91	0.31	45,45,45,45	0
57	MG	AA	1627	1/1	0.91	0.57	109,109,109,109	0
57	MG	DA	3010	1/1	0.91	0.13	108,108,108,108	0
57	MG	DA	3117	1/1	0.91	0.15	90,90,90,90	0
57	MG	BA	3001	1/1	0.91	0.15	45,45,45,45	0
57	MG	DA	3082	1/1	0.91	0.29	83,83,83,83	0
57	MG	AA	1614	1/1	0.92	0.24	113,113,113,113	0
57	MG	BA	3056	1/1	0.92	0.34	45,45,45,45	0
57	MG	BA	3086	1/1	0.92	0.14	43,43,43,43	0
57	MG	DA	3106	1/1	0.92	0.14	92,92,92,92	0
57	MG	BA	3121	1/1	0.92	0.10	45,45,45,45	0
57	MG	DA	3018	1/1	0.92	0.14	106,106,106,106	0
57	MG	BA	3134	1/1	0.92	0.14	38,38,38,38	0
57	MG	DA	3074	1/1	0.92	0.11	98,98,98,98	0
57	MG	DA	3077	1/1	0.92	0.67	86,86,86,86	0
57	MG	DA	3058	1/1	0.92	0.14	96,96,96,96	0
57	MG	BA	3019	1/1	0.92	0.12	70,70,70,70	0
57	MG	AA	1631	1/1	0.92	0.27	98,98,98,98	0
57	MG	BA	3032	1/1	0.92	0.13	40,40,40,40	0
57	MG	CA	1618	1/1	0.92	0.21	108,108,108,108	0
57	MG	BA	3063	1/1	0.92	0.11	37,37,37,37	0
57	MG	DA	3072	1/1	0.92	0.13	84,84,84,84	0
57	MG	AA	1623	1/1	0.92	0.21	108,108,108,108	0
57	MG	DA	3003	1/1	0.92	0.23	94,94,94,94	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	DA	3022	1/1	0.92	0.21	105,105,105,105	0
57	MG	DA	3095	1/1	0.92	0.13	159,159,159,159	0
57	MG	CA	1626	1/1	0.92	0.14	110,110,110,110	0
57	MG	DA	3046	1/1	0.92	0.17	142,142,142,142	0
57	MG	DA	3037	1/1	0.92	0.17	83,83,83,83	0
57	MG	DA	3051	1/1	0.92	0.21	177,177,177,177	0
57	MG	AA	1601	1/1	0.92	0.08	111,111,111,111	0
57	MG	BA	3114	1/1	0.92	0.13	73,73,73,73	0
57	MG	DA	3013	1/1	0.93	0.14	93,93,93,93	0
57	MG	BB	204	1/1	0.93	0.17	57,57,57,57	0
57	MG	DA	3101	1/1	0.93	0.26	82,82,82,82	0
57	MG	DA	3103	1/1	0.93	0.20	91,91,91,91	0
57	MG	BA	3002	1/1	0.93	0.32	47,47,47,47	0
57	MG	BA	3030	1/1	0.93	0.45	41,41,41,41	0
57	MG	DA	3121	1/1	0.93	0.22	97,97,97,97	0
57	MG	DA	3127	1/1	0.93	0.22	104,104,104,104	0
57	MG	BA	3093	1/1	0.93	0.27	84,84,84,84	0
57	MG	DA	3113	1/1	0.93	0.14	86,86,86,86	0
57	MG	DA	3073	1/1	0.93	0.28	98,98,98,98	0
57	MG	DA	3104	1/1	0.93	0.22	107,107,107,107	0
57	MG	DA	3132	1/1	0.93	0.09	94,94,94,94	0
57	MG	BA	3042	1/1	0.93	0.14	56,56,56,56	0
57	MG	BA	3047	1/1	0.93	0.15	63,63,63,63	0
57	MG	BA	3024	1/1	0.93	0.13	42,42,42,42	0
57	MG	DA	3038	1/1	0.93	0.17	108,108,108,108	0
57	MG	CA	1623	1/1	0.93	0.21	89,89,89,89	0
57	MG	BA	3091	1/1	0.93	0.11	69,69,69,69	0
57	MG	BA	3072	1/1	0.94	0.22	38,38,38,38	0
57	MG	DA	3026	1/1	0.94	0.14	88,88,88,88	0
57	MG	DA	3080	1/1	0.94	0.53	84,84,84,84	0
57	MG	DA	3098	1/1	0.94	0.15	87,87,87,87	0
57	MG	BA	3041	1/1	0.94	0.26	43,43,43,43	0
57	MG	AA	1611	1/1	0.94	0.14	91,91,91,91	0
57	MG	DA	3102	1/1	0.94	0.11	84,84,84,84	0
57	MG	DA	3061	1/1	0.94	0.43	84,84,84,84	0
57	MG	CA	1631	1/1	0.94	0.14	91,91,91,91	0
57	MG	BA	3120	1/1	0.94	0.12	41,41,41,41	0
57	MG	CA	1640	1/1	0.94	0.41	87,87,87,87	0
57	MG	DA	3034	1/1	0.94	0.21	89,89,89,89	0
57	MG	BA	3076	1/1	0.94	0.15	47,47,47,47	0
57	MG	BA	3039	1/1	0.94	0.11	40,40,40,40	0
57	MG	BA	3048	1/1	0.94	0.16	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	DA	3091	1/1	0.94	0.13	93,93,93,93	0
57	MG	BB	202	1/1	0.94	0.17	114,114,114,114	0
57	MG	BA	3132	1/1	0.94	0.45	42,42,42,42	0
57	MG	BA	3011	1/1	0.94	0.38	44,44,44,44	0
57	MG	DA	3028	1/1	0.94	0.95	103,103,103,103	0
57	MG	BA	3065	1/1	0.94	0.25	38,38,38,38	0
57	MG	BA	3014	1/1	0.94	0.30	38,38,38,38	0
57	MG	DA	3042	1/1	0.94	0.14	101,101,101,101	0
57	MG	DA	3033	1/1	0.94	0.17	94,94,94,94	0
57	MG	BA	3022	1/1	0.94	0.11	38,38,38,38	0
57	MG	BA	3049	1/1	0.94	0.12	45,45,45,45	0
57	MG	BA	3069	1/1	0.95	0.11	52,52,52,52	0
57	MG	AA	1615	1/1	0.95	0.08	117,117,117,117	0
57	MG	AA	1605	1/1	0.95	0.09	103,103,103,103	0
57	MG	BA	3010	1/1	0.95	0.09	46,46,46,46	0
57	MG	AA	1609	1/1	0.95	0.12	91,91,91,91	0
57	MG	BA	3088	1/1	0.95	0.07	58,58,58,58	0
57	MG	AA	1626	1/1	0.95	0.23	107,107,107,107	0
57	MG	BA	3036	1/1	0.95	0.07	47,47,47,47	0
57	MG	BA	3009	1/1	0.95	0.13	46,46,46,46	0
57	MG	BA	3006	1/1	0.95	0.11	88,88,88,88	0
57	MG	DA	3001	1/1	0.95	0.22	115,115,115,115	0
57	MG	BA	3081	1/1	0.95	0.17	40,40,40,40	0
57	MG	BA	3089	1/1	0.95	0.11	50,50,50,50	0
57	MG	BA	3117	1/1	0.95	0.14	56,56,56,56	0
57	MG	DA	3079	1/1	0.95	0.22	90,90,90,90	0
57	MG	CA	1605	1/1	0.95	0.21	89,89,89,89	0
57	MG	AA	1643	1/1	0.95	0.10	81,81,81,81	0
57	MG	BA	3038	1/1	0.95	0.17	42,42,42,42	0
57	MG	BA	3085	1/1	0.95	0.53	42,42,42,42	0
57	MG	BA	3109	1/1	0.95	0.20	42,42,42,42	0
57	MG	AA	1602	1/1	0.95	0.23	79,79,79,79	0
57	MG	BA	3105	1/1	0.95	0.21	38,38,38,38	0
57	MG	BA	3004	1/1	0.95	0.25	69,69,69,69	0
57	MG	BA	3078	1/1	0.95	0.08	86,86,86,86	0
57	MG	AA	1610	1/1	0.95	0.16	125,125,125,125	0
57	MG	BA	3053	1/1	0.95	0.12	41,41,41,41	0
57	MG	BD	301	1/1	0.95	0.13	39,39,39,39	0
57	MG	DA	3024	1/1	0.95	0.14	90,90,90,90	0
57	MG	BA	3106	1/1	0.95	0.14	40,40,40,40	0
57	MG	DA	3087	1/1	0.96	0.09	88,88,88,88	0
57	MG	BA	3033	1/1	0.96	0.12	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	DA	3105	1/1	0.96	0.17	91,91,91,91	0
57	MG	DA	3036	1/1	0.96	0.13	84,84,84,84	0
57	MG	CA	1621	1/1	0.96	0.19	85,85,85,85	0
57	MG	BA	3064	1/1	0.96	0.10	38,38,38,38	0
57	MG	DA	3130	1/1	0.96	0.66	85,85,85,85	0
57	MG	BA	3096	1/1	0.96	0.09	45,45,45,45	0
57	MG	BA	3029	1/1	0.96	0.10	38,38,38,38	0
57	MG	DA	3125	1/1	0.96	0.16	90,90,90,90	0
57	MG	BA	3018	1/1	0.96	0.06	67,67,67,67	0
57	MG	BA	3034	1/1	0.96	0.19	40,40,40,40	0
57	MG	BA	3127	1/1	0.96	0.05	40,40,40,40	0
57	MG	DA	3122	1/1	0.96	0.23	142,142,142,142	0
57	MG	BA	3118	1/1	0.96	0.24	42,42,42,42	0
57	MG	DA	3069	1/1	0.96	0.13	86,86,86,86	0
57	MG	BA	3113	1/1	0.96	0.16	38,38,38,38	0
57	MG	AA	1603	1/1	0.96	0.12	76,76,76,76	0
57	MG	BA	3061	1/1	0.96	0.50	39,39,39,39	0
57	MG	AA	1639	1/1	0.96	0.06	119,119,119,119	0
57	MG	BA	3128	1/1	0.96	0.15	52,52,52,52	0
57	MG	AA	1608	1/1	0.96	0.24	82,82,82,82	0
57	MG	AA	1616	1/1	0.96	0.10	126,126,126,126	0
57	MG	BA	3116	1/1	0.96	0.14	38,38,38,38	0
57	MG	BA	3012	1/1	0.96	0.14	38,38,38,38	0
57	MG	DA	3030	1/1	0.96	0.50	101,101,101,101	0
57	MG	BA	3051	1/1	0.96	0.12	39,39,39,39	0
57	MG	AA	1633	1/1	0.96	0.13	107,107,107,107	0
57	MG	CA	1611	1/1	0.96	0.09	93,93,93,93	0
57	MG	BA	3110	1/1	0.96	0.10	50,50,50,50	0
57	MG	DA	3092	1/1	0.96	0.20	102,102,102,102	0
57	MG	BA	3126	1/1	0.96	0.25	57,57,57,57	0
57	MG	BA	3059	1/1	0.96	0.20	50,50,50,50	0
57	MG	AA	1612	1/1	0.96	0.12	82,82,82,82	0
57	MG	DA	3118	1/1	0.96	0.32	99,99,99,99	0
57	MG	DA	3067	1/1	0.96	0.16	86,86,86,86	0
57	MG	BA	3100	1/1	0.97	0.09	59,59,59,59	0
57	MG	DA	3123	1/1	0.97	0.16	93,93,93,93	0
57	MG	CA	1641	1/1	0.97	0.18	91,91,91,91	0
57	MG	BA	3043	1/1	0.97	0.15	56,56,56,56	0
57	MG	BA	3013	1/1	0.97	0.12	38,38,38,38	0
57	MG	BA	3125	1/1	0.97	0.17	40,40,40,40	0
57	MG	BA	3101	1/1	0.97	0.17	38,38,38,38	0
57	MG	BA	3097	1/1	0.97	0.10	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	AA	1622	1/1	0.97	0.15	85,85,85,85	0
57	MG	BA	3087	1/1	0.97	0.11	45,45,45,45	0
57	MG	BA	3104	1/1	0.97	0.19	38,38,38,38	0
57	MG	DA	3063	1/1	0.97	0.13	92,92,92,92	0
57	MG	CA	1633	1/1	0.97	0.12	101,101,101,101	0
57	MG	BA	3068	1/1	0.97	0.19	52,52,52,52	0
57	MG	BA	3054	1/1	0.97	0.11	44,44,44,44	0
57	MG	DA	3114	1/1	0.97	0.09	98,98,98,98	0
57	MG	BA	3023	1/1	0.97	0.08	41,41,41,41	0
57	MG	DA	3056	1/1	0.97	0.17	101,101,101,101	0
57	MG	BA	3055	1/1	0.97	0.13	44,44,44,44	0
57	MG	BA	3021	1/1	0.97	0.10	42,42,42,42	0
57	MG	AA	1613	1/1	0.97	0.15	74,74,74,74	0
57	MG	BA	3130	1/1	0.97	0.17	49,49,49,49	0
57	MG	BA	3083	1/1	0.97	0.05	43,43,43,43	0
57	MG	DA	3025	1/1	0.97	0.19	105,105,105,105	0
57	MG	BA	3098	1/1	0.97	0.64	52,52,52,52	0
57	MG	BA	3050	1/1	0.98	0.12	40,40,40,40	0
57	MG	BB	203	1/1	0.98	0.09	57,57,57,57	0
57	MG	DA	3039	1/1	0.98	0.15	104,104,104,104	0
57	MG	BA	3122	1/1	0.98	0.18	40,40,40,40	0
57	MG	BA	3129	1/1	0.98	0.08	39,39,39,39	0
57	MG	BA	3074	1/1	0.98	0.07	38,38,38,38	0
57	MG	AA	1634	1/1	0.98	0.10	102,102,102,102	0
57	MG	BA	3136	1/1	0.98	0.44	47,47,47,47	0
57	MG	BA	3108	1/1	0.98	0.14	40,40,40,40	0
57	MG	BA	3020	1/1	0.98	0.10	46,46,46,46	0
57	MG	DA	3044	1/1	0.98	0.14	116,116,116,116	0
57	MG	BA	3057	1/1	0.98	0.34	42,42,42,42	0
57	MG	BA	3073	1/1	0.98	0.08	43,43,43,43	0
57	MG	CA	1637	1/1	0.98	0.31	83,83,83,83	0
58	ZN	B4	101	1/1	0.98	0.11	79,79,79,79	0
57	MG	BA	3003	1/1	0.98	0.07	73,73,73,73	0
57	MG	BA	3066	1/1	0.98	0.14	43,43,43,43	0
57	MG	BA	3027	1/1	0.98	0.06	41,41,41,41	0
57	MG	DA	3055	1/1	0.98	0.16	85,85,85,85	0
57	MG	BA	3103	1/1	0.98	0.10	64,64,64,64	0
57	MG	BA	3067	1/1	0.98	0.09	40,40,40,40	0
57	MG	BA	3031	1/1	0.99	0.14	42,42,42,42	0
57	MG	BA	3017	1/1	0.99	0.09	39,39,39,39	0
57	MG	BA	3008	1/1	0.99	0.17	43,43,43,43	0
57	MG	BA	3016	1/1	0.99	0.34	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
57	MG	BA	3082	1/1	0.99	0.12	38,38,38,38	0
58	ZN	D4	101	1/1	0.99	0.04	79,79,79,79	0

6.5 Other polymers [i](#)

There are no such residues in this entry.