



wwPDB EM Validation Summary Report ⓘ

Nov 20, 2022 – 01:16 PM EST

PDB ID : 4V6O
EMDB ID : EMD-5359
Title : Structural characterization of mRNA-tRNA translocation intermediates (class 4a of the six classes)
Authors : Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.
Deposited on : 2011-12-07
Resolution : 14.70 Å (reported)
Based on initial model : 2I2U

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 14.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	76	
3	AC	47	
4	AD	77	
5	AE	240	
6	AF	232	
7	AG	205	
8	AH	166	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AI	135	 70% 22% 7%
10	AJ	178	 73% 25% .
11	AK	129	 74% 23% .
12	AL	129	 75% 22% ..
13	AM	103	 70% 24% 6%
14	AN	128	 74% 23% .
15	AO	123	 72% 26% .
16	AP	117	 81% 15% ..
17	AQ	100	 75% 22% .
18	AR	88	 77% 23%
19	AS	82	 77% 20% .
20	AT	83	 83% 14% .
21	AU	74	 59% 36% .
22	AV	91	 82% 11% 7%
23	AW	86	 87% 12% .
24	AX	70	 71% 24% .
25	BA	120	 34% 52% 13%
26	BB	2904	 34% 54% 13%
27	BC	234	 9% 81% 17% .
28	BD	272	 75% 23% .
29	BE	209	 78% 17% 5%
30	BF	201	 75% 21% .
31	BG	178	 71% 24% 6%
32	BH	176	 75% 22% .
33	BI	149	 10% 79% 19% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	BJ	164	
35	BK	141	
36	BL	142	
37	BM	123	
38	BN	144	
39	BO	136	
40	BP	127	
41	BQ	117	
42	BR	114	
43	BS	117	
44	BT	103	
45	BU	110	
46	BV	100	
47	BW	103	
48	BX	94	
49	BY	84	
50	BZ	77	
51	B0	63	
52	B1	58	
53	B2	70	
54	B3	56	
55	B4	54	
56	B5	46	
57	B6	64	
58	B7	38	

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1542	Total	C	N	O	P	0	0
			33089	14767	6064	10717	1541		

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	AB	76	Total	C	N	O	P	S	0	0
			1627	731	287	532	75	2		

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AC	47	Total	C	N	O	P	0	0
			993	445	167	335	46		

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	AD	77	Total	C	N	O	P	S	0	0
			1641	734	297	533	76	1		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AE	240	Total	C	N	O	S	0	0
			1872	1180	332	352	8		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AF	232	Total	C	N	O	S	0	0
			1822	1149	346	323	4		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AG	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AH	166	Total	C	N	O	S	0	0
			1225	761	232	226	6		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AI	135	Total	C	N	O	S	0	0
			1101	677	198	219	7		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AJ	178	Total	C	N	O	S	0	0
			1400	874	269	253	4		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AK	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AL	129	Total	C	N	O	S	0	0
			1036	642	208	183	3		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	103	Total	C	N	O	S	0	0
			825	514	158	151	2		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	128	Total	C	N	O	S	0	0
			965	595	196	171	3		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AP	117	Total	C	N	O	S	0	0
			910	564	183	160	3		

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AQ	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AR	88	Total	C	N	O	S	0	0
			716	440	146	129	1		

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AS	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AT	83	Total	C	N	O	S	0	0
			672	425	124	120	3		

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	74	Total	C	N	O	S	0	0
			626	395	123	107	1		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	91	Total	C	N	O	S	0	0
			727	464	139	122	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AW	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AX	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	120	Total	C	N	O	P	0	0
			2566	1144	468	835	119		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BB	2904	Total	C	N	O	P	0	0
			62351	27824	11469	20155	2903		

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BC	234	Total	C	N	O	S	0	0
			1733	1081	315	330	7		

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BI	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BJ	164	Total	C	N	O	S	0	0
			1233	776	220	231	6		

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BK	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BL	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BM	123	Total	C	N	O	S	0	0
			947	593	181	167	6		

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BN	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BO	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BP	127	Total	C	N	O	S	0	0
			1008	621	204	178	5		

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BT	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BV	100	Total	C	N	O	S	0	0
			787	496	146	143	2		

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BW	103	Total	C	N	O		0	0
			789	498	148	143			

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BX	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B0	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B2	70	Total	C	N	O	S	0	0
			549	339	104	100	6		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B3	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	B4	54	Total	C	N	O	0	0
			441	284	81	76		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	46	Total	C	N	O	S	0	0
			377	228	90	57	2		


- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	B6	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 58 is a protein called 50S ribosomal protein L36.


Mol	Chain	Residues	Atoms					AltConf	Trace
58	B7	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula: $C_{11}H_{12}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
59	AB	1	Total	C	N	O	0
			14	11	2	1	

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $C_6H_{11}NO_3S$).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 16S ribosomal RNA











• Molecule 4: P site tRNA





• Molecule 5: 30S ribosomal protein S2



• Molecule 6: 30S ribosomal protein S3




• Molecule 7: 30S ribosomal protein S4




• Molecule 8: 30S ribosomal protein S5






- Molecule 9: 30S ribosomal protein S6

Chain AI: 70% 22% 7%




- Molecule 10: 30S ribosomal protein S7

Chain AJ: 73% 25% 2%



- Molecule 11: 30S ribosomal protein S8

Chain AK: 74% 23% 3%




- Molecule 12: 30S ribosomal protein S9

Chain AL: 75% 22% 3%





- Molecule 13: 30S ribosomal protein S10

Chain AM: 70% 24% 6%




- Molecule 14: 30S ribosomal protein S11

Chain AN:  74% 23% .





- Molecule 15: 30S ribosomal protein S12

Chain AO:  72% 26% .




- Molecule 16: 30S ribosomal protein S13

Chain AP:  81% 15% . .





- Molecule 17: 30S ribosomal protein S14

Chain AQ:  75% 22% .





- Molecule 18: 30S ribosomal protein S15

Chain AR:  77% 23%




- Molecule 19: 30S ribosomal protein S16

Chain AS:  77% 20% .



- Molecule 20: 30S ribosomal protein S17

Chain AT:  83% 14% .





- Molecule 21: 30S ribosomal protein S18

Chain AU:  59% 36% .



- Molecule 22: 30S ribosomal protein S19

Chain AV:  82% 11% 7%




- Molecule 23: 30S ribosomal protein S20

Chain AW:  87% 12% .




- Molecule 24: 30S ribosomal protein S21

Chain AX:  71% 24% .




- Molecule 25: 5S ribosomal RNA

Chain BA:  34% 52% 13%



- Molecule 26: 23S ribosomal RNA

Chain BB:  34% 54% 13%




C1261	U1201	U1141	U1081	A1021	C961	C901	G841	A781	A721	A661	C601	A541	C481	C421	G361	G301	A241
A1262	G1202	A1142	U1082	G1022	G962	C902	U842	A782	A722	G662	A602	C542	A482	A422	A362	C302	G242
A1263	U1203	A1143	U1083	U1023	U963	C903	G843	A783	A723	G663	A603	G543	A483	A423	A363	C303	G243
A1264	A1204	A1144	A1084	G1024	C964	C904	A844	G784	U724	G664	G604	C544	A484	G424	C364	U304	U244
A1265	A1205	A1145	A1085	G1025	C965	A905	A845	G785	G725	U665	U605	U545	C485	G425	U365	U305	G245
A1266	G1206	C1146	A1086	G1026	G966	U906	U846	G786	G726	A666	U606	U546	C486	G426	C366	U306	C246
U1267	C1207	A1147	G1087	A1027	U967	G907	U847	C787	A727	U667	U607	A547	C487	U427	G367	G307	G247
A1268	C1208	U1148	A1088	A1028	C968	C908	C848	A788	G728	A668	A608	G548	A488	A428	A368	G308	G248
A1269	U1209	U1149	A1089	A1029	G969	A909	C849	A789	G729	G669	A609	G549	A489	A429	U369	A309	C249
C1270	G1210	A1150	A1090	G1030	U970	A910	C850	U790	A730	C670	C610	C550	A490	A430	G370	A310	G250
C1271	C1211	A1151	G1091	G1031	G971	A911	C851	G791	A731	A671	C611	C551	C491	A431	A371	A311	A251
A1272	G1212	C1152	C1092	A1032	A972	G912	U852	A792	G732	C672	G612	U552	A492	A432	G372	G312	G252
A1273	A1213	C1153	G1093	U1033	A973	G913	C853	A793	G733	C673	A613	G553	C493	C433	U373	G313	C253
A1274	A1214	G1154	U1094	G1034	G974	G914	C854	A794	A734	G674	A614	U554	C494	U434	A374	C314	G254
A1275	G1215	A1155	A1095	U1035	A975	C915	G855	C795	A735	A675	U615	G555	C495	C435	G375	G315	A255
A1276	G1216	A1156	A1096	G1036	G976	G916	C856	G796	C736	A676	A616	U556	C496	C436	G376	C316	A256
A1277	U1217	G1157	U1097	G1037	G977	A917	C857	G797	A737	A677	G617	C557	A497	U437	G377	G317	C257
C1278	G1218	C1158	A1098	G1038	G978	A918	C858	G798	G738	C678	G618	U558	C498	G438	C378	G318	G258
G1279	U1219	U1159	G1099	A1039	A979	U919	C859	G799	A739	C679	G619	G559	U499	A439	G379	G319	G259
G1280	C1220	G1160	C1100	A1040	A980	A920	U860	A800	C740	C680	G620	C560	A500	C440	C380	A320	G260
G1281	C1221	C1161	U1101	G1041	A981	C921	A861	G801	U741	C681	A621	G561	A501	U441	C381	U321	G261
U1282	U1222	G1162	C1102	G1042	G982	C922	A862	A802	A742	G682	G622	U562	A502	A442	A382	A322	A262
G1283	C1223	G1163	A1103	C1043	A983	G923	A863	U803	A743	U683	C623	A563	A503	A443	C383	C323	G263
A1284	U1224	C1164	C1104	G1044	A984	G924	C864	A804	U744	G684	C624	C564	A504	C444	A384	A324	C264
A1285	G1225	A1165	U1105	C1045	G985	A925	C865	G805	G745	A685	G625	C565	A505	C445	C385	G325	A265
A1286	A1226	G1166	G1106	A1046	C986	G926	A866	C806	U746	U686	A626	U566	C506	C446	G386	G326	G266
A1287	G1227	C1167	U1107	G1047	G987	A927	C867	U807	U747	C687	A627	U567	A507	A447	U387	G327	G267
G1288	U1228	G1168	U1108	A1048	A988	A928	U868	G808	G748	U688	G628	C568	A508	U448	C388	U328	C268
C1289	C1229	A1169	C1109	G1049	G989	U929	C869	G809	A749	A689	G629	U569	C509	A449	C389	G329	C269
C1290	A1230	C1170	G1110	A1050	A990	G930	U870	U810	A750	C690	G630	U570	C510	U450	U390	A330	A270
C1291	U1231	G1171	A1111	G1051	C991	U931	U871	U811	A751	C691	A631	U571	U511	U451	A391	C331	G271
G1292	C1232	C1172	C1112	C1052	C992	U932	U872	C812	A752	C692	A632	A572	G512	C452	U392	A332	A272
C1293	U1233	U1173	U1113	C1053	G993	A933	C873	U813	A753	A693	A633	U573	A513	A453	C393	G333	G273
C1294	G1234	U1174	C1114	A1054	C994	U934	G874	C814	U754	U694	C634	A574	A514	C454	C394	C334	C274
C1295	G1235	A1175	G1115	G1055	C995	C935	G875	C815	U755	G695	C635	A575	A515	C455	U395	C335	C275
G1296	G1236	U1176	G1116	G1056	A996	A936	C876	C816	A756	G696	C636	U576	C516	C456	G396	C336	U276
C1297	A1237	G1177	C1117	A1057	G997	C937	A877	C817	G757	G697	A637	G577	C517	A457	U397	C337	G277
C1298	G1238	C1178	C1118	U1058	C998	G938	A878	C818	C758	C698	G638	G578	G518	C458	C398	G338	A278
G1299	G1239	G1179	U1119	G1059	U999	G939	G879	A819	G759	A699	U639	G579	U519	U459	U399	U339	A279
G1300	U1240	U1180	C1120	U1060	A1000	G940	C880	A820	G760	C700	C640	U580	G520	A460	G400	A340	U280
A1301	A1241	U1181	C1121	U1061	A1001	A941	C881	A821	A761	G701	U641	C581	U521	C461	A401	C341	C281
A1302	U1242	G1182	G1122	G1062	G1002	G942	C882	G822	U762	U702	U642	A582	A522	C462	A402	A342	A282
G1303	C1243	U1183	C1123	G1063	A1003	A943	G883	C823	G763	G703	A643	G583	C523	G463	U403	C343	G283
A1304	A1244	U1184	G1124	C1064	U1004	C944	U884	U824	A764	G704	A644	C584	G524	U464	A404	A344	U284
C1305	G1245	G1185	G1125	U1065	G1005	A945	C885	A825	C765	A705	C645	G585	U525	C465	U405	A345	G285
C1306	A1246	G1186	A1126	U1066	C1006	C946	A886	U826	U766	A706	U646	A586	A526	A466	G406	A346	U286
A1307	C1247	G1187	A1127	A1067	C1007	A947	U887	U827	U767	G707	G647	C587	C527	G467	G287	A347	G287
G1308	U1248	U1188	G1128	G1068	A1008	G948	C888	U828	G768	G708	G648	U588	A528	G468	G408	A348	U288
G1309	U1249	A1189	A1129	A1069	A1009	G949	C889	A829	U769	U709	G649	U589	A529	G469	G409	U349	G289
G1310	G1250	G1190	U1130	A1070	A1010	G950	C890	G830	G770	U710	C650	A590	G530	A470	G410	G350	U290
G1311	C1251	G1191	G1131	G1071	G1011	C951	G891	G831	G771	G711	G651	U591	C531	A471	G411	C351	G291
G1312	G1252	G1192	U1132	C1072	U1012	G952	A892	U832	G772	G712	U652	A592	A532	A472	A412	A352	U292
U1313	A1253	A1193	C1013	A1073	C1013	G953	C893	A833	G773	G713	U653	U593	G533	G473	C413	C353	U293
A1314	A1254	A1194	A1134	G1074	A1014	G954	U894	G834	G774	U714	A654	U594	U534	G474	C414	A354	A294
C1315	U1255	G1195	G1135	C1075	U1015	U955	U895	C835	G775	A715	A655	G595	G535	C475	A415	U355	G295
A1316	G1256	C1196	G1136	G1076	U1016	G956	A896	G836	G776	A716	G656	U596	G536	G476	U416	G356	U296
G1317	C1257	G1197	G1137	A1077	G1017	C957	C897	C837	G777	C717	U657	G597	G537	A477	C417	C357	G297
A1318	U1258	U1198	G1138	U1078	U1018	U958	C898	C838	G778	A718	U658	U598	A538	A478	C418	U358	G298
C1319	G1259	U1199	U1019	C1079	U1019	A959	A899	U839	U779	A719	G659	A599	G539	A479	U419	A359	A299
C1320	A1260	C1200	C1140	A1080	A1020	A960	A900	C840	G780	U720	C660	G600	C540	A480	C420	U360	A300

A2281	G2221	A2101	U2041	A1981	G1921	G1861	A1801	G1741	G1681	U1621	C1561	G1501	G1441	G1381	A1321
G2282	C2222	G2102	A2042	U1982	G1922	G1862	A1802	U1742	G1682	G1622	C1562	A1502	U1442	G1382	A1322
G2283	G2223	A2103	G2043	G1983	G1923	G1863	U1803	G1743	U1683	U1623	U1563	A1503	U1443	A1383	G1323
A2284	G2224	C2104	C2044	G1984	C1924	U1864	C1804	A1744	G1684	G1624	C1564	A1504	G1444	A1384	G1324
G2285	A2225	C2105	G2045	C1985	G1925	U1865	A1805	A1745	C1685	C1625	C1565	A1505	G1445	A1385	U1325
G2286	G2226	U2106	G2046	C1986	U1926	A1866	C1806	A1746	G1686	G1626	C1566	U1506	G1446	A1386	U1326
A2287	G2227	G2107	C2047	A1987	G1927	G1867	G1807	U1747	G1687	G1627	G1567	U1507	C1447	A1387	A1327
G2288	G2228	A2108	G2048	G1988	A1928	C1868	A1808	C1748	U1688	G1628	G1568	A1508	G1448	G1388	A1328
G2289	U2229	U2109	G2049	G1989	G1929	G1869	A1809	A1749	U1689	U1629	U1569	A1509	G1449	G1389	U1329
G2290	G2230	G2110	C2050	C1990	G1930	A1870	A1810	U1750	A1690	A1630	A1570	G1510	G1450	U1390	G1330
U2291	A2211	A2171	A2051	U1991	A1931	C1871	A1811	U1751	C1691	G1631	A1571	G1511	C1451	U1391	G1331
U2292	G2232	G2112	A2052	G1992	A1932	A1872	A1812	U1752	U1692	A1632	A1572	C1512	G1452	A1392	G1332
G2293	U2213	G2113	G2053	U1993	G1933	G1873	G1813	G1753	U1693	G1633	G1573	C1513	G1453	A1393	G1333
G2294	G2234	A2114	A2054	C1994	C1934	C1874	G1814	A1754	C1694	A1634	C1574	G1514	C1454	U1394	G1334
G2295	G2235	G2115	C2055	U1995	G1935	G1875	A1815	A1755	G1695	A1635	C1575	A1515	G1455	A1395	G1335
U2296	U2236	A2116	G2056	C1996	A1936	A1876	C1816	U1756	G1696	U1636	U1576	G1516	G1456	A1396	G1336
A2297	G2237	A2117	G2057	C1997	A1937	G1878	G1817	U1757	G1697	A1637	U1577	U1517	U1457	U1397	G1337
G2298	G2238	U2118	A2058	A1998	A1938	G1878	A1818	U1758	A1698	C1638	U1578	G1518	U1458	G1398	G1338
U2299	G2239	A2119	A2059	C1999	U1939	C1879	A1819	A1759	G1699	C1639	A1579	G1519	G1459	G1399	G1339
C2300	U2240	G2120	A2060	C2000	U1940	U1880	U1820	C1760	A1700	A1640	A1580	U1520	U1460	U1400	U1340
U2302	A2241	U2121	G2061	C2001	C1941	C1881	A1821	C1761	A1701	A1641	G1581	G1521	C1461	G1401	G1341
G2303	G2242	U2122	A2062	G2002	U1942	U1882	C1822	G1762	G1702	G1642	C1582	A1522	C1462	U1402	A1342
G2304	U2243	G2123	C2063	A2003	U1943	U1883	G1823	G1763	G1703	G1643	A1583	U1523	C1463	A1403	G1343
G2305	U2244	A2124	C2064	G2004	U1944	G1884	G1824	U1764	C1704	C1644	U1584	G1524	G1464	G1404	U1344
G2306	G2245	G2125	C2065	A2005	G1945	A1885	U1825	U1765	A1705	G1645	C1585	A1525	G1465	U1405	G1345
G2307	G2246	A2126	C2066	C2006	U1946	U1886	G1826	G1766	G1706	C1646	A1586	C1526	U1466	U1406	G1346
G2308	A2247	G2127	G2067	U2007	G1947	G1887	U1827	G1767	G1707	U1647	G1587	G1527	U1467	G1407	A1347
G2309	G2248	U2128	U2068	C2008	G1948	G1888	G1828	G1768	C1708	U1648	U1588	A1528	U1468	G1408	G1348
U2310	U2249	A2129	G2069	A2009	G1949	A1889	A1829	U1769	U1709	G1649	A1589	G1529	A1469	U1409	C1349
G2311	G2250	U2130	A2070	G2010	G1950	A1890	C1830	G1770	G1710	A1650	A1590	G1530	A1470	G1410	C1350
A2311	G2251	U2131	A2071	U2011	U1951	G1891	G1831	G1771	A1711	G1651	A1591	G1531	G1471	U1411	C1351
U2312	G2252	U2132	C2072	G2012	A1952	C1892	C1832	A1772	U1712	A1652	C1592	A1532	C1472	U1412	U1352
G2313	G2253	G2133	C2073	A2013	A1953	C1893	C1833	A1773	U1713	G1653	A1593	G1533	C1473	A1413	A1353
A2314	G2254	A2134	U2074	A2014	G1954	C1894	U1834	U1774	G1714	A1654	C1594	U1534	U1474	C1414	A1354
G2315	G2255	A2135	U2075	A2015	U1955	C1895	G1835	U1775	G1715	A1655	C1595	A1535	G1475	U1415	G1355
G2316	G2256	G2136	U2076	U2016	U1956	G1896	C1836	G1776	U1716	C1656	A1596	C1536	U1476	G1416	G1356
A2317	U2257	U2137	A2077	U2017	G1957	G1897	C1837	U1777	U1717	U1657	A1597	G1537	A1477	G1417	C1357
G2318	C2258	G2138	C2078	G2018	C1958	U1898	C1838	U1778	G1718	C1658	A1598	G1538	G1478	G1418	G1358
G2319	U2259	U2139	U2079	A2019	G1959	A1899	G1839	U1779	U1719	G1659	U1599	U1539	G1479	A1419	A1359
U2320	C2260	G2140	A2080	A2020	A1960	A1900	A1840	U1780	U1720	G1660	C1600	G1540	G1480	A1420	G1360
U2321	G2261	G2141	U2081	C2021	C1961	A1901	U1841	U1781	G1721	G1661	C1601	C1541	U1481	G1421	G1361
A2322	U2262	A2142	A2082	U2022	C1962	C1902	G1842	U1782	A1722	U1662	U1602	U1542	G1482	G1422	C1362
G2323	C2263	G2143	G2083	C2023	U1963	G1903	C1843	A1783	G1723	G1663	A1603	G1543	G1483	G1423	G1363
U2324	G2264	A2144	C2084	G2024	G1964	G1904	C1844	A1784	G1724	A1664	C1604	A1544	U1484	G1424	G1364
G2325	U2265	C2145	U2085	C2025	C1965	C1905	G1845	A1785	U1725	A1665	C1605	A1545	U1485	G1425	A1365
C2326	A2266	G2146	U2086	U2026	A1966	G1906	G1846	A1786	C1726	G1666	C1606	G1546	U1486	G1426	A1366
A2327	G2267	A2147	G2087	G2027	C1967	G1907	A1847	U1787	C1727	G1667	C1607	G1547	U1487	A1427	A1367
A2328	A2268	G2148	A2088	U2028	G1968	C1908	A1848	C1788	G1728	A1668	A1608	A1548	C1488	G1428	G1368
U2329	G2269	U2149	C2089	G2029	A1969	C1909	G1849	U1789	U1729	A1669	A1609	A1549	C1489	G1429	G1369
G2330	A2270	G2150	A2090	A2030	U1970	G1910	G1850	C1790	C1730	C1670	A1610	C1550	A1490	G1430	C1370
G2331	G2271	U2151	C2091	A2031	U1971	U1911	U1851	A1791	G1731	U1671	C1611	A1551	G1491	A1431	G1371
C2332	U2272	G2152	U2092	G2032	G1972	A1912	A1852	G1792	C1732	A1672	C1612	A1552	G1492	G1432	U1372
A2333	A2273	U2153	G2093	A2033	G1973	A1913	A1853	C1793	G1733	G1673	C1613	A1553	C1493	A1433	A1373
U2334	A2274	A2154	A2094	U2034	C1974	C1914	A1854	G1794	G1734	G1674	A1614	U1554	A1494	A1434	G1374
A2335	G2275	U2155	A2095	G2035	G1975	3TD1915	U1855	G1795	A1735	C1675	C1615	G1555	G1495	G1435	U1375
A2336	G2276	G2156	C2096	C2036	U1976	A1916	U1856	U1796	U1736	A1676	A1616	C1556	A1496	G1436	C1376
G2337	G2277	G2157	A2097	A2037	A1977	U1917	G1857	G1797	G1737	A1677	C1617	C1557	U1497	C1437	G1377
C2338	A2278	A2158	U2098	G2038	A1978	A1918	A1858	U1798	G1738	A1678	A1618	C1558	U1498	U1438	A1378
G2339	G2279	G2159	U2099	U2039	U1979	A1919	A1859	U1799	A1739	A1679	G1619	C1559	C1499	U1439	U1379
A2340	G2280	C2160	G2100	G2040	G1980	C1920	G1860	C1800	G1740	U1680	G1620	G1560	U1500	U1440	G1380



- Molecule 29: 50S ribosomal protein L3

Chain BE: 78% 17% 5%




- Molecule 30: 50S ribosomal protein L4

Chain BF: 75% 21% 4%




- Molecule 31: 50S ribosomal protein L5

Chain BG: 71% 24% 5%



- Molecule 32: 50S ribosomal protein L6

Chain BH: 75% 22% 3%



- Molecule 33: 50S ribosomal protein L9


Chain BI: 10% 79% 19%






- Molecule 34: 50S ribosomal protein L10

Chain BJ: 74% 23%




- Molecule 35: 50S ribosomal protein L11

Chain BK: 89% 11%




- Molecule 36: 50S ribosomal protein L13

Chain BL: 76% 21%




- Molecule 37: 50S ribosomal protein L14

Chain BM: 74% 24%




- Molecule 38: 50S ribosomal protein L15

Chain BN: 77% 18% 5%




- Molecule 39: 50S ribosomal protein L16

Chain BO: 78% 19%




- Molecule 40: 50S ribosomal protein L17

Chain BP:  76% 20% .




- Molecule 41: 50S ribosomal protein L18

Chain BQ:  82% 14% .



- Molecule 42: 50S ribosomal protein L19

Chain BR:  66% 32% .





- Molecule 43: 50S ribosomal protein L20

Chain BS:  74% 23% .





- Molecule 44: 50S ribosomal protein L21

Chain BT:  80% 17% .




- Molecule 45: 50S ribosomal protein L22

Chain BU:  79% 17% .




- Molecule 46: 50S ribosomal protein L23


Chain BV:  79% 21% .




- Molecule 47: 50S ribosomal protein L24




- Molecule 48: 50S ribosomal protein L25




- Molecule 49: 50S ribosomal protein L27





- Molecule 50: 50S ribosomal protein L28



- Molecule 51: 50S ribosomal protein L29




- Molecule 52: 50S ribosomal protein L30





- Molecule 53: 50S ribosomal protein L31







- Molecule 54: 50S ribosomal protein L32





- Molecule 55: 50S ribosomal protein L33



- Molecule 56: 50S ribosomal protein L34



- Molecule 57: 50S ribosomal protein L35



- Molecule 58: 50S ribosomal protein L36



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	21000	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	58269	Depositor
Image detector	TVIPS TEMCAM-F415 (4k x 4k)	Depositor
Maximum map value	1.422	Depositor
Minimum map value	-0.460	Depositor
Average map value	0.029	Depositor
Map value standard deviation	0.195	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	375.0, 375.0, 375.0	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.5, 1.5, 1.5	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MIA, H2U, 7MG, OMG, OMU, 4OC, 2MG, 6MZ, PSU, 4SU, UR3, 2MA, CH, 5MC, 1MG, 3TD, FME, 5MU, MA6, OMC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	3.08	3882/36769 (10.6%)	3.52	8356/57354 (14.6%)
2	AB	3.05	161/1600 (10.1%)	3.56	386/2492 (15.5%)
3	AC	3.23	133/1108 (12.0%)	3.55	250/1724 (14.5%)
4	AD	3.02	174/1721 (10.1%)	3.61	441/2683 (16.4%)
5	AE	1.50	9/1904 (0.5%)	1.89	37/2565 (1.4%)
6	AF	1.54	11/1852 (0.6%)	2.09	63/2490 (2.5%)
7	AG	1.51	9/1665 (0.5%)	1.95	48/2227 (2.2%)
8	AH	1.48	1/1239 (0.1%)	1.94	30/1664 (1.8%)
9	AI	1.57	5/1121 (0.4%)	2.07	36/1509 (2.4%)
10	AJ	1.54	9/1422 (0.6%)	2.04	43/1908 (2.3%)
11	AK	1.56	5/989 (0.5%)	1.94	28/1326 (2.1%)
12	AL	1.54	2/1048 (0.2%)	2.06	39/1394 (2.8%)
13	AM	1.43	1/835 (0.1%)	2.03	27/1127 (2.4%)
14	AN	1.53	5/982 (0.5%)	1.98	26/1323 (2.0%)
15	AO	1.52	2/969 (0.2%)	2.34	41/1300 (3.2%)
16	AP	1.47	2/919 (0.2%)	2.23	25/1226 (2.0%)
17	AQ	1.48	1/817 (0.1%)	2.06	30/1088 (2.8%)
18	AR	1.52	0/724	2.00	27/966 (2.8%)
19	AS	1.54	4/659 (0.6%)	2.11	21/884 (2.4%)
20	AT	1.56	2/681 (0.3%)	1.87	11/913 (1.2%)
21	AU	1.61	2/637 (0.3%)	2.24	27/851 (3.2%)
22	AV	1.45	4/744 (0.5%)	1.88	16/995 (1.6%)
23	AW	1.41	2/676 (0.3%)	1.66	7/895 (0.8%)
24	AX	1.56	2/598 (0.3%)	2.09	22/792 (2.8%)
25	BA	3.06	310/2869 (10.8%)	3.49	627/4474 (14.0%)
26	BB	3.07	7266/69257 (10.5%)	3.53	15668/108040 (14.5%)
27	BC	1.46	6/1748 (0.3%)	1.80	32/2355 (1.4%)
28	BD	1.54	14/2131 (0.7%)	1.94	53/2863 (1.9%)
29	BE	1.53	3/1586 (0.2%)	1.90	32/2134 (1.5%)
30	BF	1.46	7/1571 (0.4%)	2.00	43/2113 (2.0%)
31	BG	1.53	5/1444 (0.3%)	1.95	36/1937 (1.9%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	BH	1.45	3/1343 (0.2%)	1.88	31/1816 (1.7%)
33	BI	1.49	0/1122	1.97	30/1515 (2.0%)
34	BJ	1.53	6/1247 (0.5%)	1.94	35/1679 (2.1%)
35	BK	1.44	1/1046 (0.1%)	1.79	14/1410 (1.0%)
36	BL	1.54	6/1152 (0.5%)	1.93	29/1551 (1.9%)
37	BM	1.48	4/956 (0.4%)	1.93	27/1279 (2.1%)
38	BN	1.58	5/1062 (0.5%)	2.01	28/1413 (2.0%)
39	BO	1.54	4/1093 (0.4%)	2.04	35/1460 (2.4%)
40	BP	1.51	4/1021 (0.4%)	1.90	23/1364 (1.7%)
41	BQ	1.55	4/910 (0.4%)	2.05	22/1219 (1.8%)
42	BR	1.55	3/929 (0.3%)	2.15	32/1242 (2.6%)
43	BS	1.53	5/960 (0.5%)	2.10	34/1278 (2.7%)
44	BT	1.56	3/829 (0.4%)	1.93	17/1107 (1.5%)
45	BU	1.40	1/864 (0.1%)	1.89	21/1156 (1.8%)
46	BV	1.55	3/794 (0.4%)	2.06	19/1060 (1.8%)
47	BW	1.51	4/797 (0.5%)	1.86	18/1062 (1.7%)
48	BX	1.49	4/766 (0.5%)	1.82	17/1025 (1.7%)
49	BY	1.54	3/642 (0.5%)	1.90	17/848 (2.0%)
50	BZ	1.49	0/635	2.10	24/848 (2.8%)
51	B0	1.49	1/510 (0.2%)	1.95	10/677 (1.5%)
52	B1	1.46	3/453 (0.7%)	1.77	12/605 (2.0%)
53	B2	1.56	4/559 (0.7%)	1.96	10/745 (1.3%)
54	B3	1.53	2/450 (0.4%)	2.12	19/599 (3.2%)
55	B4	1.49	1/448 (0.2%)	1.90	7/594 (1.2%)
56	B5	1.52	1/380 (0.3%)	2.36	24/498 (4.8%)
57	B6	1.52	3/513 (0.6%)	1.68	6/676 (0.9%)
58	B7	1.41	2/303 (0.7%)	2.14	10/397 (2.5%)
All	All	2.69	12119/164069 (7.4%)	3.18	27099/244735 (11.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	888
2	AB	0	39
3	AC	0	23
4	AD	0	34
5	AE	0	6
6	AF	0	8
7	AG	0	11

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
8	AH	0	5
9	AI	0	11
10	AJ	0	6
11	AK	0	3
12	AL	0	5
13	AM	0	4
14	AN	0	5
15	AO	0	2
16	AP	0	3
17	AQ	0	1
19	AS	0	3
20	AT	0	1
21	AU	0	6
23	AW	0	2
24	AX	0	1
25	BA	0	71
26	BB	0	1680
27	BC	0	4
28	BD	0	11
29	BE	0	7
30	BF	0	6
31	BG	0	8
32	BH	0	3
34	BJ	0	6
36	BL	0	6
37	BM	0	3
38	BN	0	3
39	BO	0	2
40	BP	0	6
41	BQ	0	4
42	BR	0	4
43	BS	0	5
44	BT	0	1
45	BU	0	3
47	BW	0	2
48	BX	0	3
49	BY	0	5
50	BZ	0	4
51	B0	0	2
52	B1	0	2
53	B2	0	1
55	B4	0	3

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
56	B5	0	1
57	B6	0	3
58	B7	0	1
All	All	0	2927

The worst 5 of 12119 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1076	U	C2-N3	18.65	1.50	1.37
26	BB	757	G	P-O5'	16.91	1.76	1.59
25	BA	50	A	N7-C5	16.16	1.49	1.39
26	BB	2569	G	P-O5'	16.09	1.75	1.59
26	BB	1039	A	N7-C5	-15.99	1.29	1.39

The worst 5 of 27099 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	55	ARG	NE-CZ-NH2	-27.98	106.31	120.30
26	BB	2063	C	N3-C4-C5	-21.69	113.22	121.90
26	BB	2163	A	O4'-C1'-N9	21.36	125.29	108.20
26	BB	337	C	O4'-C1'-N1	21.12	125.10	108.20
1	AA	190	A	C8-N9-C4	-20.93	97.43	105.80

There are no chirality outliers.

5 of 2927 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	3	A	Sidechain
1	AA	4	U	Sidechain
1	AA	6	G	Sidechain
1	AA	7	A	Sidechain
1	AA	9	G	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16610	0	0
2	AB	1627	0	843	0	0
3	AC	993	0	497	0	0
4	AD	1641	0	841	0	0
5	AE	1872	0	1885	0	0
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1302	0	0
26	BB	62351	0	31246	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0
42	BR	917	0	965	0	0
43	BS	947	0	1022	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0
60	BB	10	0	10	0	0
All	All	152351	0	103794	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AE	238/240 (99%)	221 (93%)	13 (6%)	4 (2%)	9	42
6	AF	230/232 (99%)	200 (87%)	25 (11%)	5 (2%)	6	35
7	AG	203/205 (99%)	180 (89%)	18 (9%)	5 (2%)	5	32
8	AH	164/166 (99%)	141 (86%)	19 (12%)	4 (2%)	6	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	AI	133/135 (98%)	118 (89%)	11 (8%)	4 (3%)	4	28
10	AJ	176/178 (99%)	164 (93%)	11 (6%)	1 (1%)	25	66
11	AK	127/129 (98%)	114 (90%)	11 (9%)	2 (2%)	9	44
12	AL	127/129 (98%)	109 (86%)	17 (13%)	1 (1%)	19	60
13	AM	101/103 (98%)	90 (89%)	7 (7%)	4 (4%)	3	23
14	AN	126/128 (98%)	105 (83%)	18 (14%)	3 (2%)	6	33
15	AO	121/123 (98%)	102 (84%)	16 (13%)	3 (2%)	5	32
16	AP	115/117 (98%)	104 (90%)	10 (9%)	1 (1%)	17	57
17	AQ	98/100 (98%)	84 (86%)	10 (10%)	4 (4%)	3	23
18	AR	86/88 (98%)	80 (93%)	6 (7%)	0	100	100
19	AS	80/82 (98%)	69 (86%)	9 (11%)	2 (2%)	5	32
20	AT	81/83 (98%)	71 (88%)	10 (12%)	0	100	100
21	AU	72/74 (97%)	63 (88%)	6 (8%)	3 (4%)	3	22
22	AV	89/91 (98%)	78 (88%)	10 (11%)	1 (1%)	14	52
23	AW	84/86 (98%)	79 (94%)	4 (5%)	1 (1%)	13	50
24	AX	68/70 (97%)	55 (81%)	9 (13%)	4 (6%)	1	17
27	BC	232/234 (99%)	208 (90%)	20 (9%)	4 (2%)	9	42
28	BD	270/272 (99%)	227 (84%)	37 (14%)	6 (2%)	6	35
29	BE	207/209 (99%)	171 (83%)	25 (12%)	11 (5%)	2	19
30	BF	199/201 (99%)	167 (84%)	26 (13%)	6 (3%)	4	28
31	BG	176/178 (99%)	144 (82%)	19 (11%)	13 (7%)	1	14
32	BH	174/176 (99%)	149 (86%)	16 (9%)	9 (5%)	2	19
33	BI	147/149 (99%)	132 (90%)	12 (8%)	3 (2%)	7	38
34	BJ	162/164 (99%)	140 (86%)	16 (10%)	6 (4%)	3	24
35	BK	139/141 (99%)	128 (92%)	9 (6%)	2 (1%)	11	46
36	BL	140/142 (99%)	118 (84%)	18 (13%)	4 (3%)	4	29
37	BM	121/123 (98%)	102 (84%)	14 (12%)	5 (4%)	3	23
38	BN	142/144 (99%)	113 (80%)	25 (18%)	4 (3%)	5	30
39	BO	134/136 (98%)	120 (90%)	13 (10%)	1 (1%)	22	63
40	BP	125/127 (98%)	116 (93%)	9 (7%)	0	100	100
41	BQ	115/117 (98%)	103 (90%)	12 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
42	BR	112/114 (98%)	90 (80%)	16 (14%)	6 (5%)	2	19
43	BS	115/117 (98%)	105 (91%)	7 (6%)	3 (3%)	5	31
44	BT	101/103 (98%)	92 (91%)	8 (8%)	1 (1%)	15	55
45	BU	108/110 (98%)	100 (93%)	4 (4%)	4 (4%)	3	24
46	BV	98/100 (98%)	85 (87%)	12 (12%)	1 (1%)	15	55
47	BW	101/103 (98%)	84 (83%)	15 (15%)	2 (2%)	7	38
48	BX	92/94 (98%)	79 (86%)	11 (12%)	2 (2%)	6	35
49	BY	82/84 (98%)	64 (78%)	15 (18%)	3 (4%)	3	24
50	BZ	75/77 (97%)	63 (84%)	9 (12%)	3 (4%)	3	23
51	B0	61/63 (97%)	53 (87%)	6 (10%)	2 (3%)	4	26
52	B1	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
53	B2	68/70 (97%)	51 (75%)	12 (18%)	5 (7%)	1	14
54	B3	54/56 (96%)	38 (70%)	14 (26%)	2 (4%)	3	24
55	B4	52/54 (96%)	47 (90%)	4 (8%)	1 (2%)	8	38
56	B5	44/46 (96%)	39 (89%)	4 (9%)	1 (2%)	6	34
57	B6	62/64 (97%)	59 (95%)	3 (5%)	0	100	100
58	B7	36/38 (95%)	28 (78%)	6 (17%)	2 (6%)	2	19
All	All	6319/6423 (98%)	5497 (87%)	658 (10%)	164 (3%)	8	31

5 of 164 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	AE	84	LEU
5	AE	93	HIS
7	AG	3	TYR
8	AH	77	ASN
9	AI	99	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	193 (98%)	5 (2%)	47	68
6	AF	189/189 (100%)	181 (96%)	8 (4%)	30	54
7	AG	172/172 (100%)	164 (95%)	8 (5%)	26	51
8	AH	125/125 (100%)	121 (97%)	4 (3%)	39	61
9	AI	116/116 (100%)	110 (95%)	6 (5%)	23	48
10	AJ	146/146 (100%)	140 (96%)	6 (4%)	30	55
11	AK	104/104 (100%)	98 (94%)	6 (6%)	20	45
12	AL	106/106 (100%)	103 (97%)	3 (3%)	43	65
13	AM	90/90 (100%)	84 (93%)	6 (7%)	16	41
14	AN	98/98 (100%)	94 (96%)	4 (4%)	30	55
15	AO	103/103 (100%)	100 (97%)	3 (3%)	42	64
16	AP	95/95 (100%)	90 (95%)	5 (5%)	22	47
17	AQ	83/83 (100%)	80 (96%)	3 (4%)	35	59
18	AR	76/76 (100%)	75 (99%)	1 (1%)	69	81
19	AS	65/65 (100%)	63 (97%)	2 (3%)	40	62
20	AT	77/77 (100%)	73 (95%)	4 (5%)	23	48
21	AU	64/64 (100%)	59 (92%)	5 (8%)	12	36
22	AV	78/78 (100%)	71 (91%)	7 (9%)	9	30
23	AW	65/65 (100%)	64 (98%)	1 (2%)	65	80
24	AX	60/60 (100%)	58 (97%)	2 (3%)	38	61
27	BC	181/181 (100%)	172 (95%)	9 (5%)	24	49
28	BD	217/217 (100%)	204 (94%)	13 (6%)	19	44
29	BE	164/164 (100%)	150 (92%)	14 (8%)	10	33
30	BF	165/165 (100%)	154 (93%)	11 (7%)	16	41
31	BG	149/149 (100%)	138 (93%)	11 (7%)	13	38
32	BH	137/137 (100%)	129 (94%)	8 (6%)	20	45
33	BI	114/114 (100%)	108 (95%)	6 (5%)	22	47
34	BJ	122/122 (100%)	116 (95%)	6 (5%)	25	50
35	BK	109/109 (100%)	105 (96%)	4 (4%)	34	58
36	BL	116/116 (100%)	113 (97%)	3 (3%)	46	66
37	BM	104/104 (100%)	101 (97%)	3 (3%)	42	64
38	BN	103/103 (100%)	96 (93%)	7 (7%)	16	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	BO	109/109 (100%)	106 (97%)	3 (3%)	43	65
40	BP	103/103 (100%)	98 (95%)	5 (5%)	25	50
41	BQ	87/87 (100%)	84 (97%)	3 (3%)	37	60
42	BR	99/99 (100%)	93 (94%)	6 (6%)	18	44
43	BS	89/89 (100%)	87 (98%)	2 (2%)	52	71
44	BT	84/84 (100%)	79 (94%)	5 (6%)	19	44
45	BU	93/93 (100%)	90 (97%)	3 (3%)	39	61
46	BV	84/84 (100%)	77 (92%)	7 (8%)	11	34
47	BW	84/84 (100%)	80 (95%)	4 (5%)	25	51
48	BX	78/78 (100%)	73 (94%)	5 (6%)	17	42
49	BY	62/62 (100%)	60 (97%)	2 (3%)	39	61
50	BZ	67/67 (100%)	63 (94%)	4 (6%)	19	44
51	B0	55/55 (100%)	52 (94%)	3 (6%)	21	47
52	B1	48/48 (100%)	46 (96%)	2 (4%)	30	54
53	B2	62/62 (100%)	57 (92%)	5 (8%)	11	35
54	B3	47/47 (100%)	46 (98%)	1 (2%)	53	72
55	B4	48/48 (100%)	48 (100%)	0	100	100
56	B5	38/38 (100%)	37 (97%)	1 (3%)	46	66
57	B6	51/51 (100%)	48 (94%)	3 (6%)	19	45
58	B7	34/34 (100%)	33 (97%)	1 (3%)	42	64
All	All	5213/5213 (100%)	4964 (95%)	249 (5%)	29	51

5 of 249 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
29	BE	46	ARG
47	BW	98	ASN
31	BG	111	ARG
47	BW	81	ARG
52	B1	16	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	287 (18%)	93 (6%)
2	AB	74/76 (97%)	23 (31%)	7 (9%)
25	BA	119/120 (99%)	20 (16%)	13 (10%)
26	BB	2898/2904 (99%)	536 (18%)	180 (6%)
3	AC	47/47 (100%)	26 (55%)	14 (29%)
4	AD	76/77 (98%)	13 (17%)	4 (5%)
All	All	4752/4766 (99%)	905 (19%)	311 (6%)

5 of 905 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	6	G
1	AA	32	A
1	AA	36	C
1	AA	48	C

5 of 311 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
26	BB	1697	G
26	BB	2500	U
26	BB	1786	A
26	BB	2129	C
26	BB	2756	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	PSU	BB	2580	26	18,21,22	1.49	2 (11%)	22,30,33	1.75	9 (40%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	7MG	AB	46	2	22,26,27	4.77	5 (22%)	29,39,42	1.93	7 (24%)
2	H2U	AB	17	2	18,21,22	1.35	3 (16%)	21,30,33	2.11	3 (14%)
4	4SU	AD	8	4	18,21,22	1.76	4 (22%)	26,30,33	2.03	7 (26%)
1	2MG	AA	966	1	18,26,27	1.34	3 (16%)	16,38,41	2.60	5 (31%)
26	5MC	BB	1962	26	18,22,23	1.70	6 (33%)	26,32,35	1.66	6 (23%)
1	MA6	AA	1518	1	19,26,27	1.93	6 (31%)	18,38,41	1.83	4 (22%)
1	5MC	AA	1407	1	18,22,23	1.44	2 (11%)	26,32,35	1.96	5 (19%)
26	5MU	BB	747	26	19,22,23	1.17	1 (5%)	28,32,35	1.62	7 (25%)
26	PSU	BB	2605	26	18,21,22	1.67	4 (22%)	22,30,33	1.75	3 (13%)
1	2MG	AA	1516	1	18,26,27	2.19	8 (44%)	16,38,41	1.27	3 (18%)
26	2MG	BB	2445	26	18,26,27	2.20	6 (33%)	16,38,41	2.89	5 (31%)
1	4OC	AA	1402	-	20,23,24	1.32	3 (15%)	26,32,35	1.45	4 (15%)
1	5MC	AA	967	1	18,22,23	1.32	2 (11%)	26,32,35	1.20	1 (3%)
4	H2U	AD	21	4	18,21,22	1.38	3 (16%)	21,30,33	2.19	5 (23%)
2	MIA	AB	37	2	24,31,32	1.68	3 (12%)	26,44,47	3.01	9 (34%)
4	PSU	AD	56	4	18,21,22	1.81	6 (33%)	22,30,33	1.33	3 (13%)
1	2MG	AA	1207	1	18,26,27	1.84	2 (11%)	16,38,41	1.37	1 (6%)
2	4SU	AB	8	2	18,21,22	1.71	2 (11%)	26,30,33	1.95	5 (19%)
26	6MZ	BB	1618	26	18,25,26	1.85	4 (22%)	16,36,39	2.35	4 (25%)
2	PSU	AB	55	2	18,21,22	1.49	3 (16%)	22,30,33	2.26	7 (31%)
26	2MG	BB	1835	26	18,26,27	1.59	3 (16%)	16,38,41	1.97	5 (31%)
1	7MG	AA	527	1	22,26,27	4.13	6 (27%)	29,39,42	2.04	6 (20%)
26	5MU	BB	1939	26	19,22,23	1.43	4 (21%)	28,32,35	2.03	11 (39%)
26	1MG	BB	745	26	18,26,27	1.84	3 (16%)	19,39,42	1.81	6 (31%)
1	PSU	AA	516	1	18,21,22	1.39	3 (16%)	22,30,33	2.88	7 (31%)
2	5MU	AB	54	2	19,22,23	0.95	1 (5%)	28,32,35	1.49	6 (21%)
26	3TD	BB	1915	26	18,22,23	1.84	6 (33%)	22,32,35	1.17	0
26	PSU	BB	1917	26	18,21,22	1.45	3 (16%)	22,30,33	1.53	4 (18%)
26	7MG	BB	2069	26	22,26,27	4.26	4 (18%)	29,39,42	1.87	7 (24%)
26	PSU	BB	1911	26	18,21,22	1.54	4 (22%)	22,30,33	2.16	3 (13%)
26	6MZ	BB	2030	26	18,25,26	1.03	1 (5%)	16,36,39	1.54	3 (18%)
26	OMU	BB	2552	26	19,22,23	1.50	4 (21%)	26,31,34	2.10	8 (30%)
2	H2U	AB	16	2	18,21,22	1.42	1 (5%)	21,30,33	1.89	7 (33%)
1	UR3	AA	1498	1	19,22,23	1.12	1 (5%)	26,32,35	1.55	6 (23%)
26	PSU	BB	2457	26	18,21,22	1.12	2 (11%)	22,30,33	2.40	9 (40%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	OMG	BB	2251	26	18,26,27	1.53	4 (22%)	19,38,41	1.54	2 (10%)
26	OMC	BB	2498	26	19,22,23	1.19	2 (10%)	26,31,34	1.34	3 (11%)
26	2MA	BB	2503	26	17,25,26	2.08	7 (41%)	17,37,40	1.27	1 (5%)
4	OMC	AD	33	4	19,22,23	1.46	3 (15%)	26,31,34	1.38	5 (19%)
1	MA6	AA	1519	1	19,26,27	1.59	4 (21%)	18,38,41	1.79	8 (44%)
2	OMC	AB	32	2	19,22,23	1.49	4 (21%)	26,31,34	1.62	5 (19%)
2	H2U	AB	20	2	18,21,22	1.49	3 (16%)	21,30,33	1.55	4 (19%)
4	5MU	AD	55	4	19,22,23	1.33	4 (21%)	28,32,35	2.14	6 (21%)
26	PSU	BB	2504	26	18,21,22	1.38	3 (16%)	22,30,33	1.87	7 (31%)
26	PSU	BB	955	26	18,21,22	1.70	3 (16%)	22,30,33	1.37	3 (13%)
26	H2U	BB	2449	26	18,21,22	1.61	3 (16%)	21,30,33	1.77	4 (19%)
26	PSU	BB	746	26	18,21,22	2.32	8 (44%)	22,30,33	2.14	8 (36%)
26	CH	BB	2575	26	16,21,22	1.54	3 (18%)	20,30,33	2.28	7 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	PSU	BB	2580	26	-	5/7/25/26	0/2/2/2
2	7MG	AB	46	2	-	3/7/37/38	0/3/3/3
2	H2U	AB	17	2	-	1/7/38/39	0/2/2/2
4	4SU	AD	8	4	-	0/7/25/26	0/2/2/2
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
26	5MC	BB	1962	26	-	1/7/25/26	0/2/2/2
1	MA6	AA	1518	1	-	2/7/29/30	0/3/3/3
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
26	5MU	BB	747	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2605	26	-	0/7/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
1	4OC	AA	1402	-	-	0/9/29/30	0/2/2/2
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
4	H2U	AD	21	4	-	0/7/38/39	0/2/2/2
2	MIA	AB	37	2	-	0/11/33/34	0/3/3/3
4	PSU	AD	56	4	-	0/7/25/26	0/2/2/2
1	2MG	AA	1207	1	-	1/5/27/28	0/3/3/3
2	4SU	AB	8	2	-	5/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	6MZ	BB	1618	26	-	1/5/27/28	0/3/3/3
2	PSU	AB	55	2	-	1/7/25/26	0/2/2/2
26	2MG	BB	1835	26	-	0/5/27/28	0/3/3/3
1	7MG	AA	527	1	-	2/7/37/38	0/3/3/3
26	5MU	BB	1939	26	-	0/7/25/26	0/2/2/2
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3
1	PSU	AA	516	1	-	0/7/25/26	0/2/2/2
2	5MU	AB	54	2	-	1/7/25/26	0/2/2/2
26	3TD	BB	1915	26	-	2/7/25/26	0/2/2/2
26	PSU	BB	1917	26	-	3/7/25/26	0/2/2/2
26	7MG	BB	2069	26	-	0/7/37/38	0/3/3/3
26	PSU	BB	1911	26	-	1/7/25/26	0/2/2/2
26	6MZ	BB	2030	26	-	2/5/27/28	0/3/3/3
26	OMU	BB	2552	26	-	0/9/27/28	0/2/2/2
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
1	UR3	AA	1498	1	-	2/7/25/26	0/2/2/2
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
26	OMC	BB	2498	26	-	0/9/27/28	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
4	OMC	AD	33	4	-	0/9/27/28	0/2/2/2
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
2	OMC	AB	32	2	-	0/9/27/28	0/2/2/2
2	H2U	AB	20	2	-	0/7/38/39	0/2/2/2
4	5MU	AD	55	4	-	0/7/25/26	0/2/2/2
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2
26	H2U	BB	2449	26	-	2/7/38/39	0/2/2/2
26	PSU	BB	746	26	-	0/7/25/26	0/2/2/2
26	CH	BB	2575	26	-	0/5/25/26	0/2/2/2

The worst 5 of 175 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	46	7MG	C8-N9	-20.90	1.34	1.46
26	BB	2069	7MG	C8-N9	-18.88	1.35	1.46
1	AA	527	7MG	C8-N9	-18.03	1.35	1.46
26	BB	955	PSU	C2-N1	6.15	1.45	1.36
26	BB	745	1MG	C8-N7	-6.03	1.24	1.35

The worst 5 of 254 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	37	MIA	C11-S10-C2	12.41	111.53	102.27
26	BB	2445	2MG	O6-C6-N1	-8.97	110.06	120.65
2	AB	17	H2U	O4'-C1'-N1	8.59	121.00	109.30
1	AA	516	PSU	C6-C5-C4	8.47	124.12	118.20
26	BB	1911	PSU	C6-C5-C4	8.33	124.02	118.20

There are no chirality outliers.

5 of 35 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	1207	2MG	N3-C2-N2-CM2
2	AB	8	4SU	C2'-C1'-N1-C2
2	AB	8	4SU	C2'-C1'-N1-C6
2	AB	46	7MG	C4'-C5'-O5'-P
26	BB	1915	3TD	C2'-C1'-C5-C4

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
59	TRP	AB	101	60,2	14,15,16	1.53	2 (14%)	13,20,22	2.28	7 (53%)
60	FME	BB	3001	59	8,9,10	1.63	1 (12%)	7,9,11	2.00	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	TRP	AB	101	60,2	-	2/5/6/8	0/2/2/2
60	FME	BB	3001	59	-	2/7/9/11	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-3.96	1.25	1.42
60	BB	3001	FME	CA-N	-3.74	1.41	1.46
59	AB	101	TRP	C-CA	2.56	1.56	1.52

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	AB	101	TRP	CB-CG-CD1	-3.98	123.06	127.97
60	BB	3001	FME	CG-CB-CA	3.44	122.50	112.95
59	AB	101	TRP	CZ3-CE3-CD2	3.18	125.30	120.89
59	AB	101	TRP	CZ2-CE2-NE1	2.88	138.77	130.80
59	AB	101	TRP	CH2-CZ2-CE2	2.70	123.97	120.08

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA
60	BB	3001	FME	CB-CG-SD-CE
59	AB	101	TRP	N-CA-CB-CG
59	AB	101	TRP	CA-CB-CG-CD1

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
26	BB	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BB	1614:A	O3'	1615:C	P	1.76


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5359. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 125



Y Index: 125




Z Index: 125


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 131



Y Index: 129




Z Index: 114

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 4871 nm^3 ; this corresponds to an approximate mass of 4400 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.068 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-5359 and PDB model 4V6O. Per-residue inclusion information can be found in [section 3](#) on [page 15](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 100% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

















































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9954	 0.0650
AA	 0.9999	 0.0830
AB	 0.9689	 0.0430
AC	 0.8943	 -0.0220
AD	 0.9519	 0.0710
AE	 0.9669	 0.0380
AF	 0.9972	 0.0560
AG	 1.0000	 0.0330
AH	 0.9975	 0.0240
AI	 0.9972	 0.0450
AJ	 1.0000	 0.0640
AK	 1.0000	 0.0190
AL	 0.9889	 0.0450
AM	 1.0000	 0.0320
AN	 0.9957	 0.0540
AO	 0.9891	 0.0180
AP	 0.9977	 0.0630
AQ	 1.0000	 0.0310
AR	 1.0000	 0.0320
AS	 1.0000	 0.0250
AT	 1.0000	 0.0470
AU	 1.0000	 0.0490
AV	 1.0000	 0.0290
AW	 1.0000	 0.0250
AX	 0.9982	 0.0020
B0	 1.0000	 0.0290
B1	 0.9954	 0.0370
B2	 0.9963	 0.0110
B3	 1.0000	 0.0300
B4	 1.0000	 0.0400
B5	 1.0000	 0.0280
B6	 1.0000	 0.0010
B7	 1.0000	 0.0530
BA	 1.0000	 0.0950
BB	 0.9999	 0.0830



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BC	 0.9104	 0.0280
BD	 1.0000	 0.0180
BE	 0.9993	 0.0270
BF	 1.0000	 0.0500
BG	 1.0000	 0.0610
BH	 0.9992	 0.0300
BI	 0.8796	 0.0350
BJ	 0.9884	 0.0510
BK	 0.9755	 0.0350
BL	 1.0000	 0.0130
BM	 0.9902	 0.0300
BN	 1.0000	 0.0050
BO	 1.0000	 0.0130
BP	 1.0000	 0.0190
BQ	 0.9954	 0.0460
BR	 0.9921	 0.0300
BS	 1.0000	 0.0050
BT	 0.9987	 0.0530
BU	 0.9988	 0.0180
BV	 1.0000	 0.0110
BW	 1.0000	 0.0510
BX	 1.0000	 0.0520
BY	 1.0000	 -0.0050
BZ	 1.0000	 0.0250