



## Full wwPDB EM Validation Report ⓘ

Nov 20, 2022 – 03:12 PM EST

PDB ID : 4V6Q  
EMDB ID : EMD-5363  
Title : Structural characterization of mRNA-tRNA translocation intermediates (class 5 of the six classes)  
Authors : Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.  
Deposited on : 2011-12-08  
Resolution : 11.50 Å (reported)  
Based on initial model : 2I2U

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 11.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	76	
3	AC	47	
4	AD	77	
5	AE	240	
6	AF	232	
7	AG	205	
8	AH	166	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AI	135	
10	AJ	178	
11	AK	129	
12	AL	129	
13	AM	103	
14	AN	128	
15	AO	123	
16	AP	117	
17	AQ	100	
18	AR	88	
19	AS	82	
20	AT	83	
21	AU	74	
22	AV	91	
23	AW	86	
24	AX	70	
25	BA	120	
26	BB	2904	
27	BC	234	
28	BD	272	
29	BE	209	
30	BF	201	
31	BG	178	
32	BH	176	
33	BI	149	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	BJ	164	
35	BK	141	
36	BL	142	
37	BM	123	
38	BN	144	
39	BO	136	
40	BP	127	
41	BQ	117	
42	BR	114	
43	BS	117	
44	BT	103	
45	BU	110	
46	BV	100	
47	BW	103	
48	BX	94	
49	BY	84	
50	BZ	77	
51	B0	63	
52	B1	58	
53	B2	70	
54	B3	56	
55	B4	54	
56	B5	46	
57	B6	64	
58	B7	38	

## 2 Entry composition [i](#)

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1542	Total	C	N	O	P	0	0
			33089	14767	6064	10717	1541		

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	AB	76	Total	C	N	O	P	S	0	0
			1627	731	287	532	75	2		

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AC	47	Total	C	N	O	P	0	0
			993	445	167	335	46		

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	AD	77	Total	C	N	O	P	S	0	0
			1641	734	297	533	76	1		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AE	240	Total	C	N	O	S	0	0
			1872	1180	332	352	8		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AF	232	Total	C	N	O	S	0	0
			1822	1149	346	323	4		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AG	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AH	166	Total	C	N	O	S	0	0
			1225	761	232	226	6		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AI	135	Total	C	N	O	S	0	0
			1101	677	198	219	7		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AJ	178	Total	C	N	O	S	0	0
			1400	874	269	253	4		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AK	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AL	129	Total	C	N	O	S	0	0
			1036	642	208	183	3		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	103	Total	C	N	O	S	0	0
			825	514	158	151	2		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	128	Total	C	N	O	S	0	0
			965	595	196	171	3		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AP	117	Total	C	N	O	S	0	0
			910	564	183	160	3		

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AQ	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AR	88	Total	C	N	O	S	0	0
			716	440	146	129	1		

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AS	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AT	83	Total	C	N	O	S	0	0
			672	425	124	120	3		

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	74	Total	C	N	O	S	0	0
			626	395	123	107	1		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	91	Total	C	N	O	S	0	0
			727	464	139	122	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AW	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AX	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	120	Total	C	N	O	P	0	0
			2566	1144	468	835	119		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BB	2904	Total	C	N	O	P	0	0
			62351	27824	11469	20155	2903		

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BC	234	Total	C	N	O	S	0	0
			1733	1081	315	330	7		

- Molecule 28 is a protein called 50S ribosomal protein L2.



Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BI	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BJ	164	Total	C	N	O	S	0	0
			1233	776	220	231	6		

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BK	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BL	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BM	123	Total	C	N	O	S	0	0
			947	593	181	167	6		

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BN	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BO	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BP	127	Total	C	N	O	S	0	0
			1008	621	204	178	5		

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	117	Total	C	N	O	S	0	0
			947	604	192	151			

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BT	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BV	100	Total	C	N	O	S	0	0
			787	496	146	143	2		

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BW	103	Total	C	N	O	S	0	0
			789	498	148	143			

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BX	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B0	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B2	70	Total	C	N	O	S	0	0
			549	339	104	100	6		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B3	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	B4	54	Total	C	N	O	0	0
			441	284	81	76		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	46	Total	C	N	O	S	0	0
			377	228	90	57	2		


- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	B6	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 58 is a protein called 50S ribosomal protein L36.


Mol	Chain	Residues	Atoms					AltConf	Trace
58	B7	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula:  $C_{11}H_{12}N_2O_2$ ).



Mol	Chain	Residues	Atoms				AltConf
59	AB	1	Total	C	N	O	0
			14	11	2	1	

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula:  $C_6H_{11}NO_3S$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 16S ribosomal RNA




C1501	A1441	U1381	U1321	A1261	A1201	C1141	A1081	A1021	U961	A901	C841	A781
A1502	C1442	C1382	C1322	C1262	A1202	C1142	A1082	A1022	C962	G902	C842	A782
C1503	C1443	C1383	C1323	C1263	C1203	C1143	A1083	U1023	C963	G903	C843	C783
G1504	A1444	C1384	A1324	U1264	A1204	G1144	G1084	G1024	A964	U904	G844	A784
C1505	U1445	G1385	C1325	C1265	U1205	A1145	U1085	U1025	U965	U905	A845	A785
U1506	A1446	G1386	U1326	G1266	G1206	A1146	U1086	C1226	G866	A906	C846	G786
A1507	A1447	G1387	C1327	C1267	G1207	C1147	G1087	C1027	C967	A907	G847	A787
A1508	C1448	C1328	A1328	C1268	C1208	U1148	U1088	C1028	A968	A908	C848	U788
C1509	C1449	C1389	A1329	A1269	C1209	C1149	U1089	U1029	A969	A909	G849	A789
C1510	U1450	U1390	C1330	G1270	C1210	A1150	U1090	U1030	C970	C910	U850	A790
C1511	U1451	U1391	G1331	A1271	U1211	A1151	U1091	C1031	C971	U911	G851	A791
U1512	C1452	G1392	A1332	C1272	U1212	A1152	A1092	G1032	C972	C912	G852	A792
A1513	C1453	U1393	A1333	C1273	A1213	C1153	A1093	G1033	C973	A913	C853	U793
C1514	A1454	C1394	G1334	A1274	C1214	A1154	G1094	G1034	A974	A914	U854	A794
C1515	G1455	U1395	U1335	A1275	G1215	A1155	U1095	A1035	A975	A915	U855	C795
U1516	A1456	A1396	G1336	C1276	A1216	G1156	C1096	A1036	G976	U916	C856	G796
C1517	C1457	C1397	G1337	C1277	C1217	A1157	C1097	C1037	A977	G917	C857	C797
A1518	G1458	A1398	C1338	C1278	C1218	C1158	C1098	C1038	A978	A918	G858	U798
C1519	U1459	C1399	A1339	G1279	A1219	U1159	U1099	C1039	C979	A919	G859	C799
C1520	C1460	C1400	A1340	A1280	G1220	U1160	C1100	U1040	C980	A920	A860	C800
C1521	A1461	G1401	U1341	C1281	G1221	C1161	A1101	G1041	U981	U921	G861	U801
U1522	C1462	C1402	C1342	C1282	G1222	C1162	A1102	A1042	U982	G922	C862	A802
C1523	U1463	G1403	C1343	U1283	C1223	A1163	C1103	G1043	A983	A923	U863	G803
C1524	A1464	C1404	C1344	C1284	U1224	G1164	G1104	A1044	C984	G924	A864	U804
G1525	A1465	G1405	U1345	A1285	A1225	U1165	A1105	C1045	C985	G925	A865	C805
C1526	C1466	U1406	C1346	U1286	C1226	A1166	G1106	A1046	U986	G926	C866	C806
U1527	C1467	G1407	A1347	A1287	A1227	A1167	C1107	G1047	U987	G927	G867	A807
C1528	A1468	A1408	U1348	A1288	C1228	U1168	G1108	G1048	U988	G928	C868	C808
C1529	C1469	A1409	A1349	A1289	A1229	A1169	C1109	U1049	U989	G929	G869	C809
C1530	U1470	A1410	A1350	C1290	C1230	A1170	A1110	C1050	C990	C930	U870	C810
A1531	U1471	C1411	U1351	C1291	G1231	A1171	A1111	C1051	U991	C931	U871	C811
U1532	C1472	C1412	C1352	C1292	U1232	C1172	C1112	U1052	U992	C932	A872	C812
C1533	A1473	C1413	C1353	C1293	C1233	U1173	C1113	G1053	C993	G933	A873	U813
A1534	U1474	A1414	U1354	G1294	C1234	G1174	C1114	C1054	A994	A934	C874	A814
C1535	G1475	G1415	G1355	U1295	U1235	G1175	U1115	A1055	C995	A935	U875	A815
U1536	A1476	G1416	C1356	C1296	A1236	A1176	U1116	U1056	A996	C936	C876	A816
C1537	U1477	G1417	A1357	G1297	C1237	G1177	A1117	G1057	U997	A937	G877	C817
A1538	C1478	A1418	U1358	U1298	A1238	C1178	U1118	C1058	C998	A938	A878	G818
C1539	C1479	G1419	C1359	A1299	C1239	A1179	C1119	G1059	C999	G939	C879	A819
U1540	A1480	U1420	A1360	G1300	U1240	A1180	C1120	U1060	A1000	C940	U880	A820
C1541	U1481	G1421	C1361	U1301	G1241	A1181	U1121	G1061	C1001	G941	G881	G821
A1542	G1482	G1422	A1362	C1302	G1242	G1182	U1122	U1062	G1002	G942	C882	U822
	C1483	U1423	U1363	C1303	C1243	U1183	U1123	C1063	G1003	U943	C883	C823
	A1484	A1424	C1364	G1304	G1244	A1184	G1124	G1064	A1004	G944	U884	G824
	U1485	U1425	G1365	G1305	C1245	G1185	U1125	U1065	A1005	G945	G885	A825
	G1486	G1426	C1366	A1306	A1246	G1186	U1126	C1066	G1006	A946	G886	C826
	C1487	C1427	C1367	U1307	U1247	G1187	G1127	A1067	U1007	G947	G887	U827
	A1488	A1428	A1368	U1308	A1248	A1188	C1128	G1068	U1008	C948	G888	U828
	G1489	A1429	C1369	G1309	C1249	U1189	C1129	C1069	U1009	A949	A889	G829
	U1490	A1430	G1370	G1310	A1250	G1190	A1130	U1070	C950	G950	G890	C830
	C1491	A1431	C1371	A1311	A1251	A1191	G1131	C1071	C1011	U951	A891	A831
	A1492	G1432	U1372	G1312	A1252	C1192	G1132	G1072	A1012	G952	A892	G832
	C1493	C1433	G1373	U1313	G1253	G1193	C1133	U1073	G1013	G953	C893	G833
	G1494	A1434	A1374	C1314	A1254	U1194	G1134	G1074	A1014	G954	G894	U834
	U1495	G1435	A1375	U1315	G1255	C1195	U1135	U1075	G1015	G955	G895	U835
	C1496	U1436	U1376	G1316	A1256	A1196	C1136	U1076	A1016	U956	C896	G836
	U1497	A1437	C1377	C1317	A1257	A1197	C1137	G1077	U1017	U957	C897	U837
	G1498	C1438	C1378	A1318	G1258	G1198	G1138	U1078	G1018	A958	G898	G838
	A1499	U1439	G1379	A1319	C1259	U1199	G1139	G1079	A1019	A959	C899	C839
	U1500	U1440	U1380	C1320	C1260	U1200	C1140	A1020	U960	A960	C840	C780

## • Molecule 2: A site tRNA

Chain AB:  38% 39% 22%

A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24	A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36	A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48	A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
C61	C62	C63	C64	C65	C66	C67	C68	C69	C70	C71	C72	C73	C74	C75	C76	C77	C78	C79	C80	C81	C82	C83	C84	C85	C86	C87	C88	C89	C90	C91	C92	C93	C94	C95	C96	C97	C98	C99	C100	C101	C102	C103	C104	C105	C106	C107	C108	C109	C110	C111	C112	C113	C114	C115	C116	C117	C118	C119	C120

## • Molecule 3: mRNA


Chain AC:  9% 19% 49% 32%






• Molecule 4: P site tRNA

Chain AD: 38% 51% 12%




• Molecule 5: 30S ribosomal protein S2

Chain AE: 5% 78% 19%




• Molecule 6: 30S ribosomal protein S3

Chain AF: 74% 25%




• Molecule 7: 30S ribosomal protein S4


Chain AG: 76% 22%




• Molecule 8: 30S ribosomal protein S5

Chain AH: 78% 20%








- Molecule 9: 30S ribosomal protein S6



- Molecule 10: 30S ribosomal protein S7




- Molecule 11: 30S ribosomal protein S8




- Molecule 12: 30S ribosomal protein S9




- Molecule 13: 30S ribosomal protein S10




- Molecule 14: 30S ribosomal protein S11

Chain AN:  80% 19%




- Molecule 15: 30S ribosomal protein S12

Chain AO:  72% 24% 5%




- Molecule 16: 30S ribosomal protein S13

Chain AP:  87% 11%




- Molecule 17: 30S ribosomal protein S14

Chain AQ:  71% 24%





- Molecule 18: 30S ribosomal protein S15

Chain AR:  78% 18%



- Molecule 19: 30S ribosomal protein S16

Chain AS:  74% 23%



- Molecule 20: 30S ribosomal protein S17

Chain AT:  80% 20%




- Molecule 21: 30S ribosomal protein S18

Chain AU: 72% 23%



- Molecule 22: 30S ribosomal protein S19

Chain AV: 76% 22%




- Molecule 23: 30S ribosomal protein S20

Chain AW: 88% 10%



- Molecule 24: 30S ribosomal protein S21

Chain AX: 74% 21%



- Molecule 25: 5S ribosomal RNA

Chain BA: 37% 52% 11%



- Molecule 26: 23S ribosomal RNA

Chain BB: 33% 54% 12%




U1141	U1081	A1021	C961	C901	G941	A781	A721	A661	C601	A541	G481	C421	G361	G301	A241	A181	G121
A1142	U1082	G1022	G962	C902	U942	A782	A722	G662	A602	C542	G482	A422	A362	C302	G242	A182	G122
A1143	U1083	U1023	U963	C903	A943	A783	C723	G663	A603	G543	A483	A423	G363	G303	U243	C183	G123
A1144	A1084	A1024	C964	G904	A944	G784	U724	G664	A604	C544	G484	G424	C364	C304	A244	C184	G124
C1145	A1085	G1025	C965	A905	A945	G785	G725	U665	G605	U545	C485	G425	U365	C305	C245	G185	A125
C1146	A1086	U1026	G966	U906	U946	G786	G726	A666	U606	U546	C486	C426	C366	U306	C246	G186	A126
A1147	G1087	A1027	U967	G907	U947	C787	A727	U667	U607	A547	G487	U427	G367	G307	G247	G187	A127
U1148	A1088	A1028	C968	C908	C948	A788	G728	A668	A608	G548	G488	A428	A368	C308	G248	G188	C128
G1149	A1089	A1029	G969	A909	A949	G789	G729	G669	A609	G549	G489	A429	U369	A309	C249	G189	C129
C1150	A1090	C1030	U970	A910	U950	U790	A730	A670	C610	C550	A490	A430	G370	A310	G250	A190	A130
A1151	G1091	G1031	G971	A911	C951	U791	C731	G671	C611	G551	G491	U431	G371	A311	A251	A191	A131
C1152	C1092	A1032	A972	C912	U952	A792	G732	C672	G612	U552	A492	A432	G372	G312	G252	C192	G132
C1153	G1093	U1033	A973	C913	G953	A793	G733	C673	A613	G553	G493	C433	U373	G313	C253	U193	G133
G1154	U1094	G1034	C974	G914	C954	A794	A734	G674	A614	U554	G494	U434	A374	C314	C254	G194	G134
A1155	U1095	U1035	A975	C915	G955	C795	A735	A675	U615	G555	G495	A435	G375	G315	A255	A195	U135
A1156	A1096	G1036	G976	C916	G956	C796	G736	A676	A616	A556	G496	C436	G376	C316	A256	A196	G136
G1157	U1097	G1037	G977	A917	G957	G797	C737	A677	G617	C557	A497	U437	G377	G317	C257	A197	U137
C1158	A1098	G1038	G978	A918	G958	G798	G738	C678	C618	U558	G498	C438	C378	C318	G258	C198	U138
U1159	G1099	A1039	A979	U919	G959	G799	A739	C679	G619	G559	U499	A439	G379	G319	G259	A199	U139
G1160	C1100	A1040	A980	A920	U960	A800	C740	C680	G620	C560	G500	C440	G380	A320	G260	U200	C140
C1161	U1101	G1041	A981	C921	U961	G801	U741	G681	A621	G561	A501	U441	G381	U321	G261	C201	G141
G1162	C1102	G1042	C982	C922	A962	A802	A742	G682	G622	U562	A502	A442	A382	A322	A262	U202	A142
C1163	A1103	C1043	A983	G923	A963	U803	A743	U683	C623	A563	A503	A443	C383	C323	G263	A203	C143
C1164	C1104	C1044	A984	G924	C964	A804	U744	G684	C624	C564	A504	C444	A384	A324	C264	A204	A144
A1165	U1105	U1045	G985	A925	C965	G805	G745	A685	G625	C565	A505	C445	C385	G325	A265	G205	C145
G1166	G1106	A1046	C986	G926	A966	C806	U746	U686	A626	U566	G506	C446	G386	G326	C266	U206	A146
C1167	U1107	G1047	G987	A927	C967	U807	U747	C687	A627	U567	A507	A447	U387	G327	C267	A207	C147
G1168	U1108	A1048	A988	A928	U968	G808	G748	U688	G628	U568	A508	U448	C388	C328	C268	C208	U148
A1169	C1109	U1049	G989	U929	G969	G809	A749	A689	G629	U569	C509	A449	G389	G329	C269	C209	A149
C1170	G1110	A1050	A990	G930	U970	U810	U750	C690	A630	C510	C450	U450	U390	A330	A270	C210	U150
A1171	A1111	G1051	C991	U931	U971	U811	A751	C691	A631	U571	U511	U451	A391	C331	G271	C211	C151
C1172	U1112	C1052	C992	U932	U972	G812	A752	C692	A632	A572	G512	A452	U392	A332	A272	G212	A152
U1173	G1113	C1053	G993	A933	C973	U813	A753	C693	A633	U573	G513	A453	C393	G333	G273	A213	U153
C1174	C1114	A1054	C994	C934	G974	C814	U754	U694	C634	A574	A514	A454	C394	C334	C274	G214	U154
A1175	G1115	G1055	C995	C935	G975	C815	U755	G695	C635	A575	A515	A455	U395	C335	C275	G215	A155
U1176	C1116	A1056	A996	A936	C976	C816	A756	G696	C636	U576	C516	C456	G396	C336	U276	A216	A156
G1177	C1117	U1057	G997	C937	A977	C817	G757	C697	A637	G577	C517	A457	U397	C337	G277	A217	G157
C1178	U1118	U1058	C998	G938	A978	G818	C758	C698	G638	G578	G518	A458	C398	G338	A278	A218	U158
G1179	U1119	G1059	U999	G939	G979	A819	G759	A699	U639	G579	U519	U459	U399	U339	A279	A219	G159
U1180	C1120	U1060	A1000	G940	G980	A820	G760	G700	C640	U580	G520	A460	G400	A340	U280	G220	A160
A1181	C1121	U1061	A1001	A941	C981	A821	A761	G701	U641	C581	U521	C461	A401	C341	C281	A221	A161
G1182	U1122	G1062	G1002	G942	G982	G822	U762	G702	U642	A582	A522	C462	A402	A342	A282	A222	U162
U1183	C1123	G1063	G1003	A943	G983	G823	G763	U703	A643	G583	C523	G463	U403	C343	G283	A223	C163
G1184	C1124	C1064	U1004	C944	U984	U824	A764	G704	A644	C584	G524	U464	A404	A344	U284	U224	C164
G1185	G1125	U1065	C1005	A945	C985	A825	C765	A705	C645	G585	U525	A465	U405	A345	G285	C225	A165
G1186	A1126	U1066	C1006	C946	A986	U826	U766	A706	U646	A586	A526	A466	G406	A346	U286	A226	U166
C1187	U1127	A1067	C1007	A947	U987	U827	U767	G707	G647	C587	A527	C467	G407	A347	G287	A227	A167
U1188	G1128	G1068	A1008	C948	C988	U828	G768	G708	U648	U588	A528	C468	G408	A348	U288	C228	G168
A1189	A1129	A1069	A1009	G949	C989	A829	U769	U709	C649	U589	A529	C469	G409	U349	G289	G229	G169
G1190	U1130	A1070	A1010	G950	C990	G830	G770	U710	C650	A590	G530	A470	G410	G350	U290	G230	U170
C1191	G1131	G1071	G1011	C951	G991	G831	G771	G711	G651	U591	C531	A471	G411	C351	G291	A231	U171
G1192	U1132	C1072	U1012	G952	G992	U832	U772	G712	U652	A592	A532	A472	G412	A352	U292	G232	A172
C1193	A1133	A1073	C1013	G953	C993	A833	U773	G713	U653	U593	G533	C473	C413	C353	U293	A233	A173
A1194	A1134	G1074	A1014	G954	U994	G834	G774	U714	A654	U594	U534	C474	C414	A354	A294	U234	U174
G1195	C1135	C1075	U1015	U955	A995	G835	G775	A715	A655	C595	G535	C475	U415	U355	G295	U235	G175
C1196	G1136	C1076	G1016	G956	A996	G836	G776	A716	G656	U596	G536	C476	U416	G356	U296	C236	A176
G1197	G1137	A1077	G1017	C957	C997	C837	G777	C717	U657	G597	G537	A477	C417	C357	G297	G237	G177
U1198	G1138	U1078	U1018	U958	C998	C838	G778	A718	U658	U598	A538	A478	G418	U358	G298	C238	G178
U1199	C1139	C1079	U1019	A959	A999	U839	U779	C719	G659	A599	G539	A479	U419	G359	A299	C239	G179
C1200	C1140	A1080	A1020	A960	A900	C940	G780	U720	C660	G600	C540	A480	C420	U360	A300	C240	G180

C2161	A1201	G1921	A1981	G1741	G1681	U1621	C1561	A1501	G1441	G1381	A1321	A1261	U1201
G2162	G2102	G1922	U1982	U1742	G1682	G1622	U1562	A1502	U1442	G1382	A1322	A1262	G1202
A2163	C2103	C2043	G1983	G1743	G1683	G1623	U1563	A1503	U1443	A1383	C1323	A1263	A1203
C2164	C2104	C2044	G1984	A1744	G1684	U1624	C1564	A1504	G1444	A1384	G1324	A1264	A1204
C2165	U2105	C2045	C1985	A1745	G1685	G1625	C1565	A1505	G1445	A1385	U1325	A1265	A1205
U2106	G2106	G1926	G1986	A1746	G1686	A1626	U1566	U1506	C1446	A1386	U1326	G1266	G1206
U2167	G2107	A1927	G1987	U1747	G1687	G1627	G1567	C1507	C1447	A1387	A1327	U1267	C1207
G2168	A2108	A1928	G1988	C1748	U1688	G1628	G1568	A1508	G1448	A1388	A1328	A1268	U1208
A2169	U2109	G1929	G1989	A1749	A1689	U1629	U1569	A1509	G1449	G1389	U1329	A1269	U1209
A2170	C2110	G1930	A1810	U1750	A1690	A1630	A1570	G1510	A1450	A1390	C1330	G1270	G1210
A2171	U2111	U1931	A1811	U1751	A1691	G1631	A1571	G1511	C1451	A1391	G1331	G1271	C1211
A2172	G2112	A2052	G1992	G1752	U1692	A1632	A1572	C1512	G1452	A1392	G1332	A1272	G1212
A2173	U2113	G2053	U1993	G1753	U1693	G1633	A1573	C1513	G1453	A1393	G1333	U1273	A1213
C2174	A2114	C1934	G1994	A1754	C1694	A1634	C1574	G1514	C1454	U1394	G1334	A1274	A1214
C2175	G2115	G1935	U1995	A1755	G1695	A1635	U1575	A1515	G1455	A1395	C1335	A1275	G1215
A2176	G2116	C2056	G1996	U1756	G1696	U1636	C1576	G1516	G1456	A1396	A1336	A1276	G1216
C2177	A2117	C2057	G1997	A1757	G1697	U1637	C1577	G1517	U1457	A1397	G1337	G1277	U1217
C2178	U2118	A1938	G1998	U1758	A1698	C1638	U1578	C1518	U1458	A1398	G1338	C1278	G1218
C2179	A2119	C2059	C1999	A1759	G1699	U1639	A1579	G1519	G1459	A1399	G1339	G1279	U1219
U2180	G2120	U1940	U1999	U1760	A1700	A1640	A1580	U1520	U1460	U1400	U1340	G1280	G1220
U2181	G2121	C1941	C2001	C1761	A1701	A1641	G1581	G1521	C1461	G1401	G1341	G1281	C1221
U2182	U2122	A2062	G2002	A1762	G1702	G1642	C1582	A1522	C1462	A1402	A1342	U1282	U1222
A2183	G2123	C2063	A2003	G1763	G1703	G1643	A1583	U1523	C1463	A1403	G1343	G1283	G1223
A2184	G2124	C2064	G2004	C1764	A1704	G1644	U1584	G1524	G1464	A1404	U1344	A1284	U1224
U2185	G2125	C2065	A2005	U1765	A1705	G1645	U1585	A1525	G1465	U1405	C1345	A1285	G1225
G2186	A2126	C2066	C2006	G1766	C1706	C1646	A1586	C1526	U1466	U1406	G1346	A1286	A1226
U2187	G2127	C2067	U2007	G1767	G1707	U1647	G1587	G1527	U1467	G1407	A1347	A1287	G1227
U2188	G2128	U2068	C2008	C1768	A1708	U1648	U1588	A1528	U1468	A1408	C1348	G1288	G1228
U2189	G2129	C2069	A2009	U1769	G1709	U1649	U1589	G1529	A1469	A1409	C1349	A1289	C1229
G2190	U2130	G2070	G2010	G1770	G1710	A1650	A1590	G1530	A1470	G1410	C1350	C1290	A1230
A2191	U2131	A2071	U2011	G1771	A1711	G1651	A1591	C1531	G1471	U1411	C1351	G1291	U1231
U2192	U2132	C2072	G2012	A1772	U1712	A1652	C1592	A1532	C1472	U1412	U1352	G1292	G1232
C2193	C2073	A1953	A2013	A1773	G1713	G1653	C1593	C1533	G1473	A1413	A1353	C1293	G1233
U2194	U2074	U1954	A2014	C1774	U1714	A1654	U1594	A1534	U1474	A1414	A1354	U1294	U1234
U2195	U2075	G1955	A2015	U1775	G1715	A1655	C1595	A1535	G1475	A1415	G1355	C1295	G1235
C2196	G2136	U2076	U2016	G1776	U1716	C1656	A1596	C1536	U1476	G1416	G1356	G1296	G1236
U2197	U2137	A2077	U2017	U1777	A1717	U1657	A1597	G1537	A1477	G1417	C1357	G1297	A1237
A2198	G2138	C2078	G2018	U1778	G1718	C1658	A1598	U1538	G1478	G1418	G1358	C1298	G1238
A2199	U2139	A1959	A2019	U1779	G1719	G1659	U1599	U1539	G1479	A1419	A1359	G1299	G1239
C2200	A2080	A2080	A2020	A1780	U1720	G1660	C1600	G1540	C1480	A1420	G1360	G1300	U1240
G2201	U2081	C1961	C2021	U1781	G1721	G1661	G1601	C1541	U1481	G1421	G1361	A1301	A1241
U2202	A2142	A2082	U2022	U1782	G1722	U1662	U1602	U1542	G1482	G1422	C1362	A1302	U1242
G2203	G2083	C2023	G1963	A1783	G1723	G1663	A1603	G1543	G1483	G1423	C1363	G1303	C1243
G2204	G2144	C2084	G2024	A1784	G1724	A1664	C1604	A1544	U1484	G1424	G1364	A1304	A1244
A2205	C2145	U2085	C2025	A1785	U1725	A1665	C1605	A1545	U1485	G1425	A1365	C1305	G1245
C2206	G2146	U2086	U2026	A1786	G1726	G1666	C1606	G1546	U1486	G1426	A1366	C1306	A1246
C2207	A2147	G2087	G2027	A1787	C1727	G1667	C1607	C1547	U1487	A1427	A1367	A1307	A1247
C2208	G2148	A2088	U2028	C1788	G1728	A1668	A1608	A1548	C1488	C1428	G1368	A1308	G1248
G2209	U2149	C2089	G2029	A1789	U1729	A1669	A1609	A1549	G1489	G1429	G1369	G1309	U1249
U2210	C2150	A2090	A2030	C1790	G1730	C1670	A1610	C1550	U1490	G1430	C1370	G1310	G1250
A2211	U2151	C2091	A2031	A1791	G1731	U1671	C1611	A1551	G1491	A1431	G1371	G1311	C1251
A2212	G2152	U2092	G2032	G1792	A1732	U1672	C1612	A1552	G1492	G1432	U1372	U1312	G1252
U2213	C2153	G2093	A2033	C1793	G1733	G1673	A1613	U1553	C1493	A1433	A1373	A1313	A1253
C2214	A2154	U2034	U2034	A1794	G1734	G1674	A1614	U1554	A1494	A1434	G1374	C1314	A1254
C2215	U2155	A2095	G2035	C1795	A1735	C1675	G1615	G1555	A1495	G1435	U1375	G1315	U1255
G2216	G2156	C2096	C2036	U1796	U1736	A1676	A1616	G1556	A1496	G1436	C1376	U1316	G1256
G2217	G2157	A2097	A2037	G1797	G1737	A1677	C1617	C1557	U1497	C1437	G1377	G1317	C1257
A2218	A2158	G2098	G2038	U1798	G1738	A1678	A1618	C1558	C1498	U1438	A1378	U1318	G1258
U2219	G2159	U2099	A1919	U1799	A1739	A1679	G1619	U1559	C1499	A1439	U1379	A1319	G1259
U2220	C2160	G2100	G2040	C1800	G1740	U1680	G1620	G1560	G1500	U1440	G1380	C1320	A1260


U2881	A2821	U2701	G2641	G2581	U2521	A2461	U2401	G2341	A2281	G2221
A2882	G2822	G2702	G2642	G2582	U2522	C2462	U2402	C2342	G2282	C2222
A2883	G2823	G2703	G2643	G2583	G2523	C2463	U2403	U2343	C2283	G2223
U2884	C2824	C2704	G2644	U2584	G2524	G2464	G2404	U2344	A2284	G2224
A2885	G2825	A2705	G2645	U2585	G2525	C2465	G2405	C2345	A2285	A2225
A2886	A2826	A2706	G2646	U2586	G2526	C2466	A2406	A2346	G2286	C2226
C2887	C2827	U2707	U2647	U2587	C2527	C2467	A2407	C2347	A2287	A2227
G2888	G2828	G2708	G2648	G2588	U2528	C2468	U2408	U2348	A2288	G2228
C2889	A2829	G2709	G2649	A2589	G2529	A2469	G2409	C2349	G2289	U2229
U2890	C2830	C2710	U2650	A2590	A2530	C2470	G2410	C2350	G2290	G2230
U2891	G2831	G2711	G2651	C2591	A2531	A2471	A2411	G2351	U2291	U2231
A2892	U2832	G2712	G2652	G2592	G2532	G2472	A2412	A2352	U2292	C2232
A2893	U2833	U2713	U2653	U2593	U2533	U2473	G2413	G2353	G2293	U2233
G2894	G2834	G2714	A2654	C2594	A2534	U2474	G2414	C2354	G2294	G2234
U2895	A2835	G2715	G2655	G2595	G2535	C2475	G2415	G2355	U2295	U2235
C2896	U2836	C2716	G2656	U2596	G2536	C2476	G2416	U2356	U2296	U2236
U2897	A2837	G2717	A2657	G2597	U2537	U2477	C2417	G2357	A2297	G2237
U2898	G2838	A2718	G2658	A2598	C2538	A2478	A2418	A2358	A2298	G2238
A2899	C2839	G2719	G2659	G2599	U2539	U2479	U2419	C2359	U2299	G2239
A2900	C2840	U2720	A2660	A2600	C2540	C2480	G2420	G2360	C2300	U2240
C2901	G2841	A2721	G2661	C2601	A2541	G2481	G2421	G2361	C2301	A2241
C2902	G2842	G2722	A2662	A2602	A2542	A2482	G2422	C2362	U2302	G2242
U2903	G2843	C2723	G2663	G2603	C2543	C2483	U2423	G2363	G2303	U2243
U2904	U2844	U2724	G2664	U2604	G2544	G2484	G2424	C2364	G2304	U2244
	G2845	A2725	A2665	U2605	G2545	G2485	G2425	G2365	U2305	U2245
	G2846	A2726	C2666	C2606	U2546	C2486	A2426	A2366	C2306	G2246
	U2847	G2727	G2667	G2607	A2547	G2487	U2427	G2367	G2307	A2247
	G2848	U2728	G2668	G2608	U2548	C2488	G2428	C2368	G2308	U2248
	U2849	G2729	G2669	U2609	G2549	U2489	G2429	A2369	A2309	U2249
	A2850	C2730	A2670	C2610	G2550	G2490	A2430	G2370	C2310	U2250
	U2851	G2731	G2671	C2611	C2551	U2491	U2431	G2371	A2311	G2251
	G2852	G2732	U2672	C2612	U2552	U2492	A2432	U2372	U2312	G2252
	C2853	A2733	G2673	U2613	G2553	U2493	A2433	G2373	C2313	G2253
	G2854	A2734	G2674	A2614	C2554	G2494	A2434	C2374	A2314	G2254
	C2855	G2735	A2675	U2615	U2555	G2495	A2435	G2375	G2315	G2255
	A2856	U2736	G2676	C2616	C2556	C2496	G2436	A2376	G2316	G2256
	G2857	G2737	G2677	U2617	G2557	A2497	G2437	U2377	A2317	U2257
	C2858	A2738	C2678	G2618	C2558	C2498	U2438	A2378	G2318	C2258
	G2859	U2739	A2679	C2619	C2559	U2499	A2439	G2379	G2319	U2259
	U2860	U2740	U2680	C2620	A2560	C2499	G2440	C2380	C2320	G2260
	U2861	A2741	C2681	G2621	U2561	C2501	U2441	A2381	U2321	C2261
	G2862	G2742	A2682	U2622	U2562	G2502	G2442	G2382	A2322	U2262
	C2863	U2743	G2683	G2623	U2563	A2503	G2443	G2383	G2323	C2263
	G2864	G2744	U2684	G2624	A2564	U2504	G2444	U2384	U2324	C2264
	U2865	C2745	G2685	G2625	A2565	G2505	G2445	C2385	G2325	U2265
	U2866	U2746	G2686	C2626	A2566	U2506	G2446	A2386	C2326	A2266
	G2867	G2747	U2687	G2627	C2567	C2507	G2447	U2387	A2327	A2267
	A2868	G2748	G2688	C2628	U2568	G2508	A2448	A2388	A2328	A2268
	G2869	A2749	U2689	U2629	G2569	G2509	U2449	G2389	U2329	G2269
	C2870	A2750	U2690	G2630	G2570	C2510	A2450	U2390	G2330	A2270
	U2871	G2751	C2691	G2631	A2571	U2511	A2451	G2391	G2331	G2271
	A2872	G2752	G2692	A2632	A2572	G2512	C2452	A2392	C2332	U2272
	C2873	A2753	G2693	G2633	C2573	A2513	A2453	A2393	A2333	A2273
	G2874	U2754	G2694	A2634	G2574	U2514	G2454	C2394	U2334	A2274
	C2875	G2755	U2695	A2635	C2575	G2515	G2455	G2395	A2335	C2275
	G2876	U2756	U2696	C2636	G2576	A2516	G2456	G2396	A2336	G2276
	G2877	U2817	G2697	U2637	A2577	C2517	U2457	G2397	G2337	G2277
	U2878	A2758	U2698	G2638	A2578	A2518	G2458	U2398	C2338	A2278
	A2879	G2759	U2699	A2639	G2579	C2519	A2459	G2399	G2339	G2279
	C2880	A2820	A2700	G2640	U2580	C2480	U2460	G2400	A2340	G2280

- Molecule 27: 50S ribosomal protein L1




- Molecule 28: 50S ribosomal protein L2






- Molecule 29: 50S ribosomal protein L3

Chain BE: 72% 25% .




- Molecule 30: 50S ribosomal protein L4

Chain BF: 76% 21% .




- Molecule 31: 50S ribosomal protein L5

Chain BG: 69% 25% 5% .




- Molecule 32: 50S ribosomal protein L6

Chain BH: 79% 18% . .







- Molecule 33: 50S ribosomal protein L9




- Molecule 34: 50S ribosomal protein L10




- Molecule 35: 50S ribosomal protein L11




- Molecule 36: 50S ribosomal protein L13




- Molecule 37: 50S ribosomal protein L14



- Molecule 38: 50S ribosomal protein L15







Chain BU:  77% 18% 5%




- Molecule 46: 50S ribosomal protein L23

Chain BV:  74% 22% 4%




- Molecule 47: 50S ribosomal protein L24

Chain BW:  83% 16% 1%





- Molecule 48: 50S ribosomal protein L25

Chain BX:  80% 17% 3%



- Molecule 49: 50S ribosomal protein L27

Chain BY:  77% 18% 5%





- Molecule 50: 50S ribosomal protein L28

Chain BZ:  71% 23% 6%





- Molecule 51: 50S ribosomal protein L29

Chain B0:  78% 17% 5%




- Molecule 52: 50S ribosomal protein L30

Chain B1:  81% 14% 5%





- Molecule 53: 50S ribosomal protein L31

Chain B2:  74% 23% .




- Molecule 54: 50S ribosomal protein L32

Chain B3:  80% 18% .



- Molecule 55: 50S ribosomal protein L33

Chain B4:  80% 17% .




- Molecule 56: 50S ribosomal protein L34

Chain B5:  72% 22% 7%




- Molecule 57: 50S ribosomal protein L35

Chain B6:  80% 17% .



- Molecule 58: 50S ribosomal protein L36

Chain B7:  76% 18% 5%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	40000	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	58269	Depositor
Image detector	TVIPS TEMCAM-F415 (4k x 4k)	Depositor
Maximum map value	1.481	Depositor
Minimum map value	-0.504	Depositor
Average map value	0.029	Depositor
Map value standard deviation	0.201	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	375.0, 375.0, 375.0	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.5, 1.5, 1.5	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, 6MZ, UR3, MIA, OMG, 4OC, 1MG, CH, OMC, OMU, 2MA, H2U, 3TD, 4SU, 2MG, 5MU, MA6, 7MG, PSU, FME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	AA	3.07	3887/36769 (10.6%)	3.55	8401/57354 (14.6%)
2	AB	3.08	186/1600 (11.6%)	3.55	373/2492 (15.0%)
3	AC	3.05	112/1108 (10.1%)	3.41	210/1724 (12.2%)
4	AD	2.99	170/1721 (9.9%)	3.48	380/2683 (14.2%)
5	AE	1.48	5/1904 (0.3%)	1.91	50/2565 (1.9%)
6	AF	1.48	11/1852 (0.6%)	2.01	58/2490 (2.3%)
7	AG	1.54	5/1665 (0.3%)	2.05	55/2227 (2.5%)
8	AH	1.53	5/1239 (0.4%)	1.91	30/1664 (1.8%)
9	AI	1.54	5/1121 (0.4%)	2.02	30/1509 (2.0%)
10	AJ	1.54	9/1422 (0.6%)	1.97	38/1908 (2.0%)
11	AK	1.50	3/989 (0.3%)	1.90	19/1326 (1.4%)
12	AL	1.58	6/1048 (0.6%)	2.12	34/1394 (2.4%)
13	AM	1.49	3/835 (0.4%)	2.05	23/1127 (2.0%)
14	AN	1.52	4/982 (0.4%)	1.95	24/1323 (1.8%)
15	AO	1.56	7/969 (0.7%)	2.02	29/1300 (2.2%)
16	AP	1.50	1/919 (0.1%)	1.82	17/1226 (1.4%)
17	AQ	1.53	3/817 (0.4%)	1.97	28/1088 (2.6%)
18	AR	1.49	0/724	1.90	16/966 (1.7%)
19	AS	1.57	5/659 (0.8%)	1.97	17/884 (1.9%)
20	AT	1.52	3/681 (0.4%)	1.93	13/913 (1.4%)
21	AU	1.49	2/637 (0.3%)	2.13	17/851 (2.0%)
22	AV	1.46	2/744 (0.3%)	2.10	18/995 (1.8%)
23	AW	1.47	1/676 (0.1%)	1.92	14/895 (1.6%)
24	AX	1.61	3/598 (0.5%)	2.14	16/792 (2.0%)
25	BA	3.11	315/2869 (11.0%)	3.52	638/4474 (14.3%)
26	BB	3.08	7296/69257 (10.5%)	3.51	15472/108040 (14.3%)
27	BC	1.41	4/1748 (0.2%)	1.90	27/2355 (1.1%)
28	BD	1.59	15/2131 (0.7%)	2.01	74/2863 (2.6%)
29	BE	1.50	7/1586 (0.4%)	1.92	42/2134 (2.0%)
30	BF	1.47	2/1571 (0.1%)	2.10	41/2113 (1.9%)
31	BG	1.54	6/1444 (0.4%)	2.14	52/1937 (2.7%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	BH	1.49	5/1343 (0.4%)	1.94	26/1816 (1.4%)
33	BI	1.46	2/1122 (0.2%)	1.88	25/1515 (1.7%)
34	BJ	1.52	5/1247 (0.4%)	1.92	29/1679 (1.7%)
35	BK	1.50	2/1046 (0.2%)	1.73	13/1410 (0.9%)
36	BL	1.52	7/1152 (0.6%)	2.06	33/1551 (2.1%)
37	BM	1.43	3/956 (0.3%)	1.98	28/1279 (2.2%)
38	BN	1.60	7/1062 (0.7%)	1.94	30/1413 (2.1%)
39	BO	1.54	7/1093 (0.6%)	2.13	38/1460 (2.6%)
40	BP	1.50	3/1021 (0.3%)	2.07	33/1364 (2.4%)
41	BQ	1.52	4/910 (0.4%)	1.97	21/1219 (1.7%)
42	BR	1.55	5/929 (0.5%)	2.02	27/1242 (2.2%)
43	BS	1.52	4/960 (0.4%)	2.00	27/1278 (2.1%)
44	BT	1.50	4/829 (0.5%)	1.93	22/1107 (2.0%)
45	BU	1.44	2/864 (0.2%)	1.98	24/1156 (2.1%)
46	BV	1.49	0/794	1.92	23/1060 (2.2%)
47	BW	1.45	2/797 (0.3%)	1.79	10/1062 (0.9%)
48	BX	1.47	5/766 (0.7%)	1.99	18/1025 (1.8%)
49	BY	1.47	1/642 (0.2%)	2.11	19/848 (2.2%)
50	BZ	1.47	2/635 (0.3%)	2.07	22/848 (2.6%)
51	B0	1.50	1/510 (0.2%)	2.11	15/677 (2.2%)
52	B1	1.54	6/453 (1.3%)	1.89	7/605 (1.2%)
53	B2	1.45	1/559 (0.2%)	2.22	15/745 (2.0%)
54	B3	1.51	3/450 (0.7%)	1.94	7/599 (1.2%)
55	B4	1.48	2/448 (0.4%)	2.10	7/594 (1.2%)
56	B5	1.48	0/380	2.06	15/498 (3.0%)
57	B6	1.56	7/513 (1.4%)	1.97	12/676 (1.8%)
58	B7	1.49	1/303 (0.3%)	1.91	6/397 (1.5%)
All	All	2.69	12174/164069 (7.4%)	3.17	26808/244735 (11.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	907
2	AB	0	36
3	AC	0	31
4	AD	0	44
5	AE	0	5
6	AF	0	2
7	AG	0	7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
8	AH	0	6
9	AI	0	5
10	AJ	0	5
11	AK	0	2
12	AL	0	6
13	AM	0	1
14	AN	0	1
15	AO	0	7
16	AP	0	1
17	AQ	0	3
18	AR	0	5
19	AS	0	2
21	AU	0	5
22	AV	0	3
23	AW	0	1
24	AX	0	3
25	BA	0	66
26	BB	0	1683
27	BC	0	3
28	BD	0	10
29	BE	0	5
30	BF	0	3
31	BG	0	9
32	BH	0	4
33	BI	0	2
34	BJ	0	5
35	BK	0	1
36	BL	0	9
37	BM	0	7
38	BN	0	5
39	BO	0	2
40	BP	0	3
41	BQ	0	4
42	BR	0	2
43	BS	0	2
44	BT	0	2
45	BU	0	4
46	BV	0	2
47	BW	0	2
48	BX	0	1
49	BY	0	7
50	BZ	0	2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
52	B1	0	1
53	B2	0	4
54	B3	0	2
55	B4	0	2
56	B5	0	1
57	B6	0	1
58	B7	0	1
All	All	0	2945

All (12174) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2297	A	N3-C4	17.57	1.45	1.34
26	BB	764	A	N3-C4	15.94	1.44	1.34
26	BB	453	A	N3-C4	15.86	1.44	1.34
1	AA	914	A	N3-C4	15.76	1.44	1.34
26	BB	1972	G	C8-N7	15.68	1.40	1.30
26	BB	142	A	N3-C4	15.26	1.44	1.34
1	AA	808	C	N1-C6	15.20	1.46	1.37
1	AA	80	A	N9-C4	15.15	1.47	1.37
1	AA	1261	A	N3-C4	15.08	1.43	1.34
26	BB	1186	G	C6-N1	14.77	1.49	1.39
26	BB	896	A	P-O5'	14.68	1.74	1.59
26	BB	2411	A	N3-C4	14.63	1.43	1.34
26	BB	111	A	P-O5'	14.58	1.74	1.59
26	BB	2619	C	N1-C6	14.58	1.45	1.37
26	BB	295	G	C8-N7	14.58	1.39	1.30
26	BB	2288	A	C6-N1	-14.44	1.25	1.35
26	BB	2721	A	N3-C4	14.43	1.43	1.34
26	BB	403	U	P-O5'	14.37	1.74	1.59
26	BB	2070	A	N3-C4	14.27	1.43	1.34
26	BB	96	C	N3-C4	14.26	1.44	1.33
1	AA	459	A	N3-C4	-14.25	1.26	1.34
1	AA	1244	G	N7-C5	-14.15	1.30	1.39
26	BB	942	G	N7-C5	-14.09	1.30	1.39
26	BB	520	G	N7-C5	14.06	1.47	1.39
26	BB	1508	A	N7-C5	14.01	1.47	1.39
1	AA	1109	C	P-O5'	13.86	1.73	1.59
26	BB	389	G	C6-N1	13.81	1.49	1.39
26	BB	2054	A	N7-C5	13.71	1.47	1.39
26	BB	2217	G	C2-N3	13.69	1.43	1.32
26	BB	1616	A	N3-C4	13.67	1.43	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	120	A	N3-C4	13.63	1.43	1.34
26	BB	1496	A	C6-N6	-13.59	1.23	1.33
26	BB	2657	A	N7-C5	-13.46	1.31	1.39
1	AA	1311	A	N3-C4	13.42	1.43	1.34
26	BB	1484	U	P-O5'	13.38	1.73	1.59
26	BB	2056	G	N7-C5	13.37	1.47	1.39
26	BB	2480	C	P-O5'	13.36	1.73	1.59
1	AA	946	A	N3-C4	13.31	1.42	1.34
1	AA	294	U	C2-N3	13.31	1.47	1.37
26	BB	1021	A	N3-C4	13.30	1.42	1.34
1	AA	1194	U	C2-N3	13.26	1.47	1.37
26	BB	2458	G	C2-N3	13.25	1.43	1.32
26	BB	1119	U	P-O5'	13.21	1.73	1.59
26	BB	1161	C	N1-C6	13.17	1.45	1.37
1	AA	122	G	C5-C4	13.17	1.47	1.38
26	BB	596	U	C2-N3	13.13	1.47	1.37
1	AA	317	U	C2-N3	13.12	1.47	1.37
26	BB	2742	G	N7-C5	13.11	1.47	1.39
1	AA	1362	A	N3-C4	13.11	1.42	1.34
26	BB	2896	C	P-O5'	13.11	1.72	1.59
26	BB	2459	A	N7-C5	-13.10	1.31	1.39
26	BB	737	C	N1-C6	13.08	1.45	1.37
1	AA	1102	A	N3-C4	13.04	1.42	1.34
1	AA	705	G	N1-C2	13.02	1.48	1.37
1	AA	10	A	N3-C4	12.98	1.42	1.34
26	BB	1581	G	N9-C4	12.95	1.48	1.38
1	AA	43	C	N1-C6	12.94	1.45	1.37
1	AA	303	A	N7-C5	-12.94	1.31	1.39
3	AC	36	U	P-O5'	12.94	1.72	1.59
26	BB	470	A	C8-N7	-12.90	1.22	1.31
1	AA	228	A	N7-C5	-12.89	1.31	1.39
3	AC	51	C	N1-C6	12.82	1.44	1.37
1	AA	1154	G	P-O5'	12.81	1.72	1.59
26	BB	2505	G	C2-N3	12.81	1.43	1.32
1	AA	341	C	N1-C6	12.80	1.44	1.37
1	AA	1293	C	N1-C6	12.79	1.44	1.37
1	AA	1160	G	C8-N7	-12.79	1.23	1.30
1	AA	191	G	C2-N3	12.76	1.43	1.32
4	AD	9	G	C2-N3	12.73	1.43	1.32
26	BB	1025	G	C6-N1	12.72	1.48	1.39
26	BB	2386	A	N3-C4	12.71	1.42	1.34
26	BB	893	C	N1-C6	12.71	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	561	U	C2-N3	12.69	1.46	1.37
1	AA	788	U	C2-N3	12.66	1.46	1.37
26	BB	355	U	C2-N3	12.66	1.46	1.37
1	AA	867	G	P-O5'	12.64	1.72	1.59
26	BB	1315	C	C5-C6	12.63	1.44	1.34
26	BB	1215	G	C2-N3	12.62	1.42	1.32
26	BB	1384	A	N9-C4	12.59	1.45	1.37
26	BB	1872	A	O3'-P	12.59	1.76	1.61
26	BB	2787	C	P-O5'	12.59	1.72	1.59
26	BB	1784	A	N3-C4	12.55	1.42	1.34
26	BB	1502	A	N7-C5	12.54	1.46	1.39
26	BB	71	A	N7-C5	12.53	1.46	1.39
1	AA	1022	A	N3-C4	12.53	1.42	1.34
1	AA	802	A	C8-N7	-12.49	1.22	1.31
26	BB	1306	C	N1-C6	12.41	1.44	1.37
26	BB	1916	A	P-O5'	12.41	1.72	1.59
26	BB	1056	G	N7-C5	-12.40	1.31	1.39
1	AA	1261	A	N7-C5	12.39	1.46	1.39
26	BB	1634	A	N7-C5	12.38	1.46	1.39
1	AA	530	G	N7-C5	-12.37	1.31	1.39
1	AA	705	G	P-O5'	12.37	1.72	1.59
26	BB	14	A	N7-C5	-12.37	1.31	1.39
26	BB	1261	C	P-O5'	12.36	1.72	1.59
25	BA	107	G	N9-C8	12.36	1.46	1.37
26	BB	960	A	N3-C4	12.34	1.42	1.34
1	AA	169	C	N1-C6	12.34	1.44	1.37
26	BB	1974	C	C2-N3	12.32	1.45	1.35
26	BB	329	G	C2-N3	12.31	1.42	1.32
26	BB	46	G	N1-C2	12.31	1.47	1.37
1	AA	775	G	C2-N3	12.29	1.42	1.32
1	AA	1055	A	N7-C5	12.29	1.46	1.39
26	BB	2816	G	N7-C5	12.26	1.46	1.39
26	BB	2237	G	C2-N3	12.25	1.42	1.32
26	BB	884	U	P-O5'	12.24	1.72	1.59
26	BB	1727	C	N1-C6	12.23	1.44	1.37
1	AA	1392	G	C6-N1	-12.21	1.31	1.39
1	AA	202	G	N7-C5	12.20	1.46	1.39
26	BB	1505	A	N3-C4	12.20	1.42	1.34
26	BB	1337	G	C6-N1	12.19	1.48	1.39
26	BB	2444	G	C8-N7	-12.19	1.23	1.30
26	BB	1825	U	P-O5'	12.19	1.72	1.59
26	BB	2014	A	N3-C4	12.19	1.42	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1452	G	C8-N7	-12.18	1.23	1.30
1	AA	1465	A	N3-C4	12.17	1.42	1.34
26	BB	1427	A	N3-C4	12.17	1.42	1.34
26	BB	1336	A	N3-C4	12.16	1.42	1.34
26	BB	1794	A	N3-C4	12.15	1.42	1.34
26	BB	1163	G	N7-C5	-12.13	1.31	1.39
26	BB	303	G	C8-N7	12.12	1.38	1.30
26	BB	154	U	P-O5'	12.11	1.71	1.59
1	AA	223	A	N3-C4	12.10	1.42	1.34
1	AA	1017	U	O3'-P	12.09	1.75	1.61
1	AA	1161	C	C2-N3	12.06	1.45	1.35
25	BA	15	A	N3-C4	12.06	1.42	1.34
26	BB	2852	G	N3-C4	12.06	1.43	1.35
26	BB	1440	U	N1-C2	12.05	1.49	1.38
26	BB	52	A	N3-C4	12.05	1.42	1.34
26	BB	2210	U	P-O5'	12.04	1.71	1.59
1	AA	327	A	N9-C4	-12.02	1.30	1.37
1	AA	88	U	C2-N3	12.01	1.46	1.37
1	AA	1232	U	C2-N3	12.00	1.46	1.37
26	BB	2077	A	N3-C4	11.97	1.42	1.34
26	BB	2470	G	P-O5'	11.95	1.71	1.59
26	BB	600	G	O3'-P	11.95	1.75	1.61
26	BB	189	G	N7-C5	-11.94	1.32	1.39
26	BB	94	A	N7-C5	-11.94	1.32	1.39
1	AA	443	C	N1-C6	11.93	1.44	1.37
26	BB	532	A	N9-C4	11.91	1.45	1.37
1	AA	891	U	P-O5'	11.91	1.71	1.59
26	BB	1041	G	N3-C4	11.91	1.43	1.35
26	BB	281	C	N1-C6	11.88	1.44	1.37
1	AA	685	G	N7-C5	-11.83	1.32	1.39
26	BB	1532	A	N7-C5	-11.83	1.32	1.39
26	BB	282	A	N3-C4	11.81	1.42	1.34
26	BB	1928	A	N3-C4	11.80	1.42	1.34
26	BB	2515	C	P-O5'	11.79	1.71	1.59
26	BB	904	G	N3-C4	11.78	1.43	1.35
26	BB	528	A	C3'-C2'	11.78	1.66	1.52
26	BB	1830	C	P-O5'	11.78	1.71	1.59
3	AC	58	C	N3-C4	11.77	1.42	1.33
26	BB	940	G	N7-C5	-11.74	1.32	1.39
26	BB	528	A	P-O5'	11.74	1.71	1.59
26	BB	2579	C	N1-C6	11.72	1.44	1.37
26	BB	2463	C	N3-C4	11.70	1.42	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2241	A	N3-C4	11.69	1.41	1.34
1	AA	898	G	C6-N1	11.68	1.47	1.39
26	BB	905	A	N3-C4	11.67	1.41	1.34
1	AA	1507	A	P-O5'	11.67	1.71	1.59
1	AA	257	G	N7-C5	-11.66	1.32	1.39
1	AA	526	C	C4-C5	11.64	1.52	1.43
26	BB	1664	A	N9-C4	-11.64	1.30	1.37
26	BB	1482	G	P-O5'	11.63	1.71	1.59
1	AA	225	C	C5-C6	11.62	1.43	1.34
26	BB	1739	A	N3-C4	11.60	1.41	1.34
26	BB	1358	G	P-O5'	11.60	1.71	1.59
26	BB	896	A	N3-C4	11.59	1.41	1.34
25	BA	34	A	N7-C5	11.58	1.46	1.39
26	BB	2215	C	N3-C4	11.58	1.42	1.33
1	AA	426	U	P-O5'	11.57	1.71	1.59
26	BB	1907	G	N3-C4	11.57	1.43	1.35
26	BB	2563	U	P-O5'	11.57	1.71	1.59
1	AA	6	G	C6-N1	11.55	1.47	1.39
26	BB	91	A	N9-C4	11.55	1.44	1.37
1	AA	790	A	N3-C4	11.54	1.41	1.34
1	AA	1348	U	P-O5'	11.53	1.71	1.59
1	AA	395	C	C2-N3	11.53	1.45	1.35
1	AA	1047	G	C6-N1	11.52	1.47	1.39
1	AA	364	A	N3-C4	11.51	1.41	1.34
26	BB	1773	A	P-O5'	11.51	1.71	1.59
1	AA	1532	U	C2-N3	11.50	1.45	1.37
1	AA	901	A	N9-C4	11.47	1.44	1.37
26	BB	343	C	P-O5'	11.46	1.71	1.59
26	BB	838	C	N3-C4	11.45	1.42	1.33
1	AA	580	C	N1-C6	11.44	1.44	1.37
26	BB	1843	C	C2-N3	11.44	1.44	1.35
26	BB	71	A	P-O5'	11.43	1.71	1.59
26	BB	1804	C	C2-N3	11.42	1.44	1.35
25	BA	78	A	N7-C5	-11.42	1.32	1.39
26	BB	1183	U	C2-N3	11.42	1.45	1.37
26	BB	1850	G	N7-C5	-11.39	1.32	1.39
1	AA	1173	U	O3'-P	11.38	1.74	1.61
1	AA	1134	G	C2-N3	11.38	1.41	1.32
26	BB	2804	U	C5'-C4'	11.37	1.65	1.51
26	BB	135	U	C2-N3	11.36	1.45	1.37
1	AA	854	U	C2-N3	11.36	1.45	1.37
26	BB	931	U	C2-N3	11.36	1.45	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	48	U	P-O5'	11.35	1.71	1.59
26	BB	2088	A	N3-C4	11.33	1.41	1.34
26	BB	1674	G	P-O5'	11.33	1.71	1.59
26	BB	2593	U	C2-N3	11.31	1.45	1.37
26	BB	2843	G	N3-C4	11.29	1.43	1.35
1	AA	596	A	N9-C8	11.28	1.46	1.37
26	BB	1981	A	P-O5'	11.28	1.71	1.59
1	AA	1285	A	N3-C4	11.27	1.41	1.34
26	BB	309	A	C8-N7	-11.27	1.23	1.31
25	BA	107	G	P-O5'	11.25	1.71	1.59
26	BB	2896	C	C5'-C4'	11.25	1.64	1.51
26	BB	972	A	P-O5'	11.25	1.71	1.59
26	BB	1869	G	C2-N3	11.24	1.41	1.32
26	BB	2101	A	N9-C4	11.24	1.44	1.37
26	BB	2856	A	C5-C4	-11.24	1.30	1.38
1	AA	593	U	P-O5'	11.24	1.71	1.59
1	AA	606	G	C8-N7	11.23	1.37	1.30
1	AA	833	G	N7-C5	-11.23	1.32	1.39
26	BB	822	G	N3-C4	11.22	1.43	1.35
26	BB	590	A	N3-C4	11.21	1.41	1.34
26	BB	1979	U	N1-C6	-11.21	1.27	1.38
26	BB	821	A	P-O5'	11.20	1.71	1.59
1	AA	293	G	N1-C2	11.19	1.46	1.37
1	AA	1208	C	N1-C6	11.18	1.43	1.37
26	BB	1666	G	C2-N3	11.18	1.41	1.32
26	BB	644	A	N3-C4	11.18	1.41	1.34
1	AA	1006	G	N9-C8	-11.16	1.30	1.37
1	AA	540	G	N7-C5	-11.15	1.32	1.39
1	AA	1487	G	N1-C2	11.15	1.46	1.37
26	BB	1878	G	N9-C8	-11.14	1.30	1.37
1	AA	639	G	P-O5'	11.12	1.70	1.59
26	BB	1689	A	N3-C4	11.11	1.41	1.34
26	BB	2321	U	C5-C6	11.11	1.44	1.34
26	BB	1073	A	N7-C5	-11.10	1.32	1.39
1	AA	193	C	N1-C6	11.09	1.43	1.37
26	BB	1988	G	N9-C8	11.09	1.45	1.37
26	BB	119	A	N9-C4	-11.08	1.31	1.37
26	BB	1664	A	N3-C4	11.07	1.41	1.34
1	AA	1203	C	C5-C6	11.07	1.43	1.34
1	AA	198	G	P-O5'	11.07	1.70	1.59
26	BB	1811	G	P-O5'	11.06	1.70	1.59
26	BB	2206	C	N3-C4	11.06	1.41	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	80	A	N7-C5	-11.06	1.32	1.39
25	BA	109	A	P-O5'	11.05	1.70	1.59
26	BB	252	G	N7-C5	11.05	1.45	1.39
1	AA	546	A	C6-N1	-11.03	1.27	1.35
26	BB	2571	U	C4-C5	11.03	1.53	1.43
26	BB	996	A	N3-C4	11.02	1.41	1.34
1	AA	1531	A	N3-C4	11.02	1.41	1.34
25	BA	53	A	N9-C4	11.02	1.44	1.37
1	AA	545	C	N1-C6	11.00	1.43	1.37
26	BB	740	C	N3-C4	11.00	1.41	1.33
26	BB	778	G	C6-N1	11.00	1.47	1.39
1	AA	397	A	P-O5'	10.98	1.70	1.59
1	AA	371	A	C6-N1	-10.98	1.27	1.35
26	BB	509	C	N3-C4	10.98	1.41	1.33
26	BB	687	C	C4-C5	10.97	1.51	1.43
1	AA	932	C	N1-C6	10.97	1.43	1.37
26	BB	147	C	N3-C4	10.97	1.41	1.33
1	AA	1110	A	N7-C5	-10.96	1.32	1.39
26	BB	1213	A	N9-C4	10.96	1.44	1.37
1	AA	507	C	N1-C6	10.96	1.43	1.37
26	BB	1111	A	N7-C5	-10.96	1.32	1.39
26	BB	490	C	N1-C6	10.95	1.43	1.37
1	AA	474	G	N7-C5	-10.94	1.32	1.39
1	AA	421	U	N1-C2	10.94	1.48	1.38
25	BA	37	C	N1-C6	10.92	1.43	1.37
26	BB	579	G	C2-N3	10.91	1.41	1.32
26	BB	2571	U	C2-N3	10.91	1.45	1.37
26	BB	1705	A	N3-C4	10.91	1.41	1.34
1	AA	1179	A	N9-C4	-10.90	1.31	1.37
1	AA	566	G	N9-C4	-10.90	1.29	1.38
1	AA	591	U	C4-C5	10.89	1.53	1.43
3	AC	59	A	P-O5'	10.88	1.70	1.59
26	BB	1263	U	C4-O4	-10.88	1.15	1.23
26	BB	2664	G	N7-C5	-10.87	1.32	1.39
26	BB	1972	G	N7-C5	-10.86	1.32	1.39
26	BB	2558	C	N1-C6	10.85	1.43	1.37
26	BB	2819	G	N9-C8	-10.85	1.30	1.37
1	AA	211	G	N3-C4	10.84	1.43	1.35
1	AA	267	C	N1-C6	10.84	1.43	1.37
26	BB	2296	U	O3'-P	-10.83	1.48	1.61
1	AA	1177	G	C2-N3	10.82	1.41	1.32
1	AA	566	G	N7-C5	-10.82	1.32	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	120	A	N7-C5	-10.82	1.32	1.39
1	AA	1322	C	C2-N3	10.81	1.44	1.35
26	BB	728	G	C2-N3	10.81	1.41	1.32
26	BB	2005	A	N7-C5	-10.80	1.32	1.39
26	BB	2176	A	C6-N1	-10.80	1.27	1.35
26	BB	703	U	C2-N3	10.80	1.45	1.37
1	AA	563	A	N9-C4	10.78	1.44	1.37
1	AA	894	G	N7-C5	-10.77	1.32	1.39
26	BB	627	A	N3-C4	10.76	1.41	1.34
26	BB	2450	A	N9-C4	10.76	1.44	1.37
26	BB	2672	U	C2-N3	10.76	1.45	1.37
1	AA	246	A	C6-N1	10.76	1.43	1.35
4	AD	13	C	N1-C6	10.75	1.43	1.37
26	BB	2799	A	N7-C5	10.75	1.45	1.39
26	BB	1977	A	C5-C4	-10.75	1.31	1.38
26	BB	2798	U	C2-N3	10.74	1.45	1.37
26	BB	1505	A	N7-C5	10.72	1.45	1.39
1	AA	572	A	N3-C4	10.72	1.41	1.34
26	BB	2538	C	N1-C6	10.72	1.43	1.37
26	BB	1147	A	P-O5'	10.72	1.70	1.59
26	BB	715	A	N7-C5	-10.71	1.32	1.39
26	BB	2614	A	N3-C4	10.71	1.41	1.34
1	AA	80	A	N3-C4	10.70	1.41	1.34
26	BB	279	A	C8-N7	-10.69	1.24	1.31
26	BB	2189	U	P-O5'	10.68	1.70	1.59
26	BB	2513	A	P-O5'	10.67	1.70	1.59
26	BB	2156	G	C8-N7	-10.67	1.24	1.30
26	BB	1587	G	C8-N7	10.67	1.37	1.30
1	AA	588	G	C6-N1	-10.65	1.32	1.39
26	BB	1686	C	N3-C4	-10.65	1.26	1.33
1	AA	622	A	P-O5'	10.64	1.70	1.59
1	AA	255	G	C6-N1	10.64	1.47	1.39
1	AA	844	G	P-O5'	10.63	1.70	1.59
1	AA	1330	U	O3'-P	10.63	1.74	1.61
1	AA	192	A	N3-C4	10.63	1.41	1.34
26	BB	1177	G	N7-C5	-10.63	1.32	1.39
26	BB	2046	G	N3-C4	10.63	1.42	1.35
26	BB	2619	C	C2-N3	10.63	1.44	1.35
1	AA	89	U	C2-N3	10.62	1.45	1.37
26	BB	716	A	N7-C5	10.62	1.45	1.39
25	BA	29	A	N7-C5	-10.61	1.32	1.39
1	AA	3	A	N3-C4	10.61	1.41	1.34

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2141	G	N7-C5	10.61	1.45	1.39
1	AA	384	G	P-O5'	10.60	1.70	1.59
26	BB	2903	U	C4'-O4'	-10.60	1.31	1.45
1	AA	381	C	N1-C6	10.60	1.43	1.37
4	AD	48	U	C2-N3	10.60	1.45	1.37
26	BB	865	C	C2'-C1'	-10.59	1.41	1.53
26	BB	993	G	C6-N1	10.59	1.47	1.39
1	AA	783	C	C2-N3	10.58	1.44	1.35
26	BB	290	U	C2-N3	10.58	1.45	1.37
26	BB	2304	G	C8-N7	-10.57	1.24	1.30
26	BB	1327	A	N3-C4	10.56	1.41	1.34
26	BB	1291	C	N1-C6	10.54	1.43	1.37
26	BB	1737	G	C6-N1	10.54	1.47	1.39
1	AA	612	C	C2-N3	10.54	1.44	1.35
1	AA	282	A	P-O5'	10.53	1.70	1.59
26	BB	1949	G	C6-N1	10.53	1.47	1.39
1	AA	414	A	N3-C4	10.52	1.41	1.34
26	BB	1535	A	N3-C4	10.52	1.41	1.34
26	BB	2704	C	N3-C4	10.52	1.41	1.33
26	BB	2162	G	C8-N7	10.51	1.37	1.30
1	AA	141	G	N7-C5	10.51	1.45	1.39
26	BB	2413	G	N7-C5	10.51	1.45	1.39
26	BB	823	C	C4-C5	10.49	1.51	1.43
26	BB	1782	U	C2-N3	10.47	1.45	1.37
26	BB	1999	C	P-O5'	10.46	1.70	1.59
26	BB	612	G	C8-N7	-10.45	1.24	1.30
26	BB	2716	C	C2-O2	-10.44	1.15	1.24
1	AA	819	A	P-O5'	10.43	1.70	1.59
1	AA	457	G	N7-C5	-10.43	1.32	1.39
26	BB	1634	A	C4'-O4'	-10.43	1.31	1.45
1	AA	626	G	O3'-P	10.42	1.73	1.61
26	BB	1473	G	C8-N7	-10.41	1.24	1.30
26	BB	2066	C	P-O5'	10.41	1.70	1.59
1	AA	41	G	N7-C5	10.40	1.45	1.39
26	BB	83	A	N9-C4	-10.38	1.31	1.37
26	BB	891	G	C2-N3	10.38	1.41	1.32
1	AA	1482	G	N3-C4	10.38	1.42	1.35
1	AA	1371	G	C2-N3	10.38	1.41	1.32
26	BB	2398	U	C2-N3	10.38	1.45	1.37
1	AA	909	A	N9-C4	10.38	1.44	1.37
26	BB	761	A	N3-C4	10.38	1.41	1.34
1	AA	58	C	N3-C4	10.38	1.41	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1530	G	O3'-P	10.37	1.73	1.61
26	BB	1901	A	P-O5'	10.38	1.70	1.59
26	BB	888	C	P-O5'	10.36	1.70	1.59
1	AA	16	A	P-O5'	10.36	1.70	1.59
26	BB	690	G	C8-N7	-10.36	1.24	1.30
26	BB	1828	G	N7-C5	10.35	1.45	1.39
26	BB	2092	U	C2-N3	10.35	1.45	1.37
1	AA	468	A	O3'-P	10.34	1.73	1.61
1	AA	487	A	C5-C4	-10.33	1.31	1.38
1	AA	933	G	N3-C4	10.33	1.42	1.35
1	AA	151	A	N7-C5	10.33	1.45	1.39
1	AA	493	A	N9-C4	10.33	1.44	1.37
26	BB	1112	G	N9-C4	10.33	1.46	1.38
26	BB	1428	C	N1-C6	10.33	1.43	1.37
26	BB	984	A	N3-C4	10.32	1.41	1.34
26	BB	2651	C	C4-C5	10.32	1.51	1.43
1	AA	1225	A	C8-N7	-10.31	1.24	1.31
1	AA	366	A	C6-N1	10.30	1.42	1.35
1	AA	123	U	N3-C4	10.29	1.47	1.38
1	AA	515	G	N3-C4	10.28	1.42	1.35
26	BB	1637	A	N7-C5	10.28	1.45	1.39
26	BB	2079	U	C2-N3	10.27	1.45	1.37
1	AA	96	U	P-O5'	10.27	1.70	1.59
26	BB	1653	G	N9-C8	10.27	1.45	1.37
26	BB	1698	A	C6-N1	-10.27	1.28	1.35
26	BB	2336	A	N9-C4	10.26	1.44	1.37
26	BB	1293	C	C5'-C4'	10.26	1.63	1.51
26	BB	82	U	N1-C2	10.25	1.47	1.38
1	AA	934	C	P-O5'	10.25	1.70	1.59
1	AA	1014	A	N3-C4	10.25	1.41	1.34
26	BB	1707	G	N1-C2	10.25	1.46	1.37
1	AA	414	A	N7-C5	10.24	1.45	1.39
26	BB	1792	G	N1-C2	10.24	1.46	1.37
1	AA	907	A	N3-C4	10.23	1.41	1.34
26	BB	18	U	C2-N3	10.23	1.45	1.37
1	AA	1385	G	C6-N1	10.22	1.46	1.39
26	BB	2463	C	C5-C6	10.22	1.42	1.34
26	BB	2425	A	N3-C4	10.22	1.41	1.34
26	BB	2015	A	N3-C4	10.21	1.41	1.34
26	BB	2063	C	C2'-C1'	10.21	1.64	1.53
26	BB	2569	G	C2-N3	10.21	1.41	1.32
1	AA	1105	A	N7-C5	-10.20	1.33	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	470	A	N9-C4	10.20	1.44	1.37
26	BB	8	C	C2-N3	10.20	1.44	1.35
25	BA	29	A	N9-C4	-10.20	1.31	1.37
26	BB	416	U	C4-C5	10.20	1.52	1.43
26	BB	706	A	C8-N7	-10.20	1.24	1.31
1	AA	119	A	N3-C4	10.18	1.41	1.34
1	AA	417	G	N1-C2	10.18	1.45	1.37
26	BB	2560	A	N7-C5	10.17	1.45	1.39
1	AA	1178	G	C2-N3	10.17	1.40	1.32
1	AA	553	A	N3-C4	10.16	1.41	1.34
26	BB	1468	U	C2-N3	10.16	1.44	1.37
26	BB	2438	U	C2-O2	10.16	1.31	1.22
26	BB	2463	C	O3'-P	10.16	1.73	1.61
26	BB	757	G	P-O5'	10.15	1.70	1.59
1	AA	1465	A	C8-N7	-10.15	1.24	1.31
26	BB	325	G	N1-C2	10.15	1.45	1.37
26	BB	1570	A	C4'-C3'	10.15	1.64	1.53
26	BB	2600	A	N9-C4	-10.14	1.31	1.37
3	AC	32	U	N3-C4	10.14	1.47	1.38
26	BB	2040	G	N3-C4	-10.14	1.28	1.35
1	AA	1429	A	C8-N7	-10.14	1.24	1.31
26	BB	421	C	N3-C4	10.13	1.41	1.33
26	BB	237	C	O3'-P	10.13	1.73	1.61
26	BB	2766	A	N9-C4	-10.13	1.31	1.37
26	BB	93	G	N3-C4	10.13	1.42	1.35
26	BB	2758	A	N3-C4	10.12	1.41	1.34
1	AA	732	C	N3-C4	10.12	1.41	1.33
26	BB	612	G	N3-C4	10.11	1.42	1.35
26	BB	908	C	C4-N4	10.10	1.43	1.33
26	BB	2074	U	C2-N3	10.10	1.44	1.37
26	BB	2779	U	P-O5'	10.10	1.69	1.59
26	BB	1202	G	N9-C8	10.10	1.45	1.37
26	BB	2226	C	N3-C4	10.10	1.41	1.33
1	AA	1044	A	N7-C5	10.10	1.45	1.39
1	AA	818	G	N3-C4	10.08	1.42	1.35
26	BB	794	A	P-O5'	10.08	1.69	1.59
26	BB	1714	U	P-O5'	10.08	1.69	1.59
1	AA	299	G	N3-C4	10.08	1.42	1.35
1	AA	691	G	N7-C5	10.07	1.45	1.39
26	BB	1111	A	N3-C4	10.07	1.40	1.34
25	BA	116	G	N7-C5	-10.06	1.33	1.39
25	BA	58	A	N7-C5	-10.06	1.33	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1006	C	C2-N3	10.06	1.43	1.35
26	BB	1690	A	N3-C4	10.05	1.40	1.34
26	BB	1136	G	N3-C4	10.04	1.42	1.35
26	BB	866	A	N9-C4	10.04	1.43	1.37
26	BB	1987	A	N3-C4	10.04	1.40	1.34
26	BB	2885	G	N9-C8	-10.04	1.30	1.37
1	AA	394	G	N1-C2	10.04	1.45	1.37
26	BB	98	G	N9-C4	10.04	1.46	1.38
1	AA	1039	G	C6-N1	10.03	1.46	1.39
26	BB	564	C	N1-C6	10.03	1.43	1.37
26	BB	2802	G	N7-C5	10.03	1.45	1.39
1	AA	15	G	C5-C4	10.03	1.45	1.38
26	BB	819	A	N3-C4	10.02	1.40	1.34
26	BB	375	G	N7-C5	-10.01	1.33	1.39
1	AA	1090	U	P-O5'	10.01	1.69	1.59
26	BB	2309	A	N3-C4	10.00	1.40	1.34
1	AA	444	G	C5'-C4'	10.00	1.63	1.51
26	BB	2875	C	N1-C6	10.00	1.43	1.37
26	BB	1275	A	N7-C5	9.99	1.45	1.39
26	BB	1799	G	C4'-C3'	9.99	1.64	1.53
26	BB	2778	A	P-O5'	9.99	1.69	1.59
1	AA	285	C	N1-C6	9.99	1.43	1.37
1	AA	920	U	P-O5'	9.98	1.69	1.59
26	BB	1539	U	N3-C4	9.98	1.47	1.38
26	BB	494	G	C8-N7	-9.98	1.25	1.30
26	BB	552	U	P-O5'	9.98	1.69	1.59
26	BB	1199	U	P-O5'	9.98	1.69	1.59
26	BB	594	U	C5-C6	9.98	1.43	1.34
26	BB	696	G	C2-N3	9.97	1.40	1.32
4	AD	47	A	C6-N1	-9.97	1.28	1.35
1	AA	1458	G	P-O5'	-9.96	1.49	1.59
26	BB	2429	G	C6-N1	-9.96	1.32	1.39
26	BB	720	U	P-O5'	9.95	1.69	1.59
1	AA	1155	A	N9-C4	-9.95	1.31	1.37
26	BB	1077	A	N9-C8	-9.95	1.29	1.37
1	AA	1002	G	C5-C6	9.95	1.52	1.42
1	AA	1257	A	N3-C4	9.94	1.40	1.34
26	BB	1244	A	N3-C4	9.93	1.40	1.34
1	AA	579	A	N7-C5	-9.93	1.33	1.39
26	BB	1644	C	N1-C6	9.93	1.43	1.37
1	AA	197	A	N3-C4	9.92	1.40	1.34
1	AA	1022	A	C8-N7	-9.92	1.24	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2673	G	N7-C5	-9.92	1.33	1.39
1	AA	334	C	P-O5'	9.92	1.69	1.59
1	AA	740	U	C2-O2	9.91	1.31	1.22
26	BB	482	A	C5-C4	-9.90	1.31	1.38
26	BB	2540	C	C2-N3	9.90	1.43	1.35
26	BB	150	U	C2-N3	9.90	1.44	1.37
1	AA	716	A	C6-N1	9.89	1.42	1.35
26	BB	2087	G	P-O5'	9.89	1.69	1.59
1	AA	353	A	C5-C4	-9.89	1.31	1.38
26	BB	1916	A	C6-N6	9.89	1.41	1.33
1	AA	574	A	N7-C5	9.88	1.45	1.39
26	BB	1384	A	N3-C4	9.88	1.40	1.34
26	BB	2154	A	N3-C4	9.88	1.40	1.34
2	AB	47	U	C4'-O4'	-9.88	1.32	1.45
26	BB	1215	G	P-O5'	9.87	1.69	1.59
1	AA	1084	G	N3-C4	9.87	1.42	1.35
26	BB	1299	G	N7-C5	-9.87	1.33	1.39
26	BB	1252	G	N3-C4	9.86	1.42	1.35
26	BB	1976	U	P-O5'	9.86	1.69	1.59
26	BB	1536	C	P-O5'	9.85	1.69	1.59
26	BB	1235	G	C2-N3	9.85	1.40	1.32
26	BB	773	U	C5'-C4'	9.85	1.63	1.51
26	BB	954	G	P-O5'	9.84	1.69	1.59
26	BB	1531	C	P-O5'	9.83	1.69	1.59
26	BB	1669	A	N3-C4	9.83	1.40	1.34
1	AA	250	A	N3-C4	9.83	1.40	1.34
1	AA	635	A	N3-C4	9.83	1.40	1.34
25	BA	86	G	N9-C8	-9.83	1.30	1.37
26	BB	2376	A	N3-C4	9.83	1.40	1.34
26	BB	1263	U	C2-N3	9.83	1.44	1.37
1	AA	163	C	C2-N3	9.83	1.43	1.35
3	AC	18	A	N9-C4	9.82	1.43	1.37
26	BB	1517	G	C8-N7	9.82	1.36	1.30
26	BB	2777	G	N3-C4	9.82	1.42	1.35
26	BB	1135	C	N1-C6	9.81	1.43	1.37
1	AA	382	A	N7-C5	-9.81	1.33	1.39
1	AA	1237	C	P-O5'	9.81	1.69	1.59
1	AA	194	C	N1-C6	-9.81	1.31	1.37
26	BB	1563	U	C2-N3	9.80	1.44	1.37
1	AA	242	G	N1-C2	9.79	1.45	1.37
1	AA	509	A	N3-C4	9.79	1.40	1.34
26	BB	744	U	P-O5'	-9.79	1.50	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	302	G	C8-N7	9.79	1.36	1.30
26	BB	1168	G	N7-C5	-9.78	1.33	1.39
1	AA	98	A	N9-C8	-9.77	1.29	1.37
26	BB	89	A	C5'-C4'	9.77	1.63	1.51
26	BB	2699	C	N3-C4	9.77	1.40	1.33
26	BB	708	G	C8-N7	-9.76	1.25	1.30
26	BB	790	U	N3-C4	9.76	1.47	1.38
26	BB	2812	G	N3-C4	9.76	1.42	1.35
26	BB	1001	A	O3'-P	9.76	1.72	1.61
1	AA	196	A	C5-C4	-9.75	1.31	1.38
26	BB	2704	C	N1-C6	9.75	1.43	1.37
1	AA	27	G	C6-N1	9.75	1.46	1.39
1	AA	1511	G	C5'-C4'	9.74	1.63	1.51
26	BB	1373	A	P-O5'	9.74	1.69	1.59
25	BA	78	A	N3-C4	9.74	1.40	1.34
1	AA	1019	A	N3-C4	9.74	1.40	1.34
26	BB	1040	A	N3-C4	9.74	1.40	1.34
1	AA	424	G	C8-N7	-9.73	1.25	1.30
26	BB	682	G	C8-N7	-9.73	1.25	1.30
26	BB	2058	A	O4'-C1'	9.73	1.54	1.41
1	AA	577	G	C2-N3	9.72	1.40	1.32
26	BB	549	G	C4'-C3'	9.72	1.63	1.53
26	BB	76	C	P-O5'	9.72	1.69	1.59
1	AA	1281	C	C2-N3	9.72	1.43	1.35
1	AA	1488	G	N7-C5	-9.71	1.33	1.39
26	BB	2029	G	P-O5'	9.71	1.69	1.59
26	BB	2134	A	N7-C5	-9.71	1.33	1.39
26	BB	1567	G	P-O5'	9.71	1.69	1.59
1	AA	963	G	P-O5'	9.71	1.69	1.59
26	BB	1691	C	N3-C4	9.71	1.40	1.33
26	BB	2373	G	N1-C2	9.71	1.45	1.37
26	BB	33	C	P-O5'	9.70	1.69	1.59
26	BB	1283	G	N3-C4	9.68	1.42	1.35
26	BB	1557	C	N3-C4	9.68	1.40	1.33
26	BB	17	G	P-O5'	9.68	1.69	1.59
26	BB	1237	A	N9-C8	9.68	1.45	1.37
26	BB	1908	C	N1-C6	9.68	1.43	1.37
26	BB	1503	A	C5-C4	-9.68	1.31	1.38
26	BB	1789	A	N3-C4	9.67	1.40	1.34
26	BB	2168	G	C2-N3	9.67	1.40	1.32
1	AA	321	A	P-O5'	9.66	1.69	1.59
26	BB	346	A	C6-N6	-9.66	1.26	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	550	C	C3'-C2'	9.66	1.63	1.52
26	BB	1738	G	N1-C2	9.66	1.45	1.37
26	BB	1119	U	C2-N3	9.65	1.44	1.37
1	AA	661	G	C6-N1	9.65	1.46	1.39
1	AA	151	A	P-O5'	9.65	1.69	1.59
1	AA	1075	U	C2-N3	-9.65	1.30	1.37
2	AB	14	A	N7-C5	-9.65	1.33	1.39
26	BB	1903	G	P-O5'	9.65	1.69	1.59
26	BB	2152	G	C2-N3	9.64	1.40	1.32
1	AA	1006	G	N7-C5	-9.64	1.33	1.39
26	BB	558	U	O3'-P	9.64	1.72	1.61
26	BB	1759	A	N7-C5	9.64	1.45	1.39
26	BB	2870	C	P-O5'	9.64	1.69	1.59
26	BB	1664	A	N9-C8	9.63	1.45	1.37
26	BB	1048	A	C5'-C4'	9.63	1.62	1.51
1	AA	1009	U	C5-C6	9.62	1.42	1.34
26	BB	1396	U	O3'-P	9.62	1.72	1.61
26	BB	172	A	N3-C4	9.62	1.40	1.34
25	BA	45	A	C6-N6	-9.61	1.26	1.33
1	AA	1239	A	N3-C4	9.61	1.40	1.34
25	BA	107	G	C4'-C3'	9.61	1.63	1.53
26	BB	1492	G	N1-C2	9.61	1.45	1.37
26	BB	2176	A	N7-C5	9.61	1.45	1.39
1	AA	583	A	N9-C4	-9.60	1.32	1.37
1	AA	712	A	N3-C4	9.60	1.40	1.34
26	BB	1947	C	O3'-P	9.60	1.72	1.61
26	BB	1672	A	N3-C4	9.60	1.40	1.34
1	AA	1189	U	C2-N3	9.59	1.44	1.37
1	AA	1442	G	N9-C8	-9.59	1.31	1.37
1	AA	601	G	P-O5'	9.59	1.69	1.59
26	BB	1205	A	N9-C4	9.59	1.43	1.37
26	BB	84	A	N3-C4	9.58	1.40	1.34
26	BB	1305	C	O4'-C1'	9.58	1.54	1.41
1	AA	104	G	P-O5'	9.58	1.69	1.59
1	AA	299	G	C5'-C4'	9.58	1.62	1.51
26	BB	2176	A	N9-C4	9.57	1.43	1.37
1	AA	1447	A	N3-C4	9.57	1.40	1.34
26	BB	292	U	C4-C5	9.57	1.52	1.43
1	AA	421	U	C2-N3	9.57	1.44	1.37
26	BB	1946	U	C2-N3	9.56	1.44	1.37
26	BB	1215	G	C6-N1	9.56	1.46	1.39
26	BB	2496	C	N1-C6	9.56	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	786	C	C2-N3	9.56	1.43	1.35
26	BB	2502	G	C6-N1	9.56	1.46	1.39
1	AA	1509	C	C2'-C1'	9.55	1.63	1.53
26	BB	1235	G	C6-N1	9.55	1.46	1.39
26	BB	194	G	C5-C4	-9.54	1.31	1.38
26	BB	1098	A	C5'-C4'	9.54	1.62	1.51
26	BB	2304	G	N7-C5	9.54	1.45	1.39
1	AA	756	C	N1-C6	9.54	1.42	1.37
26	BB	207	A	N7-C5	9.53	1.45	1.39
26	BB	1014	A	N9-C4	9.53	1.43	1.37
26	BB	2613	U	C2-N3	9.52	1.44	1.37
1	AA	1000	A	C5-C4	-9.52	1.32	1.38
25	BA	8	C	N3-C4	9.52	1.40	1.33
26	BB	1511	G	C8-N7	-9.52	1.25	1.30
2	AB	30	G	C5-C4	-9.52	1.31	1.38
26	BB	171	U	P-O5'	9.52	1.69	1.59
2	AB	63	C	N1-C6	9.51	1.42	1.37
26	BB	165	A	C5-C4	9.51	1.45	1.38
26	BB	1454	C	P-O5'	9.51	1.69	1.59
26	BB	2326	C	N3-C4	9.51	1.40	1.33
26	BB	343	C	N1-C6	9.51	1.42	1.37
26	BB	1214	A	C8-N7	9.51	1.38	1.31
26	BB	2493	U	C2-N3	9.51	1.44	1.37
1	AA	1408	A	N7-C5	9.50	1.45	1.39
1	AA	478	A	N7-C5	-9.50	1.33	1.39
26	BB	655	A	C6-N1	-9.50	1.28	1.35
26	BB	789	A	N3-C4	9.50	1.40	1.34
26	BB	2252	G	N3-C4	9.50	1.42	1.35
26	BB	2336	A	N3-C4	9.49	1.40	1.34
1	AA	924	C	P-O5'	-9.49	1.50	1.59
1	AA	1192	C	O3'-P	9.49	1.72	1.61
1	AA	38	G	N3-C4	9.49	1.42	1.35
26	BB	31	C	N3-C4	9.49	1.40	1.33
26	BB	2042	A	N3-C4	9.49	1.40	1.34
26	BB	2681	C	P-O5'	9.49	1.69	1.59
1	AA	726	C	N1-C6	9.48	1.42	1.37
1	AA	1306	A	N3-C4	9.48	1.40	1.34
26	BB	1650	A	N9-C4	9.48	1.43	1.37
26	BB	2884	U	N1-C2	9.48	1.47	1.38
26	BB	1038	G	C8-N7	9.47	1.36	1.30
26	BB	1020	A	N3-C4	9.47	1.40	1.34
26	BB	1546	G	C5-C4	-9.46	1.31	1.38

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1833	C	N3-C4	9.46	1.40	1.33
1	AA	1498	UR3	O3'-P	9.46	1.72	1.61
1	AA	371	A	N9-C8	9.45	1.45	1.37
26	BB	2154	A	N7-C5	9.46	1.45	1.39
26	BB	1894	C	N1-C6	9.45	1.42	1.37
26	BB	2037	A	N7-C5	-9.45	1.33	1.39
26	BB	699	A	C5-C4	-9.44	1.32	1.38
1	AA	1007	U	N1-C2	9.44	1.47	1.38
1	AA	1453	G	N7-C5	-9.44	1.33	1.39
26	BB	432	A	P-O5'	9.44	1.69	1.59
26	BB	1561	C	N3-C4	9.44	1.40	1.33
26	BB	2469	A	N9-C4	9.43	1.43	1.37
26	BB	708	G	N1-C2	9.43	1.45	1.37
26	BB	2644	G	O3'-P	9.43	1.72	1.61
1	AA	94	G	C8-N7	-9.43	1.25	1.30
1	AA	325	A	N3-C4	9.42	1.40	1.34
1	AA	1174	G	N9-C8	-9.42	1.31	1.37
1	AA	445	G	N7-C5	9.41	1.44	1.39
26	BB	1374	G	N7-C5	-9.41	1.33	1.39
26	BB	2146	C	N1-C6	9.41	1.42	1.37
26	BB	2837	A	P-O5'	9.41	1.69	1.59
1	AA	762	U	C2-N3	9.40	1.44	1.37
1	AA	661	G	N3-C4	9.40	1.42	1.35
26	BB	263	G	C8-N7	-9.40	1.25	1.30
26	BB	1252	G	C8-N7	-9.40	1.25	1.30
26	BB	2307	G	P-O5'	9.39	1.69	1.59
1	AA	495	A	C8-N7	-9.39	1.25	1.31
26	BB	660	C	N1-C6	9.39	1.42	1.37
26	BB	1131	G	P-O5'	9.39	1.69	1.59
26	BB	316	C	N3-C4	9.39	1.40	1.33
26	BB	1329	U	C2'-C1'	9.39	1.63	1.53
26	BB	2817	U	N1-C2	9.39	1.47	1.38
26	BB	1213	A	N3-C4	9.38	1.40	1.34
1	AA	799	G	C8-N7	-9.38	1.25	1.30
1	AA	898	G	C2-N3	9.38	1.40	1.32
26	BB	1678	A	C8-N7	-9.38	1.25	1.31
26	BB	2892	G	N1-C2	9.38	1.45	1.37
26	BB	2813	A	P-O5'	9.38	1.69	1.59
26	BB	1393	A	P-O5'	9.37	1.69	1.59
26	BB	1841	U	O3'-P	9.37	1.72	1.61
25	BA	78	A	C6-N6	-9.37	1.26	1.33
1	AA	282	A	C8-N7	-9.37	1.25	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	721	A	C5-C6	9.37	1.49	1.41
26	BB	1336	A	P-O5'	9.37	1.69	1.59
1	AA	639	G	C6-N1	9.36	1.46	1.39
26	BB	1142	A	N3-C4	9.36	1.40	1.34
26	BB	1820	U	C4-C5	9.36	1.51	1.43
1	AA	228	A	N3-C4	9.35	1.40	1.34
1	AA	762	U	O3'-P	9.35	1.72	1.61
26	BB	592	A	N7-C5	-9.35	1.33	1.39
26	BB	1333	G	N3-C4	9.35	1.42	1.35
26	BB	557	C	C2-N3	9.35	1.43	1.35
26	BB	939	G	C6-N1	9.35	1.46	1.39
26	BB	1186	G	C8-N7	-9.35	1.25	1.30
26	BB	729	G	N3-C4	9.35	1.42	1.35
2	AB	18	G	C2'-C1'	9.34	1.63	1.53
26	BB	1350	C	P-O5'	9.34	1.69	1.59
1	AA	406	G	N7-C5	-9.34	1.33	1.39
1	AA	126	G	P-O5'	9.34	1.69	1.59
26	BB	1591	A	N3-C4	9.34	1.40	1.34
1	AA	876	C	N3-C4	9.34	1.40	1.33
26	BB	1970	A	C6-N1	9.34	1.42	1.35
26	BB	2690	U	P-O5'	9.33	1.69	1.59
26	BB	2665	A	C5-C4	-9.33	1.32	1.38
1	AA	1410	A	N7-C5	-9.33	1.33	1.39
1	AA	30	U	N1-C2	9.32	1.47	1.38
26	BB	1886	U	C2-N3	9.32	1.44	1.37
26	BB	1550	C	C5-C6	9.31	1.41	1.34
3	AC	21	U	N1-C2	9.31	1.47	1.38
26	BB	1155	A	C6-N1	-9.31	1.29	1.35
2	AB	40	C	C5'-C4'	9.31	1.62	1.51
26	BB	651	G	C5-C4	9.31	1.44	1.38
26	BB	706	A	N9-C4	9.31	1.43	1.37
26	BB	1881	C	C2-N3	9.30	1.43	1.35
26	BB	2382	G	C6-N1	9.30	1.46	1.39
1	AA	113	G	C5'-C4'	9.30	1.62	1.51
1	AA	353	A	N3-C4	9.29	1.40	1.34
2	AB	57	G	N7-C5	9.29	1.44	1.39
26	BB	1309	G	N7-C5	9.29	1.44	1.39
1	AA	477	C	P-O5'	9.29	1.69	1.59
26	BB	2518	A	N9-C4	9.29	1.43	1.37
25	BA	7	G	P-O5'	9.29	1.69	1.59
26	BB	1960	A	N3-C4	9.28	1.40	1.34
26	BB	1708	C	C5-C6	9.28	1.41	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	848	C	C2-N3	9.27	1.43	1.35
26	BB	2570	G	C2-N3	9.27	1.40	1.32
26	BB	2571	U	P-O5'	9.27	1.69	1.59
26	BB	1517	G	P-O5'	9.27	1.69	1.59
1	AA	57	G	C6-N1	9.27	1.46	1.39
26	BB	962	G	C8-N7	9.26	1.36	1.30
26	BB	1818	U	C2-N3	9.26	1.44	1.37
1	AA	194	C	C5-C6	9.26	1.41	1.34
25	BA	52	A	N9-C4	-9.26	1.32	1.37
26	BB	1130	U	P-O5'	9.25	1.69	1.59
1	AA	295	C	C5'-C4'	9.25	1.62	1.51
1	AA	703	G	C2-N3	9.25	1.40	1.32
1	AA	1186	G	P-O5'	9.25	1.69	1.59
1	AA	1225	A	N9-C4	9.25	1.43	1.37
26	BB	1134	A	P-O5'	9.25	1.69	1.59
26	BB	278	A	N7-C5	-9.24	1.33	1.39
26	BB	1227	G	O3'-P	9.24	1.72	1.61
26	BB	2275	C	O3'-P	9.24	1.72	1.61
26	BB	2360	G	C8-N7	-9.23	1.25	1.30
26	BB	2531	A	N9-C8	9.23	1.45	1.37
1	AA	1178	G	N7-C5	9.23	1.44	1.39
26	BB	2879	A	N7-C5	-9.23	1.33	1.39
26	BB	244	A	C6-N1	-9.23	1.29	1.35
26	BB	771	G	C8-N7	9.23	1.36	1.30
26	BB	698	C	P-O5'	9.22	1.69	1.59
26	BB	854	C	N1-C2	9.22	1.49	1.40
1	AA	74	A	N1-C2	-9.22	1.26	1.34
1	AA	386	C	P-O5'	9.22	1.69	1.59
1	AA	757	U	O3'-P	9.22	1.72	1.61
26	BB	316	C	O3'-P	9.21	1.72	1.61
26	BB	1759	A	N3-C4	9.21	1.40	1.34
26	BB	2226	C	N1-C6	9.21	1.42	1.37
26	BB	2893	A	C5'-C4'	9.21	1.62	1.51
1	AA	1331	G	N9-C8	9.21	1.44	1.37
1	AA	1438	G	C2-N3	9.21	1.40	1.32
26	BB	892	A	C5'-C4'	9.21	1.62	1.51
26	BB	1337	G	C2-N3	9.21	1.40	1.32
26	BB	2117	A	C5'-C4'	9.21	1.62	1.51
26	BB	926	G	C5-C4	-9.21	1.31	1.38
26	BB	2364	C	P-O5'	9.20	1.69	1.59
26	BB	2671	G	P-O5'	9.21	1.69	1.59
26	BB	757	G	N3-C4	9.20	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1065	U	C2-N3	-9.19	1.31	1.37
26	BB	163	C	N1-C6	9.20	1.42	1.37
26	BB	57	C	N1-C2	9.19	1.49	1.40
26	BB	1727	C	N3-C4	9.19	1.40	1.33
26	BB	2255	G	C2-N3	9.19	1.40	1.32
1	AA	1178	G	N1-C2	9.18	1.45	1.37
26	BB	914	G	O3'-P	9.18	1.72	1.61
1	AA	1109	C	C5'-C4'	9.18	1.62	1.51
26	BB	1981	A	N3-C4	9.18	1.40	1.34
1	AA	803	G	N3-C4	9.18	1.41	1.35
26	BB	816	C	N1-C6	9.18	1.42	1.37
26	BB	1866	A	N7-C5	9.17	1.44	1.39
1	AA	425	G	C2-N3	9.17	1.40	1.32
1	AA	480	U	C5-C6	9.17	1.42	1.34
26	BB	385	C	N1-C6	9.17	1.42	1.37
26	BB	1369	G	P-O5'	9.17	1.69	1.59
26	BB	1534	U	C2-N3	9.17	1.44	1.37
2	AB	7	G	P-O5'	9.16	1.69	1.59
1	AA	654	G	N1-C2	9.16	1.45	1.37
26	BB	383	C	C5-C6	9.16	1.41	1.34
26	BB	1381	G	C2-N3	9.16	1.40	1.32
26	BB	1229	C	C2-O2	-9.16	1.16	1.24
26	BB	1281	G	C6-N1	9.16	1.46	1.39
26	BB	2377	A	N3-C4	9.16	1.40	1.34
1	AA	523	A	P-O5'	9.16	1.69	1.59
1	AA	672	U	P-O5'	9.16	1.69	1.59
26	BB	1948	G	P-O5'	9.16	1.69	1.59
26	BB	2447	G	N1-C2	9.16	1.45	1.37
1	AA	224	U	C2-N3	9.15	1.44	1.37
26	BB	1200	C	O3'-P	9.15	1.72	1.61
26	BB	217	A	P-O5'	9.15	1.69	1.59
26	BB	2685	G	P-O5'	9.15	1.69	1.59
1	AA	22	G	C8-N7	-9.15	1.25	1.30
26	BB	857	G	C2-N3	9.15	1.40	1.32
26	BB	875	G	C2-N3	9.15	1.40	1.32
26	BB	1568	G	N7-C5	9.15	1.44	1.39
1	AA	182	A	N3-C4	9.15	1.40	1.34
26	BB	807	U	N1-C2	9.15	1.46	1.38
1	AA	271	C	N1-C6	-9.14	1.31	1.37
26	BB	936	A	C8-N7	-9.14	1.25	1.31
26	BB	432	A	N9-C4	9.14	1.43	1.37
26	BB	1594	U	P-O5'	9.14	1.68	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	632	A	N3-C4	9.14	1.40	1.34
4	AD	60	A	N7-C5	-9.14	1.33	1.39
1	AA	67	C	C4-C5	9.13	1.50	1.43
1	AA	27	G	N9-C8	-9.13	1.31	1.37
25	BA	16	G	C6-N1	9.13	1.46	1.39
26	BB	5	A	C8-N7	-9.13	1.25	1.31
26	BB	1590	A	N7-C5	9.13	1.44	1.39
1	AA	245	U	N3-C4	9.13	1.46	1.38
26	BB	1421	G	C5-C4	9.13	1.44	1.38
26	BB	1647	U	C5'-C4'	9.13	1.62	1.51
26	BB	2757	A	N9-C4	9.13	1.43	1.37
1	AA	122	G	P-O5'	9.12	1.68	1.59
1	AA	715	A	P-O5'	9.13	1.68	1.59
1	AA	1050	G	C4'-O4'	-9.12	1.33	1.45
26	BB	189	G	P-O5'	9.12	1.68	1.59
1	AA	342	C	C5-C6	9.12	1.41	1.34
1	AA	412	A	N3-C4	9.12	1.40	1.34
26	BB	483	A	N3-C4	9.12	1.40	1.34
26	BB	1310	G	O3'-P	9.12	1.72	1.61
1	AA	335	C	N1-C6	9.12	1.42	1.37
26	BB	900	A	N9-C4	9.12	1.43	1.37
26	BB	1150	C	O3'-P	9.12	1.72	1.61
26	BB	2342	C	N3-C4	9.12	1.40	1.33
26	BB	821	A	C6-N1	9.12	1.42	1.35
26	BB	1076	C	P-O5'	9.11	1.68	1.59
1	AA	1226	C	C2-N3	9.10	1.43	1.35
26	BB	2368	C	C2-N3	-9.10	1.28	1.35
26	BB	2814	A	N7-C5	9.10	1.44	1.39
1	AA	716	A	P-O5'	9.10	1.68	1.59
1	AA	989	U	C2-N3	9.10	1.44	1.37
1	AA	570	G	P-O5'	9.10	1.68	1.59
26	BB	2676	C	C2-N3	9.09	1.43	1.35
1	AA	812	G	N3-C4	9.09	1.41	1.35
1	AA	1087	G	N7-C5	9.09	1.44	1.39
26	BB	2240	U	N1-C2	9.09	1.46	1.38
26	BB	303	G	O3'-P	-9.08	1.50	1.61
26	BB	2566	A	N9-C4	9.08	1.43	1.37
1	AA	146	G	N3-C4	9.08	1.41	1.35
1	AA	296	U	N3-C4	9.08	1.46	1.38
26	BB	1408	G	N3-C4	9.08	1.41	1.35
26	BB	1830	C	C4'-O4'	-9.08	1.33	1.45
26	BB	2100	G	C8-N7	-9.08	1.25	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	989	G	N9-C8	9.08	1.44	1.37
3	AC	55	A	C5-C4	-9.07	1.32	1.38
26	BB	1193	G	N9-C4	9.07	1.45	1.38
26	BB	1249	U	C4-C5	9.07	1.51	1.43
1	AA	711	G	N7-C5	9.07	1.44	1.39
26	BB	560	C	N1-C6	9.07	1.42	1.37
26	BB	2825	G	C4'-O4'	-9.07	1.33	1.45
1	AA	444	G	N7-C5	9.07	1.44	1.39
26	BB	2193	G	N1-C2	9.07	1.45	1.37
26	BB	1285	A	C5-C6	9.07	1.49	1.41
26	BB	1907	G	P-O5'	9.07	1.68	1.59
26	BB	595	C	N3-C4	9.06	1.40	1.33
26	BB	599	A	C5-C4	-9.06	1.32	1.38
1	AA	361	G	C5-C4	-9.06	1.32	1.38
1	AA	150	U	C5-C6	9.06	1.42	1.34
1	AA	1206	G	C6-N1	9.06	1.45	1.39
26	BB	1655	A	C5-C4	-9.06	1.32	1.38
1	AA	1445	U	P-O5'	9.05	1.68	1.59
3	AC	33	A	N9-C4	9.05	1.43	1.37
3	AC	41	A	N3-C4	9.05	1.40	1.34
26	BB	1188	U	C4'-C3'	-9.06	1.43	1.53
1	AA	1009	U	N1-C6	9.05	1.46	1.38
1	AA	1152	A	C6-N1	-9.05	1.29	1.35
26	BB	1319	C	P-O5'	9.05	1.68	1.59
1	AA	433	G	N1-C2	9.04	1.45	1.37
26	BB	441	U	N1-C2	9.04	1.46	1.38
26	BB	1383	A	N9-C4	9.05	1.43	1.37
25	BA	101	A	C6-N1	9.04	1.41	1.35
26	BB	1848	A	P-O5'	9.04	1.68	1.59
1	AA	14	U	C4'-C3'	-9.04	1.43	1.53
1	AA	223	A	N7-C5	-9.04	1.33	1.39
1	AA	395	C	C4-C5	9.04	1.50	1.43
26	BB	2696	U	N1-C2	9.04	1.46	1.38
26	BB	209	C	N1-C2	9.03	1.49	1.40
26	BB	1900	A	O3'-P	9.03	1.72	1.61
26	BB	1997	C	C4-C5	9.03	1.50	1.43
26	BB	643	A	P-O5'	9.03	1.68	1.59
1	AA	1045	C	P-O5'	9.03	1.68	1.59
1	AA	1066	C	C2-N3	9.03	1.43	1.35
26	BB	2630	G	P-O5'	9.03	1.68	1.59
1	AA	196	A	N9-C4	-9.02	1.32	1.37
26	BB	843	G	C6-N1	9.02	1.45	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2678	C	O3'-P	9.02	1.72	1.61
26	BB	1779	U	C2-N3	9.02	1.44	1.37
26	BB	2640	G	P-O5'	9.02	1.68	1.59
1	AA	1147	C	C4'-O4'	-9.02	1.33	1.45
26	BB	887	U	C2-N3	9.02	1.44	1.37
26	BB	110	G	N3-C4	9.01	1.41	1.35
26	BB	1576	U	C2-N3	9.01	1.44	1.37
26	BB	1753	G	C6-O6	-9.01	1.16	1.24
26	BB	2381	A	N3-C4	9.01	1.40	1.34
1	AA	726	C	N3-C4	9.01	1.40	1.33
26	BB	270	A	N3-C4	9.01	1.40	1.34
1	AA	821	G	N3-C4	9.01	1.41	1.35
26	BB	1308	A	P-O5'	9.00	1.68	1.59
1	AA	241	G	P-O5'	9.00	1.68	1.59
1	AA	1171	A	N1-C2	-9.00	1.26	1.34
26	BB	1625	C	N1-C6	9.00	1.42	1.37
26	BB	518	G	N7-C5	9.00	1.44	1.39
26	BB	2859	G	N7-C5	9.00	1.44	1.39
26	BB	740	C	P-O5'	9.00	1.68	1.59
26	BB	1506	U	C4-C5	9.00	1.51	1.43
26	BB	2587	A	C3'-C2'	-9.00	1.42	1.52
1	AA	139	A	N3-C4	8.99	1.40	1.34
1	AA	274	A	P-O5'	8.99	1.68	1.59
26	BB	1679	A	C5'-C4'	8.99	1.62	1.51
1	AA	1320	C	N1-C6	8.99	1.42	1.37
26	BB	1666	G	C6-N1	8.99	1.45	1.39
26	BB	340	A	C8-N7	-8.98	1.25	1.31
26	BB	409	G	C6-N1	-8.98	1.33	1.39
4	AD	10	G	N3-C4	8.98	1.41	1.35
26	BB	1949	G	C2-N3	8.98	1.40	1.32
1	AA	1255	G	C6-N1	-8.98	1.33	1.39
26	BB	638	G	C6-N1	8.98	1.45	1.39
26	BB	2719	G	C2-N3	8.97	1.40	1.32
26	BB	412	A	N3-C4	8.97	1.40	1.34
26	BB	1784	A	N9-C4	8.97	1.43	1.37
1	AA	769	G	N9-C8	-8.97	1.31	1.37
3	AC	46	C	P-O5'	8.97	1.68	1.59
26	BB	1654	A	P-O5'	8.97	1.68	1.59
1	AA	1141	C	C4-C5	8.97	1.50	1.43
26	BB	2879	A	N9-C4	8.97	1.43	1.37
1	AA	1005	A	N9-C4	8.97	1.43	1.37
26	BB	252	G	C5-C4	-8.97	1.32	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	648	G	N3-C4	8.97	1.41	1.35
26	BB	1815	A	C6-N6	8.97	1.41	1.33
26	BB	1165	A	N9-C4	-8.96	1.32	1.37
26	BB	1820	U	N1-C2	8.96	1.46	1.38
26	BB	2661	G	N3-C4	8.96	1.41	1.35
1	AA	1147	C	P-O5'	8.96	1.68	1.59
26	BB	1918	A	N9-C4	8.96	1.43	1.37
1	AA	519	C	C2-N3	8.96	1.43	1.35
1	AA	1005	A	C8-N7	-8.96	1.25	1.31
1	AA	1492	A	C5'-C4'	8.96	1.62	1.51
26	BB	2582	G	N7-C5	-8.95	1.33	1.39
1	AA	1267	C	N1-C6	8.95	1.42	1.37
26	BB	2061	G	C5'-C4'	8.95	1.62	1.51
1	AA	714	G	N7-C5	8.95	1.44	1.39
2	AB	50	G	N9-C8	-8.94	1.31	1.37
26	BB	1341	G	C2-N3	8.94	1.40	1.32
26	BB	1395	A	N9-C4	8.94	1.43	1.37
26	BB	1944	U	P-O5'	8.93	1.68	1.59
1	AA	1111	A	C6-N6	8.93	1.41	1.33
26	BB	2443	C	C5-C6	8.93	1.41	1.34
1	AA	1421	G	C8-N7	-8.93	1.25	1.30
4	AD	10	G	P-O5'	8.93	1.68	1.59
26	BB	1004	U	P-O5'	8.93	1.68	1.59
26	BB	1103	A	N7-C5	-8.93	1.33	1.39
26	BB	1225	G	C8-N7	8.93	1.36	1.30
26	BB	1794	A	C5-C6	8.92	1.49	1.41
26	BB	2570	G	N1-C2	8.92	1.44	1.37
26	BB	2578	G	C8-N7	-8.92	1.25	1.30
1	AA	109	A	C6-N1	8.92	1.41	1.35
26	BB	1099	G	N1-C2	8.91	1.44	1.37
1	AA	1022	A	N9-C4	8.91	1.43	1.37
26	BB	554	U	C2-N3	8.91	1.44	1.37
26	BB	1094	U	P-O5'	8.91	1.68	1.59
26	BB	2666	C	C4'-C3'	8.91	1.62	1.53
26	BB	986	C	P-O5'	8.91	1.68	1.59
1	AA	535	A	N3-C4	8.90	1.40	1.34
26	BB	1574	C	C2-N3	8.90	1.42	1.35
26	BB	2546	U	P-O5'	8.90	1.68	1.59
1	AA	1216	A	N3-C4	8.90	1.40	1.34
26	BB	1735	A	C6-N1	-8.90	1.29	1.35
26	BB	1800	C	C4'-O4'	-8.90	1.33	1.45
1	AA	396	C	P-O5'	8.90	1.68	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	546	A	P-O5'	8.90	1.68	1.59
26	BB	1566	A	N3-C4	8.90	1.40	1.34
25	BA	86	G	C5'-C4'	8.89	1.62	1.51
26	BB	1042	G	N1-C2	8.89	1.44	1.37
26	BB	1529	G	P-O5'	8.89	1.68	1.59
26	BB	1853	A	O3'-P	8.89	1.71	1.61
2	AB	43	G	C2-N3	8.89	1.39	1.32
26	BB	1494	A	N3-C4	8.89	1.40	1.34
26	BB	1039	A	O3'-P	8.88	1.71	1.61
1	AA	731	G	P-O5'	8.88	1.68	1.59
26	BB	1805	A	N9-C4	8.88	1.43	1.37
26	BB	2702	G	C8-N7	-8.88	1.25	1.30
26	BB	1401	G	C4'-C3'	8.88	1.62	1.53
26	BB	1046	A	C6-N6	-8.87	1.26	1.33
1	AA	178	C	N3-C4	8.87	1.40	1.33
1	AA	57	G	C5-C4	-8.87	1.32	1.38
26	BB	235	U	N1-C6	8.86	1.46	1.38
26	BB	849	A	N3-C4	8.86	1.40	1.34
26	BB	1743	G	N3-C4	-8.86	1.29	1.35
26	BB	2635	A	N9-C4	8.86	1.43	1.37
26	BB	1163	G	C6-N1	8.86	1.45	1.39
4	AD	61	U	P-O5'	8.86	1.68	1.59
26	BB	176	A	N7-C5	-8.86	1.33	1.39
1	AA	1248	A	N9-C8	8.85	1.44	1.37
26	BB	1449	G	N7-C5	8.85	1.44	1.39
1	AA	1048	G	P-O5'	8.85	1.68	1.59
26	BB	683	U	P-O5'	8.85	1.68	1.59
1	AA	1206	G	C2-N3	8.85	1.39	1.32
26	BB	921	C	C2-N3	8.85	1.42	1.35
26	BB	1642	G	P-O5'	8.85	1.68	1.59
26	BB	1718	G	N9-C8	8.85	1.44	1.37
26	BB	2088	A	P-O5'	8.84	1.68	1.59
26	BB	2754	U	C2-N3	8.84	1.44	1.37
1	AA	616	G	N1-C2	8.84	1.44	1.37
26	BB	2764	A	P-O5'	8.84	1.68	1.59
26	BB	927	A	N9-C4	8.84	1.43	1.37
1	AA	125	U	C5'-C4'	8.84	1.61	1.51
26	BB	3	U	C2-N3	8.84	1.44	1.37
26	BB	828	U	C2-N3	8.84	1.44	1.37
26	BB	2465	C	C2-N3	8.84	1.42	1.35
1	AA	1436	U	C2-N3	8.83	1.44	1.37
26	BB	137	U	N1-C6	8.83	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	283	G	C2'-C1'	8.83	1.63	1.53
26	BB	2885	G	P-O5'	8.83	1.68	1.59
1	AA	11	G	C5'-C4'	8.83	1.61	1.51
1	AA	430	A	C6-N6	-8.83	1.26	1.33
1	AA	722	G	C6-N1	8.83	1.45	1.39
1	AA	801	U	C4'-O4'	-8.83	1.34	1.45
1	AA	1176	A	N7-C5	-8.83	1.33	1.39
26	BB	1672	A	N7-C5	-8.83	1.33	1.39
26	BB	2364	C	C5'-C4'	8.83	1.61	1.51
25	BA	82	U	P-O5'	8.83	1.68	1.59
1	AA	1508	A	N9-C4	-8.82	1.32	1.37
25	BA	41	G	C4'-C3'	8.82	1.62	1.53
4	AD	18	U	C4-C5	8.82	1.51	1.43
1	AA	1531	A	C5-C6	8.82	1.49	1.41
25	BA	119	A	C6-N6	8.82	1.41	1.33
1	AA	616	G	P-O5'	8.82	1.68	1.59
26	BB	831	G	N3-C4	8.82	1.41	1.35
26	BB	1132	U	C2-N3	8.82	1.44	1.37
26	BB	2093	G	O3'-P	8.81	1.71	1.61
26	BB	974	G	N3-C4	8.81	1.41	1.35
1	AA	968	A	N3-C4	8.81	1.40	1.34
2	AB	72	U	C2-N3	-8.81	1.31	1.37
26	BB	235	U	C2-N3	8.81	1.44	1.37
26	BB	751	A	N7-C5	8.81	1.44	1.39
26	BB	1948	G	C2-N3	8.81	1.39	1.32
26	BB	368	A	C5-C6	8.81	1.49	1.41
1	AA	1284	C	P-O5'	8.81	1.68	1.59
26	BB	2547	A	N3-C4	8.81	1.40	1.34
1	AA	376	G	N9-C8	-8.80	1.31	1.37
1	AA	701	U	C2-N3	8.81	1.44	1.37
1	AA	247	G	C8-N7	-8.80	1.25	1.30
26	BB	1934	C	P-O5'	8.80	1.68	1.59
1	AA	1186	G	C8-N7	8.80	1.36	1.30
1	AA	372	C	N3-C4	8.80	1.40	1.33
4	AD	14	A	N7-C5	8.80	1.44	1.39
26	BB	1053	C	C2-N3	8.80	1.42	1.35
26	BB	2678	C	C3'-C2'	8.80	1.62	1.52
1	AA	540	G	N3-C4	-8.79	1.29	1.35
1	AA	1348	U	C2-N3	8.79	1.44	1.37
26	BB	323	C	C5'-C4'	8.79	1.61	1.51
26	BB	1052	C	O3'-P	8.79	1.71	1.61
1	AA	608	A	P-O5'	8.79	1.68	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	356	G	C6-N1	8.79	1.45	1.39
26	BB	434	U	C3'-O3'	8.79	1.54	1.42
26	BB	2370	G	C6-N1	-8.79	1.33	1.39
26	BB	776	G	N3-C4	8.78	1.41	1.35
26	BB	1653	G	C6-N1	8.79	1.45	1.39
26	BB	1172	C	C4-N4	-8.78	1.26	1.33
26	BB	1253	A	N9-C4	-8.78	1.32	1.37
26	BB	1497	U	C5'-C4'	8.78	1.61	1.51
26	BB	2391	G	N3-C4	8.78	1.41	1.35
1	AA	1526	G	C5-C6	8.78	1.51	1.42
26	BB	1545	A	C5'-C4'	8.78	1.61	1.51
1	AA	841	C	C4-C5	8.78	1.50	1.43
26	BB	921	C	P-O5'	8.78	1.68	1.59
26	BB	928	A	C8-N7	-8.78	1.25	1.31
1	AA	957	U	C4-C5	8.77	1.51	1.43
1	AA	289	G	P-O5'	8.77	1.68	1.59
26	BB	414	C	N3-C4	8.77	1.40	1.33
1	AA	1486	G	C2-N3	8.77	1.39	1.32
1	AA	1496	C	C5-C6	8.77	1.41	1.34
26	BB	2224	G	C8-N7	8.77	1.36	1.30
26	BB	2669	G	N9-C8	-8.77	1.31	1.37
26	BB	1061	U	C2-N3	8.77	1.43	1.37
26	BB	2765	A	N7-C5	8.77	1.44	1.39
1	AA	407	U	P-O5'	8.76	1.68	1.59
4	AD	12	G	N7-C5	8.76	1.44	1.39
2	AB	41	C	C4-C5	8.76	1.50	1.43
26	BB	1993	U	N3-C4	8.76	1.46	1.38
1	AA	581	G	C6-N1	8.76	1.45	1.39
25	BA	41	G	N3-C4	8.76	1.41	1.35
26	BB	279	A	P-O5'	8.76	1.68	1.59
26	BB	2333	A	P-O5'	-8.76	1.50	1.59
26	BB	2639	A	N9-C4	8.76	1.43	1.37
26	BB	1984	G	C6-N1	8.76	1.45	1.39
26	BB	2654	A	N7-C5	8.75	1.44	1.39
26	BB	2264	C	C2-N3	8.75	1.42	1.35
26	BB	1875	G	C6-N1	8.75	1.45	1.39
26	BB	1994	C	P-O5'	8.75	1.68	1.59
1	AA	615	G	P-O5'	8.74	1.68	1.59
1	AA	1445	U	C2-N3	8.74	1.43	1.37
3	AC	57	C	O3'-P	8.74	1.71	1.61
26	BB	46	G	C4'-O4'	-8.74	1.34	1.45
26	BB	2179	C	N3-C4	8.74	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	65	U	C5-C6	8.74	1.42	1.34
1	AA	638	U	P-O5'	8.74	1.68	1.59
26	BB	75	G	C2-N3	8.74	1.39	1.32
1	AA	423	G	P-O5'	8.74	1.68	1.59
26	BB	309	A	C6-N6	8.74	1.41	1.33
1	AA	1067	A	C4'-O4'	-8.73	1.34	1.45
26	BB	2061	G	C6-N1	-8.73	1.33	1.39
1	AA	78	A	N3-C4	8.73	1.40	1.34
26	BB	1469	A	N3-C4	8.73	1.40	1.34
26	BB	1702	G	C2-N3	8.73	1.39	1.32
26	BB	2120	G	N1-C2	8.73	1.44	1.37
1	AA	135	C	C5-C6	8.73	1.41	1.34
26	BB	2399	G	N7-C5	-8.73	1.34	1.39
1	AA	1376	U	P-O5'	8.72	1.68	1.59
26	BB	12	U	C2-N3	8.72	1.43	1.37
1	AA	3	A	C6-N1	-8.72	1.29	1.35
1	AA	1426	G	P-O5'	8.72	1.68	1.59
26	BB	1294	U	C2-N3	8.72	1.43	1.37
26	BB	1685	C	P-O5'	8.72	1.68	1.59
1	AA	394	G	P-O5'	8.71	1.68	1.59
1	AA	363	A	C5'-C4'	8.71	1.61	1.51
26	BB	2846	G	C5'-C4'	8.71	1.61	1.51
3	AC	47	C	C2'-C1'	-8.71	1.43	1.53
26	BB	2171	A	N3-C4	8.71	1.40	1.34
1	AA	316	C	C5'-C4'	8.70	1.61	1.51
1	AA	337	G	C8-N7	8.70	1.36	1.30
1	AA	1509	C	C4-C5	8.70	1.50	1.43
26	BB	1059	G	C5-C4	-8.70	1.32	1.38
1	AA	213	G	N1-C2	8.70	1.44	1.37
1	AA	1507	A	C5-C4	-8.70	1.32	1.38
26	BB	1042	G	N3-C4	8.70	1.41	1.35
1	AA	1456	A	C3'-C2'	8.70	1.62	1.52
26	BB	611	C	P-O5'	8.70	1.68	1.59
26	BB	2033	A	N7-C5	-8.69	1.34	1.39
26	BB	622	G	N7-C5	8.69	1.44	1.39
26	BB	1996	C	N1-C6	8.69	1.42	1.37
26	BB	2379	G	C5-C4	8.69	1.44	1.38
4	AD	30	G	C2-N3	8.69	1.39	1.32
26	BB	1421	G	N7-C5	-8.69	1.34	1.39
26	BB	1969	A	P-O5'	8.69	1.68	1.59
26	BB	701	G	C6-O6	-8.69	1.16	1.24
1	AA	855	U	C5'-C4'	8.68	1.61	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1859	U	P-O5'	8.68	1.68	1.59
26	BB	2555	U	C2-N3	8.68	1.43	1.37
26	BB	686	U	N1-C2	8.68	1.46	1.38
1	AA	571	U	C2-O2	8.68	1.30	1.22
26	BB	2547	A	O3'-P	8.68	1.71	1.61
53	B2	9	TYR	CE1-CZ	8.68	1.49	1.38
26	BB	500	G	N1-C2	8.68	1.44	1.37
2	AB	68	C	N1-C6	8.68	1.42	1.37
25	BA	42	C	N1-C6	8.68	1.42	1.37
26	BB	1603	A	N3-C4	8.68	1.40	1.34
1	AA	17	U	C2-N3	8.67	1.43	1.37
26	BB	1508	A	N9-C4	8.67	1.43	1.37
26	BB	91	A	C4'-O4'	-8.67	1.34	1.45
26	BB	952	G	N9-C8	-8.67	1.31	1.37
1	AA	200	G	N1-C2	8.67	1.44	1.37
2	AB	13	C	N3-C4	8.67	1.40	1.33
26	BB	2243	U	N3-C4	8.67	1.46	1.38
1	AA	1265	C	N1-C6	8.67	1.42	1.37
26	BB	995	C	N1-C6	8.67	1.42	1.37
26	BB	2358	A	N7-C5	8.67	1.44	1.39
26	BB	752	A	O3'-P	8.67	1.71	1.61
26	BB	1647	U	O3'-P	8.66	1.71	1.61
1	AA	236	A	N9-C4	8.66	1.43	1.37
1	AA	1426	G	N3-C4	8.66	1.41	1.35
25	BA	106	G	N3-C4	8.66	1.41	1.35
26	BB	777	G	N9-C4	-8.66	1.31	1.38
26	BB	1217	U	C2-N3	8.66	1.43	1.37
26	BB	2409	G	N7-C5	-8.66	1.34	1.39
1	AA	1341	U	C2-N3	8.66	1.43	1.37
2	AB	2	G	N1-C2	8.66	1.44	1.37
1	AA	580	C	O3'-P	8.65	1.71	1.61
26	BB	2060	A	C5-C6	8.65	1.48	1.41
1	AA	1480	A	N7-C5	8.65	1.44	1.39
26	BB	1458	U	C4'-O4'	-8.65	1.34	1.45
26	BB	2153	C	C4-C5	-8.65	1.36	1.43
26	BB	666	A	C5-C4	-8.65	1.32	1.38
26	BB	979	A	N7-C5	8.65	1.44	1.39
1	AA	237	G	N9-C8	-8.64	1.31	1.37
1	AA	1093	A	N3-C4	-8.64	1.29	1.34
2	AB	19	G	C4'-O4'	-8.64	1.34	1.45
26	BB	2339	C	N1-C6	8.64	1.42	1.37
26	BB	1258	U	P-O5'	8.64	1.68	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1280	A	N3-C4	8.64	1.40	1.34
26	BB	112	U	C2-N3	8.64	1.43	1.37
1	AA	1477	U	N1-C2	8.64	1.46	1.38
26	BB	1469	A	O3'-P	8.63	1.71	1.61
26	BB	2230	G	P-O5'	8.63	1.68	1.59
26	BB	2240	U	C2-N3	8.64	1.43	1.37
26	BB	670	A	C5'-C4'	8.63	1.61	1.51
1	AA	199	A	C6-N1	-8.63	1.29	1.35
26	BB	700	G	N7-C5	-8.63	1.34	1.39
26	BB	2318	G	P-O5'	8.63	1.68	1.59
26	BB	2635	A	N3-C4	8.63	1.40	1.34
1	AA	98	A	N7-C5	-8.63	1.34	1.39
26	BB	756	A	C6-N6	8.63	1.40	1.33
26	BB	2437	G	C5'-C4'	8.63	1.61	1.51
26	BB	2639	A	C2'-C1'	8.63	1.62	1.53
26	BB	848	C	N1-C6	8.62	1.42	1.37
1	AA	643	C	C4-C5	8.62	1.49	1.43
1	AA	1251	A	P-O5'	8.62	1.68	1.59
26	BB	572	A	N3-C4	8.62	1.40	1.34
26	BB	2099	U	N1-C6	8.62	1.45	1.38
1	AA	1297	G	P-O5'	8.61	1.68	1.59
26	BB	445	C	C5-C6	8.61	1.41	1.34
26	BB	2340	A	C8-N7	-8.61	1.25	1.31
1	AA	282	A	N7-C5	-8.61	1.34	1.39
1	AA	1111	A	N3-C4	8.61	1.40	1.34
26	BB	1434	A	N9-C4	-8.61	1.32	1.37
1	AA	356	A	P-O5'	8.61	1.68	1.59
26	BB	651	G	P-O5'	8.61	1.68	1.59
26	BB	2639	A	P-O5'	8.61	1.68	1.59
26	BB	131	A	N7-C5	8.61	1.44	1.39
26	BB	125	A	N9-C4	8.60	1.43	1.37
26	BB	2117	A	N3-C4	8.60	1.40	1.34
26	BB	2588	G	N3-C4	8.60	1.41	1.35
1	AA	365	U	C5-C6	8.60	1.41	1.34
26	BB	2305	U	P-O5'	8.60	1.68	1.59
26	BB	450	G	N9-C8	-8.60	1.31	1.37
26	BB	2349	G	C6-N1	8.60	1.45	1.39
26	BB	2549	G	C5-C6	8.60	1.50	1.42
1	AA	1197	A	N3-C4	8.60	1.40	1.34
26	BB	2738	A	N3-C4	8.60	1.40	1.34
1	AA	1299	A	C5-C4	-8.59	1.32	1.38
26	BB	1182	G	P-O5'	8.59	1.68	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1187	G	P-O5'	8.59	1.68	1.59
26	BB	1246	A	C8-N7	-8.59	1.25	1.31
26	BB	2048	G	C6-N1	8.59	1.45	1.39
26	BB	906	U	C2-N3	8.58	1.43	1.37
26	BB	1430	G	N1-C2	8.58	1.44	1.37
25	BA	3	C	C2-O2	-8.58	1.16	1.24
1	AA	31	G	N7-C5	8.58	1.44	1.39
1	AA	1415	G	N3-C4	8.58	1.41	1.35
26	BB	672	C	C2-N3	8.58	1.42	1.35
26	BB	804	A	N7-C5	8.58	1.44	1.39
26	BB	2079	U	N1-C2	8.58	1.46	1.38
25	BA	21	G	N7-C5	-8.57	1.34	1.39
1	AA	429	U	P-O5'	8.57	1.68	1.59
26	BB	569	U	C5'-C4'	8.57	1.61	1.51
26	BB	1957	C	C5-C6	8.57	1.41	1.34
26	BB	2091	C	N3-C4	8.57	1.40	1.33
26	BB	2236	U	C2-O2	8.57	1.30	1.22
1	AA	1109	C	N1-C6	8.57	1.42	1.37
2	AB	13	C	C4-C5	8.57	1.49	1.43
3	AC	32	U	N1-C6	8.57	1.45	1.38
26	BB	1036	G	N7-C5	-8.57	1.34	1.39
26	BB	1456	G	C4'-O4'	-8.57	1.34	1.45
26	BB	462	C	C5-C6	8.56	1.41	1.34
26	BB	711	G	N7-C5	8.56	1.44	1.39
26	BB	2812	G	O3'-P	8.56	1.71	1.61
1	AA	302	G	C6-N1	-8.56	1.33	1.39
1	AA	325	A	P-O5'	8.56	1.68	1.59
1	AA	1169	A	C6-N6	8.56	1.40	1.33
1	AA	423	G	N1-C2	8.55	1.44	1.37
1	AA	776	G	N7-C5	-8.55	1.34	1.39
26	BB	1567	G	C6-N1	8.55	1.45	1.39
26	BB	530	G	C6-N1	-8.55	1.33	1.39
1	AA	27	G	P-O5'	8.55	1.68	1.59
1	AA	1005	A	N7-C5	-8.55	1.34	1.39
25	BA	39	A	C6-N1	-8.54	1.29	1.35
26	BB	1978	A	O4'-C1'	8.54	1.52	1.41
1	AA	614	C	N3-C4	8.54	1.40	1.33
26	BB	499	U	O3'-P	8.54	1.71	1.61
26	BB	2578	G	N7-C5	8.54	1.44	1.39
1	AA	1075	U	C4'-O4'	-8.53	1.34	1.45
2	AB	61	C	C2-N3	8.53	1.42	1.35
1	AA	983	A	P-O5'	8.53	1.68	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2724	U	P-O5'	8.53	1.68	1.59
26	BB	157	C	O3'-P	8.53	1.71	1.61
26	BB	1320	C	N3-C4	8.53	1.40	1.33
26	BB	2549	G	N9-C4	-8.53	1.31	1.38
26	BB	2835	A	O3'-P	8.53	1.71	1.61
26	BB	1617	C	C2-N3	8.52	1.42	1.35
26	BB	2618	G	C5'-C4'	8.52	1.61	1.51
26	BB	493	G	C8-N7	-8.52	1.25	1.30
1	AA	196	A	N3-C4	8.52	1.40	1.34
26	BB	489	G	P-O5'	8.52	1.68	1.59
26	BB	1529	G	N3-C4	8.52	1.41	1.35
26	BB	2786	U	C5-C6	8.52	1.41	1.34
26	BB	411	G	C2-N3	8.51	1.39	1.32
26	BB	489	G	N3-C4	8.51	1.41	1.35
1	AA	892	A	P-O5'	8.51	1.68	1.59
26	BB	1661	G	C5'-C4'	8.51	1.61	1.51
1	AA	1175	G	P-O5'	8.51	1.68	1.59
26	BB	450	G	C6-N1	8.51	1.45	1.39
26	BB	816	C	P-O5'	8.51	1.68	1.59
26	BB	2179	C	P-O5'	8.51	1.68	1.59
26	BB	2731	G	N1-C2	8.51	1.44	1.37
1	AA	1030	U	C4-C5	8.51	1.51	1.43
26	BB	1546	G	C2'-C1'	-8.51	1.44	1.53
26	BB	1781	U	C5'-C4'	8.51	1.61	1.51
26	BB	946	C	P-O5'	8.50	1.68	1.59
26	BB	2243	U	P-O5'	8.50	1.68	1.59
26	BB	126	A	N9-C4	8.50	1.43	1.37
26	BB	249	C	O3'-P	8.50	1.71	1.61
26	BB	489	G	N1-C2	8.50	1.44	1.37
26	BB	1636	U	C2-N3	8.50	1.43	1.37
1	AA	1456	A	C6-N1	-8.49	1.29	1.35
4	AD	14	A	N9-C4	8.49	1.43	1.37
26	BB	2170	A	N3-C4	8.49	1.40	1.34
1	AA	1144	G	N7-C5	8.49	1.44	1.39
26	BB	2437	G	C6-O6	-8.49	1.16	1.24
26	BB	1117	C	P-O5'	8.48	1.68	1.59
26	BB	1718	G	N1-C2	8.48	1.44	1.37
26	BB	1975	G	C5-C4	-8.48	1.32	1.38
26	BB	1214	A	P-O5'	8.48	1.68	1.59
26	BB	417	C	N3-C4	8.48	1.39	1.33
26	BB	989	G	N7-C5	8.48	1.44	1.39
26	BB	1176	U	P-O5'	8.48	1.68	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	213	A	N3-C4	8.48	1.40	1.34
26	BB	1870	C	N1-C6	8.48	1.42	1.37
1	AA	1470	U	C2-N3	8.48	1.43	1.37
26	BB	1945	G	C4'-C3'	8.48	1.62	1.53
26	BB	2472	G	N9-C8	8.48	1.43	1.37
1	AA	755	G	P-O5'	8.47	1.68	1.59
26	BB	881	G	C6-N1	8.47	1.45	1.39
26	BB	1750	G	C2'-C1'	8.47	1.62	1.53
25	BA	86	G	N7-C5	-8.47	1.34	1.39
26	BB	1043	C	C2'-C1'	8.47	1.62	1.53
26	BB	1369	G	C2-N2	-8.47	1.26	1.34
1	AA	656	G	C8-N7	8.47	1.36	1.30
2	AB	73	G	P-O5'	8.47	1.68	1.59
26	BB	981	A	C8-N7	-8.47	1.25	1.31
26	BB	1707	G	C8-N7	8.47	1.36	1.30
25	BA	71	C	C4'-C3'	-8.46	1.43	1.53
26	BB	204	A	C2-N3	-8.46	1.25	1.33
1	AA	901	A	C2'-C1'	-8.46	1.44	1.53
26	BB	2573	C	N3-C4	8.46	1.39	1.33
1	AA	1080	A	P-O5'	8.46	1.68	1.59
26	BB	422	A	N7-C5	8.46	1.44	1.39
26	BB	793	A	C6-N1	-8.46	1.29	1.35
26	BB	831	G	N7-C5	-8.46	1.34	1.39
26	BB	1032	A	N9-C4	8.46	1.43	1.37
26	BB	1288	G	N3-C4	8.46	1.41	1.35
26	BB	2840	C	C4-C5	8.46	1.49	1.43
1	AA	707	U	P-O5'	8.46	1.68	1.59
26	BB	1247	A	N9-C8	-8.46	1.30	1.37
1	AA	750	C	C5-C6	8.46	1.41	1.34
26	BB	700	G	N3-C4	8.46	1.41	1.35
26	BB	1537	G	N7-C5	-8.45	1.34	1.39
26	BB	47	C	N1-C6	8.45	1.42	1.37
26	BB	56	A	C4'-O4'	-8.45	1.34	1.45
26	BB	1465	G	C2'-C1'	-8.45	1.44	1.53
26	BB	1817	G	C5'-C4'	8.45	1.61	1.51
26	BB	2629	U	N3-C4	8.45	1.46	1.38
26	BB	2686	G	N9-C8	8.45	1.43	1.37
1	AA	830	G	C6-N1	8.44	1.45	1.39
1	AA	1309	G	N7-C5	-8.44	1.34	1.39
26	BB	2095	A	N7-C5	8.44	1.44	1.39
1	AA	28	A	O3'-P	8.44	1.71	1.61
26	BB	549	G	N9-C8	-8.44	1.31	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2450	A	N3-C4	8.44	1.40	1.34
26	BB	2775	G	C8-N7	8.44	1.36	1.30
26	BB	2812	G	N1-C2	8.44	1.44	1.37
26	BB	50	U	C5-C6	8.44	1.41	1.34
26	BB	1906	G	N9-C8	-8.44	1.31	1.37
26	BB	2273	A	C8-N7	-8.44	1.25	1.31
26	BB	230	G	C2-N3	8.43	1.39	1.32
26	BB	2356	U	P-O5'	8.43	1.68	1.59
26	BB	196	A	N9-C4	-8.43	1.32	1.37
26	BB	2341	G	P-O5'	8.43	1.68	1.59
26	BB	2054	A	N9-C4	8.43	1.43	1.37
1	AA	1020	G	N3-C4	8.43	1.41	1.35
26	BB	1009	A	C6-N1	8.43	1.41	1.35
1	AA	688	G	P-O5'	8.43	1.68	1.59
26	BB	51	G	C5-C6	8.42	1.50	1.42
1	AA	1136	C	N1-C6	-8.42	1.32	1.37
26	BB	819	A	N7-C5	-8.42	1.34	1.39
26	BB	1003	G	C5'-C4'	8.42	1.61	1.51
26	BB	2301	C	C5-C6	8.42	1.41	1.34
1	AA	566	G	P-O5'	8.42	1.68	1.59
26	BB	1381	G	N3-C4	8.42	1.41	1.35
26	BB	2003	A	N7-C5	-8.42	1.34	1.39
26	BB	802	A	N3-C4	8.41	1.39	1.34
26	BB	2003	A	N3-C4	8.41	1.39	1.34
26	BB	2707	U	C4-C5	8.41	1.51	1.43
26	BB	376	G	P-O5'	8.41	1.68	1.59
26	BB	2510	C	C4-C5	-8.41	1.36	1.43
26	BB	1967	C	C5'-C4'	8.41	1.61	1.51
26	BB	2181	U	N1-C2	8.41	1.46	1.38
1	AA	780	A	C8-N7	-8.40	1.25	1.31
1	AA	895	G	N7-C5	-8.40	1.34	1.39
26	BB	2132	U	N1-C2	8.40	1.46	1.38
26	BB	214	G	N7-C5	8.40	1.44	1.39
26	BB	2419	U	N1-C2	8.40	1.46	1.38
4	AD	74	A	P-O5'	8.40	1.68	1.59
26	BB	903	C	C5'-C4'	8.40	1.61	1.51
42	BR	30	TRP	CG-CD1	-8.40	1.25	1.36
1	AA	580	C	P-O5'	-8.39	1.51	1.59
4	AD	38	A	O3'-P	8.39	1.71	1.61
26	BB	1503	A	N3-C4	8.39	1.39	1.34
26	BB	2072	C	C5-C6	8.39	1.41	1.34
26	BB	2181	U	C2-N3	8.39	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	424	G	N9-C8	-8.39	1.31	1.37
26	BB	109	C	N3-C4	8.39	1.39	1.33
26	BB	611	C	C2-O2	-8.39	1.17	1.24
26	BB	1623	G	N9-C4	-8.39	1.31	1.38
26	BB	741	U	C4'-C3'	-8.38	1.44	1.53
26	BB	2893	A	N9-C4	-8.38	1.32	1.37
1	AA	127	G	C8-N7	-8.38	1.25	1.30
26	BB	1836	C	N3-C4	8.38	1.39	1.33
26	BB	364	C	O3'-P	8.38	1.71	1.61
1	AA	1524	C	C2-N3	8.38	1.42	1.35
26	BB	1339	G	C2-N3	8.38	1.39	1.32
26	BB	1482	G	N9-C8	8.38	1.43	1.37
4	AD	43	G	N3-C4	8.37	1.41	1.35
26	BB	983	A	N9-C4	8.37	1.42	1.37
1	AA	146	G	P-O5'	8.37	1.68	1.59
26	BB	230	G	O3'-P	8.37	1.71	1.61
1	AA	373	A	C5-C6	8.36	1.48	1.41
26	BB	73	A	C5'-C4'	8.36	1.61	1.51
2	AB	47	U	N3-C4	8.36	1.46	1.38
26	BB	696	G	N7-C5	-8.36	1.34	1.39
1	AA	69	G	N7-C5	-8.36	1.34	1.39
26	BB	275	C	C4-C5	8.36	1.49	1.43
26	BB	1367	A	P-O5'	-8.36	1.51	1.59
26	BB	2100	G	N7-C5	-8.36	1.34	1.39
26	BB	2799	A	C5'-C4'	8.36	1.61	1.51
1	AA	473	U	P-O5'	8.35	1.68	1.59
26	BB	1923	U	N1-C2	8.35	1.46	1.38
1	AA	885	G	C8-N7	8.35	1.35	1.30
4	AD	11	A	C8-N7	-8.35	1.25	1.31
26	BB	281	C	O3'-P	8.35	1.71	1.61
26	BB	446	G	C6-N1	8.35	1.45	1.39
26	BB	1543	G	N9-C4	8.35	1.44	1.38
26	BB	1888	G	N9-C8	-8.35	1.32	1.37
26	BB	2609	U	P-O5'	8.35	1.68	1.59
1	AA	164	G	P-O5'	8.35	1.68	1.59
1	AA	393	A	C5-C4	-8.35	1.32	1.38
1	AA	1142	G	N7-C5	-8.35	1.34	1.39
26	BB	2803	G	N1-C2	8.35	1.44	1.37
26	BB	833	A	C6-N1	8.35	1.41	1.35
25	BA	69	G	C2-N2	8.35	1.42	1.34
26	BB	2654	A	P-O5'	8.35	1.68	1.59
26	BB	206	U	O3'-P	8.34	1.71	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	402	G	N3-C4	8.34	1.41	1.35
26	BB	352	A	C6-N6	-8.34	1.27	1.33
26	BB	1198	U	C2-N3	8.34	1.43	1.37
1	AA	344	A	N9-C8	-8.34	1.31	1.37
2	AB	22	G	N3-C4	8.34	1.41	1.35
26	BB	391	A	P-O5'	8.34	1.68	1.59
26	BB	1522	A	N3-C4	8.34	1.39	1.34
26	BB	199	A	C3'-C2'	8.34	1.62	1.52
26	BB	488	G	P-O5'	8.34	1.68	1.59
26	BB	1742	U	C5'-C4'	8.34	1.61	1.51
1	AA	759	A	C5-C4	-8.34	1.32	1.38
26	BB	1626	A	N3-C4	8.34	1.39	1.34
1	AA	167	A	N3-C4	8.34	1.39	1.34
1	AA	267	C	C2-N3	8.34	1.42	1.35
26	BB	1363	C	C2-N3	8.34	1.42	1.35
26	BB	1525	A	C8-N7	-8.34	1.25	1.31
26	BB	2130	U	C4'-C3'	8.34	1.62	1.53
1	AA	55	A	N3-C4	8.33	1.39	1.34
26	BB	1432	G	N3-C4	8.33	1.41	1.35
26	BB	1918	A	N7-C5	8.33	1.44	1.39
1	AA	235	C	C5'-C4'	8.33	1.61	1.51
1	AA	350	G	C5-C4	8.33	1.44	1.38
1	AA	931	C	N1-C6	8.33	1.42	1.37
1	AA	86	G	P-O5'	8.33	1.68	1.59
26	BB	1186	G	N7-C5	8.33	1.44	1.39
26	BB	1758	U	C2-N3	8.33	1.43	1.37
26	BB	1965	C	C5-C6	8.33	1.41	1.34
1	AA	25	C	N1-C6	8.32	1.42	1.37
1	AA	1200	C	C4-C5	8.32	1.49	1.43
1	AA	193	C	P-O5'	8.32	1.68	1.59
1	AA	1250	A	N9-C4	8.32	1.42	1.37
26	BB	447	A	N9-C4	8.32	1.42	1.37
25	BA	101	A	C2-N3	8.32	1.41	1.33
26	BB	559	G	O3'-P	8.32	1.71	1.61
26	BB	2360	G	P-O5'	8.32	1.68	1.59
1	AA	597	G	N3-C4	8.32	1.41	1.35
1	AA	1222	G	C5-C6	8.32	1.50	1.42
1	AA	1251	A	C3'-C2'	-8.32	1.43	1.52
26	BB	1370	C	C2-N3	8.32	1.42	1.35
26	BB	1772	A	N7-C5	8.32	1.44	1.39
1	AA	1275	A	N7-C5	-8.31	1.34	1.39
26	BB	923	G	N7-C5	8.31	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2276	G	N3-C4	8.31	1.41	1.35
26	BB	2727	A	P-O5'	8.31	1.68	1.59
1	AA	44	A	N3-C4	8.31	1.39	1.34
2	AB	60	U	C4'-O4'	-8.31	1.34	1.45
26	BB	1478	G	N3-C4	8.31	1.41	1.35
26	BB	2446	G	N3-C4	8.31	1.41	1.35
26	BB	2446	G	N7-C5	8.31	1.44	1.39
26	BB	472	A	C5-C4	-8.31	1.32	1.38
26	BB	809	G	N3-C4	8.31	1.41	1.35
26	BB	1353	A	C5'-C4'	8.31	1.61	1.51
26	BB	1581	G	C8-N7	8.31	1.35	1.30
26	BB	2005	A	N3-C4	8.30	1.39	1.34
26	BB	2898	U	N1-C2	8.30	1.46	1.38
1	AA	315	A	N9-C4	8.30	1.42	1.37
1	AA	628	G	C2-N3	8.30	1.39	1.32
26	BB	614	A	C2-N3	-8.30	1.26	1.33
26	BB	1661	G	C2-N3	8.30	1.39	1.32
1	AA	1086	U	C2-N3	8.30	1.43	1.37
1	AA	1410	A	N3-C4	8.30	1.39	1.34
26	BB	270	A	P-O5'	8.30	1.68	1.59
26	BB	2138	G	P-O5'	8.30	1.68	1.59
26	BB	2301	C	C5'-C4'	8.30	1.61	1.51
1	AA	1138	G	P-O5'	8.29	1.68	1.59
26	BB	970	U	C2-N3	8.29	1.43	1.37
26	BB	2050	C	C5'-C4'	8.29	1.61	1.51
1	AA	1016	A	P-O5'	8.29	1.68	1.59
26	BB	879	G	P-O5'	8.29	1.68	1.59
26	BB	322	A	N3-C4	8.29	1.39	1.34
26	BB	1064	C	P-O5'	8.29	1.68	1.59
26	BB	1611	C	O4'-C1'	8.29	1.52	1.41
26	BB	2188	U	C5'-C4'	-8.29	1.41	1.51
1	AA	662	U	P-O5'	8.29	1.68	1.59
26	BB	241	A	N9-C4	-8.29	1.32	1.37
26	BB	1546	G	N7-C5	8.29	1.44	1.39
26	BB	1869	G	C3'-C2'	-8.29	1.43	1.52
1	AA	642	A	N3-C4	8.29	1.39	1.34
26	BB	1685	C	N1-C2	8.29	1.48	1.40
26	BB	2557	G	C6-N1	8.29	1.45	1.39
26	BB	1039	A	N3-C4	8.29	1.39	1.34
26	BB	600	G	C8-N7	8.28	1.35	1.30
26	BB	961	C	C5-C6	8.28	1.41	1.34
26	BB	2681	C	C4'-C3'	8.28	1.62	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2791	G	N3-C4	8.28	1.41	1.35
26	BB	1500	G	N9-C8	8.28	1.43	1.37
26	BB	1752	C	O3'-P	8.28	1.71	1.61
26	BB	2216	G	N3-C4	8.28	1.41	1.35
1	AA	1435	G	N7-C5	-8.28	1.34	1.39
4	AD	75	C	C2'-C1'	-8.28	1.44	1.53
26	BB	1944	U	C5-C6	8.28	1.41	1.34
26	BB	2735	G	C2-N3	8.28	1.39	1.32
26	BB	961	C	P-O5'	8.28	1.68	1.59
1	AA	1099	G	C4'-O4'	-8.27	1.34	1.45
1	AA	292	G	P-O5'	8.27	1.68	1.59
26	BB	1002	G	C3'-C2'	-8.27	1.43	1.52
26	BB	1044	C	C2-N3	8.27	1.42	1.35
26	BB	2100	G	N3-C4	8.27	1.41	1.35
26	BB	2860	A	P-O5'	8.27	1.68	1.59
26	BB	738	G	C3'-C2'	8.26	1.62	1.52
26	BB	2072	C	C4-C5	8.26	1.49	1.43
26	BB	2261	C	N1-C6	8.26	1.42	1.37
1	AA	1140	C	C2-N3	8.26	1.42	1.35
4	AD	28	U	C2-N3	8.26	1.43	1.37
26	BB	1849	G	N9-C8	8.26	1.43	1.37
26	BB	233	A	N9-C4	-8.26	1.32	1.37
26	BB	1296	G	N1-C2	8.26	1.44	1.37
26	BB	1929	G	P-O5'	8.26	1.68	1.59
26	BB	409	G	C2-N3	8.25	1.39	1.32
26	BB	1845	G	N3-C4	8.25	1.41	1.35
26	BB	579	G	N7-C5	-8.25	1.34	1.39
26	BB	1948	G	C6-N1	8.25	1.45	1.39
26	BB	2673	G	C2-N3	8.25	1.39	1.32
26	BB	2370	G	C8-N7	-8.25	1.26	1.30
1	AA	704	A	N3-C4	8.25	1.39	1.34
1	AA	1457	G	N7-C5	8.25	1.44	1.39
26	BB	257	C	C5-C6	8.25	1.41	1.34
26	BB	996	A	N9-C4	-8.25	1.32	1.37
26	BB	1524	G	N3-C4	8.25	1.41	1.35
1	AA	482	A	P-O5'	8.24	1.68	1.59
1	AA	971	G	P-O5'	8.24	1.68	1.59
1	AA	564	C	C5-C6	8.24	1.41	1.34
26	BB	1031	G	O3'-P	8.24	1.71	1.61
1	AA	754	C	P-O5'	8.24	1.68	1.59
1	AA	1136	C	P-O5'	8.24	1.68	1.59
2	AB	11	U	C2-N3	8.24	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1567	G	N3-C4	8.24	1.41	1.35
1	AA	1340	A	N7-C5	8.24	1.44	1.39
26	BB	1740	G	N3-C4	8.23	1.41	1.35
1	AA	1254	A	N7-C5	8.23	1.44	1.39
1	AA	1431	A	N7-C5	8.23	1.44	1.39
26	BB	2279	G	N1-C2	8.23	1.44	1.37
26	BB	2378	A	N3-C4	8.23	1.39	1.34
26	BB	154	U	C2-N3	8.23	1.43	1.37
26	BB	10	A	C5'-C4'	8.23	1.61	1.51
1	AA	232	G	N9-C4	8.23	1.44	1.38
1	AA	1480	A	N9-C4	8.23	1.42	1.37
1	AA	554	A	N9-C4	-8.23	1.32	1.37
1	AA	1478	U	P-O5'	8.23	1.68	1.59
5	AE	61	SER	CB-OG	-8.23	1.31	1.42
26	BB	1783	A	N9-C4	8.23	1.42	1.37
1	AA	195	A	N3-C4	8.22	1.39	1.34
1	AA	359	G	C8-N7	8.22	1.35	1.30
1	AA	745	G	N7-C5	-8.22	1.34	1.39
26	BB	578	G	C2-N3	8.22	1.39	1.32
26	BB	1499	C	N1-C6	8.22	1.42	1.37
26	BB	2447	G	C8-N7	8.22	1.35	1.30
26	BB	2497	A	C6-N1	-8.22	1.29	1.35
26	BB	972	A	C5-C4	-8.22	1.32	1.38
26	BB	2282	G	N7-C5	8.22	1.44	1.39
1	AA	1050	G	P-O5'	8.22	1.68	1.59
26	BB	1866	A	N3-C4	8.22	1.39	1.34
1	AA	1299	A	N3-C4	8.22	1.39	1.34
3	AC	54	U	N1-C2	8.21	1.46	1.38
26	BB	1717	A	N3-C4	8.21	1.39	1.34
26	BB	1840	G	C2-N3	8.21	1.39	1.32
26	BB	2488	G	C8-N7	-8.21	1.26	1.30
1	AA	926	G	N9-C8	8.21	1.43	1.37
3	AC	48	C	C4-C5	8.21	1.49	1.43
26	BB	396	G	C3'-C2'	-8.21	1.43	1.52
26	BB	1980	G	N7-C5	-8.21	1.34	1.39
1	AA	464	U	C2-N3	8.21	1.43	1.37
26	BB	1549	A	P-O5'	8.20	1.68	1.59
26	BB	1703	G	C6-N1	8.21	1.45	1.39
26	BB	2814	A	N3-C4	8.21	1.39	1.34
1	AA	416	G	N7-C5	-8.20	1.34	1.39
26	BB	1855	U	O3'-P	8.20	1.71	1.61
26	BB	2550	G	C2-N3	8.20	1.39	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	540	G	N1-C2	8.20	1.44	1.37
1	AA	1514	G	C6-N1	-8.20	1.33	1.39
26	BB	2649	C	N1-C6	8.20	1.42	1.37
1	AA	162	A	C6-N1	8.20	1.41	1.35
1	AA	1314	C	C2-N3	8.20	1.42	1.35
1	AA	1345	U	C2-N3	8.20	1.43	1.37
26	BB	36	G	C8-N7	8.20	1.35	1.30
26	BB	578	G	N9-C4	8.20	1.44	1.38
26	BB	10	A	C2'-C1'	-8.19	1.44	1.53
26	BB	2623	G	O3'-P	8.20	1.71	1.61
26	BB	2893	A	N3-C4	8.20	1.39	1.34
26	BB	814	C	N1-C6	8.19	1.42	1.37
26	BB	1763	G	N1-C2	8.19	1.44	1.37
1	AA	1331	G	C6-N1	8.19	1.45	1.39
26	BB	1553	A	P-O5'	8.19	1.68	1.59
26	BB	2436	G	N3-C4	-8.19	1.29	1.35
26	BB	2669	G	N1-C2	8.19	1.44	1.37
3	AC	35	G	P-O5'	8.19	1.68	1.59
26	BB	957	C	C4-C5	8.19	1.49	1.43
26	BB	1661	G	C6-N1	8.19	1.45	1.39
1	AA	1017	U	C3'-C2'	-8.19	1.43	1.52
26	BB	110	G	N7-C5	8.19	1.44	1.39
26	BB	1351	C	O3'-P	8.19	1.71	1.61
26	BB	949	G	N7-C5	8.18	1.44	1.39
1	AA	1446	A	C8-N7	-8.18	1.25	1.31
26	BB	1521	G	C8-N7	8.18	1.35	1.30
1	AA	88	U	C4-C5	8.18	1.50	1.43
4	AD	60	A	C5'-C4'	8.18	1.61	1.51
26	BB	1850	G	C5'-C4'	8.18	1.61	1.51
1	AA	609	A	O3'-P	8.18	1.71	1.61
25	BA	22	U	O3'-P	8.18	1.71	1.61
26	BB	2089	C	N1-C6	8.18	1.42	1.37
26	BB	236	C	N3-C4	8.18	1.39	1.33
26	BB	950	G	N1-C2	8.18	1.44	1.37
1	AA	480	U	C2-N3	8.17	1.43	1.37
26	BB	1764	C	P-O5'	8.17	1.68	1.59
1	AA	666	G	C8-N7	-8.17	1.26	1.30
1	AA	1275	A	P-O5'	8.17	1.68	1.59
26	BB	956	G	N9-C4	-8.17	1.31	1.38
26	BB	2343	U	C2-N3	8.17	1.43	1.37
26	BB	2547	A	C2-N3	8.17	1.41	1.33
1	AA	281	G	P-O5'	8.17	1.68	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	7	G	P-O5'	8.17	1.68	1.59
26	BB	1552	A	C2-N3	8.17	1.41	1.33
26	BB	2807	U	N1-C2	8.17	1.46	1.38
26	BB	523	C	C2-O2	-8.17	1.17	1.24
26	BB	1221	C	N1-C6	8.17	1.42	1.37
26	BB	1495	A	N7-C5	8.16	1.44	1.39
26	BB	1733	G	C8-N7	8.16	1.35	1.30
25	BA	60	C	C4'-O4'	-8.16	1.34	1.45
26	BB	289	G	N7-C5	-8.16	1.34	1.39
26	BB	2758	A	N7-C5	8.16	1.44	1.39
26	BB	1295	C	P-O5'	8.16	1.68	1.59
26	BB	2116	G	C8-N7	-8.16	1.26	1.30
26	BB	2343	U	C2'-C1'	8.16	1.62	1.53
1	AA	97	G	C8-N7	8.16	1.35	1.30
1	AA	388	G	N7-C5	8.16	1.44	1.39
26	BB	1294	U	C2-O2	8.16	1.29	1.22
1	AA	305	G	N9-C8	-8.15	1.32	1.37
26	BB	386	G	C6-N1	8.15	1.45	1.39
26	BB	2336	A	C5-C6	8.15	1.48	1.41
26	BB	1560	G	N9-C4	8.15	1.44	1.38
1	AA	1447	A	N9-C8	-8.15	1.31	1.37
1	AA	18	C	N1-C6	8.14	1.42	1.37
1	AA	207	C	P-O5'	8.14	1.67	1.59
1	AA	468	A	N7-C5	8.14	1.44	1.39
26	BB	1292	G	N3-C4	8.14	1.41	1.35
26	BB	1096	A	C8-N7	-8.14	1.25	1.31
26	BB	2186	G	P-O5'	8.14	1.67	1.59
26	BB	1723	G	C5-C4	-8.14	1.32	1.38
26	BB	2313	C	N1-C6	8.14	1.42	1.37
26	BB	1205	A	C6-N1	8.14	1.41	1.35
1	AA	618	C	O3'-P	8.13	1.71	1.61
26	BB	2188	U	P-O5'	8.13	1.67	1.59
1	AA	100	G	C6-O6	-8.13	1.16	1.24
1	AA	139	A	C5-C4	-8.13	1.33	1.38
1	AA	785	G	C2-N3	8.13	1.39	1.32
1	AA	785	G	C6-N1	8.13	1.45	1.39
26	BB	245	G	C8-N7	-8.13	1.26	1.30
26	BB	2242	G	C8-N7	-8.13	1.26	1.30
26	BB	2535	G	C8-N7	8.13	1.35	1.30
1	AA	853	C	P-O5'	8.13	1.67	1.59
1	AA	1360	A	P-O5'	8.13	1.67	1.59
26	BB	312	G	C8-N7	-8.13	1.26	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	964	C	N3-C4	8.13	1.39	1.33
26	BB	1978	A	P-O5'	8.13	1.67	1.59
25	BA	37	C	C4'-O4'	-8.13	1.34	1.45
26	BB	471	A	N3-C4	8.12	1.39	1.34
26	BB	1235	G	N9-C8	8.12	1.43	1.37
26	BB	1416	G	C2-N3	8.12	1.39	1.32
26	BB	541	A	N3-C4	8.12	1.39	1.34
26	BB	2877	G	C2-N3	8.12	1.39	1.32
1	AA	1495	U	C4-C5	8.12	1.50	1.43
26	BB	72	U	C2'-C1'	8.12	1.62	1.53
26	BB	2796	U	C2-N3	8.12	1.43	1.37
1	AA	1060	U	C4-C5	8.12	1.50	1.43
26	BB	621	A	N3-C4	8.12	1.39	1.34
26	BB	1437	C	C5'-C4'	8.12	1.61	1.51
26	BB	1974	C	P-O5'	8.12	1.67	1.59
26	BB	2371	G	C6-N1	8.12	1.45	1.39
1	AA	205	A	C5'-C4'	8.12	1.61	1.51
26	BB	453	A	C5'-C4'	8.12	1.61	1.51
26	BB	638	G	C5'-C4'	8.12	1.61	1.51
26	BB	2177	C	C5'-C4'	8.12	1.61	1.51
26	BB	2832	U	N1-C6	8.12	1.45	1.38
26	BB	39	G	C4'-O4'	-8.11	1.35	1.45
26	BB	179	C	N1-C6	8.11	1.42	1.37
1	AA	932	C	N3-C4	8.11	1.39	1.33
26	BB	2566	A	C6-N1	8.11	1.41	1.35
1	AA	1176	A	N3-C4	8.11	1.39	1.34
4	AD	69	C	N1-C6	8.11	1.42	1.37
26	BB	1851	U	O3'-P	8.11	1.70	1.61
1	AA	1097	C	C5-C6	8.10	1.40	1.34
1	AA	1239	A	C5-C6	8.10	1.48	1.41
1	AA	1408	A	C6-N1	-8.10	1.29	1.35
26	BB	2835	A	N7-C5	8.10	1.44	1.39
1	AA	113	G	P-O5'	8.10	1.67	1.59
1	AA	725	G	P-O5'	8.10	1.67	1.59
26	BB	896	A	N9-C8	8.10	1.44	1.37
26	BB	2088	A	N9-C4	8.10	1.42	1.37
26	BB	1883	U	C2-N3	8.10	1.43	1.37
26	BB	2072	C	O3'-P	8.10	1.70	1.61
1	AA	664	G	N9-C8	-8.10	1.32	1.37
1	AA	1405	G	C8-N7	-8.10	1.26	1.30
26	BB	944	C	C4-C5	8.10	1.49	1.43
26	BB	906	U	C5-C6	8.10	1.41	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1666	G	C8-N7	-8.10	1.26	1.30
26	BB	2223	G	N3-C4	8.10	1.41	1.35
1	AA	110	C	N1-C6	8.10	1.42	1.37
1	AA	180	U	C4-C5	8.09	1.50	1.43
1	AA	581	G	P-O5'	8.09	1.67	1.59
26	BB	74	A	N3-C4	8.09	1.39	1.34
25	BA	48	U	O4'-C1'	8.09	1.52	1.41
26	BB	449	A	N9-C4	8.09	1.42	1.37
26	BB	1347	A	C6-N6	8.09	1.40	1.33
1	AA	1115	U	C5-C6	8.09	1.41	1.34
25	BA	4	C	C4-C5	8.09	1.49	1.43
26	BB	1905	C	C2-N3	8.09	1.42	1.35
1	AA	1310	G	P-O5'	8.09	1.67	1.59
1	AA	1342	C	C3'-C2'	8.09	1.61	1.52
25	BA	14	U	C5-C6	8.09	1.41	1.34
26	BB	751	A	C6-N6	8.09	1.40	1.33
26	BB	1082	U	C2-N3	8.09	1.43	1.37
26	BB	2791	G	C8-N7	-8.09	1.26	1.30
26	BB	2395	C	N1-C6	8.09	1.42	1.37
25	BA	78	A	C6-N1	-8.08	1.29	1.35
26	BB	2510	C	C2-N3	8.08	1.42	1.35
1	AA	1018	G	N3-C4	8.08	1.41	1.35
2	AB	9	A	P-O5'	8.08	1.67	1.59
26	BB	218	A	C8-N7	-8.08	1.25	1.31
26	BB	636	G	C8-N7	-8.08	1.26	1.30
1	AA	1040	U	N1-C6	8.08	1.45	1.38
1	AA	1350	A	C8-N7	-8.08	1.25	1.31
26	BB	1074	G	N9-C4	-8.07	1.31	1.38
26	BB	1807	G	C8-N7	-8.07	1.26	1.30
26	BB	1891	G	C2-N2	8.07	1.42	1.34
26	BB	525	U	C4-O4	-8.07	1.17	1.23
26	BB	1955	U	N3-C4	-8.07	1.31	1.38
26	BB	2542	A	N7-C5	8.07	1.44	1.39
1	AA	659	U	P-O5'	8.07	1.67	1.59
1	AA	700	G	C5'-C4'	8.07	1.61	1.51
1	AA	1027	C	P-O5'	8.07	1.67	1.59
26	BB	1064	C	C4-C5	-8.07	1.36	1.43
26	BB	2088	A	N7-C5	8.07	1.44	1.39
4	AD	20	G	C5-C6	8.07	1.50	1.42
25	BA	97	C	N1-C6	8.07	1.42	1.37
26	BB	609	A	C5-C6	8.07	1.48	1.41
1	AA	451	A	C5'-C4'	8.06	1.61	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2808	G	N7-C5	8.06	1.44	1.39
26	BB	2649	C	C2-N3	8.06	1.42	1.35
1	AA	396	C	N1-C6	8.06	1.42	1.37
26	BB	2644	G	N3-C4	8.06	1.41	1.35
26	BB	302	C	N1-C2	8.06	1.48	1.40
1	AA	122	G	C2'-C1'	-8.05	1.44	1.53
26	BB	15	G	C6-N1	8.05	1.45	1.39
26	BB	734	A	C5-C4	-8.06	1.33	1.38
26	BB	1268	A	N7-C5	8.06	1.44	1.39
1	AA	768	A	N7-C5	8.05	1.44	1.39
26	BB	490	C	C5-C6	8.05	1.40	1.34
26	BB	1734	G	N9-C8	8.05	1.43	1.37
1	AA	1035	A	O3'-P	8.05	1.70	1.61
1	AA	1061	G	N7-C5	8.05	1.44	1.39
26	BB	2623	G	N3-C4	8.05	1.41	1.35
26	BB	567	U	C2-N3	8.05	1.43	1.37
26	BB	2132	U	N1-C6	8.05	1.45	1.38
26	BB	2355	G	N1-C2	8.05	1.44	1.37
1	AA	1420	U	C4-C5	8.04	1.50	1.43
26	BB	713	G	C5'-C4'	8.04	1.61	1.51
26	BB	1926	U	P-O5'	8.04	1.67	1.59
26	BB	1461	C	N1-C6	8.04	1.42	1.37
1	AA	1540	U	C4-C5	8.04	1.50	1.43
1	AA	457	G	N9-C4	8.04	1.44	1.38
26	BB	603	A	C8-N7	-8.04	1.25	1.31
26	BB	2873	A	C6-N1	8.04	1.41	1.35
1	AA	5	U	C2'-C1'	8.04	1.62	1.53
1	AA	50	A	N9-C4	8.04	1.42	1.37
26	BB	1879	C	C2-O2	-8.04	1.17	1.24
1	AA	256	U	C4-O4	8.04	1.30	1.23
25	BA	23	G	N1-C2	8.04	1.44	1.37
26	BB	1075	C	C4-C5	8.04	1.49	1.43
26	BB	2466	C	P-O5'	8.04	1.67	1.59
26	BB	207	A	N9-C4	8.03	1.42	1.37
26	BB	467	G	N9-C8	-8.03	1.32	1.37
26	BB	2566	A	C4'-O4'	-8.03	1.35	1.45
26	BB	2831	G	C6-N1	-8.03	1.33	1.39
1	AA	511	C	N1-C6	8.03	1.42	1.37
1	AA	1130	A	C4'-O4'	-8.03	1.35	1.45
1	AA	1528	U	N1-C2	8.03	1.45	1.38
25	BA	16	G	N9-C8	-8.03	1.32	1.37
26	BB	45	G	C6-N1	8.03	1.45	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1033	G	C5-C4	-8.03	1.32	1.38
26	BB	1544	A	C8-N7	8.03	1.37	1.31
1	AA	765	G	C5'-C4'	8.02	1.60	1.51
26	BB	1288	G	C3'-C2'	-8.02	1.44	1.52
26	BB	1636	U	P-O5'	8.02	1.67	1.59
26	BB	795	C	P-O5'	8.02	1.67	1.59
26	BB	1268	A	N9-C4	-8.02	1.33	1.37
1	AA	710	G	N1-C2	8.02	1.44	1.37
26	BB	2851	A	C6-N1	8.02	1.41	1.35
1	AA	742	G	C6-N1	8.02	1.45	1.39
26	BB	894	U	C3'-C2'	8.02	1.61	1.52
26	BB	17	G	C4'-O4'	-8.02	1.35	1.45
26	BB	2679	A	P-O5'	8.01	1.67	1.59
1	AA	119	A	C8-N7	-8.01	1.25	1.31
4	AD	15	G	N3-C4	8.01	1.41	1.35
26	BB	723	C	C4'-O4'	-8.01	1.35	1.45
1	AA	1424	U	C4-C5	8.01	1.50	1.43
26	BB	210	C	P-O5'	8.01	1.67	1.59
26	BB	1067	A	P-O5'	8.00	1.67	1.59
26	BB	2010	G	C8-N7	-8.00	1.26	1.30
26	BB	2515	C	N1-C6	8.00	1.42	1.37
1	AA	783	C	P-O5'	8.00	1.67	1.59
25	BA	20	G	N7-C5	8.00	1.44	1.39
26	BB	181	A	P-O5'	8.00	1.67	1.59
26	BB	1880	U	C2-N3	8.00	1.43	1.37
26	BB	2350	C	P-O5'	8.00	1.67	1.59
26	BB	2370	G	P-O5'	8.00	1.67	1.59
1	AA	939	G	C8-N7	-8.00	1.26	1.30
26	BB	471	A	O3'-P	8.00	1.70	1.61
26	BB	294	A	N7-C5	8.00	1.44	1.39
26	BB	1731	G	N9-C4	-8.00	1.31	1.38
26	BB	2850	A	N9-C4	8.00	1.42	1.37
25	BA	83	G	O3'-P	8.00	1.70	1.61
26	BB	369	U	C2'-C1'	8.00	1.62	1.53
26	BB	2540	C	P-O5'	8.00	1.67	1.59
1	AA	858	G	C8-N7	7.99	1.35	1.30
26	BB	1091	G	P-O5'	7.99	1.67	1.59
26	BB	1739	A	C6-N6	-7.99	1.27	1.33
26	BB	2267	A	C5-C6	7.99	1.48	1.41
26	BB	1103	A	P-O5'	7.99	1.67	1.59
1	AA	1066	C	N1-C6	7.99	1.42	1.37
1	AA	1365	G	C2-N3	7.99	1.39	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
28	BD	166	ARG	CZ-NH2	7.99	1.43	1.33
26	BB	399	U	C5'-C4'	7.99	1.60	1.51
26	BB	1416	G	C6-N1	7.99	1.45	1.39
26	BB	2039	U	O3'-P	7.99	1.70	1.61
4	AD	60	A	N3-C4	-7.98	1.30	1.34
26	BB	2718	G	O3'-P	7.98	1.70	1.61
26	BB	2891	U	C5'-C4'	7.98	1.60	1.51
1	AA	1146	A	N3-C4	7.98	1.39	1.34
26	BB	2441	U	C2-O2	7.98	1.29	1.22
1	AA	515	G	N9-C8	7.97	1.43	1.37
1	AA	1505	G	N7-C5	-7.97	1.34	1.39
1	AA	999	C	N1-C6	-7.97	1.32	1.37
26	BB	190	A	C8-N7	-7.97	1.25	1.31
26	BB	411	G	N1-C2	7.97	1.44	1.37
26	BB	500	G	C8-N7	7.97	1.35	1.30
1	AA	1140	C	P-O5'	7.97	1.67	1.59
26	BB	2127	G	N3-C4	7.97	1.41	1.35
26	BB	2321	U	O3'-P	7.97	1.70	1.61
1	AA	251	G	N7-C5	7.97	1.44	1.39
26	BB	749	A	N7-C5	7.97	1.44	1.39
26	BB	2300	C	C2'-C1'	7.97	1.62	1.53
26	BB	2562	U	P-O5'	7.97	1.67	1.59
1	AA	180	U	C2-N3	7.97	1.43	1.37
26	BB	786	C	P-O5'	7.97	1.67	1.59
26	BB	1744	A	P-O5'	7.96	1.67	1.59
26	BB	2755	C	C4-C5	7.96	1.49	1.43
1	AA	550	G	N3-C4	7.96	1.41	1.35
26	BB	1444	G	C6-O6	7.96	1.31	1.24
25	BA	81	G	N7-C5	7.96	1.44	1.39
26	BB	723	C	N1-C6	7.96	1.42	1.37
26	BB	1163	G	N1-C2	7.96	1.44	1.37
26	BB	2124	G	N7-C5	-7.96	1.34	1.39
26	BB	151	C	C4-C5	7.96	1.49	1.43
1	AA	812	G	C5-C6	7.95	1.50	1.42
26	BB	1509	A	N1-C2	7.95	1.41	1.34
26	BB	2738	A	C6-N6	7.95	1.40	1.33
1	AA	318	G	P-O5'	7.95	1.67	1.59
26	BB	1282	U	C2-N3	7.95	1.43	1.37
26	BB	1498	C	C4-C5	7.95	1.49	1.43
26	BB	1695	G	C2-N3	7.95	1.39	1.32
1	AA	1124	G	N1-C2	7.95	1.44	1.37
26	BB	437	U	N1-C2	7.95	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1421	G	C4'-O4'	-7.95	1.35	1.45
1	AA	517	G	C6-N1	7.95	1.45	1.39
1	AA	699	C	C4-N4	-7.95	1.26	1.33
26	BB	263	G	N7-C5	-7.95	1.34	1.39
26	BB	1536	C	C5'-C4'	7.95	1.60	1.51
26	BB	2277	G	C6-N1	7.95	1.45	1.39
26	BB	2281	A	N3-C4	7.95	1.39	1.34
26	BB	2752	C	N1-C2	7.95	1.48	1.40
26	BB	1983	G	N3-C4	7.94	1.41	1.35
26	BB	168	G	C8-N7	7.94	1.35	1.30
26	BB	1821	A	N7-C5	7.94	1.44	1.39
26	BB	1877	A	C5-C4	-7.94	1.33	1.38
26	BB	2011	U	N1-C2	7.94	1.45	1.38
26	BB	218	A	C6-N6	7.94	1.40	1.33
1	AA	399	G	N9-C8	7.94	1.43	1.37
26	BB	299	A	C5'-C4'	7.94	1.60	1.51
26	BB	740	C	C2-N3	7.94	1.42	1.35
1	AA	260	G	N9-C8	7.94	1.43	1.37
26	BB	426	C	O3'-P	7.93	1.70	1.61
26	BB	734	A	N3-C4	7.93	1.39	1.34
26	BB	449	A	P-O5'	7.93	1.67	1.59
26	BB	1444	G	C8-N7	7.93	1.35	1.30
26	BB	1876	A	N9-C4	7.93	1.42	1.37
1	AA	988	G	N1-C2	7.93	1.44	1.37
26	BB	1645	G	N3-C4	7.93	1.41	1.35
1	AA	1405	G	C2-N3	7.93	1.39	1.32
25	BA	110	C	N1-C6	7.93	1.42	1.37
26	BB	1651	G	N9-C8	7.93	1.43	1.37
1	AA	829	G	N9-C8	-7.92	1.32	1.37
26	BB	588	U	C2-N3	7.92	1.43	1.37
26	BB	2814	A	N9-C8	7.92	1.44	1.37
1	AA	904	U	C4-C5	7.92	1.50	1.43
1	AA	1101	A	N9-C4	-7.92	1.33	1.37
2	AB	24	G	O3'-P	7.92	1.70	1.61
26	BB	21	A	C6-N1	-7.92	1.30	1.35
26	BB	207	A	N3-C4	7.92	1.39	1.34
1	AA	233	C	C4-C5	7.92	1.49	1.43
3	AC	30	U	C5-C6	7.92	1.41	1.34
1	AA	372	C	P-O5'	7.92	1.67	1.59
26	BB	934	U	N1-C2	7.92	1.45	1.38
26	BB	2369	A	N9-C8	7.92	1.44	1.37
1	AA	1232	U	P-O5'	-7.92	1.51	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	119	A	P-O5'	7.92	1.67	1.59
26	BB	466	A	O3'-P	7.91	1.70	1.61
26	BB	2714	G	P-O5'	7.91	1.67	1.59
1	AA	985	C	N3-C4	7.91	1.39	1.33
26	BB	749	A	N3-C4	7.91	1.39	1.34
26	BB	2001	C	N1-C6	-7.91	1.32	1.37
26	BB	606	U	P-O5'	7.91	1.67	1.59
1	AA	1256	A	C5-C4	-7.91	1.33	1.38
25	BA	119	A	C6-N1	7.91	1.41	1.35
1	AA	65	A	N3-C4	7.91	1.39	1.34
1	AA	52	C	N3-C4	7.90	1.39	1.33
1	AA	164	G	O3'-P	7.90	1.70	1.61
26	BB	937	C	C5-C6	7.90	1.40	1.34
26	BB	2305	U	C2-N3	7.90	1.43	1.37
1	AA	837	U	C4'-O4'	-7.90	1.35	1.45
26	BB	1570	A	N7-C5	7.90	1.44	1.39
26	BB	2132	U	C2-N3	7.90	1.43	1.37
26	BB	2196	C	N3-C4	7.90	1.39	1.33
26	BB	2847	U	C2'-C1'	7.90	1.62	1.53
26	BB	1786	A	C4'-C3'	7.90	1.61	1.53
26	BB	2865	U	P-O5'	7.90	1.67	1.59
1	AA	72	A	P-O5'	7.89	1.67	1.59
1	AA	927	G	C3'-C2'	-7.89	1.44	1.52
26	BB	2130	U	C4'-O4'	-7.89	1.35	1.45
1	AA	21	G	P-O5'	7.89	1.67	1.59
1	AA	1275	A	N3-C4	7.89	1.39	1.34
26	BB	2250	G	C6-N1	-7.89	1.34	1.39
26	BB	2512	C	P-O5'	7.89	1.67	1.59
26	BB	1869	G	C5-C4	-7.89	1.32	1.38
26	BB	2197	U	N1-C2	7.89	1.45	1.38
1	AA	74	A	N3-C4	7.89	1.39	1.34
1	AA	606	G	N1-C2	-7.89	1.31	1.37
1	AA	1485	U	P-O5'	7.89	1.67	1.59
1	AA	798	U	N3-C4	7.88	1.45	1.38
26	BB	93	G	C6-N1	7.88	1.45	1.39
26	BB	561	G	C2-N3	7.88	1.39	1.32
26	BB	1349	C	P-O5'	7.88	1.67	1.59
26	BB	1015	U	P-O5'	7.88	1.67	1.59
26	BB	437	U	C2-N3	7.88	1.43	1.37
1	AA	359	G	N7-C5	7.88	1.44	1.39
26	BB	185	G	C5-C4	7.88	1.43	1.38
1	AA	1002	G	O3'-P	7.88	1.70	1.61

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	46	G	N7-C5	7.88	1.44	1.39
26	BB	615	U	C2-N3	-7.88	1.32	1.37
1	AA	623	C	O4'-C1'	7.87	1.51	1.41
26	BB	2002	G	C4'-C3'	7.87	1.61	1.53
26	BB	2640	G	N9-C8	-7.87	1.32	1.37
26	BB	1816	C	C5-C6	7.87	1.40	1.34
1	AA	127	G	O3'-P	7.87	1.70	1.61
26	BB	175	G	N7-C5	-7.87	1.34	1.39
26	BB	2753	A	N7-C5	-7.87	1.34	1.39
26	BB	998	C	O3'-P	7.87	1.70	1.61
26	BB	1231	U	C4-C5	7.87	1.50	1.43
1	AA	394	G	N7-C5	7.86	1.44	1.39
1	AA	1216	A	C2-N3	7.86	1.40	1.33
26	BB	59	U	C2-N3	7.86	1.43	1.37
26	BB	241	A	C5'-C4'	7.86	1.60	1.51
26	BB	23	G	C4'-C3'	7.86	1.61	1.53
26	BB	1376	C	N1-C2	7.86	1.48	1.40
26	BB	1823	G	P-O5'	7.86	1.67	1.59
26	BB	2061	G	N9-C8	-7.86	1.32	1.37
25	BA	40	U	O3'-P	7.86	1.70	1.61
1	AA	1159	U	N3-C4	7.86	1.45	1.38
26	BB	292	U	C4'-O4'	-7.86	1.35	1.45
26	BB	630	G	C5-C4	-7.86	1.32	1.38
26	BB	691	C	C4-C5	7.86	1.49	1.43
1	AA	100	G	N9-C8	-7.86	1.32	1.37
26	BB	1450	G	C5-C6	7.86	1.50	1.42
26	BB	1513	U	P-O5'	7.86	1.67	1.59
1	AA	140	U	C3'-C2'	-7.85	1.44	1.52
26	BB	1277	G	P-O5'	7.85	1.67	1.59
1	AA	85	U	O3'-P	7.85	1.70	1.61
26	BB	49	A	N9-C4	7.85	1.42	1.37
26	BB	2176	A	N9-C8	-7.85	1.31	1.37
1	AA	683	G	C2-N3	7.85	1.39	1.32
1	AA	992	U	C4'-O4'	-7.85	1.35	1.45
4	AD	34	U	C2'-O2'	7.85	1.51	1.41
26	BB	1736	U	C4'-O4'	-7.85	1.35	1.45
26	BB	2070	A	C6-N1	7.85	1.41	1.35
26	BB	2082	A	C3'-C2'	7.85	1.61	1.52
26	BB	2299	U	O3'-P	7.85	1.70	1.61
2	AB	5	G	C2-N2	7.85	1.42	1.34
26	BB	1044	C	C4-C5	7.85	1.49	1.43
1	AA	442	G	N1-C2	7.84	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	233	A	N7-C5	7.84	1.44	1.39
26	BB	944	C	C5'-C4'	7.84	1.60	1.51
26	BB	1189	A	N9-C4	7.84	1.42	1.37
26	BB	1217	U	N1-C2	7.84	1.45	1.38
26	BB	2885	G	C5-C4	-7.84	1.32	1.38
1	AA	1346	A	N3-C4	7.84	1.39	1.34
1	AA	224	U	P-O5'	7.84	1.67	1.59
1	AA	229	U	C5'-C4'	7.84	1.60	1.51
1	AA	1041	G	P-O5'	7.84	1.67	1.59
26	BB	923	G	C2-N3	7.84	1.39	1.32
26	BB	1511	G	C6-N1	7.84	1.45	1.39
26	BB	2300	C	P-O5'	7.84	1.67	1.59
26	BB	2713	U	P-O5'	7.84	1.67	1.59
1	AA	1536	C	C4'-O4'	-7.83	1.35	1.45
26	BB	1754	A	C5-C4	-7.83	1.33	1.38
26	BB	2531	A	C5-C4	7.83	1.44	1.38
26	BB	2760	C	N3-C4	7.83	1.39	1.33
26	BB	230	G	N1-C2	7.83	1.44	1.37
26	BB	1953	A	N9-C4	-7.83	1.33	1.37
26	BB	134	G	N7-C5	7.83	1.44	1.39
26	BB	516	C	N1-C6	-7.83	1.32	1.37
26	BB	820	A	N9-C4	7.83	1.42	1.37
26	BB	1248	G	C8-N7	-7.83	1.26	1.30
1	AA	1027	C	N1-C6	7.83	1.41	1.37
1	AA	383	A	N3-C4	7.83	1.39	1.34
1	AA	423	G	C6-N1	7.83	1.45	1.39
1	AA	1160	G	C6-N1	-7.83	1.34	1.39
25	BA	112	G	C2-N3	7.83	1.39	1.32
26	BB	360	U	C4-C5	-7.83	1.36	1.43
1	AA	938	A	N7-C5	-7.82	1.34	1.39
1	AA	1256	A	C8-N7	-7.82	1.26	1.31
1	AA	1378	C	N1-C6	7.82	1.41	1.37
26	BB	2369	A	P-O5'	7.82	1.67	1.59
26	BB	2419	U	C2-N3	7.82	1.43	1.37
1	AA	1036	A	N9-C4	7.82	1.42	1.37
2	AB	2	G	N7-C5	-7.82	1.34	1.39
26	BB	862	G	P-O5'	7.82	1.67	1.59
26	BB	1414	C	C2'-C1'	-7.82	1.44	1.53
26	BB	2574	G	C5-C4	-7.82	1.32	1.38
26	BB	2644	G	C5-C6	7.82	1.50	1.42
26	BB	1312	U	C4'-O4'	-7.82	1.35	1.45
26	BB	1796	U	P-O5'	7.82	1.67	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	642	A	C6-N1	7.81	1.41	1.35
1	AA	1307	U	P-O5'	7.81	1.67	1.59
26	BB	2185	U	N1-C2	7.81	1.45	1.38
26	BB	2475	C	P-O5'	7.81	1.67	1.59
1	AA	41	G	C5-C4	7.81	1.43	1.38
26	BB	791	C	C2-N3	7.81	1.42	1.35
26	BB	1660	G	N1-C2	7.81	1.44	1.37
26	BB	104	A	N7-C5	7.81	1.44	1.39
26	BB	1872	A	N7-C5	-7.81	1.34	1.39
26	BB	2039	U	C4-O4	-7.81	1.17	1.23
26	BB	2282	G	C5-C6	7.80	1.50	1.42
26	BB	76	C	N1-C6	7.80	1.41	1.37
26	BB	450	G	P-O5'	7.80	1.67	1.59
1	AA	990	C	C2-N3	7.80	1.42	1.35
2	AB	58	A	C6-N1	-7.80	1.30	1.35
26	BB	1693	U	C4-C5	7.80	1.50	1.43
25	BA	81	G	C3'-C2'	7.80	1.61	1.52
1	AA	417	G	C5'-C4'	7.80	1.60	1.51
26	BB	815	C	C4-C5	7.80	1.49	1.43
26	BB	1230	A	C2'-C1'	-7.80	1.44	1.53
26	BB	1405	U	C2-N3	7.80	1.43	1.37
26	BB	2235	G	C8-N7	7.80	1.35	1.30
1	AA	369	G	C8-N7	-7.79	1.26	1.30
26	BB	196	A	C6-N1	-7.79	1.30	1.35
26	BB	1815	A	C4'-O4'	-7.79	1.35	1.45
26	BB	2084	C	C4'-C3'	-7.79	1.44	1.53
25	BA	15	A	C5'-C4'	7.79	1.60	1.51
26	BB	767	U	C5'-C4'	7.79	1.60	1.51
26	BB	1325	U	C2-N3	7.79	1.43	1.37
26	BB	2701	U	N3-C4	7.79	1.45	1.38
26	BB	1682	G	O3'-P	7.79	1.70	1.61
1	AA	1032	G	C2-N3	7.79	1.39	1.32
26	BB	833	A	C5-C4	-7.79	1.33	1.38
1	AA	878	A	C6-N1	7.79	1.41	1.35
1	AA	194	C	C2-O2	-7.79	1.17	1.24
1	AA	632	U	N1-C2	7.79	1.45	1.38
26	BB	223	A	N9-C4	-7.79	1.33	1.37
26	BB	1760	C	N3-C4	7.79	1.39	1.33
26	BB	1875	G	N9-C8	7.79	1.43	1.37
3	AC	51	C	P-O5'	7.78	1.67	1.59
4	AD	43	G	N1-C2	7.78	1.44	1.37
26	BB	1517	G	N7-C5	-7.78	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1613	G	N9-C8	7.78	1.43	1.37
26	BB	2584	U	C2'-C1'	7.78	1.61	1.53
26	BB	516	C	C5-C6	7.78	1.40	1.34
1	AA	332	G	N7-C5	-7.78	1.34	1.39
1	AA	674	G	C5-C4	-7.78	1.32	1.38
26	BB	674	G	N7-C5	7.78	1.44	1.39
26	BB	2404	U	P-O5'	7.78	1.67	1.59
1	AA	991	U	C4-C5	7.78	1.50	1.43
26	BB	1687	G	C8-N7	-7.78	1.26	1.30
26	BB	11	C	C4'-O4'	-7.78	1.35	1.45
26	BB	479	A	N3-C4	7.78	1.39	1.34
26	BB	942	G	C2-N3	7.78	1.39	1.32
26	BB	2340	A	N7-C5	-7.78	1.34	1.39
26	BB	2691	C	C5-C6	7.78	1.40	1.34
1	AA	12	U	C5'-C4'	7.78	1.60	1.51
4	AD	54	G	C5-C4	-7.78	1.32	1.38
26	BB	502	A	C8-N7	7.78	1.36	1.31
26	BB	979	A	O3'-P	7.77	1.70	1.61
1	AA	970	C	C4-C5	7.77	1.49	1.43
26	BB	185	G	N9-C8	-7.77	1.32	1.37
26	BB	1375	U	C4-C5	7.77	1.50	1.43
26	BB	2584	U	C4-C5	7.77	1.50	1.43
26	BB	2007	U	C2-N3	-7.77	1.32	1.37
1	AA	1223	C	N1-C6	7.77	1.41	1.37
26	BB	1492	G	C8-N7	-7.77	1.26	1.30
26	BB	2844	G	C5-C6	7.77	1.50	1.42
26	BB	2080	A	O3'-P	7.77	1.70	1.61
1	AA	1156	G	C4'-O4'	-7.76	1.35	1.45
1	AA	1175	G	N9-C8	7.76	1.43	1.37
25	BA	30	C	C4'-C3'	7.76	1.61	1.53
1	AA	511	C	N3-C4	7.76	1.39	1.33
26	BB	170	U	C5'-C4'	7.76	1.60	1.51
26	BB	682	G	P-O5'	7.76	1.67	1.59
26	BB	919	U	P-O5'	7.76	1.67	1.59
26	BB	2688	G	O3'-P	-7.76	1.51	1.61
1	AA	212	G	P-O5'	7.76	1.67	1.59
1	AA	356	A	N3-C4	7.76	1.39	1.34
4	AD	36	A	N1-C2	-7.76	1.27	1.34
26	BB	1212	G	N7-C5	7.76	1.44	1.39
26	BB	1230	A	C6-N1	7.76	1.41	1.35
26	BB	84	A	N7-C5	7.76	1.44	1.39
1	AA	1447	A	C4'-C3'	7.76	1.61	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2668	G	C6-N1	-7.76	1.34	1.39
26	BB	525	U	C2-N3	7.75	1.43	1.37
1	AA	715	A	N9-C4	7.75	1.42	1.37
26	BB	441	U	C4-C5	7.75	1.50	1.43
26	BB	1547	C	N3-C4	7.75	1.39	1.33
26	BB	2555	U	C4-C5	7.75	1.50	1.43
26	BB	2726	A	C8-N7	7.75	1.36	1.31
1	AA	969	A	C3'-C2'	7.75	1.61	1.52
3	AC	29	G	N3-C4	7.75	1.40	1.35
26	BB	763	G	C6-N1	7.75	1.45	1.39
26	BB	846	U	P-O5'	7.75	1.67	1.59
26	BB	1122	G	C8-N7	-7.75	1.26	1.30
26	BB	1438	U	C2-N3	-7.75	1.32	1.37
26	BB	1671	U	C2-N3	7.75	1.43	1.37
1	AA	210	C	O3'-P	7.75	1.70	1.61
26	BB	639	U	C2-O2	7.75	1.29	1.22
26	BB	2119	A	N3-C4	7.75	1.39	1.34
26	BB	1001	A	N3-C4	7.75	1.39	1.34
26	BB	2620	C	P-O5'	7.75	1.67	1.59
1	AA	224	U	N1-C2	7.75	1.45	1.38
1	AA	507	C	C5'-C4'	7.74	1.60	1.51
26	BB	1970	A	N3-C4	7.74	1.39	1.34
26	BB	2753	A	P-O5'	7.74	1.67	1.59
1	AA	694	A	P-O5'	7.74	1.67	1.59
1	AA	1182	G	N7-C5	7.74	1.43	1.39
26	BB	326	G	N9-C4	-7.74	1.31	1.38
26	BB	1625	C	C4'-C3'	7.74	1.61	1.53
26	BB	2241	A	P-O5'	7.74	1.67	1.59
1	AA	318	G	C6-N1	7.74	1.45	1.39
1	AA	905	U	C5-C6	7.74	1.41	1.34
4	AD	77	A	C5'-C4'	7.74	1.60	1.51
26	BB	285	G	C4'-C3'	7.74	1.61	1.53
26	BB	993	G	N1-C2	7.74	1.44	1.37
26	BB	2275	C	N1-C2	7.74	1.47	1.40
26	BB	2465	C	N1-C6	7.74	1.41	1.37
26	BB	264	C	P-O5'	7.74	1.67	1.59
26	BB	2200	C	P-O5'	7.74	1.67	1.59
26	BB	1884	G	P-O5'	7.74	1.67	1.59
26	BB	2610	C	P-O5'	7.74	1.67	1.59
26	BB	2648	G	N9-C8	-7.74	1.32	1.37
1	AA	248	C	C4-C5	7.73	1.49	1.43
26	BB	2877	G	N3-C4	7.73	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1447	C	C5'-C4'	7.73	1.60	1.51
1	AA	1072	G	C5-C4	-7.73	1.32	1.38
1	AA	1487	G	O3'-P	7.73	1.70	1.61
26	BB	1181	U	C5-C6	7.73	1.41	1.34
26	BB	1435	G	N1-C2	7.73	1.44	1.37
26	BB	2184	A	N9-C8	7.73	1.44	1.37
26	BB	771	G	P-O5'	7.73	1.67	1.59
26	BB	1279	G	C2-N3	7.73	1.39	1.32
1	AA	913	A	N3-C4	7.72	1.39	1.34
1	AA	233	C	P-O5'	7.72	1.67	1.59
1	AA	783	C	C2'-C1'	7.72	1.61	1.53
26	BB	833	A	P-O5'	7.72	1.67	1.59
26	BB	2295	C	C4-N4	-7.72	1.26	1.33
26	BB	2028	U	P-O5'	7.72	1.67	1.59
1	AA	277	C	C4-N4	7.72	1.40	1.33
25	BA	95	U	C4'-C3'	7.72	1.61	1.53
26	BB	245	G	N1-C2	7.72	1.44	1.37
26	BB	1381	G	C8-N7	-7.72	1.26	1.30
1	AA	466	A	C5-C4	-7.72	1.33	1.38
26	BB	1960	A	N7-C5	-7.72	1.34	1.39
1	AA	495	A	C5'-C4'	7.72	1.60	1.51
26	BB	277	G	C4'-O4'	-7.72	1.35	1.45
26	BB	852	U	C4-O4	-7.72	1.17	1.23
26	BB	876	C	N3-C4	7.72	1.39	1.33
26	BB	1560	G	C2-N3	7.72	1.39	1.32
26	BB	1604	C	C4-N4	7.72	1.40	1.33
26	BB	1957	C	C2-N3	7.72	1.42	1.35
1	AA	12	U	O3'-P	-7.71	1.51	1.61
1	AA	676	A	N1-C2	7.71	1.41	1.34
25	BA	59	A	C6-N1	7.71	1.41	1.35
26	BB	1711	A	C4'-O4'	-7.71	1.35	1.45
1	AA	845	A	N9-C4	-7.71	1.33	1.37
2	AB	41	C	N1-C6	7.71	1.41	1.37
26	BB	562	U	C2'-C1'	7.71	1.61	1.53
26	BB	2681	C	N3-C4	-7.71	1.28	1.33
1	AA	205	A	C4'-C3'	-7.71	1.44	1.53
26	BB	30	G	C4'-O4'	-7.71	1.35	1.45
1	AA	1278	G	N7-C5	7.71	1.43	1.39
26	BB	1186	G	C5'-C4'	7.71	1.60	1.51
26	BB	1944	U	C4'-C3'	7.71	1.61	1.53
26	BB	1980	G	P-O5'	7.71	1.67	1.59
26	BB	68	G	C5'-C4'	7.70	1.60	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	830	G	C4'-O4'	-7.70	1.35	1.45
4	AD	10	G	C4'-C3'	7.70	1.61	1.53
26	BB	1224	U	P-O5'	7.70	1.67	1.59
26	BB	2799	A	N3-C4	7.70	1.39	1.34
1	AA	210	C	P-O5'	7.70	1.67	1.59
1	AA	1130	A	N3-C4	7.70	1.39	1.34
1	AA	1423	G	N1-C2	-7.70	1.31	1.37
1	AA	1493	A	P-O5'	7.70	1.67	1.59
4	AD	63	C	C2'-C1'	7.70	1.61	1.53
26	BB	2335	A	O3'-P	-7.70	1.51	1.61
26	BB	2570	G	P-O5'	7.70	1.67	1.59
26	BB	2784	U	C5'-C4'	7.70	1.60	1.51
1	AA	113	G	N3-C4	7.70	1.40	1.35
26	BB	1446	C	N1-C6	7.70	1.41	1.37
1	AA	459	A	C4'-C3'	-7.70	1.44	1.53
1	AA	161	A	C6-N1	-7.69	1.30	1.35
1	AA	645	G	N9-C8	-7.69	1.32	1.37
2	AB	63	C	C2-N3	7.69	1.42	1.35
26	BB	2287	A	C6-N1	-7.69	1.30	1.35
26	BB	2422	C	C4-C5	7.69	1.49	1.43
26	BB	2870	C	C4-C5	7.69	1.49	1.43
26	BB	1259	G	C5-C6	7.69	1.50	1.42
26	BB	1260	A	N3-C4	7.69	1.39	1.34
26	BB	2077	A	N9-C4	7.69	1.42	1.37
26	BB	1302	A	N7-C5	7.69	1.43	1.39
26	BB	1581	G	N3-C4	-7.69	1.30	1.35
4	AD	28	U	N3-C4	7.68	1.45	1.38
26	BB	638	G	P-O5'	7.68	1.67	1.59
26	BB	653	U	C2'-O2'	7.68	1.51	1.41
26	BB	1239	G	C5-C6	7.68	1.50	1.42
26	BB	2688	G	C2-N3	7.68	1.38	1.32
1	AA	298	A	O3'-P	7.68	1.70	1.61
1	AA	451	A	C6-N1	-7.68	1.30	1.35
1	AA	518	C	N1-C2	-7.68	1.32	1.40
26	BB	522	A	O3'-P	7.68	1.70	1.61
26	BB	931	U	C4'-O4'	-7.68	1.35	1.45
26	BB	1888	G	C8-N7	-7.68	1.26	1.30
1	AA	756	C	N3-C4	-7.68	1.28	1.33
1	AA	942	G	C2-N3	7.68	1.38	1.32
3	AC	45	G	N1-C2	7.68	1.43	1.37
26	BB	98	G	N1-C2	7.68	1.43	1.37
26	BB	1853	A	C5'-C4'	7.68	1.60	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	430	A	C8-N7	-7.68	1.26	1.31
1	AA	617	G	N7-C5	7.67	1.43	1.39
3	AC	45	G	P-O5'	7.67	1.67	1.59
26	BB	1279	G	N3-C4	7.67	1.40	1.35
26	BB	2404	U	C2-N3	7.67	1.43	1.37
1	AA	333	U	C5'-C4'	7.67	1.60	1.51
26	BB	791	C	N3-C4	7.67	1.39	1.33
26	BB	1571	A	N9-C8	-7.67	1.31	1.37
1	AA	675	A	N7-C5	-7.67	1.34	1.39
1	AA	1397	C	C4'-C3'	7.67	1.61	1.53
1	AA	836	G	C5-C6	-7.67	1.34	1.42
26	BB	353	C	C2-N3	7.67	1.41	1.35
26	BB	1525	A	C4'-O4'	-7.67	1.35	1.45
26	BB	1909	C	C5'-C4'	7.67	1.60	1.51
26	BB	1940	U	C2'-C1'	7.67	1.61	1.53
26	BB	1765	U	C2-N3	7.67	1.43	1.37
26	BB	1807	G	C5-C4	-7.67	1.32	1.38
26	BB	589	U	N1-C2	7.66	1.45	1.38
26	BB	1807	G	C4'-O4'	-7.66	1.35	1.45
26	BB	2090	A	N7-C5	-7.66	1.34	1.39
26	BB	2198	A	N3-C4	7.66	1.39	1.34
26	BB	2882	A	N7-C5	7.66	1.43	1.39
26	BB	1111	A	C5-C6	-7.66	1.34	1.41
26	BB	1256	G	C2-N3	7.66	1.38	1.32
26	BB	2268	A	N7-C5	7.66	1.43	1.39
26	BB	2281	A	C5'-C4'	7.66	1.60	1.51
26	BB	364	C	N1-C6	-7.66	1.32	1.37
26	BB	2820	A	C6-N1	-7.66	1.30	1.35
1	AA	1238	A	C5-C4	7.65	1.44	1.38
1	AA	1431	A	C6-N1	7.65	1.41	1.35
1	AA	711	G	N9-C8	-7.65	1.32	1.37
1	AA	719	C	P-O5'	7.65	1.67	1.59
1	AA	912	C	P-O5'	7.65	1.67	1.59
26	BB	1225	G	C2-N3	7.65	1.38	1.32
26	BB	1616	A	N9-C4	-7.65	1.33	1.37
1	AA	1182	G	C4'-C3'	7.65	1.61	1.53
26	BB	477	A	P-O5'	7.65	1.67	1.59
26	BB	2009	A	C4'-C3'	7.65	1.61	1.53
26	BB	2381	A	C4'-O4'	-7.65	1.35	1.45
26	BB	2717	C	C4-C5	7.65	1.49	1.43
1	AA	179	A	C6-N1	7.65	1.41	1.35
1	AA	864	A	C4'-O4'	-7.65	1.35	1.45

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	304	U	P-O5'	7.65	1.67	1.59
26	BB	352	A	P-O5'	7.65	1.67	1.59
26	BB	1535	A	C6-N6	7.65	1.40	1.33
26	BB	2781	A	P-O5'	7.65	1.67	1.59
26	BB	2822	G	C2-N3	7.65	1.38	1.32
1	AA	348	G	N9-C4	-7.65	1.31	1.38
1	AA	744	C	C5'-C4'	7.65	1.60	1.51
26	BB	1750	G	N3-C4	7.65	1.40	1.35
26	BB	724	U	C2-N3	7.64	1.43	1.37
26	BB	819	A	C5-C4	7.64	1.44	1.38
1	AA	448	A	C6-N1	-7.64	1.30	1.35
26	BB	130	C	C2-N3	7.64	1.41	1.35
26	BB	316	C	P-O5'	7.64	1.67	1.59
26	BB	852	U	C4-C5	7.64	1.50	1.43
26	BB	1603	A	P-O5'	7.64	1.67	1.59
26	BB	2864	G	O3'-P	7.64	1.70	1.61
26	BB	2138	G	N3-C4	7.64	1.40	1.35
26	BB	2587	A	C6-N6	7.64	1.40	1.33
1	AA	102	G	N9-C8	7.64	1.43	1.37
25	BA	66	A	C2'-C1'	7.64	1.61	1.53
26	BB	151	C	C4-N4	7.64	1.40	1.33
26	BB	2639	A	N3-C4	-7.64	1.30	1.34
1	AA	1156	G	N7-C5	-7.64	1.34	1.39
1	AA	1529	G	C6-N1	-7.64	1.34	1.39
26	BB	1684	G	O4'-C1'	7.64	1.51	1.41
26	BB	1382	G	C8-N7	7.64	1.35	1.30
26	BB	2282	G	N1-C2	7.64	1.43	1.37
26	BB	2395	C	C4-N4	-7.64	1.27	1.33
1	AA	1520	C	N1-C6	7.63	1.41	1.37
26	BB	1165	A	P-O5'	7.63	1.67	1.59
1	AA	1003	G	N9-C8	7.63	1.43	1.37
1	AA	1248	A	N7-C5	7.63	1.43	1.39
26	BB	1217	U	P-O5'	7.63	1.67	1.59
1	AA	1432	G	C5'-C4'	7.63	1.60	1.51
26	BB	1673	G	C6-N1	7.63	1.44	1.39
26	BB	2051	A	C2'-C1'	-7.63	1.45	1.53
26	BB	2259	U	C4-C5	-7.63	1.36	1.43
26	BB	682	G	O3'-P	7.63	1.70	1.61
26	BB	1011	G	C5-C4	7.63	1.43	1.38
26	BB	2035	G	N1-C2	7.63	1.43	1.37
1	AA	362	G	O3'-P	7.62	1.70	1.61
26	BB	971	G	C6-N1	7.62	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1545	A	N3-C4	7.62	1.39	1.34
1	AA	202	G	N9-C4	7.62	1.44	1.38
1	AA	723	U	P-O5'	7.62	1.67	1.59
26	BB	32	C	N1-C6	-7.62	1.32	1.37
1	AA	868	C	C2-N3	7.62	1.41	1.35
1	AA	1191	A	C6-N1	7.62	1.40	1.35
26	BB	2497	A	N9-C4	-7.62	1.33	1.37
1	AA	1228	C	C4'-O4'	-7.62	1.35	1.45
1	AA	1442	G	N1-C2	7.62	1.43	1.37
4	AD	5	G	P-O5'	7.62	1.67	1.59
25	BA	54	G	C8-N7	7.62	1.35	1.30
26	BB	1528	A	C6-N1	-7.62	1.30	1.35
26	BB	2567	G	C6-N1	7.62	1.44	1.39
26	BB	2585	U	C3'-C2'	7.62	1.61	1.52
1	AA	481	G	N7-C5	7.62	1.43	1.39
26	BB	1104	C	C3'-C2'	7.62	1.61	1.52
26	BB	2071	A	N9-C4	7.62	1.42	1.37
1	AA	920	U	C2-N3	7.61	1.43	1.37
4	AD	9	G	C5'-C4'	7.61	1.60	1.51
26	BB	2252	G	C2'-C1'	-7.61	1.45	1.53
26	BB	2676	C	N1-C6	7.61	1.41	1.37
1	AA	1525	G	O3'-P	7.61	1.70	1.61
26	BB	1296	G	C2-N3	7.61	1.38	1.32
26	BB	1571	A	N3-C4	7.61	1.39	1.34
26	BB	2120	G	C6-N1	7.61	1.44	1.39
26	BB	2699	C	C5'-C4'	7.61	1.60	1.51
3	AC	28	U	C2-N3	7.61	1.43	1.37
26	BB	791	C	N1-C6	7.61	1.41	1.37
26	BB	1044	C	C4'-O4'	-7.61	1.35	1.45
26	BB	1161	C	P-O5'	7.61	1.67	1.59
26	BB	1399	C	O3'-P	7.61	1.70	1.61
26	BB	2592	G	N1-C2	7.61	1.43	1.37
24	AX	36	PHE	CG-CD1	7.61	1.50	1.38
25	BA	30	C	P-O5'	7.61	1.67	1.59
26	BB	103	A	C4'-O4'	-7.61	1.35	1.45
26	BB	121	G	C4'-O4'	-7.61	1.35	1.45
26	BB	963	U	N3-C4	7.61	1.45	1.38
26	BB	1453	A	C5-C4	-7.61	1.33	1.38
26	BB	2365	G	O3'-P	7.61	1.70	1.61
26	BB	2485	G	O3'-P	7.61	1.70	1.61
26	BB	2581	G	N3-C4	7.61	1.40	1.35
26	BB	2838	G	C6-N1	7.61	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	361	G	N7-C5	-7.61	1.34	1.39
26	BB	1337	G	C6-O6	-7.61	1.17	1.24
26	BB	1663	G	N1-C2	-7.61	1.31	1.37
1	AA	694	A	N3-C4	7.60	1.39	1.34
26	BB	2522	U	C2-N3	7.60	1.43	1.37
4	AD	76	C	C4-C5	7.60	1.49	1.43
26	BB	182	A	P-O5'	7.60	1.67	1.59
1	AA	1525	G	N7-C5	-7.60	1.34	1.39
26	BB	1054	A	C5'-C4'	7.60	1.60	1.51
1	AA	182	A	C8-N7	-7.60	1.26	1.31
1	AA	662	U	O3'-P	7.60	1.70	1.61
26	BB	315	G	N3-C4	7.60	1.40	1.35
26	BB	550	C	C5-C6	7.60	1.40	1.34
1	AA	13	U	C4-C5	7.60	1.50	1.43
26	BB	13	A	N9-C4	7.60	1.42	1.37
26	BB	422	A	N9-C4	7.60	1.42	1.37
26	BB	839	U	O3'-P	-7.59	1.52	1.61
26	BB	974	G	C5-C4	7.59	1.43	1.38
26	BB	2610	C	C4'-C3'	7.59	1.61	1.53
1	AA	137	U	P-O5'	7.59	1.67	1.59
26	BB	987	C	N1-C6	7.59	1.41	1.37
26	BB	1812	U	C4-C5	7.59	1.50	1.43
26	BB	2426	A	C5-C4	7.59	1.44	1.38
1	AA	877	G	P-O5'	7.59	1.67	1.59
2	AB	3	G	O3'-P	7.59	1.70	1.61
26	BB	1737	G	C3'-C2'	7.59	1.61	1.52
1	AA	45	G	C2-N3	7.59	1.38	1.32
1	AA	129	A	C8-N7	-7.59	1.26	1.31
26	BB	2049	G	C5-C6	7.59	1.50	1.42
1	AA	1346	A	P-O5'	7.58	1.67	1.59
26	BB	1099	G	N3-C4	7.58	1.40	1.35
1	AA	347	G	P-O5'	7.58	1.67	1.59
26	BB	131	A	O4'-C1'	7.58	1.51	1.41
26	BB	1037	G	C2-N3	7.58	1.38	1.32
26	BB	968	C	O3'-P	7.58	1.70	1.61
26	BB	1141	U	C4-O4	7.58	1.29	1.23
26	BB	492	A	N7-C5	-7.58	1.34	1.39
26	BB	1162	G	C5-C4	7.58	1.43	1.38
26	BB	2641	G	C4'-O4'	-7.58	1.35	1.45
1	AA	524	G	C8-N7	-7.57	1.26	1.30
26	BB	1889	A	N7-C5	7.57	1.43	1.39
26	BB	1943	U	N1-C2	7.57	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2855	C	N3-C4	7.57	1.39	1.33
26	BB	1029	A	C5'-C4'	7.57	1.60	1.51
1	AA	472	U	O3'-P	7.57	1.70	1.61
26	BB	1549	A	C4'-C3'	7.57	1.61	1.53
26	BB	475	C	C2-N3	7.57	1.41	1.35
26	BB	1143	A	N3-C4	7.57	1.39	1.34
1	AA	39	G	P-O5'	7.56	1.67	1.59
1	AA	655	A	C8-N7	-7.56	1.26	1.31
26	BB	2788	C	C5-C6	7.56	1.40	1.34
1	AA	465	A	C8-N7	-7.56	1.26	1.31
1	AA	1049	U	C2-N3	7.56	1.43	1.37
26	BB	446	G	N9-C8	-7.56	1.32	1.37
26	BB	2214	C	N1-C6	-7.56	1.32	1.37
26	BB	1706	C	C4-C5	7.56	1.49	1.43
1	AA	1466	C	N3-C4	7.56	1.39	1.33
26	BB	1190	G	N7-C5	-7.56	1.34	1.39
26	BB	1230	A	N9-C4	7.56	1.42	1.37
26	BB	1583	A	C2-N3	-7.56	1.26	1.33
26	BB	2209	G	C8-N7	-7.56	1.26	1.30
26	BB	129	C	C5-C6	7.56	1.40	1.34
26	BB	788	A	N3-C4	7.56	1.39	1.34
26	BB	814	C	P-O5'	7.56	1.67	1.59
26	BB	2180	U	C2-N3	7.56	1.43	1.37
1	AA	149	A	N3-C4	7.55	1.39	1.34
1	AA	655	A	N3-C4	-7.55	1.30	1.34
1	AA	921	U	N1-C2	7.55	1.45	1.38
26	BB	513	A	C2-N3	7.55	1.40	1.33
26	BB	1241	A	C5'-C4'	7.55	1.60	1.51
26	BB	2857	G	N1-C2	7.55	1.43	1.37
1	AA	108	G	N9-C8	-7.55	1.32	1.37
26	BB	609	A	C8-N7	-7.55	1.26	1.31
26	BB	2728	U	P-O5'	7.55	1.67	1.59
1	AA	791	G	P-O5'	7.55	1.67	1.59
26	BB	1387	A	N7-C5	7.55	1.43	1.39
26	BB	2073	C	C5'-C4'	7.55	1.60	1.51
1	AA	338	A	N7-C5	-7.55	1.34	1.39
1	AA	1193	G	N7-C5	7.55	1.43	1.39
1	AA	1357	A	C6-N1	-7.55	1.30	1.35
3	AC	40	G	C4'-O4'	-7.55	1.35	1.45
26	BB	50	U	N3-C4	7.55	1.45	1.38
26	BB	111	A	C5'-C4'	7.55	1.60	1.51
26	BB	2705	A	P-O5'	7.55	1.67	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1499	C	C4'-O4'	-7.55	1.35	1.45
26	BB	1735	A	C6-N6	7.55	1.40	1.33
26	BB	1952	A	N3-C4	7.55	1.39	1.34
26	BB	2148	G	C6-N1	7.55	1.44	1.39
1	AA	164	G	C8-N7	-7.54	1.26	1.30
26	BB	41	C	C5-C6	7.54	1.40	1.34
26	BB	202	U	C2-N3	7.54	1.43	1.37
26	BB	2359	C	N1-C6	7.54	1.41	1.37
1	AA	64	G	O3'-P	7.54	1.70	1.61
26	BB	448	U	C5-C6	7.54	1.41	1.34
26	BB	2822	G	N3-C4	-7.54	1.30	1.35
26	BB	1020	A	P-O5'	7.54	1.67	1.59
26	BB	1114	C	C4-C5	-7.54	1.36	1.43
26	BB	2693	G	C8-N7	-7.54	1.26	1.30
1	AA	99	C	C5'-C4'	7.54	1.60	1.51
42	BR	97	TYR	CE1-CZ	7.54	1.48	1.38
1	AA	799	G	C2-N2	-7.54	1.27	1.34
1	AA	526	C	P-O5'	7.53	1.67	1.59
1	AA	956	U	C2-O2	7.53	1.29	1.22
2	AB	70	C	P-O5'	7.53	1.67	1.59
26	BB	289	G	C5'-C4'	7.53	1.60	1.51
26	BB	335	C	C4-C5	-7.53	1.36	1.43
26	BB	598	U	N3-C4	7.53	1.45	1.38
26	BB	1358	G	C5-C6	7.53	1.49	1.42
26	BB	1660	G	C8-N7	7.53	1.35	1.30
1	AA	625	U	N1-C2	7.53	1.45	1.38
1	AA	659	U	C2-N3	7.53	1.43	1.37
26	BB	998	C	P-O5'	7.53	1.67	1.59
26	BB	2784	U	N1-C2	7.53	1.45	1.38
1	AA	1316	G	N7-C5	-7.53	1.34	1.39
4	AD	44	A	N3-C4	7.53	1.39	1.34
26	BB	381	G	C2-N3	7.53	1.38	1.32
1	AA	38	G	O4'-C1'	7.53	1.51	1.41
1	AA	230	G	N7-C5	-7.53	1.34	1.39
1	AA	832	G	C6-N1	7.52	1.44	1.39
25	BA	91	C	N1-C2	7.52	1.47	1.40
1	AA	1387	G	N3-C4	7.52	1.40	1.35
26	BB	561	G	N7-C5	7.52	1.43	1.39
26	BB	1177	G	C5-C6	7.52	1.49	1.42
26	BB	2793	C	C5'-C4'	7.52	1.60	1.51
26	BB	1832	C	P-O5'	7.52	1.67	1.59
1	AA	1426	G	O3'-P	-7.52	1.52	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2099	U	C2-O2	7.52	1.29	1.22
26	BB	2146	C	C2-N3	7.52	1.41	1.35
26	BB	2184	A	N7-C5	-7.52	1.34	1.39
26	BB	2661	G	N1-C2	7.52	1.43	1.37
25	BA	33	G	C4'-C3'	7.52	1.61	1.53
26	BB	1006	C	N3-C4	7.52	1.39	1.33
26	BB	1555	G	P-O5'	7.52	1.67	1.59
26	BB	1936	A	P-O5'	7.52	1.67	1.59
2	AB	60	U	C4-C5	7.51	1.50	1.43
25	BA	109	A	N9-C8	-7.51	1.31	1.37
26	BB	2276	G	C2-N3	7.51	1.38	1.32
2	AB	12	U	C2-O2	7.51	1.29	1.22
1	AA	1432	G	N7-C5	-7.51	1.34	1.39
1	AA	499	A	C2'-C1'	-7.51	1.45	1.53
26	BB	1344	U	N1-C2	7.51	1.45	1.38
26	BB	2271	G	C2-N3	7.51	1.38	1.32
26	BB	2234	G	C5-C4	7.51	1.43	1.38
1	AA	1413	A	O3'-P	7.51	1.70	1.61
26	BB	1184	U	C4-O4	-7.51	1.17	1.23
26	BB	1631	G	C2'-O2'	7.51	1.51	1.41
26	BB	2571	U	N1-C2	7.51	1.45	1.38
1	AA	759	A	N9-C4	7.50	1.42	1.37
26	BB	2453	A	N9-C8	-7.50	1.31	1.37
1	AA	274	A	N1-C2	-7.50	1.27	1.34
1	AA	1507	A	N1-C2	-7.50	1.27	1.34
26	BB	513	A	N3-C4	7.50	1.39	1.34
26	BB	1098	A	N3-C4	7.50	1.39	1.34
26	BB	2487	G	C2-N3	7.50	1.38	1.32
26	BB	1028	A	N9-C4	-7.50	1.33	1.37
26	BB	1877	A	O3'-P	7.50	1.70	1.61
1	AA	1416	G	N9-C8	-7.50	1.32	1.37
26	BB	2624	G	C2'-C1'	7.50	1.61	1.53
1	AA	1145	A	N7-C5	7.50	1.43	1.39
2	AB	34	C	C4-C5	7.50	1.49	1.43
26	BB	545	U	P-O5'	7.50	1.67	1.59
26	BB	895	U	C2-N3	7.50	1.43	1.37
1	AA	497	G	N3-C4	7.50	1.40	1.35
26	BB	333	G	C2-N3	7.50	1.38	1.32
26	BB	1701	A	N3-C4	7.50	1.39	1.34
26	BB	2073	C	O5'-C5'	-7.50	1.30	1.42
26	BB	834	G	C2-N3	7.49	1.38	1.32
1	AA	321	A	C5-C4	-7.49	1.33	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	371	A	N3-C4	7.49	1.39	1.34
26	BB	783	A	N3-C4	7.49	1.39	1.34
25	BA	71	C	N1-C6	7.49	1.41	1.37
26	BB	392	U	C4-O4	-7.49	1.17	1.23
26	BB	522	A	C5'-C4'	7.49	1.60	1.51
26	BB	956	G	C6-N1	7.49	1.44	1.39
26	BB	2434	A	N3-C4	7.49	1.39	1.34
26	BB	1906	G	N7-C5	-7.49	1.34	1.39
26	BB	2729	G	C8-N7	7.49	1.35	1.30
1	AA	1190	G	C5-C4	-7.49	1.33	1.38
26	BB	280	U	N1-C2	7.49	1.45	1.38
26	BB	447	A	C8-N7	-7.49	1.26	1.31
26	BB	2083	G	C8-N7	-7.48	1.26	1.30
26	BB	1101	U	C2-N3	7.48	1.43	1.37
26	BB	968	C	N3-C4	7.48	1.39	1.33
26	BB	1155	A	P-O5'	7.48	1.67	1.59
26	BB	346	A	O3'-P	7.48	1.70	1.61
1	AA	241	G	N7-C5	-7.48	1.34	1.39
1	AA	631	C	N3-C4	7.48	1.39	1.33
26	BB	622	G	C2-N3	7.48	1.38	1.32
26	BB	920	A	N3-C4	7.48	1.39	1.34
26	BB	2764	A	C5'-C4'	7.48	1.60	1.51
26	BB	1230	A	N3-C4	7.47	1.39	1.34
26	BB	2407	A	N3-C4	7.47	1.39	1.34
26	BB	2807	U	C2-N3	7.47	1.43	1.37
1	AA	1534	A	N3-C4	7.47	1.39	1.34
26	BB	123	G	N7-C5	-7.47	1.34	1.39
26	BB	586	A	N3-C4	7.47	1.39	1.34
26	BB	739	A	N3-C4	7.47	1.39	1.34
26	BB	1546	G	N1-C2	7.47	1.43	1.37
26	BB	1938	A	N9-C4	7.47	1.42	1.37
2	AB	43	G	N3-C4	7.47	1.40	1.35
26	BB	956	G	N3-C4	7.47	1.40	1.35
26	BB	2637	U	P-O5'	7.47	1.67	1.59
26	BB	672	C	O3'-P	7.47	1.70	1.61
1	AA	1059	C	C2'-C1'	7.46	1.61	1.53
1	AA	1239	A	N7-C5	7.46	1.43	1.39
2	AB	10	G	N3-C4	-7.46	1.30	1.35
1	AA	557	G	N7-C5	7.46	1.43	1.39
1	AA	607	A	P-O5'	7.46	1.67	1.59
1	AA	830	G	N1-C2	7.46	1.43	1.37
1	AA	1163	A	N3-C4	7.46	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2134	A	C8-N7	-7.46	1.26	1.31
26	BB	2824	C	C5-C6	7.46	1.40	1.34
1	AA	463	U	C4-C5	7.46	1.50	1.43
1	AA	822	U	C2-N3	7.46	1.43	1.37
26	BB	1179	G	P-O5'	7.46	1.67	1.59
26	BB	1486	U	C4-C5	7.46	1.50	1.43
26	BB	2234	G	C6-N1	-7.46	1.34	1.39
10	AJ	110	ARG	NE-CZ	7.46	1.42	1.33
26	BB	2406	A	P-O5'	7.46	1.67	1.59
26	BB	2832	U	C2-N3	7.46	1.43	1.37
1	AA	637	C	C2-N3	7.46	1.41	1.35
26	BB	2434	A	C5-C6	7.46	1.47	1.41
26	BB	2604	U	C2'-C1'	7.46	1.61	1.53
26	BB	2772	C	C4'-O4'	-7.46	1.35	1.45
26	BB	757	G	N9-C4	-7.46	1.31	1.38
1	AA	1142	G	N3-C4	-7.45	1.30	1.35
1	AA	1150	A	C2'-C1'	7.45	1.61	1.53
26	BB	1365	A	P-O5'	-7.45	1.52	1.59
26	BB	1465	G	O3'-P	7.45	1.70	1.61
1	AA	1397	C	C2-N3	7.45	1.41	1.35
26	BB	1733	G	P-O5'	7.45	1.67	1.59
26	BB	2691	C	C4-N4	7.45	1.40	1.33
26	BB	61	C	C5-C6	7.45	1.40	1.34
26	BB	843	G	N3-C4	7.45	1.40	1.35
26	BB	1115	G	C4'-O4'	-7.45	1.35	1.45
1	AA	853	C	N1-C6	7.45	1.41	1.37
1	AA	1050	G	C2-N3	7.45	1.38	1.32
26	BB	14	A	O4'-C1'	7.45	1.51	1.41
26	BB	1870	C	C5-C6	7.45	1.40	1.34
1	AA	190	A	N3-C4	7.45	1.39	1.34
26	BB	57	C	C4'-O4'	-7.45	1.35	1.45
26	BB	1499	C	C5'-C4'	7.45	1.60	1.51
26	BB	1963	U	C4'-O4'	-7.45	1.35	1.45
26	BB	2825	G	P-O5'	7.45	1.67	1.59
1	AA	301	G	N7-C5	-7.44	1.34	1.39
1	AA	511	C	O3'-P	-7.44	1.52	1.61
1	AA	1081	A	N3-C4	7.44	1.39	1.34
26	BB	247	G	C6-O6	-7.44	1.17	1.24
1	AA	1107	C	N1-C6	-7.44	1.32	1.37
26	BB	388	G	C5'-C4'	7.44	1.60	1.51
26	BB	945	A	C5-C4	-7.44	1.33	1.38
26	BB	2159	G	N9-C8	-7.44	1.32	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
28	BD	226	PRO	N-CD	-7.44	1.37	1.47
26	BB	968	C	C2-N3	7.44	1.41	1.35
26	BB	1067	A	N3-C4	7.44	1.39	1.34
26	BB	2358	A	C5-C4	-7.44	1.33	1.38
26	BB	1128	G	P-O5'	7.44	1.67	1.59
1	AA	16	A	N9-C4	-7.44	1.33	1.37
1	AA	755	G	N9-C4	7.44	1.43	1.38
1	AA	1088	G	N7-C5	-7.44	1.34	1.39
1	AA	1289	A	N7-C5	7.44	1.43	1.39
26	BB	15	G	O3'-P	7.44	1.70	1.61
26	BB	917	A	N3-C4	7.44	1.39	1.34
26	BB	2146	C	P-O5'	7.44	1.67	1.59
26	BB	2501	C	P-O5'	7.44	1.67	1.59
1	AA	153	C	C2'-C1'	7.44	1.61	1.53
1	AA	356	A	N9-C4	-7.44	1.33	1.37
26	BB	1349	C	N1-C6	7.44	1.41	1.37
1	AA	420	U	O3'-P	7.43	1.70	1.61
26	BB	712	G	N7-C5	7.43	1.43	1.39
26	BB	1495	A	C5-C4	-7.43	1.33	1.38
26	BB	1497	U	C2-N3	7.43	1.43	1.37
26	BB	2793	C	P-O5'	7.43	1.67	1.59
1	AA	433	G	N7-C5	7.43	1.43	1.39
1	AA	520	A	C5'-C4'	7.43	1.60	1.51
1	AA	1527	U	C2-N3	7.43	1.43	1.37
26	BB	1048	A	C8-N7	-7.43	1.26	1.31
26	BB	2025	C	C5'-C4'	7.43	1.60	1.51
1	AA	140	U	C4-C5	7.43	1.50	1.43
25	BA	76	G	C6-N1	7.43	1.44	1.39
26	BB	1499	C	C4-C5	7.43	1.48	1.43
26	BB	1955	U	C2-N3	7.43	1.43	1.37
25	BA	64	G	P-O5'	7.43	1.67	1.59
26	BB	432	A	C4'-C3'	7.43	1.61	1.53
26	BB	1372	U	C5-C6	7.43	1.40	1.34
26	BB	1470	A	C5-C4	-7.43	1.33	1.38
1	AA	430	A	N9-C4	-7.42	1.33	1.37
1	AA	1482	G	C6-N1	7.42	1.44	1.39
26	BB	363	G	C4'-O4'	-7.42	1.35	1.45
26	BB	2581	G	C8-N7	-7.42	1.26	1.30
26	BB	2697	G	N1-C2	-7.42	1.31	1.37
1	AA	1028	C	O3'-P	7.42	1.70	1.61
1	AA	587	G	C4'-C3'	7.42	1.61	1.53
1	AA	676	A	C5'-C4'	7.42	1.60	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	10	A	N9-C4	7.42	1.42	1.37
26	BB	1669	A	C4'-O4'	-7.42	1.35	1.45
26	BB	1907	G	C6-O6	-7.42	1.17	1.24
26	BB	2446	G	N9-C8	7.42	1.43	1.37
26	BB	2800	A	N7-C5	7.42	1.43	1.39
1	AA	861	G	C2-N3	7.42	1.38	1.32
1	AA	751	U	P-O5'	7.42	1.67	1.59
1	AA	763	G	C4'-O4'	-7.42	1.35	1.45
1	AA	1145	A	N3-C4	7.42	1.39	1.34
26	BB	434	U	C4-O4	-7.42	1.17	1.23
26	BB	1071	G	N7-C5	7.42	1.43	1.39
26	BB	1321	A	P-O5'	7.42	1.67	1.59
26	BB	2547	A	P-O5'	7.42	1.67	1.59
29	BE	135	GLY	N-CA	7.42	1.57	1.46
1	AA	411	A	N3-C4	7.42	1.39	1.34
26	BB	2454	G	C2-N3	7.42	1.38	1.32
26	BB	1020	A	C5'-C4'	7.41	1.60	1.51
26	BB	1149	G	C4'-C3'	7.41	1.61	1.53
26	BB	1859	U	C2-N3	7.41	1.43	1.37
1	AA	576	C	N1-C2	7.41	1.47	1.40
1	AA	1428	A	C4'-O4'	-7.41	1.35	1.45
26	BB	2594	C	C4'-O4'	-7.41	1.35	1.45
1	AA	1062	U	N1-C6	7.41	1.44	1.38
1	AA	1324	A	N3-C4	7.41	1.39	1.34
26	BB	535	G	N3-C4	7.41	1.40	1.35
26	BB	1026	G	N9-C8	-7.41	1.32	1.37
26	BB	2134	A	P-O5'	7.41	1.67	1.59
26	BB	2303	G	C2-N3	7.41	1.38	1.32
1	AA	1484	C	C2-O2	-7.41	1.17	1.24
26	BB	328	U	C4-C5	7.41	1.50	1.43
26	BB	947	A	C5-C4	7.41	1.44	1.38
26	BB	2748	A	P-O5'	7.41	1.67	1.59
26	BB	340	A	P-O5'	7.40	1.67	1.59
26	BB	1237	A	O3'-P	7.40	1.70	1.61
26	BB	1899	A	O3'-P	7.40	1.70	1.61
1	AA	870	U	C2'-C1'	7.40	1.61	1.53
26	BB	186	G	C8-N7	-7.40	1.26	1.30
26	BB	188	G	N7-C5	7.40	1.43	1.39
26	BB	194	G	C6-N1	-7.40	1.34	1.39
26	BB	2833	U	N1-C2	7.40	1.45	1.38
26	BB	526	A	P-O5'	7.40	1.67	1.59
26	BB	2046	G	C2-N3	7.40	1.38	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	670	A	C5-C6	7.40	1.47	1.41
26	BB	716	A	O3'-P	7.40	1.70	1.61
26	BB	2084	C	C2-N3	7.40	1.41	1.35
26	BB	488	G	N9-C8	7.40	1.43	1.37
1	AA	73	C	N1-C6	-7.40	1.32	1.37
26	BB	1693	U	P-O5'	7.40	1.67	1.59
1	AA	1531	A	C4'-O4'	-7.39	1.35	1.45
1	AA	106	C	C4-C5	7.39	1.48	1.43
1	AA	634	C	C2-N3	7.39	1.41	1.35
26	BB	182	A	N9-C4	7.39	1.42	1.37
26	BB	423	A	N3-C4	7.39	1.39	1.34
26	BB	918	A	N9-C4	7.39	1.42	1.37
26	BB	1622	G	O3'-P	7.39	1.70	1.61
26	BB	2171	A	C6-N6	7.39	1.39	1.33
26	BB	2836	U	C2-N3	7.39	1.43	1.37
1	AA	685	G	C2-N3	7.39	1.38	1.32
26	BB	1164	C	P-O5'	7.39	1.67	1.59
26	BB	1989	G	N9-C4	-7.39	1.32	1.38
26	BB	2064	C	C4'-O4'	-7.39	1.35	1.45
1	AA	57	G	C8-N7	7.39	1.35	1.30
26	BB	2526	G	N3-C4	-7.39	1.30	1.35
4	AD	2	G	C4'-O4'	-7.39	1.35	1.45
26	BB	2823	A	C5'-C4'	7.39	1.60	1.51
1	AA	1371	G	N7-C5	7.39	1.43	1.39
26	BB	1569	A	C6-N6	-7.39	1.28	1.33
26	BB	1858	A	N3-C4	7.39	1.39	1.34
26	BB	2261	C	C5-C6	-7.39	1.28	1.34
1	AA	179	A	N7-C5	7.38	1.43	1.39
1	AA	905	U	P-O5'	7.38	1.67	1.59
4	AD	53	G	C5'-C4'	7.38	1.60	1.51
26	BB	284	U	C4-C5	7.38	1.50	1.43
26	BB	2324	U	O3'-P	7.38	1.70	1.61
26	BB	2821	A	P-O5'	7.38	1.67	1.59
26	BB	925	A	N7-C5	7.38	1.43	1.39
26	BB	1903	G	C2-N3	7.38	1.38	1.32
1	AA	646	G	N3-C4	7.38	1.40	1.35
1	AA	1289	A	N9-C4	-7.38	1.33	1.37
26	BB	1201	U	C4'-O4'	-7.38	1.35	1.45
26	BB	2203	U	N1-C6	-7.38	1.31	1.38
1	AA	292	G	C8-N7	-7.38	1.26	1.30
1	AA	1369	C	C4-C5	7.38	1.48	1.43
26	BB	699	A	C2'-C1'	-7.38	1.45	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	951	C	C2-N3	7.38	1.41	1.35
1	AA	803	G	P-O5'	7.38	1.67	1.59
26	BB	1819	A	O3'-P	7.38	1.70	1.61
1	AA	1325	C	C4'-O4'	-7.38	1.35	1.45
26	BB	937	C	P-O5'	7.38	1.67	1.59
26	BB	1598	A	N3-C4	7.38	1.39	1.34
26	BB	2620	C	C4'-O4'	-7.38	1.35	1.45
1	AA	198	G	N7-C5	7.38	1.43	1.39
1	AA	1363	A	N9-C4	7.38	1.42	1.37
1	AA	1505	G	P-O5'	7.37	1.67	1.59
26	BB	1176	U	C2'-C1'	7.37	1.61	1.53
26	BB	81	G	N9-C4	-7.37	1.32	1.38
26	BB	2152	G	C8-N7	7.37	1.35	1.30
26	BB	2786	U	C5'-C4'	7.37	1.60	1.51
1	AA	696	A	P-O5'	7.37	1.67	1.59
26	BB	2403	C	C2-N3	7.37	1.41	1.35
26	BB	600	G	C5-C4	7.37	1.43	1.38
26	BB	2113	U	C5'-C4'	7.37	1.60	1.51
26	BB	2148	G	N7-C5	7.37	1.43	1.39
1	AA	213	G	C2-N3	7.37	1.38	1.32
1	AA	255	G	C5-C4	-7.37	1.33	1.38
1	AA	704	A	N7-C5	7.37	1.43	1.39
26	BB	1448	G	C2-N3	7.37	1.38	1.32
26	BB	1960	A	C5'-C4'	7.37	1.60	1.51
26	BB	664	G	C8-N7	7.36	1.35	1.30
1	AA	351	G	C6-N1	7.36	1.44	1.39
26	BB	2695	U	C5'-C4'	7.36	1.60	1.51
1	AA	296	U	O4'-C1'	7.36	1.51	1.41
1	AA	1447	A	C5'-C4'	7.36	1.60	1.51
26	BB	585	G	O3'-P	7.36	1.70	1.61
1	AA	323	U	C5'-C4'	7.36	1.60	1.51
1	AA	907	A	O3'-P	7.36	1.70	1.61
25	BA	54	G	C6-N1	7.36	1.44	1.39
26	BB	1579	A	N7-C5	7.36	1.43	1.39
1	AA	1302	C	C2-N3	7.36	1.41	1.35
26	BB	1233	C	C5-C6	7.36	1.40	1.34
26	BB	1738	G	P-O5'	7.36	1.67	1.59
4	AD	29	C	O3'-P	7.36	1.70	1.61
26	BB	708	G	C4'-C3'	-7.36	1.45	1.53
26	BB	774	G	C5-C4	-7.36	1.33	1.38
26	BB	1402	U	C5-C6	7.36	1.40	1.34
26	BB	2514	U	N3-C4	7.36	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	115	G	N9-C4	7.35	1.43	1.38
26	BB	491	G	O3'-P	7.35	1.70	1.61
1	AA	964	A	O3'-P	-7.35	1.52	1.61
1	AA	1257	A	O3'-P	7.35	1.70	1.61
1	AA	1389	C	N1-C6	7.35	1.41	1.37
26	BB	1815	A	C5-C6	7.35	1.47	1.41
26	BB	2826	A	C5-C6	-7.35	1.34	1.41
26	BB	136	G	P-O5'	7.35	1.67	1.59
26	BB	2810	A	C6-N6	7.35	1.39	1.33
1	AA	1092	A	C8-N7	-7.35	1.26	1.31
26	BB	1616	A	C8-N7	-7.35	1.26	1.31
26	BB	1941	C	C4'-O4'	-7.35	1.35	1.45
26	BB	2276	G	N1-C2	7.35	1.43	1.37
26	BB	2529	G	P-O5'	7.35	1.67	1.59
1	AA	290	C	C4-C5	7.35	1.48	1.43
1	AA	441	A	C5-C4	-7.34	1.33	1.38
26	BB	936	A	N3-C4	7.34	1.39	1.34
26	BB	939	G	N9-C8	7.34	1.43	1.37
26	BB	1684	G	N3-C4	7.34	1.40	1.35
26	BB	2868	A	C6-N6	-7.34	1.28	1.33
26	BB	2633	G	C2-N3	7.34	1.38	1.32
26	BB	2746	U	C4'-O4'	-7.34	1.36	1.45
1	AA	945	G	N3-C4	7.34	1.40	1.35
1	AA	1241	G	N9-C4	7.34	1.43	1.38
1	AA	141	G	C5-C6	7.34	1.49	1.42
1	AA	1491	G	P-O5'	7.34	1.67	1.59
25	BA	82	U	N3-C4	7.34	1.45	1.38
26	BB	1634	A	C5'-C4'	7.34	1.60	1.51
26	BB	1811	G	C6-O6	-7.34	1.17	1.24
26	BB	1813	G	C6-N1	-7.34	1.34	1.39
26	BB	1896	G	N3-C4	7.34	1.40	1.35
26	BB	2652	C	P-O5'	7.34	1.67	1.59
1	AA	32	A	C5-C4	-7.34	1.33	1.38
1	AA	1355	G	C8-N7	-7.34	1.26	1.30
26	BB	2097	A	C8-N7	-7.34	1.26	1.31
1	AA	510	A	P-O5'	7.34	1.67	1.59
1	AA	822	U	N1-C2	7.34	1.45	1.38
1	AA	910	C	C4-C5	7.34	1.48	1.43
1	AA	1126	U	C2-N3	7.34	1.42	1.37
26	BB	285	G	C5-C6	7.34	1.49	1.42
26	BB	753	A	C5-C6	7.34	1.47	1.41
26	BB	1815	A	N7-C5	-7.33	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	578	C	C2-N3	7.33	1.41	1.35
26	BB	386	G	C2-N3	7.33	1.38	1.32
26	BB	1165	A	C5-C4	-7.33	1.33	1.38
1	AA	584	G	O3'-P	7.33	1.70	1.61
26	BB	1250	G	C2-N3	7.33	1.38	1.32
26	BB	1376	C	N1-C6	7.33	1.41	1.37
26	BB	2519	U	C4-O4	-7.33	1.17	1.23
26	BB	2741	A	N7-C5	-7.33	1.34	1.39
1	AA	703	G	N7-C5	7.33	1.43	1.39
1	AA	1397	C	P-O5'	7.33	1.67	1.59
26	BB	28	A	C5'-C4'	7.33	1.60	1.51
26	BB	790	U	N1-C6	7.33	1.44	1.38
26	BB	2230	G	C2-N3	7.33	1.38	1.32
25	BA	115	A	P-O5'	7.33	1.67	1.59
26	BB	1713	A	C4'-O4'	-7.33	1.36	1.45
1	AA	613	C	N3-C4	7.32	1.39	1.33
1	AA	721	G	C5'-C4'	7.32	1.60	1.51
1	AA	1196	A	N9-C8	-7.32	1.31	1.37
1	AA	1397	C	C5'-C4'	7.32	1.60	1.51
25	BA	30	C	C4-C5	7.32	1.48	1.43
26	BB	1260	A	C8-N7	-7.32	1.26	1.31
26	BB	1641	A	N3-C4	7.32	1.39	1.34
26	BB	2018	G	N7-C5	7.32	1.43	1.39
26	BB	2389	G	C5'-C4'	7.32	1.60	1.51
25	BA	49	C	N1-C6	7.32	1.41	1.37
26	BB	1151	A	N7-C5	7.32	1.43	1.39
1	AA	746	A	C4'-O4'	-7.32	1.36	1.45
1	AA	1157	A	P-O5'	-7.32	1.52	1.59
26	BB	866	A	C6-N6	7.32	1.39	1.33
25	BA	83	G	C2-N3	7.31	1.38	1.32
26	BB	258	G	C8-N7	7.31	1.35	1.30
1	AA	950	U	O3'-P	7.31	1.70	1.61
26	BB	267	C	N1-C6	7.31	1.41	1.37
26	BB	649	G	C4'-C3'	7.31	1.61	1.53
25	BA	106	G	N9-C4	-7.31	1.32	1.38
26	BB	2815	C	P-O5'	7.31	1.67	1.59
1	AA	823	C	O3'-P	7.31	1.70	1.61
1	AA	1058	G	C8-N7	-7.31	1.26	1.30
26	BB	777	G	C5'-C4'	7.31	1.60	1.51
26	BB	1000	A	N7-C5	7.31	1.43	1.39
26	BB	1222	U	C5-C6	7.31	1.40	1.34
26	BB	1845	G	C4'-O4'	-7.31	1.36	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2657	A	P-O5'	7.31	1.67	1.59
1	AA	721	G	N3-C4	7.31	1.40	1.35
26	BB	514	A	N3-C4	7.31	1.39	1.34
1	AA	56	U	C4'-O4'	-7.30	1.36	1.45
1	AA	776	G	C6-N1	7.30	1.44	1.39
1	AA	1285	A	C5'-C4'	7.30	1.60	1.51
4	AD	40	C	N1-C6	7.30	1.41	1.37
26	BB	45	G	C5'-C4'	7.30	1.60	1.51
26	BB	270	A	C6-N1	-7.30	1.30	1.35
26	BB	1290	C	C5'-C4'	7.30	1.60	1.51
26	BB	1664	A	C8-N7	-7.30	1.26	1.31
26	BB	66	C	C5-C6	7.30	1.40	1.34
26	BB	252	G	N1-C2	7.30	1.43	1.37
26	BB	947	A	C2'-C1'	7.30	1.61	1.53
26	BB	1439	A	N3-C4	7.30	1.39	1.34
1	AA	823	C	C5-C6	7.30	1.40	1.34
26	BB	628	G	N7-C5	7.30	1.43	1.39
26	BB	886	A	C4'-C3'	7.30	1.61	1.53
26	BB	1083	U	P-O5'	7.30	1.67	1.59
26	BB	1169	A	N3-C4	7.30	1.39	1.34
26	BB	2779	U	C2-N3	7.30	1.42	1.37
1	AA	34	C	C4-C5	7.30	1.48	1.43
1	AA	601	G	C6-N1	7.30	1.44	1.39
1	AA	1016	A	O3'-P	7.30	1.70	1.61
26	BB	686	U	C2-N3	7.30	1.42	1.37
26	BB	1088	A	C4'-O4'	-7.30	1.36	1.45
26	BB	1482	G	C2-N3	7.30	1.38	1.32
26	BB	2107	G	C5'-C4'	7.30	1.60	1.51
1	AA	1470	U	P-O5'	7.30	1.67	1.59
26	BB	147	C	C5-C6	7.30	1.40	1.34
26	BB	254	G	N7-C5	7.30	1.43	1.39
26	BB	2059	A	O3'-P	7.30	1.70	1.61
1	AA	1480	A	C5-C6	7.29	1.47	1.41
26	BB	1053	C	C4'-C3'	-7.29	1.45	1.53
26	BB	1063	G	C2-N3	7.29	1.38	1.32
1	AA	99	C	C4-N4	7.29	1.40	1.33
1	AA	1032	G	C4'-O4'	-7.29	1.36	1.45
25	BA	20	G	C6-N1	7.29	1.44	1.39
25	BA	108	A	P-O5'	7.29	1.67	1.59
26	BB	1929	G	N3-C4	7.29	1.40	1.35
26	BB	2215	C	O4'-C1'	7.29	1.51	1.41
26	BB	2474	U	C2-N3	7.29	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	489	C	N1-C6	7.29	1.41	1.37
1	AA	673	A	C5-C4	-7.29	1.33	1.38
3	AC	17	U	P-O5'	7.29	1.67	1.59
21	AU	42	ARG	CZ-NH1	7.29	1.42	1.33
26	BB	2089	C	P-O5'	7.29	1.67	1.59
26	BB	2462	C	N3-C4	7.29	1.39	1.33
26	BB	2721	A	C4'-O4'	-7.29	1.36	1.45
1	AA	167	A	C5'-C4'	7.29	1.60	1.51
1	AA	1011	C	N3-C4	7.29	1.39	1.33
1	AA	1168	U	C2-N3	7.29	1.42	1.37
26	BB	798	G	C8-N7	7.29	1.35	1.30
26	BB	1334	G	C8-N7	7.29	1.35	1.30
26	BB	1391	U	N1-C6	7.29	1.44	1.38
1	AA	920	U	C5'-C4'	7.29	1.60	1.51
26	BB	872	U	C4'-O4'	-7.29	1.36	1.45
26	BB	2020	A	N7-C5	7.29	1.43	1.39
1	AA	320	A	C4'-O4'	-7.28	1.36	1.45
1	AA	807	A	C5'-C4'	7.28	1.60	1.51
26	BB	819	A	P-O5'	7.28	1.67	1.59
26	BB	1329	U	C2-N3	7.28	1.42	1.37
1	AA	629	A	C6-N6	-7.28	1.28	1.33
26	BB	2131	U	C2'-C1'	7.28	1.61	1.53
1	AA	255	G	C2-N3	7.28	1.38	1.32
26	BB	122	G	P-O5'	7.28	1.67	1.59
26	BB	370	G	C5-C6	7.28	1.49	1.42
26	BB	1893	C	C2-N3	7.28	1.41	1.35
26	BB	2113	U	C5-C6	7.28	1.40	1.34
26	BB	2038	G	C6-N1	-7.28	1.34	1.39
26	BB	2800	A	C6-N1	-7.28	1.30	1.35
1	AA	102	G	C6-O6	-7.28	1.17	1.24
26	BB	520	G	C2-N3	7.28	1.38	1.32
26	BB	1814	G	N9-C8	7.28	1.43	1.37
26	BB	2183	A	C2'-C1'	-7.28	1.45	1.53
1	AA	1356	G	N9-C8	-7.27	1.32	1.37
26	BB	1626	A	C6-N6	7.27	1.39	1.33
26	BB	1715	G	N3-C4	7.27	1.40	1.35
26	BB	2829	A	C4'-O4'	-7.27	1.36	1.45
1	AA	651	C	N1-C2	-7.27	1.32	1.40
4	AD	50	G	C8-N7	-7.27	1.26	1.30
8	AH	49	TYR	CE1-CZ	7.27	1.48	1.38
26	BB	1829	A	C4'-O4'	-7.27	1.36	1.45
1	AA	683	G	C8-N7	7.27	1.35	1.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	49	C	C5'-C4'	7.27	1.60	1.51
26	BB	1635	A	N3-C4	7.27	1.39	1.34
26	BB	2146	C	C5-C6	7.27	1.40	1.34
26	BB	2759	G	C8-N7	-7.27	1.26	1.30
26	BB	1038	G	C6-N1	7.27	1.44	1.39
26	BB	1091	G	N3-C4	7.27	1.40	1.35
1	AA	1244	G	O5'-C5'	-7.26	1.31	1.42
26	BB	467	G	N3-C4	7.26	1.40	1.35
26	BB	505	A	C5-C4	-7.26	1.33	1.38
26	BB	1487	U	C2'-C1'	7.26	1.61	1.53
26	BB	598	U	P-O5'	7.26	1.67	1.59
26	BB	1413	A	N3-C4	7.26	1.39	1.34
26	BB	1670	C	C4-C5	7.26	1.48	1.43
26	BB	793	A	O5'-C5'	-7.26	1.31	1.42
1	AA	406	G	C4'-O4'	-7.26	1.36	1.45
1	AA	562	U	C2-N3	7.26	1.42	1.37
1	AA	721	G	C4'-O4'	-7.26	1.36	1.45
1	AA	1155	A	N7-C5	-7.26	1.34	1.39
26	BB	196	A	N3-C4	7.26	1.39	1.34
26	BB	586	A	N7-C5	-7.26	1.34	1.39
26	BB	1583	A	N3-C4	7.26	1.39	1.34
26	BB	1746	A	P-O5'	7.26	1.67	1.59
26	BB	2722	G	C5-C4	-7.26	1.33	1.38
26	BB	2870	C	C2-N3	7.26	1.41	1.35
26	BB	2178	C	P-O5'	7.26	1.67	1.59
1	AA	172	A	N7-C5	7.26	1.43	1.39
1	AA	1437	A	N3-C4	7.26	1.39	1.34
26	BB	337	C	C4'-O4'	-7.26	1.36	1.45
26	BB	1242	U	C2'-C1'	-7.26	1.45	1.53
25	BA	23	G	N3-C4	7.25	1.40	1.35
26	BB	293	U	C2-N3	7.25	1.42	1.37
1	AA	700	G	C5-C6	7.25	1.49	1.42
1	AA	720	C	N1-C6	7.25	1.41	1.37
1	AA	1395	C	N1-C6	7.25	1.41	1.37
26	BB	62	U	C4-C5	7.25	1.50	1.43
26	BB	240	C	P-O5'	7.25	1.67	1.59
26	BB	954	G	C2-N3	7.25	1.38	1.32
1	AA	53	A	C6-N1	7.25	1.40	1.35
1	AA	254	G	C8-N7	7.25	1.35	1.30
1	AA	268	U	P-O5'	7.25	1.67	1.59
1	AA	468	A	C6-N1	-7.25	1.30	1.35
1	AA	1078	U	C5-C6	7.25	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	15	G	C5'-C4'	7.25	1.60	1.51
26	BB	2770	G	N9-C4	7.25	1.43	1.38
1	AA	772	U	C2-N3	7.25	1.42	1.37
26	BB	605	G	P-O5'	7.25	1.67	1.59
26	BB	2670	A	N9-C4	-7.25	1.33	1.37
1	AA	700	G	N1-C2	7.25	1.43	1.37
1	AA	751	U	C2-N3	7.25	1.42	1.37
1	AA	1015	G	C8-N7	-7.25	1.26	1.30
26	BB	697	G	C6-O6	-7.25	1.17	1.24
26	BB	2849	U	P-O5'	7.25	1.67	1.59
26	BB	1719	G	P-O5'	7.25	1.67	1.59
26	BB	2464	G	N1-C2	7.25	1.43	1.37
1	AA	23	C	C4-C5	7.24	1.48	1.43
6	AF	87	ARG	NE-CZ	7.24	1.42	1.33
26	BB	351	C	P-O5'	7.24	1.67	1.59
26	BB	806	C	C4'-C3'	7.24	1.61	1.53
26	BB	1289	C	C2'-C1'	7.24	1.61	1.53
1	AA	220	G	N7-C5	-7.24	1.34	1.39
1	AA	237	G	C2-N3	7.24	1.38	1.32
1	AA	729	A	C5'-C4'	7.24	1.60	1.51
1	AA	1299	A	N9-C4	7.24	1.42	1.37
26	BB	2219	U	P-O5'	7.24	1.67	1.59
26	BB	2341	G	C2-N3	7.24	1.38	1.32
26	BB	2425	A	O3'-P	7.24	1.69	1.61
26	BB	844	A	P-O5'	7.24	1.67	1.59
26	BB	1428	C	N3-C4	7.24	1.39	1.33
26	BB	1921	G	C5-C6	7.24	1.49	1.42
26	BB	2279	G	O3'-P	7.24	1.69	1.61
26	BB	1364	G	N3-C4	7.24	1.40	1.35
1	AA	997	U	C2-N3	7.24	1.42	1.37
1	AA	1293	C	C5'-C4'	7.24	1.60	1.51
26	BB	1743	G	C6-O6	-7.24	1.17	1.24
26	BB	1867	G	N9-C8	-7.24	1.32	1.37
1	AA	915	A	N9-C4	7.23	1.42	1.37
1	AA	251	G	N3-C4	-7.23	1.30	1.35
1	AA	378	G	N9-C4	7.23	1.43	1.38
26	BB	74	A	P-O5'	7.23	1.67	1.59
26	BB	1279	G	P-O5'	7.23	1.67	1.59
26	BB	1516	G	C8-N7	-7.23	1.26	1.30
26	BB	959	A	C5'-C4'	7.23	1.60	1.51
26	BB	1866	A	C8-N7	-7.23	1.26	1.31
1	AA	278	G	C6-N1	7.23	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	929	G	C6-N1	7.23	1.44	1.39
26	BB	686	U	N3-C4	7.23	1.45	1.38
1	AA	168	G	P-O5'	7.23	1.67	1.59
26	BB	409	G	C8-N7	-7.23	1.26	1.30
26	BB	864	G	P-O5'	7.23	1.67	1.59
26	BB	917	A	C4'-O4'	-7.23	1.36	1.45
26	BB	2897	U	C4-C5	7.23	1.50	1.43
26	BB	244	A	N9-C8	-7.23	1.31	1.37
26	BB	1437	C	O3'-P	7.23	1.69	1.61
26	BB	2014	A	C3'-C2'	7.23	1.60	1.52
1	AA	481	G	C2-N3	7.22	1.38	1.32
26	BB	1071	G	N1-C2	7.22	1.43	1.37
26	BB	1709	U	C4-O4	-7.22	1.17	1.23
26	BB	1779	U	C4-C5	7.22	1.50	1.43
26	BB	2353	G	C2'-C1'	7.22	1.61	1.53
26	BB	2664	G	C4'-O4'	-7.22	1.36	1.45
1	AA	932	C	C4-C5	7.22	1.48	1.43
1	AA	1049	U	C2'-C1'	-7.22	1.45	1.53
2	AB	19	G	C6-N1	-7.22	1.34	1.39
26	BB	2487	G	C4'-O4'	-7.22	1.36	1.45
26	BB	2780	G	C5'-C4'	7.22	1.60	1.51
1	AA	922	G	C2-N3	7.22	1.38	1.32
1	AA	1295	U	C4-C5	7.22	1.50	1.43
1	AA	1393	U	C2-N3	7.22	1.42	1.37
26	BB	2091	C	N1-C6	7.22	1.41	1.37
26	BB	595	C	C4-N4	7.22	1.40	1.33
26	BB	2178	C	O3'-P	7.22	1.69	1.61
1	AA	138	G	C6-N1	-7.22	1.34	1.39
1	AA	587	G	C8-N7	7.22	1.35	1.30
1	AA	1055	A	P-O5'	7.22	1.67	1.59
2	AB	10	G	N9-C8	-7.22	1.32	1.37
26	BB	61	C	C4-C5	7.22	1.48	1.43
26	BB	2220	U	P-O5'	7.22	1.67	1.59
1	AA	492	C	C4-N4	-7.21	1.27	1.33
1	AA	1282	C	C2-N3	7.21	1.41	1.35
26	BB	2431	U	C5'-C4'	7.21	1.60	1.51
1	AA	1192	C	P-O5'	7.21	1.67	1.59
26	BB	754	U	P-O5'	7.21	1.67	1.59
26	BB	1977	A	O3'-P	7.21	1.69	1.61
26	BB	2773	C	C4-C5	7.21	1.48	1.43
26	BB	1966	A	C6-N6	7.21	1.39	1.33
1	AA	506	G	N1-C2	7.21	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	59	G	C2'-C1'	-7.21	1.45	1.53
26	BB	1699	G	C8-N7	-7.21	1.26	1.30
1	AA	1287	A	N3-C4	7.21	1.39	1.34
1	AA	1470	U	N1-C2	7.21	1.45	1.38
25	BA	71	C	C5'-C4'	7.21	1.59	1.51
26	BB	52	A	C5'-C4'	7.20	1.59	1.51
26	BB	611	C	C3'-O3'	7.20	1.52	1.42
26	BB	1435	G	C2'-C1'	7.20	1.61	1.53
26	BB	2814	A	C8-N7	-7.20	1.26	1.31
1	AA	1118	U	N1-C2	7.20	1.45	1.38
1	AA	67	C	N1-C2	7.20	1.47	1.40
1	AA	79	G	C2-N3	7.20	1.38	1.32
1	AA	528	C	C4-C5	-7.20	1.37	1.43
1	AA	1337	G	N9-C4	7.20	1.43	1.38
26	BB	1870	C	P-O5'	7.20	1.67	1.59
1	AA	502	A	N9-C4	7.20	1.42	1.37
1	AA	819	A	C6-N6	7.20	1.39	1.33
25	BA	105	G	N3-C4	7.20	1.40	1.35
26	BB	1272	A	N3-C4	7.20	1.39	1.34
26	BB	1414	C	C2-N3	7.20	1.41	1.35
26	BB	2848	G	C5'-C4'	7.20	1.59	1.51
26	BB	2895	G	C8-N7	7.20	1.35	1.30
1	AA	603	U	C4'-C3'	-7.19	1.45	1.53
26	BB	2100	G	C6-N1	7.19	1.44	1.39
26	BB	2318	G	N9-C8	-7.19	1.32	1.37
2	AB	14	A	N3-C4	7.19	1.39	1.34
26	BB	1357	C	C2-N3	7.19	1.41	1.35
26	BB	1530	G	P-O5'	7.19	1.67	1.59
26	BB	2645	G	C4'-O4'	-7.19	1.36	1.45
1	AA	1389	C	P-O5'	7.19	1.67	1.59
26	BB	776	G	N9-C8	-7.19	1.32	1.37
26	BB	2644	G	C8-N7	7.19	1.35	1.30
1	AA	169	C	C5'-C4'	7.19	1.59	1.51
2	AB	70	C	O3'-P	7.19	1.69	1.61
26	BB	34	U	C2-N3	7.19	1.42	1.37
26	BB	1141	U	C4-C5	7.19	1.50	1.43
26	BB	1298	C	C2-O2	-7.19	1.18	1.24
26	BB	1416	G	N1-C2	7.19	1.43	1.37
26	BB	2610	C	C4-N4	7.19	1.40	1.33
1	AA	389	A	C6-N6	-7.19	1.28	1.33
26	BB	570	G	N1-C2	7.19	1.43	1.37
26	BB	2097	A	N3-C4	7.19	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	155	A	N9-C8	7.18	1.43	1.37
26	BB	535	G	C2'-C1'	7.18	1.61	1.53
26	BB	753	A	C8-N7	-7.18	1.26	1.31
26	BB	923	G	N9-C4	-7.18	1.32	1.38
26	BB	1470	A	N7-C5	7.18	1.43	1.39
26	BB	2873	A	C5-C4	-7.18	1.33	1.38
57	B6	44	ARG	NE-CZ	7.18	1.42	1.33
3	AC	43	U	C2-N3	7.18	1.42	1.37
3	AC	49	U	C4-O4	-7.18	1.18	1.23
25	BA	96	G	N7-C5	-7.18	1.34	1.39
26	BB	253	C	C2-N3	7.18	1.41	1.35
26	BB	704	G	C5'-C4'	7.18	1.59	1.51
4	AD	60	A	C6-N6	7.18	1.39	1.33
26	BB	645	C	C4'-O4'	-7.18	1.36	1.45
1	AA	427	U	N3-C4	7.18	1.45	1.38
1	AA	1468	A	O3'-P	7.18	1.69	1.61
26	BB	1460	U	C2-O2	7.18	1.28	1.22
1	AA	584	G	N3-C4	7.17	1.40	1.35
1	AA	1494	G	C2-N3	7.17	1.38	1.32
26	BB	753	A	N3-C4	7.17	1.39	1.34
26	BB	1096	A	N3-C4	7.17	1.39	1.34
26	BB	1131	G	N7-C5	7.17	1.43	1.39
26	BB	2349	G	C5-C4	-7.17	1.33	1.38
1	AA	689	C	C5-C6	7.17	1.40	1.34
26	BB	1766	G	C6-O6	-7.17	1.17	1.24
26	BB	1865	U	N3-C4	7.17	1.45	1.38
26	BB	2397	G	C8-N7	7.17	1.35	1.30
1	AA	948	C	O3'-P	7.17	1.69	1.61
26	BB	447	A	N7-C5	-7.17	1.34	1.39
26	BB	1079	C	C4-N4	7.17	1.40	1.33
26	BB	1197	G	C3'-O3'	7.17	1.52	1.42
26	BB	2606	C	P-O5'	7.17	1.67	1.59
26	BB	906	U	C5'-C4'	7.17	1.59	1.51
26	BB	1921	G	N7-C5	-7.17	1.34	1.39
26	BB	2305	U	C5-C6	7.17	1.40	1.34
1	AA	1523	G	O3'-P	7.17	1.69	1.61
26	BB	1088	A	C5'-C4'	7.17	1.59	1.51
26	BB	1306	C	P-O5'	7.17	1.67	1.59
26	BB	2272	U	N1-C2	7.17	1.45	1.38
26	BB	2833	U	C2-N3	-7.17	1.32	1.37
1	AA	349	A	P-O5'	7.17	1.67	1.59
25	BA	67	G	N7-C5	-7.17	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2840	C	N1-C6	7.17	1.41	1.37
1	AA	898	G	C5-C4	-7.16	1.33	1.38
2	AB	9	A	C4'-C3'	7.16	1.61	1.53
26	BB	1264	A	N3-C4	7.16	1.39	1.34
26	BB	1354	A	P-O5'	7.16	1.67	1.59
26	BB	1587	G	N1-C2	7.16	1.43	1.37
1	AA	376	G	N1-C2	7.16	1.43	1.37
4	AD	62	C	N1-C6	7.16	1.41	1.37
26	BB	287	G	C6-N1	-7.16	1.34	1.39
26	BB	1679	A	C4'-O4'	-7.16	1.36	1.45
26	BB	2009	A	N7-C5	-7.16	1.34	1.39
1	AA	913	A	N9-C4	-7.16	1.33	1.37
26	BB	527	C	P-O5'	7.16	1.67	1.59
26	BB	2483	C	C4'-C3'	7.16	1.61	1.53
26	BB	2384	U	P-O5'	7.16	1.67	1.59
26	BB	2883	A	C6-N1	7.16	1.40	1.35
26	BB	516	C	P-O5'	7.16	1.67	1.59
26	BB	1314	C	P-O5'	7.16	1.67	1.59
26	BB	1340	U	C2'-O2'	-7.16	1.32	1.41
26	BB	1735	A	N7-C5	7.16	1.43	1.39
26	BB	1924	C	O3'-P	7.16	1.69	1.61
26	BB	2106	U	C4'-O4'	-7.16	1.36	1.45
26	BB	2479	U	C4-O4	-7.16	1.18	1.23
1	AA	846	G	C8-N7	-7.15	1.26	1.30
26	BB	233	A	P-O5'	7.15	1.67	1.59
26	BB	463	G	N9-C4	7.15	1.43	1.38
26	BB	540	C	C2-N3	7.15	1.41	1.35
26	BB	1368	G	P-O5'	7.15	1.67	1.59
26	BB	2364	C	C4'-O4'	-7.15	1.36	1.45
26	BB	2781	A	N3-C4	7.15	1.39	1.34
1	AA	139	A	C2'-C1'	7.15	1.61	1.53
1	AA	680	C	C3'-C2'	7.15	1.60	1.52
26	BB	320	A	N3-C4	7.15	1.39	1.34
26	BB	1538	G	P-O5'	7.15	1.66	1.59
26	BB	2036	C	C4-C5	7.15	1.48	1.43
26	BB	2663	G	C5-C4	-7.15	1.33	1.38
1	AA	18	C	C2-O2	-7.15	1.18	1.24
1	AA	35	G	N7-C5	-7.15	1.34	1.39
1	AA	1190	G	C2-N3	7.15	1.38	1.32
26	BB	875	G	C3'-C2'	7.15	1.60	1.52
1	AA	964	A	C8-N7	-7.15	1.26	1.31
1	AA	1364	U	N1-C2	7.15	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1490	U	C4-O4	-7.15	1.18	1.23
3	AC	32	U	C5-C6	7.15	1.40	1.34
4	AD	75	C	C4'-O4'	-7.15	1.36	1.45
26	BB	2490	G	C6-N1	7.15	1.44	1.39
1	AA	857	C	C2-N3	7.14	1.41	1.35
26	BB	199	A	N9-C4	7.14	1.42	1.37
1	AA	240	G	C8-N7	-7.14	1.26	1.30
26	BB	2035	G	C8-N7	7.14	1.35	1.30
26	BB	1894	C	N3-C4	7.14	1.39	1.33
26	BB	2129	C	C4-C5	7.14	1.48	1.43
26	BB	2736	A	N9-C4	7.14	1.42	1.37
1	AA	912	C	C5-C6	7.14	1.40	1.34
26	BB	100	U	C3'-C2'	7.14	1.60	1.52
1	AA	241	G	C5-C4	7.14	1.43	1.38
26	BB	2219	U	O3'-P	7.14	1.69	1.61
1	AA	1187	G	N3-C4	7.13	1.40	1.35
1	AA	1241	G	C2-N3	7.13	1.38	1.32
26	BB	127	A	N3-C4	7.13	1.39	1.34
26	BB	1023	U	N3-C4	-7.13	1.32	1.38
26	BB	1572	A	P-O5'	7.13	1.66	1.59
26	BB	2277	G	P-O5'	7.13	1.66	1.59
1	AA	395	C	P-O5'	7.13	1.66	1.59
26	BB	547	A	N3-C4	7.13	1.39	1.34
26	BB	2763	G	C5'-C4'	7.13	1.59	1.51
1	AA	273	U	N1-C6	7.13	1.44	1.38
1	AA	1497	G	N7-C5	7.13	1.43	1.39
26	BB	1421	G	C8-N7	7.13	1.35	1.30
26	BB	1570	A	C8-N7	-7.13	1.26	1.31
26	BB	1991	U	C4-C5	7.13	1.50	1.43
26	BB	2087	G	C2-N2	-7.13	1.27	1.34
1	AA	280	C	C4-C5	7.13	1.48	1.43
25	BA	61	G	N9-C4	-7.13	1.32	1.38
26	BB	1236	G	P-O5'	7.13	1.66	1.59
26	BB	1601	G	N9-C4	7.13	1.43	1.38
26	BB	53	A	N7-C5	7.12	1.43	1.39
26	BB	464	U	C2-N3	7.12	1.42	1.37
26	BB	1963	U	N1-C2	7.12	1.45	1.38
26	BB	2824	C	C3'-C2'	7.12	1.60	1.52
1	AA	337	G	N3-C4	7.12	1.40	1.35
1	AA	980	C	C2-N3	7.12	1.41	1.35
1	AA	1413	A	N3-C4	7.12	1.39	1.34
26	BB	786	C	O3'-P	7.12	1.69	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2333	A	C2'-C1'	7.12	1.61	1.53
1	AA	372	C	C4-C5	7.12	1.48	1.43
26	BB	2835	A	N3-C4	7.12	1.39	1.34
1	AA	1268	G	P-O5'	7.12	1.66	1.59
26	BB	731	C	P-O5'	7.12	1.66	1.59
26	BB	1285	A	O3'-P	7.12	1.69	1.61
26	BB	437	U	C5-C6	7.12	1.40	1.34
26	BB	847	U	N1-C2	7.12	1.45	1.38
26	BB	1837	C	O3'-P	-7.12	1.52	1.61
26	BB	2674	G	N9-C8	7.12	1.42	1.37
26	BB	2700	A	P-O5'	7.12	1.66	1.59
26	BB	2765	A	C4'-O4'	-7.12	1.36	1.45
1	AA	753	A	N3-C4	7.11	1.39	1.34
26	BB	690	G	N9-C8	7.11	1.42	1.37
26	BB	799	G	N1-C2	7.11	1.43	1.37
26	BB	1380	G	N3-C4	-7.11	1.30	1.35
26	BB	2226	C	C2-N3	7.11	1.41	1.35
26	BB	2423	U	C2-N3	7.11	1.42	1.37
26	BB	2735	G	N9-C8	-7.11	1.32	1.37
26	BB	1357	C	O4'-C1'	7.11	1.50	1.41
26	BB	927	A	N7-C5	-7.11	1.34	1.39
26	BB	1656	C	N1-C6	7.11	1.41	1.37
4	AD	60	A	P-O5'	7.11	1.66	1.59
25	BA	58	A	N3-C4	7.11	1.39	1.34
26	BB	932	U	N1-C2	7.11	1.45	1.38
26	BB	2678	C	P-O5'	7.11	1.66	1.59
25	BA	63	C	C4-C5	7.11	1.48	1.43
26	BB	294	A	N9-C4	7.11	1.42	1.37
26	BB	1776	G	P-O5'	7.11	1.66	1.59
26	BB	2324	U	O4'-C1'	7.11	1.50	1.41
26	BB	717	C	C2'-C1'	-7.10	1.45	1.53
26	BB	1103	A	N9-C8	7.10	1.43	1.37
26	BB	548	G	C8-N7	-7.10	1.26	1.30
26	BB	868	U	C4-O4	-7.10	1.18	1.23
26	BB	1753	G	N9-C4	7.10	1.43	1.38
26	BB	2253	G	N9-C4	7.10	1.43	1.38
1	AA	918	A	N3-C4	7.10	1.39	1.34
26	BB	129	C	C4-N4	-7.10	1.27	1.33
26	BB	259	G	N9-C8	7.10	1.42	1.37
26	BB	681	G	P-O5'	7.10	1.66	1.59
34	BJ	50	TYR	CG-CD2	7.10	1.48	1.39
1	AA	472	U	C4'-O4'	-7.10	1.36	1.45

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	488	G	N7-C5	-7.10	1.34	1.39
26	BB	620	G	C4'-C3'	-7.10	1.45	1.53
26	BB	1038	G	C5-C4	-7.10	1.33	1.38
26	BB	1411	U	C4-C5	7.10	1.50	1.43
26	BB	1512	C	N3-C4	7.10	1.39	1.33
26	BB	2836	U	N1-C2	7.10	1.45	1.38
26	BB	649	G	C2-N2	-7.10	1.27	1.34
26	BB	879	G	C4'-C3'	7.10	1.60	1.53
1	AA	928	G	P-O5'	7.09	1.66	1.59
1	AA	953	G	P-O5'	7.09	1.66	1.59
1	AA	1072	G	C2-N3	7.09	1.38	1.32
1	AA	1442	G	N9-C4	7.09	1.43	1.38
26	BB	40	U	N1-C2	7.09	1.45	1.38
26	BB	649	G	P-O5'	7.09	1.66	1.59
26	BB	1007	C	C4'-C3'	7.09	1.60	1.53
26	BB	1017	G	C2-N3	7.09	1.38	1.32
26	BB	1560	G	N7-C5	7.09	1.43	1.39
26	BB	1953	A	C5'-C4'	7.09	1.59	1.51
1	AA	1164	G	N9-C8	-7.09	1.32	1.37
26	BB	217	A	N3-C4	-7.09	1.30	1.34
26	BB	734	A	C6-N1	-7.09	1.30	1.35
26	BB	1516	G	C6-N1	-7.09	1.34	1.39
26	BB	580	U	N1-C2	7.09	1.45	1.38
26	BB	1827	U	C4-C5	7.09	1.50	1.43
1	AA	665	A	N7-C5	7.09	1.43	1.39
1	AA	1071	C	N3-C4	7.09	1.39	1.33
1	AA	1234	C	O3'-P	7.09	1.69	1.61
1	AA	599	C	C2-N3	7.09	1.41	1.35
1	AA	1211	U	C4'-C3'	7.09	1.60	1.53
26	BB	247	G	N3-C4	-7.09	1.30	1.35
26	BB	639	U	C2-N3	7.09	1.42	1.37
26	BB	1167	C	N1-C6	7.09	1.41	1.37
1	AA	321	A	C6-N6	7.08	1.39	1.33
1	AA	559	A	P-O5'	7.08	1.66	1.59
1	AA	666	G	N1-C2	7.08	1.43	1.37
26	BB	173	A	C5-C4	-7.08	1.33	1.38
26	BB	1355	G	O4'-C1'	7.08	1.50	1.41
26	BB	1964	G	N7-C5	7.08	1.43	1.39
1	AA	1486	G	C8-N7	-7.08	1.26	1.30
25	BA	74	U	C2'-C1'	7.08	1.61	1.53
26	BB	492	A	C8-N7	-7.08	1.26	1.31
26	BB	1231	U	C2-N3	7.08	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1651	G	O3'-P	7.08	1.69	1.61
1	AA	898	G	C5'-C4'	7.08	1.59	1.51
26	BB	1079	C	N1-C6	7.08	1.41	1.37
26	BB	2589	A	O3'-P	7.08	1.69	1.61
1	AA	389	A	C8-N7	-7.08	1.26	1.31
1	AA	1166	G	C8-N7	-7.08	1.26	1.30
1	AA	1339	A	C6-N6	-7.08	1.28	1.33
1	AA	1451	U	C4'-O4'	-7.08	1.36	1.45
26	BB	453	A	C8-N7	-7.08	1.26	1.31
26	BB	1592	C	P-O5'	7.08	1.66	1.59
26	BB	1876	A	N3-C4	7.08	1.39	1.34
26	BB	1909	C	O3'-P	7.08	1.69	1.61
26	BB	2710	C	N1-C6	7.08	1.41	1.37
25	BA	10	G	C2-N3	7.07	1.38	1.32
26	BB	1433	A	C6-N1	7.07	1.40	1.35
26	BB	1386	C	C2-N3	-7.07	1.30	1.35
1	AA	893	C	C4-C5	7.07	1.48	1.43
1	AA	1139	G	N7-C5	-7.07	1.35	1.39
4	AD	32	G	P-O5'	7.07	1.66	1.59
26	BB	1235	G	N3-C4	7.07	1.40	1.35
26	BB	1532	A	C5'-C4'	7.07	1.59	1.51
26	BB	2764	A	C8-N7	-7.07	1.26	1.31
1	AA	58	C	C4-N4	7.07	1.40	1.33
1	AA	499	A	P-O5'	7.07	1.66	1.59
1	AA	1036	A	C5-C4	-7.07	1.33	1.38
1	AA	1215	G	C5'-C4'	7.07	1.59	1.51
4	AD	1	C	C4-N4	7.07	1.40	1.33
26	BB	2584	U	C3'-C2'	7.07	1.60	1.52
26	BB	2115	G	C2'-O2'	7.07	1.50	1.41
1	AA	469	C	C2-N3	7.07	1.41	1.35
1	AA	550	G	N1-C2	7.07	1.43	1.37
1	AA	1027	C	N3-C4	7.07	1.38	1.33
26	BB	1732	C	C4-N4	-7.07	1.27	1.33
26	BB	1770	G	C3'-C2'	-7.07	1.45	1.52
26	BB	1950	G	C5'-C4'	7.07	1.59	1.51
26	BB	212	G	C6-N1	7.06	1.44	1.39
26	BB	920	A	C8-N7	-7.06	1.26	1.31
26	BB	2439	A	C4'-C3'	7.06	1.60	1.53
1	AA	934	C	N3-C4	7.06	1.38	1.33
1	AA	1139	G	C8-N7	7.06	1.35	1.30
2	AB	71	C	P-O5'	7.06	1.66	1.59
26	BB	593	U	N3-C4	7.06	1.44	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	835	C	N1-C6	7.06	1.41	1.37
26	BB	32	C	C4-C5	-7.06	1.37	1.43
26	BB	2887	A	C5-C6	7.06	1.47	1.41
1	AA	693	G	C4'-C3'	7.06	1.60	1.53
1	AA	826	C	P-O5'	7.06	1.66	1.59
1	AA	898	G	C4'-O4'	-7.06	1.36	1.45
26	BB	216	A	O4'-C1'	7.06	1.50	1.41
1	AA	594	U	C2-O2	7.06	1.28	1.22
1	AA	1414	U	P-O5'	7.05	1.66	1.59
26	BB	46	G	P-O5'	7.05	1.66	1.59
26	BB	111	A	N7-C5	7.05	1.43	1.39
26	BB	256	A	C6-N6	7.05	1.39	1.33
26	BB	933	A	C5-C6	7.05	1.47	1.41
1	AA	46	G	N3-C4	7.05	1.40	1.35
1	AA	865	A	C4'-O4'	-7.05	1.36	1.45
26	BB	114	U	C5-C6	7.05	1.40	1.34
26	BB	535	G	C2-N3	7.05	1.38	1.32
26	BB	1739	A	N9-C4	-7.05	1.33	1.37
1	AA	1114	C	N1-C6	7.05	1.41	1.37
25	BA	73	A	N9-C4	7.05	1.42	1.37
26	BB	2015	A	C6-N1	-7.05	1.30	1.35
26	BB	2543	G	C3'-C2'	7.05	1.60	1.52
26	BB	2165	C	N1-C6	-7.05	1.32	1.37
26	BB	2125	G	O3'-P	7.05	1.69	1.61
26	BB	2583	G	O3'-P	7.05	1.69	1.61
1	AA	436	C	C2-N3	7.04	1.41	1.35
1	AA	549	C	C4-C5	7.04	1.48	1.43
26	BB	328	U	C2-N3	7.04	1.42	1.37
26	BB	2471	A	N9-C4	-7.04	1.33	1.37
1	AA	877	G	N3-C4	7.04	1.40	1.35
26	BB	543	G	P-O5'	7.04	1.66	1.59
26	BB	1218	G	O5'-C5'	-7.04	1.31	1.42
26	BB	1829	A	N7-C5	-7.04	1.35	1.39
26	BB	67	U	C4'-O4'	-7.04	1.36	1.45
26	BB	924	G	N1-C2	7.04	1.43	1.37
26	BB	2794	C	P-O5'	7.04	1.66	1.59
1	AA	178	C	C4'-O4'	-7.04	1.36	1.45
1	AA	1241	G	N7-C5	-7.04	1.35	1.39
26	BB	652	U	C4-C5	7.04	1.49	1.43
26	BB	200	U	N1-C2	7.04	1.44	1.38
26	BB	276	U	C5-C6	7.04	1.40	1.34
26	BB	1499	C	P-O5'	7.04	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1704	C	N1-C6	7.04	1.41	1.37
26	BB	2260	C	P-O5'	7.04	1.66	1.59
26	BB	2732	G	C4'-C3'	7.04	1.60	1.53
26	BB	2900	A	C5-C4	-7.04	1.33	1.38
1	AA	13	U	P-O5'	7.04	1.66	1.59
15	AO	94	TYR	CE2-CZ	7.04	1.47	1.38
1	AA	559	A	N9-C4	7.04	1.42	1.37
1	AA	1233	G	C8-N7	7.04	1.35	1.30
1	AA	1534	A	N9-C4	-7.04	1.33	1.37
26	BB	1296	G	C5-C6	7.04	1.49	1.42
26	BB	2289	G	N7-C5	7.04	1.43	1.39
1	AA	176	C	C2-O2	-7.03	1.18	1.24
26	BB	635	C	C2-N3	7.03	1.41	1.35
26	BB	1048	A	P-O5'	7.03	1.66	1.59
26	BB	2316	G	C5'-C4'	7.03	1.59	1.51
26	BB	2576	G	C6-N1	-7.03	1.34	1.39
1	AA	693	G	N3-C4	7.03	1.40	1.35
1	AA	904	U	O3'-P	7.03	1.69	1.61
1	AA	977	A	P-O5'	7.03	1.66	1.59
1	AA	1270	G	N1-C2	7.03	1.43	1.37
26	BB	710	U	C2-N3	7.03	1.42	1.37
26	BB	1060	U	N1-C2	7.03	1.44	1.38
26	BB	2803	G	C8-N7	-7.03	1.26	1.30
4	AD	42	C	N1-C6	7.03	1.41	1.37
26	BB	855	G	C5-C6	7.03	1.49	1.42
26	BB	1078	U	P-O5'	7.03	1.66	1.59
26	BB	1089	A	C8-N7	-7.03	1.26	1.31
26	BB	2872	A	C5-C6	7.03	1.47	1.41
1	AA	1132	C	O5'-C5'	-7.03	1.31	1.42
26	BB	1343	G	P-O5'	-7.03	1.52	1.59
26	BB	1757	A	N9-C4	7.03	1.42	1.37
1	AA	114	U	C4'-O4'	-7.02	1.36	1.45
26	BB	1443	U	C4-C5	7.02	1.49	1.43
26	BB	2750	A	N7-C5	-7.02	1.35	1.39
1	AA	860	A	C3'-C2'	-7.02	1.45	1.52
26	BB	205	G	C2-N3	7.02	1.38	1.32
26	BB	374	A	C3'-C2'	7.02	1.60	1.52
26	BB	1556	C	C2-N3	7.02	1.41	1.35
26	BB	2385	C	N3-C4	7.02	1.38	1.33
26	BB	2529	G	C6-O6	-7.02	1.17	1.24
26	BB	2704	C	C4-C5	7.02	1.48	1.43
26	BB	2750	A	N9-C8	7.02	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	32	A	N7-C5	7.02	1.43	1.39
1	AA	47	C	C4-C5	-7.02	1.37	1.43
1	AA	380	G	C5-C6	7.02	1.49	1.42
1	AA	769	G	P-O5'	7.02	1.66	1.59
1	AA	1366	C	C5'-C4'	7.02	1.59	1.51
2	AB	7	G	N1-C2	-7.02	1.32	1.37
26	BB	813	U	O3'-P	7.02	1.69	1.61
26	BB	2315	G	N1-C2	7.02	1.43	1.37
26	BB	2365	G	N9-C8	-7.02	1.32	1.37
1	AA	1266	G	P-O5'	7.02	1.66	1.59
26	BB	221	A	C5'-C4'	7.02	1.59	1.51
26	BB	522	A	C5-C4	-7.02	1.33	1.38
26	BB	966	G	N9-C8	-7.02	1.32	1.37
26	BB	1814	G	N3-C4	7.02	1.40	1.35
26	BB	2687	U	O3'-P	7.02	1.69	1.61
1	AA	546	A	O4'-C1'	7.02	1.50	1.41
1	AA	1200	C	C3'-O3'	7.02	1.51	1.42
26	BB	286	U	N1-C2	7.02	1.44	1.38
26	BB	434	U	C3'-C2'	7.02	1.60	1.52
26	BB	1274	A	C8-N7	-7.02	1.26	1.31
26	BB	1328	A	N9-C4	7.02	1.42	1.37
1	AA	717	U	O3'-P	7.02	1.69	1.61
26	BB	1824	G	N7-C5	-7.02	1.35	1.39
1	AA	571	U	N3-C4	7.01	1.44	1.38
26	BB	1978	A	N3-C4	7.01	1.39	1.34
26	BB	2704	C	C5'-C4'	7.01	1.59	1.51
25	BA	58	A	C4'-O4'	-7.01	1.36	1.45
26	BB	2214	C	C3'-C2'	7.01	1.60	1.52
1	AA	878	A	C8-N7	-7.01	1.26	1.31
1	AA	1279	G	C3'-C2'	7.01	1.60	1.52
1	AA	1438	G	C4'-C3'	7.01	1.60	1.53
26	BB	2268	A	N3-C4	7.01	1.39	1.34
1	AA	365	U	P-O5'	7.01	1.66	1.59
1	AA	438	U	C4-O4	-7.01	1.18	1.23
1	AA	601	G	N9-C8	-7.01	1.32	1.37
1	AA	767	A	C6-N1	-7.01	1.30	1.35
26	BB	1736	U	C5'-C4'	7.01	1.59	1.51
26	BB	2437	G	C2'-C1'	-7.01	1.45	1.53
1	AA	546	A	N9-C4	-7.00	1.33	1.37
26	BB	194	G	C2-N3	7.00	1.38	1.32
26	BB	321	U	N3-C4	7.00	1.44	1.38
26	BB	2851	A	P-O5'	7.00	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	521	G	C3'-C2'	-7.00	1.45	1.52
26	BB	2297	A	C4'-C3'	-7.00	1.45	1.53
26	BB	2481	G	N9-C8	7.00	1.42	1.37
26	BB	2868	A	N9-C4	7.00	1.42	1.37
1	AA	1029	U	C2'-C1'	7.00	1.61	1.53
1	AA	1033	G	C5-C6	7.00	1.49	1.42
1	AA	776	G	C8-N7	-7.00	1.26	1.30
26	BB	1697	G	C2-N2	-7.00	1.27	1.34
26	BB	2182	U	N1-C2	7.00	1.44	1.38
26	BB	2265	U	C2-N3	7.00	1.42	1.37
1	AA	1319	A	C6-N6	-7.00	1.28	1.33
25	BA	84	G	N7-C5	-7.00	1.35	1.39
26	BB	2263	C	C4-C5	7.00	1.48	1.43
1	AA	1345	U	N1-C2	7.00	1.44	1.38
26	BB	541	A	N7-C5	-7.00	1.35	1.39
26	BB	921	C	C4-C5	7.00	1.48	1.43
1	AA	1129	C	N1-C6	6.99	1.41	1.37
4	AD	54	G	C8-N7	6.99	1.35	1.30
26	BB	1709	U	C4-C5	6.99	1.49	1.43
1	AA	765	G	C6-O6	-6.99	1.17	1.24
26	BB	584	C	P-O5'	6.99	1.66	1.59
26	BB	1477	A	N9-C8	-6.99	1.32	1.37
1	AA	1255	G	P-O5'	6.99	1.66	1.59
26	BB	709	U	C4'-O4'	-6.99	1.36	1.45
26	BB	2296	U	C2-N3	6.99	1.42	1.37
26	BB	2371	G	C2-N2	6.99	1.41	1.34
1	AA	41	G	N3-C4	-6.99	1.30	1.35
1	AA	1151	A	C8-N7	-6.99	1.26	1.31
25	BA	16	G	C8-N7	-6.99	1.26	1.30
26	BB	352	A	N9-C4	6.99	1.42	1.37
26	BB	1233	C	N1-C6	6.99	1.41	1.37
1	AA	1426	G	C8-N7	-6.99	1.26	1.30
26	BB	2486	C	O5'-C5'	6.99	1.55	1.44
26	BB	197	A	C6-N1	-6.99	1.30	1.35
26	BB	691	C	C5-C6	6.99	1.40	1.34
26	BB	2219	U	C5-C6	6.99	1.40	1.34
26	BB	2465	C	C3'-C2'	6.99	1.60	1.52
26	BB	2573	C	C3'-C2'	6.99	1.60	1.52
26	BB	2781	A	O3'-P	6.99	1.69	1.61
1	AA	341	C	P-O5'	6.98	1.66	1.59
1	AA	452	A	N3-C4	6.98	1.39	1.34
1	AA	321	A	C4'-C3'	-6.98	1.45	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	586	C	O3'-P	6.98	1.69	1.61
1	AA	1370	G	C8-N7	6.98	1.35	1.30
26	BB	382	A	C6-N6	6.98	1.39	1.33
26	BB	1008	A	C3'-C2'	6.98	1.60	1.52
26	BB	2591	C	P-O5'	6.98	1.66	1.59
1	AA	154	U	C2-N3	6.98	1.42	1.37
1	AA	566	G	C4'-O4'	-6.98	1.36	1.45
26	BB	763	G	C2'-C1'	6.98	1.61	1.53
1	AA	226	G	N1-C2	6.98	1.43	1.37
1	AA	353	A	P-O5'	6.98	1.66	1.59
1	AA	1002	G	N3-C4	-6.98	1.30	1.35
26	BB	672	C	C5-C6	6.98	1.40	1.34
26	BB	1273	U	N1-C2	6.98	1.44	1.38
26	BB	1733	G	N9-C4	6.98	1.43	1.38
26	BB	1959	G	C8-N7	-6.98	1.26	1.30
26	BB	2463	C	N1-C6	6.98	1.41	1.37
1	AA	1150	A	C5'-C4'	6.98	1.59	1.51
1	AA	1451	U	C4-C5	6.98	1.49	1.43
26	BB	1540	G	C8-N7	6.98	1.35	1.30
1	AA	281	G	N1-C2	6.97	1.43	1.37
1	AA	481	G	C4'-O4'	-6.97	1.36	1.45
1	AA	645	G	C6-N1	6.97	1.44	1.39
26	BB	312	G	C5-C4	-6.97	1.33	1.38
26	BB	598	U	C2-N3	6.97	1.42	1.37
26	BB	1589	U	C2-N3	6.97	1.42	1.37
26	BB	1897	G	C2-N3	6.97	1.38	1.32
26	BB	1240	U	C4-C5	6.97	1.49	1.43
26	BB	1339	G	N3-C4	6.97	1.40	1.35
26	BB	2010	G	P-O5'	6.97	1.66	1.59
26	BB	2173	A	O4'-C1'	-6.97	1.32	1.41
2	AB	22	G	C2-N2	-6.97	1.27	1.34
26	BB	1043	C	C4'-O4'	-6.97	1.36	1.45
26	BB	26	G	O3'-P	6.97	1.69	1.61
26	BB	263	G	N9-C4	-6.97	1.32	1.38
26	BB	1896	G	C8-N7	6.97	1.35	1.30
26	BB	2858	C	P-O5'	6.97	1.66	1.59
1	AA	758	C	N3-C4	6.96	1.38	1.33
1	AA	869	G	N9-C4	6.96	1.43	1.38
1	AA	1349	A	C8-N7	-6.96	1.26	1.31
1	AA	1537	U	C5-C6	6.96	1.40	1.34
26	BB	439	A	C4'-C3'	6.96	1.60	1.53
26	BB	914	G	N3-C4	6.96	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1193	G	N3-C4	6.96	1.40	1.35
26	BB	2468	A	N3-C4	6.96	1.39	1.34
26	BB	2692	G	N9-C4	6.96	1.43	1.38
1	AA	299	G	C2-N3	6.96	1.38	1.32
26	BB	1383	A	C3'-C2'	6.96	1.60	1.52
26	BB	2054	A	C5-C4	-6.96	1.33	1.38
26	BB	2665	A	N3-C4	6.96	1.39	1.34
26	BB	691	C	C2-N3	6.96	1.41	1.35
26	BB	1453	A	C6-N1	6.96	1.40	1.35
26	BB	1721	G	N7-C5	6.96	1.43	1.39
1	AA	1171	A	C6-N1	6.96	1.40	1.35
1	AA	1422	G	C4'-O4'	-6.96	1.36	1.45
26	BB	962	G	P-O5'	6.96	1.66	1.59
26	BB	2389	G	C2-N3	6.96	1.38	1.32
26	BB	2601	C	C5-C6	6.96	1.40	1.34
1	AA	1452	C	C4'-O4'	-6.96	1.36	1.45
26	BB	645	C	O3'-P	6.96	1.69	1.61
26	BB	841	G	C2-N3	6.96	1.38	1.32
26	BB	1717	A	N9-C4	6.96	1.42	1.37
26	BB	2288	A	C5'-C4'	6.96	1.59	1.51
1	AA	419	C	C4-N4	6.96	1.40	1.33
1	AA	735	C	N1-C6	6.96	1.41	1.37
1	AA	1250	A	N3-C4	6.96	1.39	1.34
3	AC	40	G	N7-C5	-6.96	1.35	1.39
26	BB	67	U	C2-N3	6.96	1.42	1.37
26	BB	1290	C	N3-C4	-6.96	1.29	1.33
26	BB	1757	A	C4'-O4'	-6.96	1.36	1.45
1	AA	1491	G	C2'-O2'	-6.96	1.32	1.41
26	BB	12	U	C2'-O2'	-6.96	1.32	1.41
1	AA	337	G	C4'-O4'	-6.95	1.36	1.45
26	BB	1159	U	P-O5'	6.95	1.66	1.59
26	BB	1215	G	N9-C4	6.95	1.43	1.38
26	BB	1686	C	C5-C6	6.95	1.40	1.34
1	AA	1540	U	P-O5'	6.95	1.66	1.59
1	AA	840	C	C4'-O4'	-6.95	1.36	1.45
1	AA	1477	U	C2-N3	6.95	1.42	1.37
26	BB	1068	G	C6-N1	-6.95	1.34	1.39
26	BB	2339	C	C5-C6	6.95	1.40	1.34
1	AA	915	A	C5-C4	-6.95	1.33	1.38
26	BB	44	A	N9-C4	-6.95	1.33	1.37
26	BB	2358	A	C4'-C3'	-6.95	1.45	1.53
26	BB	2496	C	C4'-C3'	-6.95	1.45	1.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2658	C	C2'-C1'	6.95	1.60	1.53
1	AA	1276	G	C8-N7	6.95	1.35	1.30
26	BB	567	U	C5-C6	6.95	1.40	1.34
26	BB	944	C	C4'-C3'	6.95	1.60	1.53
26	BB	2071	A	C4'-O4'	-6.95	1.36	1.45
3	AC	43	U	C4-O4	6.95	1.29	1.23
4	AD	64	G	O3'-P	6.95	1.69	1.61
26	BB	531	C	N3-C4	6.95	1.38	1.33
26	BB	989	G	C2-N3	6.95	1.38	1.32
26	BB	1336	A	N7-C5	6.95	1.43	1.39
1	AA	1462	C	N3-C4	6.94	1.38	1.33
1	AA	1531	A	C6-N1	6.94	1.40	1.35
26	BB	49	A	N3-C4	6.94	1.39	1.34
26	BB	876	C	N1-C6	6.94	1.41	1.37
4	AD	40	C	N3-C4	6.94	1.38	1.33
1	AA	1244	G	C2-N2	-6.94	1.27	1.34
26	BB	1063	G	N9-C4	-6.94	1.32	1.38
26	BB	1565	C	P-O5'	6.94	1.66	1.59
1	AA	774	G	C5-C4	-6.94	1.33	1.38
25	BA	32	U	C4'-O4'	-6.94	1.36	1.45
26	BB	63	A	N3-C4	6.94	1.39	1.34
26	BB	108	G	C6-O6	-6.94	1.18	1.24
26	BB	232	G	C6-O6	6.94	1.30	1.24
26	BB	2087	G	N3-C4	6.94	1.40	1.35
26	BB	2682	A	C2-N3	6.94	1.39	1.33
1	AA	1412	C	N1-C2	6.94	1.47	1.40
1	AA	18	C	P-O5'	6.93	1.66	1.59
1	AA	1186	G	C2'-C1'	6.93	1.60	1.53
1	AA	1187	G	O3'-P	-6.93	1.52	1.61
17	AQ	58	ARG	CZ-NH2	6.93	1.42	1.33
26	BB	675	A	N9-C8	-6.93	1.32	1.37
26	BB	1551	A	O3'-P	-6.93	1.52	1.61
1	AA	1104	G	C2-N3	6.93	1.38	1.32
1	AA	1256	A	N7-C5	6.93	1.43	1.39
26	BB	1850	G	N9-C8	-6.93	1.32	1.37
1	AA	1250	A	C6-N1	-6.93	1.30	1.35
2	AB	69	C	C2'-C1'	6.93	1.60	1.53
26	BB	40	U	C2'-C1'	6.93	1.60	1.53
26	BB	1293	C	O3'-P	6.93	1.69	1.61
26	BB	1659	G	C5-C4	-6.93	1.33	1.38
26	BB	1993	U	C5'-C4'	6.93	1.59	1.51
26	BB	120	U	C3'-C2'	-6.93	1.45	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2229	U	C4'-O4'	-6.93	1.36	1.45
26	BB	1697	G	C3'-C2'	6.93	1.60	1.52
26	BB	1812	U	C4'-O4'	-6.93	1.36	1.45
1	AA	336	A	N3-C4	6.93	1.39	1.34
1	AA	1461	G	C5-C6	6.93	1.49	1.42
26	BB	932	U	N3-C4	6.93	1.44	1.38
26	BB	1051	G	O3'-P	6.93	1.69	1.61
26	BB	2266	A	C5'-C4'	6.93	1.59	1.51
1	AA	1225	A	N3-C4	6.92	1.39	1.34
2	AB	4	G	O3'-P	-6.92	1.52	1.61
3	AC	26	U	C2-N3	6.92	1.42	1.37
26	BB	357	C	N1-C6	6.92	1.41	1.37
26	BB	1904	G	C2-N3	6.92	1.38	1.32
1	AA	40	C	C5'-C4'	6.92	1.59	1.51
26	BB	1890	A	C5'-C4'	6.92	1.59	1.51
1	AA	537	G	C4'-O4'	-6.92	1.36	1.45
1	AA	689	C	C4-N4	6.92	1.40	1.33
1	AA	1134	G	P-O5'	6.92	1.66	1.59
1	AA	1164	G	P-O5'	6.92	1.66	1.59
26	BB	612	G	C6-O6	6.92	1.30	1.24
26	BB	1901	A	C5-C6	6.92	1.47	1.41
1	AA	38	G	N9-C8	-6.92	1.33	1.37
1	AA	1180	A	C2-N3	6.92	1.39	1.33
26	BB	633	A	N3-C4	6.92	1.39	1.34
26	BB	2263	C	C4'-C3'	-6.92	1.45	1.53
1	AA	780	A	C6-N1	-6.92	1.30	1.35
26	BB	84	A	P-O5'	6.92	1.66	1.59
26	BB	530	G	N1-C2	6.92	1.43	1.37
26	BB	2155	U	C5-C6	6.92	1.40	1.34
3	AC	24	A	C4'-O4'	-6.92	1.36	1.45
26	BB	1829	A	C1'-N9	6.92	1.59	1.48
1	AA	1123	U	P-O5'	6.92	1.66	1.59
1	AA	1280	A	C6-N1	6.92	1.40	1.35
2	AB	48	U	N1-C2	6.92	1.44	1.38
26	BB	2856	A	C3'-C2'	6.92	1.60	1.52
1	AA	397	A	N9-C4	6.91	1.42	1.37
26	BB	851	C	N3-C4	6.91	1.38	1.33
26	BB	982	C	P-O5'	6.91	1.66	1.59
26	BB	2464	G	C2'-C1'	-6.91	1.45	1.53
1	AA	1277	C	N1-C2	6.91	1.47	1.40
1	AA	215	C	C4-C5	6.91	1.48	1.43
1	AA	1285	A	P-O5'	6.91	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	397	U	P-O5'	-6.91	1.52	1.59
26	BB	775	G	C2-N3	6.91	1.38	1.32
26	BB	1989	G	C2-N3	6.91	1.38	1.32
26	BB	2003	A	C4'-C3'	6.91	1.60	1.53
26	BB	2280	G	C5-C6	6.91	1.49	1.42
26	BB	2302	U	C5'-C4'	6.91	1.59	1.51
26	BB	2758	A	P-O5'	6.91	1.66	1.59
1	AA	432	A	N7-C5	6.91	1.43	1.39
2	AB	9	A	N9-C4	6.91	1.42	1.37
26	BB	242	G	N9-C8	6.91	1.42	1.37
26	BB	2578	G	C2'-C1'	6.91	1.60	1.53
26	BB	2858	C	C2-O2	-6.91	1.18	1.24
1	AA	799	G	C6-N1	-6.91	1.34	1.39
26	BB	67	U	C5'-C4'	6.91	1.59	1.51
26	BB	494	G	C2-N3	6.91	1.38	1.32
26	BB	2902	C	C4'-C3'	6.91	1.60	1.53
1	AA	582	C	N1-C6	6.91	1.41	1.37
26	BB	1953	A	N7-C5	6.91	1.43	1.39
1	AA	1334	G	C4'-O4'	-6.90	1.36	1.45
26	BB	1496	A	N7-C5	-6.90	1.35	1.39
1	AA	266	G	C6-N1	-6.90	1.34	1.39
1	AA	919	A	C4'-O4'	-6.90	1.36	1.45
26	BB	573	U	P-O5'	6.90	1.66	1.59
26	BB	980	A	N7-C5	6.90	1.43	1.39
26	BB	1434	A	N9-C8	6.90	1.43	1.37
26	BB	1444	G	C2-N3	6.90	1.38	1.32
26	BB	1593	A	C6-N6	6.90	1.39	1.33
26	BB	1833	C	P-O5'	6.90	1.66	1.59
1	AA	1089	G	P-O5'	6.90	1.66	1.59
26	BB	231	A	N9-C4	6.90	1.42	1.37
26	BB	637	A	N3-C4	6.90	1.39	1.34
26	BB	1546	G	C4'-C3'	-6.90	1.45	1.53
26	BB	1657	U	N1-C2	6.90	1.44	1.38
1	AA	197	A	C6-N1	-6.90	1.30	1.35
1	AA	848	C	P-O5'	6.90	1.66	1.59
26	BB	148	U	C2-N3	6.90	1.42	1.37
26	BB	234	U	N1-C2	6.90	1.44	1.38
26	BB	658	U	N3-C4	6.90	1.44	1.38
2	AB	25	C	C2-N3	6.90	1.41	1.35
25	BA	36	C	N3-C4	6.90	1.38	1.33
25	BA	81	G	C8-N7	-6.90	1.26	1.30
26	BB	348	A	P-O5'	6.90	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	882	G	C6-N1	6.90	1.44	1.39
26	BB	2611	C	C4'-O4'	-6.90	1.36	1.45
1	AA	1455	G	N3-C4	6.90	1.40	1.35
1	AA	115	G	N1-C2	6.89	1.43	1.37
1	AA	312	C	C4-C5	6.89	1.48	1.43
1	AA	968	A	N9-C4	6.89	1.42	1.37
26	BB	1404	C	N3-C4	6.89	1.38	1.33
26	BB	1635	A	C4'-O4'	-6.89	1.36	1.45
26	BB	1793	C	C4-C5	6.89	1.48	1.43
26	BB	2857	G	C6-N1	6.89	1.44	1.39
1	AA	79	G	C3'-O3'	6.89	1.51	1.42
1	AA	222	C	C2'-C1'	6.89	1.60	1.53
1	AA	1455	G	N7-C5	6.89	1.43	1.39
26	BB	285	G	C2'-O2'	6.89	1.50	1.41
26	BB	1578	U	N1-C2	6.89	1.44	1.38
26	BB	1945	G	N7-C5	-6.89	1.35	1.39
26	BB	2097	A	O3'-P	-6.89	1.52	1.61
25	BA	7	G	C6-N1	6.89	1.44	1.39
1	AA	672	U	C2'-C1'	6.89	1.60	1.53
4	AD	70	C	N1-C6	6.89	1.41	1.37
26	BB	1148	U	C4'-C3'	6.89	1.60	1.53
26	BB	1868	C	C2-N3	6.89	1.41	1.35
1	AA	24	U	C5'-C4'	6.89	1.59	1.51
1	AA	1098	C	C2-N3	6.89	1.41	1.35
1	AA	1180	A	N3-C4	6.89	1.39	1.34
1	AA	1272	G	N9-C4	-6.89	1.32	1.38
10	AJ	57	GLU	CG-CD	6.89	1.62	1.51
26	BB	632	A	C8-N7	-6.89	1.26	1.31
26	BB	706	A	C6-N6	-6.89	1.28	1.33
26	BB	843	G	O4'-C1'	6.89	1.50	1.41
26	BB	2093	G	C2'-C1'	6.89	1.60	1.53
26	BB	2781	A	C4'-O4'	-6.89	1.36	1.45
1	AA	322	C	N1-C6	6.88	1.41	1.37
1	AA	589	U	C5'-C4'	6.88	1.59	1.51
1	AA	921	U	C2-N3	6.88	1.42	1.37
1	AA	776	G	C5-C4	-6.88	1.33	1.38
26	BB	2380	C	N1-C6	6.88	1.41	1.37
4	AD	24	C	C5'-C4'	6.88	1.59	1.51
26	BB	737	C	C4-C5	6.88	1.48	1.43
26	BB	2061	G	O3'-P	6.88	1.69	1.61
26	BB	2489	U	C4'-O4'	-6.88	1.36	1.45
26	BB	2509	G	C5'-C4'	6.88	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	32	U	C5-C6	6.88	1.40	1.34
26	BB	1107	G	N1-C2	6.88	1.43	1.37
1	AA	127	G	N7-C5	-6.88	1.35	1.39
1	AA	1108	G	P-O5'	6.88	1.66	1.59
1	AA	1535	C	C5'-C4'	6.88	1.59	1.51
26	BB	693	A	N9-C4	6.88	1.42	1.37
26	BB	1034	G	N7-C5	6.88	1.43	1.39
26	BB	2420	C	C2-O2	-6.88	1.18	1.24
1	AA	555	U	N1-C2	6.88	1.44	1.38
26	BB	54	G	C4'-O4'	-6.88	1.36	1.45
26	BB	124	G	N9-C8	6.88	1.42	1.37
26	BB	2568	U	C4'-C3'	-6.88	1.45	1.53
1	AA	530	G	N9-C4	6.87	1.43	1.38
1	AA	571	U	C4'-C3'	6.87	1.60	1.53
1	AA	1013	G	C6-O6	-6.87	1.18	1.24
1	AA	1133	G	C5-C6	6.87	1.49	1.42
1	AA	1349	A	N9-C4	-6.87	1.33	1.37
26	BB	1003	G	C8-N7	-6.87	1.26	1.30
26	BB	1483	G	C2-N3	6.87	1.38	1.32
26	BB	1824	G	C5'-C4'	6.87	1.59	1.51
26	BB	2866	U	C5'-C4'	6.87	1.59	1.51
1	AA	77	A	C4'-O4'	-6.87	1.36	1.45
1	AA	196	A	P-O5'	6.87	1.66	1.59
1	AA	280	C	O3'-P	-6.87	1.52	1.61
26	BB	1523	U	N1-C2	6.87	1.44	1.38
26	BB	1845	G	N7-C5	-6.87	1.35	1.39
26	BB	2126	A	N9-C8	6.87	1.43	1.37
26	BB	2336	A	C3'-C2'	6.87	1.60	1.52
1	AA	117	G	C8-N7	-6.87	1.26	1.30
1	AA	990	C	P-O5'	6.87	1.66	1.59
1	AA	1131	G	C2'-C1'	6.87	1.60	1.53
26	BB	765	C	N3-C4	6.87	1.38	1.33
26	BB	2274	A	C5-C6	6.87	1.47	1.41
26	BB	68	G	O3'-P	6.87	1.69	1.61
26	BB	1104	C	O3'-P	-6.87	1.52	1.61
26	BB	2495	G	C2-N3	6.87	1.38	1.32
1	AA	873	A	N7-C5	6.87	1.43	1.39
1	AA	1028	C	O4'-C1'	6.87	1.50	1.41
26	BB	1698	A	P-O5'	6.87	1.66	1.59
26	BB	2559	C	C4-C5	6.87	1.48	1.43
1	AA	39	G	N7-C5	-6.86	1.35	1.39
25	BA	53	A	C4'-C3'	6.86	1.60	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1252	G	N7-C5	-6.86	1.35	1.39
1	AA	59	A	N1-C2	-6.86	1.28	1.34
1	AA	461	A	C2-N3	6.86	1.39	1.33
1	AA	548	G	C2'-C1'	6.86	1.60	1.53
1	AA	1030	U	N1-C2	6.86	1.44	1.38
1	AA	1399	C	N1-C2	6.86	1.47	1.40
26	BB	644	A	N7-C5	-6.86	1.35	1.39
26	BB	1199	U	C2-N3	6.86	1.42	1.37
26	BB	2248	C	C3'-C2'	6.86	1.60	1.52
26	BB	2282	G	O3'-P	6.86	1.69	1.61
26	BB	2441	U	C4-C5	6.86	1.49	1.43
26	BB	2526	G	O4'-C1'	6.86	1.50	1.41
1	AA	1047	G	C5-C4	-6.86	1.33	1.38
1	AA	1216	A	O3'-P	6.86	1.69	1.61
1	AA	183	C	C4-N4	6.86	1.40	1.33
1	AA	1075	U	C4-C5	6.86	1.49	1.43
26	BB	272	A	N3-C4	6.86	1.39	1.34
26	BB	1673	G	O3'-P	6.86	1.69	1.61
1	AA	386	C	C5-C6	6.86	1.39	1.34
1	AA	812	G	C3'-C2'	6.86	1.60	1.52
26	BB	128	C	P-O5'	6.86	1.66	1.59
26	BB	2169	A	C4'-O4'	-6.86	1.36	1.45
26	BB	2253	G	P-O5'	6.86	1.66	1.59
26	BB	651	G	C8-N7	-6.85	1.26	1.30
26	BB	1166	G	C6-O6	-6.85	1.18	1.24
26	BB	468	G	N7-C5	6.85	1.43	1.39
26	BB	855	G	N3-C4	6.85	1.40	1.35
26	BB	1128	G	C5-C4	-6.85	1.33	1.38
1	AA	1151	A	P-O5'	6.85	1.66	1.59
25	BA	95	U	N1-C6	6.85	1.44	1.38
26	BB	2676	C	C2'-C1'	-6.85	1.45	1.53
1	AA	541	G	N3-C4	-6.85	1.30	1.35
2	AB	34	C	O3'-P	-6.85	1.52	1.61
4	AD	14	A	C3'-O3'	6.85	1.51	1.42
25	BA	7	G	C3'-C2'	6.85	1.60	1.52
26	BB	123	G	C8-N7	-6.85	1.26	1.30
26	BB	245	G	C4'-C3'	6.85	1.60	1.53
26	BB	570	G	C3'-C2'	6.85	1.60	1.52
26	BB	906	U	C4'-C3'	-6.85	1.45	1.53
26	BB	1999	C	N1-C6	6.85	1.41	1.37
26	BB	2574	G	C2'-C1'	6.85	1.60	1.53
1	AA	239	U	P-O5'	6.85	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	995	C	C5-C6	6.85	1.39	1.34
26	BB	1176	U	C3'-C2'	-6.85	1.45	1.52
1	AA	435	A	P-O5'	6.84	1.66	1.59
1	AA	707	U	O3'-P	6.84	1.69	1.61
2	AB	53	G	C5'-C4'	6.84	1.59	1.51
26	BB	434	U	C5'-C4'	6.84	1.59	1.51
26	BB	1224	U	C4-C5	6.84	1.49	1.43
26	BB	1530	G	N7-C5	6.84	1.43	1.39
1	AA	1494	G	C6-N1	-6.84	1.34	1.39
26	BB	1140	C	N3-C4	6.84	1.38	1.33
26	BB	1557	C	C4'-C3'	6.84	1.60	1.53
26	BB	2772	C	N1-C6	6.84	1.41	1.37
1	AA	382	A	N3-C4	6.84	1.39	1.34
26	BB	313	G	O3'-P	6.84	1.69	1.61
26	BB	1349	C	C2'-C1'	6.84	1.60	1.53
26	BB	2391	G	N1-C2	6.84	1.43	1.37
26	BB	2612	C	C4'-O4'	-6.84	1.36	1.45
6	AF	131	ARG	CZ-NH1	6.84	1.42	1.33
26	BB	602	A	C2'-C1'	-6.84	1.45	1.53
26	BB	1283	G	C6-N1	-6.84	1.34	1.39
26	BB	1860	G	P-O5'	6.84	1.66	1.59
26	BB	1938	A	C5'-C4'	6.84	1.59	1.51
1	AA	519	C	C4'-C3'	6.84	1.60	1.53
1	AA	750	C	C4-C5	6.84	1.48	1.43
26	BB	860	U	C5-C6	6.84	1.40	1.34
26	BB	90	U	O3'-P	6.84	1.69	1.61
26	BB	797	G	C4'-O4'	-6.84	1.36	1.45
26	BB	1013	C	P-O5'	6.84	1.66	1.59
26	BB	1667	G	O3'-P	-6.84	1.52	1.61
31	BG	83	PRO	N-CD	-6.84	1.38	1.47
1	AA	528	C	N1-C6	6.83	1.41	1.37
1	AA	845	A	C4'-O4'	-6.83	1.36	1.45
1	AA	1209	C	P-O5'	6.83	1.66	1.59
1	AA	1385	G	C5-C6	6.83	1.49	1.42
26	BB	1013	C	N3-C4	6.83	1.38	1.33
26	BB	1607	C	O3'-P	6.83	1.69	1.61
1	AA	1387	G	N9-C4	6.83	1.43	1.38
26	BB	77	G	O4'-C1'	-6.83	1.32	1.41
26	BB	646	U	C4-C5	6.83	1.49	1.43
26	BB	1674	G	N1-C2	6.83	1.43	1.37
26	BB	1570	A	C6-N1	-6.83	1.30	1.35
26	BB	1875	G	N7-C5	6.83	1.43	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	309	A	N9-C4	-6.83	1.33	1.37
26	BB	698	C	C5-C6	6.83	1.39	1.34
1	AA	951	G	C8-N7	-6.83	1.26	1.30
26	BB	1362	C	C5'-C4'	6.83	1.59	1.51
26	BB	1953	A	P-O5'	6.83	1.66	1.59
26	BB	2569	G	P-O5'	6.83	1.66	1.59
1	AA	655	A	N7-C5	6.83	1.43	1.39
1	AA	980	C	C4'-C3'	-6.83	1.45	1.53
26	BB	1281	G	C8-N7	6.83	1.35	1.30
1	AA	800	G	C2'-O2'	6.83	1.50	1.41
1	AA	1109	C	C5-C6	6.83	1.39	1.34
26	BB	701	G	C6-N1	6.83	1.44	1.39
26	BB	2416	C	C2-N3	6.83	1.41	1.35
26	BB	2458	G	C5-C6	6.83	1.49	1.42
1	AA	762	U	C5-C6	6.82	1.40	1.34
1	AA	1024	G	C4'-O4'	-6.82	1.36	1.45
26	BB	232	G	C4'-C3'	-6.82	1.45	1.53
26	BB	1556	C	P-O5'	6.82	1.66	1.59
26	BB	2215	C	O3'-P	6.82	1.69	1.61
26	BB	2253	G	O3'-P	6.82	1.69	1.61
26	BB	2715	C	C3'-C2'	6.82	1.60	1.52
1	AA	144	G	P-O5'	6.82	1.66	1.59
1	AA	778	G	P-O5'	6.82	1.66	1.59
26	BB	2595	G	P-O5'	-6.82	1.52	1.59
26	BB	2804	U	C4'-O4'	-6.82	1.36	1.45
1	AA	902	G	C2'-O2'	6.82	1.50	1.41
26	BB	619	G	P-O5'	6.82	1.66	1.59
26	BB	663	G	C5-C4	6.82	1.43	1.38
26	BB	1301	A	C5-C6	6.82	1.47	1.41
26	BB	1585	C	C5-C6	6.82	1.39	1.34
26	BB	2663	G	C2'-C1'	-6.82	1.45	1.53
26	BB	1719	G	N1-C2	6.82	1.43	1.37
1	AA	507	C	C4'-C3'	6.82	1.60	1.53
1	AA	722	G	N9-C8	-6.82	1.33	1.37
1	AA	810	C	C5'-C4'	6.82	1.59	1.51
1	AA	825	A	C6-N1	6.82	1.40	1.35
26	BB	1457	U	C4'-O4'	-6.82	1.36	1.45
26	BB	1773	A	C5-C4	-6.82	1.33	1.38
26	BB	1786	A	O3'-P	6.82	1.69	1.61
26	BB	1337	G	N9-C8	6.82	1.42	1.37
26	BB	2336	A	C5'-C4'	6.82	1.59	1.51
1	AA	534	U	P-O5'	6.81	1.66	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	187	G	O3'-P	6.81	1.69	1.61
26	BB	2341	G	C5'-C4'	6.81	1.59	1.51
26	BB	2596	U	P-O5'	6.81	1.66	1.59
1	AA	276	G	N1-C2	6.81	1.43	1.37
1	AA	593	U	C4-C5	6.81	1.49	1.43
26	BB	1260	A	C5-C6	6.81	1.47	1.41
26	BB	1051	G	C5'-C4'	6.81	1.59	1.51
26	BB	1157	G	P-O5'	6.81	1.66	1.59
26	BB	1552	A	N3-C4	6.81	1.39	1.34
1	AA	26	A	N9-C8	6.81	1.43	1.37
1	AA	247	G	P-O5'	6.81	1.66	1.59
25	BA	70	C	P-O5'	6.81	1.66	1.59
26	BB	1098	A	N9-C8	-6.81	1.32	1.37
26	BB	2650	U	P-O5'	6.81	1.66	1.59
2	AB	40	C	C5-C6	6.81	1.39	1.34
25	BA	25	U	C2-N3	-6.81	1.32	1.37
26	BB	743	A	C4'-O4'	-6.81	1.36	1.45
26	BB	896	A	C6-N6	-6.81	1.28	1.33
26	BB	1517	G	C2'-C1'	6.81	1.60	1.53
1	AA	584	G	C5-C6	6.81	1.49	1.42
1	AA	1097	C	C4-N4	6.81	1.40	1.33
26	BB	641	U	C5'-C4'	6.81	1.59	1.51
1	AA	1271	A	C2'-C1'	-6.80	1.45	1.53
26	BB	27	G	C6-N1	6.80	1.44	1.39
26	BB	322	A	C6-N1	6.80	1.40	1.35
26	BB	390	U	C5'-C4'	6.80	1.59	1.51
26	BB	1785	A	C8-N7	-6.80	1.26	1.31
1	AA	759	A	N7-C5	6.80	1.43	1.39
26	BB	743	A	C5-C4	-6.80	1.33	1.38
1	AA	940	C	C4-C5	-6.80	1.37	1.43
1	AA	1374	A	O3'-P	6.80	1.69	1.61
2	AB	19	G	P-O5'	6.80	1.66	1.59
26	BB	766	U	C2-N3	6.80	1.42	1.37
26	BB	383	C	C2-N3	6.80	1.41	1.35
26	BB	1343	G	N9-C8	6.80	1.42	1.37
1	AA	499	A	C2-N3	-6.80	1.27	1.33
1	AA	1396	A	P-O5'	6.80	1.66	1.59
26	BB	553	G	O3'-P	6.80	1.69	1.61
26	BB	846	U	N1-C2	6.80	1.44	1.38
26	BB	1664	A	N7-C5	6.80	1.43	1.39
26	BB	1828	G	C5'-C4'	6.80	1.59	1.51
26	BB	2265	U	C4-O4	-6.80	1.18	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2354	C	N3-C4	6.80	1.38	1.33
26	BB	2568	U	C2-O2	6.80	1.28	1.22
1	AA	186	C	C2-N3	6.79	1.41	1.35
1	AA	219	U	C5-C6	6.79	1.40	1.34
26	BB	1980	G	C5-C6	6.79	1.49	1.42
26	BB	2549	G	C8-N7	-6.79	1.26	1.30
26	BB	2562	U	C2-O2	6.79	1.28	1.22
1	AA	355	C	C5'-C4'	6.79	1.59	1.51
1	AA	565	U	C3'-C2'	6.79	1.60	1.52
1	AA	673	A	N3-C4	6.79	1.39	1.34
1	AA	892	A	C6-N1	6.79	1.40	1.35
4	AD	27	G	C3'-C2'	-6.79	1.45	1.52
4	AD	65	G	P-O5'	6.79	1.66	1.59
26	BB	840	C	N1-C2	6.79	1.47	1.40
26	BB	1762	A	C8-N7	-6.79	1.26	1.31
25	BA	44	G	N7-C5	6.79	1.43	1.39
26	BB	1231	U	C3'-C2'	6.79	1.60	1.52
1	AA	789	U	C5'-C4'	6.79	1.59	1.51
26	BB	60	G	P-O5'	6.79	1.66	1.59
26	BB	326	G	N9-C8	6.79	1.42	1.37
26	BB	519	U	C4-O4	-6.79	1.18	1.23
26	BB	985	C	C5-C6	-6.79	1.28	1.34
26	BB	1616	A	C6-N6	6.79	1.39	1.33
26	BB	2104	C	P-O5'	6.79	1.66	1.59
1	AA	182	A	C2-N3	6.79	1.39	1.33
26	BB	2381	A	N1-C2	6.79	1.40	1.34
1	AA	259	G	P-O5'	6.79	1.66	1.59
1	AA	470	C	P-O5'	6.79	1.66	1.59
1	AA	1032	G	P-O5'	6.79	1.66	1.59
1	AA	1126	U	C2'-C1'	6.79	1.60	1.53
26	BB	1403	A	C5'-C4'	6.79	1.59	1.51
55	B4	48	TYR	CB-CG	6.79	1.61	1.51
1	AA	151	A	N3-C4	6.78	1.39	1.34
26	BB	1328	A	N3-C4	6.78	1.39	1.34
26	BB	1877	A	C4'-O4'	-6.78	1.36	1.45
26	BB	2107	G	N3-C4	6.78	1.40	1.35
1	AA	570	G	C4'-O4'	-6.78	1.36	1.45
26	BB	457	A	P-O5'	6.78	1.66	1.59
26	BB	704	G	N7-C5	6.78	1.43	1.39
26	BB	1004	U	O3'-P	6.78	1.69	1.61
26	BB	1304	A	C3'-C2'	6.78	1.60	1.52
26	BB	1334	G	C5-C6	6.78	1.49	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	886	A	C4'-O4'	-6.78	1.36	1.45
26	BB	1273	U	C4-C5	6.78	1.49	1.43
26	BB	1433	A	P-O5'	6.78	1.66	1.59
26	BB	1485	U	C2-N3	6.78	1.42	1.37
1	AA	949	A	N3-C4	6.78	1.39	1.34
1	AA	1190	G	C6-N1	6.78	1.44	1.39
26	BB	8	C	C2'-C1'	6.78	1.60	1.53
26	BB	30	G	C2-N3	6.78	1.38	1.32
26	BB	113	U	C4-O4	-6.78	1.18	1.23
26	BB	348	A	N3-C4	6.78	1.39	1.34
26	BB	864	G	O3'-P	6.78	1.69	1.61
26	BB	1960	A	N9-C8	-6.78	1.32	1.37
1	AA	40	C	N1-C6	6.78	1.41	1.37
26	BB	2487	G	N9-C8	-6.78	1.33	1.37
26	BB	2050	C	C2-N3	-6.77	1.30	1.35
26	BB	2354	C	P-O5'	6.77	1.66	1.59
1	AA	35	G	C3'-C2'	6.77	1.60	1.52
25	BA	5	U	C2-N3	6.77	1.42	1.37
26	BB	91	A	C6-N6	6.77	1.39	1.33
26	BB	146	A	N9-C8	-6.77	1.32	1.37
26	BB	324	A	C4'-C3'	6.77	1.60	1.53
26	BB	1042	G	P-O5'	6.77	1.66	1.59
26	BB	1597	A	N3-C4	6.77	1.39	1.34
26	BB	1897	G	O3'-P	6.77	1.69	1.61
26	BB	2466	C	C3'-C2'	-6.77	1.45	1.52
43	BS	24	TYR	CE2-CZ	6.77	1.47	1.38
26	BB	1954	G	N7-C5	6.77	1.43	1.39
1	AA	196	A	O3'-P	6.77	1.69	1.61
1	AA	324	G	N3-C4	6.77	1.40	1.35
1	AA	650	G	C6-N1	6.77	1.44	1.39
1	AA	1284	C	O3'-P	6.77	1.69	1.61
1	AA	1495	U	C5'-C4'	6.77	1.59	1.51
26	BB	702	U	N1-C2	6.77	1.44	1.38
26	BB	1142	A	C4'-O4'	-6.77	1.36	1.45
26	BB	2872	A	P-O5'	6.77	1.66	1.59
1	AA	190	A	N9-C4	-6.77	1.33	1.37
1	AA	303	A	C8-N7	-6.77	1.26	1.31
1	AA	1252	A	C2-N3	6.77	1.39	1.33
26	BB	30	G	N1-C2	6.77	1.43	1.37
26	BB	2636	C	N3-C4	6.77	1.38	1.33
1	AA	89	U	C2'-C1'	6.77	1.60	1.53
26	BB	275	C	C2-N3	-6.77	1.30	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1008	A	P-O5'	-6.77	1.52	1.59
26	BB	1439	A	P-O5'	6.77	1.66	1.59
26	BB	1992	G	C2-N3	6.77	1.38	1.32
1	AA	581	G	C5-C6	6.76	1.49	1.42
1	AA	596	A	O3'-P	-6.76	1.53	1.61
26	BB	410	G	C5-C6	6.76	1.49	1.42
26	BB	1408	G	N9-C8	6.76	1.42	1.37
26	BB	1413	A	C5'-C4'	6.76	1.59	1.51
26	BB	1678	A	N9-C4	6.76	1.42	1.37
26	BB	1965	C	C5'-C4'	6.76	1.59	1.51
1	AA	41	G	C5'-C4'	6.76	1.59	1.51
1	AA	947	G	C8-N7	-6.76	1.26	1.30
26	BB	79	C	C4-C5	-6.76	1.37	1.43
26	BB	680	C	O3'-P	6.76	1.69	1.61
26	BB	2086	U	P-O5'	-6.76	1.52	1.59
1	AA	460	A	N9-C4	-6.76	1.33	1.37
1	AA	699	C	C4'-C3'	6.76	1.60	1.53
1	AA	1114	C	C4-N4	6.76	1.40	1.33
26	BB	1732	C	N1-C6	6.76	1.41	1.37
1	AA	1122	U	C5'-C4'	6.76	1.59	1.51
1	AA	1506	U	N3-C4	6.76	1.44	1.38
2	AB	10	G	C5-C4	6.76	1.43	1.38
26	BB	1730	C	P-O5'	6.76	1.66	1.59
26	BB	2000	C	C4'-O4'	-6.76	1.36	1.45
26	BB	2560	A	N3-C4	6.76	1.39	1.34
26	BB	2624	G	N3-C4	6.76	1.40	1.35
26	BB	959	A	C2'-C1'	-6.76	1.46	1.53
26	BB	2403	C	C5-C6	6.76	1.39	1.34
1	AA	819	A	C6-N1	-6.76	1.30	1.35
1	AA	1186	G	N3-C4	6.76	1.40	1.35
26	BB	1895	C	C2-N3	-6.76	1.30	1.35
26	BB	2178	C	N1-C6	6.76	1.41	1.37
26	BB	2454	G	P-O5'	6.76	1.66	1.59
1	AA	1266	G	N7-C5	-6.75	1.35	1.39
1	AA	1332	A	N7-C5	6.75	1.43	1.39
5	AE	21	TYR	CB-CG	-6.75	1.41	1.51
26	BB	2675	A	C2'-C1'	6.75	1.60	1.53
1	AA	344	A	N7-C5	-6.75	1.35	1.39
1	AA	930	C	C2-N3	6.75	1.41	1.35
26	BB	1043	C	C5'-C4'	6.75	1.59	1.51
26	BB	1881	C	C4-C5	6.75	1.48	1.43
26	BB	2631	G	C8-N7	-6.75	1.26	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	592	G	C2-N3	6.75	1.38	1.32
1	AA	1281	C	N1-C6	6.75	1.41	1.37
1	AA	1282	C	C5-C6	6.75	1.39	1.34
26	BB	628	G	N1-C2	6.75	1.43	1.37
26	BB	2078	C	N1-C6	-6.75	1.33	1.37
38	BN	40	SER	CB-OG	6.75	1.51	1.42
25	BA	80	U	C5-C6	6.75	1.40	1.34
26	BB	2022	U	C4'-C3'	6.75	1.60	1.53
26	BB	2690	U	C4'-C3'	6.75	1.60	1.53
1	AA	483	C	C4'-O4'	-6.75	1.36	1.45
1	AA	712	A	C6-N6	-6.75	1.28	1.33
1	AA	877	G	C8-N7	6.75	1.34	1.30
1	AA	1046	A	C4'-C3'	-6.75	1.45	1.53
1	AA	1308	U	N1-C2	6.75	1.44	1.38
1	AA	1401	G	C1'-N9	6.75	1.58	1.48
2	AB	58	A	N9-C4	6.75	1.41	1.37
25	BA	53	A	C6-N1	-6.75	1.30	1.35
26	BB	1784	A	C6-N6	6.75	1.39	1.33
26	BB	1932	A	N9-C4	-6.75	1.33	1.37
26	BB	2280	G	N3-C4	6.75	1.40	1.35
1	AA	104	G	C4'-O4'	-6.75	1.36	1.45
26	BB	2239	G	P-O5'	-6.75	1.53	1.59
26	BB	2830	C	O3'-P	6.75	1.69	1.61
1	AA	1055	A	N3-C4	6.75	1.38	1.34
25	BA	9	G	C4'-C3'	6.75	1.60	1.53
1	AA	339	C	C2-N3	6.74	1.41	1.35
1	AA	821	G	N9-C4	-6.74	1.32	1.38
1	AA	954	G	O3'-P	6.74	1.69	1.61
1	AA	1180	A	C5'-C4'	6.74	1.59	1.51
1	AA	1359	C	C2-N3	6.74	1.41	1.35
26	BB	2437	G	P-O5'	6.74	1.66	1.59
1	AA	236	A	C8-N7	-6.74	1.26	1.31
1	AA	564	C	N1-C6	6.74	1.41	1.37
1	AA	1267	C	P-O5'	6.74	1.66	1.59
2	AB	30	G	O3'-P	6.74	1.69	1.61
6	AF	168	ARG	CZ-NH1	6.74	1.41	1.33
26	BB	144	A	C3'-C2'	6.74	1.60	1.52
26	BB	278	A	C8-N7	-6.74	1.26	1.31
26	BB	521	U	C4-C5	6.74	1.49	1.43
26	BB	1423	G	P-O5'	6.74	1.66	1.59
26	BB	2484	G	O3'-P	6.74	1.69	1.61
1	AA	1019	A	O3'-P	6.74	1.69	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	41	C	C2-O2	-6.74	1.18	1.24
26	BB	2207	C	N1-C6	6.74	1.41	1.37
1	AA	1260	G	C5'-C4'	6.74	1.59	1.51
25	BA	2	G	N9-C8	6.74	1.42	1.37
26	BB	1568	G	N3-C4	6.74	1.40	1.35
26	BB	2830	C	C5-C6	6.74	1.39	1.34
1	AA	1342	C	P-O5'	6.74	1.66	1.59
26	BB	1216	G	N1-C2	6.74	1.43	1.37
26	BB	2068	U	N1-C6	6.74	1.44	1.38
26	BB	2379	G	N7-C5	6.74	1.43	1.39
25	BA	22	U	C5-C6	6.73	1.40	1.34
26	BB	25	U	P-O5'	-6.73	1.53	1.59
26	BB	2569	G	C5'-C4'	-6.73	1.43	1.51
25	BA	64	G	N9-C4	6.73	1.43	1.38
26	BB	145	C	N3-C4	6.73	1.38	1.33
1	AA	432	A	C6-N6	6.73	1.39	1.33
1	AA	673	A	C2'-C1'	-6.73	1.46	1.53
1	AA	729	A	C5-C4	-6.73	1.34	1.38
1	AA	1294	G	C2-N3	6.73	1.38	1.32
1	AA	1308	U	C3'-C2'	6.73	1.60	1.52
26	BB	1211	C	N1-C6	-6.73	1.33	1.37
26	BB	1324	G	C2-N3	6.73	1.38	1.32
1	AA	706	A	C8-N7	6.73	1.36	1.31
1	AA	1268	G	C4'-O4'	-6.73	1.36	1.45
26	BB	715	A	C5'-C4'	6.73	1.59	1.51
26	BB	760	G	C8-N7	-6.73	1.26	1.30
26	BB	1677	A	P-O5'	6.73	1.66	1.59
26	BB	2199	A	P-O5'	6.73	1.66	1.59
26	BB	1014	A	C2-N3	6.73	1.39	1.33
26	BB	1243	C	N1-C2	-6.73	1.33	1.40
26	BB	2719	G	N7-C5	-6.73	1.35	1.39
1	AA	121	U	C4-C5	6.72	1.49	1.43
1	AA	481	G	C8-N7	-6.72	1.26	1.30
1	AA	1018	G	C4'-C3'	-6.72	1.45	1.53
26	BB	1158	C	N1-C6	6.72	1.41	1.37
26	BB	1570	A	N3-C4	6.72	1.38	1.34
1	AA	709	U	O3'-P	6.72	1.69	1.61
26	BB	1829	A	C2'-C1'	-6.72	1.46	1.53
26	BB	2053	G	N7-C5	6.72	1.43	1.39
26	BB	2192	U	C2'-O2'	-6.72	1.32	1.41
26	BB	2562	U	N1-C6	6.72	1.44	1.38
1	AA	354	G	N1-C2	6.72	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	536	C	C4-C5	6.72	1.48	1.43
26	BB	575	A	C6-N1	-6.72	1.30	1.35
26	BB	652	U	C5'-C4'	6.72	1.59	1.51
26	BB	1575	C	C2'-C1'	-6.72	1.46	1.53
1	AA	695	A	N3-C4	6.72	1.38	1.34
1	AA	703	G	O3'-P	6.72	1.69	1.61
1	AA	1072	G	C2-N2	-6.72	1.27	1.34
1	AA	1377	A	P-O5'	6.72	1.66	1.59
26	BB	1422	G	O3'-P	6.72	1.69	1.61
1	AA	538	G	N9-C4	6.72	1.43	1.38
25	BA	89	U	C2-N3	6.72	1.42	1.37
26	BB	144	A	C6-N6	6.72	1.39	1.33
26	BB	1916	A	C2'-C1'	-6.72	1.46	1.53
1	AA	473	U	C5-C6	6.72	1.40	1.34
1	AA	840	C	O3'-P	6.72	1.69	1.61
1	AA	1236	A	C3'-O3'	-6.72	1.32	1.42
1	AA	1328	C	N3-C4	6.72	1.38	1.33
4	AD	23	G	C3'-O3'	6.72	1.51	1.42
26	BB	890	C	C3'-C2'	6.72	1.60	1.52
26	BB	1209	U	O3'-P	6.72	1.69	1.61
26	BB	2316	G	C3'-C2'	6.72	1.60	1.52
1	AA	1202	U	C4-C5	6.71	1.49	1.43
1	AA	1374	A	N3-C4	-6.71	1.30	1.34
1	AA	1412	C	N3-C4	-6.71	1.29	1.33
2	AB	4	G	C2-N3	6.71	1.38	1.32
26	BB	102	U	C5'-C4'	6.71	1.59	1.51
26	BB	386	G	C2'-C1'	6.71	1.60	1.53
26	BB	928	A	N3-C4	6.71	1.38	1.34
26	BB	1740	G	C5-C4	6.71	1.43	1.38
26	BB	1776	G	C4'-O4'	-6.71	1.36	1.45
1	AA	213	G	C6-N1	6.71	1.44	1.39
1	AA	249	U	C2-N3	6.71	1.42	1.37
1	AA	256	U	C2-N3	6.71	1.42	1.37
26	BB	1724	G	C4'-O4'	-6.71	1.36	1.45
26	BB	2757	A	C5-C4	-6.71	1.34	1.38
1	AA	545	C	N3-C4	6.71	1.38	1.33
1	AA	829	G	N1-C2	6.71	1.43	1.37
26	BB	237	C	C2-N3	6.71	1.41	1.35
26	BB	1932	A	C5'-C4'	6.71	1.59	1.51
1	AA	1185	G	N9-C4	-6.71	1.32	1.38
26	BB	34	U	C4'-O4'	-6.71	1.36	1.45
26	BB	775	G	N3-C4	6.71	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1149	G	N1-C2	6.71	1.43	1.37
26	BB	1381	G	C5-C6	6.71	1.49	1.42
26	BB	2638	G	N9-C4	6.71	1.43	1.38
26	BB	1972	G	C2-N3	6.71	1.38	1.32
26	BB	2335	A	N3-C4	6.71	1.38	1.34
26	BB	2600	A	C3'-O3'	-6.71	1.32	1.42
1	AA	130	A	O3'-P	-6.71	1.53	1.61
1	AA	533	A	C6-N6	-6.71	1.28	1.33
1	AA	1343	G	C5-C6	6.71	1.49	1.42
1	AA	1375	A	O3'-P	6.71	1.69	1.61
25	BA	69	G	C5'-C4'	6.71	1.59	1.51
26	BB	1668	A	P-O5'	-6.71	1.53	1.59
26	BB	1983	G	C5'-C4'	6.71	1.59	1.51
26	BB	2345	G	C5'-C4'	6.71	1.59	1.51
26	BB	880	G	N3-C4	6.71	1.40	1.35
26	BB	110	G	C2-N3	6.70	1.38	1.32
26	BB	701	G	O3'-P	6.70	1.69	1.61
26	BB	990	A	N7-C5	6.70	1.43	1.39
26	BB	1643	G	C6-O6	6.70	1.30	1.24
26	BB	2558	C	C2'-C1'	6.70	1.60	1.53
1	AA	183	C	N1-C6	6.70	1.41	1.37
1	AA	548	G	C8-N7	6.70	1.34	1.30
4	AD	27	G	N1-C2	6.70	1.43	1.37
26	BB	2212	A	C5-C6	6.70	1.47	1.41
1	AA	490	C	N3-C4	6.70	1.38	1.33
1	AA	502	A	N3-C4	6.70	1.38	1.34
1	AA	1380	U	P-O5'	6.70	1.66	1.59
26	BB	63	A	C2'-C1'	6.70	1.60	1.53
26	BB	94	A	C6-N1	-6.70	1.30	1.35
26	BB	1212	G	C5-C6	6.70	1.49	1.42
26	BB	2142	A	C6-N1	-6.70	1.30	1.35
1	AA	21	G	C2-N3	6.70	1.38	1.32
4	AD	7	G	N1-C2	6.70	1.43	1.37
26	BB	53	A	C8-N7	-6.70	1.26	1.31
26	BB	363	G	N9-C4	6.70	1.43	1.38
26	BB	934	U	C4'-O4'	-6.70	1.36	1.45
26	BB	1244	A	C5-C4	-6.70	1.34	1.38
26	BB	1426	G	C6-O6	-6.70	1.18	1.24
26	BB	2409	G	C2-N3	6.70	1.38	1.32
26	BB	2524	G	C2'-C1'	-6.70	1.46	1.53
26	BB	2554	U	O4'-C1'	6.70	1.50	1.41
26	BB	1421	G	C6-N1	6.70	1.44	1.39

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1480	C	O4'-C1'	6.70	1.50	1.41
26	BB	2644	G	P-O5'	6.70	1.66	1.59
26	BB	2317	A	P-O5'	6.70	1.66	1.59
1	AA	574	A	C5-C4	-6.69	1.34	1.38
1	AA	106	C	N3-C4	6.69	1.38	1.33
1	AA	357	G	N1-C2	6.69	1.43	1.37
1	AA	866	C	C4-N4	-6.69	1.27	1.33
26	BB	430	A	N3-C4	6.69	1.38	1.34
26	BB	1370	C	N1-C6	6.69	1.41	1.37
26	BB	1953	A	C4'-C3'	6.69	1.60	1.53
26	BB	2863	C	C2-N3	6.69	1.41	1.35
1	AA	174	A	N9-C4	-6.69	1.33	1.37
1	AA	819	A	C5-C4	-6.69	1.34	1.38
1	AA	856	C	N1-C6	6.69	1.41	1.37
26	BB	1475	G	C6-N1	6.69	1.44	1.39
26	BB	2007	U	C5'-C4'	6.69	1.59	1.51
25	BA	52	A	C5'-C4'	6.69	1.59	1.51
1	AA	866	C	C2-O2	-6.69	1.18	1.24
4	AD	69	C	C2-N3	6.69	1.41	1.35
26	BB	91	A	C8-N7	6.69	1.36	1.31
26	BB	741	U	C2-N3	6.69	1.42	1.37
26	BB	953	G	C5-C6	6.69	1.49	1.42
26	BB	1215	G	C2'-O2'	6.69	1.50	1.41
26	BB	1894	C	P-O5'	6.69	1.66	1.59
1	AA	179	A	O3'-P	6.69	1.69	1.61
1	AA	587	G	P-O5'	6.68	1.66	1.59
1	AA	819	A	N9-C8	6.68	1.43	1.37
26	BB	780	G	P-O5'	6.68	1.66	1.59
26	BB	1972	G	C6-O6	-6.68	1.18	1.24
1	AA	172	A	C8-N7	-6.68	1.26	1.31
1	AA	398	U	C2-N3	6.68	1.42	1.37
1	AA	755	G	C2-N2	6.68	1.41	1.34
1	AA	914	A	N9-C4	-6.68	1.33	1.37
1	AA	1540	U	C2-N3	6.68	1.42	1.37
3	AC	56	G	N9-C4	6.68	1.43	1.38
25	BA	96	G	N9-C8	-6.68	1.33	1.37
26	BB	1619	G	N7-C5	6.68	1.43	1.39
1	AA	115	G	N9-C8	6.68	1.42	1.37
26	BB	85	G	N9-C4	6.68	1.43	1.38
26	BB	2070	A	N7-C5	-6.68	1.35	1.39
26	BB	2434	A	P-O5'	6.68	1.66	1.59
26	BB	2592	G	C5'-C4'	6.68	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	837	U	C5-C6	6.68	1.40	1.34
1	AA	852	G	N3-C4	-6.68	1.30	1.35
1	AA	1036	A	C2'-C1'	6.68	1.60	1.53
2	AB	14	A	P-O5'	6.68	1.66	1.59
26	BB	57	C	C5'-C4'	6.68	1.59	1.51
26	BB	73	A	C5-C6	6.68	1.47	1.41
26	BB	135	U	C4'-O4'	-6.68	1.36	1.45
26	BB	180	G	N7-C5	6.68	1.43	1.39
26	BB	1992	G	N3-C4	6.68	1.40	1.35
26	BB	2242	G	C5-C4	-6.68	1.33	1.38
26	BB	2521	C	P-O5'	6.68	1.66	1.59
41	BQ	99	TYR	CE2-CZ	6.68	1.47	1.38
1	AA	1255	G	C8-N7	-6.68	1.26	1.30
26	BB	1003	G	C2'-C1'	-6.68	1.46	1.53
26	BB	1945	G	C5-C4	-6.68	1.33	1.38
26	BB	2043	C	C4-C5	6.68	1.48	1.43
26	BB	2362	C	N1-C6	6.68	1.41	1.37
1	AA	951	G	C2-N3	6.68	1.38	1.32
1	AA	1026	G	C2-N3	6.68	1.38	1.32
26	BB	1128	G	N9-C8	6.68	1.42	1.37
26	BB	1977	A	N7-C5	6.68	1.43	1.39
2	AB	12	U	C4'-O4'	-6.67	1.36	1.45
26	BB	622	G	P-O5'	6.67	1.66	1.59
1	AA	1237	C	C4'-O4'	-6.67	1.36	1.45
1	AA	1384	C	N1-C2	6.67	1.46	1.40
26	BB	2045	C	C4-N4	6.67	1.40	1.33
26	BB	2570	G	O3'-P	6.67	1.69	1.61
1	AA	648	A	O3'-P	6.67	1.69	1.61
1	AA	732	C	C5-C6	6.67	1.39	1.34
1	AA	1101	A	C6-N6	6.67	1.39	1.33
1	AA	1469	C	C5'-C4'	6.67	1.59	1.51
26	BB	1745	A	C5-C4	6.67	1.43	1.38
26	BB	1195	G	C6-O6	-6.67	1.18	1.24
26	BB	2361	G	C6-N1	-6.67	1.34	1.39
26	BB	2363	G	N1-C2	6.67	1.43	1.37
25	BA	85	G	N7-C5	-6.67	1.35	1.39
26	BB	407	G	C6-N1	6.67	1.44	1.39
26	BB	1704	C	N3-C4	6.67	1.38	1.33
1	AA	24	U	N3-C4	6.67	1.44	1.38
4	AD	2	G	C3'-C2'	6.67	1.60	1.52
26	BB	236	C	N1-C2	6.67	1.46	1.40
26	BB	577	G	N1-C2	6.67	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1055	G	C2-N3	6.67	1.38	1.32
26	BB	2109	U	N1-C2	6.67	1.44	1.38
26	BB	2497	A	N3-C4	6.67	1.38	1.34
26	BB	2822	G	O3'-P	6.67	1.69	1.61
1	AA	68	G	C5-C4	6.67	1.43	1.38
1	AA	817	C	N1-C6	6.67	1.41	1.37
1	AA	844	G	C6-N1	-6.67	1.34	1.39
26	BB	341	C	C4'-O4'	-6.67	1.36	1.45
26	BB	402	A	P-O5'	6.67	1.66	1.59
26	BB	1539	U	P-O5'	-6.67	1.53	1.59
26	BB	1633	G	N3-C4	6.67	1.40	1.35
26	BB	2391	G	C6-N1	-6.67	1.34	1.39
1	AA	156	C	N1-C6	6.66	1.41	1.37
1	AA	509	A	C2'-C1'	6.66	1.60	1.53
1	AA	625	U	C3'-C2'	6.66	1.60	1.52
26	BB	926	G	C2'-C1'	6.66	1.60	1.53
26	BB	2339	C	P-O5'	6.66	1.66	1.59
26	BB	2838	G	C2-N3	6.66	1.38	1.32
1	AA	49	U	C5'-C4'	6.66	1.59	1.51
1	AA	1480	A	C5-C4	-6.66	1.34	1.38
26	BB	1437	C	C4'-O4'	-6.66	1.36	1.45
26	BB	1559	U	C5-C6	6.66	1.40	1.34
1	AA	430	A	N3-C4	6.66	1.38	1.34
1	AA	958	A	C8-N7	-6.66	1.26	1.31
4	AD	6	G	P-O5'	6.66	1.66	1.59
26	BB	27	G	C2-N3	6.66	1.38	1.32
1	AA	403	C	P-O5'	6.66	1.66	1.59
1	AA	804	U	N1-C2	6.66	1.44	1.38
26	BB	1275	A	N3-C4	6.66	1.38	1.34
26	BB	1651	G	C4'-C3'	-6.66	1.45	1.53
26	BB	2525	G	C4'-O4'	-6.66	1.36	1.45
1	AA	710	G	C8-N7	-6.66	1.26	1.30
26	BB	2124	G	O3'-P	-6.66	1.53	1.61
1	AA	1359	C	N1-C6	6.66	1.41	1.37
26	BB	1257	C	C4-C5	6.66	1.48	1.43
26	BB	1658	C	O3'-P	-6.66	1.53	1.61
26	BB	1745	A	N7-C5	-6.66	1.35	1.39
26	BB	2670	A	P-O5'	6.65	1.66	1.59
1	AA	782	A	N7-C5	-6.65	1.35	1.39
26	BB	283	G	C5-C4	-6.65	1.33	1.38
26	BB	2839	G	C6-N1	6.65	1.44	1.39
2	AB	66	C	C2-N3	6.65	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	79	G	C8-N7	-6.65	1.26	1.30
25	BA	117	G	C8-N7	-6.65	1.26	1.30
1	AA	438	U	C2-N3	6.65	1.42	1.37
1	AA	532	A	C6-N6	-6.65	1.28	1.33
1	AA	1037	C	C2-N3	6.65	1.41	1.35
1	AA	1093	A	N7-C5	6.65	1.43	1.39
26	BB	334	C	C4'-O4'	-6.65	1.36	1.45
26	BB	1389	G	C3'-C2'	6.65	1.60	1.52
26	BB	1646	C	C4-C5	6.65	1.48	1.43
26	BB	1656	C	P-O5'	6.65	1.66	1.59
26	BB	2205	A	P-O5'	6.65	1.66	1.59
1	AA	26	A	N3-C4	6.65	1.38	1.34
1	AA	189	A	C5-C4	6.65	1.43	1.38
1	AA	1090	U	C4'-C3'	6.65	1.60	1.53
26	BB	1622	G	N9-C8	6.65	1.42	1.37
26	BB	1892	C	C3'-O3'	6.65	1.51	1.42
26	BB	2509	G	N1-C2	6.65	1.43	1.37
1	AA	915	A	N3-C4	6.64	1.38	1.34
1	AA	1180	A	C5-C6	6.64	1.47	1.41
1	AA	1191	A	C5-C6	6.64	1.47	1.41
26	BB	47	C	N3-C4	6.64	1.38	1.33
26	BB	172	A	N9-C4	6.64	1.41	1.37
26	BB	815	C	C5'-C4'	6.64	1.59	1.51
26	BB	937	C	C2'-C1'	-6.64	1.46	1.53
26	BB	1808	A	N7-C5	-6.64	1.35	1.39
26	BB	2015	A	P-O5'	6.64	1.66	1.59
26	BB	202	U	C4'-O4'	-6.64	1.36	1.45
26	BB	918	A	C8-N7	-6.64	1.26	1.31
26	BB	1223	G	C5'-C4'	6.64	1.59	1.51
26	BB	1659	G	N1-C2	6.64	1.43	1.37
26	BB	2874	C	C2'-C1'	6.64	1.60	1.53
1	AA	10	A	C5'-C4'	6.64	1.59	1.51
1	AA	108	G	C6-O6	6.64	1.30	1.24
1	AA	1114	C	N3-C4	6.64	1.38	1.33
26	BB	740	C	C5'-C4'	6.64	1.59	1.51
26	BB	753	A	C6-N6	-6.64	1.28	1.33
26	BB	1236	G	N7-C5	6.64	1.43	1.39
26	BB	2271	G	N7-C5	-6.64	1.35	1.39
1	AA	1031	C	C3'-C2'	-6.64	1.45	1.52
26	BB	2293	G	N7-C5	6.64	1.43	1.39
38	BN	139	GLY	CA-C	6.64	1.62	1.51
1	AA	770	C	C2-N3	6.63	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1521	G	N3-C4	-6.63	1.30	1.35
25	BA	57	A	N9-C4	6.63	1.41	1.37
1	AA	127	G	P-O5'	-6.63	1.53	1.59
1	AA	451	A	P-O5'	6.63	1.66	1.59
26	BB	447	A	C4'-O4'	-6.63	1.36	1.45
26	BB	2334	U	N1-C2	6.63	1.44	1.38
26	BB	2474	U	C4-O4	6.63	1.28	1.23
1	AA	1009	U	P-O5'	6.63	1.66	1.59
1	AA	1427	C	C5-C6	6.63	1.39	1.34
26	BB	909	A	N1-C2	-6.63	1.28	1.34
26	BB	1062	G	N1-C2	6.63	1.43	1.37
26	BB	2091	C	C3'-C2'	-6.63	1.45	1.52
26	BB	2112	G	N3-C4	6.63	1.40	1.35
26	BB	2421	G	N3-C4	6.63	1.40	1.35
26	BB	2431	U	C3'-C2'	6.63	1.60	1.52
55	B4	20	TYR	CE1-CZ	6.63	1.47	1.38
1	AA	131	A	C4'-O4'	-6.63	1.36	1.45
26	BB	629	G	N9-C4	6.63	1.43	1.38
26	BB	1065	U	C3'-C2'	-6.63	1.45	1.52
26	BB	2056	G	C2-N3	6.63	1.38	1.32
26	BB	2512	C	C5'-C4'	6.63	1.59	1.51
1	AA	867	G	C4'-O4'	-6.62	1.36	1.45
26	BB	2656	U	N3-C4	6.62	1.44	1.38
1	AA	1460	C	C2-O2	-6.62	1.18	1.24
26	BB	1	G	C5'-C4'	6.62	1.59	1.51
26	BB	81	G	C2-N3	6.62	1.38	1.32
26	BB	787	C	P-O5'	6.62	1.66	1.59
26	BB	2481	G	N7-C5	-6.62	1.35	1.39
1	AA	1005	A	P-O5'	6.62	1.66	1.59
16	AP	75	SER	CB-OG	6.62	1.50	1.42
26	BB	604	G	C5'-C4'	-6.62	1.43	1.51
26	BB	730	A	N7-C5	-6.62	1.35	1.39
26	BB	1142	A	N7-C5	6.62	1.43	1.39
26	BB	1896	G	C6-N1	6.62	1.44	1.39
26	BB	2218	G	C3'-C2'	6.62	1.60	1.52
26	BB	2683	C	N1-C6	6.62	1.41	1.37
26	BB	805	G	C2-N3	6.62	1.38	1.32
26	BB	1005	C	C4-N4	-6.62	1.27	1.33
26	BB	2138	G	C2-N3	6.62	1.38	1.32
1	AA	964	A	P-O5'	6.62	1.66	1.59
1	AA	1521	C	N1-C6	6.62	1.41	1.37
26	BB	648	G	N9-C4	-6.62	1.32	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1355	G	C6-N1	6.62	1.44	1.39
26	BB	2093	G	C2'-O2'	6.62	1.50	1.41
26	BB	2374	C	P-O5'	6.62	1.66	1.59
26	BB	2884	U	N3-C4	6.62	1.44	1.38
1	AA	10	A	C6-N6	-6.62	1.28	1.33
1	AA	474	G	C2'-C1'	-6.62	1.46	1.53
1	AA	1014	A	O3'-P	6.62	1.69	1.61
26	BB	183	C	C5'-C4'	-6.62	1.43	1.51
26	BB	327	G	N9-C8	6.62	1.42	1.37
26	BB	989	G	C4'-C3'	6.62	1.60	1.53
26	BB	1094	U	C5-C6	6.62	1.40	1.34
26	BB	2684	U	O3'-P	6.62	1.69	1.61
10	AJ	160	SER	CB-OG	6.61	1.50	1.42
26	BB	1033	U	C5'-C4'	6.61	1.59	1.51
26	BB	2719	G	P-O5'	6.61	1.66	1.59
1	AA	161	A	N9-C4	-6.61	1.33	1.37
26	BB	2055	C	N3-C4	-6.61	1.29	1.33
1	AA	181	A	C4'-O4'	-6.61	1.36	1.45
1	AA	391	G	N1-C2	6.61	1.43	1.37
2	AB	72	U	C4-O4	-6.61	1.18	1.23
26	BB	1314	C	O3'-P	6.61	1.69	1.61
26	BB	1425	G	C5-C6	-6.61	1.35	1.42
26	BB	1527	G	N9-C8	6.61	1.42	1.37
26	BB	1701	A	N7-C5	-6.61	1.35	1.39
26	BB	1782	U	C3'-C2'	6.61	1.60	1.52
1	AA	83	C	N1-C6	6.61	1.41	1.37
1	AA	1147	C	C2-N3	6.61	1.41	1.35
26	BB	439	A	N9-C4	6.61	1.41	1.37
26	BB	155	A	C5-C4	-6.61	1.34	1.38
26	BB	1647	U	N1-C6	6.61	1.43	1.38
26	BB	2390	U	P-O5'	6.61	1.66	1.59
26	BB	2468	A	N7-C5	6.61	1.43	1.39
26	BB	2674	G	C4'-C3'	6.61	1.60	1.53
26	BB	2714	G	N9-C8	-6.61	1.33	1.37
1	AA	1015	G	N1-C2	6.61	1.43	1.37
1	AA	1191	A	N9-C4	6.61	1.41	1.37
1	AA	1274	A	C8-N7	-6.61	1.26	1.31
26	BB	1645	G	C8-N7	-6.61	1.26	1.30
26	BB	1411	U	N3-C4	6.60	1.44	1.38
26	BB	1486	U	P-O5'	-6.60	1.53	1.59
26	BB	2782	G	P-O5'	6.60	1.66	1.59
1	AA	1052	U	C4'-C3'	6.60	1.60	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1450	U	N1-C6	6.60	1.43	1.38
3	AC	15	G	C8-N7	-6.60	1.26	1.30
1	AA	893	C	C2-N3	6.60	1.41	1.35
26	BB	434	U	C4'-C3'	6.60	1.60	1.53
1	AA	92	U	P-O5'	6.60	1.66	1.59
1	AA	586	C	C4'-O4'	-6.60	1.36	1.45
4	AD	11	A	P-O5'	6.60	1.66	1.59
26	BB	542	C	N3-C4	6.60	1.38	1.33
26	BB	2667	C	N3-C4	6.60	1.38	1.33
1	AA	1195	C	C2-N3	6.60	1.41	1.35
26	BB	142	A	C5'-C4'	6.60	1.59	1.51
26	BB	2345	G	C5-C6	6.60	1.49	1.42
1	AA	160	A	N3-C4	6.59	1.38	1.34
25	BA	74	U	C4-O4	-6.59	1.18	1.23
26	BB	1621	U	C5-C6	6.59	1.40	1.34
1	AA	779	C	C2-N3	6.59	1.41	1.35
25	BA	45	A	O3'-P	6.59	1.69	1.61
26	BB	665	U	N1-C2	6.59	1.44	1.38
26	BB	2814	A	P-O5'	6.59	1.66	1.59
1	AA	684	U	C5'-C4'	6.59	1.59	1.51
1	AA	943	U	O5'-C5'	-6.59	1.32	1.42
1	AA	1375	A	C5-C4	-6.59	1.34	1.38
26	BB	218	A	C6-N1	6.59	1.40	1.35
26	BB	244	A	C5-C6	6.59	1.47	1.41
26	BB	477	A	N1-C2	-6.59	1.28	1.34
26	BB	1418	G	C4'-O4'	-6.59	1.36	1.45
1	AA	250	A	N7-C5	6.59	1.43	1.39
1	AA	666	G	O3'-P	6.59	1.69	1.61
1	AA	1160	G	C2-N3	6.59	1.38	1.32
26	BB	272	A	C6-N6	6.59	1.39	1.33
26	BB	578	G	P-O5'	6.59	1.66	1.59
26	BB	1471	G	N1-C2	-6.59	1.32	1.37
26	BB	1594	U	C5-C6	6.59	1.40	1.34
26	BB	2599	G	C6-N1	6.59	1.44	1.39
1	AA	79	G	C5'-C4'	6.59	1.59	1.51
26	BB	1710	G	C5-C6	6.59	1.49	1.42
26	BB	1945	G	N9-C8	-6.59	1.33	1.37
1	AA	646	G	N1-C2	-6.59	1.32	1.37
1	AA	1104	G	P-O5'	6.59	1.66	1.59
1	AA	1180	A	C3'-C2'	6.59	1.60	1.52
1	AA	1526	G	C6-N1	-6.59	1.34	1.39
26	BB	512	G	N3-C4	6.59	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	799	G	P-O5'	6.59	1.66	1.59
26	BB	2493	U	C5-C6	6.59	1.40	1.34
26	BB	52	A	C6-N6	-6.58	1.28	1.33
1	AA	319	G	C2-N3	6.58	1.38	1.32
1	AA	804	U	C2-N3	6.58	1.42	1.37
1	AA	1002	G	N9-C8	6.58	1.42	1.37
4	AD	70	C	O3'-P	6.58	1.69	1.61
26	BB	796	C	N3-C4	6.58	1.38	1.33
26	BB	2495	G	P-O5'	6.58	1.66	1.59
26	BB	2864	G	N7-C5	6.58	1.43	1.39
1	AA	588	G	N9-C4	-6.58	1.32	1.38
1	AA	706	A	N7-C5	-6.58	1.35	1.39
3	AC	47	C	C2-N3	6.58	1.41	1.35
25	BA	4	C	P-O5'	-6.58	1.53	1.59
26	BB	203	A	N9-C4	6.58	1.41	1.37
26	BB	344	A	C5'-C4'	6.58	1.59	1.51
26	BB	2078	C	O5'-C5'	-6.58	1.32	1.42
26	BB	1564	C	C2-N3	6.58	1.41	1.35
26	BB	2554	U	C4'-C3'	6.58	1.60	1.53
26	BB	94	A	O4'-C1'	6.58	1.50	1.41
26	BB	936	A	N7-C5	6.58	1.43	1.39
26	BB	1250	G	C6-O6	-6.58	1.18	1.24
26	BB	1663	G	C4'-C3'	-6.58	1.46	1.53
52	B1	36	GLU	CG-CD	6.58	1.61	1.51
1	AA	548	G	N9-C4	6.58	1.43	1.38
8	AH	159	SER	CB-OG	6.58	1.50	1.42
26	BB	593	U	P-O5'	6.58	1.66	1.59
26	BB	918	A	P-O5'	6.58	1.66	1.59
26	BB	1708	C	C2-N3	6.58	1.41	1.35
26	BB	2378	A	P-O5'	-6.58	1.53	1.59
26	BB	2523	G	C8-N7	-6.58	1.27	1.30
1	AA	130	A	P-O5'	6.58	1.66	1.59
1	AA	309	A	N3-C4	6.58	1.38	1.34
1	AA	1258	G	C5-C4	6.58	1.43	1.38
1	AA	1269	A	C6-N1	-6.58	1.30	1.35
1	AA	1368	A	N9-C8	6.58	1.43	1.37
26	BB	562	U	C2-N3	-6.58	1.33	1.37
26	BB	1174	U	C4-C5	6.58	1.49	1.43
1	AA	431	A	C6-N1	6.57	1.40	1.35
1	AA	468	A	N3-C4	6.57	1.38	1.34
1	AA	529	G	C3'-O3'	-6.57	1.32	1.42
1	AA	629	A	C5-C6	-6.57	1.35	1.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1509	C	C5'-C4'	6.57	1.59	1.51
26	BB	1524	G	C5-C6	-6.57	1.35	1.42
26	BB	2038	G	C2-N3	6.57	1.38	1.32
34	BJ	78	PRO	N-CD	-6.57	1.38	1.47
2	AB	42	G	C6-N1	-6.57	1.34	1.39
26	BB	595	C	N1-C6	6.57	1.41	1.37
26	BB	1966	A	C3'-C2'	6.57	1.60	1.52
26	BB	2515	C	N3-C4	6.57	1.38	1.33
1	AA	45	G	P-O5'	6.57	1.66	1.59
1	AA	51	A	N3-C4	6.57	1.38	1.34
1	AA	953	G	C8-N7	-6.57	1.27	1.30
25	BA	61	G	C6-N1	-6.57	1.34	1.39
26	BB	169	G	N9-C4	6.57	1.43	1.38
26	BB	706	A	C6-N1	-6.57	1.30	1.35
26	BB	153	U	C5-C6	6.57	1.40	1.34
26	BB	1054	A	C6-N1	-6.57	1.30	1.35
26	BB	1515	A	C6-N1	-6.57	1.30	1.35
1	AA	366	A	C5-C6	6.57	1.47	1.41
1	AA	1160	G	C4'-O4'	-6.57	1.37	1.45
4	AD	42	C	C3'-C2'	-6.57	1.45	1.52
26	BB	1801	A	C5-C6	6.57	1.47	1.41
1	AA	1507	A	C2-N3	6.57	1.39	1.33
25	BA	103	U	C5'-C4'	6.57	1.59	1.51
26	BB	338	G	O3'-P	6.57	1.69	1.61
26	BB	1424	G	P-O5'	6.57	1.66	1.59
26	BB	1519	G	C2'-C1'	-6.57	1.46	1.53
26	BB	415	A	P-O5'	6.56	1.66	1.59
26	BB	2528	U	N1-C2	6.56	1.44	1.38
1	AA	274	A	N7-C5	-6.56	1.35	1.39
1	AA	779	C	C2'-C1'	6.56	1.60	1.53
25	BA	7	G	C2-N3	6.56	1.38	1.32
26	BB	425	G	C5-C4	-6.56	1.33	1.38
26	BB	443	A	P-O5'	6.56	1.66	1.59
26	BB	1106	G	C2-N3	6.56	1.38	1.32
26	BB	1333	G	C8-N7	6.56	1.34	1.30
26	BB	1436	G	C5-C6	6.56	1.49	1.42
26	BB	2114	A	N9-C4	-6.56	1.33	1.37
1	AA	132	C	C1'-N1	6.56	1.58	1.48
26	BB	802	A	C2-N3	-6.56	1.27	1.33
26	BB	1893	C	O3'-P	6.56	1.69	1.61
1	AA	55	A	C4'-C3'	-6.56	1.46	1.53
1	AA	476	U	P-O5'	6.56	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	487	C	C2'-C1'	-6.56	1.46	1.53
26	BB	751	A	C5-C6	6.56	1.47	1.41
26	BB	1050	A	P-O5'	6.56	1.66	1.59
26	BB	1579	A	C4'-O4'	-6.56	1.37	1.45
26	BB	2267	A	N3-C4	6.56	1.38	1.34
1	AA	27	G	C5-C4	-6.56	1.33	1.38
1	AA	395	C	C4'-C3'	6.56	1.60	1.53
1	AA	696	A	O3'-P	6.56	1.69	1.61
1	AA	1233	G	N1-C2	6.56	1.43	1.37
3	AC	32	U	C2-N3	6.56	1.42	1.37
26	BB	1276	A	C3'-C2'	6.56	1.60	1.52
1	AA	906	A	C6-N6	6.56	1.39	1.33
1	AA	977	A	C6-N1	-6.56	1.30	1.35
26	BB	1135	C	C5-C6	6.56	1.39	1.34
26	BB	2535	G	C5-C4	6.56	1.43	1.38
26	BB	2830	C	C2-O2	-6.56	1.18	1.24
1	AA	1298	U	C2'-O2'	6.55	1.50	1.41
26	BB	132	G	N7-C5	-6.55	1.35	1.39
26	BB	901	C	N1-C6	6.55	1.41	1.37
26	BB	1698	A	N9-C8	-6.55	1.32	1.37
26	BB	2881	U	C4'-C3'	6.55	1.60	1.53
26	BB	748	G	C3'-C2'	6.55	1.60	1.52
26	BB	2111	U	C2-O2	6.55	1.28	1.22
26	BB	2391	G	C5-C4	6.55	1.43	1.38
26	BB	2488	G	C2-N3	6.55	1.38	1.32
1	AA	601	G	N3-C4	6.55	1.40	1.35
1	AA	1226	C	C4-C5	6.55	1.48	1.43
1	AA	1439	G	C2'-C1'	6.55	1.60	1.53
25	BA	104	A	P-O5'	6.55	1.66	1.59
26	BB	672	C	C4-C5	6.55	1.48	1.43
1	AA	331	G	N9-C4	6.55	1.43	1.38
1	AA	557	G	C8-N7	6.55	1.34	1.30
1	AA	577	G	C6-N1	6.55	1.44	1.39
1	AA	577	G	N7-C5	-6.55	1.35	1.39
26	BB	2199	A	C2'-C1'	6.55	1.60	1.53
1	AA	1044	A	N9-C4	6.55	1.41	1.37
1	AA	1309	G	P-O5'	6.55	1.66	1.59
1	AA	384	G	C5-C6	6.55	1.48	1.42
1	AA	774	G	C8-N7	-6.55	1.27	1.30
1	AA	1041	G	C2-N3	6.55	1.38	1.32
1	AA	1211	U	C5-C6	6.55	1.40	1.34
1	AA	1421	G	C5'-C4'	6.55	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1795	C	N1-C6	-6.55	1.33	1.37
26	BB	2236	U	C4'-O4'	-6.55	1.37	1.45
26	BB	2595	G	N7-C5	-6.55	1.35	1.39
4	AD	71	G	N3-C4	6.54	1.40	1.35
26	BB	543	G	C4'-O4'	-6.54	1.37	1.45
26	BB	712	G	C4'-C3'	6.54	1.60	1.53
26	BB	1532	A	C8-N7	-6.54	1.26	1.31
26	BB	1596	A	N3-C4	6.54	1.38	1.34
26	BB	2081	U	C2-N3	6.54	1.42	1.37
1	AA	601	G	N9-C4	6.54	1.43	1.38
2	AB	19	G	N1-C2	6.54	1.43	1.37
26	BB	876	C	C3'-C2'	6.54	1.60	1.52
26	BB	1112	G	P-O5'	6.54	1.66	1.59
26	BB	1349	C	C3'-C2'	6.54	1.60	1.52
26	BB	1651	G	N7-C5	-6.54	1.35	1.39
26	BB	2132	U	N3-C4	-6.54	1.32	1.38
1	AA	825	A	N3-C4	6.54	1.38	1.34
1	AA	869	G	C2-N3	6.54	1.38	1.32
1	AA	1153	G	C4'-C3'	6.54	1.60	1.53
1	AA	1375	A	N7-C5	-6.54	1.35	1.39
3	AC	35	G	C2-N3	6.54	1.38	1.32
4	AD	49	C	N1-C6	6.54	1.41	1.37
26	BB	468	G	C4'-O4'	-6.54	1.37	1.45
26	BB	1198	U	P-O5'	6.54	1.66	1.59
26	BB	1473	G	C2-N3	6.54	1.38	1.32
26	BB	1780	A	N3-C4	6.54	1.38	1.34
26	BB	2302	U	N1-C6	-6.54	1.32	1.38
26	BB	2348	U	N3-C4	6.54	1.44	1.38
26	BB	2783	U	C2-N3	6.54	1.42	1.37
13	AM	43	PRO	N-CD	-6.54	1.38	1.47
26	BB	283	G	C6-N1	-6.54	1.34	1.39
26	BB	738	G	P-O5'	6.54	1.66	1.59
1	AA	609	A	N9-C4	6.54	1.41	1.37
1	AA	722	G	C4'-O4'	-6.54	1.37	1.45
4	AD	42	C	C5-C6	6.54	1.39	1.34
26	BB	1603	A	O3'-P	6.54	1.69	1.61
1	AA	781	A	C3'-C2'	6.54	1.60	1.52
25	BA	45	A	P-O5'	6.54	1.66	1.59
26	BB	571	U	C4-O4	6.54	1.28	1.23
26	BB	733	G	C5-C4	6.54	1.43	1.38
26	BB	1706	C	C2-O2	-6.54	1.18	1.24
26	BB	2630	G	C5'-C4'	6.54	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	170	U	C4-O4	6.54	1.28	1.23
1	AA	985	C	C4-N4	6.54	1.39	1.33
1	AA	1385	G	C8-N7	6.54	1.34	1.30
1	AA	1493	A	C8-N7	-6.54	1.26	1.31
26	BB	329	G	P-O5'	6.54	1.66	1.59
26	BB	345	A	C4'-O4'	-6.54	1.37	1.45
26	BB	555	G	C4'-C3'	-6.54	1.46	1.53
26	BB	2769	U	C5-C6	6.54	1.40	1.34
1	AA	84	U	C5-C6	6.53	1.40	1.34
1	AA	692	U	C4'-C3'	6.53	1.60	1.53
25	BA	72	G	N3-C4	-6.53	1.30	1.35
26	BB	264	C	C5-C6	6.53	1.39	1.34
26	BB	623	C	C4'-O4'	-6.53	1.37	1.45
26	BB	1144	A	O3'-P	6.53	1.69	1.61
26	BB	1814	G	N9-C4	-6.53	1.32	1.38
26	BB	2886	A	N9-C8	6.53	1.43	1.37
1	AA	1022	A	C3'-C2'	6.53	1.60	1.52
1	AA	1423	G	C4'-O4'	-6.53	1.37	1.45
1	AA	1492	A	C8-N7	-6.53	1.26	1.31
1	AA	1067	A	C2'-C1'	-6.53	1.46	1.53
1	AA	1128	C	P-O5'	6.53	1.66	1.59
4	AD	43	G	C5'-C4'	6.53	1.59	1.51
38	BN	50	PHE	CG-CD1	6.53	1.48	1.38
1	AA	411	A	C2'-C1'	6.53	1.60	1.53
1	AA	658	C	N1-C6	6.53	1.41	1.37
1	AA	722	G	N1-C2	6.53	1.43	1.37
26	BB	2234	G	O3'-P	6.53	1.69	1.61
26	BB	2534	A	P-O5'	6.53	1.66	1.59
1	AA	529	G	N7-C5	6.53	1.43	1.39
1	AA	593	U	N1-C2	6.53	1.44	1.38
26	BB	1350	C	N3-C4	6.53	1.38	1.33
26	BB	1558	C	C4-C5	6.53	1.48	1.43
26	BB	1879	C	N1-C6	6.53	1.41	1.37
26	BB	1490	A	C4'-O4'	-6.52	1.37	1.45
1	AA	107	G	C2'-C1'	-6.52	1.46	1.53
1	AA	586	C	C2-O2	-6.52	1.18	1.24
1	AA	846	G	N9-C8	6.52	1.42	1.37
26	BB	1187	G	P-O5'	6.52	1.66	1.59
26	BB	1791	A	C6-N6	-6.52	1.28	1.33
26	BB	2430	A	P-O5'	6.52	1.66	1.59
26	BB	2676	C	C4-C5	6.52	1.48	1.43
1	AA	200	G	C6-N1	6.52	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	331	G	C2-N3	6.52	1.38	1.32
25	BA	119	A	N3-C4	6.52	1.38	1.34
26	BB	342	A	C6-N1	-6.52	1.30	1.35
26	BB	1674	G	C2-N3	6.52	1.38	1.32
26	BB	37	C	N1-C6	6.52	1.41	1.37
26	BB	1634	A	P-O5'	6.52	1.66	1.59
26	BB	1815	A	C8-N7	-6.52	1.26	1.31
1	AA	201	G	C2'-O2'	6.52	1.50	1.41
1	AA	212	G	C5'-C4'	6.52	1.59	1.51
1	AA	714	G	C2-N3	6.52	1.38	1.32
26	BB	1219	U	C5'-C4'	6.52	1.59	1.51
1	AA	235	C	C4'-O4'	-6.52	1.37	1.45
1	AA	1119	C	C5-C6	6.52	1.39	1.34
26	BB	69	C	P-O5'	6.52	1.66	1.59
26	BB	1019	U	C5-C6	6.52	1.40	1.34
26	BB	1767	G	P-O5'	-6.52	1.53	1.59
1	AA	951	G	C4'-C3'	6.51	1.60	1.53
26	BB	1977	A	C5'-C4'	6.51	1.59	1.51
26	BB	2042	A	N7-C5	-6.51	1.35	1.39
25	BA	10	G	N1-C2	6.51	1.43	1.37
26	BB	2382	G	P-O5'	6.51	1.66	1.59
26	BB	2769	U	P-O5'	6.51	1.66	1.59
1	AA	707	U	C3'-O3'	-6.51	1.33	1.42
1	AA	743	A	N7-C5	6.51	1.43	1.39
1	AA	903	G	C5-C4	-6.51	1.33	1.38
1	AA	1106	G	P-O5'	6.51	1.66	1.59
1	AA	1352	C	N1-C6	6.51	1.41	1.37
1	AA	1431	A	C3'-O3'	6.51	1.51	1.42
26	BB	71	A	C5-C4	-6.51	1.34	1.38
26	BB	1454	C	O3'-P	6.51	1.69	1.61
26	BB	1583	A	P-O5'	6.51	1.66	1.59
26	BB	2406	A	C4'-O4'	-6.51	1.37	1.45
1	AA	19	A	C6-N1	6.51	1.40	1.35
1	AA	560	A	C8-N7	-6.51	1.26	1.31
1	AA	1029	U	P-O5'	6.51	1.66	1.59
1	AA	1287	A	P-O5'	6.51	1.66	1.59
11	AK	104	SER	CB-OG	-6.51	1.33	1.42
26	BB	730	A	C8-N7	-6.51	1.26	1.31
26	BB	776	G	C4'-C3'	6.51	1.60	1.53
26	BB	930	G	C6-N1	6.51	1.44	1.39
26	BB	1749	A	C6-N6	6.51	1.39	1.33
26	BB	1914	C	N1-C6	6.51	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2002	G	N9-C8	6.51	1.42	1.37
26	BB	2765	A	C2-N3	6.51	1.39	1.33
1	AA	280	C	N3-C4	6.51	1.38	1.33
1	AA	555	U	N3-C4	6.51	1.44	1.38
26	BB	383	C	N1-C6	-6.51	1.33	1.37
26	BB	1792	G	C3'-C2'	-6.51	1.45	1.52
1	AA	120	A	N9-C8	-6.51	1.32	1.37
1	AA	818	G	C6-N1	6.51	1.44	1.39
1	AA	963	G	C3'-C2'	-6.51	1.45	1.52
1	AA	1006	G	P-O5'	6.51	1.66	1.59
1	AA	1177	G	C5'-C4'	6.51	1.59	1.51
26	BB	618	G	C5-C4	-6.51	1.33	1.38
26	BB	663	G	C5'-C4'	6.51	1.59	1.51
26	BB	1353	A	P-O5'	6.51	1.66	1.59
26	BB	2540	C	N1-C6	6.51	1.41	1.37
26	BB	1062	G	N9-C8	6.50	1.42	1.37
26	BB	2365	G	C8-N7	6.50	1.34	1.30
26	BB	2776	A	C5-C6	-6.50	1.35	1.41
3	AC	15	G	N7-C5	-6.50	1.35	1.39
25	BA	114	C	C5'-C4'	6.50	1.59	1.51
26	BB	193	U	C4-C5	6.50	1.49	1.43
26	BB	1215	G	C5'-C4'	6.50	1.59	1.51
26	BB	1714	U	C5-C6	6.50	1.40	1.34
26	BB	2621	G	N9-C8	6.50	1.42	1.37
26	BB	2624	G	C6-O6	-6.50	1.18	1.24
1	AA	762	U	C4'-O4'	-6.50	1.37	1.45
25	BA	85	G	P-O5'	6.50	1.66	1.59
26	BB	2319	G	C5-C6	6.50	1.48	1.42
1	AA	408	A	C6-N1	6.50	1.40	1.35
1	AA	494	G	C8-N7	-6.50	1.27	1.30
26	BB	397	U	C4-C5	6.50	1.49	1.43
26	BB	2505	G	N9-C8	6.50	1.42	1.37
1	AA	1535	C	C2-N3	6.50	1.41	1.35
26	BB	486	C	P-O5'	6.50	1.66	1.59
26	BB	1264	A	C8-N7	-6.50	1.27	1.31
26	BB	1516	G	C2-N3	6.50	1.38	1.32
26	BB	1770	G	C3'-O3'	-6.50	1.33	1.42
26	BB	2361	G	C4'-O4'	-6.50	1.37	1.45
1	AA	108	G	C5-C4	-6.50	1.33	1.38
3	AC	22	G	N7-C5	-6.50	1.35	1.39
26	BB	247	G	N9-C4	6.50	1.43	1.38
26	BB	484	C	P-O5'	6.50	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1031	G	C5'-C4'	6.50	1.59	1.51
26	BB	2127	G	C2-N2	6.50	1.41	1.34
29	BE	124	ARG	NE-CZ	6.50	1.41	1.33
3	AC	33	A	O4'-C1'	6.50	1.50	1.41
26	BB	1391	U	C3'-C2'	6.50	1.60	1.52
26	BB	1682	G	C4'-C3'	-6.50	1.46	1.53
1	AA	270	A	P-O5'	-6.49	1.53	1.59
1	AA	499	A	N9-C4	6.49	1.41	1.37
1	AA	633	G	C2-N3	6.49	1.38	1.32
1	AA	965	U	P-O5'	6.49	1.66	1.59
1	AA	1070	U	C2-N3	6.49	1.42	1.37
1	AA	1455	G	C4'-O4'	-6.49	1.37	1.45
26	BB	466	A	C6-N1	6.49	1.40	1.35
26	BB	1051	G	C3'-C2'	6.49	1.60	1.52
54	B3	13	GLY	CA-C	6.49	1.62	1.51
1	AA	347	G	C2-N2	6.49	1.41	1.34
26	BB	1084	A	C5'-C4'	6.49	1.59	1.51
26	BB	2444	G	P-O5'	6.49	1.66	1.59
2	AB	69	C	N1-C6	6.49	1.41	1.37
25	BA	54	G	C2-N3	6.49	1.38	1.32
25	BA	120	U	P-O5'	6.49	1.66	1.59
26	BB	512	G	C8-N7	6.49	1.34	1.30
26	BB	628	G	N3-C4	6.49	1.40	1.35
26	BB	1000	A	C5'-C4'	6.49	1.59	1.51
26	BB	1722	A	N9-C4	-6.49	1.33	1.37
26	BB	2315	G	C5'-C4'	6.49	1.59	1.51
26	BB	2885	G	C3'-O3'	6.49	1.51	1.42
26	BB	579	G	O4'-C1'	-6.49	1.33	1.41
26	BB	1818	U	C4-C5	6.49	1.49	1.43
26	BB	2495	G	N7-C5	-6.49	1.35	1.39
1	AA	594	U	C4-C5	6.49	1.49	1.43
1	AA	803	G	N7-C5	6.49	1.43	1.39
1	AA	1174	G	C4'-O4'	-6.49	1.37	1.45
26	BB	138	U	C2'-C1'	6.49	1.60	1.53
26	BB	483	A	P-O5'	6.49	1.66	1.59
26	BB	825	A	P-O5'	6.49	1.66	1.59
26	BB	1432	G	N1-C2	6.49	1.43	1.37
26	BB	1780	A	C6-N6	6.49	1.39	1.33
26	BB	1871	A	P-O5'	6.49	1.66	1.59
26	BB	2324	U	C4-C5	6.49	1.49	1.43
1	AA	206	C	C2-N3	6.48	1.41	1.35
26	BB	467	G	N1-C2	6.48	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	509	C	N1-C6	6.48	1.41	1.37
1	AA	146	G	N9-C8	6.48	1.42	1.37
1	AA	227	G	C3'-C2'	6.48	1.60	1.52
1	AA	602	A	C2'-O2'	6.48	1.50	1.41
1	AA	745	G	N9-C4	-6.48	1.32	1.38
25	BA	46	A	C8-N7	-6.48	1.27	1.31
26	BB	943	A	N3-C4	6.48	1.38	1.34
26	BB	1003	G	P-O5'	6.48	1.66	1.59
26	BB	2724	U	C4'-O4'	-6.48	1.37	1.45
1	AA	715	A	C5-C6	6.48	1.46	1.41
1	AA	1452	C	C2-O2	6.48	1.30	1.24
26	BB	635	C	P-O5'	6.48	1.66	1.59
26	BB	643	A	C5-C4	6.48	1.43	1.38
26	BB	2544	G	N3-C4	6.48	1.40	1.35
26	BB	2755	C	C2'-C1'	6.48	1.60	1.53
26	BB	859	G	C6-N1	6.48	1.44	1.39
29	BE	46	ARG	CZ-NH1	6.48	1.41	1.33
3	AC	24	A	C5-C4	6.48	1.43	1.38
26	BB	297	G	P-O5'	6.48	1.66	1.59
26	BB	1672	A	C4'-C3'	6.48	1.60	1.53
26	BB	1697	G	N9-C4	-6.48	1.32	1.38
1	AA	200	G	C5'-C4'	6.48	1.59	1.51
26	BB	1814	G	C2-N3	6.48	1.38	1.32
1	AA	1494	G	N7-C5	6.47	1.43	1.39
26	BB	256	A	C4'-O4'	-6.47	1.37	1.45
26	BB	298	G	N1-C2	6.47	1.43	1.37
26	BB	583	G	C6-O6	-6.47	1.18	1.24
26	BB	695	G	C4'-C3'	6.47	1.60	1.53
26	BB	1175	A	N3-C4	6.47	1.38	1.34
26	BB	1303	G	C5-C6	6.47	1.48	1.42
26	BB	2544	G	C4'-O4'	-6.47	1.37	1.45
1	AA	226	G	N3-C4	-6.47	1.30	1.35
1	AA	346	G	C8-N7	-6.47	1.27	1.30
26	BB	194	G	C8-N7	-6.47	1.27	1.30
26	BB	1092	C	N1-C6	6.47	1.41	1.37
26	BB	2738	A	N9-C4	-6.47	1.33	1.37
2	AB	53	G	N1-C2	6.47	1.43	1.37
19	AS	44	SER	CB-OG	-6.47	1.33	1.42
26	BB	2347	C	N3-C4	-6.47	1.29	1.33
1	AA	183	C	C2-O2	-6.47	1.18	1.24
1	AA	891	U	C4-O4	-6.47	1.18	1.23
26	BB	588	U	C4-C5	6.47	1.49	1.43

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	800	A	N3-C4	6.47	1.38	1.34
26	BB	2023	C	C2-O2	6.47	1.30	1.24
26	BB	2346	A	N9-C4	6.47	1.41	1.37
25	BA	23	G	P-O5'	6.47	1.66	1.59
26	BB	463	G	C8-N7	-6.47	1.27	1.30
26	BB	970	U	C2-O2	6.47	1.28	1.22
26	BB	1134	A	C5-C6	6.47	1.46	1.41
26	BB	1735	A	N9-C8	-6.47	1.32	1.37
26	BB	2400	G	C4'-O4'	-6.47	1.37	1.45
1	AA	861	G	C2-N2	-6.46	1.28	1.34
1	AA	1357	A	P-O5'	6.46	1.66	1.59
2	AB	76	A	P-O5'	6.46	1.66	1.59
26	BB	2166	U	N1-C2	6.46	1.44	1.38
26	BB	2175	C	C2-N3	6.46	1.41	1.35
26	BB	2385	C	C5-C6	6.46	1.39	1.34
1	AA	960	U	P-O5'	6.46	1.66	1.59
2	AB	51	G	N9-C8	-6.46	1.33	1.37
26	BB	1988	G	C8-N7	-6.46	1.27	1.30
26	BB	2404	U	C5'-C4'	6.46	1.59	1.51
26	BB	2541	A	N3-C4	-6.46	1.30	1.34
1	AA	564	C	P-O5'	6.46	1.66	1.59
1	AA	244	U	C2-N3	6.46	1.42	1.37
1	AA	768	A	C4'-O4'	-6.46	1.37	1.45
1	AA	1022	A	N9-C8	-6.46	1.32	1.37
26	BB	1492	G	N7-C5	6.46	1.43	1.39
26	BB	1662	U	C3'-O3'	6.46	1.51	1.42
26	BB	1772	A	N9-C4	-6.46	1.33	1.37
1	AA	1204	A	C4'-C3'	6.46	1.60	1.53
1	AA	1418	A	C4'-O4'	6.46	1.53	1.45
26	BB	1766	G	N1-C2	-6.46	1.32	1.37
26	BB	1856	U	C2-N3	6.46	1.42	1.37
26	BB	2326	C	C5'-C4'	6.46	1.59	1.51
26	BB	2564	A	N3-C4	-6.46	1.30	1.34
1	AA	58	C	C2-N3	6.45	1.41	1.35
1	AA	1127	G	C4'-O4'	-6.45	1.37	1.45
1	AA	1327	C	C4'-O4'	-6.45	1.37	1.45
2	AB	65	C	C2-N3	6.45	1.41	1.35
26	BB	117	G	N3-C4	6.45	1.40	1.35
26	BB	2764	A	C4'-O4'	-6.45	1.37	1.45
26	BB	2797	U	N3-C4	6.45	1.44	1.38
26	BB	2835	A	C6-N6	-6.45	1.28	1.33
26	BB	970	U	C4-C5	6.45	1.49	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2789	C	N1-C6	6.45	1.41	1.37
1	AA	220	G	P-O5'	6.45	1.66	1.59
1	AA	932	C	C2-N3	6.45	1.41	1.35
1	AA	1275	A	N9-C4	6.45	1.41	1.37
26	BB	476	G	N3-C4	6.45	1.40	1.35
26	BB	888	C	N3-C4	6.45	1.38	1.33
26	BB	1769	U	C5'-C4'	-6.45	1.43	1.51
26	BB	1881	C	C2-O2	-6.45	1.18	1.24
1	AA	86	G	N7-C5	6.45	1.43	1.39
1	AA	208	U	C5-C6	6.45	1.40	1.34
26	BB	175	G	C3'-C2'	6.45	1.60	1.52
26	BB	1451	C	C2'-O2'	6.45	1.50	1.41
26	BB	2291	U	C2-N3	6.45	1.42	1.37
1	AA	187	G	C3'-C2'	6.45	1.60	1.52
1	AA	1412	C	C5'-C4'	6.45	1.59	1.51
26	BB	1907	G	C2-N3	6.45	1.38	1.32
1	AA	795	C	C2'-C1'	-6.45	1.46	1.53
1	AA	893	C	C3'-C2'	-6.45	1.45	1.52
3	AC	54	U	C3'-C2'	-6.45	1.45	1.52
25	BA	35	C	O3'-P	-6.45	1.53	1.61
26	BB	78	U	C4'-O4'	-6.45	1.37	1.45
26	BB	148	U	C5-C6	6.45	1.40	1.34
26	BB	323	C	C3'-C2'	6.45	1.60	1.52
26	BB	430	A	C4'-C3'	-6.45	1.46	1.53
26	BB	841	G	C3'-O3'	6.45	1.51	1.42
26	BB	2590	A	P-O5'	6.45	1.66	1.59
26	BB	2771	C	N3-C4	6.45	1.38	1.33
1	AA	1004	A	N3-C4	6.44	1.38	1.34
1	AA	1494	G	C8-N7	-6.44	1.27	1.30
25	BA	44	G	C2'-C1'	-6.44	1.46	1.53
26	BB	42	A	C4'-O4'	-6.44	1.37	1.45
26	BB	1708	C	P-O5'	6.44	1.66	1.59
1	AA	141	G	C3'-C2'	6.44	1.60	1.52
1	AA	383	A	N7-C5	-6.44	1.35	1.39
1	AA	1238	A	C6-N1	6.44	1.40	1.35
1	AA	1333	A	C8-N7	-6.44	1.27	1.31
2	AB	63	C	C4'-O4'	-6.44	1.37	1.45
26	BB	716	A	N1-C2	-6.44	1.28	1.34
26	BB	1116	G	C5-C6	6.44	1.48	1.42
26	BB	2866	U	C2-N3	6.44	1.42	1.37
1	AA	181	A	P-O5'	6.44	1.66	1.59
1	AA	297	G	C6-N1	-6.44	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1142	G	N9-C8	6.44	1.42	1.37
1	AA	1398	A	O3'-P	6.44	1.68	1.61
4	AD	3	C	C4'-O4'	-6.44	1.37	1.45
26	BB	627	A	P-O5'	-6.44	1.53	1.59
26	BB	634	C	O3'-P	6.44	1.68	1.61
26	BB	1012	U	C2-N3	6.44	1.42	1.37
26	BB	1392	A	P-O5'	6.44	1.66	1.59
2	AB	67	G	C2-N3	6.44	1.38	1.32
26	BB	1489	C	O3'-P	6.44	1.68	1.61
1	AA	791	G	C4'-C3'	6.44	1.60	1.53
1	AA	1438	G	N7-C5	-6.44	1.35	1.39
3	AC	22	G	N3-C4	6.44	1.40	1.35
26	BB	112	U	N1-C2	6.44	1.44	1.38
26	BB	925	A	C5'-C4'	6.44	1.59	1.51
26	BB	2308	G	C2-N3	6.44	1.37	1.32
1	AA	1374	A	C6-N1	6.44	1.40	1.35
26	BB	1245	G	C2-N3	6.44	1.37	1.32
4	AD	68	C	C4-C5	6.43	1.48	1.43
26	BB	648	G	C5'-C4'	6.43	1.59	1.51
26	BB	1860	G	N3-C4	6.43	1.40	1.35
26	BB	2198	A	P-O5'	6.43	1.66	1.59
1	AA	1247	U	N1-C2	6.43	1.44	1.38
4	AD	28	U	C4'-C3'	-6.43	1.46	1.53
26	BB	292	U	C3'-C2'	-6.43	1.45	1.52
26	BB	695	G	C5-C4	6.43	1.42	1.38
1	AA	673	A	P-O5'	6.43	1.66	1.59
1	AA	696	A	C5-C6	-6.43	1.35	1.41
1	AA	718	A	N9-C4	6.43	1.41	1.37
26	BB	48	G	C5-C4	6.43	1.42	1.38
26	BB	1325	U	C5-C6	6.43	1.40	1.34
26	BB	1346	G	N1-C2	-6.43	1.32	1.37
26	BB	2018	G	N3-C4	6.43	1.40	1.35
1	AA	81	A	C6-N1	-6.43	1.31	1.35
26	BB	270	A	N7-C5	-6.43	1.35	1.39
26	BB	559	G	C5-C4	-6.43	1.33	1.38
26	BB	2838	G	C5'-C4'	6.43	1.59	1.51
1	AA	28	A	N9-C8	6.43	1.42	1.37
1	AA	344	A	P-O5'	6.43	1.66	1.59
1	AA	362	G	N7-C5	-6.43	1.35	1.39
1	AA	955	U	C4-O4	6.43	1.28	1.23
4	AD	31	G	N9-C8	-6.43	1.33	1.37
26	BB	2027	G	C4'-C3'	-6.43	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2186	G	C5-C4	-6.43	1.33	1.38
54	B3	39	ARG	CZ-NH1	6.43	1.41	1.33
1	AA	866	C	N1-C2	6.42	1.46	1.40
26	BB	1074	G	N1-C2	6.42	1.42	1.37
26	BB	2553	G	P-O5'	6.42	1.66	1.59
1	AA	712	A	C5'-C4'	6.42	1.59	1.51
25	BA	11	C	C4-N4	6.42	1.39	1.33
26	BB	1929	G	C3'-O3'	-6.42	1.33	1.42
26	BB	2092	U	P-O5'	-6.42	1.53	1.59
26	BB	2720	U	C3'-O3'	6.42	1.51	1.42
2	AB	53	G	C8-N7	6.42	1.34	1.30
25	BA	86	G	C2-N3	6.42	1.37	1.32
26	BB	1741	C	C2-O2	-6.42	1.18	1.24
26	BB	1779	U	P-O5'	6.42	1.66	1.59
26	BB	2568	U	P-O5'	6.42	1.66	1.59
1	AA	514	C	C4'-O4'	-6.42	1.37	1.45
26	BB	2225	A	P-O5'	6.42	1.66	1.59
1	AA	330	C	C2-N3	6.42	1.40	1.35
1	AA	769	G	N3-C4	6.42	1.40	1.35
1	AA	792	A	P-O5'	6.42	1.66	1.59
1	AA	1251	A	N3-C4	6.42	1.38	1.34
26	BB	495	G	C8-N7	6.42	1.34	1.30
26	BB	925	A	O3'-P	6.42	1.68	1.61
26	BB	1045	C	P-O5'	6.42	1.66	1.59
26	BB	1256	G	C6-N1	-6.42	1.35	1.39
26	BB	1309	G	N3-C4	6.42	1.40	1.35
26	BB	2353	G	C4'-C3'	6.42	1.60	1.53
36	BL	75	TYR	CB-CG	6.42	1.61	1.51
1	AA	572	A	N9-C8	-6.42	1.32	1.37
1	AA	681	A	C3'-C2'	-6.42	1.45	1.52
1	AA	900	A	C2'-C1'	6.42	1.60	1.53
1	AA	959	A	N9-C4	6.42	1.41	1.37
1	AA	1019	A	C8-N7	-6.42	1.27	1.31
26	BB	636	G	C6-N1	-6.42	1.35	1.39
26	BB	1623	G	C2-N3	6.42	1.37	1.32
26	BB	1813	G	P-O5'	6.42	1.66	1.59
26	BB	2295	C	C2-N3	6.42	1.40	1.35
26	BB	2510	C	C2-O2	-6.42	1.18	1.24
1	AA	406	G	C2-N3	6.42	1.37	1.32
26	BB	1374	G	C5-C4	6.42	1.42	1.38
1	AA	736	C	P-O5'	6.41	1.66	1.59
4	AD	3	C	C2-N3	-6.41	1.30	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1113	U	O4'-C1'	6.41	1.50	1.41
26	BB	1284	A	N3-C4	6.41	1.38	1.34
26	BB	1404	C	O3'-P	6.41	1.68	1.61
26	BB	1781	U	O4'-C1'	6.41	1.50	1.41
26	BB	2	G	C6-N1	6.41	1.44	1.39
26	BB	768	G	N9-C4	6.41	1.43	1.38
26	BB	2408	U	N3-C4	6.41	1.44	1.38
1	AA	1118	U	P-O5'	6.41	1.66	1.59
3	AC	55	A	P-O5'	-6.41	1.53	1.59
26	BB	128	C	C4-N4	6.41	1.39	1.33
26	BB	1274	A	N3-C4	6.41	1.38	1.34
26	BB	1580	A	N9-C8	-6.41	1.32	1.37
26	BB	1783	A	N3-C4	6.41	1.38	1.34
26	BB	2769	U	C2-N3	6.41	1.42	1.37
25	BA	24	G	N9-C4	-6.41	1.32	1.38
26	BB	1248	G	C3'-C2'	6.41	1.60	1.52
26	BB	1261	C	C3'-C2'	6.41	1.59	1.52
26	BB	2004	G	C6-N1	-6.41	1.35	1.39
26	BB	2131	U	O3'-P	6.41	1.68	1.61
25	BA	7	G	O3'-P	6.41	1.68	1.61
25	BA	30	C	N1-C6	-6.41	1.33	1.37
1	AA	371	A	N9-C4	-6.41	1.34	1.37
1	AA	432	A	C6-N1	6.41	1.40	1.35
1	AA	537	G	C5-C4	-6.41	1.33	1.38
1	AA	730	G	C6-N1	6.41	1.44	1.39
1	AA	1530	G	P-O5'	6.41	1.66	1.59
26	BB	947	A	C3'-C2'	6.41	1.59	1.52
26	BB	1502	A	N1-C2	-6.41	1.28	1.34
26	BB	2118	U	C4'-O4'	-6.41	1.37	1.45
26	BB	2195	U	C2-N3	6.41	1.42	1.37
26	BB	2600	A	C8-N7	-6.41	1.27	1.31
1	AA	76	G	N9-C8	-6.40	1.33	1.37
1	AA	693	G	P-O5'	6.40	1.66	1.59
1	AA	1294	G	N1-C2	6.40	1.42	1.37
26	BB	530	G	N9-C8	6.40	1.42	1.37
26	BB	759	G	C8-N7	-6.40	1.27	1.30
26	BB	2383	G	N9-C8	6.40	1.42	1.37
26	BB	2698	U	C5'-C4'	6.40	1.59	1.51
1	AA	421	U	P-O5'	6.40	1.66	1.59
1	AA	690	G	C4'-C3'	6.40	1.60	1.53
1	AA	839	C	C5-C6	-6.40	1.29	1.34
1	AA	1189	U	C2'-C1'	6.40	1.60	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1743	G	C4'-O4'	-6.40	1.37	1.45
1	AA	453	G	C5-C6	6.40	1.48	1.42
1	AA	918	A	C8-N7	-6.40	1.27	1.31
26	BB	98	G	C3'-C2'	6.40	1.59	1.52
26	BB	403	U	C2-N3	6.40	1.42	1.37
26	BB	1247	A	O3'-P	6.40	1.68	1.61
26	BB	2758	A	C8-N7	-6.40	1.27	1.31
1	AA	814	A	C8-N7	-6.40	1.27	1.31
26	BB	2421	G	C6-N1	6.40	1.44	1.39
1	AA	1044	A	C4'-O4'	-6.40	1.37	1.45
3	AC	17	U	C5-C6	6.40	1.40	1.34
25	BA	101	A	P-O5'	-6.40	1.53	1.59
26	BB	1797	G	C8-N7	-6.40	1.27	1.30
26	BB	2622	U	C3'-O3'	6.40	1.51	1.42
26	BB	2901	C	N1-C6	-6.40	1.33	1.37
1	AA	1285	A	C5-C4	-6.40	1.34	1.38
2	AB	44	G	N7-C5	6.40	1.43	1.39
26	BB	661	A	N9-C4	-6.40	1.34	1.37
26	BB	2799	A	C4'-O4'	-6.40	1.37	1.45
1	AA	1271	A	N9-C4	6.39	1.41	1.37
3	AC	43	U	C2-O2	6.39	1.28	1.22
26	BB	953	G	N7-C5	-6.39	1.35	1.39
26	BB	2305	U	N3-C4	6.39	1.44	1.38
26	BB	2653	U	P-O5'	6.39	1.66	1.59
26	BB	2742	G	C6-N1	6.39	1.44	1.39
1	AA	493	A	C4'-O4'	-6.39	1.37	1.45
1	AA	943	U	O4'-C1'	6.39	1.50	1.41
26	BB	2033	A	C5-C4	-6.39	1.34	1.38
1	AA	594	U	P-O5'	6.39	1.66	1.59
1	AA	815	A	N3-C4	6.39	1.38	1.34
2	AB	56	C	C4-C5	6.39	1.48	1.43
2	AB	58	A	N3-C4	6.39	1.38	1.34
26	BB	20	C	C4-C5	6.39	1.48	1.43
26	BB	992	C	C4-C5	6.39	1.48	1.43
26	BB	2228	G	N1-C2	6.39	1.42	1.37
1	AA	351	G	C4'-O4'	-6.39	1.37	1.45
1	AA	411	A	N7-C5	-6.39	1.35	1.39
1	AA	603	U	C2-N3	-6.39	1.33	1.37
1	AA	1118	U	N3-C4	6.39	1.44	1.38
1	AA	1368	A	C2-N3	6.39	1.39	1.33
26	BB	446	G	P-O5'	6.39	1.66	1.59
26	BB	737	C	N1-C2	6.39	1.46	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1297	C	C2-N3	6.39	1.40	1.35
26	BB	2110	G	C2-N3	6.39	1.37	1.32
1	AA	546	A	N7-C5	-6.39	1.35	1.39
26	BB	152	A	C3'-C2'	6.39	1.59	1.52
26	BB	2374	C	C4-C5	6.39	1.48	1.43
26	BB	2392	A	C8-N7	-6.39	1.27	1.31
26	BB	2528	U	C5'-C4'	6.39	1.59	1.51
26	BB	2795	C	C2-N3	6.39	1.40	1.35
1	AA	391	G	O3'-P	6.38	1.68	1.61
26	BB	1308	A	C1'-N9	6.38	1.58	1.48
26	BB	2735	G	C5'-C4'	6.38	1.59	1.51
26	BB	2753	A	C5-C4	-6.38	1.34	1.38
1	AA	603	U	C3'-C2'	6.38	1.59	1.52
26	BB	283	G	C5'-C4'	6.38	1.59	1.51
26	BB	545	U	C4-C5	6.38	1.49	1.43
26	BB	2117	A	C2'-C1'	-6.38	1.46	1.53
26	BB	2897	U	C2-N3	6.38	1.42	1.37
26	BB	658	U	C4-O4	-6.38	1.18	1.23
26	BB	1122	G	C5-C4	-6.38	1.33	1.38
26	BB	2052	A	C6-N1	6.38	1.40	1.35
26	BB	2646	C	C2-O2	-6.38	1.18	1.24
26	BB	2767	C	C5-C6	6.38	1.39	1.34
26	BB	2788	C	C4'-O4'	-6.38	1.37	1.45
26	BB	2798	U	C5-C6	6.38	1.39	1.34
1	AA	418	C	C5-C6	6.38	1.39	1.34
1	AA	851	G	N9-C8	6.38	1.42	1.37
1	AA	1018	G	N9-C4	-6.38	1.32	1.38
1	AA	1274	A	N9-C8	6.38	1.42	1.37
3	AC	49	U	C4-C5	6.38	1.49	1.43
26	BB	275	C	C3'-O3'	-6.38	1.33	1.42
26	BB	971	G	P-O5'	-6.38	1.53	1.59
26	BB	1933	G	N9-C4	-6.38	1.32	1.38
26	BB	2176	A	N3-C4	6.38	1.38	1.34
26	BB	2459	A	C5'-C4'	6.38	1.59	1.51
26	BB	3	U	O3'-P	6.38	1.68	1.61
26	BB	115	C	C4-C5	6.38	1.48	1.43
26	BB	586	A	C8-N7	-6.38	1.27	1.31
26	BB	597	G	N7-C5	6.38	1.43	1.39
26	BB	1349	C	C4'-C3'	-6.38	1.46	1.53
26	BB	2247	A	N9-C4	-6.38	1.34	1.37
26	BB	2313	C	C4'-O4'	-6.38	1.37	1.45
1	AA	1133	G	N3-C4	6.38	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	90	C	O3'-P	6.38	1.68	1.61
26	BB	64	A	C3'-C2'	6.38	1.59	1.52
26	BB	2826	A	N3-C4	6.38	1.38	1.34
1	AA	450	G	O3'-P	-6.37	1.53	1.61
26	BB	153	U	C2-N3	6.37	1.42	1.37
26	BB	693	A	O3'-P	6.37	1.68	1.61
1	AA	118	U	N1-C2	6.37	1.44	1.38
1	AA	617	G	C6-N1	6.37	1.44	1.39
1	AA	1539	C	N1-C6	6.37	1.41	1.37
26	BB	879	G	N3-C4	-6.37	1.30	1.35
26	BB	986	C	C5-C6	6.37	1.39	1.34
1	AA	897	C	C5-C6	6.37	1.39	1.34
1	AA	1456	A	N9-C4	-6.37	1.34	1.37
26	BB	487	C	O3'-P	6.37	1.68	1.61
26	BB	2140	G	P-O5'	6.37	1.66	1.59
1	AA	176	C	N3-C4	6.37	1.38	1.33
1	AA	316	C	N3-C4	6.37	1.38	1.33
4	AD	18	U	C4'-C3'	6.37	1.60	1.53
26	BB	615	U	C4-C5	6.37	1.49	1.43
26	BB	1801	A	C3'-C2'	-6.37	1.45	1.52
26	BB	2880	C	O3'-P	6.37	1.68	1.61
1	AA	483	C	N1-C6	6.37	1.41	1.37
25	BA	62	C	N3-C4	6.37	1.38	1.33
26	BB	455	C	O5'-C5'	-6.37	1.32	1.42
26	BB	893	C	C2'-C1'	6.37	1.60	1.53
1	AA	35	G	O4'-C1'	6.37	1.50	1.41
1	AA	465	A	N3-C4	6.37	1.38	1.34
1	AA	1059	C	C2-N3	6.37	1.40	1.35
1	AA	1449	C	N1-C6	6.37	1.41	1.37
1	AA	1473	G	N7-C5	6.37	1.43	1.39
26	BB	483	A	C8-N7	6.37	1.36	1.31
26	BB	533	G	C4'-O4'	-6.37	1.37	1.45
26	BB	831	G	N1-C2	6.37	1.42	1.37
26	BB	920	A	O4'-C1'	6.37	1.50	1.41
26	BB	1243	C	C5'-C4'	6.37	1.58	1.51
26	BB	1910	G	N3-C4	6.37	1.40	1.35
1	AA	56	U	C5-C6	6.36	1.39	1.34
1	AA	508	U	N1-C6	-6.36	1.32	1.38
26	BB	359	G	N9-C4	6.36	1.43	1.38
26	BB	645	C	N1-C6	6.36	1.41	1.37
26	BB	908	C	C4-C5	6.36	1.48	1.43
26	BB	1490	A	C6-N6	-6.36	1.28	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1225	G	N9-C4	-6.36	1.32	1.38
1	AA	958	A	P-O5'	6.36	1.66	1.59
1	AA	998	C	O3'-P	6.36	1.68	1.61
3	AC	25	U	C2-N3	6.36	1.42	1.37
26	BB	768	G	C6-O6	-6.36	1.18	1.24
26	BB	1981	A	N9-C4	6.36	1.41	1.37
1	AA	410	G	C5-C4	-6.36	1.33	1.38
1	AA	1036	A	C5'-C4'	6.36	1.58	1.51
25	BA	86	G	N9-C4	6.36	1.43	1.38
26	BB	1302	A	C2'-C1'	-6.36	1.46	1.53
1	AA	211	G	N9-C4	6.36	1.43	1.38
1	AA	753	A	N7-C5	6.36	1.43	1.39
26	BB	860	U	C2-N3	6.36	1.42	1.37
4	AD	60	A	C2-N3	-6.36	1.27	1.33
26	BB	2709	G	C2-N2	6.36	1.41	1.34
1	AA	532	A	N9-C4	6.35	1.41	1.37
26	BB	1135	C	C4-N4	-6.35	1.28	1.33
26	BB	1368	G	C2-N3	6.35	1.37	1.32
26	BB	1773	A	N9-C8	-6.35	1.32	1.37
1	AA	79	G	N3-C4	6.35	1.39	1.35
26	BB	43	G	C8-N7	-6.35	1.27	1.30
26	BB	201	C	P-O5'	6.35	1.66	1.59
26	BB	1601	G	O4'-C1'	6.35	1.50	1.41
26	BB	2516	A	P-O5'	6.35	1.66	1.59
1	AA	94	G	N3-C4	6.35	1.39	1.35
1	AA	334	C	C5-C6	6.35	1.39	1.34
1	AA	1276	G	C6-O6	-6.35	1.18	1.24
2	AB	28	C	O4'-C1'	6.35	1.50	1.41
26	BB	1861	G	C3'-C2'	6.35	1.59	1.52
26	BB	2800	A	C4'-O4'	-6.35	1.37	1.45
1	AA	938	A	C5-C4	-6.35	1.34	1.38
26	BB	166	U	C2-N3	6.35	1.42	1.37
26	BB	1401	G	P-O5'	6.35	1.66	1.59
26	BB	1502	A	C6-N6	6.35	1.39	1.33
26	BB	1856	U	C5-C6	6.35	1.39	1.34
26	BB	1910	G	C2-N3	6.35	1.37	1.32
26	BB	2524	G	P-O5'	-6.35	1.53	1.59
1	AA	1500	A	N1-C2	-6.35	1.28	1.34
26	BB	2383	G	C8-N7	6.35	1.34	1.30
1	AA	1086	U	C5-C6	6.34	1.39	1.34
1	AA	1117	A	N9-C8	6.34	1.42	1.37
25	BA	85	G	C5-C6	6.34	1.48	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1232	G	C6-N1	-6.34	1.35	1.39
26	BB	2058	A	C2'-O2'	-6.34	1.33	1.41
58	B7	6	SER	CA-CB	6.34	1.62	1.52
1	AA	856	C	C5'-C4'	6.34	1.58	1.51
1	AA	1339	A	C2-N3	6.34	1.39	1.33
26	BB	384	A	N3-C4	6.34	1.38	1.34
26	BB	651	G	C6-N1	6.34	1.44	1.39
26	BB	1378	A	C5-C4	-6.34	1.34	1.38
26	BB	1432	G	C6-N1	6.34	1.44	1.39
26	BB	1557	C	C2-N3	6.34	1.40	1.35
1	AA	658	C	C5-C6	6.34	1.39	1.34
26	BB	784	G	C5'-C4'	6.34	1.58	1.51
26	BB	1111	A	N9-C4	-6.34	1.34	1.37
26	BB	1160	G	C5'-C4'	6.34	1.58	1.51
26	BB	1471	G	C5-C4	-6.34	1.33	1.38
26	BB	2093	G	C2-N3	6.34	1.37	1.32
26	BB	2228	G	C2-N3	6.34	1.37	1.32
26	BB	1207	C	C2'-O2'	-6.34	1.33	1.41
1	AA	115	G	C3'-C2'	6.34	1.59	1.52
1	AA	957	U	C5'-C4'	6.34	1.58	1.51
15	AO	13	ARG	NE-CZ	6.34	1.41	1.33
26	BB	789	A	N9-C8	-6.34	1.32	1.37
26	BB	1159	U	C2-O2	6.34	1.28	1.22
26	BB	2276	G	C5-C4	-6.34	1.33	1.38
26	BB	2817	U	C4-O4	-6.34	1.18	1.23
26	BB	2828	G	P-OP1	-6.34	1.38	1.49
1	AA	88	U	P-O5'	6.33	1.66	1.59
26	BB	1614	A	C4'-C3'	-6.33	1.46	1.53
26	BB	2233	U	C2-N3	6.33	1.42	1.37
26	BB	1328	A	C3'-C2'	6.33	1.59	1.52
26	BB	1424	G	N1-C2	6.33	1.42	1.37
26	BB	1995	U	C2-N3	6.33	1.42	1.37
26	BB	2095	A	P-O5'	6.33	1.66	1.59
26	BB	2136	G	N7-C5	-6.33	1.35	1.39
26	BB	2536	G	N9-C8	6.33	1.42	1.37
26	BB	2718	G	C4'-O4'	-6.33	1.37	1.45
26	BB	2880	C	P-O5'	6.33	1.66	1.59
1	AA	887	G	P-O5'	6.33	1.66	1.59
1	AA	890	G	N9-C8	-6.33	1.33	1.37
2	AB	50	G	N7-C5	6.33	1.43	1.39
26	BB	942	G	C5-C6	6.33	1.48	1.42
26	BB	1609	A	C6-N1	-6.33	1.31	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1660	G	C6-N1	-6.33	1.35	1.39
26	BB	2745	C	C4-C5	-6.33	1.37	1.43
1	AA	818	G	O3'-P	6.33	1.68	1.61
2	AB	10	G	C2-N3	6.33	1.37	1.32
26	BB	180	G	C8-N7	6.33	1.34	1.30
26	BB	392	U	N3-C4	6.33	1.44	1.38
26	BB	2812	G	C2-N3	6.33	1.37	1.32
1	AA	1141	C	N1-C2	6.33	1.46	1.40
26	BB	103	A	C6-N1	-6.33	1.31	1.35
26	BB	2020	A	P-O5'	6.33	1.66	1.59
1	AA	1029	U	C4'-C3'	6.33	1.60	1.53
3	AC	28	U	C2-O2	6.33	1.28	1.22
26	BB	1219	U	C2-N3	6.33	1.42	1.37
1	AA	175	C	P-O5'	6.33	1.66	1.59
1	AA	416	G	C5'-C4'	6.33	1.58	1.51
1	AA	822	U	O5'-C5'	-6.33	1.32	1.42
26	BB	536	G	C2-N2	-6.33	1.28	1.34
26	BB	652	U	C4'-O4'	-6.33	1.37	1.45
26	BB	1168	G	C8-N7	6.33	1.34	1.30
26	BB	1172	C	P-O5'	6.33	1.66	1.59
26	BB	1459	G	N9-C4	6.33	1.43	1.38
26	BB	1840	G	C5-C4	6.33	1.42	1.38
26	BB	2139	U	N1-C2	6.33	1.44	1.38
26	BB	2595	G	N3-C4	6.33	1.39	1.35
1	AA	455	G	P-O5'	6.32	1.66	1.59
1	AA	778	G	C5-C4	6.32	1.42	1.38
1	AA	894	G	C6-N1	-6.32	1.35	1.39
8	AH	161	GLU	CG-CD	6.32	1.61	1.51
25	BA	50	A	P-O5'	6.32	1.66	1.59
26	BB	591	U	C4-O4	6.32	1.28	1.23
26	BB	1336	A	O3'-P	6.32	1.68	1.61
26	BB	1412	U	C2-N3	-6.32	1.33	1.37
26	BB	1415	U	C2-N3	6.32	1.42	1.37
26	BB	2033	A	O3'-P	6.32	1.68	1.61
26	BB	6	A	C8-N7	-6.32	1.27	1.31
26	BB	81	G	C4'-O4'	-6.32	1.37	1.45
1	AA	139	A	C3'-C2'	-6.32	1.45	1.52
26	BB	181	A	C3'-C2'	6.32	1.59	1.52
26	BB	1147	A	C2-N3	6.32	1.39	1.33
1	AA	548	G	C2-N3	6.32	1.37	1.32
1	AA	1499	A	C6-N6	6.32	1.39	1.33
26	BB	2474	U	C4'-O4'	-6.32	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2781	A	C4'-C3'	6.32	1.60	1.53
26	BB	106	C	C5'-C4'	6.32	1.58	1.51
26	BB	673	C	C2-N3	6.32	1.40	1.35
26	BB	783	A	O3'-P	6.32	1.68	1.61
26	BB	1493	C	C5-C6	6.32	1.39	1.34
26	BB	1949	G	P-O5'	6.32	1.66	1.59
41	BQ	99	TYR	CB-CG	6.32	1.61	1.51
26	BB	1934	C	C5'-C4'	6.32	1.58	1.51
26	BB	2357	G	C6-O6	-6.32	1.18	1.24
26	BB	2539	C	C4-N4	-6.32	1.28	1.33
26	BB	119	A	N3-C4	6.31	1.38	1.34
26	BB	201	C	C4-C5	6.31	1.48	1.43
26	BB	721	A	C5-C4	-6.31	1.34	1.38
26	BB	1279	G	O4'-C1'	6.31	1.49	1.41
26	BB	1350	C	C2-O2	-6.31	1.18	1.24
26	BB	1418	G	C6-N1	6.31	1.44	1.39
1	AA	411	A	N9-C4	6.31	1.41	1.37
1	AA	821	G	C5'-C4'	6.31	1.58	1.51
1	AA	1243	C	C4-C5	-6.31	1.37	1.43
26	BB	524	G	C3'-C2'	6.31	1.59	1.52
26	BB	849	A	C4'-C3'	-6.31	1.46	1.53
26	BB	976	G	N9-C8	6.31	1.42	1.37
26	BB	2175	C	C5-C6	6.31	1.39	1.34
26	BB	2393	U	C4-O4	6.31	1.28	1.23
26	BB	2683	C	C4-N4	-6.31	1.28	1.33
1	AA	1483	A	C3'-O3'	6.31	1.50	1.42
1	AA	205	A	C4'-O4'	-6.31	1.37	1.45
1	AA	727	G	N9-C4	-6.31	1.32	1.38
2	AB	21	A	N3-C4	6.31	1.38	1.34
26	BB	784	G	N1-C2	6.31	1.42	1.37
26	BB	1157	G	C5'-C4'	6.31	1.58	1.51
26	BB	2173	A	N7-C5	6.31	1.43	1.39
26	BB	2509	G	C4'-C3'	6.31	1.60	1.53
1	AA	611	C	N1-C6	6.31	1.41	1.37
1	AA	660	C	C5'-C4'	6.31	1.58	1.51
1	AA	669	G	C5-C4	-6.31	1.33	1.38
1	AA	1335	U	C4-O4	-6.31	1.18	1.23
2	AB	36	A	C6-N1	-6.31	1.31	1.35
26	BB	332	A	C4'-C3'	6.31	1.60	1.53
26	BB	810	U	C4-C5	6.31	1.49	1.43
26	BB	999	U	C3'-C2'	6.31	1.59	1.52
26	BB	2872	A	N3-C4	6.31	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1154	G	C4'-O4'	-6.31	1.37	1.45
26	BB	1836	C	N1-C6	6.31	1.41	1.37
26	BB	2887	A	N9-C4	-6.31	1.34	1.37
1	AA	378	G	N1-C2	6.30	1.42	1.37
1	AA	952	U	C4-O4	6.30	1.28	1.23
26	BB	1047	G	N7-C5	-6.30	1.35	1.39
26	BB	2638	G	P-O5'	6.30	1.66	1.59
26	BB	156	A	C5-C6	-6.30	1.35	1.41
26	BB	463	G	C6-N1	6.30	1.44	1.39
26	BB	464	U	C4-O4	-6.30	1.18	1.23
26	BB	1840	G	C6-N1	6.30	1.44	1.39
1	AA	35	G	C4'-O4'	-6.30	1.37	1.45
1	AA	533	A	C2'-C1'	6.30	1.60	1.53
1	AA	564	C	C2-N3	6.30	1.40	1.35
1	AA	585	G	N7-C5	6.30	1.43	1.39
1	AA	587	G	N9-C4	6.30	1.43	1.38
1	AA	1061	G	C8-N7	-6.30	1.27	1.30
1	AA	1073	U	C4'-C3'	-6.30	1.46	1.53
1	AA	1521	C	C5'-C4'	6.30	1.58	1.51
26	BB	293	U	O3'-P	6.30	1.68	1.61
26	BB	1637	A	C2'-C1'	6.30	1.60	1.53
26	BB	1912	A	C5-C4	6.30	1.43	1.38
26	BB	2001	C	N3-C4	6.30	1.38	1.33
26	BB	2033	A	C6-N6	-6.30	1.28	1.33
26	BB	2276	G	C6-N1	6.30	1.44	1.39
1	AA	724	G	C2-N3	6.30	1.37	1.32
1	AA	1305	G	C5-C6	6.30	1.48	1.42
26	BB	497	A	C4'-O4'	-6.30	1.37	1.45
26	BB	825	A	N3-C4	6.30	1.38	1.34
26	BB	886	A	C5-C4	-6.30	1.34	1.38
26	BB	1143	A	C5-C6	-6.30	1.35	1.41
26	BB	1570	A	N9-C8	6.30	1.42	1.37
26	BB	1764	C	O3'-P	6.30	1.68	1.61
26	BB	1770	G	C2-N3	6.30	1.37	1.32
26	BB	1975	G	C2-N3	6.30	1.37	1.32
26	BB	2020	A	C8-N7	-6.30	1.27	1.31
1	AA	235	C	C4-C5	6.30	1.48	1.43
1	AA	832	G	C4'-O4'	-6.30	1.37	1.45
26	BB	1494	A	N1-C2	-6.30	1.28	1.34
26	BB	2442	C	C2-N3	6.30	1.40	1.35
26	BB	459	U	P-O5'	6.30	1.66	1.59
26	BB	1728	C	C3'-C2'	6.30	1.59	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1777	U	O4'-C1'	6.30	1.49	1.41
26	BB	1970	A	N9-C4	6.30	1.41	1.37
4	AD	43	G	O3'-P	6.29	1.68	1.61
1	AA	76	G	C6-N1	-6.29	1.35	1.39
1	AA	760	G	N7-C5	6.29	1.43	1.39
26	BB	180	G	C5'-C4'	6.29	1.58	1.51
26	BB	860	U	C4'-C3'	6.29	1.60	1.53
26	BB	1118	C	C4'-C3'	6.29	1.60	1.53
26	BB	1746	A	C5-C4	-6.29	1.34	1.38
26	BB	2814	A	C5'-C4'	6.29	1.58	1.51
1	AA	280	C	N1-C2	6.29	1.46	1.40
1	AA	1269	A	C2'-C1'	-6.29	1.46	1.53
26	BB	2427	C	C5-C6	6.29	1.39	1.34
1	AA	282	A	N3-C4	6.29	1.38	1.34
4	AD	51	U	N3-C4	6.29	1.44	1.38
1	AA	496	A	C8-N7	-6.29	1.27	1.31
1	AA	744	C	C4'-O4'	-6.29	1.37	1.45
1	AA	796	C	N1-C6	6.29	1.41	1.37
1	AA	902	G	C8-N7	-6.29	1.27	1.30
1	AA	1094	G	C5'-C4'	6.29	1.58	1.51
1	AA	1298	U	C2-N3	6.29	1.42	1.37
26	BB	536	G	N7-C5	-6.29	1.35	1.39
26	BB	608	A	N7-C5	6.29	1.43	1.39
26	BB	2255	G	C2-N2	6.29	1.40	1.34
26	BB	2522	U	P-O5'	6.29	1.66	1.59
26	BB	2871	U	C4'-C3'	-6.29	1.46	1.53
26	BB	372	G	P-O5'	6.29	1.66	1.59
26	BB	980	A	P-O5'	6.29	1.66	1.59
26	BB	994	C	C4'-O4'	-6.29	1.37	1.45
26	BB	1566	A	C6-N1	-6.29	1.31	1.35
1	AA	96	U	N1-C6	6.29	1.43	1.38
1	AA	195	A	C2-N3	-6.29	1.27	1.33
1	AA	722	G	O3'-P	6.29	1.68	1.61
1	AA	766	A	C4'-O4'	-6.29	1.37	1.45
1	AA	894	G	C8-N7	6.29	1.34	1.30
1	AA	1182	G	P-O5'	6.29	1.66	1.59
26	BB	2	G	N9-C4	6.29	1.43	1.38
26	BB	76	C	C5-C6	6.29	1.39	1.34
26	BB	999	U	C2-O2	-6.29	1.16	1.22
26	BB	1433	A	N9-C8	-6.29	1.32	1.37
26	BB	1751	U	C4-C5	6.29	1.49	1.43
26	BB	2208	C	C2-N3	6.29	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2366	A	N3-C4	6.29	1.38	1.34
1	AA	209	U	C3'-C2'	6.28	1.59	1.52
1	AA	1391	U	N1-C6	-6.28	1.32	1.38
26	BB	59	U	C4'-O4'	-6.28	1.37	1.45
26	BB	464	U	C2'-O2'	6.28	1.49	1.41
26	BB	2556	C	N1-C2	6.28	1.46	1.40
26	BB	252	G	C2-N3	6.28	1.37	1.32
26	BB	1212	G	N9-C8	6.28	1.42	1.37
26	BB	2143	C	C5-C6	6.28	1.39	1.34
1	AA	94	G	C5-C4	-6.28	1.33	1.38
1	AA	257	G	P-O5'	6.28	1.66	1.59
1	AA	484	G	N3-C4	6.28	1.39	1.35
26	BB	288	U	C3'-C2'	6.28	1.59	1.52
26	BB	477	A	N9-C4	6.28	1.41	1.37
26	BB	1117	C	C5'-C4'	6.28	1.58	1.51
26	BB	2454	G	N1-C2	6.28	1.42	1.37
1	AA	1064	G	C6-O6	6.28	1.29	1.24
26	BB	1447	C	P-O5'	6.28	1.66	1.59
26	BB	1854	A	C8-N7	-6.28	1.27	1.31
1	AA	1002	G	C4'-C3'	6.28	1.60	1.53
1	AA	1089	G	C2-N3	6.28	1.37	1.32
4	AD	26	C	C5-C6	6.28	1.39	1.34
26	BB	401	A	C2'-C1'	6.28	1.60	1.53
26	BB	749	A	C2'-C1'	-6.28	1.46	1.53
26	BB	1439	A	C6-N1	6.28	1.40	1.35
26	BB	1927	A	C5'-C4'	6.28	1.58	1.51
1	AA	165	G	P-O5'	6.28	1.66	1.59
26	BB	113	U	C2-N3	6.28	1.42	1.37
26	BB	701	G	C5'-C4'	6.28	1.58	1.51
1	AA	453	G	C2'-O2'	6.27	1.49	1.41
26	BB	277	G	N3-C4	6.27	1.39	1.35
26	BB	1806	C	O4'-C1'	6.27	1.49	1.41
26	BB	2463	C	C2'-C1'	6.27	1.60	1.53
26	BB	2618	G	C6-N1	6.27	1.44	1.39
26	BB	2743	U	C2-O2	6.27	1.27	1.22
1	AA	288	A	P-O5'	6.27	1.66	1.59
1	AA	533	A	N9-C4	6.27	1.41	1.37
1	AA	633	G	C5-C4	-6.27	1.33	1.38
1	AA	1168	U	C4'-O4'	-6.27	1.37	1.45
1	AA	1271	A	C4'-O4'	-6.27	1.37	1.45
26	BB	319	G	C2-N3	6.27	1.37	1.32
26	BB	2658	C	C2-N3	6.27	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	169	C	O3'-P	6.27	1.68	1.61
1	AA	974	A	C2-N3	-6.27	1.27	1.33
1	AA	1515	G	C2-N3	6.27	1.37	1.32
26	BB	857	G	C8-N7	-6.27	1.27	1.30
26	BB	2648	G	C5-C4	-6.27	1.33	1.38
26	BB	2810	A	P-O5'	6.27	1.66	1.59
1	AA	242	G	P-O5'	6.27	1.66	1.59
1	AA	1153	G	C5'-C4'	6.27	1.58	1.51
1	AA	1234	C	N3-C4	6.27	1.38	1.33
12	AL	44	ARG	CZ-NH1	6.27	1.41	1.33
26	BB	173	A	P-O5'	6.27	1.66	1.59
26	BB	469	G	C5-C4	-6.27	1.33	1.38
26	BB	2417	C	P-O5'	6.27	1.66	1.59
1	AA	729	A	N3-C4	-6.27	1.31	1.34
1	AA	1054	C	O5'-C5'	-6.27	1.32	1.42
1	AA	1542	A	P-O5'	6.27	1.66	1.59
26	BB	1530	G	O4'-C1'	6.27	1.49	1.41
26	BB	1869	G	C2-N2	-6.27	1.28	1.34
26	BB	2215	C	P-O5'	6.27	1.66	1.59
1	AA	691	G	O4'-C1'	6.27	1.49	1.41
26	BB	1329	U	C4-C5	6.27	1.49	1.43
26	BB	2675	A	N3-C4	6.27	1.38	1.34
1	AA	1467	C	O3'-P	6.26	1.68	1.61
26	BB	1143	A	C6-N1	6.26	1.40	1.35
26	BB	1177	G	C6-N1	6.26	1.44	1.39
26	BB	1242	U	C5-C6	6.26	1.39	1.34
26	BB	1271	G	C2-N3	-6.26	1.27	1.32
26	BB	1448	G	O3'-P	6.26	1.68	1.61
26	BB	2573	C	P-O5'	6.26	1.66	1.59
26	BB	2785	C	N3-C4	6.26	1.38	1.33
1	AA	614	C	C4-N4	6.26	1.39	1.33
1	AA	407	U	C2'-C1'	-6.26	1.46	1.53
1	AA	737	C	O3'-P	6.26	1.68	1.61
1	AA	1143	G	N1-C2	6.26	1.42	1.37
26	BB	557	C	N1-C6	6.26	1.41	1.37
26	BB	582	A	C5-C6	6.26	1.46	1.41
26	BB	646	U	C3'-O3'	-6.26	1.33	1.42
26	BB	1130	U	C5-C6	6.26	1.39	1.34
26	BB	2887	A	C5'-C4'	6.26	1.58	1.51
1	AA	281	G	O3'-P	6.26	1.68	1.61
1	AA	1033	G	C2'-O2'	6.26	1.49	1.41
1	AA	1085	U	C2-N3	6.26	1.42	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1161	C	P-O5'	6.26	1.66	1.59
2	AB	21	A	N7-C5	-6.26	1.35	1.39
4	AD	50	G	N7-C5	-6.26	1.35	1.39
26	BB	5	A	C3'-C2'	6.26	1.59	1.52
26	BB	822	G	N1-C2	6.26	1.42	1.37
26	BB	301	G	N9-C8	-6.26	1.33	1.37
1	AA	21	G	C5-C6	6.26	1.48	1.42
1	AA	899	C	C4'-O4'	-6.26	1.37	1.45
26	BB	1363	C	N3-C4	6.26	1.38	1.33
26	BB	2049	G	N7-C5	-6.26	1.35	1.39
26	BB	2403	C	O4'-C1'	6.26	1.49	1.41
26	BB	1809	A	N7-C5	6.25	1.43	1.39
26	BB	2136	G	C2-N3	6.25	1.37	1.32
26	BB	2375	G	C6-N1	6.25	1.44	1.39
1	AA	11	G	C4'-O4'	-6.25	1.37	1.45
1	AA	658	C	C3'-C2'	-6.25	1.45	1.52
1	AA	786	G	C4'-O4'	-6.25	1.37	1.45
25	BA	101	A	N9-C8	6.25	1.42	1.37
26	BB	603	A	N7-C5	6.25	1.43	1.39
26	BB	749	A	C6-N1	6.25	1.40	1.35
26	BB	1322	A	C4'-O4'	-6.25	1.37	1.45
26	BB	2200	C	C2-O2	6.25	1.30	1.24
26	BB	2493	U	C4-C5	6.25	1.49	1.43
1	AA	607	A	C6-N6	6.25	1.39	1.33
1	AA	954	G	N1-C2	6.25	1.42	1.37
2	AB	59	G	N1-C2	6.25	1.42	1.37
3	AC	41	A	O3'-P	6.25	1.68	1.61
26	BB	148	U	O3'-P	6.25	1.68	1.61
26	BB	191	A	C5'-C4'	6.25	1.58	1.51
26	BB	634	C	C2-N3	6.25	1.40	1.35
26	BB	1842	G	C5'-C4'	6.25	1.58	1.51
26	BB	2135	A	P-O5'	6.25	1.66	1.59
1	AA	1487	G	N3-C4	6.25	1.39	1.35
25	BA	9	G	C5'-C4'	6.25	1.58	1.51
26	BB	55	G	C5'-C4'	6.25	1.58	1.51
26	BB	1171	G	N7-C5	6.25	1.43	1.39
1	AA	1270	G	C2'-C1'	6.25	1.60	1.53
1	AA	1358	U	P-O5'	6.25	1.66	1.59
26	BB	101	A	C6-N6	-6.25	1.28	1.33
26	BB	1208	C	C4-C5	6.25	1.48	1.43
1	AA	108	G	O3'-P	6.25	1.68	1.61
1	AA	730	G	N9-C8	-6.25	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1067	A	C5-C6	6.25	1.46	1.41
26	BB	342	A	N7-C5	6.25	1.43	1.39
26	BB	1022	G	N1-C2	6.25	1.42	1.37
26	BB	2303	G	N7-C5	-6.25	1.35	1.39
3	AC	25	U	C2'-C1'	6.25	1.60	1.53
26	BB	1765	U	C4'-C3'	6.25	1.60	1.53
26	BB	1812	U	C5'-C4'	6.25	1.58	1.51
26	BB	2277	G	N3-C4	6.25	1.39	1.35
1	AA	743	A	C4'-C3'	6.24	1.60	1.53
26	BB	152	A	O5'-C5'	6.24	1.54	1.44
26	BB	265	A	N9-C4	6.24	1.41	1.37
26	BB	592	A	N3-C4	6.24	1.38	1.34
26	BB	1205	A	C4'-O4'	-6.24	1.37	1.45
26	BB	1317	G	C3'-C2'	6.24	1.59	1.52
26	BB	1474	U	N1-C2	6.24	1.44	1.38
26	BB	2802	G	C4'-O4'	-6.24	1.37	1.45
1	AA	1367	C	C4'-O4'	-6.24	1.37	1.45
26	BB	259	G	N3-C4	6.24	1.39	1.35
26	BB	421	C	C2-O2	-6.24	1.18	1.24
26	BB	1483	G	N7-C5	6.24	1.43	1.39
26	BB	2106	U	O3'-P	6.24	1.68	1.61
1	AA	633	G	N7-C5	-6.24	1.35	1.39
3	AC	34	U	C5'-C4'	6.24	1.58	1.51
26	BB	432	A	C4'-O4'	-6.24	1.37	1.45
26	BB	1906	G	C5'-C4'	6.24	1.58	1.51
26	BB	1968	G	C2-N3	6.24	1.37	1.32
26	BB	2111	U	C4'-C3'	-6.24	1.46	1.53
26	BB	2654	A	C4'-C3'	6.24	1.60	1.53
1	AA	834	U	O4'-C1'	-6.24	1.33	1.41
26	BB	1112	G	C5-C4	-6.24	1.33	1.38
26	BB	1293	C	C4'-O4'	-6.24	1.37	1.45
1	AA	1052	U	C3'-C2'	6.24	1.59	1.52
26	BB	165	A	N7-C5	-6.24	1.35	1.39
26	BB	288	U	P-O5'	6.24	1.66	1.59
26	BB	1605	C	N3-C4	6.24	1.38	1.33
26	BB	2056	G	N1-C2	6.24	1.42	1.37
26	BB	2570	G	N7-C5	6.24	1.43	1.39
26	BB	253	C	N3-C4	6.24	1.38	1.33
26	BB	915	C	C2-N3	6.24	1.40	1.35
26	BB	2819	G	C6-O6	-6.24	1.18	1.24
1	AA	882	C	C4-C5	6.23	1.48	1.43
26	BB	1409	U	C2-N3	6.23	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1536	C	C2-N3	6.23	1.40	1.35
1	AA	450	G	C8-N7	6.23	1.34	1.30
1	AA	1159	U	C4-C5	6.23	1.49	1.43
3	AC	40	G	C6-N1	6.23	1.44	1.39
26	BB	1212	G	O3'-P	6.23	1.68	1.61
26	BB	1356	G	C6-O6	-6.23	1.18	1.24
26	BB	1713	A	N9-C4	-6.23	1.34	1.37
26	BB	2096	C	P-O5'	6.23	1.66	1.59
26	BB	2268	A	P-O5'	6.23	1.66	1.59
26	BB	2465	C	C2'-O2'	6.23	1.49	1.41
26	BB	2845	U	C2-N3	6.23	1.42	1.37
1	AA	1313	U	O3'-P	-6.23	1.53	1.61
26	BB	547	A	C2-N3	6.23	1.39	1.33
26	BB	1522	A	C5-C4	-6.23	1.34	1.38
26	BB	1666	G	N3-C4	-6.23	1.31	1.35
26	BB	2200	C	N1-C6	6.23	1.40	1.37
1	AA	878	A	C4'-O4'	-6.23	1.37	1.45
1	AA	1458	G	C4'-O4'	-6.23	1.37	1.45
26	BB	24	G	C2-N3	6.23	1.37	1.32
26	BB	319	G	C8-N7	-6.23	1.27	1.30
1	AA	99	C	N1-C6	-6.23	1.33	1.37
1	AA	666	G	C3'-C2'	6.23	1.59	1.52
1	AA	785	G	N7-C5	-6.23	1.35	1.39
1	AA	1047	G	N3-C4	6.23	1.39	1.35
26	BB	715	A	P-O5'	6.23	1.66	1.59
26	BB	1120	G	C6-O6	-6.23	1.18	1.24
1	AA	1110	A	C6-N6	6.23	1.39	1.33
1	AA	1199	U	C5-C6	6.23	1.39	1.34
25	BA	34	A	P-O5'	6.23	1.66	1.59
26	BB	728	G	N9-C4	6.23	1.43	1.38
1	AA	923	A	N3-C4	-6.22	1.31	1.34
25	BA	18	G	C8-N7	-6.22	1.27	1.30
26	BB	57	C	C4-N4	-6.22	1.28	1.33
26	BB	759	G	N1-C2	6.22	1.42	1.37
26	BB	888	C	N1-C6	6.22	1.40	1.37
26	BB	1025	G	O3'-P	6.22	1.68	1.61
26	BB	1061	U	C4'-O4'	-6.22	1.37	1.45
26	BB	1461	C	C2-N3	6.22	1.40	1.35
26	BB	2311	A	N9-C4	-6.22	1.34	1.37
1	AA	439	U	O5'-C5'	-6.22	1.32	1.42
1	AA	455	G	C4'-O4'	-6.22	1.37	1.45
1	AA	538	G	C6-N1	6.22	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1140	C	C4'-C3'	-6.22	1.46	1.53
1	AA	1243	C	C4'-O4'	-6.22	1.37	1.45
1	AA	1465	A	N7-C5	-6.22	1.35	1.39
1	AA	1485	U	C2'-C1'	-6.22	1.46	1.53
13	AM	5	ARG	CZ-NH2	6.22	1.41	1.33
26	BB	354	A	C5'-C4'	6.22	1.58	1.51
26	BB	1331	G	C5'-C4'	6.22	1.58	1.51
26	BB	1571	A	P-O5'	6.22	1.66	1.59
26	BB	2546	U	C2-N3	6.22	1.42	1.37
26	BB	2603	G	C6-O6	-6.22	1.18	1.24
1	AA	609	A	C3'-O3'	6.22	1.50	1.42
26	BB	1539	U	C2'-O2'	6.22	1.49	1.41
1	AA	319	G	N3-C4	6.22	1.39	1.35
26	BB	613	A	P-O5'	-6.22	1.53	1.59
26	BB	831	G	C3'-C2'	6.22	1.59	1.52
26	BB	1122	G	N1-C2	6.22	1.42	1.37
26	BB	1745	A	C6-N1	6.22	1.40	1.35
26	BB	2508	G	N3-C4	6.22	1.39	1.35
1	AA	580	C	N3-C4	6.22	1.38	1.33
1	AA	795	C	P-O5'	6.22	1.66	1.59
1	AA	1204	A	N3-C4	6.22	1.38	1.34
26	BB	152	A	N7-C5	6.22	1.43	1.39
26	BB	1072	C	C2-N3	-6.22	1.30	1.35
26	BB	2581	G	N9-C8	-6.22	1.33	1.37
1	AA	276	G	N7-C5	-6.22	1.35	1.39
1	AA	979	C	C4'-O4'	-6.22	1.37	1.45
1	AA	1328	C	O4'-C1'	6.22	1.49	1.41
26	BB	190	A	C5-C4	-6.22	1.34	1.38
26	BB	551	G	C2-N3	6.22	1.37	1.32
26	BB	561	G	N9-C4	-6.22	1.32	1.38
26	BB	906	U	P-O5'	6.22	1.66	1.59
26	BB	1066	U	C3'-C2'	6.22	1.59	1.52
26	BB	1150	C	C2-O2	-6.22	1.18	1.24
26	BB	2036	C	C5'-C4'	6.22	1.58	1.51
26	BB	2662	A	C6-N1	-6.22	1.31	1.35
1	AA	697	U	C4'-O4'	-6.21	1.37	1.45
1	AA	882	C	C4'-O4'	-6.21	1.37	1.45
1	AA	1497	G	N9-C8	-6.21	1.33	1.37
26	BB	107	G	N1-C2	6.21	1.42	1.37
26	BB	619	G	N3-C4	6.21	1.39	1.35
26	BB	972	A	C4'-O4'	-6.21	1.37	1.45
26	BB	1826	G	N9-C8	6.21	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	709	U	C4'-O4'	-6.21	1.37	1.45
26	BB	454	A	C8-N7	-6.21	1.27	1.31
26	BB	1781	U	O3'-P	6.21	1.68	1.61
26	BB	2681	C	C4-C5	6.21	1.48	1.43
1	AA	411	A	N9-C8	-6.21	1.32	1.37
26	BB	96	C	P-O5'	6.21	1.66	1.59
26	BB	413	C	N1-C6	6.21	1.40	1.37
26	BB	512	G	P-O5'	6.21	1.66	1.59
26	BB	910	A	O3'-P	-6.21	1.53	1.61
26	BB	1635	A	C3'-O3'	6.21	1.50	1.42
26	BB	2197	U	C4'-O4'	-6.21	1.37	1.45
26	BB	2696	U	C2-N3	6.21	1.42	1.37
26	BB	2819	G	C4'-O4'	-6.21	1.37	1.45
1	AA	1223	C	C4'-O4'	-6.21	1.37	1.45
1	AA	303	A	P-O5'	6.21	1.66	1.59
1	AA	1249	C	C4'-O4'	-6.21	1.37	1.45
1	AA	1514	G	O3'-P	6.21	1.68	1.61
2	AB	33	U	C2-N3	6.21	1.42	1.37
26	BB	682	G	C6-O6	-6.21	1.18	1.24
26	BB	1364	G	N9-C8	6.21	1.42	1.37
26	BB	2314	A	N3-C4	6.21	1.38	1.34
26	BB	2524	G	C5'-C4'	6.21	1.58	1.51
1	AA	617	G	O3'-P	6.21	1.68	1.61
1	AA	903	G	N9-C4	-6.21	1.32	1.38
26	BB	50	U	C5'-C4'	6.21	1.58	1.51
26	BB	600	G	C5'-C4'	6.21	1.58	1.51
26	BB	873	C	C4-N4	6.21	1.39	1.33
26	BB	1209	U	P-O5'	6.21	1.66	1.59
26	BB	1529	G	N9-C8	6.21	1.42	1.37
26	BB	1941	C	C4-C5	6.21	1.48	1.43
26	BB	2255	G	C5'-C4'	6.21	1.58	1.51
26	BB	2427	C	C2-N3	6.21	1.40	1.35
26	BB	920	A	N9-C8	6.21	1.42	1.37
26	BB	932	U	P-O5'	-6.21	1.53	1.59
17	AQ	80	ARG	NE-CZ	6.20	1.41	1.33
26	BB	375	G	C6-O6	-6.20	1.18	1.24
26	BB	859	G	C2-N3	6.20	1.37	1.32
1	AA	68	G	C2-N3	6.20	1.37	1.32
1	AA	142	G	C2-N3	6.20	1.37	1.32
1	AA	1381	U	C5-C6	6.20	1.39	1.34
26	BB	2040	G	P-O5'	6.20	1.66	1.59
1	AA	954	G	O4'-C1'	6.20	1.49	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	9	G	N9-C8	6.20	1.42	1.37
26	BB	144	A	N3-C4	6.20	1.38	1.34
26	BB	1001	A	C6-N6	-6.20	1.28	1.33
26	BB	1227	G	C6-N1	-6.20	1.35	1.39
26	BB	1486	U	C4-O4	-6.20	1.18	1.23
26	BB	2679	A	N9-C4	6.20	1.41	1.37
1	AA	371	A	P-O5'	6.20	1.66	1.59
1	AA	1005	A	C3'-C2'	6.20	1.59	1.52
1	AA	546	A	C5-C6	6.20	1.46	1.41
1	AA	1204	A	C5-C6	-6.20	1.35	1.41
1	AA	1398	A	P-O5'	6.20	1.66	1.59
26	BB	1	G	N3-C4	6.20	1.39	1.35
26	BB	1361	G	C5-C4	-6.20	1.34	1.38
26	BB	1575	C	N1-C6	6.20	1.40	1.37
26	BB	2850	A	P-O5'	6.20	1.66	1.59
1	AA	901	A	C8-N7	-6.19	1.27	1.31
1	AA	1062	U	C4-C5	6.19	1.49	1.43
26	BB	168	G	C4'-O4'	-6.19	1.37	1.45
26	BB	487	C	O4'-C1'	6.19	1.49	1.41
26	BB	2035	G	O4'-C1'	6.19	1.49	1.41
1	AA	1203	C	C4-C5	6.19	1.48	1.43
26	BB	940	G	C5-C4	6.19	1.42	1.38
26	BB	1867	G	C2-N3	6.19	1.37	1.32
26	BB	1890	A	C5-C6	6.19	1.46	1.41
26	BB	2492	U	N1-C6	-6.19	1.32	1.38
1	AA	302	G	C6-O6	-6.19	1.18	1.24
1	AA	616	G	N3-C4	-6.19	1.31	1.35
1	AA	753	A	C2'-O2'	-6.19	1.33	1.41
1	AA	871	U	C3'-C2'	-6.19	1.46	1.52
1	AA	935	A	C2'-C1'	-6.19	1.46	1.53
1	AA	1538	C	C5-C6	6.19	1.39	1.34
9	AI	130	GLU	CD-OE2	-6.19	1.18	1.25
26	BB	1619	G	N9-C8	-6.19	1.33	1.37
26	BB	1805	A	N3-C4	6.19	1.38	1.34
1	AA	1009	U	C2-N3	6.19	1.42	1.37
26	BB	1365	A	C2'-C1'	6.19	1.60	1.53
1	AA	1048	G	C2-N3	6.19	1.37	1.32
1	AA	1393	U	C4'-O4'	-6.19	1.37	1.45
1	AA	1484	C	O3'-P	6.19	1.68	1.61
25	BA	24	G	P-O5'	-6.19	1.53	1.59
26	BB	22	C	P-O5'	6.19	1.66	1.59
26	BB	2394	C	N1-C6	6.19	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1682	G	N1-C2	6.19	1.42	1.37
26	BB	1784	A	N7-C5	6.19	1.43	1.39
1	AA	621	A	C4'-O4'	6.18	1.53	1.45
1	AA	1292	G	N9-C4	-6.18	1.33	1.38
1	AA	1511	G	N1-C2	6.18	1.42	1.37
26	BB	503	A	N3-C4	6.18	1.38	1.34
26	BB	1382	G	C5-C6	6.18	1.48	1.42
26	BB	2064	C	P-O5'	6.18	1.66	1.59
26	BB	2706	A	C5-C4	-6.18	1.34	1.38
1	AA	702	A	C6-N1	6.18	1.39	1.35
1	AA	928	G	C8-N7	-6.18	1.27	1.30
4	AD	11	A	N3-C4	6.18	1.38	1.34
25	BA	92	C	C4'-O4'	-6.18	1.37	1.45
26	BB	867	C	P-O5'	6.18	1.66	1.59
26	BB	926	G	N9-C8	-6.18	1.33	1.37
26	BB	2585	U	C4'-O4'	-6.18	1.37	1.45
26	BB	2699	C	C5-C6	6.18	1.39	1.34
26	BB	2717	C	C5'-C4'	6.18	1.58	1.51
1	AA	173	U	C2-N3	6.18	1.42	1.37
1	AA	741	G	N7-C5	6.18	1.43	1.39
3	AC	19	A	N7-C5	6.18	1.43	1.39
25	BA	34	A	C6-N6	6.18	1.38	1.33
26	BB	2150	C	O3'-P	6.18	1.68	1.61
1	AA	589	U	O3'-P	6.18	1.68	1.61
1	AA	971	G	C5-C4	-6.18	1.34	1.38
1	AA	1378	C	C2-N3	6.18	1.40	1.35
26	BB	480	A	N7-C5	-6.18	1.35	1.39
26	BB	630	G	C2'-O2'	-6.18	1.33	1.41
26	BB	889	C	C2'-O2'	6.18	1.49	1.41
26	BB	2168	G	C4'-O4'	-6.18	1.37	1.45
26	BB	2507	C	N3-C4	6.18	1.38	1.33
1	AA	1140	C	C2'-C1'	6.18	1.60	1.53
26	BB	2869	G	C2-N3	6.18	1.37	1.32
1	AA	101	A	C6-N6	-6.18	1.29	1.33
1	AA	837	U	C4-C5	6.18	1.49	1.43
26	BB	284	U	N1-C2	6.18	1.44	1.38
26	BB	1389	G	C5'-C4'	6.18	1.58	1.51
26	BB	1622	G	N3-C4	6.18	1.39	1.35
26	BB	1629	U	C2'-C1'	6.18	1.60	1.53
1	AA	486	U	C2-N3	6.17	1.42	1.37
1	AA	1196	A	O3'-P	6.17	1.68	1.61
1	AA	1211	U	C4-O4	-6.17	1.18	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1318	A	C6-N1	6.17	1.39	1.35
1	AA	1330	U	C4-C5	6.17	1.49	1.43
25	BA	28	C	P-O5'	-6.17	1.53	1.59
26	BB	219	A	N9-C4	6.17	1.41	1.37
26	BB	602	A	O3'-P	6.17	1.68	1.61
26	BB	2289	G	N1-C2	6.17	1.42	1.37
26	BB	2290	G	C2-N3	6.17	1.37	1.32
26	BB	2528	U	N3-C4	6.17	1.44	1.38
1	AA	249	U	C4-C5	6.17	1.49	1.43
1	AA	633	G	P-O5'	6.17	1.66	1.59
1	AA	702	A	C5-C4	-6.17	1.34	1.38
4	AD	17	C	C2-O2	-6.17	1.18	1.24
26	BB	956	G	N1-C2	6.17	1.42	1.37
26	BB	1224	U	C1'-N1	6.17	1.58	1.48
26	BB	1505	A	O3'-P	-6.17	1.53	1.61
26	BB	1602	U	P-O5'	-6.17	1.53	1.59
26	BB	2761	A	C2'-C1'	6.17	1.60	1.53
26	BB	728	G	N9-C8	-6.17	1.33	1.37
1	AA	232	G	N7-C5	6.17	1.43	1.39
1	AA	302	G	C2'-O2'	-6.17	1.33	1.41
1	AA	1054	C	C3'-C2'	6.17	1.59	1.52
1	AA	1146	A	N7-C5	6.17	1.43	1.39
26	BB	85	G	C5-C4	6.17	1.42	1.38
26	BB	570	G	N3-C4	6.17	1.39	1.35
26	BB	1125	G	C8-N7	6.17	1.34	1.30
26	BB	1292	G	N9-C4	-6.17	1.33	1.38
26	BB	1740	G	C4'-O4'	-6.17	1.37	1.45
26	BB	2512	C	C4'-O4'	-6.17	1.37	1.45
4	AD	26	C	P-O5'	6.17	1.66	1.59
25	BA	6	G	C3'-C2'	6.17	1.59	1.52
26	BB	939	G	O3'-P	6.17	1.68	1.61
26	BB	1340	U	O4'-C1'	6.17	1.49	1.41
1	AA	146	G	C8-N7	-6.17	1.27	1.30
1	AA	1330	U	C2'-O2'	6.17	1.49	1.41
4	AD	63	C	C4-C5	6.17	1.47	1.43
1	AA	789	U	C3'-O3'	6.16	1.50	1.42
1	AA	1321	U	N3-C4	6.16	1.44	1.38
2	AB	22	G	C2-N3	6.16	1.37	1.32
4	AD	31	G	P-O5'	6.16	1.66	1.59
26	BB	354	A	N3-C4	6.16	1.38	1.34
26	BB	908	C	P-O5'	6.16	1.66	1.59
26	BB	1857	G	N7-C5	6.16	1.43	1.39

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2225	A	C6-N1	-6.16	1.31	1.35
26	BB	2253	G	C2-N3	6.16	1.37	1.32
26	BB	2285	C	C4-C5	6.16	1.47	1.43
26	BB	131	A	N9-C8	6.16	1.42	1.37
26	BB	212	G	P-O5'	6.16	1.66	1.59
1	AA	1312	G	N3-C4	6.16	1.39	1.35
1	AA	1521	C	C2'-C1'	-6.16	1.46	1.53
26	BB	921	C	N3-C4	6.16	1.38	1.33
26	BB	2023	C	N3-C4	6.16	1.38	1.33
26	BB	2293	G	C2-N3	6.16	1.37	1.32
1	AA	141	G	C2'-C1'	6.16	1.60	1.53
1	AA	1412	C	O3'-P	6.16	1.68	1.61
4	AD	36	A	C8-N7	6.16	1.35	1.31
10	AJ	112	ASP	CB-CG	6.16	1.64	1.51
26	BB	520	G	C8-N7	6.16	1.34	1.30
26	BB	660	C	C2-O2	-6.16	1.19	1.24
26	BB	2052	A	C5'-C4'	6.16	1.58	1.51
26	BB	2264	C	N3-C4	6.16	1.38	1.33
26	BB	2341	G	N9-C8	-6.16	1.33	1.37
26	BB	1610	A	N9-C4	6.16	1.41	1.37
26	BB	1751	U	N1-C6	-6.16	1.32	1.38
26	BB	2010	G	C6-N1	6.16	1.43	1.39
26	BB	2484	G	C4'-O4'	-6.16	1.37	1.45
1	AA	143	A	C4'-C3'	6.16	1.59	1.53
1	AA	1177	G	C8-N7	-6.16	1.27	1.30
1	AA	1331	G	N9-C4	6.16	1.42	1.38
26	BB	710	U	C5-C6	6.16	1.39	1.34
26	BB	1404	C	C5-C6	6.16	1.39	1.34
26	BB	1334	G	N7-C5	6.15	1.43	1.39
26	BB	2801	G	C4'-C3'	-6.15	1.46	1.53
1	AA	247	G	N9-C8	6.15	1.42	1.37
1	AA	1387	G	C4'-O4'	-6.15	1.37	1.45
1	AA	1477	U	C4-C5	6.15	1.49	1.43
26	BB	793	A	C8-N7	-6.15	1.27	1.31
26	BB	1037	G	C3'-C2'	-6.15	1.46	1.52
26	BB	1990	C	C4'-O4'	-6.15	1.37	1.45
26	BB	2401	U	O3'-P	-6.15	1.53	1.61
1	AA	643	C	N3-C4	6.15	1.38	1.33
1	AA	880	C	C5'-C4'	6.15	1.58	1.51
26	BB	273	G	C8-N7	6.15	1.34	1.30
26	BB	653	U	C4'-O4'	-6.15	1.37	1.45
26	BB	1506	U	C2'-O2'	-6.15	1.33	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1521	G	C5'-C4'	6.15	1.58	1.51
26	BB	2306	C	O3'-P	-6.15	1.53	1.61
26	BB	693	A	N9-C8	6.15	1.42	1.37
26	BB	1693	U	C2-N3	-6.15	1.33	1.37
26	BB	2645	G	N7-C5	-6.15	1.35	1.39
1	AA	1123	U	C5-C6	6.15	1.39	1.34
26	BB	1554	U	C4-C5	6.15	1.49	1.43
26	BB	1766	G	P-O5'	6.15	1.65	1.59
26	BB	2055	C	N1-C2	6.15	1.46	1.40
26	BB	2358	A	C8-N7	-6.15	1.27	1.31
26	BB	1777	U	C5'-C4'	6.15	1.58	1.51
26	BB	2672	U	C5'-C4'	6.15	1.58	1.51
26	BB	2700	A	C8-N7	-6.15	1.27	1.31
26	BB	2775	G	C2-N2	-6.15	1.28	1.34
1	AA	164	G	C5-C6	6.14	1.48	1.42
1	AA	279	A	N9-C4	6.14	1.41	1.37
1	AA	724	G	N3-C4	6.14	1.39	1.35
2	AB	5	G	O3'-P	6.14	1.68	1.61
2	AB	42	G	N7-C5	6.14	1.43	1.39
26	BB	870	U	P-O5'	6.14	1.65	1.59
26	BB	1189	A	N3-C4	6.14	1.38	1.34
26	BB	1790	C	C5-C6	6.14	1.39	1.34
26	BB	2083	G	N3-C4	6.14	1.39	1.35
26	BB	2444	G	C1'-N9	6.14	1.57	1.48
37	BM	92	GLU	CG-CD	6.14	1.61	1.51
1	AA	437	U	C4-C5	6.14	1.49	1.43
1	AA	669	G	O3'-P	-6.14	1.53	1.61
1	AA	932	C	P-O5'	6.14	1.65	1.59
1	AA	1087	G	O5'-C5'	-6.14	1.33	1.42
1	AA	1469	C	N1-C6	6.14	1.40	1.37
1	AA	1541	U	P-O5'	6.14	1.65	1.59
2	AB	30	G	N3-C4	6.14	1.39	1.35
4	AD	53	G	C6-N1	6.14	1.43	1.39
26	BB	316	C	C3'-O3'	-6.14	1.33	1.42
26	BB	1961	C	C3'-C2'	6.14	1.59	1.52
26	BB	2303	G	P-O5'	6.14	1.65	1.59
1	AA	105	G	C2-N3	6.14	1.37	1.32
1	AA	127	G	C2-N3	6.14	1.37	1.32
1	AA	751	U	C2'-O2'	6.14	1.49	1.41
1	AA	1283	U	P-O5'	6.14	1.65	1.59
25	BA	99	A	N3-C4	-6.14	1.31	1.34
26	BB	1080	A	C6-N6	6.14	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1533	C	C2'-C1'	6.14	1.60	1.53
26	BB	1770	G	N3-C4	6.14	1.39	1.35
1	AA	1529	G	C2-N3	6.14	1.37	1.32
2	AB	61	C	C5-C6	6.14	1.39	1.34
26	BB	184	C	C3'-C2'	-6.14	1.46	1.52
26	BB	232	G	N9-C8	-6.14	1.33	1.37
26	BB	339	U	O4'-C1'	6.14	1.49	1.41
26	BB	569	U	P-O5'	6.14	1.65	1.59
26	BB	991	C	C5'-C4'	6.14	1.58	1.51
26	BB	2026	U	C5-C6	6.14	1.39	1.34
26	BB	2488	G	N9-C8	6.14	1.42	1.37
1	AA	50	A	C6-N1	6.14	1.39	1.35
3	AC	16	A	C6-N6	6.14	1.38	1.33
26	BB	34	U	P-O5'	6.14	1.65	1.59
26	BB	409	G	P-O5'	6.14	1.65	1.59
3	AC	30	U	C4-O4	-6.14	1.18	1.23
26	BB	261	G	N9-C8	-6.14	1.33	1.37
26	BB	534	U	C2-O2	6.14	1.27	1.22
26	BB	927	A	C5-C4	-6.14	1.34	1.38
26	BB	982	C	C4'-C3'	6.14	1.59	1.53
26	BB	2165	C	C2-N3	6.14	1.40	1.35
26	BB	2516	A	C4'-O4'	-6.14	1.37	1.45
1	AA	321	A	N9-C4	-6.13	1.34	1.37
2	AB	49	G	C4'-O4'	-6.13	1.37	1.45
25	BA	120	U	C1'-N1	6.13	1.57	1.48
26	BB	14	A	N9-C4	-6.13	1.34	1.37
26	BB	574	A	O3'-P	6.13	1.68	1.61
26	BB	915	C	O3'-P	6.13	1.68	1.61
26	BB	1459	G	C4'-O4'	-6.13	1.37	1.45
26	BB	2563	U	C5-C6	6.13	1.39	1.34
26	BB	2857	G	C4'-C3'	-6.13	1.46	1.53
1	AA	665	A	C8-N7	6.13	1.35	1.31
26	BB	406	G	N7-C5	-6.13	1.35	1.39
1	AA	1337	G	P-O5'	6.13	1.65	1.59
1	AA	1397	C	N3-C4	6.13	1.38	1.33
1	AA	1432	G	C5-C4	-6.13	1.34	1.38
2	AB	62	U	N3-C4	6.13	1.44	1.38
26	BB	349	U	C4'-O4'	-6.13	1.37	1.45
26	BB	469	G	N9-C4	-6.13	1.33	1.38
26	BB	1532	A	N9-C4	-6.13	1.34	1.37
26	BB	2090	A	C8-N7	6.13	1.35	1.31
26	BB	1403	A	N7-C5	-6.13	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	302	G	P-O5'	6.13	1.65	1.59
1	AA	908	A	C5-C6	6.13	1.46	1.41
1	AA	1112	C	P-O5'	6.13	1.65	1.59
25	BA	49	C	C3'-C2'	6.13	1.59	1.52
26	BB	173	A	C5'-C4'	6.13	1.58	1.51
26	BB	536	G	C6-N1	6.13	1.43	1.39
26	BB	2005	A	C6-N6	-6.13	1.29	1.33
1	AA	178	C	C5'-C4'	6.13	1.58	1.51
1	AA	213	G	C8-N7	-6.13	1.27	1.30
1	AA	307	C	C2'-O2'	6.13	1.49	1.41
1	AA	1259	C	C4-C5	6.13	1.47	1.43
1	AA	1528	U	C2'-C1'	-6.13	1.46	1.53
26	BB	1093	G	C2-N3	6.13	1.37	1.32
1	AA	266	G	O4'-C1'	6.12	1.49	1.41
1	AA	506	G	C5-C4	6.12	1.42	1.38
1	AA	862	C	P-O5'	6.12	1.65	1.59
1	AA	1098	C	C4-N4	6.12	1.39	1.33
26	BB	84	A	C3'-C2'	-6.12	1.46	1.52
26	BB	110	G	P-O5'	-6.12	1.53	1.59
26	BB	1603	A	N9-C8	-6.12	1.32	1.37
25	BA	52	A	C4'-C3'	-6.12	1.46	1.53
26	BB	982	C	C2-N3	6.12	1.40	1.35
26	BB	1734	G	C6-O6	-6.12	1.18	1.24
26	BB	1833	C	C5-C6	6.12	1.39	1.34
26	BB	2087	G	C5'-C4'	6.12	1.58	1.51
26	BB	2608	G	P-O5'	6.12	1.65	1.59
1	AA	85	U	O4'-C1'	-6.12	1.33	1.41
1	AA	979	C	N3-C4	6.12	1.38	1.33
1	AA	1509	C	N1-C6	6.12	1.40	1.37
26	BB	165	A	N3-C4	6.12	1.38	1.34
26	BB	307	G	P-O5'	-6.12	1.53	1.59
26	BB	367	G	C4'-O4'	-6.12	1.37	1.45
26	BB	590	A	C2'-O2'	-6.12	1.33	1.41
26	BB	1670	C	C5'-C4'	6.12	1.58	1.51
26	BB	1683	U	P-O5'	6.12	1.65	1.59
26	BB	2174	C	C2-O2	6.12	1.29	1.24
26	BB	2537	U	C5'-C4'	6.12	1.58	1.51
38	BN	69	ARG	CZ-NH2	6.12	1.41	1.33
1	AA	193	C	C5-C6	6.12	1.39	1.34
2	AB	42	G	N1-C2	6.12	1.42	1.37
1	AA	721	G	C4'-C3'	6.12	1.59	1.53
2	AB	6	C	C4-C5	6.12	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	601	C	N1-C6	-6.12	1.33	1.37
26	BB	925	A	C6-N6	-6.12	1.29	1.33
26	BB	1759	A	N1-C2	-6.12	1.28	1.34
26	BB	2594	C	C2-O2	-6.12	1.19	1.24
26	BB	2774	C	N3-C4	6.12	1.38	1.33
1	AA	797	C	P-O5'	6.12	1.65	1.59
1	AA	1270	G	C5'-C4'	6.12	1.58	1.51
26	BB	117	G	C2'-C1'	6.12	1.60	1.53
26	BB	621	A	P-O5'	6.12	1.65	1.59
26	BB	757	G	O3'-P	6.12	1.68	1.61
26	BB	946	C	N1-C6	6.12	1.40	1.37
26	BB	1096	A	C5-C4	-6.12	1.34	1.38
26	BB	1823	G	N7-C5	6.12	1.43	1.39
1	AA	332	G	N9-C8	-6.11	1.33	1.37
1	AA	390	U	C5-C6	6.11	1.39	1.34
1	AA	820	U	N1-C6	6.11	1.43	1.38
1	AA	1260	G	C2'-C1'	-6.11	1.46	1.53
1	AA	1491	G	C4'-C3'	6.11	1.59	1.53
3	AC	19	A	N3-C4	6.11	1.38	1.34
26	BB	312	G	N7-C5	6.11	1.43	1.39
26	BB	807	U	C5'-C4'	6.11	1.58	1.51
26	BB	1964	G	C6-N1	6.11	1.43	1.39
26	BB	2792	A	C5-C6	6.11	1.46	1.41
1	AA	1297	G	C5'-C4'	6.11	1.58	1.51
4	AD	34	U	C5-C6	6.11	1.39	1.34
25	BA	43	C	C5-C6	6.11	1.39	1.34
26	BB	219	A	P-O5'	6.11	1.65	1.59
26	BB	278	A	C6-N1	-6.11	1.31	1.35
26	BB	618	G	C5'-C4'	6.11	1.58	1.51
26	BB	1072	C	N3-C4	-6.11	1.29	1.33
26	BB	2118	U	N1-C2	6.11	1.44	1.38
26	BB	2505	G	C5-C4	-6.11	1.34	1.38
26	BB	2576	G	O3'-P	-6.11	1.53	1.61
1	AA	374	A	C3'-C2'	-6.11	1.46	1.52
2	AB	42	G	C4'-C3'	6.11	1.59	1.53
26	BB	375	G	C3'-C2'	6.11	1.59	1.52
26	BB	1573	G	C2-N3	6.11	1.37	1.32
26	BB	1865	U	C5-C6	6.11	1.39	1.34
26	BB	2194	U	C2-N3	6.11	1.42	1.37
52	B1	52	PHE	CG-CD1	6.11	1.48	1.38
1	AA	158	G	C2-N3	6.11	1.37	1.32
1	AA	1178	G	C4'-O4'	-6.11	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	121	G	C8-N7	-6.11	1.27	1.30
26	BB	694	U	C4'-O4'	-6.11	1.37	1.45
26	BB	1744	A	C5-C4	-6.11	1.34	1.38
26	BB	1964	G	N3-C4	6.11	1.39	1.35
1	AA	175	C	C2-N3	6.11	1.40	1.35
1	AA	1127	G	C2-N3	6.11	1.37	1.32
26	BB	11	C	C2-N3	6.11	1.40	1.35
26	BB	733	G	N1-C2	-6.11	1.32	1.37
26	BB	900	A	N1-C2	-6.11	1.28	1.34
26	BB	1275	A	C5'-C4'	6.11	1.58	1.51
26	BB	1964	G	C2-N3	6.11	1.37	1.32
1	AA	1067	A	N3-C4	6.11	1.38	1.34
3	AC	37	G	C2-N3	-6.11	1.27	1.32
25	BA	57	A	C3'-C2'	6.11	1.59	1.52
26	BB	866	A	O4'-C1'	6.11	1.49	1.41
26	BB	1600	C	C4'-O4'	-6.11	1.37	1.45
26	BB	2050	C	C2'-C1'	-6.11	1.46	1.53
26	BB	2061	G	C4'-C3'	6.11	1.59	1.53
26	BB	2129	C	N1-C6	6.11	1.40	1.37
26	BB	2801	G	N7-C5	-6.11	1.35	1.39
1	AA	509	A	N9-C4	-6.10	1.34	1.37
1	AA	1368	A	P-O5'	6.10	1.65	1.59
3	AC	18	A	P-O5'	6.10	1.65	1.59
26	BB	732	C	C5'-C4'	6.10	1.58	1.51
26	BB	835	C	O3'-P	6.10	1.68	1.61
26	BB	1116	G	C2'-C1'	6.10	1.60	1.53
26	BB	1796	U	C2-N3	6.10	1.42	1.37
26	BB	2035	G	P-O5'	6.10	1.65	1.59
1	AA	262	A	N7-C5	6.10	1.43	1.39
1	AA	1002	G	C8-N7	6.10	1.34	1.30
1	AA	1507	A	C4'-O4'	-6.10	1.37	1.45
26	BB	758	C	C4-C5	6.10	1.47	1.43
26	BB	780	G	C2-N3	6.10	1.37	1.32
26	BB	1701	A	C8-N7	-6.10	1.27	1.31
26	BB	1715	G	C5-C6	6.10	1.48	1.42
26	BB	2185	U	C2-N3	6.10	1.42	1.37
26	BB	2188	U	C4-C5	6.10	1.49	1.43
39	BO	28	PHE	CG-CD1	6.10	1.48	1.38
1	AA	1106	G	C8-N7	6.10	1.34	1.30
26	BB	1593	A	C6-N1	-6.10	1.31	1.35
1	AA	360	G	O5'-C5'	-6.10	1.33	1.42
1	AA	884	U	O3'-P	6.10	1.68	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	606	U	C5'-C4'	6.10	1.58	1.51
26	BB	1408	G	C6-N1	6.10	1.43	1.39
26	BB	2023	C	C5'-C4'	6.10	1.58	1.51
1	AA	568	G	O3'-P	6.10	1.68	1.61
1	AA	1021	A	C4'-O4'	-6.10	1.37	1.45
25	BA	61	G	C2-N3	6.10	1.37	1.32
26	BB	446	G	C2'-C1'	-6.10	1.46	1.53
26	BB	1416	G	C2'-C1'	-6.10	1.46	1.53
26	BB	2501	C	N3-C4	6.10	1.38	1.33
26	BB	316	C	C2-N3	6.10	1.40	1.35
26	BB	1543	G	C6-N1	6.10	1.43	1.39
26	BB	1605	C	N1-C2	6.10	1.46	1.40
1	AA	255	G	C4'-O4'	-6.09	1.37	1.45
1	AA	330	C	N1-C6	6.09	1.40	1.37
1	AA	349	A	C2'-C1'	6.09	1.60	1.53
1	AA	974	A	C5'-C4'	6.09	1.58	1.51
1	AA	1275	A	C2'-O2'	6.09	1.49	1.41
26	BB	17	G	C2-N3	6.09	1.37	1.32
26	BB	131	A	O3'-P	6.09	1.68	1.61
26	BB	280	U	C5-C6	6.09	1.39	1.34
26	BB	412	A	P-O5'	6.09	1.65	1.59
26	BB	450	G	N3-C4	6.09	1.39	1.35
26	BB	635	C	C5'-C4'	6.09	1.58	1.51
26	BB	893	C	C4-C5	6.09	1.47	1.43
26	BB	1323	C	C4-C5	6.09	1.47	1.43
26	BB	1425	G	N9-C8	6.09	1.42	1.37
26	BB	1852	U	C1'-N1	6.09	1.57	1.48
26	BB	2526	G	C3'-C2'	6.09	1.59	1.52
1	AA	354	G	C8-N7	-6.09	1.27	1.30
1	AA	1508	A	C5'-C4'	6.09	1.58	1.51
26	BB	48	G	N9-C4	-6.09	1.33	1.38
26	BB	626	A	N9-C4	6.09	1.41	1.37
26	BB	656	G	C6-N1	6.09	1.43	1.39
26	BB	789	A	C2-N3	6.09	1.39	1.33
26	BB	1218	G	N9-C8	-6.09	1.33	1.37
26	BB	1667	G	C5-C6	6.09	1.48	1.42
26	BB	1965	C	P-O5'	6.09	1.65	1.59
26	BB	2029	G	N9-C8	6.09	1.42	1.37
26	BB	2244	U	C3'-O3'	-6.09	1.33	1.42
26	BB	2361	G	N9-C8	6.09	1.42	1.37
26	BB	2701	U	O3'-P	-6.09	1.53	1.61
1	AA	927	G	C8-N7	6.09	1.34	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	968	A	C2'-C1'	-6.09	1.46	1.53
26	BB	321	U	C5-C6	6.09	1.39	1.34
26	BB	900	A	C8-N7	-6.09	1.27	1.31
26	BB	1777	U	C4-C5	6.09	1.49	1.43
26	BB	1959	G	C5-C6	6.09	1.48	1.42
39	BO	103	TYR	CE1-CZ	6.09	1.46	1.38
1	AA	350	G	C4'-O4'	-6.09	1.37	1.45
1	AA	997	U	C4-C5	6.09	1.49	1.43
1	AA	1313	U	C4-C5	6.09	1.49	1.43
1	AA	1534	A	N7-C5	6.09	1.43	1.39
26	BB	494	G	N1-C2	6.09	1.42	1.37
26	BB	2082	A	C5-C4	-6.09	1.34	1.38
26	BB	2289	G	C8-N7	6.09	1.34	1.30
1	AA	1142	G	C6-N1	6.08	1.43	1.39
12	AL	37	TYR	CE1-CZ	6.08	1.46	1.38
26	BB	1554	U	C5-C6	6.08	1.39	1.34
26	BB	2172	U	C4-C5	6.08	1.49	1.43
26	BB	2860	A	C2-N3	6.08	1.39	1.33
1	AA	44	A	C5-C4	6.08	1.43	1.38
1	AA	748	G	C5'-C4'	6.08	1.58	1.51
1	AA	790	A	N9-C8	-6.08	1.32	1.37
1	AA	1249	C	C4-C5	6.08	1.47	1.43
1	AA	1412	C	C4-C5	6.08	1.47	1.43
26	BB	1316	U	C2-N3	-6.08	1.33	1.37
26	BB	1390	U	C5'-C4'	6.08	1.58	1.51
26	BB	1548	A	C4'-O4'	-6.08	1.37	1.45
26	BB	1985	C	N1-C6	6.08	1.40	1.37
1	AA	277	C	N1-C6	6.08	1.40	1.37
1	AA	454	G	N1-C2	6.08	1.42	1.37
1	AA	646	G	N7-C5	-6.08	1.35	1.39
26	BB	142	A	P-O5'	6.08	1.65	1.59
26	BB	561	G	C5-C6	6.08	1.48	1.42
26	BB	910	A	N7-C5	6.08	1.42	1.39
3	AC	47	C	N1-C6	6.08	1.40	1.37
26	BB	2147	A	C8-N7	-6.08	1.27	1.31
1	AA	96	U	N3-C4	6.08	1.44	1.38
26	BB	769	U	C2-N3	6.08	1.42	1.37
26	BB	827	U	C4'-O4'	-6.08	1.37	1.45
26	BB	2867	G	P-O5'	6.08	1.65	1.59
1	AA	416	G	O3'-P	6.08	1.68	1.61
1	AA	443	C	C4-C5	6.08	1.47	1.43
1	AA	735	C	C2-N3	6.08	1.40	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	267	C	O3'-P	6.08	1.68	1.61
26	BB	349	U	O4'-C1'	6.08	1.49	1.41
26	BB	1580	A	N7-C5	6.08	1.42	1.39
1	AA	728	A	O3'-P	6.08	1.68	1.61
26	BB	728	G	N1-C2	-6.08	1.32	1.37
26	BB	911	A	N3-C4	-6.08	1.31	1.34
26	BB	2107	G	N7-C5	-6.08	1.35	1.39
1	AA	46	G	C4'-O4'	-6.07	1.37	1.45
1	AA	955	U	C5'-C4'	6.07	1.58	1.51
1	AA	1404	C	N1-C6	6.07	1.40	1.37
26	BB	785	G	P-O5'	6.07	1.65	1.59
26	BB	1269	A	C6-N6	-6.07	1.29	1.33
26	BB	2346	A	C5-C6	6.07	1.46	1.41
26	BB	759	G	N9-C8	-6.07	1.33	1.37
26	BB	1927	A	C5-C6	6.07	1.46	1.41
1	AA	352	C	P-O5'	6.07	1.65	1.59
1	AA	873	A	P-O5'	6.07	1.65	1.59
1	AA	986	U	C4-O4	6.07	1.28	1.23
1	AA	1493	A	C5'-C4'	6.07	1.58	1.51
26	BB	374	A	C4'-O4'	-6.07	1.37	1.45
26	BB	466	A	P-O5'	6.07	1.65	1.59
26	BB	944	C	C5-C6	6.07	1.39	1.34
26	BB	1991	U	P-O5'	6.07	1.65	1.59
26	BB	2136	G	N3-C4	6.07	1.39	1.35
1	AA	320	A	C6-N1	-6.07	1.31	1.35
2	AB	63	C	N3-C4	6.07	1.38	1.33
26	BB	1869	G	O3'-P	-6.07	1.53	1.61
26	BB	1880	U	C1'-N1	6.07	1.57	1.48
1	AA	123	U	C5-C6	6.07	1.39	1.34
1	AA	941	G	C6-N1	6.07	1.43	1.39
4	AD	66	C	C4'-C3'	6.07	1.59	1.53
26	BB	387	U	C4'-C3'	-6.07	1.46	1.53
26	BB	455	C	C1'-N1	6.07	1.57	1.48
26	BB	546	U	C2-N3	-6.07	1.33	1.37
26	BB	659	G	C8-N7	6.07	1.34	1.30
26	BB	662	G	O3'-P	6.07	1.68	1.61
26	BB	925	A	C5-C6	6.07	1.46	1.41
26	BB	1950	G	C6-O6	-6.07	1.18	1.24
26	BB	2425	A	C4'-O4'	-6.07	1.37	1.45
26	BB	2585	U	P-O5'	-6.07	1.53	1.59
1	AA	949	A	N9-C8	-6.07	1.32	1.37
26	BB	414	C	N1-C6	6.07	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1107	G	P-O5'	-6.07	1.53	1.59
26	BB	1543	G	C3'-O3'	-6.07	1.33	1.42
26	BB	1860	G	N1-C2	6.07	1.42	1.37
26	BB	2283	C	C5-C6	6.07	1.39	1.34
1	AA	584	G	C2-N3	6.06	1.37	1.32
2	AB	38	A	C4'-O4'	-6.06	1.37	1.45
26	BB	1788	C	P-O5'	6.06	1.65	1.59
26	BB	2874	C	C2-N3	6.06	1.40	1.35
1	AA	21	G	N9-C8	-6.06	1.33	1.37
1	AA	846	G	N9-C4	-6.06	1.33	1.38
1	AA	1384	C	C5-C6	6.06	1.39	1.34
26	BB	689	A	N7-C5	6.06	1.42	1.39
26	BB	1308	A	C6-N1	-6.06	1.31	1.35
26	BB	1367	A	C4'-C3'	-6.06	1.46	1.53
26	BB	1399	C	N1-C6	-6.06	1.33	1.37
1	AA	9	G	C2-N3	6.06	1.37	1.32
26	BB	445	C	P-O5'	6.06	1.65	1.59
26	BB	2249	U	C2-N3	6.06	1.42	1.37
26	BB	2545	G	C8-N7	6.06	1.34	1.30
1	AA	463	U	C2-N3	6.06	1.42	1.37
1	AA	695	A	N9-C8	-6.06	1.32	1.37
1	AA	1258	G	C2-N3	6.06	1.37	1.32
1	AA	1282	C	N3-C4	6.06	1.38	1.33
1	AA	1388	C	C2-N3	-6.06	1.30	1.35
26	BB	1382	G	C2-N3	6.06	1.37	1.32
26	BB	1513	U	C2'-C1'	6.06	1.60	1.53
26	BB	1938	A	N3-C4	6.06	1.38	1.34
26	BB	2887	A	C2-N3	6.06	1.39	1.33
1	AA	102	G	C5'-C4'	6.06	1.58	1.51
1	AA	339	C	N3-C4	-6.06	1.29	1.33
1	AA	865	A	C3'-C2'	6.06	1.59	1.52
1	AA	1145	A	N9-C8	6.06	1.42	1.37
1	AA	1534	A	C2'-C1'	6.06	1.60	1.53
26	BB	859	G	P-O5'	6.06	1.65	1.59
26	BB	2016	U	N1-C6	6.06	1.43	1.38
1	AA	1017	U	C2-N3	6.06	1.42	1.37
26	BB	1044	C	O4'-C1'	6.06	1.49	1.41
26	BB	1327	A	N9-C4	-6.06	1.34	1.37
1	AA	177	G	C6-N1	6.05	1.43	1.39
26	BB	51	G	N7-C5	-6.05	1.35	1.39
26	BB	330	A	C5-C4	6.05	1.43	1.38
26	BB	806	C	C2-O2	-6.05	1.19	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1014	A	C5-C4	6.05	1.43	1.38
26	BB	1240	U	C5-C6	6.05	1.39	1.34
26	BB	1719	G	C8-N7	-6.05	1.27	1.30
26	BB	1794	A	C2-N3	6.05	1.39	1.33
26	BB	2050	C	N1-C6	-6.05	1.33	1.37
1	AA	311	C	C4-C5	6.05	1.47	1.43
1	AA	592	G	C6-O6	6.05	1.29	1.24
26	BB	805	G	C4'-C3'	6.05	1.59	1.53
26	BB	1239	G	C5'-C4'	6.05	1.58	1.51
26	BB	1319	C	N3-C4	6.05	1.38	1.33
26	BB	1511	G	N1-C2	6.05	1.42	1.37
26	BB	2329	U	C5'-C4'	6.05	1.58	1.51
26	BB	2512	C	N1-C6	6.05	1.40	1.37
1	AA	80	A	C5-C4	-6.05	1.34	1.38
1	AA	1188	A	N7-C5	6.05	1.42	1.39
1	AA	1338	G	N9-C4	6.05	1.42	1.38
26	BB	726	G	C5'-C4'	6.05	1.58	1.51
26	BB	1886	U	O3'-P	6.05	1.68	1.61
25	BA	98	G	C5-C6	6.05	1.48	1.42
26	BB	485	C	C4-C5	6.05	1.47	1.43
26	BB	2428	G	N7-C5	-6.05	1.35	1.39
26	BB	1347	A	C5'-C4'	6.05	1.58	1.51
26	BB	1545	A	N1-C2	-6.05	1.28	1.34
26	BB	2067	G	N7-C5	6.05	1.42	1.39
26	BB	2505	G	C5-C6	6.05	1.48	1.42
1	AA	495	A	N9-C4	6.05	1.41	1.37
1	AA	570	G	C6-N1	6.05	1.43	1.39
1	AA	861	G	N7-C5	6.05	1.42	1.39
1	AA	1347	G	C6-N1	6.05	1.43	1.39
26	BB	211	C	C3'-C2'	6.05	1.59	1.52
26	BB	1057	A	C2'-C1'	6.05	1.60	1.53
1	AA	1319	A	N7-C5	-6.04	1.35	1.39
26	BB	656	G	C5-C6	6.04	1.48	1.42
26	BB	947	A	N9-C4	-6.04	1.34	1.37
26	BB	1095	A	N3-C4	6.04	1.38	1.34
26	BB	2220	U	C4-C5	6.04	1.49	1.43
1	AA	613	C	O3'-P	-6.04	1.53	1.61
1	AA	882	C	O3'-P	6.04	1.68	1.61
1	AA	1003	G	C6-N1	6.04	1.43	1.39
2	AB	59	G	N3-C4	6.04	1.39	1.35
26	BB	319	G	C4'-O4'	-6.04	1.37	1.45
26	BB	675	A	C4'-O4'	-6.04	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1858	A	P-O5'	6.04	1.65	1.59
1	AA	1298	U	N1-C2	6.04	1.44	1.38
4	AD	31	G	C4'-O4'	-6.04	1.37	1.45
25	BA	93	C	P-O5'	6.04	1.65	1.59
26	BB	565	C	N1-C6	6.04	1.40	1.37
26	BB	645	C	C2'-C1'	6.04	1.59	1.53
26	BB	2285	C	C2-N3	6.04	1.40	1.35
26	BB	2668	G	N1-C2	6.04	1.42	1.37
1	AA	143	A	C3'-O3'	-6.04	1.33	1.42
26	BB	2140	G	C6-O6	-6.04	1.18	1.24
26	BB	2207	C	P-O5'	6.04	1.65	1.59
1	AA	377	G	C2-N3	6.04	1.37	1.32
2	AB	1	A	C6-N1	6.04	1.39	1.35
26	BB	214	G	C2'-O2'	6.04	1.49	1.41
26	BB	441	U	N1-C6	-6.04	1.32	1.38
26	BB	2071	A	C5-C4	6.04	1.43	1.38
1	AA	349	A	O3'-P	6.04	1.68	1.61
1	AA	405	U	C5-C6	6.04	1.39	1.34
1	AA	680	C	N1-C6	-6.04	1.33	1.37
26	BB	1737	G	C5-C6	6.04	1.48	1.42
26	BB	2365	G	P-O5'	-6.04	1.53	1.59
52	B1	41	PRO	N-CD	-6.04	1.39	1.47
1	AA	925	G	C2-N3	6.03	1.37	1.32
2	AB	43	G	P-O5'	6.03	1.65	1.59
25	BA	39	A	C3'-C2'	6.03	1.59	1.52
26	BB	705	A	N3-C4	6.03	1.38	1.34
26	BB	787	C	C2-O2	-6.03	1.19	1.24
26	BB	885	C	C4-C5	6.03	1.47	1.43
26	BB	1037	G	O3'-P	6.03	1.68	1.61
26	BB	1538	G	C2-N2	-6.03	1.28	1.34
26	BB	1913	A	C4'-O4'	-6.03	1.37	1.45
1	AA	872	A	O3'-P	6.03	1.68	1.61
3	AC	41	A	N7-C5	-6.03	1.35	1.39
26	BB	289	G	C4'-O4'	-6.03	1.37	1.45
1	AA	380	G	C5'-C4'	6.03	1.58	1.51
1	AA	538	G	N3-C4	6.03	1.39	1.35
1	AA	1082	A	C4'-O4'	-6.03	1.37	1.45
1	AA	1319	A	N3-C4	6.03	1.38	1.34
26	BB	285	G	O4'-C1'	6.03	1.49	1.41
26	BB	637	A	C3'-C2'	-6.03	1.46	1.52
26	BB	1386	C	C4-C5	6.03	1.47	1.43
26	BB	2275	C	C4-N4	6.03	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2652	C	O4'-C1'	6.03	1.49	1.41
1	AA	1475	G	C6-N1	6.03	1.43	1.39
26	BB	1630	A	C4'-C3'	-6.03	1.46	1.53
1	AA	225	C	C1'-N1	6.03	1.57	1.48
26	BB	1318	U	C4-C5	6.03	1.49	1.43
26	BB	2282	G	C3'-C2'	6.03	1.59	1.52
26	BB	2470	G	N1-C2	-6.03	1.32	1.37
1	AA	155	A	C1'-N9	6.03	1.57	1.48
26	BB	784	G	C4'-O4'	-6.03	1.37	1.45
26	BB	874	G	C3'-C2'	6.03	1.59	1.52
26	BB	1384	A	C2'-C1'	-6.03	1.46	1.53
26	BB	1600	C	N3-C4	6.03	1.38	1.33
26	BB	1769	U	P-O5'	6.03	1.65	1.59
26	BB	1921	G	C6-N1	6.03	1.43	1.39
26	BB	654	A	C5-C6	6.02	1.46	1.41
26	BB	1035	U	C4-C5	6.02	1.49	1.43
1	AA	759	A	C6-N1	-6.02	1.31	1.35
1	AA	1288	A	P-O5'	6.02	1.65	1.59
1	AA	1467	C	C2'-C1'	6.02	1.59	1.53
26	BB	138	U	C4'-C3'	6.02	1.59	1.53
26	BB	2582	G	N9-C8	-6.02	1.33	1.37
25	BA	54	G	N9-C8	6.02	1.42	1.37
26	BB	485	C	C4-N4	6.02	1.39	1.33
26	BB	2065	C	C4'-O4'	-6.02	1.37	1.45
1	AA	310	G	N9-C4	6.02	1.42	1.38
25	BA	107	G	C2-N3	6.02	1.37	1.32
26	BB	984	A	N7-C5	-6.02	1.35	1.39
1	AA	57	G	N1-C2	6.02	1.42	1.37
1	AA	307	C	N3-C4	-6.02	1.29	1.33
19	AS	59	HIS	CB-CG	6.02	1.60	1.50
26	BB	999	U	C4-C5	6.02	1.49	1.43
26	BB	1704	C	O3'-P	6.02	1.68	1.61
26	BB	1717	A	N7-C5	6.02	1.42	1.39
26	BB	2692	G	C8-N7	6.02	1.34	1.30
1	AA	643	C	O3'-P	6.02	1.68	1.61
1	AA	823	C	N1-C6	6.02	1.40	1.37
26	BB	841	G	C8-N7	6.02	1.34	1.30
26	BB	2028	U	N3-C4	6.02	1.43	1.38
26	BB	2308	G	C5'-C4'	6.02	1.58	1.51
26	BB	2524	G	N3-C4	6.02	1.39	1.35
1	AA	872	A	N7-C5	-6.01	1.35	1.39
3	AC	23	C	P-O5'	6.01	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	271	G	N7-C5	6.01	1.42	1.39
26	BB	457	A	N3-C4	6.01	1.38	1.34
26	BB	1543	G	O4'-C1'	6.01	1.49	1.41
26	BB	1590	A	N9-C8	6.01	1.42	1.37
26	BB	1798	U	C5-C6	6.01	1.39	1.34
26	BB	2356	U	N1-C6	-6.01	1.32	1.38
2	AB	36	A	C3'-C2'	6.01	1.59	1.52
26	BB	1689	A	P-O5'	6.01	1.65	1.59
26	BB	1914	C	C2'-C1'	6.01	1.59	1.53
1	AA	696	A	C4'-C3'	6.01	1.59	1.53
1	AA	1317	C	C5-C6	6.01	1.39	1.34
26	BB	378	C	P-O5'	6.01	1.65	1.59
26	BB	385	C	O4'-C1'	-6.01	1.33	1.41
26	BB	393	C	C4'-O4'	-6.01	1.37	1.45
26	BB	1125	G	C5'-C4'	6.01	1.58	1.51
26	BB	1348	C	C2'-C1'	6.01	1.59	1.53
26	BB	1421	G	N9-C4	6.01	1.42	1.38
26	BB	2242	G	C4'-O4'	-6.01	1.37	1.45
37	BM	32	TYR	CG-CD2	6.01	1.47	1.39
1	AA	605	U	P-O5'	6.01	1.65	1.59
1	AA	1450	U	C2-N3	6.01	1.42	1.37
25	BA	80	U	C1'-N1	6.01	1.57	1.48
25	BA	115	A	N9-C4	6.01	1.41	1.37
25	BA	118	C	O3'-P	6.01	1.68	1.61
26	BB	65	U	C5'-C4'	6.01	1.58	1.51
26	BB	1198	U	C4-C5	6.01	1.49	1.43
26	BB	2289	G	P-O5'	6.01	1.65	1.59
26	BB	2389	G	N9-C4	-6.01	1.33	1.38
1	AA	529	G	C5-C4	6.01	1.42	1.38
26	BB	1515	A	C2'-C1'	6.01	1.59	1.53
26	BB	2284	A	C5-C6	-6.01	1.35	1.41
26	BB	2757	A	C6-N1	-6.01	1.31	1.35
26	BB	2832	U	P-O5'	6.01	1.65	1.59
1	AA	2	A	N7-C5	6.01	1.42	1.39
1	AA	324	G	C8-N7	-6.01	1.27	1.30
26	BB	927	A	C5-C6	6.01	1.46	1.41
26	BB	948	C	C3'-O3'	-6.01	1.33	1.42
26	BB	1136	G	C2-N2	-6.01	1.28	1.34
1	AA	1003	G	C2-N3	6.00	1.37	1.32
1	AA	1413	A	P-O5'	6.00	1.65	1.59
2	AB	58	A	N1-C2	6.00	1.39	1.34
1	AA	708	C	C2-N3	6.00	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	572	A	C3'-C2'	6.00	1.59	1.52
26	BB	2041	U	C2'-C1'	6.00	1.59	1.53
26	BB	2057	G	N7-C5	6.00	1.42	1.39
26	BB	2785	C	C3'-C2'	-6.00	1.46	1.52
26	BB	2807	U	C4-O4	-6.00	1.18	1.23
1	AA	1142	G	C6-O6	-6.00	1.18	1.24
25	BA	76	G	N9-C8	6.00	1.42	1.37
26	BB	109	C	C2-N3	6.00	1.40	1.35
26	BB	296	U	C5'-C4'	6.00	1.58	1.51
26	BB	618	G	N7-C5	-6.00	1.35	1.39
26	BB	1310	G	N9-C4	-6.00	1.33	1.38
26	BB	1627	G	C3'-C2'	6.00	1.59	1.52
26	BB	1702	G	C2-N2	-6.00	1.28	1.34
26	BB	1716	U	C2'-O2'	-6.00	1.33	1.41
26	BB	2183	A	C8-N7	6.00	1.35	1.31
26	BB	2221	G	O3'-P	6.00	1.68	1.61
26	BB	2236	U	C5-C6	6.00	1.39	1.34
26	BB	2780	G	N1-C2	6.00	1.42	1.37
1	AA	355	C	C2'-C1'	6.00	1.59	1.53
1	AA	725	G	N3-C4	6.00	1.39	1.35
1	AA	811	C	N3-C4	6.00	1.38	1.33
26	BB	1484	U	C2-N3	6.00	1.42	1.37
26	BB	2220	U	C2-N3	6.00	1.42	1.37
26	BB	2473	U	C3'-C2'	-6.00	1.46	1.52
1	AA	168	G	C5-C4	-6.00	1.34	1.38
1	AA	420	U	N3-C4	6.00	1.43	1.38
1	AA	435	A	N3-C4	6.00	1.38	1.34
1	AA	1361	G	O4'-C1'	-6.00	1.33	1.41
26	BB	438	G	C8-N7	6.00	1.34	1.30
26	BB	751	A	C6-N1	-6.00	1.31	1.35
26	BB	1986	C	N1-C2	6.00	1.46	1.40
26	BB	2138	G	N1-C2	6.00	1.42	1.37
34	BJ	70	CYS	CB-SG	6.00	1.92	1.82
1	AA	394	G	N9-C8	6.00	1.42	1.37
1	AA	902	G	N3-C4	6.00	1.39	1.35
4	AD	49	C	C5-C6	6.00	1.39	1.34
26	BB	197	A	C1'-N9	6.00	1.57	1.48
26	BB	227	A	N9-C8	-6.00	1.32	1.37
26	BB	756	A	N9-C4	-6.00	1.34	1.37
26	BB	1114	C	C2-N3	6.00	1.40	1.35
26	BB	2391	G	O4'-C1'	6.00	1.49	1.41
26	BB	2640	G	C2-N3	6.00	1.37	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	331	G	C8-N7	6.00	1.34	1.30
1	AA	919	A	C5'-C4'	6.00	1.58	1.51
26	BB	165	A	C8-N7	-6.00	1.27	1.31
1	AA	295	C	P-O5'	5.99	1.65	1.59
1	AA	1355	G	O3'-P	5.99	1.68	1.61
25	BA	50	A	N1-C2	-5.99	1.28	1.34
26	BB	773	U	C2-N3	5.99	1.42	1.37
26	BB	1047	G	C6-N1	-5.99	1.35	1.39
26	BB	1483	G	N9-C4	5.99	1.42	1.38
26	BB	1687	G	C2-N3	5.99	1.37	1.32
26	BB	2146	C	C4-N4	5.99	1.39	1.33
26	BB	2155	U	O4'-C1'	-5.99	1.33	1.41
26	BB	2631	G	C2-N3	5.99	1.37	1.32
2	AB	70	C	C3'-C2'	5.99	1.59	1.52
26	BB	379	G	N9-C8	-5.99	1.33	1.37
26	BB	520	G	N3-C4	5.99	1.39	1.35
26	BB	944	C	C2-N3	5.99	1.40	1.35
1	AA	495	A	C6-N6	5.99	1.38	1.33
1	AA	1412	C	C5-C6	5.99	1.39	1.34
1	AA	1426	G	C2-N3	5.99	1.37	1.32
4	AD	11	A	N1-C2	5.99	1.39	1.34
26	BB	179	C	C4-N4	-5.99	1.28	1.33
26	BB	314	C	P-O5'	5.99	1.65	1.59
26	BB	352	A	N3-C4	5.99	1.38	1.34
26	BB	806	C	O3'-P	5.99	1.68	1.61
26	BB	1444	G	C5-C4	-5.99	1.34	1.38
26	BB	1580	A	C5-C6	5.99	1.46	1.41
26	BB	2345	G	C6-O6	5.99	1.29	1.24
26	BB	2557	G	C2'-C1'	5.99	1.59	1.53
26	BB	2638	G	C5-C4	-5.99	1.34	1.38
26	BB	2720	U	C4'-C3'	-5.99	1.46	1.52
1	AA	359	G	N9-C8	-5.99	1.33	1.37
1	AA	797	C	C4-C5	5.99	1.47	1.43
1	AA	814	A	N7-C5	5.99	1.42	1.39
25	BA	24	G	N1-C2	5.99	1.42	1.37
25	BA	102	G	N9-C8	-5.99	1.33	1.37
26	BB	445	C	C2-O2	-5.99	1.19	1.24
26	BB	1710	G	N9-C8	5.99	1.42	1.37
26	BB	1856	U	O3'-P	5.99	1.68	1.61
26	BB	1904	G	O4'-C1'	5.99	1.49	1.41
26	BB	2232	C	N3-C4	-5.99	1.29	1.33
26	BB	2502	G	N9-C8	5.99	1.42	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1452	C	N3-C4	-5.99	1.29	1.33
1	AA	1482	G	C5-C6	5.99	1.48	1.42
26	BB	242	G	C5'-C4'	5.99	1.58	1.51
26	BB	2138	G	C4'-O4'	-5.99	1.37	1.45
1	AA	119	A	C5-C6	5.99	1.46	1.41
1	AA	561	U	O3'-P	5.99	1.68	1.61
1	AA	1316	G	C3'-C2'	5.99	1.59	1.52
3	AC	50	U	N1-C6	5.99	1.43	1.38
26	BB	763	G	N9-C4	5.99	1.42	1.38
26	BB	1861	G	C8-N7	-5.99	1.27	1.30
26	BB	1811	G	C5'-C4'	5.98	1.58	1.51
1	AA	432	A	C2-N3	5.98	1.39	1.33
1	AA	679	C	P-O5'	5.98	1.65	1.59
1	AA	1035	A	C8-N7	-5.98	1.27	1.31
26	BB	533	G	C8-N7	5.98	1.34	1.30
26	BB	1078	U	C2-N3	5.98	1.42	1.37
26	BB	1191	G	N7-C5	-5.98	1.35	1.39
26	BB	1262	A	C6-N1	5.98	1.39	1.35
26	BB	1409	U	C2'-C1'	5.98	1.59	1.53
26	BB	1720	U	P-O5'	5.98	1.65	1.59
1	AA	90	C	C4'-O4'	5.98	1.53	1.45
1	AA	379	C	O3'-P	5.98	1.68	1.61
1	AA	546	A	C5'-C4'	5.98	1.58	1.51
1	AA	639	G	N7-C5	-5.98	1.35	1.39
2	AB	27	C	P-O5'	5.98	1.65	1.59
26	BB	14	A	C4'-C3'	5.98	1.59	1.53
26	BB	473	G	C2-N3	5.98	1.37	1.32
26	BB	657	U	N3-C4	5.98	1.43	1.38
26	BB	1583	A	C6-N1	5.98	1.39	1.35
26	BB	2130	U	C5-C6	5.98	1.39	1.34
1	AA	252	U	N1-C2	5.98	1.44	1.38
1	AA	971	G	N3-C4	5.98	1.39	1.35
1	AA	1180	A	P-O5'	-5.98	1.53	1.59
1	AA	1235	U	O3'-P	5.98	1.68	1.61
26	BB	2644	G	C4'-O4'	-5.98	1.37	1.45
1	AA	69	G	C6-N1	5.98	1.43	1.39
1	AA	455	G	O3'-P	5.98	1.68	1.61
22	AV	75	PRO	N-CD	-5.98	1.39	1.47
26	BB	251	A	C5-C4	-5.98	1.34	1.38
26	BB	411	G	C6-N1	5.98	1.43	1.39
26	BB	725	G	N7-C5	-5.98	1.35	1.39
26	BB	1918	A	C6-N6	5.98	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2094	A	P-O5'	5.98	1.65	1.59
1	AA	273	U	N3-C4	5.98	1.43	1.38
1	AA	689	C	N3-C4	5.98	1.38	1.33
1	AA	922	G	C3'-C2'	-5.98	1.46	1.52
1	AA	1279	G	C5-C4	5.98	1.42	1.38
26	BB	711	G	N3-C4	5.98	1.39	1.35
26	BB	2648	G	C2-N3	5.98	1.37	1.32
1	AA	902	G	N1-C2	5.97	1.42	1.37
1	AA	1193	G	C2-N3	5.97	1.37	1.32
4	AD	32	G	O4'-C1'	5.97	1.49	1.41
26	BB	315	G	N9-C8	5.97	1.42	1.37
26	BB	1143	A	P-O5'	5.97	1.65	1.59
26	BB	1265	A	O3'-P	5.97	1.68	1.61
26	BB	1766	G	C4'-O4'	-5.97	1.37	1.45
26	BB	1861	G	N9-C4	-5.97	1.33	1.38
26	BB	2133	G	C4'-C3'	-5.97	1.46	1.52
1	AA	216	U	C5-C6	5.97	1.39	1.34
1	AA	976	G	C6-N1	-5.97	1.35	1.39
26	BB	667	U	C5'-C4'	5.97	1.58	1.51
26	BB	796	C	C5'-C4'	5.97	1.58	1.51
26	BB	1121	C	C4-C5	5.97	1.47	1.43
26	BB	1505	A	C8-N7	-5.97	1.27	1.31
26	BB	1644	C	C2-N3	5.97	1.40	1.35
26	BB	1793	C	C3'-O3'	5.97	1.50	1.42
26	BB	1921	G	C8-N7	5.97	1.34	1.30
26	BB	1951	U	C4-O4	5.97	1.28	1.23
26	BB	2128	G	C5-C4	5.97	1.42	1.38
26	BB	2242	G	C6-O6	-5.97	1.18	1.24
26	BB	2541	A	C4'-O4'	-5.97	1.37	1.45
32	BH	68	ARG	NE-CZ	5.97	1.40	1.33
26	BB	481	G	C4'-C3'	5.97	1.59	1.53
26	BB	1317	G	C5'-C4'	5.97	1.58	1.51
26	BB	1625	C	C2-N3	5.97	1.40	1.35
1	AA	711	G	N1-C2	5.97	1.42	1.37
1	AA	749	A	C6-N6	5.97	1.38	1.33
1	AA	778	G	C4'-O4'	-5.97	1.37	1.45
1	AA	873	A	C5'-C4'	5.97	1.58	1.51
1	AA	950	U	N3-C4	5.97	1.43	1.38
1	AA	1477	U	C2'-O2'	5.97	1.49	1.41
1	AA	1539	C	C4'-C3'	5.97	1.59	1.53
26	BB	363	G	C6-N1	-5.97	1.35	1.39
26	BB	587	C	N1-C6	-5.97	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	795	C	C2-N3	5.97	1.40	1.35
26	BB	986	C	C3'-O3'	5.97	1.50	1.42
26	BB	1108	U	C2-N3	5.97	1.42	1.37
26	BB	1328	A	P-O5'	-5.97	1.53	1.59
26	BB	1374	G	C2'-C1'	5.97	1.59	1.53
26	BB	2730	C	C4-C5	-5.97	1.38	1.43
26	BB	2832	U	N3-C4	5.97	1.43	1.38
1	AA	1482	G	C5-C4	-5.97	1.34	1.38
26	BB	1211	C	N1-C2	5.97	1.46	1.40
26	BB	1384	A	O3'-P	5.97	1.68	1.61
26	BB	1681	G	C2-N3	5.97	1.37	1.32
1	AA	88	U	C4-O4	-5.97	1.18	1.23
1	AA	441	A	C5-C6	5.97	1.46	1.41
1	AA	477	C	O3'-P	5.97	1.68	1.61
1	AA	694	A	N7-C5	5.97	1.42	1.39
1	AA	718	A	C2'-O2'	5.97	1.49	1.41
2	AB	38	A	C5'-C4'	5.97	1.58	1.51
26	BB	723	C	C4-N4	-5.97	1.28	1.33
26	BB	869	G	N3-C4	5.97	1.39	1.35
26	BB	1000	A	N9-C8	-5.97	1.32	1.37
26	BB	2190	G	O3'-P	5.97	1.68	1.61
26	BB	2200	C	N3-C4	5.97	1.38	1.33
26	BB	2286	G	C5-C4	-5.97	1.34	1.38
1	AA	393	A	C4'-C3'	-5.96	1.46	1.52
26	BB	858	G	C2-N2	-5.96	1.28	1.34
26	BB	1015	U	C4'-O4'	-5.96	1.37	1.45
26	BB	1977	A	C8-N7	-5.96	1.27	1.31
26	BB	2074	U	N1-C2	5.96	1.44	1.38
26	BB	2192	U	O3'-P	5.96	1.68	1.61
26	BB	2456	C	O4'-C1'	5.96	1.49	1.41
25	BA	47	C	C2'-C1'	5.96	1.59	1.53
26	BB	1697	G	C8-N7	-5.96	1.27	1.30
1	AA	509	A	P-O5'	-5.96	1.53	1.59
1	AA	665	A	C6-N1	-5.96	1.31	1.35
1	AA	1014	A	C5'-C4'	5.96	1.58	1.51
1	AA	1183	U	O5'-C5'	-5.96	1.33	1.42
26	BB	867	C	C4-C5	5.96	1.47	1.43
26	BB	1305	C	N1-C2	5.96	1.46	1.40
26	BB	1575	C	P-O5'	5.96	1.65	1.59
26	BB	1729	U	C4-O4	5.96	1.28	1.23
26	BB	1744	A	O4'-C1'	5.96	1.49	1.41
26	BB	2711	A	N3-C4	5.96	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2829	A	C3'-C2'	5.96	1.59	1.52
1	AA	412	A	P-O5'	5.96	1.65	1.59
26	BB	420	C	P-O5'	5.96	1.65	1.59
26	BB	504	A	C2'-C1'	-5.96	1.46	1.53
26	BB	588	U	P-O5'	5.96	1.65	1.59
1	AA	298	A	C8-N7	-5.96	1.27	1.31
1	AA	304	U	C2-N3	5.96	1.42	1.37
1	AA	850	U	O4'-C1'	-5.96	1.33	1.41
1	AA	992	U	C5-C6	5.96	1.39	1.34
1	AA	1102	A	P-O5'	5.96	1.65	1.59
1	AA	1526	G	C2-N3	5.96	1.37	1.32
26	BB	240	C	N3-C4	5.96	1.38	1.33
26	BB	967	U	C4-C5	5.96	1.49	1.43
26	BB	1064	C	C5'-C4'	5.96	1.58	1.51
26	BB	1269	A	C4'-O4'	-5.96	1.37	1.45
26	BB	1387	A	N9-C8	-5.96	1.32	1.37
26	BB	2568	U	N3-C4	-5.96	1.33	1.38
1	AA	614	C	C2'-O2'	5.96	1.49	1.41
1	AA	1231	G	C8-N7	-5.96	1.27	1.30
1	AA	1263	C	C2'-C1'	5.96	1.59	1.53
4	AD	5	G	C6-N1	5.96	1.43	1.39
26	BB	160	A	C8-N7	5.96	1.35	1.31
26	BB	308	G	N9-C4	-5.96	1.33	1.38
26	BB	571	U	N1-C2	5.96	1.44	1.38
26	BB	652	U	C5-C6	5.96	1.39	1.34
26	BB	937	C	C5'-C4'	5.96	1.58	1.51
26	BB	1072	C	C4-C5	5.96	1.47	1.43
26	BB	1558	C	C2-O2	5.96	1.29	1.24
26	BB	1799	G	N1-C2	5.96	1.42	1.37
26	BB	1896	G	C5'-C4'	5.96	1.58	1.51
26	BB	2331	G	N7-C5	5.96	1.42	1.39
26	BB	2766	A	C6-N1	-5.96	1.31	1.35
1	AA	1126	U	C5'-C4'	5.96	1.58	1.51
26	BB	675	A	N3-C4	5.96	1.38	1.34
1	AA	876	C	C5'-C4'	5.95	1.58	1.51
1	AA	881	G	C2-N2	5.95	1.40	1.34
1	AA	977	A	C4'-O4'	-5.95	1.37	1.45
1	AA	1513	A	C5-C4	-5.95	1.34	1.38
4	AD	48	U	C2-O2	5.95	1.27	1.22
26	BB	261	G	C5-C6	5.95	1.48	1.42
26	BB	589	U	C2-N3	5.95	1.42	1.37
26	BB	606	U	N1-C6	5.95	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	822	G	C5'-C4'	5.95	1.58	1.51
26	BB	1035	U	N1-C6	-5.95	1.32	1.38
26	BB	1047	G	C4'-O4'	-5.95	1.37	1.45
26	BB	1063	G	C6-N1	-5.95	1.35	1.39
26	BB	1590	A	N9-C4	5.95	1.41	1.37
26	BB	1845	G	C8-N7	5.95	1.34	1.30
26	BB	2353	G	O3'-P	-5.95	1.54	1.61
26	BB	2654	A	C5-C4	-5.95	1.34	1.38
35	BK	61	TYR	CE1-CZ	5.95	1.46	1.38
25	BA	94	A	N3-C4	5.95	1.38	1.34
26	BB	434	U	N1-C2	5.95	1.44	1.38
26	BB	1610	A	C6-N6	5.95	1.38	1.33
1	AA	787	A	N3-C4	-5.95	1.31	1.34
1	AA	1042	A	C3'-C2'	5.95	1.59	1.52
1	AA	1308	U	C2'-C1'	5.95	1.59	1.53
26	BB	311	A	C6-N1	5.95	1.39	1.35
26	BB	374	A	C6-N1	-5.95	1.31	1.35
26	BB	483	A	C6-N6	-5.95	1.29	1.33
26	BB	951	C	N1-C6	5.95	1.40	1.37
26	BB	2220	U	C4'-O4'	-5.95	1.37	1.45
26	BB	2442	C	C4-C5	5.95	1.47	1.43
1	AA	630	A	P-O5'	5.95	1.65	1.59
1	AA	1537	U	N1-C6	-5.95	1.32	1.38
2	AB	15	A	N7-C5	-5.95	1.35	1.39
26	BB	694	U	O3'-P	5.95	1.68	1.61
26	BB	809	G	C3'-C2'	-5.95	1.46	1.52
26	BB	1022	G	C8-N7	5.95	1.34	1.30
26	BB	1393	A	C4'-O4'	-5.95	1.37	1.45
26	BB	2287	A	N9-C4	5.95	1.41	1.37
26	BB	2807	U	C4'-O4'	-5.95	1.37	1.45
1	AA	502	A	C4'-C3'	-5.95	1.46	1.52
1	AA	1231	G	N7-C5	5.95	1.42	1.39
1	AA	29	U	C5-C6	5.95	1.39	1.34
1	AA	316	C	C5-C6	5.95	1.39	1.34
1	AA	415	A	N1-C2	5.95	1.39	1.34
1	AA	706	A	C5-C4	5.95	1.43	1.38
1	AA	925	G	C5'-C4'	5.95	1.58	1.51
1	AA	977	A	N3-C4	5.95	1.38	1.34
1	AA	1025	U	N1-C2	5.95	1.44	1.38
1	AA	1164	G	C2-N3	5.95	1.37	1.32
1	AA	1270	G	N9-C8	5.95	1.42	1.37
26	BB	225	C	N1-C6	5.95	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1676	A	C6-N1	-5.95	1.31	1.35
26	BB	1993	U	C2-N3	5.95	1.42	1.37
1	AA	836	G	C5-C4	5.94	1.42	1.38
2	AB	67	G	N1-C2	5.94	1.42	1.37
25	BA	54	G	C2'-O2'	5.94	1.49	1.41
26	BB	1083	U	C2-O2	5.94	1.27	1.22
26	BB	1474	U	C4-C5	5.94	1.48	1.43
1	AA	671	G	C2-N3	5.94	1.37	1.32
1	AA	1341	U	C3'-C2'	-5.94	1.46	1.52
1	AA	1428	A	C5'-C4'	5.94	1.58	1.51
2	AB	3	G	N7-C5	5.94	1.42	1.39
25	BA	83	G	N7-C5	5.94	1.42	1.39
26	BB	466	A	C8-N7	-5.94	1.27	1.31
26	BB	688	U	N1-C2	5.94	1.43	1.38
26	BB	1500	G	P-O5'	5.94	1.65	1.59
26	BB	2000	C	C2-N3	5.94	1.40	1.35
26	BB	2554	U	C4-O4	5.94	1.28	1.23
1	AA	800	G	C2-N3	5.94	1.37	1.32
1	AA	1162	C	C5-C6	5.94	1.39	1.34
26	BB	470	A	C5-C4	-5.94	1.34	1.38
26	BB	505	A	N7-C5	-5.94	1.35	1.39
26	BB	610	C	N3-C4	5.94	1.38	1.33
26	BB	728	G	C4'-C3'	-5.94	1.46	1.52
26	BB	1643	G	P-O5'	-5.94	1.53	1.59
26	BB	1703	G	N9-C8	5.94	1.42	1.37
26	BB	1996	C	C5'-C4'	5.94	1.58	1.51
26	BB	2052	A	C5-C4	-5.94	1.34	1.38
26	BB	2153	C	C4'-O4'	-5.94	1.37	1.45
1	AA	374	A	N9-C4	-5.94	1.34	1.37
1	AA	1146	A	C4'-O4'	-5.94	1.37	1.45
26	BB	1638	C	N3-C4	5.94	1.38	1.33
26	BB	2434	A	C4'-O4'	-5.94	1.37	1.45
26	BB	2692	G	C6-N1	5.94	1.43	1.39
1	AA	429	U	C5-C6	5.94	1.39	1.34
1	AA	517	G	C8-N7	5.94	1.34	1.30
1	AA	1505	G	O4'-C1'	5.94	1.49	1.41
4	AD	7	G	C5'-C4'	5.94	1.58	1.51
26	BB	2254	C	C2-O2	-5.94	1.19	1.24
1	AA	901	A	O3'-P	5.94	1.68	1.61
3	AC	17	U	C2-N3	5.94	1.42	1.37
26	BB	117	G	N7-C5	-5.94	1.35	1.39
1	AA	616	G	C2-N3	5.93	1.37	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	667	G	C1'-N9	5.93	1.57	1.48
1	AA	742	G	C5-C6	5.93	1.48	1.42
1	AA	853	C	C4'-O4'	-5.93	1.37	1.45
1	AA	860	A	N7-C5	5.93	1.42	1.39
1	AA	988	G	C8-N7	-5.93	1.27	1.30
1	AA	1256	A	C4'-C3'	5.93	1.59	1.53
26	BB	378	C	N3-C4	-5.93	1.29	1.33
26	BB	1277	G	N7-C5	5.93	1.42	1.39
26	BB	2731	G	C5'-C4'	5.93	1.58	1.51
1	AA	13	U	C4-O4	-5.93	1.19	1.23
1	AA	1281	C	C2'-C1'	5.93	1.59	1.53
3	AC	39	U	P-O5'	5.93	1.65	1.59
26	BB	763	G	C8-N7	-5.93	1.27	1.30
26	BB	1220	G	C2-N3	5.93	1.37	1.32
26	BB	1531	C	O3'-P	5.93	1.68	1.61
26	BB	2159	G	N7-C5	-5.93	1.35	1.39
26	BB	2337	G	O3'-P	5.93	1.68	1.61
26	BB	2453	A	O3'-P	5.93	1.68	1.61
26	BB	2643	G	C5-C6	5.93	1.48	1.42
1	AA	1293	C	C3'-C2'	5.93	1.59	1.52
26	BB	2331	G	C4'-O4'	-5.93	1.37	1.45
1	AA	1078	U	C2-N3	5.93	1.42	1.37
1	AA	1454	G	C5'-C4'	5.93	1.58	1.51
25	BA	75	G	C8-N7	5.93	1.34	1.30
26	BB	57	C	O4'-C1'	5.93	1.49	1.41
26	BB	289	G	C8-N7	5.93	1.34	1.30
26	BB	360	U	C2'-C1'	-5.93	1.46	1.53
26	BB	752	A	C8-N7	-5.93	1.27	1.31
26	BB	2320	U	C2'-C1'	5.93	1.59	1.53
1	AA	712	A	C8-N7	-5.93	1.27	1.31
1	AA	894	G	C4'-C3'	5.93	1.59	1.53
26	BB	829	A	C6-N1	5.93	1.39	1.35
26	BB	860	U	C5'-C4'	5.93	1.58	1.51
26	BB	900	A	P-O5'	5.93	1.65	1.59
26	BB	2107	G	C6-N1	-5.93	1.35	1.39
1	AA	571	U	C5-C6	5.93	1.39	1.34
1	AA	1290	G	N9-C4	-5.93	1.33	1.38
1	AA	1489	G	O3'-P	5.93	1.68	1.61
26	BB	860	U	C4'-O4'	-5.93	1.37	1.45
1	AA	142	G	C2-N2	-5.92	1.28	1.34
1	AA	454	G	N7-C5	-5.92	1.35	1.39
1	AA	724	G	N7-C5	-5.92	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1311	A	N9-C4	5.92	1.41	1.37
25	BA	67	G	C6-O6	-5.92	1.18	1.24
26	BB	1688	U	N1-C2	5.92	1.43	1.38
26	BB	1700	A	N1-C2	5.92	1.39	1.34
26	BB	2360	G	N9-C8	-5.92	1.33	1.37
26	BB	2862	G	N9-C8	5.92	1.42	1.37
26	BB	2875	C	P-O5'	-5.92	1.53	1.59
26	BB	50	U	C4'-O4'	-5.92	1.37	1.45
26	BB	512	G	C2-N3	-5.92	1.28	1.32
26	BB	984	A	C8-N7	-5.92	1.27	1.31
26	BB	327	G	O3'-P	-5.92	1.54	1.61
26	BB	1610	A	C4'-O4'	-5.92	1.37	1.45
26	BB	1980	G	C6-N1	5.92	1.43	1.39
26	BB	2186	G	N9-C8	-5.92	1.33	1.37
26	BB	2548	U	O3'-P	5.92	1.68	1.61
1	AA	659	U	C5'-C4'	5.92	1.58	1.51
1	AA	1113	C	O4'-C1'	5.92	1.49	1.41
26	BB	470	A	C5'-C4'	5.92	1.58	1.51
26	BB	1390	U	P-O5'	5.92	1.65	1.59
26	BB	1801	A	C4'-C3'	5.92	1.59	1.53
26	BB	1977	A	C6-N6	5.92	1.38	1.33
1	AA	147	G	C5-C6	5.92	1.48	1.42
1	AA	1306	A	C2'-C1'	-5.92	1.46	1.53
1	AA	1421	G	C4'-O4'	-5.92	1.37	1.45
26	BB	269	C	C4-N4	-5.92	1.28	1.33
26	BB	314	C	O3'-P	5.92	1.68	1.61
26	BB	549	G	N1-C2	5.92	1.42	1.37
26	BB	1045	C	C4'-O4'	-5.92	1.37	1.45
26	BB	1316	U	C4-C5	5.92	1.48	1.43
26	BB	2122	U	C4-O4	5.92	1.28	1.23
26	BB	2316	G	N9-C8	5.92	1.42	1.37
1	AA	976	G	C2-N3	5.92	1.37	1.32
25	BA	40	U	N1-C2	5.92	1.43	1.38
26	BB	517	C	C5'-C4'	5.92	1.58	1.51
1	AA	537	G	N1-C2	5.92	1.42	1.37
26	BB	2250	G	C2'-C1'	-5.92	1.46	1.53
26	BB	2259	U	C4'-C3'	-5.92	1.46	1.52
26	BB	2877	G	C6-N1	5.92	1.43	1.39
1	AA	169	C	N1-C2	5.91	1.46	1.40
1	AA	1434	A	C5-C4	-5.91	1.34	1.38
4	AD	49	C	N3-C4	5.91	1.38	1.33
25	BA	64	G	O3'-P	5.91	1.68	1.61

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	415	A	N9-C4	-5.91	1.34	1.37
26	BB	650	C	C2-N3	5.91	1.40	1.35
26	BB	725	G	C2-N3	5.91	1.37	1.32
26	BB	1015	U	C2'-O2'	5.91	1.49	1.41
26	BB	1111	A	C2-N3	-5.91	1.28	1.33
26	BB	1435	G	C2-N3	5.91	1.37	1.32
26	BB	1677	A	C5-C6	5.91	1.46	1.41
26	BB	2272	U	C5'-C4'	5.91	1.58	1.51
26	BB	2480	C	N1-C6	5.91	1.40	1.37
31	BG	82	TYR	CE2-CZ	5.91	1.46	1.38
1	AA	115	G	P-O5'	5.91	1.65	1.59
26	BB	108	G	N3-C4	5.91	1.39	1.35
26	BB	2278	A	N9-C4	5.91	1.41	1.37
26	BB	2641	G	P-O5'	5.91	1.65	1.59
1	AA	23	C	C4'-C3'	-5.91	1.46	1.52
1	AA	691	G	C4'-O4'	-5.91	1.37	1.45
1	AA	1165	U	C4-O4	5.91	1.28	1.23
1	AA	1347	G	O3'-P	5.91	1.68	1.61
1	AA	1464	U	P-O5'	5.91	1.65	1.59
2	AB	12	U	C4-C5	5.91	1.48	1.43
26	BB	13	A	C8-N7	5.91	1.35	1.31
26	BB	1172	C	C4'-C3'	5.91	1.59	1.53
45	BU	108	SER	CA-CB	5.91	1.61	1.52
1	AA	987	G	N9-C8	-5.91	1.33	1.37
1	AA	1500	A	C4'-C3'	5.91	1.59	1.53
2	AB	68	C	O3'-P	5.91	1.68	1.61
26	BB	140	C	P-O5'	-5.91	1.53	1.59
26	BB	1352	U	P-O5'	5.91	1.65	1.59
26	BB	1543	G	N3-C4	5.91	1.39	1.35
26	BB	1584	U	C5'-C4'	5.91	1.58	1.51
26	BB	1803	A	N9-C4	5.91	1.41	1.37
26	BB	2000	C	P-O5'	-5.91	1.53	1.59
26	BB	2126	A	N3-C4	5.91	1.38	1.34
26	BB	2393	U	C5'-C4'	5.91	1.58	1.51
26	BB	2470	G	C6-O6	5.91	1.29	1.24
1	AA	944	G	N1-C2	-5.91	1.33	1.37
26	BB	121	G	N9-C8	-5.91	1.33	1.37
26	BB	374	A	N3-C4	5.91	1.38	1.34
1	AA	310	G	C4'-C3'	5.91	1.59	1.53
1	AA	511	C	C3'-O3'	-5.91	1.33	1.42
1	AA	640	A	N3-C4	5.91	1.38	1.34
1	AA	939	G	C2-N2	-5.91	1.28	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	41	G	C5-C4	-5.91	1.34	1.38
25	BA	98	G	N1-C2	5.91	1.42	1.37
26	BB	124	G	C2'-C1'	-5.91	1.46	1.53
26	BB	603	A	P-O5'	5.91	1.65	1.59
26	BB	1037	G	C5'-C4'	5.91	1.58	1.51
26	BB	1383	A	C5-C4	-5.91	1.34	1.38
26	BB	2511	U	C5-C6	5.91	1.39	1.34
26	BB	2823	A	C5-C4	-5.91	1.34	1.38
1	AA	34	C	N1-C6	5.90	1.40	1.37
1	AA	542	G	C5'-C4'	5.90	1.58	1.51
1	AA	745	G	C5-C4	5.90	1.42	1.38
26	BB	689	A	N3-C4	5.90	1.38	1.34
26	BB	1185	G	C2-N3	5.90	1.37	1.32
48	BX	82	TYR	CE2-CZ	5.90	1.46	1.38
1	AA	860	A	P-O5'	5.90	1.65	1.59
1	AA	1165	U	C5-C6	5.90	1.39	1.34
1	AA	1463	U	N3-C4	5.90	1.43	1.38
26	BB	58	G	C4'-O4'	-5.90	1.37	1.45
26	BB	430	A	C5-C4	-5.90	1.34	1.38
26	BB	2068	U	N3-C4	-5.90	1.33	1.38
26	BB	2164	C	C4-C5	5.90	1.47	1.43
26	BB	2352	A	C8-N7	-5.90	1.27	1.31
26	BB	2354	C	O3'-P	5.90	1.68	1.61
1	AA	239	U	C3'-C2'	5.90	1.59	1.52
1	AA	971	G	C5-C6	5.90	1.48	1.42
1	AA	1104	G	N9-C4	-5.90	1.33	1.38
4	AD	76	C	P-O5'	5.90	1.65	1.59
25	BA	29	A	P-O5'	5.90	1.65	1.59
26	BB	658	U	C2-O2	5.90	1.27	1.22
26	BB	681	G	N9-C4	5.90	1.42	1.38
26	BB	1301	A	N1-C2	5.90	1.39	1.34
26	BB	1580	A	N3-C4	5.90	1.38	1.34
26	BB	1938	A	C5-C4	5.90	1.42	1.38
26	BB	2632	A	N3-C4	5.90	1.38	1.34
1	AA	209	U	C2'-C1'	5.90	1.59	1.53
1	AA	1471	U	C2-O2	5.90	1.27	1.22
4	AD	14	A	O5'-C5'	-5.90	1.33	1.42
26	BB	771	G	C2-N3	5.90	1.37	1.32
26	BB	2094	A	C6-N6	5.90	1.38	1.33
26	BB	2226	C	O4'-C1'	5.90	1.49	1.41
1	AA	553	A	C5-C4	-5.90	1.34	1.38
1	AA	1209	C	C2-O2	-5.90	1.19	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1365	G	N7-C5	-5.90	1.35	1.39
26	BB	219	A	C6-N1	-5.90	1.31	1.35
26	BB	446	G	O3'-P	5.90	1.68	1.61
26	BB	674	G	N3-C4	5.90	1.39	1.35
26	BB	782	A	C4'-C3'	-5.90	1.46	1.52
26	BB	1640	A	C6-N6	5.90	1.38	1.33
26	BB	1713	A	C5-C4	-5.90	1.34	1.38
26	BB	2019	A	O3'-P	-5.90	1.54	1.61
26	BB	2278	A	N3-C4	5.90	1.38	1.34
26	BB	2545	G	C2-N3	5.90	1.37	1.32
1	AA	599	C	C5-C6	5.90	1.39	1.34
1	AA	698	G	C3'-C2'	5.90	1.59	1.52
26	BB	218	A	P-O5'	5.90	1.65	1.59
26	BB	533	G	C5'-C4'	5.90	1.58	1.51
26	BB	1391	U	C2'-C1'	5.90	1.59	1.53
25	BA	9	G	C6-O6	5.89	1.29	1.24
26	BB	190	A	N7-C5	5.89	1.42	1.39
26	BB	244	A	N7-C5	-5.89	1.35	1.39
26	BB	1492	G	C2-N2	5.89	1.40	1.34
26	BB	2545	G	N3-C4	5.89	1.39	1.35
1	AA	228	A	C5'-C4'	5.89	1.58	1.51
1	AA	398	U	C5-C6	5.89	1.39	1.34
1	AA	877	G	C5-C4	-5.89	1.34	1.38
1	AA	1148	U	P-O5'	5.89	1.65	1.59
1	AA	1386	G	C5-C4	5.89	1.42	1.38
26	BB	178	G	C5-C4	5.89	1.42	1.38
26	BB	367	G	N1-C2	5.89	1.42	1.37
26	BB	1893	C	N1-C6	5.89	1.40	1.37
26	BB	2370	G	N9-C8	5.89	1.42	1.37
1	AA	432	A	C4'-O4'	-5.89	1.37	1.45
1	AA	1316	G	C4'-O4'	-5.89	1.37	1.45
26	BB	1597	A	C5'-C4'	5.89	1.58	1.51
26	BB	2315	G	C2-N3	5.89	1.37	1.32
1	AA	575	G	C6-O6	-5.89	1.18	1.24
1	AA	866	C	N3-C4	5.89	1.38	1.33
3	AC	18	A	C6-N6	5.89	1.38	1.33
26	BB	440	C	O5'-C5'	-5.89	1.33	1.42
26	BB	936	A	C5'-C4'	5.89	1.58	1.51
26	BB	1103	A	N3-C4	5.89	1.38	1.34
26	BB	1353	A	N9-C8	5.89	1.42	1.37
26	BB	1377	G	N7-C5	-5.89	1.35	1.39
26	BB	1480	C	C2-N3	5.89	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2211	A	N9-C4	5.89	1.41	1.37
26	BB	2397	G	N3-C4	5.89	1.39	1.35
33	BI	45	GLU	CG-CD	5.89	1.60	1.51
1	AA	20	U	C3'-C2'	5.89	1.59	1.52
1	AA	722	G	C2-N2	-5.89	1.28	1.34
1	AA	784	A	N7-C5	-5.89	1.35	1.39
26	BB	369	U	N3-C4	5.89	1.43	1.38
26	BB	399	U	C2-N3	5.89	1.41	1.37
1	AA	263	A	C2'-C1'	5.89	1.59	1.53
1	AA	524	G	N9-C8	5.89	1.42	1.37
1	AA	728	A	P-O5'	5.89	1.65	1.59
1	AA	748	G	N7-C5	5.89	1.42	1.39
1	AA	1290	G	O4'-C1'	-5.89	1.33	1.41
2	AB	73	G	N3-C4	5.89	1.39	1.35
26	BB	76	C	C5'-C4'	5.89	1.58	1.51
26	BB	822	G	C6-N1	5.89	1.43	1.39
26	BB	1516	G	P-O5'	5.89	1.65	1.59
26	BB	1949	G	C3'-O3'	5.89	1.50	1.42
26	BB	1981	A	C5-C4	-5.89	1.34	1.38
26	BB	2764	A	C2'-C1'	-5.89	1.46	1.53
26	BB	2781	A	N7-C5	5.89	1.42	1.39
1	AA	68	G	N9-C4	5.88	1.42	1.38
1	AA	156	C	C2-N3	5.88	1.40	1.35
1	AA	1151	A	C2'-C1'	-5.88	1.46	1.53
1	AA	1244	G	N3-C4	5.88	1.39	1.35
4	AD	28	U	C5-C6	5.88	1.39	1.34
13	AM	27	GLU	CG-CD	5.88	1.60	1.51
26	BB	176	A	C5-C4	-5.88	1.34	1.38
26	BB	1388	G	C5'-C4'	5.88	1.58	1.51
26	BB	1406	U	N1-C2	5.88	1.43	1.38
26	BB	1974	C	N1-C6	5.88	1.40	1.37
26	BB	2853	C	C5-C6	5.88	1.39	1.34
1	AA	1046	A	N9-C8	-5.88	1.33	1.37
26	BB	243	U	N1-C2	5.88	1.43	1.38
26	BB	1257	C	C2'-C1'	-5.88	1.46	1.53
26	BB	1908	C	N3-C4	5.88	1.38	1.33
26	BB	2564	A	N9-C4	5.88	1.41	1.37
1	AA	238	A	N3-C4	5.88	1.38	1.34
1	AA	490	C	C2'-C1'	5.88	1.59	1.53
1	AA	566	G	C6-N1	-5.88	1.35	1.39
1	AA	1044	A	N9-C8	-5.88	1.33	1.37
1	AA	1290	G	N7-C5	-5.88	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	AI	134	GLU	CD-OE1	-5.88	1.19	1.25
26	BB	620	G	C6-N1	5.88	1.43	1.39
26	BB	1931	U	C4-O4	-5.88	1.19	1.23
26	BB	2010	G	C2-N3	5.88	1.37	1.32
26	BB	2075	U	P-O5'	5.88	1.65	1.59
26	BB	2252	G	C6-N1	5.88	1.43	1.39
1	AA	932	C	C5'-C4'	5.88	1.58	1.51
26	BB	357	C	O3'-P	5.88	1.68	1.61
26	BB	464	U	C1'-N1	5.88	1.57	1.48
26	BB	498	G	C6-O6	-5.88	1.18	1.24
26	BB	511	U	N3-C4	5.88	1.43	1.38
1	AA	325	A	C8-N7	-5.88	1.27	1.31
1	AA	1505	G	C6-N1	5.88	1.43	1.39
26	BB	97	C	C1'-N1	5.88	1.57	1.48
26	BB	474	G	N9-C4	5.88	1.42	1.38
26	BB	1398	C	N1-C2	5.88	1.46	1.40
26	BB	1970	A	N7-C5	-5.88	1.35	1.39
26	BB	2482	A	C5'-C4'	5.88	1.58	1.51
26	BB	2545	G	C5'-C4'	5.88	1.58	1.51
1	AA	985	C	C3'-O3'	-5.88	1.33	1.42
26	BB	184	C	C2-N3	-5.88	1.31	1.35
26	BB	433	C	O3'-P	5.88	1.68	1.61
26	BB	498	G	P-O5'	5.88	1.65	1.59
26	BB	1107	G	C2-N3	5.88	1.37	1.32
26	BB	1233	C	N3-C4	5.88	1.38	1.33
26	BB	1769	U	N1-C2	5.88	1.43	1.38
26	BB	2082	A	C4'-C3'	5.88	1.59	1.53
26	BB	2145	C	C2-O2	-5.88	1.19	1.24
26	BB	2666	C	C3'-C2'	5.88	1.59	1.52
26	BB	2731	G	C6-N1	5.88	1.43	1.39
1	AA	890	G	C3'-O3'	-5.88	1.33	1.42
26	BB	2334	U	P-O5'	5.88	1.65	1.59
1	AA	872	A	C5-C6	5.87	1.46	1.41
1	AA	1032	G	O3'-P	5.87	1.68	1.61
1	AA	1224	U	N3-C4	5.87	1.43	1.38
4	AD	67	C	C5-C6	-5.87	1.29	1.34
25	BA	111	U	C5'-C4'	5.87	1.58	1.51
26	BB	279	A	C4'-O4'	-5.87	1.38	1.45
26	BB	452	G	C5-C6	5.87	1.48	1.42
26	BB	1126	A	C4'-C3'	-5.87	1.46	1.52
26	BB	1150	C	P-O5'	5.87	1.65	1.59
26	BB	2074	U	N3-C4	-5.87	1.33	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2334	U	N3-C4	5.87	1.43	1.38
27	BC	147	PRO	N-CD	-5.87	1.39	1.47
1	AA	28	A	C6-N6	5.87	1.38	1.33
1	AA	395	C	C2-O2	-5.87	1.19	1.24
1	AA	562	U	C4-O4	5.87	1.28	1.23
26	BB	637	A	N9-C4	-5.87	1.34	1.37
26	BB	994	C	P-O5'	5.87	1.65	1.59
26	BB	1219	U	C2'-O2'	5.87	1.49	1.41
26	BB	2366	A	C8-N7	-5.87	1.27	1.31
26	BB	2445	2MG	O3'-P	5.87	1.68	1.61
26	BB	2540	C	C2'-C1'	5.87	1.59	1.53
26	BB	2610	C	C2-O2	-5.87	1.19	1.24
26	BB	2766	A	P-O5'	5.87	1.65	1.59
1	AA	578	C	N3-C4	5.87	1.38	1.33
1	AA	1099	G	O3'-P	5.87	1.68	1.61
1	AA	1156	G	C8-N7	-5.87	1.27	1.30
1	AA	1419	G	N9-C4	-5.87	1.33	1.38
26	BB	1555	G	N9-C8	-5.87	1.33	1.37
26	BB	2893	A	C4'-C3'	5.87	1.59	1.53
1	AA	686	U	P-O5'	5.87	1.65	1.59
1	AA	895	G	C8-N7	5.87	1.34	1.30
1	AA	1178	G	N3-C4	5.87	1.39	1.35
1	AA	1530	G	C2-N3	5.87	1.37	1.32
26	BB	101	A	C8-N7	-5.87	1.27	1.31
26	BB	988	A	N9-C4	5.87	1.41	1.37
26	BB	1269	A	C5'-C4'	5.87	1.58	1.51
26	BB	1503	A	C8-N7	-5.87	1.27	1.31
26	BB	1635	A	C5-C4	-5.87	1.34	1.38
26	BB	2518	A	C6-N6	5.87	1.38	1.33
1	AA	348	G	C8-N7	-5.87	1.27	1.30
1	AA	1287	A	O3'-P	5.87	1.68	1.61
26	BB	187	G	P-O5'	5.87	1.65	1.59
26	BB	518	G	C2-N3	5.87	1.37	1.32
26	BB	969	G	N3-C4	5.87	1.39	1.35
26	BB	2006	C	C2-O2	5.87	1.29	1.24
26	BB	2855	C	C2'-O2'	-5.87	1.34	1.41
1	AA	1030	U	O3'-P	5.87	1.68	1.61
1	AA	1088	G	C2-N3	5.87	1.37	1.32
1	AA	1096	C	C2-N3	5.87	1.40	1.35
1	AA	1197	A	C6-N6	5.87	1.38	1.33
25	BA	16	G	N9-C4	5.87	1.42	1.38
26	BB	1022	G	C4'-O4'	-5.87	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1023	U	C5'-C4'	5.87	1.58	1.51
26	BB	1279	G	C2'-C1'	5.87	1.59	1.53
26	BB	2345	G	C2-N3	5.87	1.37	1.32
1	AA	384	G	C5-C4	5.86	1.42	1.38
1	AA	445	G	C4'-O4'	-5.86	1.38	1.45
25	BA	49	C	C4'-O4'	-5.86	1.38	1.45
26	BB	241	A	C4'-C3'	5.86	1.59	1.53
26	BB	1723	G	P-O5'	-5.86	1.53	1.59
26	BB	2086	U	C4-O4	-5.86	1.19	1.23
26	BB	2424	C	C4'-O4'	-5.86	1.38	1.45
26	BB	2444	G	C2-N3	5.86	1.37	1.32
1	AA	850	U	C5-C6	-5.86	1.28	1.34
26	BB	262	A	C5'-C4'	5.86	1.58	1.51
26	BB	1646	C	N1-C6	5.86	1.40	1.37
26	BB	1846	G	C5'-C4'	5.86	1.58	1.51
1	AA	144	G	C2'-C1'	5.86	1.59	1.53
1	AA	1305	G	C2-N3	5.86	1.37	1.32
26	BB	438	G	C5-C6	5.86	1.48	1.42
26	BB	2407	A	C4'-C3'	-5.86	1.46	1.52
26	BB	2424	C	C5-C6	5.86	1.39	1.34
26	BB	188	G	O4'-C1'	5.86	1.49	1.41
26	BB	2583	G	N9-C4	-5.86	1.33	1.38
1	AA	299	G	P-O5'	5.86	1.65	1.59
25	BA	35	C	C5-C6	5.86	1.39	1.34
26	BB	314	C	C4-C5	5.86	1.47	1.43
26	BB	804	A	C3'-C2'	5.86	1.59	1.52
26	BB	1137	G	C8-N7	-5.86	1.27	1.30
26	BB	1267	U	P-O5'	5.86	1.65	1.59
26	BB	1491	G	C6-N1	5.86	1.43	1.39
26	BB	1496	A	N1-C2	-5.86	1.29	1.34
26	BB	1958	C	N3-C4	5.86	1.38	1.33
26	BB	2705	A	N3-C4	5.86	1.38	1.34
26	BB	2901	C	C5'-C4'	5.86	1.58	1.51
26	BB	868	U	C2-N3	5.86	1.41	1.37
26	BB	1173	U	C4'-O4'	-5.86	1.38	1.45
26	BB	1646	C	C5'-C4'	5.86	1.58	1.51
26	BB	1650	A	C5-C6	-5.86	1.35	1.41
26	BB	1784	A	O3'-P	5.86	1.68	1.61
26	BB	2278	A	P-O5'	5.86	1.65	1.59
26	BB	2590	A	C5-C6	-5.86	1.35	1.41
1	AA	474	G	N1-C2	5.85	1.42	1.37
26	BB	2533	U	C4-C5	5.85	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1095	U	P-O5'	5.85	1.65	1.59
26	BB	177	G	O4'-C1'	5.85	1.49	1.41
26	BB	775	G	C4'-O4'	-5.85	1.38	1.45
26	BB	1038	G	C2-N3	5.85	1.37	1.32
26	BB	1396	U	C4'-O4'	-5.85	1.38	1.45
26	BB	2137	U	C3'-C2'	5.85	1.59	1.52
1	AA	220	G	C8-N7	5.85	1.34	1.30
1	AA	1278	G	N1-C2	-5.85	1.33	1.37
26	BB	782	A	C6-N6	-5.85	1.29	1.33
26	BB	1097	U	C2-N3	5.85	1.41	1.37
26	BB	1737	G	C4'-O4'	-5.85	1.38	1.45
1	AA	117	G	C4'-C3'	5.85	1.59	1.53
1	AA	517	G	N9-C8	5.85	1.42	1.37
24	AX	70	TYR	CG-CD2	5.85	1.46	1.39
26	BB	82	U	C5-C6	5.85	1.39	1.34
26	BB	267	C	C4-N4	-5.85	1.28	1.33
26	BB	327	G	C3'-C2'	-5.85	1.46	1.52
26	BB	663	G	N3-C4	5.85	1.39	1.35
26	BB	907	G	N9-C4	5.85	1.42	1.38
26	BB	938	G	N9-C4	-5.85	1.33	1.38
26	BB	1722	A	P-O5'	5.85	1.65	1.59
26	BB	2501	C	C2-N3	5.85	1.40	1.35
26	BB	2734	A	C5'-C4'	5.85	1.58	1.51
1	AA	113	G	C5-C6	5.85	1.48	1.42
1	AA	402	G	C5-C4	-5.85	1.34	1.38
1	AA	672	U	C4-C5	5.85	1.48	1.43
26	BB	1185	G	C2'-C1'	5.85	1.59	1.53
26	BB	1524	G	P-O5'	5.85	1.65	1.59
26	BB	1588	G	C6-N1	-5.85	1.35	1.39
26	BB	2446	G	N9-C4	5.85	1.42	1.38
26	BB	2893	A	C5-C6	5.85	1.46	1.41
38	BN	48	ARG	NE-CZ	5.85	1.40	1.33
1	AA	1194	U	O3'-P	5.85	1.68	1.61
1	AA	1251	A	C6-N6	5.85	1.38	1.33
26	BB	1228	G	N1-C2	5.85	1.42	1.37
1	AA	308	C	P-O5'	5.84	1.65	1.59
1	AA	1203	C	C2-N3	-5.84	1.31	1.35
4	AD	28	U	P-O5'	-5.84	1.53	1.59
26	BB	405	U	C5'-C4'	5.84	1.58	1.51
26	BB	544	C	C4'-O4'	-5.84	1.38	1.45
26	BB	976	G	N3-C4	-5.84	1.31	1.35
26	BB	1738	G	C5-C4	5.84	1.42	1.38

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2037	A	N1-C2	5.84	1.39	1.34
26	BB	2751	G	C2-N2	-5.84	1.28	1.34
1	AA	838	G	O3'-P	5.84	1.68	1.61
1	AA	1129	C	C4-C5	5.84	1.47	1.43
1	AA	1405	G	C2-N2	-5.84	1.28	1.34
3	AC	13	A	N9-C8	-5.84	1.33	1.37
26	BB	230	G	C2'-C1'	5.84	1.59	1.53
1	AA	36	C	C5'-C4'	5.84	1.58	1.51
1	AA	678	U	C2-N3	-5.84	1.33	1.37
1	AA	721	G	C2'-C1'	-5.84	1.47	1.53
26	BB	321	U	N1-C2	5.84	1.43	1.38
26	BB	472	A	O3'-P	5.84	1.68	1.61
26	BB	843	G	P-O5'	5.84	1.65	1.59
26	BB	1156	A	C5'-C4'	5.84	1.58	1.51
26	BB	2227	A	O4'-C1'	5.84	1.49	1.41
26	BB	2509	G	C2-N3	5.84	1.37	1.32
1	AA	152	A	C5-C4	5.84	1.42	1.38
1	AA	184	G	P-O5'	5.84	1.65	1.59
1	AA	1333	A	P-O5'	5.84	1.65	1.59
2	AB	18	G	C4'-O4'	-5.84	1.38	1.45
4	AD	11	A	N7-C5	-5.84	1.35	1.39
25	BA	69	G	N1-C2	-5.84	1.33	1.37
26	BB	1103	A	C2'-C1'	5.84	1.59	1.53
26	BB	1663	G	N9-C8	-5.84	1.33	1.37
26	BB	1857	G	C8-N7	-5.84	1.27	1.30
1	AA	268	U	N1-C2	5.84	1.43	1.38
1	AA	1322	C	N3-C4	5.84	1.38	1.33
26	BB	577	G	C6-O6	-5.84	1.18	1.24
26	BB	1768	C	C2-N3	5.84	1.40	1.35
26	BB	2106	U	C5'-C4'	5.84	1.58	1.51
1	AA	240	G	N3-C4	5.84	1.39	1.35
4	AD	36	A	C5'-C4'	5.84	1.58	1.51
26	BB	228	C	C3'-C2'	-5.84	1.46	1.52
26	BB	547	A	N9-C8	-5.84	1.33	1.37
26	BB	1734	G	C6-N1	5.84	1.43	1.39
26	BB	2373	G	C5-C6	5.84	1.48	1.42
1	AA	1160	G	N1-C2	-5.83	1.33	1.37
26	BB	164	C	C4'-O4'	-5.83	1.38	1.45
26	BB	796	C	C4'-C3'	5.83	1.59	1.53
26	BB	814	C	O4'-C1'	5.83	1.49	1.41
26	BB	2018	G	C2'-C1'	5.83	1.59	1.53
26	BB	2623	G	C2-N3	5.83	1.37	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	274	A	C5'-C4'	5.83	1.58	1.51
25	BA	89	U	C5-C6	5.83	1.39	1.34
26	BB	21	A	C5-C6	5.83	1.46	1.41
26	BB	285	G	C5-C4	-5.83	1.34	1.38
26	BB	319	G	C6-N1	5.83	1.43	1.39
26	BB	928	A	P-O5'	5.83	1.65	1.59
26	BB	1150	C	C4'-O4'	-5.83	1.38	1.45
26	BB	1326	U	C2-O2	5.83	1.27	1.22
26	BB	1403	A	C8-N7	5.83	1.35	1.31
26	BB	1734	G	N7-C5	5.83	1.42	1.39
26	BB	1788	C	C2'-C1'	5.83	1.59	1.53
26	BB	2201	G	C6-O6	-5.83	1.18	1.24
26	BB	2653	U	N1-C6	5.83	1.43	1.38
26	BB	2839	G	C4'-O4'	-5.83	1.38	1.45
1	AA	215	C	N1-C6	5.83	1.40	1.37
1	AA	526	C	N1-C6	5.83	1.40	1.37
1	AA	1131	G	P-O5'	5.83	1.65	1.59
1	AA	1380	U	C2-N3	-5.83	1.33	1.37
4	AD	19	G	C6-O6	-5.83	1.19	1.24
26	BB	390	U	C2-N3	5.83	1.41	1.37
26	BB	1149	G	N7-C5	-5.83	1.35	1.39
26	BB	2283	C	C4-C5	5.83	1.47	1.43
1	AA	1408	A	N3-C4	5.83	1.38	1.34
26	BB	698	C	O3'-P	5.83	1.68	1.61
26	BB	2255	G	C8-N7	-5.83	1.27	1.30
26	BB	2756	U	N1-C2	5.83	1.43	1.38
1	AA	384	G	C4'-C3'	-5.83	1.46	1.52
1	AA	686	U	N1-C6	5.83	1.43	1.38
1	AA	1394	A	C4'-O4'	-5.83	1.38	1.45
1	AA	1403	C	N1-C6	5.83	1.40	1.37
3	AC	31	U	C4-C5	5.83	1.48	1.43
26	BB	232	G	C2-N3	5.83	1.37	1.32
26	BB	251	A	N9-C4	5.83	1.41	1.37
26	BB	1306	C	O3'-P	5.83	1.68	1.61
26	BB	1586	A	C4'-C3'	5.83	1.59	1.53
26	BB	2162	G	O3'-P	5.83	1.68	1.61
26	BB	2243	U	C4-C5	5.83	1.48	1.43
26	BB	2682	A	O3'-P	5.83	1.68	1.61
26	BB	2741	A	C6-N1	-5.83	1.31	1.35
26	BB	2878	U	C4-C5	5.83	1.48	1.43
1	AA	1110	A	N9-C4	5.83	1.41	1.37
2	AB	11	U	C4-C5	5.83	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1600	C	P-O5'	-5.83	1.53	1.59
26	BB	2275	C	C5'-C4'	5.83	1.58	1.51
26	BB	2369	A	C4'-C3'	5.83	1.59	1.53
1	AA	207	C	C1'-N1	5.83	1.57	1.48
1	AA	799	G	C4'-O4'	-5.83	1.38	1.45
1	AA	819	A	C3'-O3'	5.83	1.50	1.42
1	AA	1401	G	C5'-C4'	5.83	1.58	1.51
26	BB	1383	A	O4'-C1'	5.83	1.49	1.41
26	BB	2141	G	C5-C6	5.83	1.48	1.42
26	BB	2597	G	C5'-C4'	5.83	1.58	1.51
26	BB	2621	G	C2-N3	5.83	1.37	1.32
1	AA	327	A	N7-C5	5.82	1.42	1.39
1	AA	503	C	C2-N3	5.82	1.40	1.35
1	AA	671	G	C5-C4	5.82	1.42	1.38
1	AA	861	G	C6-N1	5.82	1.43	1.39
25	BA	86	G	N1-C2	5.82	1.42	1.37
26	BB	250	G	O3'-P	5.82	1.68	1.61
26	BB	286	U	C4-C5	5.82	1.48	1.43
26	BB	1084	A	N3-C4	5.82	1.38	1.34
26	BB	1620	G	N3-C4	5.82	1.39	1.35
26	BB	790	U	C2-N3	5.82	1.41	1.37
26	BB	2602	A	O5'-C5'	-5.82	1.33	1.42
1	AA	134	G	C6-N1	5.82	1.43	1.39
1	AA	957	U	C2-N3	5.82	1.41	1.37
1	AA	1454	G	C4'-C3'	5.82	1.59	1.53
26	BB	160	A	C6-N6	-5.82	1.29	1.33
26	BB	420	C	C4'-O4'	-5.82	1.38	1.45
26	BB	633	A	P-O5'	-5.82	1.53	1.59
26	BB	1430	G	N9-C8	-5.82	1.33	1.37
26	BB	1710	G	C2-N3	-5.82	1.28	1.32
26	BB	2542	A	N3-C4	5.82	1.38	1.34
26	BB	161	A	C5-C4	-5.82	1.34	1.38
26	BB	230	G	P-O5'	5.82	1.65	1.59
26	BB	1677	A	N9-C8	5.82	1.42	1.37
26	BB	2269	G	C2-N3	5.82	1.37	1.32
1	AA	196	A	C6-N6	-5.82	1.29	1.33
1	AA	346	G	O4'-C1'	5.82	1.49	1.41
1	AA	626	G	N9-C4	-5.82	1.33	1.38
26	BB	61	C	C2-O2	-5.82	1.19	1.24
26	BB	191	A	N1-C2	-5.82	1.29	1.34
26	BB	310	A	P-O5'	-5.82	1.53	1.59
1	AA	450	G	N1-C2	5.82	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	277	G	C2'-O2'	5.82	1.49	1.41
26	BB	2681	C	O4'-C1'	5.82	1.49	1.41
1	AA	68	G	P-O5'	5.81	1.65	1.59
1	AA	1438	G	C8-N7	5.81	1.34	1.30
26	BB	1632	A	N9-C4	-5.81	1.34	1.37
26	BB	1909	C	N1-C6	-5.81	1.33	1.37
26	BB	2577	A	N7-C5	-5.81	1.35	1.39
26	BB	2751	G	C4'-O4'	-5.81	1.38	1.45
31	BG	94	ARG	NE-CZ	5.81	1.40	1.33
1	AA	740	U	C5'-C4'	5.81	1.58	1.51
2	AB	10	G	N7-C5	-5.81	1.35	1.39
25	BA	105	G	N1-C2	5.81	1.42	1.37
26	BB	504	A	N3-C4	5.81	1.38	1.34
26	BB	1065	U	P-O5'	5.81	1.65	1.59
26	BB	1456	G	C2-N2	5.81	1.40	1.34
26	BB	1555	G	C2-N3	5.81	1.37	1.32
1	AA	637	C	C5-C6	5.81	1.39	1.34
1	AA	779	C	C4'-O4'	-5.81	1.38	1.45
26	BB	565	C	C5'-C4'	5.81	1.58	1.51
26	BB	1815	A	C6-N1	-5.81	1.31	1.35
26	BB	2255	G	N1-C2	5.81	1.42	1.37
1	AA	726	C	C4-N4	5.81	1.39	1.33
26	BB	736	C	C2-N3	5.81	1.40	1.35
26	BB	772	C	N3-C4	5.81	1.38	1.33
26	BB	1031	G	P-O5'	5.81	1.65	1.59
26	BB	1414	C	P-O5'	5.81	1.65	1.59
26	BB	1888	G	C2-N2	-5.81	1.28	1.34
26	BB	1913	A	C2'-O2'	-5.81	1.34	1.41
26	BB	2406	A	C5-C4	-5.81	1.34	1.38
1	AA	355	C	C4'-O4'	-5.81	1.38	1.45
1	AA	1304	G	N9-C8	5.81	1.42	1.37
1	AA	1475	G	P-O5'	5.81	1.65	1.59
2	AB	65	C	N3-C4	5.81	1.38	1.33
26	BB	448	U	N1-C2	5.81	1.43	1.38
26	BB	512	G	O3'-P	5.81	1.68	1.61
26	BB	570	G	C5-C6	5.81	1.48	1.42
26	BB	912	C	C2-N3	5.81	1.40	1.35
26	BB	1295	C	N3-C4	5.81	1.38	1.33
26	BB	1572	A	N3-C4	5.81	1.38	1.34
26	BB	1825	U	O3'-P	5.81	1.68	1.61
26	BB	1842	G	C2-N3	5.81	1.37	1.32
26	BB	1978	A	C6-N1	-5.81	1.31	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2199	A	N3-C4	5.81	1.38	1.34
26	BB	2541	A	O3'-P	5.81	1.68	1.61
26	BB	2726	A	N3-C4	5.81	1.38	1.34
26	BB	2808	G	C4'-C3'	5.81	1.59	1.53
1	AA	900	A	C5-C4	-5.81	1.34	1.38
2	AB	59	G	N9-C4	-5.81	1.33	1.38
26	BB	68	G	C6-N1	-5.81	1.35	1.39
26	BB	628	G	C5-C6	5.81	1.48	1.42
26	BB	790	U	P-O5'	5.81	1.65	1.59
26	BB	898	C	N3-C4	5.81	1.38	1.33
26	BB	2557	G	N9-C4	5.81	1.42	1.38
1	AA	474	G	C3'-C2'	5.80	1.59	1.52
1	AA	1033	G	O3'-P	5.80	1.68	1.61
2	AB	75	C	C4'-O4'	-5.80	1.38	1.45
26	BB	65	U	C4'-O4'	-5.80	1.38	1.45
26	BB	1603	A	C2-N3	5.80	1.38	1.33
26	BB	2497	A	C8-N7	-5.80	1.27	1.31
26	BB	211	C	C5'-C4'	5.80	1.58	1.51
26	BB	262	A	C2-N3	5.80	1.38	1.33
26	BB	983	A	N7-C5	-5.80	1.35	1.39
26	BB	1074	G	C5-C4	5.80	1.42	1.38
26	BB	2321	U	C4-C5	5.80	1.48	1.43
26	BB	2384	U	C5'-C4'	5.80	1.58	1.51
1	AA	280	C	C2-N3	5.80	1.40	1.35
1	AA	428	G	N1-C2	5.80	1.42	1.37
1	AA	431	A	C3'-C2'	-5.80	1.46	1.52
1	AA	640	A	C6-N1	-5.80	1.31	1.35
3	AC	39	U	N1-C6	5.80	1.43	1.38
25	BA	81	G	N9-C8	-5.80	1.33	1.37
26	BB	559	G	N9-C8	-5.80	1.33	1.37
26	BB	1420	A	C5-C6	5.80	1.46	1.41
26	BB	1967	C	C2'-C1'	5.80	1.59	1.53
26	BB	2031	A	C2'-O2'	5.80	1.49	1.41
26	BB	2054	A	C2'-C1'	5.80	1.59	1.53
26	BB	2338	C	C5-C6	5.80	1.39	1.34
26	BB	2410	G	O3'-P	5.80	1.68	1.61
26	BB	2812	G	C8-N7	-5.80	1.27	1.30
1	AA	134	G	C2'-C1'	5.80	1.59	1.53
1	AA	532	A	C5-C4	5.80	1.42	1.38
1	AA	864	A	C5-C6	5.80	1.46	1.41
1	AA	990	C	C4'-O4'	-5.80	1.38	1.45
1	AA	1277	C	C4'-O4'	-5.80	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	94	A	N3-C4	5.80	1.38	1.34
26	BB	1927	A	C6-N6	-5.80	1.29	1.33
23	AW	35	TYR	CE2-CZ	5.80	1.46	1.38
26	BB	443	A	C5-C6	-5.80	1.35	1.41
26	BB	456	C	C5'-C4'	5.80	1.58	1.51
26	BB	1366	A	C6-N6	-5.80	1.29	1.33
1	AA	652	U	C4-C5	5.80	1.48	1.43
1	AA	1006	G	N1-C2	5.80	1.42	1.37
26	BB	61	C	C2'-C1'	5.80	1.59	1.53
26	BB	660	C	C2-N3	5.80	1.40	1.35
26	BB	908	C	C2'-O2'	5.80	1.49	1.41
26	BB	1636	U	C2'-C1'	-5.80	1.47	1.53
26	BB	2397	G	P-O5'	-5.80	1.53	1.59
26	BB	2584	U	N3-C4	5.80	1.43	1.38
26	BB	2854	G	N3-C4	5.80	1.39	1.35
27	BC	213	SER	CA-CB	5.80	1.61	1.52
1	AA	943	U	N1-C2	5.79	1.43	1.38
4	AD	23	G	N7-C5	5.79	1.42	1.39
26	BB	649	G	C3'-C2'	5.79	1.59	1.52
26	BB	875	G	C5-C4	5.79	1.42	1.38
26	BB	2680	U	N1-C6	-5.79	1.32	1.38
26	BB	2730	C	N3-C4	-5.79	1.29	1.33
1	AA	253	A	C4'-O4'	-5.79	1.38	1.45
1	AA	518	C	C4-N4	5.79	1.39	1.33
1	AA	522	C	C4'-O4'	-5.79	1.38	1.45
1	AA	530	G	P-O5'	5.79	1.65	1.59
1	AA	606	G	C6-O6	-5.79	1.19	1.24
1	AA	711	G	O4'-C1'	5.79	1.49	1.41
1	AA	810	C	N3-C4	5.79	1.38	1.33
1	AA	812	G	O4'-C1'	5.79	1.49	1.41
26	BB	176	A	N3-C4	5.79	1.38	1.34
26	BB	1069	A	N9-C4	5.79	1.41	1.37
1	AA	131	A	N9-C4	5.79	1.41	1.37
1	AA	980	C	P-O5'	5.79	1.65	1.59
1	AA	982	U	C5-C6	5.79	1.39	1.34
1	AA	1181	G	C2-N3	5.79	1.37	1.32
1	AA	1194	U	N1-C2	5.79	1.43	1.38
1	AA	1270	G	P-O5'	5.79	1.65	1.59
26	BB	1031	G	N1-C2	5.79	1.42	1.37
26	BB	1504	A	N7-C5	5.79	1.42	1.39
26	BB	1543	G	O3'-P	5.79	1.68	1.61
26	BB	2890	G	C2-N3	5.79	1.37	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	605	U	C4-C5	5.79	1.48	1.43
1	AA	838	G	P-O5'	5.79	1.65	1.59
4	AD	7	G	N7-C5	-5.79	1.35	1.39
4	AD	45	A	C5'-C4'	5.79	1.58	1.51
26	BB	124	G	N3-C4	5.79	1.39	1.35
26	BB	646	U	P-O5'	5.79	1.65	1.59
26	BB	1479	G	O3'-P	5.79	1.68	1.61
26	BB	2086	U	C4-C5	5.79	1.48	1.43
26	BB	2892	G	C4'-O4'	-5.79	1.38	1.45
1	AA	405	U	C2-O2	5.79	1.27	1.22
15	AO	82	ARG	CZ-NH1	5.79	1.40	1.33
26	BB	1035	U	C4'-O4'	-5.79	1.38	1.45
26	BB	1403	A	N9-C8	-5.79	1.33	1.37
26	BB	1874	C	C4-N4	-5.79	1.28	1.33
26	BB	2897	U	C5-C6	5.79	1.39	1.34
26	BB	1423	G	C6-O6	-5.79	1.19	1.24
26	BB	2472	G	O3'-P	5.79	1.68	1.61
1	AA	43	C	N3-C4	5.79	1.38	1.33
1	AA	384	G	N7-C5	-5.79	1.35	1.39
1	AA	484	G	C5-C4	-5.79	1.34	1.38
1	AA	772	U	C5-C6	5.79	1.39	1.34
1	AA	1032	G	C8-N7	5.79	1.34	1.30
26	BB	1188	U	C5-C6	5.79	1.39	1.34
26	BB	1710	G	C5'-C4'	5.79	1.58	1.51
26	BB	1716	U	C4'-O4'	-5.79	1.38	1.45
26	BB	1802	A	O3'-P	-5.79	1.54	1.61
26	BB	1853	A	N7-C5	5.79	1.42	1.39
26	BB	1996	C	P-O5'	-5.79	1.53	1.59
26	BB	2105	U	C5'-C4'	5.79	1.58	1.51
26	BB	2312	U	O4'-C1'	-5.79	1.34	1.41
26	BB	2653	U	C5'-C4'	5.79	1.58	1.51
52	B1	10	ARG	NE-CZ	5.79	1.40	1.33
1	AA	93	U	C4'-O4'	-5.78	1.38	1.45
1	AA	608	A	N9-C4	5.78	1.41	1.37
1	AA	739	C	O3'-P	5.78	1.68	1.61
1	AA	765	G	C2-N3	5.78	1.37	1.32
1	AA	1127	G	C2'-O2'	-5.78	1.34	1.41
1	AA	1453	G	N9-C8	-5.78	1.33	1.37
26	BB	377	G	C3'-C2'	5.78	1.59	1.52
26	BB	1594	U	C2-N3	5.78	1.41	1.37
26	BB	2180	U	P-O5'	5.78	1.65	1.59
26	BB	2374	C	C2-N3	5.78	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2593	U	C4-C5	5.78	1.48	1.43
26	BB	2881	U	N3-C4	5.78	1.43	1.38
26	BB	1205	A	O3'-P	5.78	1.68	1.61
26	BB	2181	U	C4'-O4'	-5.78	1.38	1.45
26	BB	2302	U	O3'-P	5.78	1.68	1.61
26	BB	2673	G	O3'-P	5.78	1.68	1.61
57	B6	13	PHE	CE2-CZ	5.78	1.48	1.37
1	AA	368	U	C4'-O4'	-5.78	1.38	1.45
2	AB	13	C	C4-N4	5.78	1.39	1.33
2	AB	34	C	P-O5'	5.78	1.65	1.59
25	BA	100	G	C2'-O2'	-5.78	1.34	1.41
26	BB	74	A	N7-C5	5.78	1.42	1.39
26	BB	161	A	C2'-C1'	5.78	1.59	1.53
26	BB	428	A	C4'-O4'	-5.78	1.38	1.45
26	BB	727	A	P-O5'	5.78	1.65	1.59
26	BB	2023	C	C4-N4	5.78	1.39	1.33
26	BB	2804	U	P-O5'	5.78	1.65	1.59
1	AA	1151	A	C4'-O4'	-5.78	1.38	1.45
1	AA	1234	C	C4'-C3'	-5.78	1.46	1.52
26	BB	2313	C	C2-N3	5.78	1.40	1.35
1	AA	1411	C	O3'-P	5.78	1.68	1.61
3	AC	49	U	C5'-C4'	5.78	1.58	1.51
3	AC	59	A	N9-C4	5.78	1.41	1.37
26	BB	514	A	P-O5'	5.78	1.65	1.59
26	BB	1764	C	C2-O2	5.78	1.29	1.24
26	BB	2126	A	C2'-C1'	-5.78	1.47	1.53
26	BB	2242	G	C1'-N9	5.78	1.57	1.48
26	BB	2354	C	C4-C5	5.78	1.47	1.43
1	AA	283	U	N1-C6	5.78	1.43	1.38
1	AA	1305	G	C5'-C4'	-5.78	1.44	1.51
1	AA	1370	G	C6-O6	5.78	1.29	1.24
26	BB	472	A	N9-C4	5.78	1.41	1.37
26	BB	657	U	P-O5'	5.78	1.65	1.59
26	BB	1728	C	N3-C4	5.78	1.38	1.33
26	BB	1872	A	C4'-C3'	-5.78	1.46	1.52
26	BB	2037	A	C4'-O4'	-5.78	1.38	1.45
26	BB	1303	G	C2-N3	5.77	1.37	1.32
26	BB	1304	A	C6-N6	5.77	1.38	1.33
26	BB	2885	G	N9-C4	-5.77	1.33	1.38
1	AA	16	A	N9-C8	5.77	1.42	1.37
1	AA	99	C	P-O5'	5.77	1.65	1.59
1	AA	129	A	C3'-C2'	5.77	1.59	1.52

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	254	G	N9-C8	5.77	1.41	1.37
1	AA	433	G	C6-N1	-5.77	1.35	1.39
1	AA	611	C	C4-N4	5.77	1.39	1.33
2	AB	52	A	P-O5'	5.77	1.65	1.59
26	BB	245	G	P-O5'	5.77	1.65	1.59
26	BB	509	C	C4-C5	5.77	1.47	1.43
26	BB	544	C	C4-N4	5.77	1.39	1.33
26	BB	1172	C	N1-C6	5.77	1.40	1.37
26	BB	1280	G	C6-N1	5.77	1.43	1.39
26	BB	1679	A	O3'-P	5.77	1.68	1.61
26	BB	1781	U	N1-C2	5.77	1.43	1.38
26	BB	2201	G	O3'-P	-5.77	1.54	1.61
26	BB	2206	C	C1'-N1	5.77	1.57	1.48
26	BB	2333	A	C5'-C4'	5.77	1.58	1.51
26	BB	2682	A	N7-C5	-5.77	1.35	1.39
28	BD	51	ARG	CD-NE	-5.77	1.36	1.46
26	BB	320	A	C4'-C3'	5.77	1.59	1.53
26	BB	1326	U	P-O5'	5.77	1.65	1.59
1	AA	314	C	C2'-C1'	-5.77	1.47	1.53
1	AA	665	A	C3'-C2'	-5.77	1.46	1.52
4	AD	22	A	P-O5'	5.77	1.65	1.59
26	BB	54	G	N7-C5	5.77	1.42	1.39
26	BB	398	C	P-O5'	5.77	1.65	1.59
26	BB	451	U	N1-C2	5.77	1.43	1.38
26	BB	476	G	N9-C8	5.77	1.41	1.37
26	BB	1456	G	N7-C5	5.77	1.42	1.39
1	AA	155	A	N7-C5	5.77	1.42	1.39
1	AA	319	G	C4'-O4'	-5.77	1.38	1.45
1	AA	724	G	C2'-O2'	5.77	1.49	1.41
1	AA	1045	C	C2-N3	5.77	1.40	1.35
26	BB	831	G	C4'-C3'	-5.77	1.46	1.52
26	BB	875	G	C2-N2	-5.77	1.28	1.34
26	BB	1311	G	C2-N3	5.77	1.37	1.32
2	AB	67	G	N9-C8	5.77	1.41	1.37
2	AB	72	U	C4'-O4'	-5.77	1.38	1.45
25	BA	110	C	C4-C5	5.77	1.47	1.43
26	BB	367	G	C2'-C1'	5.77	1.59	1.53
26	BB	948	C	C2'-O2'	5.77	1.49	1.41
26	BB	2715	C	N3-C4	5.77	1.38	1.33
1	AA	367	U	C4'-C3'	-5.76	1.46	1.52
1	AA	470	C	C4-C5	5.76	1.47	1.43
15	AO	120	ARG	CZ-NH2	5.76	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	57	A	P-O5'	5.76	1.65	1.59
26	BB	5	A	C4'-O4'	-5.76	1.38	1.45
26	BB	612	G	N9-C8	-5.76	1.33	1.37
26	BB	630	G	C6-N1	5.76	1.43	1.39
26	BB	872	U	C2-N3	5.76	1.41	1.37
26	BB	1086	A	C2-N3	-5.76	1.28	1.33
26	BB	1128	G	C8-N7	5.76	1.34	1.30
26	BB	1575	C	C4'-O4'	-5.76	1.38	1.45
26	BB	2316	G	N1-C2	5.76	1.42	1.37
28	BD	79	ARG	CZ-NH1	5.76	1.40	1.33
41	BQ	36	TYR	CE2-CZ	5.76	1.46	1.38
1	AA	734	G	C8-N7	-5.76	1.27	1.30
26	BB	2022	U	C3'-O3'	-5.76	1.34	1.42
26	BB	2469	A	C2-N3	5.76	1.38	1.33
1	AA	71	A	N9-C8	5.76	1.42	1.37
1	AA	477	C	C2-N3	5.76	1.40	1.35
1	AA	793	U	C2'-C1'	5.76	1.59	1.53
1	AA	1153	G	N9-C4	5.76	1.42	1.38
25	BA	88	C	N3-C4	5.76	1.38	1.33
26	BB	534	U	C3'-C2'	5.76	1.59	1.52
26	BB	770	G	C5-C4	-5.76	1.34	1.38
26	BB	1801	A	P-O5'	-5.76	1.53	1.59
26	BB	1860	G	C8-N7	-5.76	1.27	1.30
26	BB	2283	C	C2-N3	5.76	1.40	1.35
48	BX	26	PHE	CG-CD2	5.76	1.47	1.38
1	AA	830	G	C5-C4	5.76	1.42	1.38
1	AA	871	U	C5-C6	5.76	1.39	1.34
1	AA	1233	G	C5'-C4'	5.76	1.58	1.51
1	AA	1391	U	C3'-C2'	5.76	1.59	1.52
1	AA	1447	A	N7-C5	-5.76	1.35	1.39
25	BA	88	C	C2'-C1'	-5.76	1.47	1.53
26	BB	706	A	N7-C5	5.76	1.42	1.39
26	BB	1069	A	N1-C2	-5.76	1.29	1.34
26	BB	1943	U	N3-C4	5.76	1.43	1.38
26	BB	2376	A	O3'-P	5.76	1.68	1.61
26	BB	2767	C	N1-C6	-5.76	1.33	1.37
1	AA	1054	C	C4-C5	5.76	1.47	1.43
1	AA	1111	A	N9-C4	5.76	1.41	1.37
26	BB	1521	G	P-O5'	5.76	1.65	1.59
26	BB	1701	A	C5'-C4'	5.76	1.58	1.51
1	AA	19	A	C2'-C1'	5.76	1.59	1.53
1	AA	204	G	C2'-C1'	-5.76	1.47	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	767	A	N1-C2	-5.76	1.29	1.34
1	AA	1161	C	C1'-N1	5.76	1.57	1.48
2	AB	33	U	C2-O2	5.76	1.27	1.22
25	BA	37	C	C5'-C4'	5.76	1.58	1.51
26	BB	43	G	C2-N3	5.76	1.37	1.32
26	BB	143	C	O3'-P	5.76	1.68	1.61
26	BB	323	C	C2-O2	-5.76	1.19	1.24
26	BB	387	U	C2-N3	5.76	1.41	1.37
26	BB	472	A	C2'-O2'	-5.76	1.34	1.41
26	BB	778	G	C2-N3	5.76	1.37	1.32
26	BB	1121	C	O3'-P	5.76	1.68	1.61
1	AA	755	G	N3-C4	5.75	1.39	1.35
4	AD	20	G	N9-C4	-5.75	1.33	1.38
26	BB	376	G	N9-C4	5.75	1.42	1.38
26	BB	711	G	C4'-C3'	-5.75	1.46	1.52
26	BB	1819	A	N3-C4	5.75	1.38	1.34
1	AA	457	G	C2'-C1'	5.75	1.59	1.53
1	AA	810	C	N1-C6	5.75	1.40	1.37
26	BB	78	U	N1-C2	5.75	1.43	1.38
26	BB	316	C	C4-C5	5.75	1.47	1.43
26	BB	381	G	C8-N7	-5.75	1.27	1.30
26	BB	760	G	N7-C5	-5.75	1.35	1.39
26	BB	2188	U	N1-C2	5.75	1.43	1.38
26	BB	2455	G	N7-C5	5.75	1.42	1.39
26	BB	2489	U	P-O5'	5.75	1.65	1.59
1	AA	589	U	C4-C5	5.75	1.48	1.43
1	AA	718	A	C8-N7	-5.75	1.27	1.31
1	AA	874	G	P-O5'	5.75	1.65	1.59
1	AA	1287	A	N9-C8	-5.75	1.33	1.37
1	AA	1325	C	O3'-P	5.75	1.68	1.61
2	AB	53	G	C5-C4	5.75	1.42	1.38
25	BA	43	C	C1'-N1	5.75	1.57	1.48
26	BB	87	U	C4'-O4'	-5.75	1.38	1.45
26	BB	774	G	N9-C4	-5.75	1.33	1.38
26	BB	1315	C	C4'-O4'	-5.75	1.38	1.45
26	BB	2279	G	C8-N7	5.75	1.34	1.30
26	BB	2811	G	N9-C8	-5.75	1.33	1.37
1	AA	401	C	P-O5'	5.75	1.65	1.59
1	AA	1092	A	N7-C5	-5.75	1.35	1.39
1	AA	1349	A	C6-N1	5.75	1.39	1.35
2	AB	71	C	N3-C4	-5.75	1.29	1.33
26	BB	119	A	C2-N3	5.75	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	908	C	C4'-C3'	5.75	1.59	1.53
26	BB	920	A	N1-C2	-5.75	1.29	1.34
26	BB	920	A	P-O5'	5.75	1.65	1.59
26	BB	1791	A	C5-C6	5.75	1.46	1.41
26	BB	1910	G	N1-C2	5.75	1.42	1.37
26	BB	2557	G	P-O5'	-5.75	1.54	1.59
26	BB	2705	A	C5-C6	5.75	1.46	1.41
26	BB	1576	U	C4'-O4'	-5.75	1.38	1.45
26	BB	2392	A	N1-C2	-5.75	1.29	1.34
26	BB	2519	U	C4'-O4'	-5.75	1.38	1.45
1	AA	25	C	C5-C6	-5.75	1.29	1.34
3	AC	35	G	C8-N7	5.75	1.34	1.30
3	AC	46	C	O3'-P	5.75	1.68	1.61
26	BB	48	G	N7-C5	5.75	1.42	1.39
26	BB	597	G	N9-C4	5.75	1.42	1.38
1	AA	235	C	N1-C6	5.74	1.40	1.37
1	AA	736	C	C5-C6	5.74	1.39	1.34
1	AA	1067	A	C4'-C3'	5.74	1.59	1.53
1	AA	1152	A	C3'-O3'	5.74	1.50	1.42
1	AA	1174	G	C2-N3	5.74	1.37	1.32
2	AB	5	G	C5-C4	-5.74	1.34	1.38
2	AB	42	G	C5'-C4'	5.74	1.58	1.51
26	BB	250	G	C5-C4	5.74	1.42	1.38
26	BB	401	A	O4'-C1'	5.74	1.49	1.41
26	BB	735	A	C5'-C4'	5.74	1.58	1.51
26	BB	780	G	N9-C8	-5.74	1.33	1.37
26	BB	1972	G	C2'-C1'	5.74	1.59	1.53
26	BB	2576	G	C5'-C4'	-5.74	1.44	1.51
1	AA	1001	C	P-O5'	5.74	1.65	1.59
1	AA	1269	A	C6-N6	5.74	1.38	1.33
2	AB	43	G	O4'-C1'	5.74	1.49	1.41
25	BA	48	U	C2'-C1'	5.74	1.59	1.53
26	BB	547	A	N7-C5	5.74	1.42	1.39
26	BB	1194	A	C6-N1	5.74	1.39	1.35
26	BB	1273	U	C5-C6	5.74	1.39	1.34
1	AA	109	A	N9-C4	5.74	1.41	1.37
1	AA	322	C	C4-C5	5.74	1.47	1.43
1	AA	867	G	C6-N1	5.74	1.43	1.39
1	AA	1195	C	C3'-C2'	5.74	1.59	1.52
1	AA	1251	A	N1-C2	5.74	1.39	1.34
4	AD	63	C	C5'-C4'	5.74	1.58	1.51
26	BB	81	G	C5'-C4'	5.74	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1465	G	C5'-C4'	5.74	1.58	1.51
26	BB	1968	G	P-O5'	5.74	1.65	1.59
26	BB	2389	G	C5-C6	5.74	1.48	1.42
26	BB	2622	U	C2-N3	5.74	1.41	1.37
36	BL	98	GLU	CG-CD	5.74	1.60	1.51
1	AA	160	A	C5-C6	5.74	1.46	1.41
1	AA	959	A	C6-N1	5.74	1.39	1.35
1	AA	1169	A	C5-C6	5.74	1.46	1.41
1	AA	1380	U	N1-C2	5.74	1.43	1.38
1	AA	1495	U	C4'-O4'	-5.74	1.38	1.45
26	BB	246	C	O3'-P	5.74	1.68	1.61
26	BB	448	U	C5'-C4'	5.74	1.58	1.51
26	BB	617	G	C6-N1	5.74	1.43	1.39
26	BB	1360	G	N7-C5	5.74	1.42	1.39
26	BB	1540	G	C2-N3	5.74	1.37	1.32
1	AA	994	A	C8-N7	-5.74	1.27	1.31
1	AA	1362	A	C2'-C1'	-5.74	1.47	1.53
26	BB	245	G	C2-N3	5.74	1.37	1.32
26	BB	1004	U	C4-C5	5.74	1.48	1.43
26	BB	2634	A	C2'-C1'	5.74	1.59	1.53
1	AA	2	A	C5-C6	5.74	1.46	1.41
1	AA	956	U	C4'-O4'	-5.74	1.38	1.45
3	AC	15	G	C2-N3	5.73	1.37	1.32
26	BB	330	A	C2-N3	5.73	1.38	1.33
26	BB	1182	G	C4'-O4'	-5.73	1.38	1.45
26	BB	1431	A	N9-C8	5.73	1.42	1.37
1	AA	1174	G	N7-C5	5.73	1.42	1.39
25	BA	13	G	C4'-O4'	-5.73	1.38	1.45
26	BB	1188	U	P-O5'	5.73	1.65	1.59
26	BB	2712	C	N1-C6	5.73	1.40	1.37
1	AA	72	A	N9-C8	5.73	1.42	1.37
1	AA	118	U	N1-C6	-5.73	1.32	1.38
1	AA	506	G	C6-O6	-5.73	1.19	1.24
1	AA	703	G	N1-C2	5.73	1.42	1.37
1	AA	829	G	C6-N1	-5.73	1.35	1.39
1	AA	1124	G	C2'-O2'	-5.73	1.34	1.41
1	AA	1284	C	N3-C4	-5.73	1.29	1.33
1	AA	1312	G	C2-N2	-5.73	1.28	1.34
1	AA	1491	G	C4'-O4'	-5.73	1.38	1.45
3	AC	58	C	C4'-C3'	5.73	1.59	1.53
26	BB	374	A	P-O5'	5.73	1.65	1.59
26	BB	1385	A	C6-N6	5.73	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1549	A	N7-C5	-5.73	1.35	1.39
1	AA	124	C	N3-C4	-5.73	1.29	1.33
1	AA	832	G	C3'-C2'	5.73	1.59	1.52
26	BB	319	G	N9-C4	-5.73	1.33	1.38
26	BB	630	G	C3'-C2'	5.73	1.59	1.52
26	BB	640	C	C4-C5	-5.73	1.38	1.43
26	BB	1384	A	C3'-O3'	5.73	1.50	1.42
26	BB	1394	U	N1-C2	5.73	1.43	1.38
26	BB	2022	U	C4-O4	5.73	1.28	1.23
1	AA	167	A	C2'-C1'	-5.73	1.47	1.53
1	AA	192	A	P-O5'	-5.73	1.54	1.59
1	AA	249	U	C3'-C2'	5.73	1.59	1.52
1	AA	901	A	N9-C8	-5.73	1.33	1.37
1	AA	1334	G	P-O5'	5.73	1.65	1.59
1	AA	1456	A	N3-C4	5.73	1.38	1.34
26	BB	167	A	P-O5'	5.73	1.65	1.59
26	BB	364	C	C3'-C2'	5.73	1.59	1.52
26	BB	368	A	C1'-N9	5.73	1.57	1.48
26	BB	660	C	C3'-C2'	5.73	1.59	1.52
26	BB	812	C	C5'-C4'	5.73	1.58	1.51
26	BB	1120	G	C8-N7	5.73	1.34	1.30
26	BB	2095	A	C2'-C1'	5.73	1.59	1.53
26	BB	2569	G	N9-C4	-5.73	1.33	1.38
1	AA	444	G	O4'-C1'	5.73	1.49	1.41
1	AA	1329	A	N7-C5	5.73	1.42	1.39
2	AB	9	A	N3-C4	5.73	1.38	1.34
26	BB	543	G	O4'-C1'	5.73	1.49	1.41
26	BB	1500	G	C5-C6	5.73	1.48	1.42
1	AA	304	U	O5'-C5'	-5.72	1.33	1.42
1	AA	887	G	N9-C4	5.72	1.42	1.38
1	AA	1024	G	N9-C4	5.72	1.42	1.38
1	AA	1403	C	N3-C4	5.72	1.38	1.33
26	BB	298	G	C5'-C4'	5.72	1.58	1.51
26	BB	346	A	P-O5'	5.72	1.65	1.59
26	BB	515	A	C5-C4	5.72	1.42	1.38
26	BB	529	A	C5'-C4'	5.72	1.58	1.51
26	BB	614	A	N3-C4	-5.72	1.31	1.34
26	BB	707	G	C5-C4	5.72	1.42	1.38
26	BB	1289	C	C5'-C4'	5.72	1.58	1.51
26	BB	1365	A	C4'-C3'	-5.72	1.46	1.52
26	BB	1581	G	C2-N3	5.72	1.37	1.32
26	BB	2730	C	C2-O2	-5.72	1.19	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	615	G	C5'-C4'	5.72	1.58	1.51
1	AA	619	U	C2'-O2'	5.72	1.49	1.41
1	AA	620	C	C5-C6	5.72	1.39	1.34
1	AA	1070	U	C4-C5	5.72	1.48	1.43
1	AA	1442	G	P-O5'	5.72	1.65	1.59
26	BB	395	U	N1-C2	5.72	1.43	1.38
26	BB	673	C	C5'-C4'	5.72	1.58	1.51
26	BB	2103	C	N3-C4	5.72	1.38	1.33
26	BB	2435	A	N1-C2	-5.72	1.29	1.34
2	AB	47	U	C2'-O2'	5.72	1.49	1.41
2	AB	62	U	C2-N3	5.72	1.41	1.37
26	BB	498	G	C4'-O4'	-5.72	1.38	1.45
26	BB	974	G	C5-C6	5.72	1.48	1.42
26	BB	2408	U	C3'-C2'	5.72	1.59	1.52
1	AA	129	A	N9-C4	5.72	1.41	1.37
1	AA	133	U	N3-C4	5.72	1.43	1.38
1	AA	160	A	O4'-C1'	-5.72	1.34	1.41
1	AA	1101	A	P-O5'	5.72	1.65	1.59
1	AA	1291	U	C4'-O4'	-5.72	1.38	1.45
1	AA	1538	C	C2-N3	5.72	1.40	1.35
3	AC	21	U	O3'-P	5.72	1.68	1.61
26	BB	57	C	C4-C5	5.72	1.47	1.43
26	BB	492	A	C5-C6	5.72	1.46	1.41
26	BB	514	A	C5-C6	5.72	1.46	1.41
26	BB	1049	C	C4-C5	5.72	1.47	1.43
26	BB	1738	G	C8-N7	-5.72	1.27	1.30
26	BB	2004	G	C5-C6	5.72	1.48	1.42
26	BB	2117	A	C4'-O4'	-5.72	1.38	1.45
1	AA	177	G	N9-C4	-5.72	1.33	1.38
26	BB	1598	A	C8-N7	-5.72	1.27	1.31
4	AD	66	C	N1-C6	5.72	1.40	1.37
26	BB	1437	C	N1-C6	5.72	1.40	1.37
26	BB	1530	G	C5-C6	5.72	1.48	1.42
26	BB	1579	A	N9-C4	-5.72	1.34	1.37
26	BB	2002	G	C5'-C4'	5.72	1.58	1.51
26	BB	2317	A	N3-C4	5.72	1.38	1.34
26	BB	2414	G	N1-C2	5.72	1.42	1.37
36	BL	76	HIS	CB-CG	5.72	1.60	1.50
1	AA	324	G	N7-C5	5.71	1.42	1.39
1	AA	613	C	P-O5'	5.71	1.65	1.59
1	AA	641	U	C4-C5	5.71	1.48	1.43
1	AA	1038	C	C4-N4	5.71	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1534	A	C6-N6	5.71	1.38	1.33
26	BB	13	A	P-O5'	5.71	1.65	1.59
26	BB	962	G	C2'-C1'	5.71	1.59	1.53
26	BB	1169	A	C5-C6	5.71	1.46	1.41
26	BB	1573	G	C3'-C2'	-5.71	1.46	1.52
26	BB	1655	A	N7-C5	5.71	1.42	1.39
26	BB	1750	G	C6-O6	-5.71	1.19	1.24
26	BB	2184	A	N3-C4	-5.71	1.31	1.34
26	BB	2608	G	N9-C8	-5.71	1.33	1.37
26	BB	2290	G	C5-C4	-5.71	1.34	1.38
26	BB	2708	G	N9-C8	5.71	1.41	1.37
1	AA	50	A	C8-N7	5.71	1.35	1.31
1	AA	1038	C	C2'-C1'	-5.71	1.47	1.53
1	AA	1318	A	C3'-O3'	5.71	1.50	1.42
22	AV	24	SER	CB-OG	-5.71	1.34	1.42
26	BB	10	A	N7-C5	5.71	1.42	1.39
26	BB	267	C	P-O5'	5.71	1.65	1.59
26	BB	1244	A	O4'-C1'	5.71	1.49	1.41
26	BB	1589	U	C2'-O2'	-5.71	1.34	1.41
26	BB	2196	C	C5-C6	5.71	1.39	1.34
26	BB	2736	A	C5-C6	5.71	1.46	1.41
29	BE	139	SER	CB-OG	-5.71	1.34	1.42
26	BB	868	U	C1'-N1	5.71	1.57	1.48
26	BB	2716	C	N1-C6	5.71	1.40	1.37
1	AA	157	U	C2-N3	5.71	1.41	1.37
1	AA	393	A	N9-C4	5.71	1.41	1.37
1	AA	1013	G	C3'-C2'	-5.71	1.46	1.52
1	AA	1418	A	N9-C4	-5.71	1.34	1.37
25	BA	1	U	O3'-P	5.71	1.68	1.61
26	BB	260	G	C6-O6	-5.71	1.19	1.24
26	BB	1299	G	N1-C2	5.71	1.42	1.37
26	BB	1532	A	N3-C4	5.71	1.38	1.34
26	BB	2154	A	C8-N7	-5.71	1.27	1.31
26	BB	2281	A	C2'-C1'	5.71	1.59	1.53
26	BB	2670	A	C5'-C4'	5.71	1.58	1.51
1	AA	35	G	C5'-C4'	5.71	1.58	1.51
1	AA	282	A	C4'-O4'	-5.71	1.38	1.45
1	AA	1126	U	P-O5'	5.71	1.65	1.59
1	AA	1173	U	C2'-C1'	-5.71	1.47	1.53
26	BB	377	G	C2-N3	5.71	1.37	1.32
26	BB	546	U	N1-C2	5.71	1.43	1.38
26	BB	920	A	C3'-O3'	5.71	1.50	1.42

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1861	G	C4'-C3'	5.71	1.59	1.53
26	BB	2410	G	C1'-N9	5.71	1.57	1.48
26	BB	2787	C	C3'-C2'	-5.71	1.46	1.52
1	AA	19	A	N7-C5	-5.71	1.35	1.39
1	AA	465	A	C5-C4	-5.71	1.34	1.38
26	BB	54	G	N1-C2	5.71	1.42	1.37
26	BB	807	U	C4-C5	5.71	1.48	1.43
26	BB	1479	G	C5-C4	5.71	1.42	1.38
1	AA	433	G	C2-N3	5.70	1.37	1.32
1	AA	643	C	O4'-C1'	5.70	1.49	1.41
1	AA	1198	G	C4'-O4'	-5.70	1.38	1.45
1	AA	1271	A	N3-C4	5.70	1.38	1.34
1	AA	1275	A	C6-N6	5.70	1.38	1.33
1	AA	1427	C	P-O5'	5.70	1.65	1.59
1	AA	1534	A	C4'-C3'	5.70	1.59	1.53
25	BA	42	C	C2'-O2'	5.70	1.49	1.41
25	BA	111	U	N1-C6	5.70	1.43	1.38
26	BB	649	G	C5'-C4'	5.70	1.58	1.51
26	BB	1292	G	C6-N1	5.70	1.43	1.39
26	BB	1649	G	P-O5'	5.70	1.65	1.59
26	BB	1925	C	P-O5'	5.70	1.65	1.59
26	BB	2026	U	N3-C4	5.70	1.43	1.38
26	BB	2404	U	C5-C6	5.70	1.39	1.34
1	AA	836	G	N9-C4	5.70	1.42	1.38
25	BA	13	G	C6-N1	5.70	1.43	1.39
26	BB	868	U	O3'-P	5.70	1.68	1.61
26	BB	1028	A	C6-N1	-5.70	1.31	1.35
26	BB	1549	A	C6-N1	5.70	1.39	1.35
26	BB	1625	C	C3'-C2'	5.70	1.59	1.52
26	BB	2404	U	C4'-C3'	5.70	1.59	1.53
26	BB	2655	G	P-O5'	5.70	1.65	1.59
1	AA	590	U	C2-O2	5.70	1.27	1.22
1	AA	754	C	C5-C6	5.70	1.39	1.34
4	AD	51	U	C5'-C4'	5.70	1.58	1.51
26	BB	276	U	C4-C5	5.70	1.48	1.43
26	BB	884	U	O4'-C1'	5.70	1.49	1.41
26	BB	1266	G	C2-N2	-5.70	1.28	1.34
26	BB	1697	G	C2-N3	5.70	1.37	1.32
26	BB	2140	G	N3-C4	5.70	1.39	1.35
1	AA	428	G	C2-N3	5.70	1.37	1.32
1	AA	946	A	C5-C6	5.70	1.46	1.41
1	AA	1070	U	N3-C4	5.70	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1504	G	N1-C2	5.70	1.42	1.37
2	AB	70	C	C4'-C3'	5.70	1.59	1.53
26	BB	429	A	C2-N3	5.70	1.38	1.33
26	BB	707	G	O3'-P	-5.70	1.54	1.61
26	BB	1357	C	C5-C6	5.70	1.39	1.34
26	BB	1637	A	C3'-C2'	5.70	1.59	1.52
26	BB	1970	A	C6-N6	5.70	1.38	1.33
26	BB	2524	G	N7-C5	-5.70	1.35	1.39
1	AA	1061	G	C5-C6	5.70	1.48	1.42
2	AB	5	G	C4'-C3'	5.70	1.59	1.53
26	BB	64	A	C5-C4	5.70	1.42	1.38
26	BB	429	A	C8-N7	5.70	1.35	1.31
26	BB	1075	C	N3-C4	5.70	1.38	1.33
26	BB	1665	A	N9-C4	-5.70	1.34	1.37
2	AB	15	A	C4'-C3'	-5.70	1.46	1.52
26	BB	1495	A	N3-C4	5.70	1.38	1.34
26	BB	2211	A	C5'-C4'	5.70	1.58	1.51
26	BB	2228	G	O3'-P	5.70	1.68	1.61
26	BB	2530	A	C3'-C2'	-5.70	1.46	1.52
26	BB	2210	U	N1-C6	-5.69	1.32	1.38
26	BB	2440	C	C5-C6	5.69	1.39	1.34
1	AA	332	G	N1-C2	5.69	1.42	1.37
1	AA	798	U	C4'-O4'	-5.69	1.38	1.45
3	AC	51	C	C4'-O4'	-5.69	1.38	1.45
25	BA	119	A	C3'-C2'	5.69	1.59	1.52
26	BB	1262	A	N3-C4	5.69	1.38	1.34
26	BB	1344	U	O3'-P	-5.69	1.54	1.61
1	AA	538	G	P-O5'	5.69	1.65	1.59
1	AA	721	G	N7-C5	5.69	1.42	1.39
1	AA	824	G	C4'-O4'	-5.69	1.38	1.45
1	AA	939	G	C6-N1	5.69	1.43	1.39
14	AN	76	TYR	CE1-CZ	5.69	1.46	1.38
26	BB	136	G	C5-C6	5.69	1.48	1.42
26	BB	548	G	O3'-P	5.69	1.68	1.61
26	BB	597	G	C6-N1	-5.69	1.35	1.39
26	BB	750	A	C4'-O4'	-5.69	1.38	1.45
26	BB	867	C	C2-N3	5.69	1.40	1.35
26	BB	1386	C	C4'-C3'	5.69	1.59	1.53
26	BB	2005	A	N9-C8	-5.69	1.33	1.37
26	BB	2736	A	N9-C8	5.69	1.42	1.37
47	BW	59	GLU	CD-OE1	-5.69	1.19	1.25
1	AA	1001	C	O4'-C1'	5.69	1.49	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	AF	228	ARG	CZ-NH2	5.69	1.40	1.33
26	BB	2109	U	C2'-C1'	5.69	1.59	1.53
26	BB	2345	G	C3'-C2'	5.69	1.59	1.52
1	AA	114	U	N3-C4	5.69	1.43	1.38
1	AA	519	C	C4'-O4'	-5.69	1.38	1.45
1	AA	764	C	C4-C5	-5.69	1.38	1.43
1	AA	912	C	C3'-O3'	-5.69	1.34	1.42
26	BB	195	A	C3'-C2'	5.69	1.59	1.52
26	BB	292	U	C2-N3	5.69	1.41	1.37
26	BB	655	A	C8-N7	-5.69	1.27	1.31
26	BB	1032	A	C6-N1	-5.69	1.31	1.35
26	BB	1576	U	N1-C2	-5.69	1.33	1.38
26	BB	1799	G	P-O5'	5.69	1.65	1.59
26	BB	2395	C	O5'-C5'	-5.69	1.33	1.42
1	AA	971	G	C2-N3	5.69	1.37	1.32
4	AD	50	G	P-O5'	5.69	1.65	1.59
26	BB	61	C	P-O5'	5.69	1.65	1.59
26	BB	713	G	N3-C4	5.69	1.39	1.35
26	BB	2040	G	N7-C5	-5.69	1.35	1.39
26	BB	2485	G	N9-C8	-5.69	1.33	1.37
1	AA	416	G	N9-C4	5.68	1.42	1.38
1	AA	892	A	N1-C2	-5.68	1.29	1.34
1	AA	1006	G	C4'-C3'	-5.68	1.46	1.52
1	AA	1030	U	P-O5'	5.68	1.65	1.59
2	AB	44	G	C2-N3	5.68	1.37	1.32
26	BB	960	A	N9-C4	-5.68	1.34	1.37
26	BB	961	C	C4-N4	-5.68	1.28	1.33
26	BB	1725	U	C4-C5	5.68	1.48	1.43
26	BB	2775	G	N9-C4	-5.68	1.33	1.38
1	AA	65	A	O3'-P	5.68	1.68	1.61
1	AA	405	U	C2-N3	5.68	1.41	1.37
1	AA	524	G	P-O5'	-5.68	1.54	1.59
1	AA	1169	A	N9-C8	-5.68	1.33	1.37
26	BB	1952	A	C5'-C4'	5.68	1.58	1.51
1	AA	1406	U	C5-C6	5.68	1.39	1.34
2	AB	62	U	C5-C6	5.68	1.39	1.34
26	BB	934	U	C4-C5	5.68	1.48	1.43
26	BB	1199	U	C4-C5	5.68	1.48	1.43
26	BB	2363	G	P-O5'	5.68	1.65	1.59
1	AA	1283	U	O4'-C1'	5.68	1.49	1.41
1	AA	1385	G	N9-C8	-5.68	1.33	1.37
26	BB	1042	G	N7-C5	5.68	1.42	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1251	C	O4'-C1'	-5.68	1.34	1.41
26	BB	1425	G	N3-C4	5.68	1.39	1.35
26	BB	2776	A	N9-C8	-5.68	1.33	1.37
1	AA	125	U	C3'-C2'	-5.68	1.46	1.52
1	AA	162	A	C2-N3	-5.68	1.28	1.33
1	AA	1224	U	C4-C5	5.68	1.48	1.43
4	AD	43	G	C4'-C3'	-5.68	1.46	1.52
26	BB	45	G	C5-C4	-5.68	1.34	1.38
26	BB	890	C	C2-N3	5.68	1.40	1.35
26	BB	1657	U	N1-C6	5.68	1.43	1.38
26	BB	2489	U	C2-N3	5.68	1.41	1.37
1	AA	728	A	N3-C4	5.68	1.38	1.34
1	AA	914	A	N7-C5	-5.68	1.35	1.39
1	AA	1092	A	C3'-C2'	5.68	1.59	1.52
1	AA	1312	G	N7-C5	5.68	1.42	1.39
1	AA	1336	C	C5-C6	5.68	1.38	1.34
25	BA	109	A	N7-C5	-5.68	1.35	1.39
26	BB	233	A	C4'-C3'	5.68	1.59	1.53
26	BB	659	G	C6-N1	-5.68	1.35	1.39
26	BB	1019	U	C2-N3	5.68	1.41	1.37
26	BB	1564	C	C4-C5	5.68	1.47	1.43
26	BB	2423	U	O3'-P	5.68	1.68	1.61
1	AA	293	G	C8-N7	5.67	1.34	1.30
1	AA	671	G	N7-C5	5.67	1.42	1.39
1	AA	851	G	C6-O6	-5.67	1.19	1.24
1	AA	921	U	N3-C4	5.67	1.43	1.38
2	AB	18	G	C5'-C4'	5.67	1.58	1.51
3	AC	38	G	C4'-C3'	-5.67	1.46	1.52
3	AC	41	A	C5'-C4'	5.67	1.58	1.51
26	BB	96	C	C2-N3	5.67	1.40	1.35
26	BB	1152	C	O3'-P	5.67	1.68	1.61
1	AA	733	G	C2'-C1'	5.67	1.59	1.53
1	AA	903	G	C5-C6	5.67	1.48	1.42
1	AA	961	U	N1-C2	5.67	1.43	1.38
1	AA	1219	A	C8-N7	-5.67	1.27	1.31
2	AB	18	G	N1-C2	-5.67	1.33	1.37
26	BB	2321	U	N1-C2	5.67	1.43	1.38
1	AA	1436	U	O3'-P	5.67	1.68	1.61
1	AA	1472	U	C2'-C1'	5.67	1.59	1.53
26	BB	977	G	C2-N3	5.67	1.37	1.32
26	BB	1520	U	N1-C2	5.67	1.43	1.38
1	AA	1302	C	N1-C6	5.67	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1204	A	C4'-O4'	-5.67	1.38	1.45
26	BB	1323	C	N1-C6	5.67	1.40	1.37
26	BB	1828	G	C5-C4	5.67	1.42	1.38
26	BB	2421	G	P-O5'	5.67	1.65	1.59
1	AA	203	G	C4'-O4'	-5.67	1.38	1.45
1	AA	567	G	C2-N3	5.67	1.37	1.32
26	BB	2147	A	N9-C4	5.67	1.41	1.37
26	BB	2253	G	C5'-C4'	5.67	1.58	1.51
26	BB	2402	U	C2-O2	5.67	1.27	1.22
1	AA	78	A	C2-N3	-5.67	1.28	1.33
1	AA	170	U	C2'-O2'	5.67	1.49	1.41
1	AA	504	C	N1-C2	5.67	1.45	1.40
1	AA	1069	C	C5-C6	5.67	1.38	1.34
1	AA	1249	C	O3'-P	5.67	1.68	1.61
1	AA	1283	U	C5-C6	5.67	1.39	1.34
3	AC	32	U	P-O5'	5.67	1.65	1.59
4	AD	43	G	C2-N3	5.67	1.37	1.32
26	BB	285	G	C8-N7	-5.67	1.27	1.30
26	BB	424	G	C8-N7	-5.67	1.27	1.30
26	BB	1220	G	C6-N1	-5.67	1.35	1.39
33	BI	113	SER	CA-CB	5.67	1.61	1.52
49	BY	76	ARG	CZ-NH1	5.67	1.40	1.33
1	AA	863	U	C4-C5	5.67	1.48	1.43
1	AA	1018	G	O3'-P	5.67	1.68	1.61
25	BA	33	G	N1-C2	5.67	1.42	1.37
26	BB	1099	G	N9-C8	5.67	1.41	1.37
26	BB	1664	A	O3'-P	-5.67	1.54	1.61
1	AA	365	U	O4'-C1'	5.66	1.49	1.41
2	AB	4	G	C4'-O4'	-5.66	1.38	1.45
26	BB	1302	A	C5-C4	-5.66	1.34	1.38
26	BB	1596	A	N9-C4	-5.66	1.34	1.37
26	BB	1663	G	P-O5'	5.66	1.65	1.59
26	BB	2876	G	O3'-P	5.66	1.68	1.61
1	AA	877	G	C4'-O4'	-5.66	1.38	1.45
1	AA	881	G	N1-C2	5.66	1.42	1.37
26	BB	584	C	C4'-O4'	-5.66	1.38	1.45
26	BB	775	G	C8-N7	-5.66	1.27	1.30
26	BB	1105	U	C2-O2	-5.66	1.17	1.22
26	BB	1129	A	C4'-C3'	5.66	1.59	1.53
26	BB	1395	A	N7-C5	5.66	1.42	1.39
1	AA	108	G	N7-C5	-5.66	1.35	1.39
1	AA	189	A	N7-C5	5.66	1.42	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	594	U	C4'-O4'	-5.66	1.38	1.45
25	BA	64	G	N7-C5	5.66	1.42	1.39
26	BB	386	G	N1-C2	5.66	1.42	1.37
26	BB	424	G	N3-C4	-5.66	1.31	1.35
26	BB	1022	G	C2-N3	5.66	1.37	1.32
26	BB	1246	A	C5-C6	5.66	1.46	1.41
26	BB	1481	U	C2'-C1'	-5.66	1.47	1.53
26	BB	2057	G	P-O5'	5.66	1.65	1.59
26	BB	2315	G	C2-N2	5.66	1.40	1.34
26	BB	2631	G	N3-C4	5.66	1.39	1.35
1	AA	362	G	C2'-O2'	5.66	1.49	1.41
1	AA	536	C	C2'-C1'	-5.66	1.47	1.53
1	AA	720	C	C5'-C4'	5.66	1.58	1.51
1	AA	934	C	N1-C6	5.66	1.40	1.37
26	BB	180	G	N3-C4	5.66	1.39	1.35
26	BB	247	G	C6-N1	5.66	1.43	1.39
26	BB	739	A	P-O5'	5.66	1.65	1.59
26	BB	2314	A	N7-C5	-5.66	1.35	1.39
26	BB	2469	A	C6-N1	5.66	1.39	1.35
26	BB	2770	G	N7-C5	-5.66	1.35	1.39
1	AA	693	G	C2'-C1'	5.66	1.59	1.53
1	AA	1290	G	C5'-C4'	5.66	1.58	1.51
1	AA	1400	C	P-O5'	5.66	1.65	1.59
1	AA	1472	U	C2-N3	-5.66	1.33	1.37
8	AH	67	ARG	CZ-NH1	5.66	1.40	1.33
26	BB	754	U	N1-C2	5.66	1.43	1.38
26	BB	2584	U	C2-N3	-5.66	1.33	1.37
26	BB	2673	G	P-O5'	-5.66	1.54	1.59
25	BA	34	A	N1-C2	-5.66	1.29	1.34
26	BB	561	G	C5'-C4'	5.66	1.58	1.51
26	BB	835	C	N1-C2	5.66	1.45	1.40
26	BB	978	G	N3-C4	5.66	1.39	1.35
26	BB	1340	U	C2-O2	5.66	1.27	1.22
26	BB	1342	A	N9-C8	-5.66	1.33	1.37
26	BB	1562	U	C4'-C3'	-5.66	1.46	1.52
26	BB	1947	C	C4-C5	5.66	1.47	1.43
26	BB	2342	C	C2'-C1'	-5.66	1.47	1.53
1	AA	431	A	O3'-P	5.65	1.68	1.61
1	AA	1197	A	C4'-C3'	5.65	1.59	1.53
26	BB	2478	A	P-O5'	5.65	1.65	1.59
1	AA	196	A	C2'-O2'	-5.65	1.34	1.41
1	AA	893	C	C5-C6	5.65	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	11	U	C5'-C4'	5.65	1.58	1.51
11	AK	29	SER	CB-OG	-5.65	1.34	1.42
20	AT	71	SER	CB-OG	-5.65	1.34	1.42
26	BB	247	G	C5-C4	5.65	1.42	1.38
26	BB	317	G	C6-O6	-5.65	1.19	1.24
26	BB	1106	G	C6-N1	5.65	1.43	1.39
26	BB	1247	A	N1-C2	-5.65	1.29	1.34
26	BB	1248	G	N9-C8	-5.65	1.33	1.37
26	BB	1568	G	C5'-C4'	5.65	1.58	1.51
26	BB	1791	A	N9-C4	5.65	1.41	1.37
26	BB	1940	U	C3'-C2'	5.65	1.59	1.52
26	BB	2761	A	O3'-P	-5.65	1.54	1.61
1	AA	767	A	N9-C8	5.65	1.42	1.37
1	AA	1011	C	C3'-C2'	5.65	1.59	1.52
1	AA	1401	G	P-O5'	5.65	1.65	1.59
1	AA	1448	C	C2-N3	5.65	1.40	1.35
26	BB	275	C	C4'-O4'	-5.65	1.38	1.45
26	BB	490	C	P-O5'	5.65	1.65	1.59
26	BB	2206	C	O3'-P	-5.65	1.54	1.61
26	BB	2495	G	N1-C2	5.65	1.42	1.37
1	AA	286	C	N1-C6	5.65	1.40	1.37
1	AA	758	C	C4'-O4'	-5.65	1.38	1.45
1	AA	766	A	P-O5'	5.65	1.65	1.59
1	AA	830	G	C3'-O3'	5.65	1.50	1.42
1	AA	1018	G	C2-N3	5.65	1.37	1.32
1	AA	1308	U	C2-O2	5.65	1.27	1.22
3	AC	16	A	C6-N1	-5.65	1.31	1.35
26	BB	593	U	C4-O4	-5.65	1.19	1.23
26	BB	717	C	C5-C6	5.65	1.38	1.34
26	BB	1252	G	C5'-C4'	5.65	1.58	1.51
26	BB	1253	A	O4'-C1'	-5.65	1.34	1.41
26	BB	2439	A	C5-C4	5.65	1.42	1.38
26	BB	2750	A	N3-C4	5.65	1.38	1.34
1	AA	262	A	N3-C4	-5.65	1.31	1.34
1	AA	578	C	N1-C6	5.65	1.40	1.37
1	AA	915	A	P-O5'	5.65	1.65	1.59
1	AA	1133	G	C2'-C1'	5.65	1.59	1.53
25	BA	99	A	N7-C5	-5.65	1.35	1.39
26	BB	177	G	C5-C6	5.65	1.48	1.42
26	BB	360	U	C5'-C4'	5.65	1.58	1.51
26	BB	401	A	C5'-C4'	5.65	1.58	1.51
26	BB	526	A	N3-C4	5.65	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	447	G	C5-C6	5.65	1.48	1.42
1	AA	691	G	C2-N3	5.65	1.37	1.32
1	AA	1376	U	N1-C6	5.65	1.43	1.38
1	AA	1507	A	C6-N6	5.65	1.38	1.33
1	AA	85	U	C2-O2	-5.64	1.17	1.22
1	AA	418	C	C2-N3	5.64	1.40	1.35
1	AA	431	A	C5'-C4'	5.64	1.58	1.51
1	AA	524	G	N3-C4	5.64	1.39	1.35
1	AA	1157	A	N3-C4	5.64	1.38	1.34
1	AA	1209	C	C5-C6	5.64	1.38	1.34
1	AA	1212	U	N3-C4	5.64	1.43	1.38
1	AA	1421	G	N9-C8	5.64	1.41	1.37
4	AD	23	G	N9-C4	-5.64	1.33	1.38
4	AD	65	G	N1-C2	5.64	1.42	1.37
10	AJ	43	TYR	CE1-CZ	5.64	1.45	1.38
26	BB	690	G	C2'-C1'	5.64	1.59	1.53
26	BB	829	A	C5-C6	5.64	1.46	1.41
26	BB	1515	A	N3-C4	5.64	1.38	1.34
26	BB	1730	C	O3'-P	5.64	1.68	1.61
26	BB	1799	G	C2-N2	5.64	1.40	1.34
26	BB	1935	G	C5-C4	-5.64	1.34	1.38
26	BB	2064	C	C4-N4	-5.64	1.28	1.33
26	BB	2192	U	C4-C5	5.64	1.48	1.43
26	BB	2828	G	N3-C4	5.64	1.39	1.35
1	AA	288	A	C4'-C3'	5.64	1.59	1.53
1	AA	617	G	C5'-C4'	5.64	1.58	1.51
1	AA	1242	G	C4'-O4'	-5.64	1.38	1.45
1	AA	1389	C	C5'-C4'	5.64	1.58	1.51
25	BA	91	C	P-O5'	5.64	1.65	1.59
26	BB	105	C	P-O5'	5.64	1.65	1.59
26	BB	235	U	C3'-C2'	5.64	1.59	1.52
26	BB	349	U	C2-N3	5.64	1.41	1.37
26	BB	467	G	C5-C6	-5.64	1.36	1.42
26	BB	1130	U	C4-C5	-5.64	1.38	1.43
26	BB	1884	G	N9-C4	5.64	1.42	1.38
26	BB	2113	U	C4'-O4'	-5.64	1.38	1.45
26	BB	2244	U	C4'-O4'	-5.64	1.38	1.45
25	BA	119	A	C5-C4	-5.64	1.34	1.38
26	BB	1184	U	P-O5'	5.64	1.65	1.59
26	BB	1762	A	N9-C4	-5.64	1.34	1.37
1	AA	1	A	C6-N6	5.64	1.38	1.33
1	AA	937	A	N9-C8	5.64	1.42	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1124	G	C5'-C4'	5.64	1.58	1.51
2	AB	51	G	C5-C6	5.64	1.48	1.42
14	AN	93	GLU	CD-OE2	-5.64	1.19	1.25
26	BB	702	U	C2-N3	5.64	1.41	1.37
26	BB	756	A	N7-C5	-5.64	1.35	1.39
26	BB	1707	G	P-O5'	5.64	1.65	1.59
26	BB	1852	U	N1-C2	5.64	1.43	1.38
26	BB	2088	A	C5'-C4'	5.64	1.58	1.51
26	BB	2830	C	C4'-C3'	-5.64	1.47	1.52
41	BQ	111	ARG	CZ-NH1	5.64	1.40	1.33
1	AA	243	A	C2'-C1'	5.64	1.59	1.53
1	AA	476	U	C5-C6	5.64	1.39	1.34
3	AC	23	C	N1-C6	5.64	1.40	1.37
26	BB	396	G	C6-N1	5.64	1.43	1.39
26	BB	2324	U	C4'-O4'	-5.64	1.38	1.45
1	AA	362	G	C4'-O4'	-5.64	1.38	1.45
1	AA	857	C	C3'-C2'	5.64	1.59	1.52
1	AA	861	G	P-O5'	5.64	1.65	1.59
1	AA	1127	G	C8-N7	-5.64	1.27	1.30
1	AA	1205	U	C4-C5	5.64	1.48	1.43
1	AA	1385	G	C3'-C2'	-5.64	1.46	1.52
26	BB	221	A	N9-C4	5.64	1.41	1.37
26	BB	281	C	C4-N4	5.64	1.39	1.33
26	BB	483	A	O3'-P	5.64	1.68	1.61
26	BB	1371	G	C8-N7	-5.64	1.27	1.30
26	BB	1395	A	O3'-P	5.64	1.68	1.61
26	BB	1479	G	C4'-O4'	-5.64	1.38	1.45
26	BB	1535	A	N9-C4	5.64	1.41	1.37
26	BB	2350	C	C2'-C1'	5.64	1.59	1.53
26	BB	2557	G	C5'-C4'	5.64	1.58	1.51
26	BB	2808	G	C5-C4	-5.64	1.34	1.38
1	AA	318	G	C5-C4	5.63	1.42	1.38
1	AA	361	G	C3'-C2'	5.63	1.59	1.52
1	AA	742	G	N3-C4	5.63	1.39	1.35
1	AA	1137	C	C3'-C2'	5.63	1.59	1.52
1	AA	1146	A	C5'-C4'	5.63	1.58	1.51
25	BA	79	G	N1-C2	5.63	1.42	1.37
26	BB	701	G	C2-N3	5.63	1.37	1.32
26	BB	1223	G	C6-O6	-5.63	1.19	1.24
26	BB	1715	G	C8-N7	5.63	1.34	1.30
1	AA	280	C	C4-N4	5.63	1.39	1.33
1	AA	761	G	C5-C6	5.63	1.48	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	771	G	N9-C4	5.63	1.42	1.38
26	BB	1536	C	C4-N4	5.63	1.39	1.33
1	AA	1024	G	C6-N1	-5.63	1.35	1.39
1	AA	1042	A	C5-C6	5.63	1.46	1.41
1	AA	1104	G	N3-C4	5.63	1.39	1.35
1	AA	1373	G	P-O5'	5.63	1.65	1.59
26	BB	703	U	N1-C6	5.63	1.43	1.38
26	BB	1256	G	C2'-C1'	5.63	1.59	1.53
26	BB	1616	A	N9-C8	5.63	1.42	1.37
26	BB	1684	G	N1-C2	5.63	1.42	1.37
26	BB	2202	U	C2'-C1'	-5.63	1.47	1.53
26	BB	2284	A	C2-N3	-5.63	1.28	1.33
26	BB	2747	G	C5-C4	-5.63	1.34	1.38
1	AA	593	U	C4'-C3'	5.63	1.59	1.53
1	AA	804	U	C3'-O3'	-5.63	1.34	1.42
26	BB	262	A	N1-C2	-5.63	1.29	1.34
26	BB	616	A	P-O5'	5.63	1.65	1.59
26	BB	2282	G	N9-C8	5.63	1.41	1.37
26	BB	2334	U	C4'-O4'	-5.63	1.38	1.45
26	BB	2569	G	C2-N2	5.63	1.40	1.34
26	BB	2569	G	C3'-C2'	-5.63	1.46	1.52
1	AA	107	G	N7-C5	-5.63	1.35	1.39
1	AA	939	G	N9-C8	-5.63	1.33	1.37
1	AA	1418	A	N3-C4	5.63	1.38	1.34
2	AB	72	U	O3'-P	5.63	1.68	1.61
26	BB	188	G	C2-N3	5.63	1.37	1.32
26	BB	1162	G	C2-N3	5.63	1.37	1.32
26	BB	1351	C	C3'-C2'	5.63	1.59	1.52
26	BB	1385	A	C8-N7	5.63	1.35	1.31
26	BB	2156	G	C6-O6	-5.63	1.19	1.24
26	BB	2555	U	C3'-C2'	5.63	1.59	1.52
26	BB	2799	A	C4'-C3'	5.63	1.59	1.53
1	AA	939	G	N1-C2	5.63	1.42	1.37
1	AA	1255	G	N3-C4	-5.63	1.31	1.35
2	AB	13	C	C5-C6	5.63	1.38	1.34
4	AD	9	G	N3-C4	-5.63	1.31	1.35
26	BB	170	U	C4-C5	5.63	1.48	1.43
26	BB	357	C	P-O5'	-5.63	1.54	1.59
26	BB	1612	C	N1-C2	5.63	1.45	1.40
26	BB	2211	A	C5-C6	5.63	1.46	1.41
26	BB	2451	A	N9-C4	5.63	1.41	1.37
26	BB	2727	A	N9-C4	5.63	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2881	U	C2-N3	5.63	1.41	1.37
1	AA	718	A	N1-C2	-5.62	1.29	1.34
26	BB	874	G	N9-C8	5.62	1.41	1.37
26	BB	2207	C	C2-N3	-5.62	1.31	1.35
26	BB	2211	A	C5-C4	5.62	1.42	1.38
26	BB	2595	G	O4'-C1'	5.62	1.49	1.41
1	AA	321	A	N9-C8	-5.62	1.33	1.37
1	AA	347	G	C6-N1	-5.62	1.35	1.39
1	AA	1097	C	O4'-C1'	5.62	1.49	1.41
1	AA	1223	C	C4'-C3'	5.62	1.59	1.53
6	AF	140	ALA	N-CA	5.62	1.57	1.46
26	BB	251	A	P-O5'	-5.62	1.54	1.59
26	BB	383	C	C4'-O4'	-5.62	1.38	1.45
26	BB	651	G	N1-C2	5.62	1.42	1.37
26	BB	2530	A	O3'-P	-5.62	1.54	1.61
26	BB	2773	C	C2'-C1'	-5.62	1.47	1.53
28	BD	144	GLU	CD-OE1	5.62	1.31	1.25
1	AA	459	A	N7-C5	-5.62	1.35	1.39
1	AA	482	A	N1-C2	-5.62	1.29	1.34
1	AA	927	G	N3-C4	-5.62	1.31	1.35
26	BB	351	C	C1'-N1	5.62	1.57	1.48
26	BB	918	A	C6-N1	-5.62	1.31	1.35
26	BB	1030	C	N3-C4	5.62	1.37	1.33
26	BB	1416	G	C5-C4	-5.62	1.34	1.38
26	BB	2455	G	O4'-C1'	5.62	1.49	1.41
26	BB	2576	G	C3'-C2'	5.62	1.59	1.52
1	AA	1080	A	C8-N7	-5.62	1.27	1.31
1	AA	1414	U	N1-C2	5.62	1.43	1.38
1	AA	906	A	N3-C4	5.62	1.38	1.34
1	AA	952	U	C2-N3	5.62	1.41	1.37
1	AA	1469	C	C4'-C3'	-5.62	1.47	1.52
25	BA	61	G	C4'-C3'	-5.62	1.47	1.52
26	BB	65	U	P-O5'	5.62	1.65	1.59
26	BB	336	C	O4'-C1'	5.62	1.49	1.41
26	BB	873	C	N3-C4	5.62	1.37	1.33
26	BB	1201	U	C2-N3	5.62	1.41	1.37
26	BB	1372	U	C4'-O4'	-5.62	1.38	1.45
26	BB	1571	A	C5-C4	5.62	1.42	1.38
26	BB	130	C	N3-C4	5.62	1.37	1.33
26	BB	392	U	N1-C2	5.62	1.43	1.38
26	BB	584	C	N1-C6	5.62	1.40	1.37
26	BB	1587	G	N7-C5	-5.62	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1768	C	N1-C6	5.62	1.40	1.37
1	AA	3	A	N7-C5	5.62	1.42	1.39
1	AA	167	A	C5-C6	5.62	1.46	1.41
1	AA	1210	C	N1-C6	-5.62	1.33	1.37
26	BB	804	A	C6-N6	-5.62	1.29	1.33
26	BB	1138	G	N1-C2	5.62	1.42	1.37
26	BB	1246	A	O3'-P	-5.62	1.54	1.61
26	BB	1327	A	P-O5'	5.62	1.65	1.59
26	BB	1461	C	C4-C5	5.62	1.47	1.43
26	BB	1596	A	C4'-O4'	-5.62	1.38	1.45
26	BB	1971	U	C2-N3	5.62	1.41	1.37
26	BB	2203	U	C5'-C4'	5.62	1.58	1.51
1	AA	88	U	N1-C2	5.61	1.43	1.38
1	AA	1379	G	C5'-C4'	5.61	1.58	1.51
25	BA	21	G	C2-N2	-5.61	1.28	1.34
26	BB	550	C	C2-N3	5.61	1.40	1.35
26	BB	878	A	N1-C2	-5.61	1.29	1.34
26	BB	1155	A	N7-C5	-5.61	1.35	1.39
26	BB	2473	U	C5'-C4'	5.61	1.58	1.51
26	BB	2591	C	C2-N3	5.61	1.40	1.35
1	AA	44	A	N7-C5	5.61	1.42	1.39
1	AA	1133	G	C4'-O4'	-5.61	1.38	1.45
26	BB	2222	C	P-O5'	5.61	1.65	1.59
26	BB	2534	A	C2-N3	5.61	1.38	1.33
26	BB	2670	A	C4'-C3'	5.61	1.59	1.53
1	AA	1116	U	C2-N3	5.61	1.41	1.37
1	AA	1263	C	C5'-C4'	5.61	1.58	1.51
1	AA	1302	C	C4-N4	5.61	1.39	1.33
1	AA	1317	C	C1'-N1	5.61	1.57	1.48
26	BB	151	C	C5-C6	5.61	1.38	1.34
26	BB	797	G	O3'-P	5.61	1.67	1.61
26	BB	1496	A	O3'-P	5.61	1.67	1.61
26	BB	1531	C	N1-C6	5.61	1.40	1.37
26	BB	1580	A	O4'-C1'	5.61	1.49	1.41
26	BB	1647	U	C4-O4	5.61	1.28	1.23
26	BB	2639	A	C4'-C3'	5.61	1.59	1.53
26	BB	2669	G	P-O5'	5.61	1.65	1.59
26	BB	2737	G	N3-C4	5.61	1.39	1.35
1	AA	479	U	C5'-C4'	5.61	1.58	1.51
1	AA	681	A	C5'-C4'	-5.61	1.44	1.51
1	AA	812	G	N9-C4	-5.61	1.33	1.38
4	AD	71	G	N9-C8	-5.61	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	100	G	C6-N1	5.61	1.43	1.39
26	BB	88	G	N9-C4	5.61	1.42	1.38
26	BB	187	G	C2'-C1'	5.61	1.59	1.53
26	BB	749	A	C6-N6	5.61	1.38	1.33
26	BB	2719	G	N3-C4	-5.61	1.31	1.35
26	BB	2796	U	C4'-O4'	-5.61	1.38	1.45
26	BB	2848	G	P-O5'	5.61	1.65	1.59
1	AA	19	A	N9-C4	5.61	1.41	1.37
1	AA	391	G	C6-N1	-5.61	1.35	1.39
1	AA	407	U	C5-C6	5.61	1.39	1.34
1	AA	564	C	O4'-C1'	5.61	1.49	1.41
1	AA	1090	U	C2-N3	5.61	1.41	1.37
1	AA	1503	A	C6-N1	-5.61	1.31	1.35
26	BB	1680	U	N1-C2	5.61	1.43	1.38
26	BB	2115	G	C8-N7	-5.61	1.27	1.30
26	BB	2678	C	N3-C4	5.61	1.37	1.33
26	BB	2695	U	C4-O4	5.61	1.28	1.23
1	AA	53	A	C6-N6	5.61	1.38	1.33
1	AA	163	C	C5-C6	5.61	1.38	1.34
1	AA	484	G	C4'-C3'	5.61	1.59	1.53
1	AA	781	A	P-O5'	5.61	1.65	1.59
1	AA	902	G	C6-O6	-5.61	1.19	1.24
1	AA	992	U	C2'-O2'	5.61	1.49	1.41
1	AA	1420	U	C2'-C1'	-5.61	1.47	1.53
1	AA	1440	U	C4-O4	-5.61	1.19	1.23
26	BB	97	C	N1-C2	5.61	1.45	1.40
26	BB	407	G	P-O5'	5.61	1.65	1.59
26	BB	1321	A	O3'-P	5.61	1.67	1.61
1	AA	1362	A	N9-C4	5.60	1.41	1.37
1	AA	1420	U	N1-C2	5.60	1.43	1.38
26	BB	169	G	C4'-O4'	-5.60	1.38	1.45
26	BB	513	A	C2'-C1'	5.60	1.59	1.53
26	BB	623	C	C5-C6	5.60	1.38	1.34
26	BB	1905	C	P-O5'	5.60	1.65	1.59
26	BB	2542	A	O3'-P	5.60	1.67	1.61
1	AA	1036	A	C2-N3	-5.60	1.28	1.33
26	BB	765	C	N1-C6	-5.60	1.33	1.37
26	BB	1483	G	C4'-O4'	-5.60	1.38	1.45
26	BB	1616	A	P-O5'	5.60	1.65	1.59
26	BB	2035	G	N9-C8	-5.60	1.33	1.37
26	BB	2722	G	N3-C4	5.60	1.39	1.35
26	BB	2754	U	N1-C2	5.60	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	741	G	C2'-O2'	-5.60	1.34	1.41
26	BB	484	C	O3'-P	5.60	1.67	1.61
26	BB	691	C	C5'-C4'	5.60	1.58	1.51
26	BB	772	C	N1-C6	5.60	1.40	1.37
26	BB	1295	C	N1-C6	-5.60	1.33	1.37
26	BB	1633	G	O5'-C5'	-5.60	1.33	1.42
1	AA	56	U	C2-N3	5.60	1.41	1.37
26	BB	126	A	N3-C4	5.60	1.38	1.34
26	BB	283	G	N1-C2	5.60	1.42	1.37
26	BB	523	C	C5-C6	5.60	1.38	1.34
26	BB	858	G	C4'-C3'	5.60	1.59	1.53
26	BB	1067	A	C3'-C2'	-5.60	1.46	1.52
26	BB	1276	A	C6-N1	-5.60	1.31	1.35
26	BB	1916	A	C6-N1	5.60	1.39	1.35
26	BB	2315	G	N3-C4	-5.60	1.31	1.35
26	BB	2468	A	P-O5'	5.60	1.65	1.59
44	BT	75	VAL	CB-CG1	5.60	1.64	1.52
1	AA	237	G	N3-C4	5.60	1.39	1.35
1	AA	895	G	N1-C2	5.60	1.42	1.37
1	AA	900	A	N3-C4	5.60	1.38	1.34
2	AB	44	G	N3-C4	5.60	1.39	1.35
14	AN	43	TRP	NE1-CE2	5.60	1.44	1.37
26	BB	8	C	N1-C6	5.60	1.40	1.37
26	BB	500	G	N3-C4	-5.60	1.31	1.35
26	BB	767	U	O3'-P	5.60	1.67	1.61
26	BB	1290	C	O3'-P	5.60	1.67	1.61
26	BB	1408	G	C2-N3	5.60	1.37	1.32
26	BB	2667	C	C4'-C3'	5.60	1.59	1.53
26	BB	2770	G	C2-N3	5.60	1.37	1.32
39	BO	9	PHE	CG-CD2	5.60	1.47	1.38
25	BA	87	U	C5-C6	5.60	1.39	1.34
26	BB	463	G	C5-C4	-5.60	1.34	1.38
26	BB	583	G	C2'-C1'	-5.60	1.47	1.53
36	BL	95	ARG	CZ-NH1	5.60	1.40	1.33
1	AA	821	G	C2-N2	-5.59	1.28	1.34
1	AA	1468	A	N7-C5	-5.59	1.35	1.39
26	BB	1486	U	O3'-P	5.59	1.67	1.61
26	BB	1750	G	N9-C4	-5.59	1.33	1.38
1	AA	243	A	C5-C4	5.59	1.42	1.38
1	AA	832	G	O3'-P	5.59	1.67	1.61
26	BB	117	G	C5-C6	5.59	1.48	1.42
26	BB	346	A	C5-C6	5.59	1.46	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	990	A	O3'-P	5.59	1.67	1.61
26	BB	1514	G	C5-C4	5.59	1.42	1.38
26	BB	2523	G	N1-C2	5.59	1.42	1.37
1	AA	521	G	C2'-O2'	-5.59	1.34	1.41
1	AA	1063	C	N1-C2	5.59	1.45	1.40
25	BA	71	C	C5-C6	5.59	1.38	1.34
26	BB	914	G	O4'-C1'	-5.59	1.34	1.41
26	BB	1090	A	P-O5'	5.59	1.65	1.59
26	BB	1120	G	P-O5'	-5.59	1.54	1.59
26	BB	1476	U	C4'-O4'	-5.59	1.38	1.45
26	BB	1632	A	N3-C4	5.59	1.38	1.34
26	BB	1699	G	C5-C6	5.59	1.48	1.42
26	BB	1763	G	N7-C5	-5.59	1.35	1.39
26	BB	2145	C	C4'-C3'	5.59	1.59	1.53
26	BB	2474	U	P-O5'	5.59	1.65	1.59
1	AA	354	G	P-O5'	5.59	1.65	1.59
1	AA	610	U	O4'-C1'	-5.59	1.34	1.41
1	AA	1003	G	C3'-C2'	5.59	1.59	1.52
25	BA	25	U	C5-C6	5.59	1.39	1.34
26	BB	225	C	C2-N3	5.59	1.40	1.35
26	BB	716	A	N9-C4	5.59	1.41	1.37
26	BB	1522	A	C4'-O4'	-5.59	1.38	1.45
26	BB	1711	A	N7-C5	-5.59	1.35	1.39
26	BB	1803	A	O3'-P	5.59	1.67	1.61
26	BB	2304	G	C5-C4	5.59	1.42	1.38
1	AA	1156	G	N3-C4	5.59	1.39	1.35
26	BB	1074	G	N9-C8	5.59	1.41	1.37
1	AA	921	U	C4'-O4'	-5.59	1.38	1.45
1	AA	1001	C	N3-C4	5.59	1.37	1.33
2	AB	67	G	C6-N1	5.59	1.43	1.39
26	BB	1103	A	C5-C6	5.59	1.46	1.41
26	BB	1755	A	N7-C5	-5.59	1.35	1.39
26	BB	2142	A	P-O5'	5.59	1.65	1.59
1	AA	1266	G	C4'-O4'	-5.58	1.38	1.45
25	BA	58	A	P-O5'	5.58	1.65	1.59
26	BB	1188	U	C2'-O2'	-5.58	1.34	1.41
26	BB	1511	G	C3'-C2'	5.58	1.59	1.52
26	BB	1523	U	O3'-P	5.58	1.67	1.61
1	AA	716	A	C4'-C3'	5.58	1.59	1.53
1	AA	766	A	C6-N6	-5.58	1.29	1.33
1	AA	920	U	C5-C6	5.58	1.39	1.34
1	AA	1370	G	N9-C8	5.58	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	63	C	P-O5'	5.58	1.65	1.59
26	BB	173	A	C8-N7	5.58	1.35	1.31
26	BB	1176	U	C2-N3	5.58	1.41	1.37
26	BB	2753	A	N9-C4	-5.58	1.34	1.37
38	BN	76	GLU	CG-CD	5.58	1.60	1.51
1	AA	471	U	C2'-C1'	-5.58	1.47	1.53
1	AA	1045	C	N1-C2	5.58	1.45	1.40
26	BB	487	C	N1-C2	5.58	1.45	1.40
26	BB	804	A	N9-C8	-5.58	1.33	1.37
26	BB	1223	G	O3'-P	5.58	1.67	1.61
26	BB	1236	G	C2'-C1'	-5.58	1.47	1.53
26	BB	1243	C	C2-N3	5.58	1.40	1.35
26	BB	1308	A	C6-N6	-5.58	1.29	1.33
26	BB	2172	U	C2-N3	5.58	1.41	1.37
1	AA	775	G	C8-N7	5.58	1.34	1.30
1	AA	955	U	N1-C2	5.58	1.43	1.38
26	BB	941	A	C6-N6	-5.58	1.29	1.33
26	BB	1538	G	C6-N1	5.58	1.43	1.39
1	AA	974	A	C8-N7	-5.58	1.27	1.31
1	AA	1050	G	C3'-C2'	5.58	1.59	1.52
26	BB	263	G	C2'-O2'	5.58	1.49	1.41
26	BB	291	G	N3-C4	5.58	1.39	1.35
26	BB	371	A	P-O5'	-5.58	1.54	1.59
26	BB	950	G	C3'-C2'	-5.58	1.46	1.52
26	BB	1023	U	C2-N3	5.58	1.41	1.37
1	AA	1096	C	C4-C5	5.58	1.47	1.43
26	BB	696	G	C5'-C4'	5.58	1.58	1.51
26	BB	1174	U	C3'-O3'	-5.58	1.34	1.42
26	BB	2220	U	C4'-C3'	-5.58	1.47	1.52
26	BB	2551	C	C5'-C4'	5.58	1.58	1.51
1	AA	354	G	C2-N3	-5.58	1.28	1.32
1	AA	1079	G	N3-C4	5.58	1.39	1.35
26	BB	207	A	C3'-O3'	-5.58	1.34	1.42
26	BB	549	G	N9-C4	5.58	1.42	1.38
26	BB	1570	A	C5-C6	5.58	1.46	1.41
26	BB	1623	G	C5-C6	5.58	1.48	1.42
26	BB	2038	G	P-O5'	5.58	1.65	1.59
26	BB	2855	C	C4-C5	5.58	1.47	1.43
1	AA	336	A	N1-C2	5.57	1.39	1.34
1	AA	412	A	C5-C6	5.57	1.46	1.41
1	AA	522	C	O5'-C5'	-5.57	1.33	1.42
1	AA	960	U	C5'-C4'	5.57	1.58	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1230	C	C4'-O4'	-5.57	1.38	1.45
26	BB	604	G	C6-N1	5.57	1.43	1.39
26	BB	971	G	N9-C4	5.57	1.42	1.38
26	BB	1139	G	P-O5'	5.57	1.65	1.59
26	BB	1142	A	C3'-O3'	5.57	1.50	1.42
26	BB	1866	A	C2'-C1'	-5.57	1.47	1.53
1	AA	315	A	O3'-P	-5.57	1.54	1.61
1	AA	780	A	N9-C4	5.57	1.41	1.37
1	AA	1198	G	P-O5'	5.57	1.65	1.59
1	AA	1439	G	C4'-O4'	-5.57	1.38	1.45
4	AD	58	A	C6-N1	-5.57	1.31	1.35
1	AA	960	U	C4'-O4'	-5.57	1.38	1.45
26	BB	552	U	N3-C4	5.57	1.43	1.38
26	BB	621	A	C6-N1	5.57	1.39	1.35
26	BB	713	G	C2-N2	-5.57	1.28	1.34
26	BB	981	A	N3-C4	5.57	1.38	1.34
26	BB	1341	G	P-O5'	-5.57	1.54	1.59
1	AA	26	A	C5'-C4'	5.57	1.58	1.51
26	BB	1824	G	N9-C8	5.57	1.41	1.37
1	AA	13	U	O4'-C1'	5.57	1.48	1.41
1	AA	183	C	C4-C5	5.57	1.47	1.43
1	AA	1328	C	N1-C2	-5.57	1.34	1.40
1	AA	1540	U	C5-C6	5.57	1.39	1.34
25	BA	38	C	C2-N3	-5.57	1.31	1.35
26	BB	562	U	C2-O2	5.57	1.27	1.22
26	BB	1013	C	C5-C6	5.57	1.38	1.34
26	BB	1144	A	N3-C4	5.57	1.38	1.34
26	BB	1208	C	C5-C6	5.57	1.38	1.34
26	BB	1959	G	C2-N2	-5.57	1.28	1.34
26	BB	2577	A	N9-C4	5.57	1.41	1.37
26	BB	2852	G	N9-C8	5.57	1.41	1.37
27	BC	12	ARG	CZ-NH2	5.57	1.40	1.33
1	AA	228	A	N9-C4	-5.57	1.34	1.37
1	AA	902	G	N7-C5	-5.57	1.35	1.39
26	BB	602	A	C8-N7	-5.57	1.27	1.31
26	BB	1282	U	C5-C6	5.57	1.39	1.34
1	AA	772	U	P-O5'	5.56	1.65	1.59
26	BB	520	G	P-O5'	5.56	1.65	1.59
26	BB	966	G	C4'-O4'	-5.56	1.38	1.45
26	BB	1506	U	P-O5'	5.56	1.65	1.59
26	BB	1895	C	O3'-P	5.56	1.67	1.61
26	BB	2180	U	C2-O2	5.56	1.27	1.22

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2744	G	N3-C4	5.56	1.39	1.35
1	AA	27	G	C5'-C4'	-5.56	1.44	1.51
1	AA	383	A	C3'-C2'	5.56	1.59	1.52
1	AA	1380	U	C5-C6	5.56	1.39	1.34
1	AA	1463	U	C2-N3	5.56	1.41	1.37
1	AA	1514	G	C2-N3	5.56	1.37	1.32
2	AB	69	C	O3'-P	-5.56	1.54	1.61
26	BB	840	C	C5'-C4'	5.56	1.58	1.51
26	BB	1310	G	C2-N3	5.56	1.37	1.32
26	BB	1693	U	C3'-C2'	5.56	1.59	1.52
26	BB	2289	G	N9-C4	5.56	1.42	1.38
26	BB	2325	G	C8-N7	-5.56	1.27	1.30
26	BB	2340	A	C3'-C2'	-5.56	1.46	1.52
1	AA	563	A	C6-N6	-5.56	1.29	1.33
25	BA	19	C	N1-C6	5.56	1.40	1.37
26	BB	162	U	C4'-O4'	-5.56	1.38	1.45
26	BB	469	G	N3-C4	5.56	1.39	1.35
26	BB	1161	C	C4-C5	-5.56	1.38	1.43
26	BB	2698	U	N1-C2	5.56	1.43	1.38
1	AA	86	G	O3'-P	5.56	1.67	1.61
1	AA	854	U	C4'-C3'	-5.56	1.47	1.52
1	AA	1053	G	C2-N3	5.56	1.37	1.32
26	BB	97	C	P-O5'	5.56	1.65	1.59
26	BB	144	A	C8-N7	-5.56	1.27	1.31
26	BB	1056	G	C2-N3	5.56	1.37	1.32
26	BB	1083	U	C2-N3	5.56	1.41	1.37
26	BB	1238	G	P-O5'	5.56	1.65	1.59
26	BB	1634	A	N9-C8	5.56	1.42	1.37
26	BB	1790	C	C2-O2	-5.56	1.19	1.24
26	BB	2130	U	C2-N3	5.56	1.41	1.37
26	BB	2482	A	N3-C4	5.56	1.38	1.34
26	BB	2625	G	C5-C6	5.56	1.48	1.42
26	BB	2697	G	C2-N3	5.56	1.37	1.32
26	BB	2743	U	C5-C6	5.56	1.39	1.34
1	AA	159	G	P-O5'	5.56	1.65	1.59
1	AA	223	A	N1-C2	-5.56	1.29	1.34
1	AA	840	C	N3-C4	5.56	1.37	1.33
1	AA	1161	C	C2'-C1'	5.56	1.59	1.53
1	AA	1472	U	C5-C6	5.56	1.39	1.34
1	AA	1513	A	N9-C8	5.56	1.42	1.37
4	AD	10	G	N9-C8	-5.56	1.33	1.37
26	BB	138	U	C4-C5	5.56	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	353	C	C5'-C4'	5.56	1.58	1.51
26	BB	435	C	C5-C6	5.56	1.38	1.34
26	BB	783	A	C6-N1	-5.56	1.31	1.35
26	BB	1228	G	C5-C6	5.56	1.48	1.42
26	BB	1684	G	C5-C6	5.56	1.48	1.42
26	BB	2549	G	N3-C4	-5.56	1.31	1.35
26	BB	2800	A	C5-C4	-5.56	1.34	1.38
1	AA	834	U	C4'-O4'	-5.56	1.38	1.45
3	AC	40	G	N9-C8	-5.56	1.33	1.37
26	BB	29	U	C2-N3	5.56	1.41	1.37
26	BB	175	G	N1-C2	-5.56	1.33	1.37
26	BB	570	G	C5'-C4'	5.56	1.58	1.51
26	BB	1069	A	C2'-O2'	5.56	1.48	1.41
26	BB	2793	C	C2-N3	5.56	1.40	1.35
50	BZ	74	GLY	CA-C	5.56	1.60	1.51
1	AA	341	C	N3-C4	5.55	1.37	1.33
1	AA	426	U	C2'-C1'	-5.55	1.47	1.53
1	AA	914	A	C6-N6	5.55	1.38	1.33
1	AA	1311	A	O3'-P	5.55	1.67	1.61
1	AA	1493	A	N1-C2	-5.55	1.29	1.34
2	AB	29	G	C4'-O4'	-5.55	1.38	1.45
2	AB	63	C	C5-C6	5.55	1.38	1.34
26	BB	1215	G	C8-N7	5.55	1.34	1.30
26	BB	1790	C	C2-N3	5.55	1.40	1.35
26	BB	1964	G	C4'-O4'	-5.55	1.38	1.45
26	BB	2756	U	C2-N3	5.55	1.41	1.37
57	B6	44	ARG	C-N	5.55	1.44	1.34
1	AA	137	U	C4-O4	-5.55	1.19	1.23
1	AA	657	U	N3-C4	5.55	1.43	1.38
2	AB	59	G	N7-C5	-5.55	1.35	1.39
4	AD	53	G	N9-C8	-5.55	1.33	1.37
25	BA	33	G	C8-N7	5.55	1.34	1.30
25	BA	90	C	C2-O2	-5.55	1.19	1.24
26	BB	936	A	P-O5'	5.55	1.65	1.59
26	BB	2702	G	C2'-O2'	-5.55	1.34	1.41
26	BB	2758	A	C2'-C1'	-5.55	1.47	1.53
1	AA	493	A	C5-C4	-5.55	1.34	1.38
1	AA	568	G	N1-C2	5.55	1.42	1.37
1	AA	793	U	C5'-C4'	5.55	1.58	1.51
1	AA	1044	A	O3'-P	5.55	1.67	1.61
1	AA	1263	C	C4-C5	5.55	1.47	1.43
1	AA	1391	U	P-O5'	5.55	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	141	G	C2'-C1'	5.55	1.59	1.53
26	BB	616	A	C2'-C1'	-5.55	1.47	1.53
26	BB	945	A	C4'-O4'	-5.55	1.38	1.45
26	BB	1231	U	O4'-C1'	5.55	1.48	1.41
26	BB	1345	C	C4'-C3'	-5.55	1.47	1.52
26	BB	1643	G	C6-N1	5.55	1.43	1.39
26	BB	2728	U	C2-N3	5.55	1.41	1.37
1	AA	51	A	C4'-O4'	-5.55	1.38	1.45
1	AA	168	G	C6-O6	-5.55	1.19	1.24
1	AA	815	A	C6-N6	-5.55	1.29	1.33
1	AA	872	A	N3-C4	5.55	1.38	1.34
1	AA	1030	U	C5-C6	5.55	1.39	1.34
26	BB	624	C	C2'-C1'	5.55	1.59	1.53
26	BB	735	A	N9-C4	5.55	1.41	1.37
26	BB	1093	G	C2-N2	5.55	1.40	1.34
26	BB	1102	C	C2-N3	5.55	1.40	1.35
26	BB	1621	U	N1-C6	5.55	1.43	1.38
26	BB	1635	A	C2-N3	5.55	1.38	1.33
26	BB	1640	A	C3'-C2'	5.55	1.59	1.52
26	BB	2093	G	C5'-C4'	5.55	1.58	1.51
26	BB	2612	C	N1-C2	5.55	1.45	1.40
26	BB	2677	G	C2'-C1'	-5.55	1.47	1.53
26	BB	317	G	C5-C6	5.55	1.47	1.42
26	BB	1123	C	P-O5'	5.55	1.65	1.59
26	BB	2016	U	C2-N3	-5.55	1.33	1.37
26	BB	2338	C	C5'-C4'	-5.55	1.44	1.51
1	AA	853	C	C3'-O3'	5.55	1.50	1.42
1	AA	1046	A	C4'-O4'	-5.55	1.38	1.45
1	AA	1296	C	C5'-C4'	5.55	1.58	1.51
1	AA	1442	G	N3-C4	5.55	1.39	1.35
1	AA	1484	C	P-O5'	5.55	1.65	1.59
2	AB	33	U	C4-C5	5.55	1.48	1.43
26	BB	99	U	C4'-O4'	-5.55	1.38	1.45
26	BB	426	C	C2-N3	-5.55	1.31	1.35
26	BB	726	G	C2-N3	5.55	1.37	1.32
26	BB	947	A	C8-N7	5.55	1.35	1.31
26	BB	2565	A	C6-N1	-5.55	1.31	1.35
26	BB	2658	C	N1-C6	5.55	1.40	1.37
1	AA	124	C	C5-C6	5.54	1.38	1.34
1	AA	197	A	N7-C5	5.54	1.42	1.39
1	AA	529	G	O3'-P	5.54	1.67	1.61
26	BB	1396	U	N1-C6	5.54	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1582	C	P-O5'	5.54	1.65	1.59
26	BB	1616	A	C6-N1	5.54	1.39	1.35
26	BB	2119	A	C5-C4	-5.54	1.34	1.38
1	AA	45	G	N3-C4	5.54	1.39	1.35
1	AA	175	C	C3'-O3'	5.54	1.50	1.42
1	AA	325	A	N7-C5	5.54	1.42	1.39
1	AA	521	G	C2-N3	5.54	1.37	1.32
1	AA	598	U	C4'-C3'	-5.54	1.47	1.52
1	AA	601	G	C2'-C1'	5.54	1.59	1.53
1	AA	630	A	N7-C5	-5.54	1.35	1.39
1	AA	1150	A	C6-N6	5.54	1.38	1.33
1	AA	1229	A	N3-C4	5.54	1.38	1.34
1	AA	1528	U	C2-N3	5.54	1.41	1.37
3	AC	23	C	C3'-C2'	-5.54	1.46	1.52
25	BA	49	C	C5'-C4'	5.54	1.58	1.51
26	BB	539	G	N7-C5	-5.54	1.35	1.39
26	BB	660	C	O3'-P	5.54	1.67	1.61
26	BB	1836	C	C2-N3	5.54	1.40	1.35
26	BB	2231	U	C2-N3	5.54	1.41	1.37
26	BB	2559	C	P-O5'	-5.54	1.54	1.59
26	BB	2619	C	C4'-O4'	-5.54	1.38	1.45
26	BB	2881	U	O3'-P	5.54	1.67	1.61
1	AA	1351	U	C2'-C1'	-5.54	1.47	1.53
26	BB	905	A	C2'-C1'	5.54	1.59	1.53
26	BB	2054	A	N3-C4	5.54	1.38	1.34
26	BB	2446	G	N1-C2	5.54	1.42	1.37
26	BB	2513	A	N1-C2	-5.54	1.29	1.34
26	BB	2630	G	N9-C4	-5.54	1.33	1.38
26	BB	2747	G	N3-C4	-5.54	1.31	1.35
1	AA	453	G	C5-C4	-5.54	1.34	1.38
1	AA	618	C	C4-N4	-5.54	1.28	1.33
1	AA	1443	C	C2-N3	5.54	1.40	1.35
7	AG	130	ASN	CB-CG	5.54	1.63	1.51
25	BA	62	C	C3'-O3'	5.54	1.50	1.42
26	BB	2312	U	O3'-P	5.54	1.67	1.61
26	BB	2783	U	C4-C5	5.54	1.48	1.43
1	AA	1353	G	P-O5'	5.54	1.65	1.59
1	AA	1524	C	C2'-C1'	5.54	1.59	1.53
26	BB	453	A	N9-C8	5.54	1.42	1.37
26	BB	662	G	C2-N3	5.54	1.37	1.32
26	BB	864	G	C8-N7	-5.54	1.27	1.30
26	BB	1137	G	N1-C2	-5.54	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1286	A	N9-C8	5.54	1.42	1.37
26	BB	1324	G	C5'-C4'	5.54	1.57	1.51
26	BB	1476	U	N1-C6	5.54	1.43	1.38
26	BB	1987	A	O3'-P	5.54	1.67	1.61
26	BB	2634	A	N7-C5	-5.54	1.35	1.39
26	BB	2763	G	N7-C5	-5.54	1.35	1.39
1	AA	18	C	O3'-P	5.54	1.67	1.61
1	AA	116	A	C6-N1	-5.54	1.31	1.35
1	AA	737	C	C4'-C3'	-5.54	1.47	1.52
1	AA	973	G	O3'-P	5.54	1.67	1.61
1	AA	1290	G	C2'-C1'	5.54	1.59	1.53
1	AA	1415	G	C8-N7	5.54	1.34	1.30
26	BB	62	U	C3'-C2'	-5.54	1.46	1.52
26	BB	730	A	N9-C4	5.54	1.41	1.37
26	BB	934	U	O3'-P	5.54	1.67	1.61
26	BB	1050	A	C5-C4	-5.54	1.34	1.38
26	BB	1134	A	C8-N7	-5.54	1.27	1.31
26	BB	1707	G	N3-C4	5.54	1.39	1.35
1	AA	113	G	C8-N7	-5.54	1.27	1.30
1	AA	353	A	C2'-C1'	-5.54	1.47	1.53
1	AA	1292	G	N9-C8	5.54	1.41	1.37
1	AA	1458	G	C8-N7	-5.54	1.27	1.30
25	BA	22	U	C4-C5	5.54	1.48	1.43
25	BA	109	A	C2-N3	5.54	1.38	1.33
26	BB	971	G	C5'-C4'	5.54	1.57	1.51
26	BB	1461	C	C5'-C4'	5.54	1.57	1.51
26	BB	2147	A	P-O5'	5.54	1.65	1.59
1	AA	64	G	C1'-N9	5.53	1.57	1.48
1	AA	111	G	C8-N7	-5.53	1.27	1.30
1	AA	338	A	C4'-O4'	-5.53	1.38	1.45
1	AA	348	G	C4'-O4'	-5.53	1.38	1.45
1	AA	525	C	C5-C6	5.53	1.38	1.34
1	AA	540	G	C5-C4	-5.53	1.34	1.38
1	AA	963	G	N9-C8	-5.53	1.33	1.37
26	BB	1179	G	N3-C4	-5.53	1.31	1.35
26	BB	2147	A	C6-N6	5.53	1.38	1.33
26	BB	2438	U	N3-C4	5.53	1.43	1.38
26	BB	2441	U	P-O5'	5.53	1.65	1.59
26	BB	2475	C	C4-C5	5.53	1.47	1.43
26	BB	2811	G	C3'-C2'	5.53	1.59	1.52
1	AA	19	A	N3-C4	-5.53	1.31	1.34
1	AA	354	G	C5'-C4'	5.53	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	453	G	C5'-C4'	5.53	1.57	1.51
1	AA	674	G	P-O5'	5.53	1.65	1.59
1	AA	722	G	C2-N3	5.53	1.37	1.32
1	AA	1067	A	C5'-C4'	-5.53	1.44	1.51
1	AA	1376	U	C2'-O2'	-5.53	1.34	1.41
26	BB	847	U	C5'-C4'	5.53	1.57	1.51
26	BB	2412	A	C5-C6	5.53	1.46	1.41
1	AA	1029	U	C2-O2	5.53	1.27	1.22
1	AA	1130	A	N1-C2	5.53	1.39	1.34
2	AB	60	U	N1-C2	5.53	1.43	1.38
26	BB	12	U	C4-C5	5.53	1.48	1.43
26	BB	95	A	N9-C8	5.53	1.42	1.37
26	BB	315	G	C6-N1	5.53	1.43	1.39
26	BB	564	C	C5'-C4'	5.53	1.57	1.51
26	BB	1674	G	C5-C6	5.53	1.47	1.42
26	BB	2799	A	O3'-P	5.53	1.67	1.61
1	AA	1024	G	C2-N3	-5.53	1.28	1.32
25	BA	5	U	P-O5'	5.53	1.65	1.59
26	BB	583	G	C3'-C2'	-5.53	1.46	1.52
26	BB	975	A	N3-C4	-5.53	1.31	1.34
1	AA	82	G	C6-O6	5.53	1.29	1.24
1	AA	1093	A	N9-C8	-5.53	1.33	1.37
26	BB	543	G	C6-N1	5.53	1.43	1.39
26	BB	698	C	C2-N3	5.53	1.40	1.35
26	BB	1410	G	C5'-C4'	5.53	1.57	1.51
26	BB	1632	A	C8-N7	5.53	1.35	1.31
26	BB	1788	C	N1-C6	5.53	1.40	1.37
26	BB	2027	G	P-O5'	5.53	1.65	1.59
26	BB	2514	U	C2-N3	5.53	1.41	1.37
1	AA	385	C	C5-C6	5.53	1.38	1.34
1	AA	639	G	C2'-C1'	5.53	1.59	1.53
1	AA	930	C	P-O5'	5.53	1.65	1.59
1	AA	1451	U	O3'-P	5.53	1.67	1.61
26	BB	825	A	N9-C8	-5.53	1.33	1.37
26	BB	940	G	O3'-P	5.53	1.67	1.61
26	BB	1128	G	C5'-C4'	5.53	1.57	1.51
26	BB	1575	C	C4'-C3'	5.53	1.59	1.53
26	BB	1958	C	C4'-C3'	5.53	1.59	1.53
1	AA	227	G	C4'-O4'	-5.52	1.38	1.45
26	BB	125	A	P-O5'	5.52	1.65	1.59
26	BB	1996	C	C4-C5	-5.52	1.38	1.43
26	BB	2572	A	C2-N3	-5.52	1.28	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2808	G	N9-C8	5.52	1.41	1.37
1	AA	279	A	N7-C5	-5.52	1.35	1.39
1	AA	675	A	N9-C4	-5.52	1.34	1.37
2	AB	35	C	N3-C4	5.52	1.37	1.33
11	AK	113	ARG	NE-CZ	5.52	1.40	1.33
25	BA	54	G	O3'-P	-5.52	1.54	1.61
26	BB	432	A	C2'-C1'	-5.52	1.47	1.53
26	BB	590	A	N9-C8	-5.52	1.33	1.37
26	BB	842	U	C4-O4	-5.52	1.19	1.23
26	BB	945	A	P-O5'	5.52	1.65	1.59
26	BB	1322	A	N1-C2	-5.52	1.29	1.34
26	BB	1393	A	N3-C4	5.52	1.38	1.34
26	BB	2204	G	C4'-C3'	5.52	1.59	1.53
26	BB	2616	C	C5-C6	5.52	1.38	1.34
26	BB	2812	G	P-O5'	5.52	1.65	1.59
26	BB	1967	C	N1-C6	5.52	1.40	1.37
26	BB	2663	G	N7-C5	-5.52	1.35	1.39
31	BG	60	SER	CA-CB	5.52	1.61	1.52
1	AA	1298	U	P-O5'	5.52	1.65	1.59
1	AA	1382	C	N1-C6	5.52	1.40	1.37
26	BB	2110	G	C2-N2	-5.52	1.29	1.34
36	BL	75	TYR	CE1-CZ	5.52	1.45	1.38
1	AA	557	G	C4'-O4'	-5.52	1.38	1.45
1	AA	594	U	C4-O4	-5.52	1.19	1.23
1	AA	1060	U	C4'-O4'	-5.52	1.38	1.45
1	AA	1156	G	P-O5'	5.52	1.65	1.59
9	AI	15	SER	CB-OG	5.52	1.49	1.42
26	BB	173	A	N3-C4	5.52	1.38	1.34
26	BB	722	A	N7-C5	5.52	1.42	1.39
26	BB	1117	C	C3'-O3'	5.52	1.49	1.42
26	BB	1121	C	C2-O2	-5.52	1.19	1.24
26	BB	2111	U	O5'-C5'	-5.52	1.34	1.42
1	AA	328	C	N1-C6	5.52	1.40	1.37
26	BB	767	U	C4'-O4'	-5.52	1.38	1.45
26	BB	2587	A	C5'-C4'	5.52	1.57	1.51
26	BB	2874	C	N1-C6	5.52	1.40	1.37
1	AA	502	A	C3'-C2'	5.51	1.59	1.52
1	AA	639	G	C5-C6	5.51	1.47	1.42
1	AA	1098	C	C3'-O3'	-5.51	1.34	1.42
26	BB	43	G	C5'-C4'	5.51	1.57	1.51
26	BB	324	A	P-O5'	5.51	1.65	1.59
26	BB	547	A	N9-C4	5.51	1.41	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	656	G	N3-C4	5.51	1.39	1.35
26	BB	810	U	N1-C2	5.51	1.43	1.38
26	BB	1221	C	C4'-O4'	-5.51	1.38	1.45
26	BB	2417	C	C5-C6	5.51	1.38	1.34
26	BB	2438	U	C4-C5	5.51	1.48	1.43
26	BB	2602	A	C6-N6	5.51	1.38	1.33
1	AA	864	A	N3-C4	5.51	1.38	1.34
1	AA	995	C	C3'-C2'	5.51	1.59	1.52
1	AA	1137	C	C5'-C4'	5.51	1.57	1.51
25	BA	109	A	C3'-C2'	5.51	1.59	1.52
26	BB	571	U	P-O5'	5.51	1.65	1.59
26	BB	739	A	C6-N6	5.51	1.38	1.33
26	BB	1260	A	C4'-C3'	-5.51	1.47	1.52
26	BB	2127	G	N9-C4	5.51	1.42	1.38
26	BB	2841	C	N1-C6	-5.51	1.33	1.37
26	BB	2895	G	C6-N1	5.51	1.43	1.39
1	AA	125	U	P-O5'	5.51	1.65	1.59
1	AA	1319	A	O3'-P	-5.51	1.54	1.61
26	BB	2123	G	C3'-O3'	-5.51	1.34	1.42
26	BB	2369	A	C8-N7	-5.51	1.27	1.31
26	BB	2415	G	C3'-C2'	5.51	1.59	1.52
1	AA	1016	A	N9-C8	5.51	1.42	1.37
25	BA	69	G	N3-C4	5.51	1.39	1.35
26	BB	18	U	O3'-P	-5.51	1.54	1.61
26	BB	74	A	C5-C4	-5.51	1.34	1.38
26	BB	137	U	C4'-O4'	-5.51	1.38	1.45
26	BB	221	A	P-O5'	5.51	1.65	1.59
26	BB	1255	U	C3'-O3'	5.51	1.49	1.42
26	BB	1432	G	C2'-O2'	5.51	1.48	1.41
26	BB	2024	G	C5-C6	5.51	1.47	1.42
26	BB	2660	A	N3-C4	5.51	1.38	1.34
26	BB	2674	G	C8-N7	5.51	1.34	1.30
26	BB	2860	A	O3'-P	5.51	1.67	1.61
32	BH	29	ASN	CA-CB	5.51	1.67	1.53
45	BU	110	ARG	CZ-NH1	5.51	1.40	1.33
1	AA	388	G	C2'-O2'	-5.51	1.34	1.41
1	AA	473	U	C2'-C1'	-5.51	1.47	1.53
26	BB	600	G	C4'-O4'	-5.51	1.38	1.45
26	BB	951	C	C2'-O2'	-5.51	1.34	1.41
26	BB	2098	U	C2-N3	5.51	1.41	1.37
26	BB	2199	A	C4'-C3'	5.51	1.59	1.53
1	AA	414	A	O3'-P	5.51	1.67	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	35	C	C2-O2	-5.51	1.19	1.24
26	BB	514	A	C4'-O4'	-5.51	1.38	1.45
26	BB	729	G	C5-C6	5.51	1.47	1.42
26	BB	927	A	C8-N7	-5.51	1.27	1.31
26	BB	1049	C	P-O5'	5.51	1.65	1.59
26	BB	1177	G	C5'-C4'	5.51	1.57	1.51
26	BB	2362	C	C5'-C4'	5.51	1.57	1.51
25	BA	30	C	N1-C2	5.50	1.45	1.40
26	BB	127	A	C6-N1	5.50	1.39	1.35
26	BB	896	A	C4'-C3'	-5.50	1.47	1.52
26	BB	1055	G	C8-N7	5.50	1.34	1.30
26	BB	1099	G	C2-N2	5.50	1.40	1.34
26	BB	1854	A	P-O5'	5.50	1.65	1.59
26	BB	2429	G	N7-C5	5.50	1.42	1.39
1	AA	139	A	N9-C8	5.50	1.42	1.37
1	AA	326	G	C6-N1	5.50	1.43	1.39
1	AA	382	A	C5-C4	-5.50	1.34	1.38
1	AA	757	U	C1'-N1	5.50	1.57	1.48
1	AA	855	U	C4'-O4'	-5.50	1.38	1.45
1	AA	984	C	C4-N4	5.50	1.39	1.33
1	AA	1320	C	N3-C4	5.50	1.37	1.33
26	BB	324	A	N3-C4	5.50	1.38	1.34
26	BB	396	G	C6-O6	-5.50	1.19	1.24
26	BB	411	G	C4'-O4'	-5.50	1.38	1.45
26	BB	514	A	C4'-C3'	5.50	1.59	1.53
26	BB	1637	A	N9-C4	5.50	1.41	1.37
26	BB	1904	G	N1-C2	5.50	1.42	1.37
26	BB	1975	G	C3'-C2'	5.50	1.59	1.52
28	BD	226	PRO	CA-CB	-5.50	1.42	1.53
1	AA	548	G	C4'-O4'	-5.50	1.38	1.45
1	AA	782	A	C2-N3	5.50	1.38	1.33
1	AA	1075	U	N3-C4	5.50	1.43	1.38
1	AA	1133	G	N1-C2	5.50	1.42	1.37
25	BA	69	G	P-O5'	5.50	1.65	1.59
26	BB	1117	C	C2-N3	5.50	1.40	1.35
26	BB	1327	A	N7-C5	-5.50	1.35	1.39
26	BB	1562	U	C5-C6	5.50	1.39	1.34
26	BB	2160	C	P-O5'	5.50	1.65	1.59
1	AA	117	G	C2-N2	-5.50	1.29	1.34
26	BB	345	A	C8-N7	5.50	1.35	1.31
26	BB	1227	G	N7-C5	5.50	1.42	1.39
26	BB	2461	A	C5-C4	-5.50	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2506	U	N3-C4	5.50	1.43	1.38
1	AA	388	G	C2'-C1'	-5.50	1.47	1.53
1	AA	1316	G	C2-N3	5.50	1.37	1.32
1	AA	1522	U	O4'-C1'	5.50	1.48	1.41
2	AB	28	C	C4-C5	5.50	1.47	1.43
26	BB	114	U	C4-O4	5.50	1.28	1.23
26	BB	156	A	P-O5'	-5.50	1.54	1.59
26	BB	441	U	C2-O2	5.50	1.27	1.22
26	BB	727	A	C6-N1	-5.50	1.31	1.35
26	BB	2120	G	P-O5'	5.50	1.65	1.59
26	BB	2824	C	C4-N4	5.50	1.38	1.33
1	AA	479	U	C3'-O3'	5.50	1.49	1.42
1	AA	543	U	N1-C2	5.50	1.43	1.38
1	AA	993	G	C4'-O4'	-5.50	1.38	1.45
1	AA	1226	C	C4'-O4'	-5.50	1.38	1.45
1	AA	1537	U	C4-O4	-5.50	1.19	1.23
2	AB	34	C	C4-N4	5.50	1.38	1.33
25	BA	4	C	C2-O2	-5.50	1.19	1.24
26	BB	110	G	N1-C2	5.50	1.42	1.37
26	BB	989	G	C5-C6	5.50	1.47	1.42
26	BB	2614	A	P-O5'	5.50	1.65	1.59
1	AA	714	G	N1-C2	5.50	1.42	1.37
26	BB	1386	C	P-O5'	5.50	1.65	1.59
26	BB	2212	A	N9-C4	5.50	1.41	1.37
26	BB	2436	G	C5-C4	5.50	1.42	1.38
1	AA	310	G	C8-N7	-5.49	1.27	1.30
1	AA	480	U	N1-C2	5.49	1.43	1.38
1	AA	764	C	C5'-C4'	5.49	1.57	1.51
1	AA	1227	A	C8-N7	5.49	1.35	1.31
1	AA	1278	G	C8-N7	-5.49	1.27	1.30
26	BB	6	A	P-O5'	5.49	1.65	1.59
26	BB	87	U	N1-C6	5.49	1.42	1.38
26	BB	626	A	C4'-O4'	-5.49	1.38	1.45
26	BB	668	A	C2-N3	5.49	1.38	1.33
26	BB	1340	U	C5'-C4'	-5.49	1.44	1.51
26	BB	1463	C	N1-C2	5.49	1.45	1.40
26	BB	1613	G	C5'-C4'	5.49	1.57	1.51
26	BB	2326	C	C3'-C2'	-5.49	1.46	1.52
1	AA	1132	C	P-O5'	5.49	1.65	1.59
4	AD	68	C	N1-C6	5.49	1.40	1.37
26	BB	948	C	N3-C4	-5.49	1.30	1.33
1	AA	626	G	C6-N1	5.49	1.43	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	834	U	C4-C5	5.49	1.48	1.43
3	AC	50	U	C5'-C4'	5.49	1.57	1.51
25	BA	99	A	C2-N3	5.49	1.38	1.33
26	BB	363	G	C2'-C1'	5.49	1.59	1.53
26	BB	875	G	C4'-C3'	5.49	1.59	1.53
26	BB	905	A	N9-C8	-5.49	1.33	1.37
26	BB	1007	C	C5'-C4'	5.49	1.57	1.51
26	BB	1027	A	C4'-O4'	-5.49	1.38	1.45
26	BB	1313	U	C2-N3	5.49	1.41	1.37
26	BB	1904	G	N9-C8	-5.49	1.34	1.37
26	BB	2042	A	N9-C8	5.49	1.42	1.37
26	BB	2143	C	P-O5'	5.49	1.65	1.59
26	BB	2267	A	C2-N3	5.49	1.38	1.33
1	AA	256	U	P-O5'	5.49	1.65	1.59
1	AA	365	U	C2-N3	5.49	1.41	1.37
1	AA	987	G	O3'-P	5.49	1.67	1.61
1	AA	1149	C	C4-C5	5.49	1.47	1.43
25	BA	35	C	C2-N3	5.49	1.40	1.35
26	BB	87	U	P-O5'	5.49	1.65	1.59
26	BB	452	G	C2-N3	5.49	1.37	1.32
26	BB	1278	C	C5'-C4'	5.49	1.57	1.51
26	BB	1937	A	C5'-C4'	5.49	1.57	1.51
26	BB	2345	G	C6-N1	5.49	1.43	1.39
26	BB	2839	G	O4'-C1'	5.49	1.48	1.41
29	BE	64	GLU	CG-CD	5.49	1.60	1.51
1	AA	907	A	N1-C2	-5.49	1.29	1.34
26	BB	2807	U	C4-C5	5.49	1.48	1.43
1	AA	347	G	N9-C8	-5.49	1.34	1.37
1	AA	617	G	N3-C4	5.49	1.39	1.35
1	AA	776	G	C2-N3	5.49	1.37	1.32
1	AA	1459	G	O3'-P	5.49	1.67	1.61
2	AB	1	A	N9-C4	-5.49	1.34	1.37
26	BB	271	G	N3-C4	5.49	1.39	1.35
26	BB	299	A	C6-N1	-5.49	1.31	1.35
26	BB	667	U	C2-O2	5.49	1.27	1.22
26	BB	1204	A	N9-C4	-5.49	1.34	1.37
26	BB	2729	G	N9-C8	-5.49	1.34	1.37
26	BB	2763	G	C8-N7	5.49	1.34	1.30
1	AA	1360	A	O3'-P	5.48	1.67	1.61
1	AA	1497	G	C5-C4	-5.48	1.34	1.38
1	AA	18	C	C4-C5	5.48	1.47	1.43
1	AA	910	C	N3-C4	-5.48	1.30	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1064	G	C2-N3	5.48	1.37	1.32
1	AA	1219	A	N3-C4	5.48	1.38	1.34
5	AE	21	TYR	CE1-CZ	5.48	1.45	1.38
26	BB	188	G	C6-N1	-5.48	1.35	1.39
26	BB	503	A	C1'-N9	5.48	1.56	1.48
26	BB	2653	U	C2-N3	-5.48	1.33	1.37
26	BB	2692	G	P-O5'	5.48	1.65	1.59
26	BB	2894	G	C8-N7	-5.48	1.27	1.30
1	AA	93	U	C2-O2	5.48	1.27	1.22
1	AA	210	C	C2-N3	5.48	1.40	1.35
1	AA	292	G	C6-N1	5.48	1.43	1.39
1	AA	353	A	O3'-P	-5.48	1.54	1.61
1	AA	610	U	N1-C2	5.48	1.43	1.38
1	AA	965	U	C2-N3	5.48	1.41	1.37
1	AA	1038	C	O4'-C1'	5.48	1.48	1.41
1	AA	1422	G	P-O5'	-5.48	1.54	1.59
1	AA	1448	C	N1-C2	5.48	1.45	1.40
1	AA	1459	G	N7-C5	-5.48	1.35	1.39
26	BB	1021	A	C2'-C1'	5.48	1.59	1.53
26	BB	1021	A	N9-C8	-5.48	1.33	1.37
26	BB	1034	G	N9-C4	5.48	1.42	1.38
26	BB	1455	G	C2-N3	5.48	1.37	1.32
48	BX	82	TYR	CB-CG	5.48	1.59	1.51
1	AA	74	A	C5-C4	5.48	1.42	1.38
1	AA	497	G	C5-C6	5.48	1.47	1.42
1	AA	1160	G	N7-C5	-5.48	1.35	1.39
1	AA	1166	G	N3-C4	5.48	1.39	1.35
26	BB	325	G	C2-N3	5.48	1.37	1.32
26	BB	612	G	C2'-C1'	-5.48	1.47	1.53
26	BB	666	A	N3-C4	5.48	1.38	1.34
26	BB	1659	G	C8-N7	-5.48	1.27	1.30
26	BB	2049	G	C4'-O4'	-5.48	1.38	1.45
26	BB	2359	C	O3'-P	5.48	1.67	1.61
43	BS	6	GLY	CA-C	5.48	1.60	1.51
1	AA	4	U	P-O5'	5.48	1.65	1.59
1	AA	137	U	C5'-C4'	5.48	1.57	1.51
26	BB	331	C	C2-O2	-5.48	1.19	1.24
26	BB	1132	U	C5'-C4'	5.48	1.57	1.51
26	BB	1640	A	N3-C4	5.48	1.38	1.34
26	BB	2459	A	N1-C2	5.48	1.39	1.34
1	AA	628	G	P-O5'	5.47	1.65	1.59
1	AA	880	C	C5-C6	5.47	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	976	G	C8-N7	5.47	1.34	1.30
1	AA	982	U	C2-N3	5.47	1.41	1.37
3	AC	59	A	N9-C8	5.47	1.42	1.37
25	BA	87	U	C4-C5	5.47	1.48	1.43
26	BB	548	G	N7-C5	-5.47	1.35	1.39
26	BB	2355	G	C5-C4	5.47	1.42	1.38
1	AA	114	U	C4-O4	5.47	1.28	1.23
1	AA	1278	G	P-O5'	5.47	1.65	1.59
26	BB	18	U	P-O5'	5.47	1.65	1.59
26	BB	362	A	N3-C4	5.47	1.38	1.34
26	BB	779	U	C4-C5	5.47	1.48	1.43
26	BB	868	U	C5-C6	5.47	1.39	1.34
26	BB	1210	G	C2-N3	5.47	1.37	1.32
26	BB	1652	A	N9-C4	5.47	1.41	1.37
26	BB	1657	U	N3-C4	5.47	1.43	1.38
26	BB	1852	U	C5'-C4'	5.47	1.57	1.51
1	AA	595	A	N9-C8	5.47	1.42	1.37
19	AS	8	ARG	CZ-NH1	5.47	1.40	1.33
26	BB	365	U	C5-C6	5.47	1.39	1.34
26	BB	2032	G	C3'-O3'	5.47	1.49	1.42
26	BB	2210	U	C5'-C4'	5.47	1.57	1.51
26	BB	2344	U	C5'-C4'	5.47	1.57	1.51
26	BB	2808	G	N1-C2	5.47	1.42	1.37
52	B1	15	ARG	CZ-NH2	5.47	1.40	1.33
1	AA	93	U	C1'-N1	5.47	1.56	1.48
1	AA	683	G	N3-C4	5.47	1.39	1.35
1	AA	860	A	C4'-O4'	-5.47	1.38	1.45
1	AA	1067	A	C6-N1	-5.47	1.31	1.35
25	BA	81	G	O4'-C1'	5.47	1.48	1.41
26	BB	484	C	N1-C6	5.47	1.40	1.37
26	BB	558	U	C4'-O4'	-5.47	1.38	1.45
26	BB	1743	G	O3'-P	5.47	1.67	1.61
26	BB	1888	G	C5-C4	-5.47	1.34	1.38
26	BB	1958	C	O3'-P	5.47	1.67	1.61
26	BB	2144	G	C5'-C4'	5.47	1.57	1.51
26	BB	2752	C	O4'-C1'	5.47	1.48	1.41
26	BB	2273	A	N7-C5	5.47	1.42	1.39
26	BB	2697	G	C2'-C1'	5.47	1.59	1.53
1	AA	690	G	C3'-C2'	-5.47	1.46	1.52
1	AA	779	C	C5-C6	-5.47	1.29	1.34
1	AA	919	A	N7-C5	-5.47	1.35	1.39
1	AA	924	C	N3-C4	-5.47	1.30	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1104	G	N7-C5	5.47	1.42	1.39
1	AA	1523	G	C5'-C4'	5.47	1.57	1.51
25	BA	28	C	O3'-P	-5.47	1.54	1.61
26	BB	55	G	C3'-C2'	-5.47	1.46	1.52
26	BB	922	C	C5'-C4'	5.47	1.57	1.51
26	BB	1021	A	P-O5'	5.47	1.65	1.59
26	BB	1122	G	O3'-P	-5.47	1.54	1.61
26	BB	1481	U	C2-O2	5.47	1.27	1.22
26	BB	1935	G	N3-C4	-5.47	1.31	1.35
26	BB	2319	G	N7-C5	5.47	1.42	1.39
4	AD	35	C	P-O5'	5.46	1.65	1.59
26	BB	12	U	N1-C6	5.46	1.42	1.38
26	BB	537	G	C8-N7	5.46	1.34	1.30
26	BB	750	A	N7-C5	5.46	1.42	1.39
26	BB	943	A	C5'-C4'	5.46	1.57	1.51
26	BB	1480	C	C5'-C4'	5.46	1.57	1.51
26	BB	2353	G	N1-C2	5.46	1.42	1.37
26	BB	2657	A	C2'-O2'	5.46	1.48	1.41
1	AA	789	U	C2-N3	5.46	1.41	1.37
1	AA	1458	G	C2-N3	5.46	1.37	1.32
26	BB	232	G	C2'-C1'	5.46	1.59	1.53
26	BB	1121	C	C1'-N1	5.46	1.56	1.48
1	AA	58	C	C4'-O4'	-5.46	1.38	1.45
1	AA	159	G	N1-C2	-5.46	1.33	1.37
1	AA	475	C	N1-C2	5.46	1.45	1.40
1	AA	774	G	N9-C8	-5.46	1.34	1.37
1	AA	1236	A	C4'-O4'	-5.46	1.38	1.45
1	AA	1424	U	C5'-C4'	5.46	1.57	1.51
26	BB	94	A	P-O5'	-5.46	1.54	1.59
26	BB	217	A	O3'-P	5.46	1.67	1.61
26	BB	793	A	C2'-O2'	5.46	1.48	1.41
4	AD	68	C	P-O5'	5.46	1.65	1.59
26	BB	373	U	C2-N3	-5.46	1.33	1.37
26	BB	455	C	O3'-P	5.46	1.67	1.61
26	BB	1049	C	N1-C2	5.46	1.45	1.40
26	BB	1149	G	N3-C4	5.46	1.39	1.35
26	BB	2806	C	C4-N4	5.46	1.38	1.33
1	AA	119	A	N9-C4	5.46	1.41	1.37
1	AA	254	G	P-O5'	5.46	1.65	1.59
1	AA	768	A	C2-N3	5.46	1.38	1.33
1	AA	793	U	P-O5'	5.46	1.65	1.59
1	AA	1242	G	C2'-C1'	5.46	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1258	G	C4'-C3'	-5.46	1.47	1.52
2	AB	50	G	O3'-P	5.46	1.67	1.61
3	AC	55	A	N9-C4	5.46	1.41	1.37
26	BB	200	U	C2-N3	5.46	1.41	1.37
26	BB	496	G	C5'-C4'	5.46	1.57	1.51
26	BB	2249	U	P-O5'	5.46	1.65	1.59
26	BB	2466	C	C2-N3	5.46	1.40	1.35
1	AA	888	G	C6-O6	-5.46	1.19	1.24
1	AA	946	A	C6-N6	5.46	1.38	1.33
1	AA	1517	G	C2-N3	5.46	1.37	1.32
26	BB	417	C	C4-C5	5.46	1.47	1.43
26	BB	1076	C	C5'-C4'	5.46	1.57	1.51
26	BB	1146	C	C4-C5	5.46	1.47	1.43
26	BB	1268	A	C6-N1	-5.46	1.31	1.35
26	BB	1683	U	N1-C2	5.46	1.43	1.38
26	BB	2059	A	N9-C4	5.46	1.41	1.37
26	BB	2381	A	C2-N3	-5.46	1.28	1.33
1	AA	4	U	C4'-O4'	-5.46	1.38	1.45
26	BB	599	A	C6-N6	5.46	1.38	1.33
26	BB	1980	G	N9-C8	-5.46	1.34	1.37
1	AA	415	A	P-O5'	-5.45	1.54	1.59
1	AA	1352	C	O3'-P	5.45	1.67	1.61
1	AA	1457	G	O3'-P	5.45	1.67	1.61
25	BA	38	C	C4-C5	5.45	1.47	1.43
26	BB	522	A	C4'-C3'	5.45	1.59	1.53
26	BB	522	A	N1-C2	5.45	1.39	1.34
26	BB	1012	U	N1-C6	5.45	1.42	1.38
26	BB	1695	G	N9-C8	-5.45	1.34	1.37
1	AA	789	U	N3-C4	5.45	1.43	1.38
7	AG	114	ARG	CD-NE	5.45	1.55	1.46
26	BB	411	G	C8-N7	5.45	1.34	1.30
26	BB	868	U	N1-C6	5.45	1.42	1.38
26	BB	1206	G	C5-C6	5.45	1.47	1.42
26	BB	1247	A	N3-C4	5.45	1.38	1.34
26	BB	1651	G	N9-C4	-5.45	1.33	1.38
1	AA	253	A	N3-C4	5.45	1.38	1.34
1	AA	737	C	N1-C2	5.45	1.45	1.40
1	AA	1257	A	C2'-C1'	5.45	1.59	1.53
4	AD	61	U	C5'-C4'	5.45	1.57	1.51
10	AJ	84	TYR	CE1-CZ	5.45	1.45	1.38
26	BB	153	U	C2'-C1'	5.45	1.59	1.53
26	BB	389	G	P-O5'	5.45	1.65	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	531	C	C1'-N1	5.45	1.56	1.48
26	BB	602	A	N3-C4	5.45	1.38	1.34
26	BB	1218	G	O4'-C1'	5.45	1.48	1.41
26	BB	1318	U	C5'-C4'	5.45	1.57	1.51
26	BB	1922	G	P-O5'	-5.45	1.54	1.59
26	BB	2711	A	C2-N3	-5.45	1.28	1.33
26	BB	2780	G	C2-N3	5.45	1.37	1.32
26	BB	2818	U	N1-C2	5.45	1.43	1.38
1	AA	344	A	C5'-C4'	5.45	1.57	1.51
1	AA	438	U	N1-C2	5.45	1.43	1.38
1	AA	939	G	C4'-O4'	-5.45	1.38	1.45
26	BB	41	C	N1-C2	5.45	1.45	1.40
26	BB	902	C	C2'-O2'	5.45	1.48	1.41
26	BB	1194	A	N3-C4	5.45	1.38	1.34
26	BB	1445	G	C2-N2	-5.45	1.29	1.34
26	BB	1802	A	N9-C4	5.45	1.41	1.37
26	BB	2008	C	C4-N4	5.45	1.38	1.33
1	AA	134	G	N3-C4	5.45	1.39	1.35
26	BB	1725	U	P-O5'	5.45	1.65	1.59
26	BB	2429	G	N1-C2	5.45	1.42	1.37
26	BB	2808	G	P-O5'	5.45	1.65	1.59
1	AA	745	G	N3-C4	-5.45	1.31	1.35
1	AA	780	A	P-O5'	5.45	1.65	1.59
1	AA	896	C	C4-C5	-5.45	1.38	1.43
1	AA	960	U	C2'-C1'	5.45	1.59	1.53
1	AA	1542	A	C5'-C4'	5.45	1.57	1.51
3	AC	17	U	O4'-C1'	5.45	1.48	1.41
26	BB	72	U	O3'-P	5.45	1.67	1.61
26	BB	134	G	C8-N7	5.45	1.34	1.30
26	BB	177	G	C8-N7	-5.45	1.27	1.30
26	BB	1000	A	C3'-C2'	5.45	1.58	1.52
26	BB	1133	A	C3'-C2'	5.45	1.58	1.52
26	BB	1887	C	C4-C5	5.45	1.47	1.43
26	BB	2388	A	N7-C5	-5.45	1.35	1.39
26	BB	2558	C	C2'-O2'	5.45	1.48	1.41
26	BB	433	C	C4-C5	5.44	1.47	1.43
26	BB	790	U	C4-O4	5.44	1.28	1.23
1	AA	101	A	C6-N1	5.44	1.39	1.35
1	AA	694	A	C6-N1	5.44	1.39	1.35
1	AA	861	G	N3-C4	5.44	1.39	1.35
1	AA	865	A	C2-N3	-5.44	1.28	1.33
1	AA	928	G	C4'-C3'	5.44	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	941	G	P-O5'	5.44	1.65	1.59
4	AD	22	A	N1-C2	-5.44	1.29	1.34
26	BB	219	A	N9-C8	-5.44	1.33	1.37
26	BB	859	G	N3-C4	5.44	1.39	1.35
26	BB	1362	C	C4-N4	5.44	1.38	1.33
26	BB	1454	C	C4'-O4'	-5.44	1.38	1.45
26	BB	1695	G	C4'-O4'	-5.44	1.38	1.45
26	BB	1701	A	C2-N3	-5.44	1.28	1.33
26	BB	2314	A	C6-N6	-5.44	1.29	1.33
26	BB	2337	G	C2-N3	5.44	1.37	1.32
1	AA	131	A	N3-C4	5.44	1.38	1.34
1	AA	154	U	C4-C5	5.44	1.48	1.43
1	AA	586	C	O4'-C1'	5.44	1.48	1.41
1	AA	770	C	C2-O2	-5.44	1.19	1.24
1	AA	1036	A	N3-C4	5.44	1.38	1.34
1	AA	1160	G	N9-C8	5.44	1.41	1.37
1	AA	1422	G	C2-N3	5.44	1.37	1.32
25	BA	81	G	C2-N3	5.44	1.37	1.32
26	BB	63	A	C2'-O2'	-5.44	1.34	1.41
26	BB	207	A	P-O5'	5.44	1.65	1.59
26	BB	710	U	N3-C4	5.44	1.43	1.38
26	BB	996	A	C5-C6	-5.44	1.36	1.41
26	BB	1057	A	P-O5'	5.44	1.65	1.59
26	BB	1551	A	P-O5'	-5.44	1.54	1.59
26	BB	2266	A	C4'-C3'	5.44	1.59	1.53
1	AA	469	C	C4-C5	5.44	1.47	1.43
1	AA	786	G	N3-C4	5.44	1.39	1.35
1	AA	786	G	N9-C4	5.44	1.42	1.38
1	AA	1123	U	N1-C2	5.44	1.43	1.38
1	AA	1241	G	C6-N1	-5.44	1.35	1.39
1	AA	1264	U	C2-O2	5.44	1.27	1.22
12	AL	6	TYR	CG-CD2	5.44	1.46	1.39
26	BB	2803	G	C3'-C2'	5.44	1.58	1.52
1	AA	73	C	C4'-O4'	-5.44	1.38	1.45
1	AA	812	G	C5-C4	5.44	1.42	1.38
25	BA	110	C	C2-N3	5.44	1.40	1.35
26	BB	291	G	O3'-P	5.44	1.67	1.61
26	BB	596	U	P-O5'	5.44	1.65	1.59
26	BB	1549	A	C8-N7	5.44	1.35	1.31
26	BB	2338	C	C4'-O4'	-5.44	1.38	1.45
26	BB	2645	G	C5-C6	5.44	1.47	1.42
51	B0	5	GLU	CD-OE2	5.44	1.31	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	142	G	C2'-C1'	5.44	1.59	1.53
1	AA	692	U	C4-C5	5.44	1.48	1.43
26	BB	368	A	N3-C4	5.44	1.38	1.34
1	AA	32	A	O4'-C1'	5.43	1.48	1.41
1	AA	120	A	C8-N7	-5.43	1.27	1.31
1	AA	553	A	P-O5'	5.43	1.65	1.59
1	AA	633	G	O3'-P	-5.43	1.54	1.61
1	AA	651	C	N3-C4	-5.43	1.30	1.33
1	AA	653	U	N3-C4	5.43	1.43	1.38
1	AA	816	A	N3-C4	5.43	1.38	1.34
1	AA	1199	U	N1-C2	5.43	1.43	1.38
1	AA	1220	G	N9-C8	5.43	1.41	1.37
1	AA	1499	A	C5-C4	-5.43	1.34	1.38
2	AB	26	A	N3-C4	5.43	1.38	1.34
26	BB	277	G	N7-C5	5.43	1.42	1.39
26	BB	810	U	C5-C6	5.43	1.39	1.34
26	BB	883	G	C8-N7	-5.43	1.27	1.30
26	BB	1419	A	N9-C4	-5.43	1.34	1.37
26	BB	1432	G	C2-N3	5.43	1.37	1.32
26	BB	1992	G	P-O5'	5.43	1.65	1.59
1	AA	238	A	N1-C2	5.43	1.39	1.34
1	AA	255	G	C1'-N9	5.43	1.56	1.48
1	AA	414	A	C4'-O4'	-5.43	1.38	1.45
1	AA	781	A	O4'-C1'	5.43	1.48	1.41
26	BB	1200	C	C4'-O4'	-5.43	1.38	1.45
26	BB	1663	G	N7-C5	5.43	1.42	1.39
26	BB	1976	U	N3-C4	5.43	1.43	1.38
26	BB	2048	G	N9-C8	-5.43	1.34	1.37
26	BB	2557	G	C2-N3	5.43	1.37	1.32
26	BB	2793	C	C4-C5	5.43	1.47	1.43
39	BO	4	PRO	N-CD	-5.43	1.40	1.47
1	AA	186	C	C2'-C1'	5.43	1.59	1.53
1	AA	231	U	O3'-P	5.43	1.67	1.61
26	BB	153	U	N3-C4	5.43	1.43	1.38
26	BB	693	A	C8-N7	5.43	1.35	1.31
26	BB	1920	C	N1-C6	5.43	1.40	1.37
26	BB	2399	G	N3-C4	5.43	1.39	1.35
26	BB	784	G	C5-C6	5.43	1.47	1.42
26	BB	828	U	P-O5'	5.43	1.65	1.59
26	BB	1662	U	C4-C5	5.43	1.48	1.43
26	BB	1879	C	O3'-P	5.43	1.67	1.61
1	AA	137	U	O5'-C5'	-5.43	1.34	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	540	G	P-O5'	-5.43	1.54	1.59
2	AB	50	G	C2'-O2'	5.43	1.48	1.41
26	BB	509	C	C4-N4	5.43	1.38	1.33
26	BB	730	A	N3-C4	5.43	1.38	1.34
26	BB	1068	G	C4'-C3'	5.43	1.59	1.53
26	BB	1333	G	O3'-P	5.43	1.67	1.61
26	BB	1965	C	C3'-O3'	-5.43	1.34	1.42
26	BB	2137	U	C4-C5	5.43	1.48	1.43
26	BB	2671	G	N1-C2	5.43	1.42	1.37
29	BE	151	THR	CB-OG1	-5.43	1.32	1.43
1	AA	88	U	O3'-P	5.43	1.67	1.61
1	AA	336	A	N7-C5	5.43	1.42	1.39
1	AA	647	C	C2-O2	-5.43	1.19	1.24
1	AA	1199	U	O4'-C1'	5.43	1.48	1.41
1	AA	1227	A	N7-C5	-5.43	1.35	1.39
1	AA	1415	G	N9-C8	-5.43	1.34	1.37
26	BB	415	A	N7-C5	5.43	1.42	1.39
26	BB	697	G	N9-C8	5.43	1.41	1.37
1	AA	438	U	C3'-C2'	5.42	1.58	1.52
1	AA	1204	A	N9-C4	5.42	1.41	1.37
25	BA	45	A	N3-C4	5.42	1.38	1.34
26	BB	855	G	C2-N3	5.42	1.37	1.32
26	BB	963	U	O4'-C1'	5.42	1.48	1.41
26	BB	1609	A	C2'-C1'	-5.42	1.47	1.53
26	BB	2360	G	O4'-C1'	5.42	1.48	1.41
1	AA	401	C	C4'-C3'	5.42	1.59	1.53
1	AA	1522	U	C5-C6	5.42	1.39	1.34
26	BB	191	A	N9-C4	-5.42	1.34	1.37
1	AA	10	A	C5-C4	-5.42	1.34	1.38
1	AA	66	A	C6-N6	5.42	1.38	1.33
1	AA	103	U	C5-C6	5.42	1.39	1.34
1	AA	201	G	N7-C5	-5.42	1.35	1.39
1	AA	228	A	N1-C2	-5.42	1.29	1.34
26	BB	53	A	N9-C4	5.42	1.41	1.37
26	BB	1857	G	C5-C4	5.42	1.42	1.38
26	BB	1977	A	C5-C6	-5.42	1.36	1.41
26	BB	2281	A	N7-C5	-5.42	1.35	1.39
26	BB	2308	G	O3'-P	5.42	1.67	1.61
26	BB	2694	G	O5'-C5'	-5.42	1.34	1.42
1	AA	469	C	C5'-C4'	-5.42	1.44	1.51
1	AA	701	U	N1-C2	-5.42	1.33	1.38
1	AA	743	A	C5'-C4'	5.42	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1286	U	C4'-O4'	-5.42	1.38	1.45
26	BB	195	A	C5'-C4'	5.42	1.57	1.51
26	BB	1432	G	C5-C6	5.42	1.47	1.42
26	BB	1531	C	N1-C2	5.42	1.45	1.40
26	BB	1640	A	N9-C4	5.42	1.41	1.37
1	AA	206	C	P-O5'	5.42	1.65	1.59
1	AA	993	G	O3'-P	-5.42	1.54	1.61
1	AA	1342	C	N1-C6	5.42	1.40	1.37
1	AA	1376	U	C3'-C2'	-5.42	1.46	1.52
26	BB	480	A	N9-C4	5.42	1.41	1.37
26	BB	1162	G	C5-C6	5.42	1.47	1.42
26	BB	1734	G	C2-N2	-5.42	1.29	1.34
26	BB	2264	C	C4'-O4'	-5.42	1.38	1.45
26	BB	2423	U	C4'-O4'	-5.42	1.38	1.45
26	BB	2745	C	C5'-C4'	5.42	1.57	1.51
1	AA	276	G	O4'-C1'	5.42	1.48	1.41
1	AA	621	A	N7-C5	-5.42	1.35	1.39
1	AA	956	U	O4'-C1'	5.42	1.48	1.41
4	AD	6	G	C8-N7	-5.42	1.27	1.30
25	BA	100	G	P-O5'	5.42	1.65	1.59
25	BA	114	C	C1'-N1	5.42	1.56	1.48
26	BB	161	A	P-O5'	5.42	1.65	1.59
26	BB	696	G	N3-C4	5.42	1.39	1.35
26	BB	890	C	N1-C6	5.42	1.40	1.37
26	BB	1613	G	C3'-C2'	5.42	1.58	1.52
1	AA	809	G	N7-C5	-5.42	1.36	1.39
25	BA	21	G	C6-O6	-5.42	1.19	1.24
26	BB	949	G	C8-N7	5.42	1.34	1.30
26	BB	1222	U	P-O5'	-5.42	1.54	1.59
26	BB	2276	G	C4'-C3'	-5.42	1.47	1.52
1	AA	446	G	C2-N3	5.41	1.37	1.32
1	AA	473	U	C4'-C3'	5.41	1.59	1.53
1	AA	1026	G	N9-C8	-5.41	1.34	1.37
1	AA	1512	U	C5-C6	5.41	1.39	1.34
3	AC	17	U	C4'-O4'	-5.41	1.38	1.45
26	BB	13	A	C5-C6	5.41	1.46	1.41
26	BB	447	A	C2-N3	-5.41	1.28	1.33
26	BB	1426	G	C2'-C1'	5.41	1.59	1.53
26	BB	320	A	P-O5'	5.41	1.65	1.59
26	BB	883	G	C6-N1	5.41	1.43	1.39
26	BB	1077	A	C8-N7	5.41	1.35	1.31
26	BB	1926	U	C4'-O4'	-5.41	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1933	G	C6-O6	-5.41	1.19	1.24
26	BB	2804	U	O4'-C1'	5.41	1.48	1.41
1	AA	128	G	C2-N2	-5.41	1.29	1.34
1	AA	697	U	C5'-C4'	5.41	1.57	1.51
1	AA	1326	U	P-O5'	5.41	1.65	1.59
26	BB	527	C	C5-C6	5.41	1.38	1.34
26	BB	1106	G	N3-C4	5.41	1.39	1.35
26	BB	1763	G	N9-C8	-5.41	1.34	1.37
26	BB	2078	C	C2-N3	-5.41	1.31	1.35
26	BB	2365	G	N1-C2	5.41	1.42	1.37
26	BB	2490	G	C4'-O4'	-5.41	1.38	1.45
1	AA	340	U	C4'-O4'	-5.41	1.38	1.45
1	AA	390	U	N1-C2	5.41	1.43	1.38
1	AA	777	A	C2'-O2'	5.41	1.48	1.41
1	AA	1347	G	C5-C6	5.41	1.47	1.42
1	AA	1417	G	C6-N1	-5.41	1.35	1.39
1	AA	1456	A	C4'-C3'	5.41	1.59	1.53
26	BB	1742	U	C4'-C3'	5.41	1.59	1.53
26	BB	1779	U	C5'-C4'	5.41	1.57	1.51
26	BB	1951	U	C5-C6	5.41	1.39	1.34
26	BB	2262	U	C3'-C2'	5.41	1.58	1.52
26	BB	2900	A	N3-C4	5.41	1.38	1.34
1	AA	460	A	O4'-C1'	-5.41	1.34	1.41
1	AA	1202	U	C2-N3	5.41	1.41	1.37
26	BB	55	G	N9-C8	5.41	1.41	1.37
26	BB	282	A	N7-C5	-5.41	1.36	1.39
1	AA	1068	G	C4'-O4'	-5.41	1.38	1.45
1	AA	1347	G	C2-N2	5.41	1.40	1.34
1	AA	1422	G	N1-C2	5.41	1.42	1.37
1	AA	1541	U	C2-N3	5.41	1.41	1.37
26	BB	162	U	C2'-C1'	5.41	1.59	1.53
26	BB	289	G	P-O5'	5.41	1.65	1.59
26	BB	565	C	O4'-C1'	5.41	1.48	1.41
26	BB	1446	C	C5'-C4'	5.41	1.57	1.51
26	BB	1895	C	C4'-C3'	-5.41	1.47	1.52
3	AC	31	U	C5-C6	5.40	1.39	1.34
26	BB	2435	A	C5-C4	-5.40	1.34	1.38
26	BB	2602	A	C8-N7	-5.40	1.27	1.31
26	BB	2675	A	C6-N6	5.40	1.38	1.33
26	BB	2882	A	C4'-O4'	-5.40	1.38	1.45
1	AA	138	G	C5'-C4'	5.40	1.57	1.51
1	AA	908	A	C2-N3	-5.40	1.28	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	29	G	N1-C2	5.40	1.42	1.37
26	BB	521	U	C5-C6	5.40	1.39	1.34
26	BB	528	A	N9-C4	-5.40	1.34	1.37
26	BB	966	G	N7-C5	-5.40	1.36	1.39
26	BB	1453	A	C2'-O2'	5.40	1.48	1.41
26	BB	1716	U	C2'-C1'	-5.40	1.47	1.53
26	BB	2134	A	N9-C8	-5.40	1.33	1.37
39	BO	68	PHE	CE2-CZ	5.40	1.47	1.37
1	AA	540	G	C2'-C1'	-5.40	1.47	1.53
1	AA	569	C	N3-C4	5.40	1.37	1.33
1	AA	718	A	C3'-C2'	5.40	1.58	1.52
1	AA	1112	C	N1-C6	5.40	1.40	1.37
1	AA	1373	G	C4'-O4'	-5.40	1.38	1.45
26	BB	980	A	N9-C4	-5.40	1.34	1.37
26	BB	1568	G	N1-C2	-5.40	1.33	1.37
26	BB	1572	A	C5-C4	-5.40	1.34	1.38
26	BB	2208	C	C2'-C1'	-5.40	1.47	1.53
26	BB	2389	G	O3'-P	5.40	1.67	1.61
1	AA	160	A	N9-C8	5.40	1.42	1.37
1	AA	198	G	C2-N3	5.40	1.37	1.32
1	AA	263	A	P-O5'	5.40	1.65	1.59
1	AA	773	G	C2-N3	5.40	1.37	1.32
26	BB	369	U	C4'-O4'	-5.40	1.38	1.45
26	BB	889	C	C2-N3	5.40	1.40	1.35
26	BB	945	A	C5'-C4'	5.40	1.57	1.51
26	BB	1678	A	N9-C8	5.40	1.42	1.37
26	BB	1782	U	P-O5'	5.40	1.65	1.59
26	BB	2491	U	C4'-O4'	-5.40	1.38	1.45
43	BS	23	TYR	CE1-CZ	5.40	1.45	1.38
1	AA	11	G	C5-C6	5.40	1.47	1.42
1	AA	596	A	C6-N1	-5.40	1.31	1.35
1	AA	1118	U	N1-C6	5.40	1.42	1.38
1	AA	1394	A	C5'-C4'	5.40	1.57	1.51
4	AD	20	G	N3-C4	5.40	1.39	1.35
25	BA	25	U	C4'-O4'	-5.40	1.38	1.45
26	BB	167	A	N9-C4	5.40	1.41	1.37
26	BB	368	A	C6-N6	5.40	1.38	1.33
26	BB	377	G	N7-C5	-5.40	1.36	1.39
26	BB	1680	U	C2'-O2'	-5.40	1.34	1.41
26	BB	2897	U	N1-C2	5.40	1.43	1.38
1	AA	962	C	O3'-P	5.40	1.67	1.61
1	AA	1222	G	N3-C4	5.40	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1519	G	N9-C8	-5.40	1.34	1.37
36	BL	53	TYR	CG-CD2	5.40	1.46	1.39
1	AA	13	U	C2-O2	5.39	1.27	1.22
1	AA	29	U	N1-C2	5.39	1.43	1.38
1	AA	703	G	C2-N2	5.39	1.40	1.34
1	AA	748	G	C2-N3	5.39	1.37	1.32
1	AA	941	G	N7-C5	-5.39	1.36	1.39
4	AD	41	C	P-O5'	5.39	1.65	1.59
10	AJ	154	ARG	NE-CZ	5.39	1.40	1.33
25	BA	111	U	C4-C5	5.39	1.48	1.43
26	BB	597	G	N9-C8	-5.39	1.34	1.37
26	BB	660	C	C4-C5	5.39	1.47	1.43
26	BB	1222	U	C4'-O4'	-5.39	1.38	1.45
26	BB	1841	U	C4'-O4'	-5.39	1.38	1.45
26	BB	1924	C	C5-C6	5.39	1.38	1.34
26	BB	1935	G	C4'-O4'	-5.39	1.38	1.45
26	BB	2097	A	C2-N3	5.39	1.38	1.33
26	BB	2272	U	C2'-O2'	5.39	1.48	1.41
1	AA	22	G	C4'-C3'	-5.39	1.47	1.52
1	AA	664	G	P-O5'	5.39	1.65	1.59
1	AA	1461	G	C8-N7	-5.39	1.27	1.30
6	AF	167	TYR	CE1-CZ	5.39	1.45	1.38
26	BB	497	A	N9-C4	-5.39	1.34	1.37
26	BB	756	A	C4'-O4'	-5.39	1.38	1.45
26	BB	1000	A	C2'-O2'	5.39	1.48	1.41
1	AA	77	A	N3-C4	5.39	1.38	1.34
26	BB	438	G	C6-N1	5.39	1.43	1.39
26	BB	1797	G	N9-C8	5.39	1.41	1.37
42	BR	66	GLY	CA-C	5.39	1.60	1.51
1	AA	243	A	C4'-O4'	-5.39	1.38	1.45
1	AA	868	C	C2-O2	-5.39	1.19	1.24
1	AA	980	C	C4-N4	5.39	1.38	1.33
1	AA	1147	C	N3-C4	5.39	1.37	1.33
1	AA	1168	U	C3'-C2'	5.39	1.58	1.52
25	BA	43	C	C3'-O3'	5.39	1.49	1.42
26	BB	283	G	N3-C4	5.39	1.39	1.35
26	BB	670	A	C2'-C1'	5.39	1.59	1.53
26	BB	844	A	C3'-C2'	5.39	1.58	1.52
26	BB	1226	A	P-O5'	5.39	1.65	1.59
26	BB	1248	G	C2-N2	-5.39	1.29	1.34
26	BB	1763	G	C3'-C2'	5.39	1.58	1.52
26	BB	1861	G	N3-C4	5.39	1.39	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2167	U	C3'-C2'	5.39	1.58	1.52
1	AA	1099	G	P-O5'	5.39	1.65	1.59
1	AA	1488	G	N9-C4	-5.39	1.33	1.38
26	BB	2683	C	N3-C4	5.39	1.37	1.33
1	AA	557	G	P-O5'	5.39	1.65	1.59
1	AA	662	U	C2'-C1'	5.39	1.59	1.53
1	AA	714	G	C6-N1	-5.39	1.35	1.39
1	AA	800	G	C5-C6	5.39	1.47	1.42
1	AA	1153	G	C2-N3	5.39	1.37	1.32
2	AB	52	A	C5'-C4'	5.39	1.57	1.51
25	BA	15	A	C2'-C1'	-5.39	1.47	1.53
25	BA	113	C	N3-C4	-5.39	1.30	1.33
26	BB	309	A	C5'-C4'	5.39	1.57	1.51
26	BB	1058	U	C5-C6	5.39	1.39	1.34
26	BB	1772	A	N9-C8	5.39	1.42	1.37
1	AA	612	C	N1-C6	5.38	1.40	1.37
1	AA	625	U	P-O5'	5.38	1.65	1.59
4	AD	60	A	C1'-N9	5.38	1.56	1.48
26	BB	144	A	C6-N1	5.38	1.39	1.35
26	BB	2136	G	N9-C8	-5.38	1.34	1.37
25	BA	109	A	C4'-O4'	-5.38	1.38	1.45
26	BB	222	A	N7-C5	-5.38	1.36	1.39
26	BB	2389	G	N9-C8	5.38	1.41	1.37
1	AA	303	A	C6-N1	5.38	1.39	1.35
1	AA	1156	G	C5'-C4'	5.38	1.57	1.51
1	AA	1513	A	N3-C4	5.38	1.38	1.34
25	BA	65	U	N1-C2	5.38	1.43	1.38
26	BB	80	G	N9-C8	5.38	1.41	1.37
26	BB	245	G	N3-C4	-5.38	1.31	1.35
26	BB	369	U	N1-C2	5.38	1.43	1.38
26	BB	442	G	N7-C5	5.38	1.42	1.39
26	BB	624	C	C2'-O2'	5.38	1.48	1.41
26	BB	794	A	N7-C5	-5.38	1.36	1.39
26	BB	1267	U	C5'-C4'	5.38	1.57	1.51
26	BB	2135	A	N1-C2	-5.38	1.29	1.34
26	BB	2501	C	C2'-C1'	5.38	1.59	1.53
26	BB	2530	A	N7-C5	-5.38	1.36	1.39
26	BB	2564	A	P-O5'	5.38	1.65	1.59
1	AA	1047	G	N9-C4	5.38	1.42	1.38
26	BB	189	G	C4'-O4'	-5.38	1.38	1.45
26	BB	1035	U	O3'-P	5.38	1.67	1.61
1	AA	175	C	N3-C4	5.38	1.37	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	326	G	O3'-P	5.38	1.67	1.61
26	BB	131	A	C8-N7	5.38	1.35	1.31
26	BB	140	C	O3'-P	5.38	1.67	1.61
26	BB	566	U	C4-C5	5.38	1.48	1.43
26	BB	664	G	C4'-O4'	-5.38	1.38	1.45
26	BB	703	U	C5'-C4'	5.38	1.57	1.51
26	BB	839	U	C2-N3	5.38	1.41	1.37
26	BB	880	G	C6-O6	-5.38	1.19	1.24
26	BB	932	U	C2-N3	5.38	1.41	1.37
26	BB	2364	C	N1-C6	5.38	1.40	1.37
1	AA	328	C	O3'-P	5.38	1.67	1.61
1	AA	346	G	C2'-O2'	5.38	1.48	1.41
1	AA	352	C	C4'-C3'	5.38	1.59	1.53
1	AA	1208	C	C4'-C3'	5.38	1.59	1.53
1	AA	1388	C	C2'-C1'	5.38	1.59	1.53
4	AD	39	A	C5'-C4'	5.38	1.57	1.51
4	AD	43	G	N9-C4	5.38	1.42	1.38
25	BA	83	G	N9-C8	-5.38	1.34	1.37
26	BB	434	U	O3'-P	5.38	1.67	1.61
26	BB	721	A	N9-C4	-5.38	1.34	1.37
26	BB	810	U	C3'-C2'	5.38	1.58	1.52
26	BB	825	A	C6-N1	5.38	1.39	1.35
26	BB	1378	A	N1-C2	-5.38	1.29	1.34
26	BB	1631	G	N9-C8	5.38	1.41	1.37
26	BB	1959	G	P-OP1	-5.38	1.39	1.49
26	BB	2417	C	C5'-C4'	5.38	1.57	1.51
26	BB	2556	C	P-O5'	5.38	1.65	1.59
26	BB	2592	G	P-O5'	5.38	1.65	1.59
1	AA	323	U	C4-O4	5.38	1.27	1.23
1	AA	490	C	C4-N4	-5.38	1.29	1.33
1	AA	722	G	P-O5'	5.38	1.65	1.59
1	AA	883	C	N1-C6	5.38	1.40	1.37
25	BA	102	G	C2-N3	5.38	1.37	1.32
26	BB	870	U	C2-O2	-5.38	1.17	1.22
26	BB	1721	G	C8-N7	-5.38	1.27	1.30
26	BB	2768	U	C2-N3	5.38	1.41	1.37
1	AA	317	U	C2'-C1'	-5.37	1.47	1.53
1	AA	978	A	C5'-C4'	5.37	1.57	1.51
1	AA	1035	A	P-O5'	-5.37	1.54	1.59
1	AA	1375	A	C4'-C3'	5.37	1.59	1.53
26	BB	1312	U	C3'-O3'	5.37	1.49	1.42
26	BB	1348	C	N1-C2	5.37	1.45	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1601	G	C8-N7	5.37	1.34	1.30
26	BB	1788	C	C4'-C3'	5.37	1.59	1.53
26	BB	2710	C	C1'-N1	5.37	1.56	1.48
26	BB	2838	G	C1'-N9	5.37	1.56	1.48
26	BB	2875	C	C5'-C4'	5.37	1.57	1.51
1	AA	227	G	N1-C2	5.37	1.42	1.37
1	AA	591	U	O4'-C1'	5.37	1.48	1.41
1	AA	990	C	N1-C6	5.37	1.40	1.37
1	AA	1524	C	C4-N4	5.37	1.38	1.33
26	BB	143	C	C2-N3	5.37	1.40	1.35
26	BB	210	C	C5'-C4'	5.37	1.57	1.51
26	BB	394	C	N1-C6	5.37	1.40	1.37
26	BB	487	C	C2-O2	5.37	1.29	1.24
26	BB	529	A	C2'-O2'	5.37	1.48	1.41
26	BB	635	C	N1-C6	-5.37	1.33	1.37
26	BB	1708	C	N1-C2	-5.37	1.34	1.40
26	BB	1856	U	C4'-O4'	-5.37	1.38	1.45
26	BB	2163	A	N7-C5	5.37	1.42	1.39
26	BB	2362	C	O3'-P	5.37	1.67	1.61
26	BB	2363	G	N9-C4	5.37	1.42	1.38
26	BB	2415	G	C5-C4	5.37	1.42	1.38
26	BB	2669	G	C2-N3	5.37	1.37	1.32
26	BB	2800	A	C4'-C3'	5.37	1.59	1.53
1	AA	784	A	C6-N1	-5.37	1.31	1.35
1	AA	1514	G	C2-N2	5.37	1.40	1.34
26	BB	292	U	N1-C2	5.37	1.43	1.38
26	BB	1069	A	N3-C4	-5.37	1.31	1.34
26	BB	2495	G	N9-C8	-5.37	1.34	1.37
1	AA	638	U	C4-C5	5.37	1.48	1.43
1	AA	745	G	C6-N1	5.37	1.43	1.39
2	AB	33	U	C2'-C1'	5.37	1.59	1.53
2	AB	58	A	C3'-C2'	5.37	1.58	1.52
26	BB	49	A	C8-N7	-5.37	1.27	1.31
26	BB	413	C	C5-C6	5.37	1.38	1.34
32	BH	164	ALA	C-O	5.37	1.33	1.23
1	AA	368	U	N1-C2	5.37	1.43	1.38
1	AA	710	G	C6-N1	5.37	1.43	1.39
1	AA	1246	A	N3-C4	5.37	1.38	1.34
1	AA	1415	G	C6-N1	5.37	1.43	1.39
1	AA	1539	C	P-O5'	5.37	1.65	1.59
26	BB	86	G	P-O5'	5.37	1.65	1.59
26	BB	518	G	C5-C4	-5.37	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	962	G	N9-C8	5.37	1.41	1.37
26	BB	1301	A	C2'-C1'	5.37	1.59	1.53
26	BB	1940	U	C4-C5	5.37	1.48	1.43
1	AA	144	G	C3'-C2'	5.37	1.58	1.52
1	AA	312	C	C5-C6	-5.37	1.30	1.34
1	AA	330	C	P-O5'	5.37	1.65	1.59
1	AA	714	G	N3-C4	5.37	1.39	1.35
1	AA	785	G	N1-C2	5.37	1.42	1.37
1	AA	1258	G	N7-C5	5.37	1.42	1.39
26	BB	194	G	C6-O6	-5.37	1.19	1.24
26	BB	257	C	N1-C6	5.37	1.40	1.37
26	BB	559	G	C8-N7	-5.37	1.27	1.30
26	BB	1016	G	N9-C4	5.37	1.42	1.38
26	BB	1358	G	C5'-C4'	5.37	1.57	1.51
26	BB	2205	A	N7-C5	-5.37	1.36	1.39
26	BB	2590	A	C4'-C3'	5.37	1.59	1.53
26	BB	19	A	N7-C5	-5.36	1.36	1.39
26	BB	252	G	N3-C4	-5.36	1.31	1.35
26	BB	431	U	N1-C6	-5.36	1.33	1.38
26	BB	506	G	C6-O6	5.36	1.28	1.24
26	BB	769	U	C4-C5	-5.36	1.38	1.43
26	BB	1220	G	C5-C4	5.36	1.42	1.38
26	BB	1399	C	P-O5'	5.36	1.65	1.59
26	BB	1465	G	C2-N3	5.36	1.37	1.32
26	BB	1876	A	C6-N6	5.36	1.38	1.33
26	BB	2468	A	C2'-C1'	-5.36	1.47	1.53
26	BB	2542	A	P-O5'	5.36	1.65	1.59
26	BB	2611	C	C2'-C1'	5.36	1.59	1.53
1	AA	1455	G	C4'-C3'	-5.36	1.47	1.52
26	BB	494	G	C4'-C3'	-5.36	1.47	1.52
26	BB	917	A	C3'-C2'	5.36	1.58	1.52
26	BB	1344	U	C4-O4	-5.36	1.19	1.23
26	BB	1744	A	C2-N3	-5.36	1.28	1.33
26	BB	1831	G	C6-O6	5.36	1.28	1.24
26	BB	2662	A	C3'-C2'	5.36	1.58	1.52
1	AA	103	U	C4-C5	5.36	1.48	1.43
1	AA	167	A	N9-C8	5.36	1.42	1.37
1	AA	226	G	C8-N7	-5.36	1.27	1.30
1	AA	777	A	C5-C4	-5.36	1.34	1.38
26	BB	361	G	C6-O6	5.36	1.28	1.24
26	BB	1223	G	P-O5'	5.36	1.65	1.59
26	BB	1305	C	N3-C4	5.36	1.37	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1352	U	C4-C5	5.36	1.48	1.43
26	BB	1362	C	N1-C6	-5.36	1.33	1.37
26	BB	2820	A	N7-C5	-5.36	1.36	1.39
1	AA	266	G	C6-O6	-5.36	1.19	1.24
1	AA	444	G	C6-O6	-5.36	1.19	1.24
1	AA	1085	U	P-O5'	5.36	1.65	1.59
1	AA	1540	U	O3'-P	-5.36	1.54	1.61
26	BB	826	U	C2-N3	5.36	1.41	1.37
26	BB	2500	U	C5'-C4'	5.36	1.57	1.51
1	AA	59	A	N3-C4	5.36	1.38	1.34
1	AA	315	A	C5'-C4'	5.36	1.57	1.51
25	BA	57	A	C6-N6	5.36	1.38	1.33
26	BB	857	G	N1-C2	5.36	1.42	1.37
26	BB	962	G	C6-N1	-5.36	1.35	1.39
26	BB	1358	G	N3-C4	5.36	1.39	1.35
26	BB	1838	C	C5-C6	5.36	1.38	1.34
26	BB	1842	G	C4'-O4'	-5.36	1.38	1.45
26	BB	2705	A	C6-N1	5.36	1.39	1.35
1	AA	458	U	C4'-C3'	5.36	1.59	1.53
1	AA	721	G	C5-C6	5.36	1.47	1.42
1	AA	1419	G	C4'-O4'	-5.36	1.38	1.45
6	AF	36	PHE	CG-CD1	5.36	1.46	1.38
25	BA	50	A	C8-N7	-5.36	1.27	1.31
26	BB	578	G	C8-N7	5.36	1.34	1.30
26	BB	973	A	C5-C4	5.36	1.42	1.38
26	BB	1094	U	N3-C4	5.36	1.43	1.38
26	BB	1378	A	N7-C5	-5.36	1.36	1.39
26	BB	1403	A	N9-C4	-5.36	1.34	1.37
26	BB	2048	G	C5-C4	-5.36	1.34	1.38
26	BB	2436	G	C2-N3	5.36	1.37	1.32
26	BB	2644	G	C5'-C4'	5.36	1.57	1.51
1	AA	536	C	C2-N3	5.35	1.40	1.35
1	AA	718	A	P-O5'	5.35	1.65	1.59
1	AA	1274	A	N3-C4	5.35	1.38	1.34
1	AA	1413	A	C2'-C1'	-5.35	1.47	1.53
26	BB	221	A	C8-N7	5.35	1.35	1.31
26	BB	1024	G	C2-N3	5.35	1.37	1.32
26	BB	1714	U	C2'-C1'	5.35	1.59	1.53
26	BB	2315	G	C2'-O2'	5.35	1.48	1.41
1	AA	107	G	C2-N2	-5.35	1.29	1.34
1	AA	846	G	C5'-C4'	-5.35	1.45	1.51
26	BB	545	U	C2-N3	5.35	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	962	G	N1-C2	5.35	1.42	1.37
26	BB	1467	U	C5'-C4'	5.35	1.57	1.51
26	BB	2123	G	O3'-P	5.35	1.67	1.61
26	BB	2246	G	N7-C5	-5.35	1.36	1.39
26	BB	2891	U	N1-C2	5.35	1.43	1.38
1	AA	1348	U	C5'-C4'	5.35	1.57	1.51
26	BB	538	A	P-O5'	5.35	1.65	1.59
26	BB	2179	C	C4-C5	5.35	1.47	1.43
26	BB	2229	U	C4-C5	5.35	1.48	1.43
1	AA	82	G	N1-C2	5.35	1.42	1.37
1	AA	481	G	N3-C4	5.35	1.39	1.35
1	AA	600	A	C6-N1	5.35	1.39	1.35
1	AA	693	G	N7-C5	-5.35	1.36	1.39
6	AF	77	GLY	CA-C	5.35	1.60	1.51
26	BB	600	G	C6-O6	5.35	1.28	1.24
26	BB	961	C	C2-O2	-5.35	1.19	1.24
26	BB	1301	A	C5'-C4'	5.35	1.57	1.51
26	BB	1528	A	N9-C8	-5.35	1.33	1.37
26	BB	1631	G	C3'-C2'	5.35	1.58	1.52
26	BB	2211	A	N3-C4	-5.35	1.31	1.34
26	BB	2454	G	C8-N7	-5.35	1.27	1.30
26	BB	2881	U	C4'-O4'	-5.35	1.38	1.45
42	BR	35	SER	CB-OG	5.35	1.49	1.42
1	AA	791	G	C4'-O4'	-5.35	1.38	1.45
1	AA	1073	U	O3'-P	5.35	1.67	1.61
1	AA	1195	C	N1-C6	5.35	1.40	1.37
3	AC	40	G	C2-N2	5.35	1.39	1.34
26	BB	77	G	N7-C5	-5.35	1.36	1.39
26	BB	1893	C	P-O5'	5.35	1.65	1.59
26	BB	1901	A	N3-C4	5.35	1.38	1.34
26	BB	2222	C	C2-N3	5.35	1.40	1.35
26	BB	2478	A	O3'-P	5.35	1.67	1.61
1	AA	46	G	C2'-O2'	5.35	1.48	1.41
1	AA	109	A	O3'-P	5.35	1.67	1.61
1	AA	913	A	P-O5'	5.35	1.65	1.59
26	BB	28	A	C8-N7	-5.35	1.27	1.31
26	BB	502	A	N3-C4	5.35	1.38	1.34
26	BB	1495	A	P-O5'	-5.35	1.54	1.59
26	BB	1579	A	C6-N6	-5.35	1.29	1.33
26	BB	2202	U	C5'-C4'	5.35	1.57	1.51
1	AA	543	U	C3'-O3'	5.34	1.49	1.42
1	AA	758	C	N1-C6	5.34	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	972	C	C4-N4	5.34	1.38	1.33
14	AN	116	PRO	N-CD	-5.34	1.40	1.47
26	BB	16	C	N1-C2	5.34	1.45	1.40
26	BB	1793	C	C5'-C4'	5.34	1.57	1.51
26	BB	1798	U	C2-N3	5.34	1.41	1.37
26	BB	2232	C	C4-C5	5.34	1.47	1.43
26	BB	2316	G	C2'-C1'	-5.34	1.47	1.53
1	AA	291	U	N1-C6	5.34	1.42	1.38
1	AA	552	U	N1-C6	5.34	1.42	1.38
26	BB	487	C	C5-C6	5.34	1.38	1.34
26	BB	856	G	C3'-C2'	5.34	1.58	1.52
26	BB	956	G	C5-C6	5.34	1.47	1.42
26	BB	1166	G	C5'-C4'	5.34	1.57	1.51
26	BB	1552	A	C5-C6	-5.34	1.36	1.41
26	BB	1773	A	C2-N3	-5.34	1.28	1.33
26	BB	1802	A	C5-C6	5.34	1.45	1.41
26	BB	2536	G	C6-O6	5.34	1.28	1.24
26	BB	2729	G	P-O5'	5.34	1.65	1.59
26	BB	2839	G	P-O5'	5.34	1.65	1.59
1	AA	520	A	N9-C8	-5.34	1.33	1.37
1	AA	1216	A	C2'-C1'	5.34	1.59	1.53
1	AA	1332	A	P-O5'	5.34	1.65	1.59
2	AB	48	U	C2-O2	5.34	1.27	1.22
26	BB	19	A	C6-N6	5.34	1.38	1.33
26	BB	470	A	N9-C8	-5.34	1.33	1.37
26	BB	1770	G	N9-C4	5.34	1.42	1.38
26	BB	2012	G	N7-C5	5.34	1.42	1.39
26	BB	2190	G	C5-C4	-5.34	1.34	1.38
28	BD	46	GLY	CA-C	5.34	1.60	1.51
1	AA	468	A	N9-C8	5.34	1.42	1.37
1	AA	1115	U	C4-C5	5.34	1.48	1.43
3	AC	34	U	O4'-C1'	5.34	1.48	1.41
26	BB	39	G	N9-C8	-5.34	1.34	1.37
26	BB	839	U	C4'-O4'	-5.34	1.38	1.45
26	BB	1056	G	C2'-C1'	-5.34	1.47	1.53
26	BB	1103	A	C3'-C2'	-5.34	1.46	1.52
26	BB	1604	C	C2'-C1'	-5.34	1.47	1.53
26	BB	1935	G	P-O5'	-5.34	1.54	1.59
26	BB	2283	C	N1-C2	5.34	1.45	1.40
26	BB	2381	A	C8-N7	-5.34	1.27	1.31
1	AA	30	U	C5'-C4'	5.34	1.57	1.51
1	AA	685	G	C8-N7	-5.34	1.27	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1364	U	C2'-O2'	-5.34	1.34	1.41
26	BB	312	G	N9-C4	5.34	1.42	1.38
26	BB	631	A	C2-N3	-5.34	1.28	1.33
26	BB	1060	U	C2-N3	5.34	1.41	1.37
1	AA	468	A	C6-N6	5.34	1.38	1.33
4	AD	13	C	C4'-O4'	-5.34	1.38	1.45
25	BA	86	G	O3'-P	5.34	1.67	1.61
26	BB	854	C	C3'-C2'	5.34	1.58	1.52
26	BB	959	A	C2'-O2'	5.34	1.48	1.41
26	BB	969	G	N7-C5	5.34	1.42	1.39
26	BB	1583	A	N9-C8	5.34	1.42	1.37
26	BB	2149	U	C4'-C3'	-5.34	1.47	1.52
26	BB	2200	C	C5'-C4'	-5.34	1.45	1.51
26	BB	2738	A	C5-C6	5.34	1.45	1.41
26	BB	2878	U	C4-O4	-5.34	1.19	1.23
1	AA	351	G	C3'-C2'	-5.33	1.46	1.52
1	AA	481	G	N9-C8	5.33	1.41	1.37
1	AA	717	U	N1-C6	5.33	1.42	1.38
1	AA	1492	A	C4'-C3'	-5.33	1.47	1.52
1	AA	1499	A	C5'-C4'	5.33	1.57	1.51
1	AA	771	G	C6-N1	5.33	1.43	1.39
1	AA	812	G	C6-O6	-5.33	1.19	1.24
1	AA	1151	A	C5-C4	-5.33	1.35	1.38
1	AA	1311	A	C4'-O4'	-5.33	1.38	1.45
1	AA	1434	A	N7-C5	5.33	1.42	1.39
3	AC	21	U	N3-C4	-5.33	1.33	1.38
26	BB	109	C	O3'-P	5.33	1.67	1.61
26	BB	131	A	C2-N3	5.33	1.38	1.33
26	BB	573	U	N1-C6	5.33	1.42	1.38
26	BB	576	U	P-O5'	5.33	1.65	1.59
26	BB	836	G	C3'-O3'	5.33	1.49	1.42
26	BB	1546	G	O3'-P	5.33	1.67	1.61
26	BB	2211	A	C2'-C1'	5.33	1.59	1.53
26	BB	2302	U	C4'-C3'	5.33	1.59	1.53
26	BB	2318	G	N1-C2	5.33	1.42	1.37
26	BB	2385	C	O3'-P	5.33	1.67	1.61
1	AA	58	C	C4-C5	5.33	1.47	1.43
1	AA	1132	C	O3'-P	5.33	1.67	1.61
26	BB	408	G	C2'-C1'	-5.33	1.47	1.53
26	BB	1023	U	C1'-N1	5.33	1.56	1.48
26	BB	1178	C	N1-C2	5.33	1.45	1.40
26	BB	2144	G	N3-C4	5.33	1.39	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2288	A	C6-N6	5.33	1.38	1.33
25	BA	81	G	P-O5'	5.33	1.65	1.59
26	BB	835	C	C4'-C3'	5.33	1.59	1.53
26	BB	1532	A	C6-N6	5.33	1.38	1.33
1	AA	213	G	C2'-O2'	-5.33	1.34	1.41
1	AA	837	U	C5'-C4'	5.33	1.57	1.51
1	AA	1073	U	C4'-O4'	-5.33	1.38	1.45
1	AA	1300	G	C4'-O4'	-5.33	1.38	1.45
26	BB	271	G	C6-N1	5.33	1.43	1.39
26	BB	599	A	C5'-C4'	5.33	1.57	1.51
26	BB	993	G	N9-C8	5.33	1.41	1.37
26	BB	2903	U	C2-O2	-5.33	1.17	1.22
1	AA	478	A	P-O5'	5.33	1.65	1.59
1	AA	723	U	C5-C6	5.33	1.39	1.34
26	BB	2782	G	C8-N7	-5.33	1.27	1.30
1	AA	266	G	C2-N2	5.33	1.39	1.34
1	AA	1159	U	C2-N3	-5.33	1.34	1.37
1	AA	1213	A	C5-C4	-5.33	1.35	1.38
1	AA	1343	G	C4'-O4'	-5.33	1.38	1.45
1	AA	1429	A	N1-C2	-5.33	1.29	1.34
26	BB	143	C	C2'-O2'	-5.33	1.34	1.41
26	BB	156	A	C6-N6	5.33	1.38	1.33
26	BB	167	A	C8-N7	-5.33	1.27	1.31
26	BB	297	G	C2-N3	5.33	1.37	1.32
26	BB	548	G	C6-N1	5.33	1.43	1.39
26	BB	586	A	C4'-O4'	-5.33	1.38	1.45
26	BB	599	A	N7-C5	5.33	1.42	1.39
26	BB	751	A	C3'-C2'	5.33	1.58	1.52
26	BB	1086	A	C8-N7	-5.33	1.27	1.31
26	BB	1652	A	N3-C4	5.33	1.38	1.34
26	BB	2178	C	N3-C4	-5.33	1.30	1.33
26	BB	2248	C	P-O5'	5.33	1.65	1.59
26	BB	2658	C	C4-C5	-5.33	1.38	1.43
1	AA	174	A	C5-C6	5.32	1.45	1.41
1	AA	242	G	C6-N1	-5.32	1.35	1.39
1	AA	286	C	C2'-C1'	5.32	1.59	1.53
1	AA	377	G	N7-C5	-5.32	1.36	1.39
1	AA	1331	G	N1-C2	5.32	1.42	1.37
1	AA	1424	U	C4'-O4'	-5.32	1.38	1.45
1	AA	1447	A	C4'-O4'	-5.32	1.38	1.45
26	BB	221	A	C5-C4	-5.32	1.35	1.38
26	BB	344	A	N1-C2	-5.32	1.29	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	761	A	C4'-C3'	5.32	1.59	1.53
26	BB	1663	G	O4'-C1'	5.32	1.48	1.41
26	BB	1701	A	P-O5'	-5.32	1.54	1.59
26	BB	1703	G	C4'-O4'	-5.32	1.38	1.45
26	BB	2044	C	N1-C6	5.32	1.40	1.37
26	BB	2576	G	N7-C5	5.32	1.42	1.39
1	AA	756	C	C5-C6	5.32	1.38	1.34
26	BB	77	G	C4'-C3'	5.32	1.59	1.53
26	BB	667	U	C4-O4	5.32	1.27	1.23
1	AA	48	C	N1-C6	5.32	1.40	1.37
1	AA	91	U	C4'-O4'	-5.32	1.38	1.45
1	AA	825	A	C4'-C3'	5.32	1.59	1.53
6	AF	183	TYR	CG-CD2	5.32	1.46	1.39
26	BB	51	G	C4'-O4'	-5.32	1.38	1.45
26	BB	248	G	N3-C4	5.32	1.39	1.35
26	BB	1831	G	C3'-C2'	5.32	1.58	1.52
26	BB	2224	G	N7-C5	-5.32	1.36	1.39
26	BB	2475	C	C2-N3	5.32	1.40	1.35
1	AA	1268	G	C6-N1	5.32	1.43	1.39
1	AA	1359	C	O3'-P	5.32	1.67	1.61
25	BA	25	U	C2'-C1'	5.32	1.59	1.53
26	BB	1166	G	C6-N1	-5.32	1.35	1.39
26	BB	1928	A	N7-C5	5.32	1.42	1.39
26	BB	2722	G	N9-C8	5.32	1.41	1.37
1	AA	135	C	N1-C6	5.32	1.40	1.37
2	AB	46	7MG	O3'-P	5.32	1.67	1.61
26	BB	119	A	C4'-O4'	-5.32	1.38	1.45
26	BB	175	G	C6-O6	-5.32	1.19	1.24
26	BB	216	A	O5'-C5'	-5.32	1.34	1.42
26	BB	338	G	C3'-O3'	-5.32	1.34	1.42
26	BB	618	G	C4'-O4'	-5.32	1.38	1.45
26	BB	921	C	C5'-C4'	5.32	1.57	1.51
26	BB	1124	G	C4'-C3'	5.32	1.58	1.53
26	BB	1432	G	O4'-C1'	5.32	1.48	1.41
26	BB	1870	C	C2-N3	5.32	1.40	1.35
26	BB	2369	A	C2'-O2'	5.32	1.48	1.41
26	BB	2706	A	C5'-C4'	5.32	1.57	1.51
26	BB	2873	A	C4'-O4'	-5.32	1.38	1.45
28	BD	174	ARG	CZ-NH2	5.32	1.40	1.33
1	AA	288	A	C6-N6	-5.32	1.29	1.33
1	AA	424	G	C5'-C4'	5.32	1.57	1.51
1	AA	645	G	N9-C4	5.32	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	675	A	C4'-O4'	-5.32	1.38	1.45
1	AA	783	C	N1-C6	5.32	1.40	1.37
1	AA	907	A	N9-C8	-5.32	1.33	1.37
2	AB	42	G	P-O5'	5.32	1.65	1.59
26	BB	376	G	N9-C8	5.32	1.41	1.37
26	BB	743	A	O5'-C5'	-5.32	1.34	1.42
26	BB	945	A	C8-N7	-5.32	1.27	1.31
26	BB	1309	G	C2-N3	5.32	1.37	1.32
26	BB	1631	G	P-O5'	5.32	1.65	1.59
26	BB	1806	C	N3-C4	5.32	1.37	1.33
26	BB	1908	C	C5-C6	5.32	1.38	1.34
26	BB	2113	U	N1-C6	5.32	1.42	1.38
26	BB	2428	G	O4'-C1'	5.32	1.48	1.41
26	BB	2786	U	C1'-N1	5.32	1.56	1.48
31	BG	85	GLY	N-CA	5.32	1.54	1.46
1	AA	427	U	C2-O2	5.31	1.27	1.22
1	AA	1386	G	N7-C5	5.31	1.42	1.39
26	BB	1059	G	N9-C4	-5.31	1.33	1.38
26	BB	2114	A	C8-N7	-5.31	1.27	1.31
26	BB	2384	U	C5-C6	5.31	1.39	1.34
1	AA	302	G	C3'-C2'	5.31	1.58	1.52
1	AA	631	C	C4-C5	5.31	1.47	1.43
1	AA	927	G	C5-C4	-5.31	1.34	1.38
1	AA	1154	G	O4'-C1'	5.31	1.48	1.41
25	BA	9	G	C3'-C2'	-5.31	1.47	1.52
25	BA	119	A	C4'-O4'	-5.31	1.38	1.45
26	BB	216	A	N1-C2	-5.31	1.29	1.34
26	BB	447	A	C5-C4	-5.31	1.35	1.38
26	BB	637	A	P-O5'	5.31	1.65	1.59
26	BB	670	A	N3-C4	5.31	1.38	1.34
26	BB	1149	G	C2-N3	5.31	1.36	1.32
26	BB	1593	A	N9-C4	5.31	1.41	1.37
26	BB	2018	G	C8-N7	-5.31	1.27	1.30
1	AA	799	G	O4'-C1'	5.31	1.48	1.41
26	BB	374	A	N9-C4	5.31	1.41	1.37
26	BB	966	G	C6-O6	-5.31	1.19	1.24
26	BB	1342	A	N1-C2	-5.31	1.29	1.34
26	BB	2435	A	C4'-O4'	-5.31	1.38	1.45
1	AA	102	G	C5-C4	5.31	1.42	1.38
1	AA	188	C	O3'-P	5.31	1.67	1.61
1	AA	366	A	C8-N7	-5.31	1.27	1.31
1	AA	368	U	C2'-C1'	5.31	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	597	G	N9-C8	-5.31	1.34	1.37
4	AD	46	G	C3'-C2'	5.31	1.58	1.52
25	BA	38	C	N3-C4	5.31	1.37	1.33
26	BB	655	A	P-O5'	5.31	1.65	1.59
26	BB	1299	G	C6-N1	-5.31	1.35	1.39
26	BB	1568	G	N9-C4	5.31	1.42	1.38
26	BB	1969	A	N1-C2	-5.31	1.29	1.34
26	BB	2172	U	C1'-N1	5.31	1.56	1.48
26	BB	2868	A	N3-C4	5.31	1.38	1.34
1	AA	32	A	N9-C8	-5.31	1.33	1.37
1	AA	372	C	C2-O2	-5.31	1.19	1.24
1	AA	827	U	C2'-O2'	5.31	1.48	1.41
1	AA	1289	A	C6-N6	5.31	1.38	1.33
1	AA	1511	G	O3'-P	5.31	1.67	1.61
25	BA	29	A	C3'-C2'	5.31	1.58	1.52
26	BB	171	U	C4'-C3'	5.31	1.58	1.53
26	BB	692	C	C2'-O2'	5.31	1.48	1.41
26	BB	1088	A	N3-C4	5.31	1.38	1.34
26	BB	1314	C	O4'-C1'	5.31	1.48	1.41
26	BB	2016	U	C2-O2	5.31	1.27	1.22
26	BB	2672	U	C3'-C2'	-5.31	1.47	1.52
26	BB	2691	C	C4-C5	-5.31	1.38	1.43
26	BB	2865	U	C5'-C4'	5.31	1.57	1.51
1	AA	1065	U	N1-C2	5.31	1.43	1.38
1	AA	1377	A	N9-C8	5.31	1.42	1.37
3	AC	37	G	C4'-O4'	-5.31	1.38	1.45
1	AA	157	U	P-O5'	5.30	1.65	1.59
8	AH	28	ARG	CZ-NH2	5.30	1.40	1.33
25	BA	2	G	N1-C2	5.30	1.42	1.37
26	BB	330	A	C6-N1	5.30	1.39	1.35
26	BB	364	C	C2'-O2'	-5.30	1.34	1.41
26	BB	667	U	N1-C2	5.30	1.43	1.38
26	BB	2244	U	C4-C5	5.30	1.48	1.43
26	BB	2550	G	O3'-P	-5.30	1.54	1.61
39	BO	6	ARG	NE-CZ	5.30	1.40	1.33
1	AA	21	G	N3-C4	5.30	1.39	1.35
1	AA	272	C	C1'-N1	5.30	1.56	1.48
26	BB	615	U	C4'-O4'	-5.30	1.38	1.45
26	BB	959	A	N9-C4	-5.30	1.34	1.37
26	BB	1762	A	C4'-O4'	-5.30	1.38	1.45
26	BB	2402	U	P-O5'	5.30	1.65	1.59
26	BB	2859	G	O3'-P	5.30	1.67	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	832	G	P-O5'	5.30	1.65	1.59
1	AA	1188	A	N9-C4	5.30	1.41	1.37
1	AA	1360	A	C6-N1	-5.30	1.31	1.35
26	BB	397	U	C2-N3	5.30	1.41	1.37
26	BB	438	G	N1-C2	5.30	1.42	1.37
26	BB	441	U	C5'-C4'	5.30	1.57	1.51
26	BB	498	G	C2'-O2'	5.30	1.48	1.41
26	BB	1044	C	C4-N4	-5.30	1.29	1.33
26	BB	1615	C	N1-C6	-5.30	1.33	1.37
26	BB	2031	A	C2-N3	5.30	1.38	1.33
26	BB	2426	A	P-O5'	5.30	1.65	1.59
26	BB	2618	G	N9-C4	5.30	1.42	1.38
1	AA	1226	C	P-O5'	5.30	1.65	1.59
26	BB	1202	G	C4'-C3'	5.30	1.58	1.53
26	BB	1299	G	C8-N7	-5.30	1.27	1.30
26	BB	1458	U	N1-C2	5.30	1.43	1.38
26	BB	1501	G	N9-C8	-5.30	1.34	1.37
26	BB	1927	A	O3'-P	5.30	1.67	1.61
26	BB	2405	G	O3'-P	5.30	1.67	1.61
26	BB	2483	C	N1-C6	-5.30	1.33	1.37
26	BB	2584	U	C5'-C4'	5.30	1.57	1.51
1	AA	173	U	O3'-P	5.30	1.67	1.61
1	AA	1046	A	N9-C4	-5.30	1.34	1.37
26	BB	1350	C	C4-C5	5.30	1.47	1.43
26	BB	1440	U	C4'-O4'	-5.30	1.38	1.45
1	AA	731	G	C2-N2	-5.30	1.29	1.34
1	AA	1165	U	C4'-O4'	-5.30	1.38	1.45
26	BB	161	A	N7-C5	-5.30	1.36	1.39
26	BB	871	U	C4-O4	5.30	1.27	1.23
26	BB	984	A	N9-C8	-5.30	1.33	1.37
26	BB	1631	G	C6-O6	-5.30	1.19	1.24
26	BB	1806	C	N1-C6	5.30	1.40	1.37
26	BB	2054	A	C6-N1	5.30	1.39	1.35
1	AA	176	C	C5-C6	5.29	1.38	1.34
1	AA	501	C	N1-C6	5.29	1.40	1.37
1	AA	698	G	O4'-C1'	-5.29	1.34	1.41
1	AA	945	G	C2-N2	-5.29	1.29	1.34
2	AB	11	U	C4'-C3'	-5.29	1.47	1.52
26	BB	236	C	C4'-O4'	-5.29	1.38	1.45
26	BB	532	A	C5'-C4'	-5.29	1.45	1.51
26	BB	2311	A	C2'-C1'	-5.29	1.47	1.53
1	AA	216	U	N1-C2	5.29	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	240	G	C2-N3	5.29	1.36	1.32
1	AA	752	G	N7-C5	5.29	1.42	1.39
1	AA	881	G	O4'-C1'	5.29	1.48	1.41
1	AA	1179	A	P-OP2	5.29	1.57	1.49
26	BB	443	A	C4'-C3'	5.29	1.58	1.53
26	BB	556	A	C2'-O2'	5.29	1.48	1.41
26	BB	661	A	P-O5'	5.29	1.65	1.59
26	BB	2094	A	N1-C2	-5.29	1.29	1.34
26	BB	2328	A	N3-C4	-5.29	1.31	1.34
26	BB	2468	A	C4'-C3'	5.29	1.58	1.53
26	BB	2471	A	C4'-C3'	5.29	1.58	1.53
26	BB	2747	G	N1-C2	-5.29	1.33	1.37
1	AA	1313	U	N1-C6	5.29	1.42	1.38
1	AA	1528	U	C3'-C2'	5.29	1.58	1.52
7	AG	134	TYR	CD1-CE1	5.29	1.47	1.39
26	BB	64	A	N3-C4	5.29	1.38	1.34
26	BB	807	U	C3'-C2'	5.29	1.58	1.52
26	BB	1458	U	O4'-C1'	5.29	1.48	1.41
26	BB	1508	A	C2-N3	5.29	1.38	1.33
26	BB	1561	C	N1-C6	5.29	1.40	1.37
26	BB	2732	G	P-O5'	5.29	1.65	1.59
1	AA	93	U	C4-C5	5.29	1.48	1.43
1	AA	524	G	C5-C6	5.29	1.47	1.42
26	BB	438	G	N7-C5	-5.29	1.36	1.39
26	BB	1187	G	C2-N2	-5.29	1.29	1.34
26	BB	2433	A	C2'-O2'	-5.29	1.34	1.41
1	AA	204	G	C3'-C2'	5.29	1.58	1.52
1	AA	377	G	N3-C4	5.29	1.39	1.35
1	AA	387	U	C5'-C4'	5.29	1.57	1.51
1	AA	640	A	C5-C6	5.29	1.45	1.41
1	AA	882	C	C4-N4	5.29	1.38	1.33
1	AA	959	A	N3-C4	-5.29	1.31	1.34
1	AA	1132	C	C4'-O4'	-5.29	1.38	1.45
1	AA	1135	U	C5-C6	5.29	1.39	1.34
26	BB	458	G	C6-N1	5.29	1.43	1.39
26	BB	1714	U	C4-C5	5.29	1.48	1.43
26	BB	1759	A	C5-C4	-5.29	1.35	1.38
26	BB	2524	G	O4'-C1'	5.29	1.48	1.41
1	AA	632	U	P-O5'	5.29	1.65	1.59
1	AA	875	U	C4-C5	5.29	1.48	1.43
2	AB	22	G	O3'-P	5.29	1.67	1.61
4	AD	39	A	N3-C4	5.29	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	8	C	C1'-N1	5.29	1.56	1.48
1	AA	582	C	C5'-C4'	5.29	1.57	1.51
1	AA	808	C	C4-N4	5.29	1.38	1.33
1	AA	879	C	O4'-C1'	5.29	1.48	1.41
4	AD	7	G	C3'-C2'	5.29	1.58	1.52
17	AQ	71	GLY	N-CA	-5.29	1.38	1.46
25	BA	104	A	N9-C8	5.29	1.42	1.37
26	BB	81	G	N9-C8	5.29	1.41	1.37
26	BB	311	A	C5'-C4'	5.29	1.57	1.51
26	BB	334	C	N1-C6	-5.29	1.33	1.37
26	BB	1583	A	C3'-C2'	5.29	1.58	1.52
26	BB	1756	G	C2-N2	-5.29	1.29	1.34
26	BB	1818	U	C4'-C3'	5.29	1.58	1.53
26	BB	2315	G	N9-C4	-5.29	1.33	1.38
1	AA	349	A	C2-N3	5.28	1.38	1.33
1	AA	430	A	O3'-P	-5.28	1.54	1.61
1	AA	651	C	O4'-C1'	5.28	1.48	1.41
1	AA	1405	G	P-O5'	5.28	1.65	1.59
1	AA	1415	G	P-O5'	5.28	1.65	1.59
4	AD	27	G	N7-C5	5.28	1.42	1.39
26	BB	229	C	N1-C6	5.28	1.40	1.37
26	BB	296	U	P-O5'	5.28	1.65	1.59
26	BB	303	G	C2-N3	5.28	1.36	1.32
26	BB	921	C	C4'-O4'	-5.28	1.38	1.45
26	BB	1368	G	C5'-C4'	5.28	1.57	1.51
26	BB	1702	G	C8-N7	-5.28	1.27	1.30
26	BB	2009	A	C6-N6	-5.28	1.29	1.33
1	AA	78	A	C3'-O3'	-5.28	1.34	1.42
1	AA	84	U	N1-C2	5.28	1.43	1.38
1	AA	227	G	N3-C4	5.28	1.39	1.35
1	AA	611	C	C4-C5	-5.28	1.38	1.43
25	BA	23	G	C6-N1	5.28	1.43	1.39
26	BB	455	C	C2'-C1'	5.28	1.59	1.53
26	BB	520	G	C6-O6	-5.28	1.19	1.24
26	BB	2133	G	C3'-O3'	-5.28	1.34	1.42
26	BB	2770	G	N9-C8	5.28	1.41	1.37
26	BB	2844	G	C6-O6	-5.28	1.19	1.24
1	AA	267	C	P-O5'	5.28	1.65	1.59
1	AA	479	U	C2-N3	5.28	1.41	1.37
1	AA	867	G	C2'-C1'	5.28	1.59	1.53
1	AA	904	U	C2'-O2'	5.28	1.48	1.41
1	AA	925	G	C5-C6	5.28	1.47	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1460	C	C4'-O4'	-5.28	1.38	1.45
1	AA	1508	A	C5-C6	5.28	1.45	1.41
2	AB	62	U	C1'-N1	5.28	1.56	1.48
26	BB	118	A	P-O5'	-5.28	1.54	1.59
26	BB	639	U	C4-O4	5.28	1.27	1.23
26	BB	784	G	N9-C8	5.28	1.41	1.37
26	BB	990	A	N3-C4	5.28	1.38	1.34
26	BB	1461	C	C2-O2	-5.28	1.19	1.24
26	BB	1474	U	C5'-C4'	5.28	1.57	1.51
26	BB	1572	A	C5'-C4'	5.28	1.57	1.51
26	BB	1676	A	C3'-C2'	5.28	1.58	1.52
26	BB	1682	G	C5-C4	-5.28	1.34	1.38
26	BB	2328	A	C6-N1	-5.28	1.31	1.35
26	BB	2862	G	O4'-C1'	-5.28	1.34	1.41
26	BB	2891	U	N1-C6	5.28	1.42	1.38
1	AA	171	A	C4'-C3'	5.28	1.58	1.53
26	BB	72	U	N3-C4	5.28	1.43	1.38
26	BB	1543	G	C5-C6	5.28	1.47	1.42
26	BB	1868	C	O4'-C1'	5.28	1.48	1.41
26	BB	2483	C	C5-C6	5.28	1.38	1.34
1	AA	369	G	C6-N1	5.28	1.43	1.39
1	AA	389	A	C3'-C2'	-5.28	1.47	1.52
1	AA	784	A	C5-C6	5.28	1.45	1.41
1	AA	899	C	C5-C6	5.28	1.38	1.34
1	AA	928	G	N7-C5	5.28	1.42	1.39
1	AA	1015	G	C5'-C4'	5.28	1.57	1.51
1	AA	1380	U	C2'-O2'	5.28	1.48	1.41
26	BB	62	U	C5'-C4'	5.28	1.57	1.51
26	BB	555	G	C5-C4	5.28	1.42	1.38
26	BB	1003	G	C6-N1	-5.28	1.35	1.39
26	BB	1967	C	N1-C2	5.28	1.45	1.40
26	BB	2278	A	C4'-C3'	-5.28	1.47	1.52
26	BB	2701	U	C2-N3	5.28	1.41	1.37
26	BB	2772	C	C2'-O2'	5.28	1.48	1.41
26	BB	2810	A	C2'-C1'	5.28	1.59	1.53
29	BE	139	SER	CA-CB	5.28	1.60	1.52
1	AA	361	G	C2'-C1'	5.28	1.59	1.53
1	AA	733	G	C2-N3	5.28	1.36	1.32
1	AA	908	A	P-O5'	5.28	1.65	1.59
26	BB	1599	U	O3'-P	5.28	1.67	1.61
26	BB	2152	G	C6-N1	5.28	1.43	1.39
26	BB	2547	A	C5'-C4'	5.28	1.57	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2839	G	C2-N2	-5.28	1.29	1.34
40	BP	112	TYR	CE2-CZ	5.28	1.45	1.38
1	AA	622	A	C6-N1	-5.27	1.31	1.35
1	AA	1141	C	C4'-O4'	-5.27	1.38	1.45
12	AL	129	ARG	CD-NE	5.27	1.55	1.46
26	BB	399	U	C2-O2	-5.27	1.17	1.22
26	BB	720	U	C4'-C3'	5.27	1.58	1.53
1	AA	332	G	C8-N7	-5.27	1.27	1.30
1	AA	707	U	C2-N3	5.27	1.41	1.37
1	AA	1021	A	N7-C5	5.27	1.42	1.39
1	AA	1433	A	N3-C4	5.27	1.38	1.34
2	AB	26	A	C8-N7	5.27	1.35	1.31
2	AB	39	A	C3'-C2'	5.27	1.58	1.52
26	BB	760	G	C2-N3	5.27	1.36	1.32
26	BB	832	U	O3'-P	5.27	1.67	1.61
26	BB	833	A	N7-C5	-5.27	1.36	1.39
26	BB	856	G	C5-C6	-5.27	1.37	1.42
26	BB	951	C	N3-C4	5.27	1.37	1.33
26	BB	1167	C	C4-C5	5.27	1.47	1.43
26	BB	1232	G	N7-C5	-5.27	1.36	1.39
26	BB	1273	U	C2-N3	5.27	1.41	1.37
26	BB	1442	U	C2-O2	-5.27	1.17	1.22
26	BB	1786	A	C2-N3	5.27	1.38	1.33
26	BB	2405	G	C2-N2	-5.27	1.29	1.34
26	BB	2612	C	C3'-O3'	5.27	1.49	1.42
1	AA	535	A	N7-C5	5.27	1.42	1.39
1	AA	567	G	P-O5'	5.27	1.65	1.59
1	AA	1233	G	C2-N2	-5.27	1.29	1.34
1	AA	1276	G	N9-C4	5.27	1.42	1.38
26	BB	804	A	N9-C4	5.27	1.41	1.37
1	AA	361	G	N1-C2	5.27	1.42	1.37
1	AA	566	G	O3'-P	5.27	1.67	1.61
1	AA	706	A	N9-C4	5.27	1.41	1.37
1	AA	1169	A	P-O5'	5.27	1.65	1.59
1	AA	1319	A	C5-C4	-5.27	1.35	1.38
1	AA	1451	U	C5-C6	5.27	1.38	1.34
26	BB	282	A	C4'-O4'	-5.27	1.38	1.45
26	BB	751	A	C2'-C1'	-5.27	1.47	1.53
26	BB	1128	G	N7-C5	5.27	1.42	1.39
26	BB	1459	G	C2'-O2'	5.27	1.48	1.41
26	BB	2193	G	O5'-C5'	-5.27	1.34	1.42
26	BB	2245	U	N3-C4	5.27	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2338	C	P-O5'	5.27	1.65	1.59
26	BB	2729	G	C5'-C4'	5.27	1.57	1.51
26	BB	2730	C	N1-C6	5.27	1.40	1.37
26	BB	2849	U	C4-O4	-5.27	1.19	1.23
1	AA	343	U	P-O5'	-5.27	1.54	1.59
1	AA	621	A	C5'-C4'	5.27	1.57	1.51
1	AA	945	G	C6-O6	-5.27	1.19	1.24
1	AA	1182	G	C2-N2	5.27	1.39	1.34
1	AA	1533	C	N1-C6	5.27	1.40	1.37
3	AC	49	U	N1-C6	5.27	1.42	1.38
25	BA	7	G	C5-C4	5.27	1.42	1.38
26	BB	145	C	C2'-C1'	-5.27	1.47	1.53
26	BB	811	U	C4'-O4'	-5.27	1.38	1.45
26	BB	1319	C	C4-C5	5.27	1.47	1.43
26	BB	1986	C	N3-C4	5.27	1.37	1.33
26	BB	2032	G	O4'-C1'	5.27	1.48	1.41
26	BB	2825	G	C3'-C2'	5.27	1.58	1.52
26	BB	2900	A	C8-N7	5.27	1.35	1.31
1	AA	195	A	N7-C5	5.27	1.42	1.39
1	AA	629	A	C4'-O4'	-5.27	1.38	1.45
5	AE	161	PHE	CE1-CZ	5.27	1.47	1.37
10	AJ	101	ARG	CZ-NH1	5.27	1.39	1.33
1	AA	737	C	C4-N4	5.26	1.38	1.33
1	AA	957	U	C4'-O4'	-5.26	1.38	1.45
26	BB	173	A	C3'-C2'	5.26	1.58	1.52
26	BB	333	G	P-O5'	5.26	1.65	1.59
26	BB	517	C	N1-C6	5.26	1.40	1.37
26	BB	843	G	N9-C8	-5.26	1.34	1.37
26	BB	1712	U	C4-C5	5.26	1.48	1.43
26	BB	1832	C	C4'-O4'	-5.26	1.38	1.45
26	BB	2058	A	C3'-C2'	5.26	1.58	1.52
26	BB	2466	C	C4-N4	-5.26	1.29	1.33
26	BB	2616	C	C2-N3	5.26	1.40	1.35
57	B6	21	PHE	CG-CD1	5.26	1.46	1.38
1	AA	444	G	N1-C2	5.26	1.42	1.37
1	AA	666	G	N7-C5	5.26	1.42	1.39
3	AC	38	G	N3-C4	5.26	1.39	1.35
26	BB	220	G	C6-N1	-5.26	1.35	1.39
26	BB	301	G	C4'-C3'	5.26	1.58	1.53
26	BB	380	G	O5'-C5'	-5.26	1.34	1.42
26	BB	1548	A	N3-C4	5.26	1.38	1.34
26	BB	1811	G	N1-C2	5.26	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	369	G	C2'-C1'	-5.26	1.47	1.53
1	AA	659	U	C4-C5	5.26	1.48	1.43
1	AA	1288	A	C4'-O4'	-5.26	1.38	1.45
26	BB	539	G	N9-C4	-5.26	1.33	1.38
26	BB	1292	G	C2-N3	5.26	1.36	1.32
26	BB	1647	U	P-O5'	5.26	1.65	1.59
26	BB	1823	G	C3'-O3'	5.26	1.49	1.42
26	BB	1843	C	P-O5'	5.26	1.65	1.59
26	BB	2009	A	C5-C6	5.26	1.45	1.41
26	BB	2697	G	C5-C4	-5.26	1.34	1.38
1	AA	1222	G	P-O5'	5.26	1.65	1.59
1	AA	1254	A	N3-C4	5.26	1.38	1.34
1	AA	1261	A	C4'-C3'	5.26	1.58	1.53
4	AD	59	A	C8-N7	-5.26	1.27	1.31
25	BA	42	C	N3-C4	5.26	1.37	1.33
25	BA	75	G	N9-C4	5.26	1.42	1.38
26	BB	239	C	C5'-C4'	5.26	1.57	1.51
26	BB	869	G	C5-C6	5.26	1.47	1.42
26	BB	1130	U	C2-N3	5.26	1.41	1.37
26	BB	1394	U	C4'-O4'	-5.26	1.38	1.45
26	BB	1462	C	C2-N3	5.26	1.40	1.35
26	BB	2507	C	N1-C6	5.26	1.40	1.37
1	AA	223	A	C4'-O4'	-5.26	1.38	1.45
1	AA	409	U	C2'-C1'	5.26	1.59	1.53
1	AA	433	G	O4'-C1'	5.26	1.48	1.41
1	AA	505	G	O4'-C1'	5.26	1.48	1.41
25	BA	24	G	C4'-O4'	-5.26	1.38	1.45
1	AA	108	G	N9-C4	-5.26	1.33	1.38
1	AA	230	G	C4'-O4'	-5.26	1.38	1.45
1	AA	743	A	C6-N1	5.26	1.39	1.35
25	BA	73	A	C5'-C4'	5.26	1.57	1.51
26	BB	366	C	O3'-P	5.26	1.67	1.61
26	BB	948	C	C2-N3	5.26	1.40	1.35
26	BB	1133	A	C1'-N9	5.26	1.56	1.48
26	BB	1158	C	N3-C4	5.26	1.37	1.33
26	BB	1327	A	C6-N1	5.26	1.39	1.35
26	BB	1491	G	C4'-C3'	5.26	1.58	1.53
26	BB	1740	G	C8-N7	-5.26	1.27	1.30
26	BB	2062	A	N9-C4	5.26	1.41	1.37
26	BB	2715	C	N1-C2	5.26	1.45	1.40
26	BB	2780	G	P-O5'	5.26	1.65	1.59
1	AA	66	A	N3-C4	5.25	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	554	A	C5-C4	5.25	1.42	1.38
1	AA	628	G	C6-O6	-5.25	1.19	1.24
1	AA	1025	U	P-O5'	5.25	1.65	1.59
1	AA	1437	A	C3'-C2'	5.25	1.58	1.52
26	BB	33	C	C4'-C3'	-5.25	1.47	1.52
26	BB	520	G	N1-C2	5.25	1.42	1.37
1	AA	565	U	P-O5'	5.25	1.65	1.59
1	AA	868	C	N1-C6	5.25	1.40	1.37
1	AA	1466	C	C4'-O4'	-5.25	1.38	1.45
3	AC	53	G	C5'-C4'	5.25	1.57	1.51
12	AL	48	ARG	CZ-NH1	5.25	1.39	1.33
20	AT	76	ARG	CD-NE	5.25	1.55	1.46
26	BB	25	U	C5'-C4'	5.25	1.57	1.51
26	BB	155	A	N9-C4	5.25	1.41	1.37
26	BB	2239	G	C5-C4	5.25	1.42	1.38
26	BB	2348	U	C4'-O4'	-5.25	1.38	1.45
43	BS	63	ARG	NE-CZ	5.25	1.39	1.33
1	AA	2	A	C5'-C4'	5.25	1.57	1.51
1	AA	15	G	C6-O6	-5.25	1.19	1.24
1	AA	259	G	C8-N7	5.25	1.34	1.30
1	AA	601	G	C5'-C4'	5.25	1.57	1.51
1	AA	706	A	N9-C8	-5.25	1.33	1.37
1	AA	928	G	N9-C4	5.25	1.42	1.38
1	AA	1356	G	C2'-O2'	5.25	1.48	1.41
25	BA	100	G	N3-C4	5.25	1.39	1.35
26	BB	520	G	C4'-C3'	-5.25	1.47	1.52
26	BB	879	G	C3'-O3'	5.25	1.49	1.42
26	BB	1803	A	C4'-C3'	5.25	1.58	1.53
26	BB	2704	C	O3'-P	5.25	1.67	1.61
26	BB	2823	A	C8-N7	5.25	1.35	1.31
57	B6	13	PHE	CG-CD1	5.25	1.46	1.38
1	AA	59	A	C4'-O4'	-5.25	1.38	1.45
1	AA	240	G	P-O5'	5.25	1.65	1.59
1	AA	509	A	C2'-O2'	5.25	1.48	1.41
1	AA	665	A	N3-C4	5.25	1.38	1.34
26	BB	962	G	N7-C5	5.25	1.42	1.39
26	BB	1445	G	C3'-O3'	5.25	1.49	1.42
26	BB	2273	A	N3-C4	5.25	1.38	1.34
1	AA	449	G	N3-C4	5.25	1.39	1.35
1	AA	654	G	C8-N7	5.25	1.34	1.30
1	AA	900	A	N1-C2	-5.25	1.29	1.34
4	AD	69	C	C5'-C4'	5.25	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	70	C	C4'-O4'	-5.25	1.38	1.45
25	BA	76	G	C8-N7	-5.25	1.27	1.30
26	BB	1021	A	C5-C6	5.25	1.45	1.41
26	BB	1742	U	C4-C5	5.25	1.48	1.43
26	BB	1755	A	N3-C4	5.25	1.38	1.34
26	BB	2248	C	C4-C5	5.25	1.47	1.43
26	BB	2360	G	C5-C6	5.25	1.47	1.42
26	BB	2721	A	N9-C8	-5.25	1.33	1.37
44	BT	19	THR	CB-OG1	-5.25	1.32	1.43
1	AA	659	U	O3'-P	5.25	1.67	1.61
7	AG	127	ARG	CD-NE	5.25	1.55	1.46
26	BB	594	U	O3'-P	5.25	1.67	1.61
26	BB	1309	G	N9-C8	5.25	1.41	1.37
26	BB	1342	A	C6-N6	-5.25	1.29	1.33
26	BB	1863	G	N3-C4	5.25	1.39	1.35
26	BB	2882	A	C6-N1	5.25	1.39	1.35
1	AA	365	U	C5'-C4'	5.25	1.57	1.51
26	BB	751	A	N9-C8	-5.25	1.33	1.37
26	BB	1217	U	O4'-C1'	-5.25	1.34	1.41
26	BB	1912	A	C6-N6	-5.25	1.29	1.33
26	BB	1957	C	C2'-C1'	5.25	1.59	1.53
1	AA	1231	G	C3'-O3'	-5.24	1.34	1.42
26	BB	16	C	C5-C6	5.24	1.38	1.34
26	BB	135	U	C5-C6	5.24	1.38	1.34
26	BB	157	C	C3'-C2'	5.24	1.58	1.52
26	BB	311	A	N7-C5	5.24	1.42	1.39
26	BB	318	C	O4'-C1'	5.24	1.48	1.41
26	BB	543	G	C8-N7	-5.24	1.27	1.30
26	BB	692	C	C2'-C1'	5.24	1.59	1.53
26	BB	994	C	N3-C4	5.24	1.37	1.33
26	BB	1036	G	C5'-C4'	5.24	1.57	1.51
26	BB	1053	C	C3'-O3'	5.24	1.49	1.42
26	BB	1483	G	C4'-C3'	5.24	1.58	1.53
26	BB	2122	U	C5'-C4'	5.24	1.57	1.51
26	BB	2231	U	N3-C4	5.24	1.43	1.38
26	BB	2383	G	O3'-P	5.24	1.67	1.61
26	BB	2633	G	C4'-O4'	-5.24	1.38	1.45
26	BB	2084	C	C5'-C4'	5.24	1.57	1.51
26	BB	2355	G	P-O5'	5.24	1.65	1.59
1	AA	1114	C	C3'-C2'	5.24	1.58	1.52
1	AA	1132	C	C4-C5	5.24	1.47	1.43
1	AA	1284	C	C2-N3	5.24	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	10	G	C2-N2	-5.24	1.29	1.34
25	BA	51	G	N1-C2	5.24	1.42	1.37
25	BA	59	A	C4'-C3'	5.24	1.58	1.53
26	BB	149	A	C4'-C3'	-5.24	1.47	1.52
26	BB	771	G	C3'-O3'	-5.24	1.34	1.42
26	BB	814	C	C2-O2	-5.24	1.19	1.24
26	BB	1762	A	C4'-C3'	5.24	1.58	1.53
26	BB	1831	G	N1-C2	5.24	1.42	1.37
26	BB	1924	C	C5'-C4'	5.24	1.57	1.51
26	BB	2300	C	C5'-C4'	5.24	1.57	1.51
26	BB	2320	U	C2-O2	5.24	1.27	1.22
26	BB	2395	C	C3'-C2'	5.24	1.58	1.52
26	BB	2828	G	C4'-C3'	-5.24	1.47	1.52
26	BB	2895	G	C2-N3	5.24	1.36	1.32
1	AA	148	G	C8-N7	5.24	1.34	1.30
1	AA	513	C	C3'-C2'	-5.24	1.47	1.52
1	AA	681	A	C2'-C1'	5.24	1.59	1.53
1	AA	702	A	C8-N7	-5.24	1.27	1.31
1	AA	1023	U	O4'-C1'	-5.24	1.34	1.41
2	AB	63	C	C4-N4	-5.24	1.29	1.33
26	BB	1124	G	C5'-C4'	5.24	1.57	1.51
26	BB	1308	A	N9-C4	5.24	1.41	1.37
26	BB	1546	G	N9-C4	5.24	1.42	1.38
26	BB	2536	G	N9-C4	-5.24	1.33	1.38
1	AA	690	G	P-O5'	5.24	1.65	1.59
15	AO	19	ASN	CB-CG	5.24	1.63	1.51
26	BB	900	A	C5'-C4'	5.24	1.57	1.51
26	BB	913	U	N1-C2	5.24	1.43	1.38
26	BB	2237	G	O3'-P	-5.24	1.54	1.61
1	AA	438	U	C5-C6	5.24	1.38	1.34
1	AA	611	C	P-O5'	5.24	1.65	1.59
2	AB	70	C	C5'-C4'	5.24	1.57	1.51
3	AC	48	C	C4'-O4'	-5.24	1.38	1.45
3	AC	50	U	P-O5'	5.24	1.65	1.59
24	AX	22	CYS	CB-SG	5.24	1.91	1.82
26	BB	242	G	C2-N3	5.24	1.36	1.32
26	BB	272	A	O3'-P	5.24	1.67	1.61
26	BB	366	C	N3-C4	5.24	1.37	1.33
26	BB	419	U	C2-N3	-5.24	1.34	1.37
26	BB	503	A	N9-C4	-5.24	1.34	1.37
26	BB	1271	G	P-O5'	5.24	1.65	1.59
26	BB	1483	G	N9-C8	-5.24	1.34	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1782	U	N3-C4	5.24	1.43	1.38
26	BB	1862	G	C6-O6	-5.24	1.19	1.24
26	BB	2000	C	C5-C6	5.24	1.38	1.34
26	BB	2515	C	C4'-C3'	-5.24	1.47	1.52
27	BC	25	GLU	CD-OE2	5.24	1.31	1.25
31	BG	142	TYR	CE2-CZ	5.24	1.45	1.38
1	AA	329	A	C4'-O4'	-5.23	1.38	1.45
1	AA	949	A	O3'-P	5.23	1.67	1.61
1	AA	1334	G	C6-N1	-5.23	1.35	1.39
26	BB	305	C	C5'-C4'	5.23	1.57	1.51
26	BB	532	A	C2-N3	-5.23	1.28	1.33
26	BB	1060	U	C4'-C3'	-5.23	1.47	1.52
26	BB	1260	A	C3'-C2'	5.23	1.58	1.52
26	BB	2562	U	C4'-O4'	-5.23	1.38	1.45
1	AA	246	A	C2'-O2'	5.23	1.48	1.41
1	AA	358	U	C5-C6	-5.23	1.29	1.34
3	AC	53	G	C5-C4	-5.23	1.34	1.38
26	BB	298	G	N9-C8	-5.23	1.34	1.37
26	BB	653	U	C4'-C3'	-5.23	1.47	1.52
26	BB	893	C	N3-C4	-5.23	1.30	1.33
26	BB	1088	A	C5-C6	5.23	1.45	1.41
26	BB	1228	G	C8-N7	-5.23	1.27	1.30
26	BB	1368	G	N1-C2	-5.23	1.33	1.37
26	BB	1789	A	C2'-C1'	5.23	1.59	1.53
26	BB	2885	G	C5'-C4'	5.23	1.57	1.51
1	AA	682	G	N9-C4	-5.23	1.33	1.38
1	AA	916	U	C2-N3	5.23	1.41	1.37
1	AA	1063	C	C4'-O4'	-5.23	1.38	1.45
25	BA	48	U	C2-N3	5.23	1.41	1.37
26	BB	247	G	C8-N7	-5.23	1.27	1.30
26	BB	848	C	N3-C4	5.23	1.37	1.33
26	BB	943	A	C5-C6	5.23	1.45	1.41
26	BB	1102	C	O3'-P	5.23	1.67	1.61
26	BB	1151	A	P-O5'	5.23	1.65	1.59
26	BB	1836	C	C4-C5	5.23	1.47	1.43
26	BB	2729	G	N7-C5	-5.23	1.36	1.39
26	BB	2785	C	O4'-C1'	-5.23	1.34	1.41
26	BB	2868	A	O3'-P	5.23	1.67	1.61
1	AA	185	U	O3'-P	-5.23	1.54	1.61
1	AA	374	A	N3-C4	-5.23	1.31	1.34
1	AA	763	G	C5-C4	-5.23	1.34	1.38
1	AA	1365	G	C8-N7	-5.23	1.27	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1395	A	N1-C2	-5.23	1.29	1.34
1	AA	320	A	C5-C4	-5.23	1.35	1.38
1	AA	363	A	C4'-O4'	-5.23	1.38	1.45
1	AA	457	G	C2-N3	5.23	1.36	1.32
1	AA	494	G	N7-C5	5.23	1.42	1.39
1	AA	783	C	O3'-P	-5.23	1.54	1.61
26	BB	1041	G	N9-C8	5.23	1.41	1.37
26	BB	1232	G	C2'-C1'	5.23	1.59	1.53
26	BB	1747	U	C4'-C3'	-5.23	1.47	1.52
26	BB	1792	G	C5-C6	5.23	1.47	1.42
26	BB	2568	U	C4-C5	5.23	1.48	1.43
1	AA	72	A	N3-C4	5.23	1.38	1.34
1	AA	1018	G	C2-N2	5.23	1.39	1.34
26	BB	504	A	C6-N6	5.23	1.38	1.33
26	BB	680	C	C1'-N1	5.23	1.56	1.48
26	BB	712	G	C2-N3	5.23	1.36	1.32
26	BB	820	A	C1'-N9	5.23	1.56	1.48
26	BB	2202	U	C4-C5	5.23	1.48	1.43
1	AA	70	U	C4'-C3'	5.22	1.58	1.53
1	AA	473	U	N1-C6	-5.22	1.33	1.38
1	AA	1268	G	C8-N7	-5.22	1.27	1.30
26	BB	35	G	N7-C5	-5.22	1.36	1.39
26	BB	370	G	C5-C4	5.22	1.42	1.38
26	BB	544	C	C4'-C3'	5.22	1.58	1.53
26	BB	575	A	O5'-C5'	-5.22	1.34	1.42
26	BB	803	U	N1-C2	5.22	1.43	1.38
26	BB	913	U	C4'-O4'	-5.22	1.38	1.45
26	BB	1588	G	N3-C4	5.22	1.39	1.35
26	BB	1734	G	C4'-O4'	-5.22	1.38	1.45
26	BB	1840	G	N9-C4	5.22	1.42	1.38
26	BB	1844	C	C2-O2	-5.22	1.19	1.24
26	BB	1895	C	N3-C4	5.22	1.37	1.33
26	BB	1932	A	C5-C6	-5.22	1.36	1.41
26	BB	2410	G	C5'-C4'	5.22	1.57	1.51
26	BB	2433	A	C2'-C1'	-5.22	1.47	1.53
26	BB	2781	A	C8-N7	-5.22	1.27	1.31
26	BB	2895	G	N7-C5	5.22	1.42	1.39
1	AA	309	A	P-O5'	5.22	1.65	1.59
1	AA	350	G	C6-N1	5.22	1.43	1.39
1	AA	699	C	C4-C5	5.22	1.47	1.43
1	AA	903	G	C4'-C3'	-5.22	1.47	1.52
1	AA	1526	G	C3'-O3'	-5.22	1.34	1.42

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	501	A	C4'-O4'	-5.22	1.38	1.45
26	BB	712	G	N9-C4	5.22	1.42	1.38
26	BB	941	A	P-O5'	5.22	1.65	1.59
26	BB	1168	G	O3'-P	5.22	1.67	1.61
26	BB	1323	C	C2-N3	5.22	1.40	1.35
26	BB	1979	U	C2'-C1'	-5.22	1.47	1.53
26	BB	2293	G	C4'-O4'	-5.22	1.38	1.45
26	BB	2386	A	N9-C4	-5.22	1.34	1.37
26	BB	2638	G	C4'-O4'	-5.22	1.38	1.45
26	BB	68	G	N9-C8	5.22	1.41	1.37
26	BB	199	A	C2-N3	-5.22	1.28	1.33
26	BB	1495	A	N1-C2	-5.22	1.29	1.34
26	BB	1669	A	N9-C8	-5.22	1.33	1.37
26	BB	2407	A	C4'-O4'	-5.22	1.38	1.45
1	AA	607	A	N1-C2	-5.22	1.29	1.34
1	AA	800	G	C5'-C4'	5.22	1.57	1.51
1	AA	1427	C	O3'-P	-5.22	1.54	1.61
2	AB	52	A	C2-N3	5.22	1.38	1.33
26	BB	81	G	C5-C4	5.22	1.42	1.38
26	BB	493	G	C6-N1	5.22	1.43	1.39
26	BB	1346	G	C8-N7	5.22	1.34	1.30
26	BB	1474	U	C4'-O4'	-5.22	1.38	1.45
26	BB	2824	C	C3'-O3'	-5.22	1.34	1.42
1	AA	99	C	C4'-O4'	-5.22	1.38	1.45
1	AA	517	G	O4'-C1'	5.22	1.48	1.41
1	AA	903	G	C8-N7	-5.22	1.27	1.30
3	AC	40	G	O4'-C1'	5.22	1.48	1.41
26	BB	549	G	C8-N7	5.22	1.34	1.30
26	BB	1463	C	C4-C5	5.22	1.47	1.43
26	BB	1761	C	C5'-C4'	5.22	1.57	1.51
26	BB	2616	C	C4'-O4'	-5.22	1.38	1.45
1	AA	191	G	C6-N1	-5.22	1.35	1.39
1	AA	634	C	N1-C6	5.22	1.40	1.37
1	AA	851	G	C2'-C1'	5.22	1.59	1.53
1	AA	1262	C	C5-C6	5.22	1.38	1.34
26	BB	914	G	C8-N7	5.22	1.34	1.30
26	BB	1755	A	C6-N6	5.22	1.38	1.33
26	BB	1847	A	P-O5'	-5.22	1.54	1.59
26	BB	1868	C	N1-C6	5.22	1.40	1.37
26	BB	2534	A	C3'-C2'	-5.22	1.47	1.52
1	AA	146	G	C2-N3	5.21	1.36	1.32
4	AD	3	C	C4-N4	-5.21	1.29	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	15	A	C6-N6	5.21	1.38	1.33
26	BB	263	G	C4'-O4'	-5.21	1.38	1.45
26	BB	1116	G	N9-C8	-5.21	1.34	1.37
26	BB	1186	G	N9-C8	5.21	1.41	1.37
26	BB	1663	G	N9-C4	-5.21	1.33	1.38
26	BB	1807	G	C3'-C2'	5.21	1.58	1.52
26	BB	2178	C	C2-O2	-5.21	1.19	1.24
1	AA	97	G	C4'-C3'	5.21	1.58	1.53
1	AA	1371	G	N9-C4	-5.21	1.33	1.38
4	AD	31	G	C8-N7	-5.21	1.27	1.30
26	BB	420	C	C4-C5	5.21	1.47	1.43
26	BB	890	C	O3'-P	5.21	1.67	1.61
26	BB	1228	G	O3'-P	5.21	1.67	1.61
26	BB	2190	G	C2-N2	-5.21	1.29	1.34
26	BB	2557	G	C4'-O4'	-5.21	1.38	1.45
26	BB	2566	A	P-O5'	5.21	1.65	1.59
26	BB	2635	A	C4'-O4'	-5.21	1.38	1.45
1	AA	318	G	N3-C4	5.21	1.39	1.35
1	AA	597	G	C2'-C1'	-5.21	1.47	1.53
26	BB	761	A	C8-N7	-5.21	1.27	1.31
26	BB	868	U	N1-C2	5.21	1.43	1.38
26	BB	1372	U	C2'-C1'	-5.21	1.47	1.53
26	BB	2083	G	C6-O6	-5.21	1.19	1.24
26	BB	1299	G	C5-C4	-5.21	1.34	1.38
1	AA	3	A	C5'-C4'	5.21	1.57	1.51
1	AA	60	A	N7-C5	5.21	1.42	1.39
1	AA	73	C	N3-C4	5.21	1.37	1.33
1	AA	262	A	C3'-O3'	5.21	1.49	1.42
1	AA	867	G	O3'-P	5.21	1.67	1.61
1	AA	1125	U	C2-N3	5.21	1.41	1.37
4	AD	57	C	N3-C4	5.21	1.37	1.33
25	BA	35	C	C3'-O3'	5.21	1.49	1.42
26	BB	135	U	O4'-C1'	5.21	1.48	1.41
26	BB	156	A	N9-C4	5.21	1.41	1.37
26	BB	181	A	C6-N6	5.21	1.38	1.33
26	BB	1817	G	C2-N3	5.21	1.36	1.32
26	BB	1880	U	N1-C6	-5.21	1.33	1.38
26	BB	1885	A	O3'-P	5.21	1.67	1.61
26	BB	2356	U	C2-N3	5.21	1.41	1.37
26	BB	2430	A	C4'-C3'	5.21	1.58	1.53
26	BB	2795	C	O3'-P	5.21	1.67	1.61
26	BB	2809	A	C6-N1	-5.21	1.31	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	46	G	C5-C4	5.21	1.42	1.38
1	AA	1454	G	P-O5'	5.21	1.65	1.59
25	BA	14	U	C4-C5	-5.21	1.38	1.43
25	BA	24	G	C4'-C3'	5.21	1.58	1.53
26	BB	356	G	C4'-O4'	-5.21	1.38	1.45
26	BB	536	G	C4'-O4'	5.21	1.52	1.45
26	BB	789	A	C6-N6	5.21	1.38	1.33
26	BB	2059	A	C6-N6	5.21	1.38	1.33
26	BB	2561	U	N3-C4	5.21	1.43	1.38
26	BB	2582	G	C6-N1	5.21	1.43	1.39
1	AA	95	C	C4'-O4'	-5.21	1.38	1.45
26	BB	1036	G	N3-C4	5.21	1.39	1.35
26	BB	1207	C	C5-C6	5.21	1.38	1.34
26	BB	1570	A	C3'-O3'	5.21	1.49	1.42
26	BB	2523	G	C2-N3	5.21	1.36	1.32
26	BB	2642	G	C6-O6	-5.21	1.19	1.24
1	AA	90	C	C3'-C2'	5.20	1.58	1.52
1	AA	492	C	C1'-N1	5.20	1.56	1.48
1	AA	495	A	C3'-C2'	5.20	1.58	1.52
1	AA	1200	C	N3-C4	5.20	1.37	1.33
1	AA	1455	G	C8-N7	5.20	1.34	1.30
1	AA	1512	U	P-O5'	5.20	1.65	1.59
1	AA	1526	G	O3'-P	5.20	1.67	1.61
26	BB	165	A	N9-C8	5.20	1.42	1.37
26	BB	270	A	O4'-C1'	5.20	1.48	1.41
26	BB	815	C	C4-N4	5.20	1.38	1.33
26	BB	1131	G	C3'-C2'	5.20	1.58	1.52
26	BB	2675	A	P-O5'	5.20	1.65	1.59
26	BB	654	A	C6-N1	5.20	1.39	1.35
26	BB	1805	A	C6-N6	-5.20	1.29	1.33
26	BB	2643	G	C2'-C1'	5.20	1.59	1.53
1	AA	422	C	C5-C6	5.20	1.38	1.34
1	AA	628	G	N1-C2	5.20	1.42	1.37
1	AA	631	C	O3'-P	5.20	1.67	1.61
1	AA	661	G	C4'-C3'	-5.20	1.47	1.52
1	AA	912	C	C3'-C2'	5.20	1.58	1.52
1	AA	1428	A	O3'-P	-5.20	1.54	1.61
12	AL	38	PHE	CG-CD2	5.20	1.46	1.38
26	BB	268	C	C5'-C4'	5.20	1.57	1.51
26	BB	1078	U	C2'-C1'	-5.20	1.47	1.53
26	BB	1156	A	N3-C4	5.20	1.38	1.34
26	BB	1540	G	C5-C6	5.20	1.47	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2429	G	C4'-C3'	5.20	1.58	1.53
26	BB	2775	G	C5-C4	5.20	1.42	1.38
1	AA	134	G	C5-C4	-5.20	1.34	1.38
1	AA	445	G	C2-N2	5.20	1.39	1.34
1	AA	446	G	C5'-C4'	5.20	1.57	1.51
1	AA	1068	G	O3'-P	5.20	1.67	1.61
26	BB	65	U	N3-C4	5.20	1.43	1.38
26	BB	683	U	N1-C2	5.20	1.43	1.38
26	BB	922	C	N1-C2	5.20	1.45	1.40
26	BB	1441	G	N9-C4	-5.20	1.33	1.38
26	BB	1677	A	C6-N1	5.20	1.39	1.35
26	BB	2017	U	O3'-P	-5.20	1.54	1.61
26	BB	2424	C	C4-N4	-5.20	1.29	1.33
26	BB	2437	G	N1-C2	5.20	1.42	1.37
26	BB	2591	C	C4-C5	5.20	1.47	1.43
26	BB	2771	C	N1-C2	5.20	1.45	1.40
1	AA	1247	U	C4'-C3'	5.20	1.58	1.53
1	AA	1537	U	O4'-C1'	5.20	1.48	1.41
26	BB	90	U	N3-C4	5.20	1.43	1.38
26	BB	217	A	C4'-O4'	-5.20	1.38	1.45
26	BB	2038	G	C2-N2	5.20	1.39	1.34
1	AA	270	A	N9-C8	-5.20	1.33	1.37
1	AA	545	C	C5-C6	5.20	1.38	1.34
1	AA	622	A	C8-N7	-5.20	1.27	1.31
1	AA	1056	U	O4'-C1'	5.20	1.48	1.41
26	BB	876	C	C2-N3	5.20	1.40	1.35
26	BB	1002	G	P-O5'	-5.20	1.54	1.59
26	BB	1016	G	P-O5'	5.20	1.65	1.59
26	BB	1173	U	C5-C6	5.20	1.38	1.34
26	BB	1347	A	C8-N7	-5.20	1.27	1.31
26	BB	1684	G	C5'-C4'	5.20	1.57	1.51
26	BB	2489	U	C5'-C4'	5.20	1.57	1.51
26	BB	2572	A	N9-C4	5.20	1.41	1.37
26	BB	2832	U	C5'-C4'	5.20	1.57	1.51
1	AA	1137	C	N3-C4	5.19	1.37	1.33
26	BB	287	G	N3-C4	5.19	1.39	1.35
26	BB	1989	G	C2'-O2'	5.19	1.48	1.41
1	AA	502	A	C6-N1	-5.19	1.31	1.35
1	AA	773	G	O3'-P	-5.19	1.54	1.61
6	AF	106	ARG	CZ-NH1	5.19	1.39	1.33
26	BB	53	A	C5-C6	-5.19	1.36	1.41
26	BB	590	A	C2-N3	5.19	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	829	A	C2'-O2'	5.19	1.48	1.41
26	BB	933	A	P-O5'	5.19	1.65	1.59
26	BB	2785	C	C5-C6	5.19	1.38	1.34
1	AA	386	C	C5'-C4'	5.19	1.57	1.51
1	AA	429	U	N3-C4	5.19	1.43	1.38
1	AA	529	G	C2-N3	5.19	1.36	1.32
1	AA	1539	C	C1'-N1	5.19	1.56	1.48
1	AA	1540	U	C4-O4	-5.19	1.19	1.23
4	AD	68	C	C3'-C2'	5.19	1.58	1.52
26	BB	458	G	O3'-P	-5.19	1.54	1.61
26	BB	1235	G	C5-C6	5.19	1.47	1.42
26	BB	1295	C	C2'-C1'	5.19	1.59	1.53
26	BB	2203	U	C2-N3	5.19	1.41	1.37
26	BB	2635	A	C2'-O2'	-5.19	1.34	1.41
26	BB	2803	G	N9-C8	-5.19	1.34	1.37
1	AA	153	C	N3-C4	5.19	1.37	1.33
1	AA	717	U	C4'-O4'	-5.19	1.38	1.45
1	AA	1296	C	C4'-O4'	-5.19	1.38	1.45
2	AB	25	C	C5'-C4'	5.19	1.57	1.51
26	BB	2111	U	N1-C6	5.19	1.42	1.38
1	AA	136	C	C4-C5	5.19	1.47	1.43
1	AA	720	C	C4'-C3'	5.19	1.58	1.53
1	AA	1364	U	C2'-C1'	5.19	1.59	1.53
26	BB	327	G	C2-N3	5.19	1.36	1.32
26	BB	1854	A	C6-N1	5.19	1.39	1.35
26	BB	2048	G	N7-C5	-5.19	1.36	1.39
1	AA	193	C	N3-C4	5.19	1.37	1.33
1	AA	1208	C	C4-C5	5.19	1.47	1.43
25	BA	109	A	C6-N6	-5.19	1.29	1.33
26	BB	1614	A	C2'-C1'	5.19	1.59	1.53
26	BB	2747	G	C4'-O4'	-5.19	1.38	1.45
26	BB	2864	G	C6-O6	-5.19	1.19	1.24
1	AA	52	C	C4-N4	5.18	1.38	1.33
1	AA	406	G	C6-N1	-5.18	1.35	1.39
1	AA	1071	C	C5-C6	5.18	1.38	1.34
1	AA	1510	C	O4'-C1'	5.18	1.48	1.41
1	AA	1537	U	C2-N3	5.18	1.41	1.37
4	AD	39	A	N7-C5	-5.18	1.36	1.39
26	BB	1046	A	C5'-C4'	5.18	1.57	1.51
26	BB	1091	G	C6-N1	5.18	1.43	1.39
26	BB	1149	G	P-O5'	5.18	1.65	1.59
26	BB	2469	A	C5-C6	-5.18	1.36	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	151	A	C5-C6	5.18	1.45	1.41
1	AA	417	G	P-O5'	5.18	1.65	1.59
25	BA	63	C	N1-C6	5.18	1.40	1.37
25	BA	93	C	C4-N4	5.18	1.38	1.33
26	BB	250	G	O5'-C5'	-5.18	1.34	1.42
26	BB	409	G	C5-C4	5.18	1.42	1.38
26	BB	1021	A	N9-C4	-5.18	1.34	1.37
26	BB	1247	A	N7-C5	-5.18	1.36	1.39
26	BB	1784	A	P-O5'	5.18	1.65	1.59
26	BB	2590	A	C2'-O2'	5.18	1.48	1.41
1	AA	426	U	C4-C5	5.18	1.48	1.43
1	AA	1370	G	N7-C5	5.18	1.42	1.39
26	BB	1105	U	N3-C4	-5.18	1.33	1.38
26	BB	1754	A	N9-C8	-5.18	1.33	1.37
26	BB	1801	A	C6-N6	-5.18	1.29	1.33
26	BB	2782	G	C6-O6	-5.18	1.19	1.24
1	AA	302	G	N7-C5	5.18	1.42	1.39
1	AA	682	G	N9-C8	5.18	1.41	1.37
1	AA	1043	G	O5'-C5'	-5.18	1.34	1.42
26	BB	503	A	C6-N6	5.18	1.38	1.33
26	BB	708	G	N7-C5	5.18	1.42	1.39
26	BB	958	U	N1-C6	-5.18	1.33	1.38
26	BB	1065	U	C2-O2	-5.18	1.17	1.22
26	BB	2081	U	N3-C4	5.18	1.43	1.38
26	BB	2139	U	C4'-O4'	-5.18	1.38	1.45
26	BB	2592	G	C8-N7	-5.18	1.27	1.30
26	BB	2783	U	C2'-C1'	-5.18	1.47	1.53
26	BB	2898	U	C2'-C1'	5.18	1.59	1.53
1	AA	1161	C	C4'-O4'	-5.18	1.38	1.45
26	BB	210	C	O3'-P	5.18	1.67	1.61
26	BB	1580	A	C3'-C2'	5.18	1.58	1.52
26	BB	2665	A	P-O5'	5.18	1.65	1.59
1	AA	112	G	N9-C8	-5.18	1.34	1.37
1	AA	372	C	O3'-P	5.18	1.67	1.61
1	AA	627	G	C8-N7	5.18	1.34	1.30
1	AA	694	A	C4'-O4'	-5.18	1.38	1.45
1	AA	1533	C	C5-C6	5.18	1.38	1.34
2	AB	35	C	C5-C6	5.18	1.38	1.34
26	BB	399	U	C5-C6	5.18	1.38	1.34
26	BB	919	U	C4'-O4'	-5.18	1.38	1.45
26	BB	1129	A	N3-C4	5.18	1.38	1.34
26	BB	1250	G	C4'-O4'	-5.18	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1887	C	C2-N3	-5.18	1.31	1.35
26	BB	2213	U	C5-C6	5.18	1.38	1.34
26	BB	2253	G	C8-N7	-5.18	1.27	1.30
26	BB	2642	G	N1-C2	5.18	1.41	1.37
26	BB	2883	A	C5'-C4'	5.18	1.57	1.51
40	BP	2	ARG	N-CA	5.18	1.56	1.46
57	B6	63	TYR	CE1-CZ	5.18	1.45	1.38
1	AA	1058	G	C2-N2	5.17	1.39	1.34
3	AC	57	C	C3'-C2'	5.17	1.58	1.52
26	BB	753	A	N9-C4	-5.17	1.34	1.37
26	BB	1073	A	C5'-C4'	5.17	1.57	1.51
26	BB	1170	C	C2'-O2'	-5.17	1.34	1.41
26	BB	1580	A	C2'-C1'	5.17	1.59	1.53
26	BB	2004	G	N1-C2	5.17	1.41	1.37
26	BB	2128	G	C2-N3	5.17	1.36	1.32
26	BB	2728	U	C4'-C3'	-5.17	1.47	1.52
26	BB	334	C	C2-N3	5.17	1.39	1.35
26	BB	1443	U	N1-C2	5.17	1.43	1.38
26	BB	1927	A	N3-C4	5.17	1.38	1.34
26	BB	2904	U	C5'-C4'	5.17	1.57	1.51
35	BK	21	PRO	CA-C	5.17	1.63	1.52
1	AA	1038	C	C5'-C4'	5.17	1.57	1.51
1	AA	1062	U	C5-C6	5.17	1.38	1.34
1	AA	1248	A	C5'-C4'	-5.17	1.45	1.51
1	AA	1403	C	C4-N4	-5.17	1.29	1.33
2	AB	1	A	N7-C5	-5.17	1.36	1.39
26	BB	323	C	C4-C5	5.17	1.47	1.43
26	BB	378	C	C5-C6	5.17	1.38	1.34
26	BB	490	C	C5'-C4'	5.17	1.57	1.51
26	BB	649	G	N9-C8	-5.17	1.34	1.37
26	BB	664	G	C5-C4	5.17	1.42	1.38
26	BB	796	C	C5-C6	5.17	1.38	1.34
26	BB	862	G	C8-N7	-5.17	1.27	1.30
26	BB	874	G	P-O5'	5.17	1.65	1.59
26	BB	1017	G	O3'-P	5.17	1.67	1.61
26	BB	1168	G	C1'-N9	5.17	1.56	1.48
26	BB	1305	C	C2-O2	-5.17	1.19	1.24
26	BB	1330	C	O3'-P	5.17	1.67	1.61
26	BB	1644	C	C4'-O4'	-5.17	1.38	1.45
26	BB	2005	A	C6-N1	5.17	1.39	1.35
1	AA	79	G	C2-N2	-5.17	1.29	1.34
1	AA	627	G	C4'-C3'	5.17	1.58	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1006	G	C8-N7	-5.17	1.27	1.30
1	AA	1368	A	C5'-C4'	5.17	1.57	1.51
26	BB	780	G	C3'-O3'	5.17	1.49	1.42
26	BB	1112	G	C6-N1	5.17	1.43	1.39
26	BB	2742	G	C2'-C1'	5.17	1.59	1.53
40	BP	112	TYR	CG-CD1	5.17	1.45	1.39
1	AA	1070	U	C2-O2	5.17	1.27	1.22
15	AO	69	GLU	CD-OE2	5.17	1.31	1.25
26	BB	338	G	C4'-O4'	-5.17	1.38	1.45
26	BB	662	G	N9-C8	5.17	1.41	1.37
26	BB	692	C	C5-C6	-5.17	1.30	1.34
26	BB	960	A	N1-C2	-5.17	1.29	1.34
26	BB	2728	U	N3-C4	-5.17	1.33	1.38
1	AA	119	A	N9-C8	5.17	1.41	1.37
1	AA	183	C	C5'-C4'	5.17	1.57	1.51
1	AA	284	C	C3'-O3'	-5.17	1.34	1.42
1	AA	636	U	C2'-O2'	-5.17	1.34	1.41
26	BB	1008	A	N9-C4	-5.17	1.34	1.37
26	BB	1041	G	N1-C2	5.17	1.41	1.37
26	BB	1073	A	N3-C4	5.17	1.38	1.34
26	BB	1191	G	O4'-C1'	5.17	1.48	1.41
26	BB	1207	C	N3-C4	5.17	1.37	1.33
26	BB	1502	A	C5-C4	-5.17	1.35	1.38
26	BB	1663	G	C2-N3	5.17	1.36	1.32
26	BB	2223	G	C5-C4	5.17	1.42	1.38
26	BB	2403	C	N1-C2	5.17	1.45	1.40
26	BB	2899	A	N7-C5	5.17	1.42	1.39
1	AA	504	C	C5'-C4'	5.17	1.57	1.51
1	AA	1339	A	C3'-C2'	5.17	1.58	1.52
2	AB	18	G	N3-C4	5.17	1.39	1.35
25	BA	43	C	O3'-P	5.17	1.67	1.61
26	BB	168	G	N9-C4	-5.17	1.33	1.38
26	BB	957	C	N1-C6	5.17	1.40	1.37
26	BB	2280	G	C5'-C4'	5.17	1.57	1.51
26	BB	2662	A	N9-C4	5.17	1.41	1.37
26	BB	2881	U	N1-C2	5.17	1.43	1.38
1	AA	17	U	N3-C4	5.16	1.43	1.38
1	AA	96	U	C5-C6	5.16	1.38	1.34
1	AA	393	A	P-O5'	5.16	1.65	1.59
1	AA	1179	A	C5-C6	5.16	1.45	1.41
1	AA	1240	U	N1-C6	-5.16	1.33	1.38
1	AA	1417	G	P-O5'	5.16	1.65	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1485	U	C4-C5	5.16	1.48	1.43
26	BB	693	A	O4'-C1'	-5.16	1.34	1.41
26	BB	734	A	P-O5'	5.16	1.65	1.59
26	BB	814	C	C5'-C4'	5.16	1.57	1.51
26	BB	911	A	C6-N6	-5.16	1.29	1.33
26	BB	1138	G	C5'-C4'	5.16	1.57	1.51
26	BB	1249	U	P-O5'	5.16	1.65	1.59
26	BB	1703	G	C5-C4	5.16	1.42	1.38
26	BB	2282	G	C8-N7	5.16	1.34	1.30
26	BB	2521	C	N3-C4	5.16	1.37	1.33
26	BB	2655	G	C5'-C4'	5.16	1.57	1.51
1	AA	1172	C	C2'-C1'	-5.16	1.47	1.53
1	AA	1521	C	C2-O2	-5.16	1.19	1.24
26	BB	401	A	C3'-O3'	5.16	1.49	1.42
26	BB	831	G	P-O5'	5.16	1.65	1.59
26	BB	2690	U	N1-C6	5.16	1.42	1.38
1	AA	374	A	C4'-O4'	-5.16	1.38	1.45
1	AA	702	A	O3'-P	5.16	1.67	1.61
1	AA	801	U	O3'-P	5.16	1.67	1.61
1	AA	963	G	N3-C4	-5.16	1.31	1.35
1	AA	996	A	N7-C5	5.16	1.42	1.39
2	AB	64	U	C4'-C3'	-5.16	1.47	1.52
26	BB	1698	A	N9-C4	-5.16	1.34	1.37
26	BB	2340	A	C6-N1	-5.16	1.31	1.35
26	BB	2426	A	C4'-C3'	5.16	1.58	1.53
26	BB	2862	G	C3'-C2'	-5.16	1.47	1.52
1	AA	67	C	N1-C6	5.16	1.40	1.37
1	AA	906	A	C2'-C1'	5.16	1.59	1.53
26	BB	273	G	N3-C4	5.16	1.39	1.35
26	BB	700	G	C5'-C4'	5.16	1.57	1.51
26	BB	1317	G	P-O5'	-5.16	1.54	1.59
26	BB	2479	U	C2-N3	5.16	1.41	1.37
26	BB	2539	C	N1-C6	-5.16	1.34	1.37
26	BB	2876	G	C8-N7	5.16	1.34	1.30
3	AC	39	U	C2-O2	5.16	1.26	1.22
26	BB	181	A	N3-C4	5.16	1.38	1.34
26	BB	2783	U	C5'-C4'	5.16	1.57	1.51
1	AA	218	U	N3-C4	5.16	1.43	1.38
1	AA	1357	A	C3'-C2'	5.16	1.58	1.52
1	AA	1492	A	N1-C2	5.16	1.39	1.34
1	AA	1514	G	N3-C4	5.16	1.39	1.35
2	AB	26	A	C4'-O4'	-5.16	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	592	A	P-O5'	5.16	1.65	1.59
26	BB	674	G	O5'-C5'	-5.16	1.34	1.42
26	BB	1032	A	C4'-C3'	5.16	1.58	1.53
26	BB	1088	A	N7-C5	5.16	1.42	1.39
26	BB	1229	C	C4'-C3'	-5.16	1.47	1.52
26	BB	1633	G	C3'-C2'	5.16	1.58	1.52
26	BB	1661	G	C4'-O4'	-5.16	1.38	1.45
26	BB	1866	A	C4'-C3'	5.16	1.58	1.53
26	BB	1889	A	C8-N7	-5.16	1.27	1.31
26	BB	2517	C	C3'-C2'	-5.16	1.47	1.52
26	BB	2782	G	C2-N2	-5.16	1.29	1.34
26	BB	2877	G	O3'-P	5.16	1.67	1.61
1	AA	229	U	C5-C6	5.15	1.38	1.34
1	AA	926	G	C5-C4	5.15	1.42	1.38
1	AA	1364	U	O3'-P	5.15	1.67	1.61
26	BB	479	A	C2-N3	-5.15	1.28	1.33
26	BB	841	G	C6-O6	-5.15	1.19	1.24
26	BB	1262	A	C8-N7	-5.15	1.27	1.31
1	AA	429	U	C4'-O4'	-5.15	1.38	1.45
1	AA	1166	G	C5-C4	-5.15	1.34	1.38
7	AG	43	ARG	NE-CZ	5.15	1.39	1.33
9	AI	8	PHE	CE1-CZ	5.15	1.47	1.37
26	BB	429	A	P-O5'	5.15	1.65	1.59
26	BB	688	U	P-O5'	5.15	1.65	1.59
26	BB	1237	A	N1-C2	-5.15	1.29	1.34
26	BB	1332	G	C6-N1	-5.15	1.35	1.39
26	BB	1606	C	N1-C6	5.15	1.40	1.37
26	BB	1756	G	P-O5'	5.15	1.65	1.59
26	BB	2584	U	N1-C2	5.15	1.43	1.38
1	AA	254	G	N7-C5	5.15	1.42	1.39
1	AA	1055	A	C5-C4	-5.15	1.35	1.38
1	AA	1120	C	C2-O2	-5.15	1.19	1.24
2	AB	12	U	C5'-C4'	5.15	1.57	1.51
25	BA	87	U	C3'-C2'	5.15	1.58	1.52
26	BB	238	C	C4-N4	5.15	1.38	1.33
26	BB	327	G	C5'-C4'	5.15	1.57	1.51
26	BB	351	C	C3'-C2'	-5.15	1.47	1.52
26	BB	668	A	N3-C4	5.15	1.38	1.34
26	BB	763	G	C2-N3	5.15	1.36	1.32
26	BB	989	G	N3-C4	5.15	1.39	1.35
26	BB	1698	A	O3'-P	-5.15	1.54	1.61
26	BB	1979	U	C3'-C2'	5.15	1.58	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2591	C	N3-C4	5.15	1.37	1.33
26	BB	2653	U	O5'-C5'	-5.15	1.34	1.42
1	AA	798	U	P-O5'	5.15	1.64	1.59
3	AC	42	U	C4'-C3'	5.15	1.58	1.53
25	BA	78	A	C2'-C1'	-5.15	1.47	1.53
26	BB	276	U	C2-N3	5.15	1.41	1.37
26	BB	1201	U	P-O5'	5.15	1.64	1.59
26	BB	1872	A	N9-C8	5.15	1.41	1.37
1	AA	110	C	C5'-C4'	5.15	1.57	1.51
1	AA	579	A	C6-N1	5.15	1.39	1.35
1	AA	948	C	N3-C4	5.15	1.37	1.33
1	AA	1132	C	C3'-C2'	5.15	1.58	1.52
26	BB	143	C	C3'-C2'	5.15	1.58	1.52
26	BB	386	G	O3'-P	5.15	1.67	1.61
26	BB	487	C	C4'-O4'	-5.15	1.38	1.45
26	BB	574	A	N3-C4	5.15	1.38	1.34
26	BB	862	G	O5'-C5'	-5.15	1.34	1.42
26	BB	1577	C	C4-C5	5.15	1.47	1.43
26	BB	1596	A	C3'-C2'	5.15	1.58	1.52
37	BM	32	TYR	CE1-CZ	5.15	1.45	1.38
26	BB	1556	C	C4'-O4'	-5.15	1.38	1.45
26	BB	2629	U	N1-C6	5.15	1.42	1.38
26	BB	2892	G	C6-N1	5.15	1.43	1.39
1	AA	211	G	C5-C4	-5.14	1.34	1.38
1	AA	277	C	C4-C5	5.14	1.47	1.43
1	AA	897	C	C2-N3	5.14	1.39	1.35
1	AA	1023	U	C4'-O4'	-5.14	1.38	1.45
1	AA	1494	G	O5'-C5'	-5.14	1.34	1.42
21	AU	72	ARG	CD-NE	5.14	1.55	1.46
26	BB	151	C	C4'-O4'	-5.14	1.38	1.45
26	BB	298	G	C2-N3	5.14	1.36	1.32
26	BB	365	U	N1-C2	5.14	1.43	1.38
26	BB	406	G	C4'-O4'	-5.14	1.38	1.45
26	BB	2037	A	C5-C6	5.14	1.45	1.41
26	BB	2067	G	C2'-C1'	-5.14	1.47	1.53
26	BB	2337	G	C5'-C4'	5.14	1.57	1.51
26	BB	2516	A	N9-C4	5.14	1.41	1.37
26	BB	2649	C	P-O5'	5.14	1.64	1.59
26	BB	2701	U	N1-C6	5.14	1.42	1.38
26	BB	2757	A	P-O5'	5.14	1.64	1.59
1	AA	182	A	C2'-C1'	5.14	1.59	1.53
1	AA	323	U	C2-N3	5.14	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	546	A	C3'-C2'	5.14	1.58	1.52
1	AA	767	A	C3'-O3'	5.14	1.49	1.42
26	BB	262	A	O3'-P	5.14	1.67	1.61
26	BB	576	U	C3'-O3'	5.14	1.49	1.42
26	BB	621	A	C8-N7	5.14	1.35	1.31
26	BB	1056	G	N9-C8	-5.14	1.34	1.37
26	BB	1592	C	C2'-O2'	5.14	1.48	1.41
26	BB	1963	U	C2-O2	5.14	1.26	1.22
26	BB	2034	U	C3'-C2'	5.14	1.58	1.52
26	BB	2584	U	C1'-N1	5.14	1.56	1.48
1	AA	835	U	C5-C6	5.14	1.38	1.34
1	AA	1167	A	C5-C4	5.14	1.42	1.38
4	AD	48	U	N1-C2	5.14	1.43	1.38
25	BA	102	G	C3'-O3'	5.14	1.49	1.42
26	BB	203	A	N9-C8	5.14	1.41	1.37
26	BB	208	C	C5'-C4'	5.14	1.57	1.51
26	BB	295	G	N3-C4	5.14	1.39	1.35
26	BB	1107	G	C5-C6	5.14	1.47	1.42
26	BB	1171	G	C2-N3	5.14	1.36	1.32
26	BB	1198	U	C5'-C4'	5.14	1.57	1.51
26	BB	1351	C	C4-C5	5.14	1.47	1.43
26	BB	2105	U	C2'-O2'	5.14	1.48	1.41
26	BB	2219	U	C2-N3	5.14	1.41	1.37
26	BB	2411	A	C2'-O2'	5.14	1.48	1.41
1	AA	110	C	C4'-O4'	-5.14	1.38	1.45
1	AA	148	G	C2-N3	5.14	1.36	1.32
1	AA	713	G	C4'-O4'	-5.14	1.38	1.45
1	AA	1177	G	N9-C8	-5.14	1.34	1.37
26	BB	990	A	N9-C8	5.14	1.41	1.37
26	BB	1407	G	N1-C2	5.14	1.41	1.37
26	BB	2462	C	P-O5'	-5.14	1.54	1.59
26	BB	2697	G	C5-C6	5.14	1.47	1.42
1	AA	168	G	N1-C2	-5.14	1.33	1.37
1	AA	521	G	N1-C2	5.14	1.41	1.37
1	AA	1296	C	C2'-O2'	5.14	1.48	1.41
26	BB	168	G	C5'-C4'	5.14	1.57	1.51
26	BB	1545	A	O3'-P	-5.14	1.54	1.61
26	BB	1725	U	C3'-C2'	5.14	1.58	1.52
1	AA	340	U	N1-C6	5.14	1.42	1.38
1	AA	442	G	N9-C8	-5.14	1.34	1.37
1	AA	1390	U	C2-N3	5.14	1.41	1.37
25	BA	117	G	N3-C4	5.14	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	559	G	N3-C4	5.14	1.39	1.35
26	BB	856	G	N7-C5	5.14	1.42	1.39
26	BB	874	G	N3-C4	-5.14	1.31	1.35
26	BB	1362	C	C2'-O2'	5.14	1.48	1.41
26	BB	1472	C	P-O5'	5.14	1.64	1.59
26	BB	1535	A	C5-C4	-5.14	1.35	1.38
26	BB	2231	U	N1-C6	5.14	1.42	1.38
26	BB	2416	C	C4-C5	5.14	1.47	1.43
26	BB	2558	C	O4'-C1'	-5.14	1.34	1.41
1	AA	629	A	N3-C4	-5.13	1.31	1.34
1	AA	1351	U	N3-C4	5.13	1.43	1.38
26	BB	179	C	O3'-P	5.13	1.67	1.61
26	BB	238	C	C3'-C2'	-5.13	1.47	1.52
26	BB	240	C	C5'-C4'	5.13	1.57	1.51
26	BB	822	G	C2-N2	-5.13	1.29	1.34
26	BB	1020	A	N9-C4	5.13	1.41	1.37
26	BB	1326	U	C4-C5	5.13	1.48	1.43
26	BB	2023	C	P-O5'	5.13	1.64	1.59
26	BB	2170	A	C5-C6	5.13	1.45	1.41
26	BB	2256	G	C5-C4	5.13	1.42	1.38
26	BB	2341	G	C6-N1	-5.13	1.35	1.39
26	BB	2582	G	C5'-C4'	5.13	1.57	1.51
26	BB	2892	G	N9-C8	5.13	1.41	1.37
54	B3	10	SER	CA-CB	5.13	1.60	1.52
1	AA	776	G	C6-O6	5.13	1.28	1.24
1	AA	825	A	C6-N6	5.13	1.38	1.33
10	AJ	99	ALA	N-CA	-5.13	1.36	1.46
26	BB	723	C	C5'-C4'	5.13	1.57	1.51
26	BB	1023	U	C4-C5	5.13	1.48	1.43
26	BB	1923	U	N3-C4	5.13	1.43	1.38
26	BB	1945	G	N1-C2	-5.13	1.33	1.37
1	AA	296	U	C3'-O3'	5.13	1.49	1.42
1	AA	699	C	P-O5'	5.13	1.64	1.59
1	AA	987	G	C4'-O4'	-5.13	1.38	1.45
1	AA	1044	A	C3'-O3'	-5.13	1.34	1.42
1	AA	1077	G	N3-C4	5.13	1.39	1.35
1	AA	1310	G	N3-C4	5.13	1.39	1.35
26	BB	925	A	C3'-C2'	5.13	1.58	1.52
26	BB	1388	G	C6-N1	5.13	1.43	1.39
26	BB	1450	G	C4'-O4'	-5.13	1.38	1.45
26	BB	1796	U	C2'-C1'	5.13	1.58	1.53
26	BB	1899	A	C5'-C4'	5.13	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1995	U	O3'-P	-5.13	1.54	1.61
26	BB	2031	A	N7-C5	5.13	1.42	1.39
26	BB	2127	G	N9-C8	-5.13	1.34	1.37
26	BB	2275	C	C3'-C2'	5.13	1.58	1.52
26	BB	2513	A	C6-N6	5.13	1.38	1.33
26	BB	2861	U	N3-C4	5.13	1.43	1.38
1	AA	120	A	P-O5'	5.13	1.64	1.59
26	BB	1814	G	O4'-C1'	-5.13	1.34	1.41
26	BB	2131	U	C4-C5	5.13	1.48	1.43
1	AA	496	A	C5'-C4'	5.13	1.57	1.51
1	AA	554	A	N3-C4	5.13	1.38	1.34
1	AA	836	G	N7-C5	5.13	1.42	1.39
1	AA	1068	G	P-O5'	5.13	1.64	1.59
1	AA	1241	G	N3-C4	-5.13	1.31	1.35
26	BB	431	U	C4-C5	5.13	1.48	1.43
26	BB	708	G	N9-C8	5.13	1.41	1.37
26	BB	854	C	N1-C6	5.13	1.40	1.37
26	BB	1123	C	C5'-C4'	5.13	1.57	1.51
26	BB	1794	A	C2'-O2'	-5.13	1.34	1.41
26	BB	2024	G	C2'-O2'	5.13	1.48	1.41
26	BB	2329	U	C5-C6	5.13	1.38	1.34
26	BB	2627	G	C2-N3	5.13	1.36	1.32
1	AA	283	U	C5-C6	-5.13	1.29	1.34
1	AA	310	G	C2-N3	5.13	1.36	1.32
1	AA	1201	A	N9-C4	5.13	1.41	1.37
1	AA	1368	A	N3-C4	5.13	1.38	1.34
3	AC	40	G	C5-C4	-5.13	1.34	1.38
5	AE	73	ARG	NE-CZ	5.13	1.39	1.33
25	BA	110	C	C4-N4	5.13	1.38	1.33
26	BB	125	A	O3'-P	5.13	1.67	1.61
26	BB	243	U	C4'-O4'	-5.13	1.38	1.45
26	BB	729	G	N1-C2	5.13	1.41	1.37
26	BB	883	G	P-O5'	-5.13	1.54	1.59
26	BB	996	A	O3'-P	5.13	1.67	1.61
26	BB	1003	G	C5-C6	-5.13	1.37	1.42
26	BB	1414	C	N1-C2	5.13	1.45	1.40
26	BB	1485	U	C5'-C4'	5.13	1.57	1.51
26	BB	1486	U	C2-N3	5.13	1.41	1.37
26	BB	1584	U	C4-C5	5.13	1.48	1.43
26	BB	1751	U	O3'-P	5.13	1.67	1.61
1	AA	200	G	C6-O6	-5.12	1.19	1.24
26	BB	709	U	P-O5'	5.12	1.64	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1341	G	C4'-C3'	5.12	1.58	1.53
26	BB	1515	A	C4'-O4'	-5.12	1.38	1.45
26	BB	1560	G	O4'-C1'	5.12	1.48	1.41
26	BB	1785	A	O3'-P	5.12	1.67	1.61
26	BB	2900	A	N9-C8	-5.12	1.33	1.37
47	BW	94	PHE	CE1-CZ	5.12	1.47	1.37
1	AA	540	G	C2-N3	5.12	1.36	1.32
1	AA	1026	G	C5-C6	5.12	1.47	1.42
1	AA	1419	G	N9-C8	-5.12	1.34	1.37
6	AF	126	ARG	NE-CZ	5.12	1.39	1.33
25	BA	83	G	C5'-C4'	5.12	1.57	1.51
26	BB	576	U	C2-N3	5.12	1.41	1.37
26	BB	582	A	C4'-O4'	-5.12	1.38	1.45
26	BB	1157	G	N9-C4	5.12	1.42	1.38
26	BB	1337	G	C4'-C3'	-5.12	1.47	1.52
26	BB	1672	A	C6-N6	5.12	1.38	1.33
26	BB	1722	A	C3'-C2'	5.12	1.58	1.52
26	BB	1776	G	N3-C4	5.12	1.39	1.35
26	BB	1866	A	O3'-P	5.12	1.67	1.61
26	BB	2227	A	N9-C4	5.12	1.41	1.37
26	BB	2902	C	C5'-C4'	-5.12	1.45	1.51
48	BX	27	PRO	N-CD	-5.12	1.40	1.47
1	AA	42	G	C6-O6	-5.12	1.19	1.24
1	AA	77	A	C4'-C3'	5.12	1.58	1.53
1	AA	319	G	N1-C2	5.12	1.41	1.37
2	AB	70	C	C2-N3	5.12	1.39	1.35
26	BB	289	G	N1-C2	5.12	1.41	1.37
26	BB	699	A	N9-C4	5.12	1.41	1.37
26	BB	816	C	C2-O2	-5.12	1.19	1.24
26	BB	1171	G	C2-N2	-5.12	1.29	1.34
26	BB	1510	G	C8-N7	-5.12	1.27	1.30
26	BB	1567	G	C5-C4	-5.12	1.34	1.38
26	BB	1943	U	C5-C6	5.12	1.38	1.34
26	BB	2149	U	C3'-C2'	5.12	1.58	1.52
26	BB	2237	G	N7-C5	5.12	1.42	1.39
26	BB	2308	G	C2-N2	5.12	1.39	1.34
1	AA	1112	C	C5-C6	5.12	1.38	1.34
1	AA	1150	A	C5-C4	5.12	1.42	1.38
1	AA	1357	A	C5-C6	-5.12	1.36	1.41
26	BB	966	G	C4'-C3'	-5.12	1.47	1.52
26	BB	1573	G	N7-C5	5.12	1.42	1.39
26	BB	1768	C	C5'-C4'	5.12	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	417	G	C2-N2	-5.12	1.29	1.34
1	AA	818	G	N1-C2	5.12	1.41	1.37
1	AA	1125	U	C5-C6	5.12	1.38	1.34
26	BB	94	A	N9-C4	5.12	1.41	1.37
26	BB	606	U	C4'-O4'	-5.12	1.38	1.45
26	BB	693	A	C4'-O4'	-5.12	1.38	1.45
26	BB	951	C	C4'-O4'	-5.12	1.38	1.45
26	BB	1454	C	C4-C5	5.12	1.47	1.43
26	BB	1459	G	C5'-C4'	5.12	1.57	1.51
26	BB	1748	C	O5'-C5'	-5.12	1.34	1.42
1	AA	339	C	C2-O2	-5.12	1.19	1.24
1	AA	814	A	N9-C4	5.12	1.41	1.37
1	AA	1512	U	C2'-O2'	5.12	1.48	1.41
1	AA	1514	G	C5'-C4'	5.12	1.57	1.51
26	BB	131	A	C2'-O2'	5.12	1.48	1.41
26	BB	266	G	C6-O6	-5.12	1.19	1.24
26	BB	922	C	N3-C4	5.12	1.37	1.33
26	BB	2451	A	C6-N6	-5.12	1.29	1.33
26	BB	2532	G	C2-N3	5.12	1.36	1.32
1	AA	337	G	N9-C8	5.12	1.41	1.37
1	AA	497	G	C5'-C4'	5.12	1.57	1.51
1	AA	1529	G	N9-C8	5.12	1.41	1.37
26	BB	1225	G	C3'-C2'	-5.12	1.47	1.52
26	BB	1574	C	C5-C6	5.12	1.38	1.34
26	BB	1622	G	C2-N2	5.12	1.39	1.34
26	BB	1697	G	N1-C2	5.12	1.41	1.37
26	BB	2041	U	P-O5'	5.12	1.64	1.59
26	BB	2050	C	O4'-C1'	5.12	1.48	1.41
1	AA	1256	A	C5-C6	-5.11	1.36	1.41
1	AA	1449	C	C4-N4	5.11	1.38	1.33
25	BA	112	G	N1-C2	5.11	1.41	1.37
26	BB	24	G	P-O5'	-5.11	1.54	1.59
26	BB	131	A	C1'-N9	5.11	1.56	1.48
26	BB	217	A	N7-C5	5.11	1.42	1.39
26	BB	219	A	O5'-C5'	-5.11	1.34	1.42
26	BB	498	G	C5-C4	5.11	1.42	1.38
26	BB	699	A	P-O5'	-5.11	1.54	1.59
26	BB	1138	G	N7-C5	5.11	1.42	1.39
26	BB	1140	C	C4'-O4'	-5.11	1.39	1.45
26	BB	1702	G	P-O5'	5.11	1.64	1.59
26	BB	1729	U	C1'-N1	5.11	1.56	1.48
26	BB	2398	U	C5-C6	5.11	1.38	1.34

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2598	A	N9-C4	-5.11	1.34	1.37
26	BB	2626	C	N1-C6	5.11	1.40	1.37
26	BB	2790	U	C2'-O2'	-5.11	1.35	1.41
28	BD	160	TYR	CE2-CZ	5.11	1.45	1.38
1	AA	229	U	C3'-O3'	5.11	1.49	1.42
1	AA	642	A	N7-C5	5.11	1.42	1.39
26	BB	811	U	N1-C2	5.11	1.43	1.38
26	BB	1333	G	C2-N3	5.11	1.36	1.32
26	BB	1789	A	N7-C5	-5.11	1.36	1.39
26	BB	1907	G	C8-N7	5.11	1.34	1.30
26	BB	2718	G	P-O5'	5.11	1.64	1.59
26	BB	2750	A	C8-N7	-5.11	1.27	1.31
1	AA	127	G	C4'-O4'	-5.11	1.39	1.45
1	AA	649	A	C4'-C3'	5.11	1.58	1.53
1	AA	663	A	P-O5'	-5.11	1.54	1.59
1	AA	768	A	C2'-C1'	-5.11	1.47	1.53
1	AA	989	U	C4-C5	5.11	1.48	1.43
4	AD	18	U	C2'-C1'	-5.11	1.47	1.53
26	BB	51	G	C3'-C2'	5.11	1.58	1.52
26	BB	532	A	C5-C6	5.11	1.45	1.41
26	BB	753	A	C2-N3	-5.11	1.28	1.33
26	BB	1018	U	C4-C5	5.11	1.48	1.43
26	BB	1169	A	C5-C4	-5.11	1.35	1.38
26	BB	1242	U	C2-N3	5.11	1.41	1.37
26	BB	1389	G	C2-N2	-5.11	1.29	1.34
26	BB	1489	C	C2-N3	5.11	1.39	1.35
26	BB	2209	G	C5-C4	-5.11	1.34	1.38
2	AB	33	U	P-O5'	5.11	1.64	1.59
2	AB	36	A	N3-C4	5.11	1.38	1.34
26	BB	669	G	C6-O6	5.11	1.28	1.24
26	BB	869	G	O4'-C1'	5.11	1.48	1.41
26	BB	2046	G	N9-C8	5.11	1.41	1.37
26	BB	2510	C	P-O5'	5.11	1.64	1.59
26	BB	2593	U	N1-C6	5.11	1.42	1.38
1	AA	251	G	P-O5'	5.11	1.64	1.59
1	AA	485	U	C5'-C4'	5.11	1.57	1.51
1	AA	572	A	C5-C6	5.11	1.45	1.41
1	AA	784	A	C5-C4	-5.11	1.35	1.38
1	AA	917	G	C3'-C2'	5.11	1.58	1.52
1	AA	1482	G	N7-C5	-5.11	1.36	1.39
4	AD	44	A	C2'-C1'	5.11	1.58	1.53
26	BB	308	G	C4'-O4'	-5.11	1.39	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	416	U	P-O5'	5.11	1.64	1.59
26	BB	474	G	C2-N3	5.11	1.36	1.32
26	BB	707	G	C1'-N9	5.11	1.56	1.48
26	BB	950	G	C5'-C4'	5.11	1.57	1.51
26	BB	1339	G	C2-N2	-5.11	1.29	1.34
26	BB	1654	A	C8-N7	-5.11	1.27	1.31
26	BB	1791	A	C8-N7	-5.11	1.27	1.31
26	BB	2006	C	C4'-O4'	-5.11	1.39	1.45
26	BB	2417	C	C2-N3	5.11	1.39	1.35
26	BB	540	C	C5'-C4'	5.11	1.57	1.51
26	BB	726	G	C4'-O4'	-5.11	1.39	1.45
26	BB	786	C	N1-C6	5.11	1.40	1.37
26	BB	872	U	C4-O4	-5.11	1.19	1.23
26	BB	1467	U	O3'-P	5.11	1.67	1.61
26	BB	2533	U	C4-O4	-5.11	1.19	1.23
26	BB	2586	U	C4-O4	5.11	1.27	1.23
26	BB	2664	G	C8-N7	-5.11	1.27	1.30
26	BB	2781	A	N9-C4	-5.11	1.34	1.37
2	AB	15	A	C8-N7	-5.10	1.27	1.31
26	BB	1307	A	C5-C6	-5.10	1.36	1.41
26	BB	2322	A	C5'-C4'	5.10	1.57	1.51
1	AA	88	U	C2'-O2'	5.10	1.48	1.41
1	AA	270	A	O3'-P	5.10	1.67	1.61
1	AA	333	U	N1-C2	5.10	1.43	1.38
1	AA	432	A	O3'-P	5.10	1.67	1.61
1	AA	823	C	N3-C4	5.10	1.37	1.33
1	AA	1154	G	N9-C8	-5.10	1.34	1.37
3	AC	54	U	C2-N3	5.10	1.41	1.37
4	AD	56	PSU	O3'-P	5.10	1.67	1.61
26	BB	26	G	N9-C8	5.10	1.41	1.37
26	BB	335	C	C5-C6	5.10	1.38	1.34
26	BB	866	A	C3'-C2'	5.10	1.58	1.52
26	BB	1465	G	C2-N2	-5.10	1.29	1.34
26	BB	1921	G	C2-N3	5.10	1.36	1.32
26	BB	2352	A	C6-N1	-5.10	1.31	1.35
1	AA	109	A	N3-C4	5.10	1.38	1.34
1	AA	428	G	C4'-C3'	5.10	1.58	1.53
1	AA	488	C	O4'-C1'	5.10	1.48	1.41
26	BB	105	C	C5'-C4'	5.10	1.57	1.51
26	BB	941	A	O3'-P	5.10	1.67	1.61
26	BB	1481	U	C4-O4	5.10	1.27	1.23
26	BB	2652	C	C2-N3	5.10	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	341	C	C4'-O4'	-5.10	1.39	1.45
1	AA	793	U	C3'-C2'	5.10	1.58	1.52
1	AA	1052	U	C2-O2	5.10	1.26	1.22
1	AA	1180	A	N7-C5	-5.10	1.36	1.39
1	AA	1205	U	C4'-O4'	-5.10	1.39	1.45
4	AD	23	G	C6-N1	5.10	1.43	1.39
25	BA	61	G	P-O5'	5.10	1.64	1.59
26	BB	27	G	C3'-C2'	5.10	1.58	1.52
26	BB	235	U	O3'-P	5.10	1.67	1.61
26	BB	485	C	C4'-O4'	-5.10	1.39	1.45
26	BB	839	U	C5-C6	-5.10	1.29	1.34
26	BB	1538	G	O3'-P	-5.10	1.55	1.61
26	BB	1934	C	C3'-O3'	-5.10	1.35	1.42
26	BB	2559	C	N1-C6	5.10	1.40	1.37
26	BB	2687	U	N1-C2	5.10	1.43	1.38
1	AA	231	U	C5'-C4'	5.10	1.57	1.51
1	AA	307	C	N1-C6	5.10	1.40	1.37
1	AA	502	A	C5-C4	-5.10	1.35	1.38
1	AA	986	U	O4'-C1'	5.10	1.48	1.41
1	AA	1293	C	P-O5'	5.10	1.64	1.59
2	AB	23	A	C2-N3	5.10	1.38	1.33
25	BA	5	U	O3'-P	5.10	1.67	1.61
26	BB	846	U	C2-O2	-5.10	1.17	1.22
26	BB	899	A	N7-C5	5.10	1.42	1.39
26	BB	1044	C	N1-C6	5.10	1.40	1.37
26	BB	1929	G	N9-C8	-5.10	1.34	1.37
26	BB	2591	C	C4'-O4'	-5.10	1.39	1.45
1	AA	498	A	N9-C4	5.10	1.41	1.37
1	AA	889	A	O3'-P	-5.10	1.55	1.61
1	AA	1021	A	N9-C4	-5.10	1.34	1.37
1	AA	1081	A	N7-C5	-5.10	1.36	1.39
1	AA	1536	C	C4'-C3'	-5.10	1.47	1.52
26	BB	1602	U	C2-N3	5.10	1.41	1.37
26	BB	2308	G	C6-N1	5.10	1.43	1.39
26	BB	2505	G	C6-O6	-5.10	1.19	1.24
1	AA	220	G	C2-N2	5.09	1.39	1.34
1	AA	233	C	C4'-O4'	-5.09	1.39	1.45
1	AA	1006	G	N3-C4	5.09	1.39	1.35
1	AA	1071	C	C1'-N1	5.09	1.56	1.48
1	AA	1258	G	C6-N1	5.09	1.43	1.39
26	BB	1213	A	C6-N1	-5.09	1.31	1.35
26	BB	1416	G	C8-N7	5.09	1.34	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1766	G	N3-C4	5.09	1.39	1.35
26	BB	2039	U	P-O5'	-5.09	1.54	1.59
1	AA	356	A	N7-C5	5.09	1.42	1.39
1	AA	741	G	N3-C4	5.09	1.39	1.35
26	BB	207	A	C2'-C1'	5.09	1.58	1.53
26	BB	1665	A	C2'-C1'	5.09	1.58	1.53
26	BB	1694	C	C4'-O4'	-5.09	1.39	1.45
52	B1	24	LEU	C-N	5.09	1.42	1.33
1	AA	995	C	O3'-P	5.09	1.67	1.61
1	AA	1045	C	C2'-C1'	-5.09	1.47	1.53
1	AA	1294	G	C8-N7	-5.09	1.27	1.30
20	AT	5	ARG	NE-CZ	5.09	1.39	1.33
26	BB	845	A	P-O5'	5.09	1.64	1.59
26	BB	1344	U	C1'-N1	5.09	1.56	1.48
26	BB	1645	G	C5'-C4'	5.09	1.57	1.51
26	BB	2083	G	C3'-C2'	5.09	1.58	1.52
26	BB	2366	A	O3'-P	5.09	1.67	1.61
26	BB	2625	G	C8-N7	-5.09	1.27	1.30
26	BB	2788	C	O3'-P	5.09	1.67	1.61
26	BB	2872	A	C5-C4	-5.09	1.35	1.38
26	BB	2890	G	N3-C4	-5.09	1.31	1.35
26	BB	2903	U	C3'-O3'	-5.09	1.35	1.42
48	BX	91	PHE	CG-CD2	5.09	1.46	1.38
1	AA	60	A	N3-C4	5.09	1.38	1.34
1	AA	695	A	O4'-C1'	5.09	1.48	1.41
1	AA	816	A	C2'-O2'	5.09	1.48	1.41
1	AA	1426	G	C3'-O3'	5.09	1.49	1.42
26	BB	424	G	C6-N1	5.09	1.43	1.39
26	BB	858	G	O4'-C1'	-5.09	1.35	1.41
26	BB	1169	A	N7-C5	5.09	1.42	1.39
26	BB	1589	U	C4-C5	5.09	1.48	1.43
26	BB	2387	U	C4'-C3'	5.09	1.58	1.53
1	AA	515	G	P-O5'	5.09	1.64	1.59
1	AA	1087	G	C5-C4	5.09	1.42	1.38
1	AA	1111	A	C2'-C1'	-5.09	1.47	1.53
26	BB	17	G	C5'-C4'	5.09	1.57	1.51
26	BB	482	A	C6-N6	-5.09	1.29	1.33
26	BB	997	G	C2-N3	5.09	1.36	1.32
26	BB	1344	U	C4-C5	5.09	1.48	1.43
26	BB	1871	A	N3-C4	5.09	1.38	1.34
26	BB	2484	G	C2-N3	5.09	1.36	1.32
26	BB	2516	A	N9-C8	-5.09	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	17	U	C3'-O3'	5.09	1.49	1.42
1	AA	917	G	N7-C5	5.09	1.42	1.39
1	AA	1117	A	O4'-C1'	5.09	1.48	1.41
1	AA	1319	A	C2-N3	-5.09	1.28	1.33
4	AD	63	C	C5-C6	5.09	1.38	1.34
26	BB	519	U	P-O5'	5.09	1.64	1.59
26	BB	763	G	C3'-O3'	-5.09	1.35	1.42
26	BB	1614	A	C8-N7	5.09	1.35	1.31
26	BB	1651	G	C2-N3	5.09	1.36	1.32
26	BB	1833	C	O3'-P	-5.09	1.55	1.61
26	BB	557	C	N1-C2	5.08	1.45	1.40
26	BB	1214	A	N9-C4	5.08	1.41	1.37
26	BB	1426	G	C4'-C3'	5.08	1.58	1.53
26	BB	2168	G	N1-C2	5.08	1.41	1.37
26	BB	2761	A	P-O5'	5.08	1.64	1.59
28	BD	102	TYR	CE2-CZ	5.08	1.45	1.38
1	AA	150	U	C2-N3	5.08	1.41	1.37
1	AA	296	U	C3'-C2'	5.08	1.58	1.52
1	AA	459	A	C4'-O4'	-5.08	1.39	1.45
3	AC	44	U	C2-N3	5.08	1.41	1.37
4	AD	30	G	C1'-N9	5.08	1.56	1.48
25	BA	87	U	N1-C2	5.08	1.43	1.38
26	BB	398	C	C4'-C3'	5.08	1.58	1.53
26	BB	1139	G	C8-N7	-5.08	1.27	1.30
26	BB	1606	C	C4-C5	5.08	1.47	1.43
26	BB	1831	G	N3-C4	5.08	1.39	1.35
26	BB	2713	U	C4-C5	5.08	1.48	1.43
26	BB	2836	U	C5-C6	5.08	1.38	1.34
1	AA	3	A	C5-C6	5.08	1.45	1.41
1	AA	410	G	C8-N7	5.08	1.33	1.30
1	AA	462	G	C5'-C4'	5.08	1.57	1.51
1	AA	671	G	N1-C2	5.08	1.41	1.37
1	AA	751	U	C5-C6	5.08	1.38	1.34
1	AA	837	U	O3'-P	5.08	1.67	1.61
1	AA	1281	C	P-O5'	5.08	1.64	1.59
1	AA	1330	U	N3-C4	-5.08	1.33	1.38
26	BB	360	U	C2-N3	-5.08	1.34	1.37
26	BB	555	G	C5'-C4'	5.08	1.57	1.51
26	BB	940	G	C4'-O4'	-5.08	1.39	1.45
26	BB	2155	U	C2-O2	5.08	1.26	1.22
26	BB	2376	A	C5-C4	-5.08	1.35	1.38
26	BB	2691	C	O3'-P	5.08	1.67	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	82	G	N9-C8	5.08	1.41	1.37
1	AA	530	G	C4'-C3'	5.08	1.58	1.53
4	AD	2	G	O3'-P	5.08	1.67	1.61
26	BB	1257	C	C5-C6	5.08	1.38	1.34
30	BF	10	SER	CA-CB	-5.08	1.45	1.52
1	AA	588	G	C5-C4	-5.08	1.34	1.38
1	AA	707	U	N1-C2	5.08	1.43	1.38
1	AA	711	G	C2-N3	5.08	1.36	1.32
26	BB	25	U	C2-O2	5.08	1.26	1.22
26	BB	164	C	P-O5'	5.08	1.64	1.59
26	BB	230	G	C5'-C4'	5.08	1.57	1.51
26	BB	451	U	C5-C6	5.08	1.38	1.34
26	BB	686	U	C4'-O4'	-5.08	1.39	1.45
26	BB	818	G	C4'-C3'	5.08	1.58	1.53
26	BB	916	G	N9-C4	5.08	1.42	1.38
26	BB	1537	G	N9-C8	-5.08	1.34	1.37
26	BB	2259	U	C2-O2	5.08	1.26	1.22
26	BB	2615	U	P-O5'	5.08	1.64	1.59
26	BB	2632	A	N9-C8	5.08	1.41	1.37
26	BB	2768	U	N1-C2	5.08	1.43	1.38
44	BT	55	ASP	C-N	5.08	1.42	1.33
4	AD	16	C	C4-C5	5.08	1.47	1.43
26	BB	891	G	C5'-C4'	5.08	1.57	1.51
1	AA	168	G	C8-N7	-5.08	1.27	1.30
1	AA	365	U	C2'-C1'	5.08	1.58	1.53
1	AA	512	U	C2-N3	5.08	1.41	1.37
1	AA	737	C	C5'-C4'	5.08	1.57	1.51
1	AA	953	G	N1-C2	5.08	1.41	1.37
1	AA	1134	G	N1-C2	5.08	1.41	1.37
26	BB	157	C	N1-C6	5.08	1.40	1.37
26	BB	1761	C	C5-C6	5.08	1.38	1.34
26	BB	1980	G	N1-C2	5.08	1.41	1.37
26	BB	2433	A	N9-C4	-5.08	1.34	1.37
1	AA	368	U	C5-C6	5.07	1.38	1.34
1	AA	544	G	N1-C2	5.07	1.41	1.37
1	AA	839	C	C2-N3	-5.07	1.31	1.35
1	AA	994	A	C6-N1	-5.07	1.31	1.35
1	AA	1165	U	C2-N3	5.07	1.41	1.37
1	AA	1166	G	P-O5'	5.07	1.64	1.59
26	BB	21	A	N1-C2	5.07	1.39	1.34
26	BB	398	C	C4'-O4'	-5.07	1.39	1.45
26	BB	452	G	C4'-C3'	-5.07	1.47	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	751	A	O3'-P	5.07	1.67	1.61
26	BB	1055	G	O3'-P	5.07	1.67	1.61
26	BB	2004	G	C2'-O2'	5.07	1.48	1.41
26	BB	2695	U	N1-C2	5.07	1.43	1.38
26	BB	238	C	C4'-O4'	-5.07	1.39	1.45
26	BB	1489	C	C5-C6	5.07	1.38	1.34
26	BB	2150	C	N1-C6	5.07	1.40	1.37
1	AA	161	A	C5-C6	5.07	1.45	1.41
1	AA	208	U	O3'-P	5.07	1.67	1.61
26	BB	143	C	N1-C6	5.07	1.40	1.37
26	BB	190	A	C3'-O3'	-5.07	1.35	1.42
26	BB	262	A	P-OP1	-5.07	1.40	1.49
26	BB	366	C	C4'-C3'	-5.07	1.47	1.52
26	BB	515	A	N1-C2	-5.07	1.29	1.34
26	BB	534	U	C2-N3	-5.07	1.34	1.37
26	BB	1295	C	N1-C2	5.07	1.45	1.40
26	BB	1321	A	N1-C2	5.07	1.39	1.34
26	BB	1414	C	C4'-O4'	-5.07	1.39	1.45
26	BB	2236	U	O3'-P	5.07	1.67	1.61
26	BB	2323	G	N9-C8	-5.07	1.34	1.37
26	BB	2755	C	C5-C6	5.07	1.38	1.34
26	BB	2768	U	P-O5'	5.07	1.64	1.59
34	BJ	75	PHE	CD1-CE1	5.07	1.49	1.39
44	BT	84	ARG	NE-CZ	5.07	1.39	1.33
1	AA	551	U	N1-C2	5.07	1.43	1.38
1	AA	742	G	C8-N7	-5.07	1.27	1.30
1	AA	758	C	C3'-C2'	5.07	1.58	1.52
26	BB	167	A	N7-C5	5.07	1.42	1.39
26	BB	642	U	C4'-O4'	-5.07	1.39	1.45
26	BB	764	A	N7-C5	-5.07	1.36	1.39
26	BB	1163	G	C8-N7	-5.07	1.27	1.30
26	BB	1475	G	C5'-C4'	5.07	1.57	1.51
26	BB	1665	A	N9-C8	-5.07	1.33	1.37
26	BB	2170	A	C5'-C4'	5.07	1.57	1.51
1	AA	45	G	C2-N2	5.07	1.39	1.34
1	AA	582	C	C4-N4	5.07	1.38	1.33
1	AA	771	G	C5'-C4'	5.07	1.57	1.51
1	AA	813	U	C5'-C4'	5.07	1.57	1.51
1	AA	1489	G	N3-C4	5.07	1.39	1.35
26	BB	168	G	C5-C6	5.07	1.47	1.42
26	BB	804	A	N1-C2	5.07	1.39	1.34
26	BB	965	C	C4'-O4'	-5.07	1.39	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1055	G	C5-C4	-5.07	1.34	1.38
26	BB	1265	A	C5-C4	5.07	1.42	1.38
26	BB	1288	G	P-OP2	-5.07	1.40	1.49
26	BB	1424	G	C8-N7	-5.07	1.27	1.30
26	BB	1826	G	N3-C4	-5.07	1.31	1.35
26	BB	2639	A	C5-C6	5.07	1.45	1.41
1	AA	177	G	C2-N3	-5.07	1.28	1.32
1	AA	452	A	P-O5'	5.07	1.64	1.59
1	AA	529	G	P-O5'	5.07	1.64	1.59
1	AA	1435	G	P-OP1	-5.07	1.40	1.49
26	BB	297	G	C8-N7	-5.07	1.27	1.30
26	BB	860	U	O3'-P	5.07	1.67	1.61
26	BB	1475	G	N9-C8	5.07	1.41	1.37
26	BB	1813	G	C4'-O4'	-5.07	1.39	1.45
26	BB	2541	A	N9-C8	-5.07	1.33	1.37
1	AA	547	A	N3-C4	5.06	1.37	1.34
1	AA	1183	U	N1-C2	-5.06	1.33	1.38
25	BA	92	C	N3-C4	5.06	1.37	1.33
26	BB	1116	G	N1-C2	5.06	1.41	1.37
26	BB	1588	G	C2-N3	5.06	1.36	1.32
26	BB	1780	A	C4'-C3'	-5.06	1.47	1.52
26	BB	2101	A	C5'-C4'	5.06	1.57	1.51
26	BB	2250	G	N3-C4	-5.06	1.31	1.35
1	AA	397	A	N7-C5	-5.06	1.36	1.39
1	AA	1035	A	C2-N3	5.06	1.38	1.33
26	BB	83	A	N9-C8	5.06	1.41	1.37
26	BB	102	U	P-O5'	5.06	1.64	1.59
26	BB	118	A	N9-C8	5.06	1.41	1.37
26	BB	230	G	C6-O6	-5.06	1.19	1.24
26	BB	849	A	O3'-P	5.06	1.67	1.61
26	BB	909	A	C6-N1	5.06	1.39	1.35
26	BB	1463	C	C5'-C4'	5.06	1.57	1.51
26	BB	1514	G	N1-C2	5.06	1.41	1.37
26	BB	1593	A	C5'-C4'	5.06	1.57	1.51
26	BB	1720	U	C5-C6	5.06	1.38	1.34
26	BB	1904	G	N3-C4	5.06	1.39	1.35
26	BB	2229	U	P-O5'	5.06	1.64	1.59
26	BB	2372	U	C2'-C1'	5.06	1.58	1.53
26	BB	2451	A	O3'-P	-5.06	1.55	1.61
50	BZ	77	TYR	CB-CG	5.06	1.59	1.51
1	AA	210	C	C5-C6	5.06	1.38	1.34
1	AA	804	U	C4'-C3'	5.06	1.58	1.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	300	A	C8-N7	-5.06	1.28	1.31
26	BB	327	G	N7-C5	-5.06	1.36	1.39
26	BB	350	G	C2'-C1'	5.06	1.58	1.53
26	BB	2595	G	C5-C4	-5.06	1.34	1.38
39	BO	35	ALA	N-CA	5.06	1.56	1.46
1	AA	835	U	C4'-O4'	-5.06	1.39	1.45
1	AA	892	A	C5-C4	-5.06	1.35	1.38
1	AA	977	A	C3'-O3'	5.06	1.49	1.42
4	AD	22	A	O4'-C1'	-5.06	1.35	1.41
26	BB	173	A	N9-C4	5.06	1.40	1.37
26	BB	404	A	N9-C8	-5.06	1.33	1.37
26	BB	886	A	C6-N6	5.06	1.38	1.33
26	BB	935	C	C5'-C4'	5.06	1.57	1.51
26	BB	1048	A	C6-N6	5.06	1.38	1.33
26	BB	1231	U	O3'-P	-5.06	1.55	1.61
26	BB	1280	G	C5-C4	-5.06	1.34	1.38
26	BB	1345	C	C2-N3	5.06	1.39	1.35
26	BB	2084	C	C1'-N1	5.06	1.56	1.48
26	BB	2303	G	C8-N7	5.06	1.33	1.30
26	BB	2547	A	C2'-O2'	-5.06	1.35	1.41
26	BB	2747	G	C2'-C1'	5.06	1.58	1.53
1	AA	102	G	C4'-O4'	-5.06	1.39	1.45
1	AA	549	C	P-O5'	-5.06	1.54	1.59
1	AA	635	A	N9-C4	5.06	1.40	1.37
1	AA	872	A	C4'-O4'	-5.06	1.39	1.45
1	AA	1188	A	P-O5'	5.06	1.64	1.59
1	AA	1221	G	C8-N7	-5.06	1.27	1.30
1	AA	1344	C	C2-N3	5.06	1.39	1.35
1	AA	1415	G	C2'-C1'	5.06	1.58	1.53
4	AD	34	U	C4-C5	5.06	1.48	1.43
26	BB	444	C	P-O5'	5.06	1.64	1.59
26	BB	820	A	P-O5'	5.06	1.64	1.59
26	BB	1330	C	C4'-O4'	-5.06	1.39	1.45
26	BB	1485	U	O3'-P	5.06	1.67	1.61
26	BB	1819	A	O4'-C1'	-5.06	1.35	1.41
26	BB	1944	U	C2'-C1'	-5.06	1.47	1.53
26	BB	2382	G	C2-N3	5.06	1.36	1.32
26	BB	2557	G	C1'-N9	-5.06	1.39	1.46
26	BB	2585	U	N1-C2	5.06	1.43	1.38
1	AA	1368	A	C8-N7	-5.06	1.28	1.31
4	AD	4	G	C3'-C2'	-5.06	1.47	1.52
26	BB	98	G	C2-N3	5.06	1.36	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1289	C	C4'-O4'	-5.06	1.39	1.45
26	BB	1698	A	N3-C4	5.06	1.37	1.34
26	BB	1781	U	C5-C6	5.06	1.38	1.34
26	BB	2073	C	N3-C4	-5.06	1.30	1.33
26	BB	2785	C	C2'-C1'	5.06	1.58	1.53
26	BB	2820	A	C6-N6	5.06	1.38	1.33
1	AA	498	A	C3'-O3'	5.05	1.49	1.42
1	AA	648	A	C5-C4	5.05	1.42	1.38
1	AA	810	C	P-O5'	5.05	1.64	1.59
1	AA	1176	A	C5'-C4'	5.05	1.57	1.51
1	AA	1300	G	N3-C4	5.05	1.39	1.35
1	AA	1315	U	N1-C6	5.05	1.42	1.38
4	AD	5	G	N3-C4	-5.05	1.31	1.35
26	BB	232	G	P-O5'	5.05	1.64	1.59
26	BB	461	C	C4-C5	5.05	1.47	1.43
26	BB	700	G	C4'-O4'	-5.05	1.39	1.45
26	BB	1343	G	C5-C6	-5.05	1.37	1.42
26	BB	1393	A	C5-C6	-5.05	1.36	1.41
26	BB	1407	G	N9-C4	5.05	1.42	1.38
26	BB	1416	G	C2-N2	5.05	1.39	1.34
26	BB	1715	G	C2-N3	5.05	1.36	1.32
26	BB	1815	A	C5-C4	-5.05	1.35	1.38
26	BB	2183	A	C2-N3	5.05	1.38	1.33
36	BL	124	VAL	CB-CG2	5.05	1.63	1.52
26	BB	494	G	C4'-O4'	-5.05	1.39	1.45
26	BB	2561	U	C3'-C2'	5.05	1.58	1.52
1	AA	705	G	C2'-C1'	-5.05	1.47	1.53
1	AA	898	G	N3-C4	5.05	1.39	1.35
1	AA	972	C	N1-C6	5.05	1.40	1.37
1	AA	1011	C	N1-C6	-5.05	1.34	1.37
1	AA	1019	A	N7-C5	-5.05	1.36	1.39
1	AA	1173	U	C2-N3	5.05	1.41	1.37
26	BB	115	C	P-O5'	5.05	1.64	1.59
26	BB	1191	G	C3'-C2'	5.05	1.58	1.52
26	BB	1441	G	C6-N1	5.05	1.43	1.39
26	BB	1608	A	C5'-C4'	5.05	1.57	1.51
26	BB	2053	G	N1-C2	5.05	1.41	1.37
26	BB	2328	A	C3'-C2'	-5.05	1.47	1.52
26	BB	2358	A	N1-C2	-5.05	1.29	1.34
26	BB	2564	A	C5-C4	-5.05	1.35	1.38
26	BB	2734	A	C5-C4	-5.05	1.35	1.38
28	BD	237	ARG	CZ-NH2	5.05	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	37	G	N9-C4	5.05	1.42	1.38
19	AS	17	TYR	CG-CD1	5.05	1.45	1.39
25	BA	50	A	N9-C8	-5.05	1.33	1.37
26	BB	166	U	C4-O4	-5.05	1.19	1.23
26	BB	733	G	N9-C4	-5.05	1.33	1.38
26	BB	843	G	C2-N3	5.05	1.36	1.32
26	BB	1161	C	C5'-C4'	5.05	1.57	1.51
26	BB	1229	C	N1-C6	-5.05	1.34	1.37
26	BB	1579	A	C5'-C4'	5.05	1.57	1.51
26	BB	2346	A	N3-C4	5.05	1.37	1.34
26	BB	2566	A	C4'-C3'	5.05	1.58	1.53
28	BD	61	TYR	CE1-CZ	5.05	1.45	1.38
3	AC	27	A	C4'-O4'	-5.05	1.39	1.45
26	BB	1972	G	C2'-O2'	-5.05	1.35	1.41
1	AA	455	G	C5'-C4'	5.05	1.57	1.51
1	AA	665	A	N9-C4	5.05	1.40	1.37
1	AA	774	G	C2'-C1'	-5.05	1.47	1.53
1	AA	873	A	N9-C8	5.05	1.41	1.37
1	AA	1201	A	C2'-C1'	-5.05	1.47	1.53
1	AA	1228	C	N3-C4	5.05	1.37	1.33
26	BB	651	G	C4'-C3'	5.05	1.58	1.53
26	BB	1000	A	N9-C4	-5.05	1.34	1.37
26	BB	1965	C	N1-C6	5.05	1.40	1.37
26	BB	2016	U	P-O5'	5.05	1.64	1.59
26	BB	2286	G	C6-N1	-5.05	1.36	1.39
26	BB	2820	A	C5-C6	5.05	1.45	1.41
1	AA	214	C	C4-C5	-5.04	1.39	1.43
1	AA	1094	G	N1-C2	-5.04	1.33	1.37
1	AA	1246	A	O4'-C1'	-5.04	1.35	1.41
26	BB	727	A	O3'-P	-5.04	1.55	1.61
26	BB	1582	C	C2-N3	5.04	1.39	1.35
26	BB	1644	C	C4-C5	5.04	1.47	1.43
26	BB	2409	G	N9-C4	5.04	1.42	1.38
1	AA	67	C	C5'-C4'	5.04	1.57	1.51
1	AA	708	C	C4-C5	5.04	1.47	1.43
1	AA	836	G	C2-N3	5.04	1.36	1.32
1	AA	858	G	N3-C4	5.04	1.39	1.35
1	AA	964	A	N9-C4	-5.04	1.34	1.37
1	AA	1335	U	C5'-C4'	5.04	1.57	1.51
26	BB	528	A	C8-N7	-5.04	1.28	1.31
26	BB	858	G	C6-N1	-5.04	1.36	1.39
26	BB	981	A	P-O5'	5.04	1.64	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1314	C	C4-C5	5.04	1.47	1.43
26	BB	1858	A	C8-N7	-5.04	1.28	1.31
26	BB	1870	C	C5'-C4'	5.04	1.57	1.51
26	BB	2044	C	C4-N4	-5.04	1.29	1.33
26	BB	2238	G	C5-C4	5.04	1.41	1.38
28	BD	268	ARG	NE-CZ	5.04	1.39	1.33
32	BH	2	ARG	CZ-NH2	5.04	1.39	1.33
1	AA	398	U	P-O5'	-5.04	1.54	1.59
1	AA	1241	G	C8-N7	5.04	1.33	1.30
26	BB	788	A	C2'-C1'	-5.04	1.47	1.53
26	BB	1027	A	N3-C4	5.04	1.37	1.34
26	BB	1477	A	N7-C5	-5.04	1.36	1.39
26	BB	2415	G	C2-N2	-5.04	1.29	1.34
26	BB	2438	U	P-O5'	5.04	1.64	1.59
26	BB	2634	A	C5'-C4'	5.04	1.57	1.51
26	BB	2802	G	C2'-C1'	5.04	1.58	1.53
26	BB	2882	A	C3'-C2'	-5.04	1.47	1.52
28	BD	265	PHE	CG-CD2	5.04	1.46	1.38
1	AA	774	G	C4'-O4'	-5.04	1.39	1.45
1	AA	1233	G	N3-C4	5.04	1.39	1.35
26	BB	1307	A	C8-N7	-5.04	1.28	1.31
26	BB	1850	G	N3-C4	-5.04	1.31	1.35
26	BB	2167	U	C2-N3	5.04	1.41	1.37
26	BB	2183	A	C5-C4	-5.04	1.35	1.38
26	BB	2829	A	N9-C4	5.04	1.40	1.37
1	AA	167	A	O3'-P	5.04	1.67	1.61
1	AA	178	C	C3'-C2'	-5.04	1.47	1.52
1	AA	458	U	C2-N3	5.04	1.41	1.37
1	AA	583	A	P-O5'	5.04	1.64	1.59
26	BB	523	C	N1-C6	5.04	1.40	1.37
26	BB	538	A	C5-C4	5.04	1.42	1.38
26	BB	1330	C	C2-O2	-5.04	1.20	1.24
26	BB	1343	G	O3'-P	5.04	1.67	1.61
26	BB	1653	G	C5-C4	-5.04	1.34	1.38
26	BB	2156	G	C3'-C2'	-5.04	1.47	1.52
26	BB	2216	G	C2'-O2'	5.04	1.48	1.41
26	BB	2219	U	C4'-O4'	-5.04	1.39	1.45
26	BB	2762	C	N3-C4	5.04	1.37	1.33
26	BB	2801	G	C2-N2	-5.04	1.29	1.34
1	AA	245	U	C5-C6	5.04	1.38	1.34
1	AA	355	C	C2-O2	5.04	1.28	1.24
1	AA	1317	C	C5'-C4'	5.04	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	1	C	C2'-C1'	5.04	1.58	1.53
26	BB	323	C	C2-N3	5.04	1.39	1.35
26	BB	1144	A	P-O5'	5.04	1.64	1.59
26	BB	1228	G	N9-C8	-5.04	1.34	1.37
1	AA	39	G	C4'-O4'	-5.04	1.39	1.45
1	AA	195	A	C6-N6	-5.04	1.29	1.33
1	AA	373	A	N7-C5	-5.04	1.36	1.39
1	AA	1410	A	C5'-C4'	5.04	1.57	1.51
1	AA	1416	G	P-O5'	5.04	1.64	1.59
4	AD	29	C	C2-N3	5.04	1.39	1.35
25	BA	62	C	N1-C6	5.04	1.40	1.37
26	BB	84	A	N9-C4	5.04	1.40	1.37
26	BB	946	C	C2-O2	-5.04	1.20	1.24
26	BB	1300	G	C5-C4	5.04	1.41	1.38
26	BB	2513	A	C5'-C4'	5.04	1.57	1.51
26	BB	2720	U	C4'-O4'	-5.04	1.39	1.45
42	BR	108	ARG	CZ-NH1	5.04	1.39	1.33
1	AA	106	C	C2-N3	5.03	1.39	1.35
1	AA	356	A	C5-C4	-5.03	1.35	1.38
1	AA	665	A	N9-C8	5.03	1.41	1.37
1	AA	1156	G	C2-N3	5.03	1.36	1.32
1	AA	1405	G	C6-N1	5.03	1.43	1.39
25	BA	40	U	C4-C5	-5.03	1.39	1.43
25	BA	86	G	N3-C4	-5.03	1.31	1.35
26	BB	195	A	P-O5'	5.03	1.64	1.59
26	BB	420	C	C5'-C4'	5.03	1.57	1.51
26	BB	477	A	C3'-C2'	-5.03	1.47	1.52
26	BB	2209	G	N9-C8	5.03	1.41	1.37
38	BN	144	GLU	CD-OE1	5.03	1.31	1.25
1	AA	953	G	C4'-O4'	-5.03	1.39	1.45
1	AA	1003	G	C8-N7	5.03	1.33	1.30
1	AA	1048	G	C4'-O4'	-5.03	1.39	1.45
26	BB	139	U	N1-C2	5.03	1.43	1.38
26	BB	244	A	C4'-O4'	-5.03	1.39	1.45
26	BB	566	U	P-O5'	5.03	1.64	1.59
26	BB	1944	U	C3'-C2'	5.03	1.58	1.52
26	BB	2819	G	N1-C2	5.03	1.41	1.37
1	AA	555	U	C4'-C3'	-5.03	1.47	1.52
1	AA	1070	U	C2'-C1'	5.03	1.58	1.53
1	AA	1232	U	C4'-O4'	-5.03	1.39	1.45
1	AA	1232	U	N1-C6	5.03	1.42	1.38
1	AA	1528	U	C4'-O4'	-5.03	1.39	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	117	G	C8-N7	5.03	1.33	1.30
26	BB	1453	A	N9-C4	5.03	1.40	1.37
26	BB	1659	G	N3-C4	-5.03	1.31	1.35
26	BB	1679	A	N3-C4	5.03	1.37	1.34
26	BB	1757	A	O4'-C1'	-5.03	1.35	1.41
26	BB	2207	C	C2'-C1'	5.03	1.58	1.53
28	BD	247	TRP	N-CA	-5.03	1.36	1.46
1	AA	640	A	C3'-C2'	5.03	1.58	1.52
1	AA	1439	G	P-O5'	5.03	1.64	1.59
2	AB	43	G	C5'-C4'	5.03	1.57	1.51
26	BB	322	A	C4'-O4'	-5.03	1.39	1.45
26	BB	744	U	C2'-C1'	5.03	1.58	1.53
26	BB	1580	A	C4'-C3'	-5.03	1.47	1.52
26	BB	1913	A	C5'-C4'	5.03	1.57	1.51
1	AA	5	U	C4-O4	-5.03	1.19	1.23
1	AA	602	A	C5-C6	-5.03	1.36	1.41
1	AA	613	C	C2-O2	-5.03	1.20	1.24
1	AA	1167	A	C3'-C2'	5.03	1.58	1.52
1	AA	1503	A	N7-C5	-5.03	1.36	1.39
3	AC	14	G	C2'-C1'	5.03	1.58	1.53
15	AO	69	GLU	CD-OE1	5.03	1.31	1.25
26	BB	300	A	C4'-O4'	-5.03	1.39	1.45
26	BB	619	G	C2-N3	5.03	1.36	1.32
26	BB	1017	G	C6-N1	5.03	1.43	1.39
26	BB	1526	C	O3'-P	5.03	1.67	1.61
26	BB	1728	C	P-O5'	5.03	1.64	1.59
26	BB	1931	U	C4-C5	5.03	1.48	1.43
26	BB	2430	A	C2-N3	5.03	1.38	1.33
26	BB	2435	A	C2-N3	-5.03	1.29	1.33
26	BB	2660	A	C5-C4	-5.03	1.35	1.38
26	BB	2853	C	C2-N3	5.03	1.39	1.35
1	AA	200	G	O4'-C1'	5.03	1.48	1.41
1	AA	325	A	N9-C4	5.03	1.40	1.37
1	AA	442	G	C2'-C1'	5.03	1.58	1.53
1	AA	710	G	C4'-O4'	-5.03	1.39	1.45
1	AA	874	G	C2-N3	5.03	1.36	1.32
25	BA	39	A	N1-C2	-5.03	1.29	1.34
25	BA	82	U	N1-C6	5.03	1.42	1.38
26	BB	86	G	C5-C4	5.03	1.41	1.38
26	BB	224	U	C2-N3	5.03	1.41	1.37
26	BB	777	G	C5-C4	5.03	1.41	1.38
26	BB	1062	G	C5-C4	5.03	1.41	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2019	A	P-O5'	5.03	1.64	1.59
26	BB	2265	U	N1-C2	5.03	1.43	1.38
26	BB	2612	C	C5-C6	5.03	1.38	1.34
1	AA	357	G	N3-C4	-5.02	1.31	1.35
1	AA	465	A	C6-N1	5.02	1.39	1.35
1	AA	775	G	N3-C4	5.02	1.39	1.35
26	BB	1067	A	C5-C4	-5.02	1.35	1.38
26	BB	1281	G	N1-C2	5.02	1.41	1.37
26	BB	2141	G	C8-N7	-5.02	1.27	1.30
1	AA	308	C	C2'-C1'	-5.02	1.47	1.53
1	AA	367	U	P-O5'	5.02	1.64	1.59
1	AA	444	G	C5-C4	-5.02	1.34	1.38
1	AA	1075	U	C5'-C4'	5.02	1.57	1.51
1	AA	1503	A	C8-N7	-5.02	1.28	1.31
26	BB	364	C	N1-C2	5.02	1.45	1.40
26	BB	539	G	C6-N1	5.02	1.43	1.39
26	BB	719	C	N3-C4	5.02	1.37	1.33
26	BB	978	G	C4'-C3'	5.02	1.58	1.53
26	BB	1065	U	N1-C2	5.02	1.43	1.38
26	BB	1318	U	C1'-N1	5.02	1.56	1.48
26	BB	1472	C	C4'-C3'	-5.02	1.47	1.52
26	BB	1843	C	C4'-O4'	-5.02	1.39	1.45
26	BB	1880	U	O3'-P	5.02	1.67	1.61
26	BB	1996	C	N1-C2	5.02	1.45	1.40
26	BB	2471	A	P-O5'	5.02	1.64	1.59
26	BB	2784	U	C4-O4	5.02	1.27	1.23
57	B6	41	ARG	CZ-NH1	5.02	1.39	1.33
1	AA	864	A	P-O5'	5.02	1.64	1.59
1	AA	983	A	O3'-P	5.02	1.67	1.61
1	AA	991	U	N1-C2	5.02	1.43	1.38
26	BB	675	A	C8-N7	-5.02	1.28	1.31
26	BB	818	G	C5-C4	5.02	1.41	1.38
26	BB	1010	A	C5'-C4'	5.02	1.57	1.51
26	BB	1017	G	C8-N7	5.02	1.33	1.30
26	BB	1540	G	C5'-C4'	5.02	1.57	1.51
1	AA	7	A	C5'-C4'	5.02	1.57	1.51
1	AA	1473	G	N9-C4	5.02	1.42	1.38
4	AD	12	G	N9-C4	5.02	1.42	1.38
26	BB	130	C	P-O5'	5.02	1.64	1.59
26	BB	167	A	N3-C4	5.02	1.37	1.34
26	BB	992	C	C5-C6	5.02	1.38	1.34
26	BB	1221	C	C4-C5	5.02	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1267	U	C4'-C3'	-5.02	1.47	1.52
26	BB	1355	G	N3-C4	5.02	1.39	1.35
26	BB	2392	A	C3'-C2'	-5.02	1.47	1.52
1	AA	564	C	C4'-C3'	5.02	1.58	1.53
1	AA	847	G	N3-C4	5.02	1.39	1.35
1	AA	886	G	C6-N1	5.02	1.43	1.39
26	BB	7	G	C4'-O4'	-5.02	1.39	1.45
26	BB	231	A	N3-C4	5.02	1.37	1.34
26	BB	1435	G	C4'-O4'	-5.02	1.39	1.45
26	BB	1588	G	C5-C6	5.02	1.47	1.42
26	BB	2002	G	C4'-O4'	-5.02	1.39	1.45
26	BB	2080	A	P-O5'	-5.02	1.54	1.59
26	BB	2213	U	C4'-C3'	-5.02	1.47	1.52
26	BB	2318	G	C5-C4	5.02	1.41	1.38
26	BB	2373	G	O3'-P	5.02	1.67	1.61
26	BB	2557	G	N1-C2	5.02	1.41	1.37
26	BB	2863	C	C1'-N1	5.02	1.56	1.48
26	BB	2878	U	C2-O2	5.02	1.26	1.22
34	BJ	95	PHE	CG-CD1	5.02	1.46	1.38
1	AA	166	U	C2-N3	5.02	1.41	1.37
1	AA	533	A	C4'-O4'	-5.02	1.39	1.45
1	AA	1524	C	N1-C2	-5.02	1.35	1.40
3	AC	19	A	O3'-P	-5.02	1.55	1.61
26	BB	227	A	C6-N6	5.02	1.38	1.33
26	BB	371	A	O5'-C5'	5.02	1.52	1.44
26	BB	478	A	C2'-C1'	5.02	1.58	1.53
26	BB	518	G	C8-N7	5.02	1.33	1.30
26	BB	702	U	C4-C5	5.02	1.48	1.43
26	BB	1304	A	C4'-O4'	-5.02	1.39	1.45
26	BB	1602	U	O3'-P	5.02	1.67	1.61
26	BB	2184	A	C8-N7	-5.02	1.28	1.31
1	AA	1275	A	N1-C2	-5.01	1.29	1.34
1	AA	1449	C	N3-C4	5.01	1.37	1.33
9	AI	2	ARG	CD-NE	5.01	1.54	1.46
19	AS	60	TRP	CE3-CZ3	5.01	1.47	1.38
26	BB	1490	A	N9-C8	-5.01	1.33	1.37
26	BB	1713	A	C2'-O2'	-5.01	1.35	1.41
26	BB	2042	A	N1-C2	-5.01	1.29	1.34
26	BB	2229	U	N3-C4	5.01	1.43	1.38
1	AA	84	U	C3'-O3'	5.01	1.49	1.42
1	AA	301	G	O3'-P	5.01	1.67	1.61
1	AA	804	U	P-O5'	5.01	1.64	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	51	G	O3'-P	-5.01	1.55	1.61
4	AD	52	C	C1'-N1	5.01	1.56	1.48
1	AA	364	A	O4'-C1'	-5.01	1.35	1.41
1	AA	734	G	N1-C2	5.01	1.41	1.37
1	AA	771	G	N1-C2	5.01	1.41	1.37
1	AA	1346	A	C4'-C3'	5.01	1.58	1.53
1	AA	1356	G	N3-C4	5.01	1.39	1.35
1	AA	1378	C	C4'-O4'	-5.01	1.39	1.45
26	BB	64	A	N9-C4	5.01	1.40	1.37
26	BB	528	A	N7-C5	-5.01	1.36	1.39
26	BB	2486	C	C4'-C3'	-5.01	1.47	1.52
26	BB	2769	U	C2'-C1'	5.01	1.58	1.53
1	AA	596	A	N7-C5	5.01	1.42	1.39
1	AA	970	C	C2-N3	5.01	1.39	1.35
4	AD	12	G	C6-O6	-5.01	1.19	1.24
26	BB	75	G	N3-C4	5.01	1.39	1.35
26	BB	317	G	N9-C8	-5.01	1.34	1.37
26	BB	359	G	C5-C4	-5.01	1.34	1.38
26	BB	393	C	C4'-C3'	5.01	1.58	1.53
26	BB	517	C	C4-N4	5.01	1.38	1.33
26	BB	844	A	N1-C2	-5.01	1.29	1.34
26	BB	961	C	C2-N3	5.01	1.39	1.35
26	BB	1320	C	N1-C6	5.01	1.40	1.37
26	BB	1712	U	C3'-O3'	5.01	1.49	1.42
26	BB	2260	C	N1-C6	5.01	1.40	1.37
26	BB	2561	U	C4-C5	5.01	1.48	1.43
26	BB	2601	C	C5'-C4'	5.01	1.57	1.51
26	BB	2680	U	P-O5'	5.01	1.64	1.59
26	BB	2739	U	C5-C6	5.01	1.38	1.34
26	BB	2853	C	O5'-C5'	5.01	1.52	1.44
1	AA	258	G	C6-N1	5.01	1.43	1.39
1	AA	548	G	C5-C6	5.01	1.47	1.42
1	AA	858	G	C3'-O3'	5.01	1.49	1.42
1	AA	1356	G	C6-N1	5.01	1.43	1.39
26	BB	1312	U	C5'-C4'	5.01	1.57	1.51
26	BB	1777	U	C4'-C3'	-5.01	1.47	1.52
26	BB	2625	G	C6-O6	-5.01	1.19	1.24
1	AA	266	G	C5-C4	-5.01	1.34	1.38
1	AA	379	C	C4'-O4'	-5.01	1.39	1.45
1	AA	400	C	C2'-O2'	5.01	1.48	1.41
1	AA	444	G	C6-N1	5.01	1.43	1.39
1	AA	467	U	C4'-O4'	-5.01	1.39	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	859	G	C4'-O4'	-5.01	1.39	1.45
1	AA	1031	C	C2-N3	5.01	1.39	1.35
1	AA	1286	U	C1'-N1	5.01	1.56	1.48
2	AB	61	C	C5'-C4'	5.01	1.57	1.51
26	BB	33	C	O3'-P	5.01	1.67	1.61
26	BB	180	G	P-O5'	5.01	1.64	1.59
26	BB	281	C	C2'-C1'	5.01	1.58	1.53
26	BB	459	U	C4'-O4'	-5.01	1.39	1.45
26	BB	492	A	N3-C4	5.01	1.37	1.34
26	BB	992	C	N1-C2	-5.01	1.35	1.40
26	BB	1139	G	N3-C4	5.01	1.39	1.35
26	BB	1280	G	C8-N7	-5.01	1.27	1.30
26	BB	2577	A	C4'-C3'	-5.01	1.47	1.52
32	BH	7	PRO	N-CD	-5.01	1.40	1.47
1	AA	101	A	N3-C4	5.00	1.37	1.34
1	AA	104	G	N7-C5	-5.00	1.36	1.39
1	AA	525	C	N1-C2	5.00	1.45	1.40
1	AA	1435	G	N3-C4	5.00	1.39	1.35
26	BB	11	C	O4'-C1'	5.00	1.48	1.41
26	BB	1353	A	C4'-O4'	-5.00	1.39	1.45
26	BB	1903	G	O3'-P	-5.00	1.55	1.61
26	BB	2162	G	N9-C4	5.00	1.42	1.38
1	AA	650	G	N9-C8	5.00	1.41	1.37
1	AA	987	G	C2-N3	5.00	1.36	1.32
25	BA	101	A	C3'-O3'	5.00	1.49	1.42
26	BB	1227	G	N3-C4	5.00	1.39	1.35
26	BB	2355	G	C4'-C3'	-5.00	1.47	1.52
26	BB	2458	G	C4'-C3'	5.00	1.58	1.53
26	BB	2593	U	C4'-O4'	-5.00	1.39	1.45
26	BB	2904	U	C5-C6	5.00	1.38	1.34
30	BF	124	PHE	CG-CD2	5.00	1.46	1.38
1	AA	332	G	C6-O6	-5.00	1.19	1.24
1	AA	462	G	C5-C6	-5.00	1.37	1.42
1	AA	688	G	C8-N7	-5.00	1.27	1.30
25	BA	33	G	C4'-O4'	-5.00	1.39	1.45
26	BB	238	C	O4'-C1'	5.00	1.48	1.41
26	BB	387	U	C2'-C1'	-5.00	1.47	1.53
26	BB	396	G	N3-C4	-5.00	1.31	1.35
26	BB	414	C	C2-O2	-5.00	1.20	1.24
26	BB	555	G	C8-N7	5.00	1.33	1.30
26	BB	658	U	C5'-C4'	5.00	1.57	1.51
26	BB	1135	C	C5'-C4'	5.00	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1317	G	C6-N1	-5.00	1.36	1.39
26	BB	1355	G	C8-N7	5.00	1.33	1.30
26	BB	1808	A	C5-C4	-5.00	1.35	1.38
26	BB	1853	A	N9-C8	-5.00	1.33	1.37
26	BB	2360	G	O3'-P	5.00	1.67	1.61
26	BB	2625	G	P-O5'	5.00	1.64	1.59

All (26808) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	28	A	O4'-C1'-N9	21.28	125.23	108.20
53	B2	63	ARG	NE-CZ-NH1	21.04	130.82	120.30
26	BB	2041	U	O4'-C1'-N1	20.83	124.87	108.20
1	AA	1323	G	N9-C4-C5	20.57	113.63	105.40
1	AA	1142	G	C8-N9-C4	-20.50	98.20	106.40
22	AV	36	ARG	NE-CZ-NH2	-20.40	110.10	120.30
26	BB	1739	A	N9-C4-C5	20.11	113.84	105.80
1	AA	876	C	N3-C4-C5	-20.06	113.88	121.90
1	AA	122	G	C4-C5-N7	-20.04	102.78	110.80
26	BB	616	A	N1-C2-N3	-19.90	119.35	129.30
1	AA	560	A	N7-C8-N9	19.89	123.75	113.80
26	BB	407	G	C2-N3-C4	19.87	121.83	111.90
1	AA	1323	G	C8-N9-C4	-19.75	98.50	106.40
1	AA	973	G	C5-C6-N1	19.60	121.30	111.50
26	BB	2693	G	C8-N9-C4	-19.54	98.58	106.40
26	BB	953	G	C2-N3-C4	19.47	121.64	111.90
1	AA	392	C	N3-C4-C5	-19.36	114.16	121.90
39	BO	38	ARG	NE-CZ-NH1	19.36	129.98	120.30
26	BB	2787	C	O4'-C1'-N1	19.13	123.50	108.20
26	BB	1576	U	O4'-C1'-N1	19.08	123.46	108.20
26	BB	1385	A	O4'-C1'-N9	19.06	123.45	108.20
30	BF	79	ARG	NE-CZ-NH2	-19.06	110.77	120.30
26	BB	80	G	N9-C4-C5	19.00	113.00	105.40
4	AD	32	G	O4'-C1'-N9	18.95	123.36	108.20
26	BB	953	G	N3-C4-C5	-18.89	119.16	128.60
26	BB	2581	G	C8-N9-C4	-18.87	98.85	106.40
26	BB	1638	C	N3-C4-C5	-18.69	114.42	121.90
26	BB	2415	G	C8-N9-C4	-18.69	98.92	106.40
55	B4	5	ARG	NE-CZ-NH1	18.57	129.59	120.30
26	BB	2770	G	C8-N9-C4	-18.56	98.97	106.40
1	AA	419	C	N3-C4-C5	-18.55	114.48	121.90
27	BC	60	ARG	NE-CZ-NH2	18.47	129.53	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	174	A	O4'-C1'-N9	18.43	122.94	108.20
1	AA	1487	G	C5-C6-O6	-18.43	117.54	128.60
1	AA	833	G	C8-N9-C4	-18.35	99.06	106.40
26	BB	2121	G	N3-C4-C5	-18.12	119.54	128.60
30	BF	79	ARG	NE-CZ-NH1	18.08	129.34	120.30
25	BA	19	C	O4'-C1'-N1	18.05	122.64	108.20
26	BB	1389	G	O4'-C1'-N9	17.91	122.52	108.20
21	AU	60	ARG	NE-CZ-NH2	-17.89	111.36	120.30
53	B2	25	ARG	NE-CZ-NH1	17.86	129.23	120.30
26	BB	642	U	C5-C4-O4	-17.76	115.24	125.90
1	AA	639	G	C8-N9-C4	-17.73	99.31	106.40
1	AA	1011	C	N3-C4-C5	-17.63	114.85	121.90
48	BX	21	ARG	NE-CZ-NH2	-17.62	111.49	120.30
26	BB	1857	G	C2-N3-C4	17.61	120.70	111.90
20	AT	10	ARG	NE-CZ-NH2	-17.51	111.55	120.30
26	BB	1003	G	C4-C5-N7	-17.50	103.80	110.80
26	BB	991	C	N3-C4-C5	-17.48	114.91	121.90
25	BA	91	C	O4'-C1'-N1	17.48	122.19	108.20
3	AC	27	A	O4'-C1'-N9	17.44	122.15	108.20
6	AF	130	ARG	NE-CZ-NH1	17.40	129.00	120.30
26	BB	2060	A	C2-N3-C4	17.35	119.27	110.60
1	AA	396	C	O4'-C1'-N1	17.24	121.99	108.20
26	BB	463	G	C8-N9-C4	-17.24	99.50	106.40
26	BB	2607	G	N1-C6-O6	-17.22	109.57	119.90
26	BB	259	G	N3-C4-C5	-17.20	120.00	128.60
26	BB	269	C	O4'-C1'-N1	17.20	121.96	108.20
1	AA	656	G	C5-N7-C8	-17.18	95.71	104.30
1	AA	949	A	O4'-C1'-N9	17.17	121.94	108.20
25	BA	47	C	O4'-C1'-N1	17.09	121.87	108.20
26	BB	2121	G	C2-N3-C4	17.08	120.44	111.90
26	BB	2205	A	C8-N9-C4	-17.04	98.98	105.80
1	AA	68	G	C8-N9-C4	-17.03	99.59	106.40
1	AA	1442	G	C5-C6-N1	17.00	120.00	111.50
26	BB	2673	G	C8-N9-C4	-16.95	99.62	106.40
30	BF	69	ARG	NE-CZ-NH1	16.92	128.76	120.30
26	BB	1285	A	C2-N3-C4	16.92	119.06	110.60
26	BB	843	G	N9-C4-C5	16.88	112.15	105.40
26	BB	2592	G	C8-N9-C4	-16.88	99.65	106.40
26	BB	2429	G	N9-C4-C5	16.86	112.15	105.40
26	BB	1988	G	C8-N9-C4	-16.83	99.67	106.40
26	BB	651	G	N7-C8-N9	16.82	121.51	113.10
26	BB	1357	C	C6-N1-C2	-16.80	113.58	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	796	C	C6-N1-C2	-16.78	113.59	120.30
26	BB	1250	G	N7-C8-N9	16.78	121.49	113.10
26	BB	791	C	N3-C4-C5	-16.77	115.19	121.90
26	BB	178	G	C8-N9-C4	-16.74	99.70	106.40
26	BB	2484	G	C8-N9-C4	-16.74	99.70	106.40
26	BB	1863	G	N3-C4-C5	-16.72	120.24	128.60
1	AA	1178	G	C4-C5-N7	-16.72	104.11	110.80
26	BB	1893	C	O4'-C1'-N1	16.72	121.57	108.20
1	AA	15	G	C4-C5-N7	-16.71	104.11	110.80
26	BB	520	G	N9-C4-C5	16.69	112.08	105.40
1	AA	236	A	N7-C8-N9	16.65	122.12	113.80
55	B4	5	ARG	NE-CZ-NH2	-16.65	111.98	120.30
26	BB	2254	C	C2-N3-C4	16.63	128.22	119.90
26	BB	926	G	C5-C6-O6	-16.61	118.63	128.60
1	AA	381	C	C6-N1-C2	-16.60	113.66	120.30
1	AA	776	G	C6-N1-C2	-16.55	115.17	125.10
26	BB	936	A	C8-N9-C4	-16.55	99.18	105.80
1	AA	1193	G	O4'-C1'-N9	16.53	121.43	108.20
26	BB	1813	G	N3-C4-C5	-16.52	120.34	128.60
1	AA	381	C	O4'-C1'-N1	16.52	121.42	108.20
25	BA	1	U	O4'-C1'-N1	16.51	121.41	108.20
26	BB	326	G	N3-C4-C5	-16.50	120.35	128.60
26	BB	2114	A	N9-C4-C5	16.48	112.39	105.80
1	AA	289	G	C4-C5-N7	16.47	117.39	110.80
1	AA	633	G	C8-N9-C4	-16.45	99.82	106.40
1	AA	1142	G	C2-N3-C4	16.44	120.12	111.90
1	AA	476	U	O4'-C1'-N1	16.44	121.35	108.20
26	BB	966	G	C8-N9-C4	-16.43	99.83	106.40
49	BY	38	ARG	NE-CZ-NH2	-16.38	112.11	120.30
1	AA	151	A	N9-C4-C5	16.37	112.35	105.80
1	AA	207	C	C6-N1-C2	-16.36	113.75	120.30
26	BB	2521	C	N3-C4-C5	-16.36	115.36	121.90
26	BB	407	G	N3-C4-C5	-16.35	120.43	128.60
1	AA	338	A	N9-C4-C5	16.32	112.33	105.80
1	AA	1296	C	C6-N1-C2	16.32	126.83	120.30
1	AA	667	G	C5-C6-N1	16.29	119.64	111.50
26	BB	2136	G	C4-C5-N7	-16.27	104.29	110.80
26	BB	1594	U	O4'-C1'-N1	16.27	121.22	108.20
26	BB	759	G	N7-C8-N9	16.26	121.23	113.10
1	AA	126	G	C4-C5-N7	-16.25	104.30	110.80
1	AA	1292	G	N3-C4-C5	-16.15	120.52	128.60
26	BB	1529	G	N3-C4-C5	-16.15	120.53	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2592	G	N3-C4-C5	-16.14	120.53	128.60
26	BB	2048	G	C8-N9-C4	-16.08	99.97	106.40
26	BB	2612	C	N1-C2-O2	16.08	128.55	118.90
4	AD	37	U	C5-C6-N1	-16.08	114.66	122.70
26	BB	530	G	C8-N9-C4	-16.07	99.97	106.40
26	BB	664	G	N9-C4-C5	16.05	111.82	105.40
26	BB	1943	U	O4'-C1'-N1	16.05	121.04	108.20
26	BB	403	U	C5-C4-O4	16.04	135.53	125.90
26	BB	1106	G	O4'-C1'-N9	16.04	121.03	108.20
26	BB	1878	G	C4-C5-N7	-15.98	104.41	110.80
26	BB	613	A	N9-C4-C5	15.96	112.18	105.80
26	BB	2645	G	C8-N9-C4	-15.96	100.02	106.40
26	BB	1739	A	C8-N9-C4	-15.94	99.42	105.80
26	BB	1988	G	N3-C2-N2	-15.93	108.75	119.90
26	BB	1238	G	C6-N1-C2	-15.92	115.55	125.10
26	BB	1957	C	O4'-C1'-N1	15.91	120.92	108.20
26	BB	428	A	N1-C2-N3	-15.89	121.35	129.30
26	BB	1365	A	N9-C4-C5	15.89	112.16	105.80
26	BB	1863	G	C2-N3-C4	15.87	119.84	111.90
25	BA	120	U	O4'-C1'-N1	15.84	120.87	108.20
1	AA	879	C	N3-C4-C5	15.82	128.23	121.90
26	BB	1663	G	N7-C8-N9	15.77	120.98	113.10
26	BB	2114	A	C8-N9-C4	-15.75	99.50	105.80
1	AA	708	C	N3-C4-C5	-15.74	115.60	121.90
26	BB	80	G	C8-N9-C4	-15.74	100.10	106.40
26	BB	2469	A	N1-C2-N3	-15.73	121.44	129.30
26	BB	2780	G	C8-N9-C4	-15.71	100.12	106.40
26	BB	2900	A	C8-N9-C4	-15.71	99.52	105.80
1	AA	510	A	C2-N3-C4	15.70	118.45	110.60
26	BB	2357	G	N3-C4-C5	-15.70	120.75	128.60
1	AA	338	A	C8-N9-C4	-15.69	99.52	105.80
2	AB	75	C	N1-C2-O2	15.69	128.32	118.90
5	AE	207	ARG	NE-CZ-NH1	15.68	128.14	120.30
1	AA	416	G	C8-N9-C4	-15.67	100.13	106.40
26	BB	1816	C	N3-C4-C5	-15.67	115.63	121.90
1	AA	786	G	O4'-C1'-N9	15.66	120.73	108.20
1	AA	372	C	N3-C4-C5	-15.64	115.64	121.90
31	BG	132	ARG	NE-CZ-NH2	15.62	128.11	120.30
26	BB	999	U	O4'-C1'-N1	15.62	120.69	108.20
1	AA	325	A	N7-C8-N9	15.61	121.61	113.80
26	BB	1336	A	O4'-C1'-N9	15.60	120.68	108.20
26	BB	1545	A	O4'-C1'-N9	15.60	120.68	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	786	C	O4'-C1'-N1	15.58	120.67	108.20
1	AA	281	G	N3-C4-C5	-15.58	120.81	128.60
1	AA	316	C	C2-N3-C4	15.58	127.69	119.90
26	BB	1384	A	C5-N7-C8	15.56	111.68	103.90
1	AA	713	G	N7-C8-N9	15.54	120.87	113.10
28	BD	13	ARG	NE-CZ-NH2	15.53	128.06	120.30
26	BB	2518	A	C8-N9-C4	-15.52	99.59	105.80
1	AA	175	C	N1-C2-O2	15.52	128.21	118.90
4	AD	57	C	N3-C4-C5	-15.51	115.70	121.90
26	BB	2663	G	C8-N9-C4	-15.50	100.20	106.40
26	BB	1227	G	C2-N3-C4	15.49	119.65	111.90
39	BO	10	ARG	NE-CZ-NH2	15.48	128.04	120.30
26	BB	2121	G	N3-C4-N9	15.48	135.29	126.00
26	BB	2124	G	C8-N9-C4	-15.48	100.21	106.40
26	BB	2592	G	C2-N3-C4	15.46	119.63	111.90
26	BB	409	G	C8-N9-C4	-15.45	100.22	106.40
26	BB	2892	G	O4'-C1'-N9	15.43	120.55	108.20
26	BB	2027	G	C8-N9-C4	-15.43	100.23	106.40
26	BB	2873	A	C2-N3-C4	15.43	118.31	110.60
26	BB	94	A	C8-N9-C4	-15.42	99.63	105.80
42	BR	100	ARG	NE-CZ-NH2	15.42	128.01	120.30
1	AA	557	G	C2-N3-C4	15.41	119.61	111.90
26	BB	2242	G	N7-C8-N9	15.41	120.81	113.10
26	BB	611	C	N3-C4-C5	15.39	128.06	121.90
26	BB	2752	C	C6-N1-C2	-15.38	114.15	120.30
26	BB	901	C	N3-C4-C5	-15.37	115.75	121.90
24	AX	54	ARG	NE-CZ-NH2	-15.37	112.61	120.30
43	BS	63	ARG	NE-CZ-NH2	-15.36	112.62	120.30
26	BB	810	U	O4'-C1'-N1	15.35	120.48	108.20
26	BB	1475	G	C6-N1-C2	-15.35	115.89	125.10
1	AA	631	C	C2-N3-C4	-15.34	112.23	119.90
40	BP	46	ARG	NE-CZ-NH1	15.34	127.97	120.30
1	AA	1096	C	C6-N1-C2	-15.34	114.17	120.30
1	AA	634	C	O4'-C1'-N1	15.32	120.46	108.20
1	AA	392	C	C2-N3-C4	15.31	127.56	119.90
53	B2	49	ARG	NE-CZ-NH2	-15.29	112.65	120.30
25	BA	80	U	C5-C4-O4	15.28	135.07	125.90
2	AB	65	C	O4'-C1'-N1	15.27	120.42	108.20
1	AA	122	G	N3-C4-C5	-15.26	120.97	128.60
26	BB	2095	A	C5-N7-C8	-15.26	96.27	103.90
26	BB	385	C	N1-C2-O2	15.25	128.05	118.90
26	BB	467	G	C4-C5-N7	-15.25	104.70	110.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1188	A	N1-C2-N3	-15.23	121.69	129.30
1	AA	1353	G	C4-C5-N7	-15.22	104.71	110.80
26	BB	1303	G	N3-C4-C5	-15.21	120.99	128.60
1	AA	991	U	O4'-C1'-N1	15.19	120.35	108.20
4	AD	22	A	N9-C4-C5	15.18	111.87	105.80
1	AA	877	G	N9-C4-C5	15.17	111.47	105.40
26	BB	2198	A	C5-C6-N1	15.16	125.28	117.70
26	BB	34	U	N3-C2-O2	-15.15	111.59	122.20
26	BB	1974	C	C6-N1-C2	-15.15	114.24	120.30
26	BB	1250	G	C8-N9-C4	-15.13	100.35	106.40
26	BB	43	G	N7-C8-N9	15.13	120.66	113.10
2	AB	10	G	C4-C5-N7	-15.12	104.75	110.80
4	AD	4	G	C5-C6-O6	-15.12	119.53	128.60
26	BB	1365	A	C8-N9-C4	-15.12	99.75	105.80
1	AA	730	G	C4-C5-N7	-15.10	104.76	110.80
26	BB	380	G	C8-N9-C4	-15.10	100.36	106.40
26	BB	1308	A	C8-N9-C4	-15.09	99.76	105.80
26	BB	1974	C	C5-C6-N1	15.09	128.54	121.00
26	BB	2073	C	C5-C4-N4	-15.09	109.64	120.20
26	BB	558	U	O4'-C1'-N1	15.07	120.26	108.20
26	BB	607	U	C5-C6-N1	-15.07	115.16	122.70
26	BB	1827	U	C2-N3-C4	-15.07	117.96	127.00
26	BB	71	A	O4'-C1'-N9	15.06	120.25	108.20
1	AA	752	G	N3-C4-C5	-15.03	121.09	128.60
26	BB	629	G	C8-N9-C4	-15.03	100.39	106.40
32	BH	169	ARG	NE-CZ-NH1	-15.03	112.79	120.30
26	BB	2018	G	N3-C4-C5	-15.02	121.09	128.60
26	BB	2415	G	N7-C8-N9	15.01	120.61	113.10
26	BB	2282	G	N3-C4-C5	-15.01	121.10	128.60
26	BB	2287	A	C8-N9-C4	-14.98	99.81	105.80
1	AA	1503	A	C8-N9-C4	-14.97	99.81	105.80
1	AA	1442	G	C5-C6-O6	-14.96	119.62	128.60
26	BB	2314	A	C8-N9-C4	-14.96	99.82	105.80
1	AA	733	G	N1-C6-O6	-14.95	110.93	119.90
1	AA	631	C	N3-C4-C5	14.94	127.88	121.90
1	AA	560	A	C5-N7-C8	-14.94	96.43	103.90
26	BB	2693	G	N7-C8-N9	14.93	120.57	113.10
1	AA	1016	A	N9-C4-C5	14.93	111.77	105.80
1	AA	1342	C	N3-C4-C5	-14.93	115.93	121.90
1	AA	78	A	C8-N9-C4	-14.92	99.83	105.80
26	BB	318	C	C5-C4-N4	-14.92	109.76	120.20
26	BB	2545	G	C4-C5-N7	-14.91	104.83	110.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2757	A	N1-C2-N3	-14.90	121.85	129.30
1	AA	236	A	C8-N9-C4	-14.89	99.84	105.80
1	AA	633	G	N9-C4-C5	14.88	111.35	105.40
15	AO	8	ARG	NE-CZ-NH2	-14.88	112.86	120.30
21	AU	60	ARG	NE-CZ-NH1	14.87	127.74	120.30
26	BB	46	G	O4'-C1'-N9	14.86	120.08	108.20
1	AA	1451	U	O4'-C1'-N1	14.85	120.08	108.20
26	BB	1857	G	N7-C8-N9	14.85	120.53	113.10
26	BB	1888	G	O4'-C1'-N9	14.84	120.07	108.20
1	AA	673	A	C2-N3-C4	14.83	118.01	110.60
26	BB	2789	C	N3-C2-O2	-14.82	111.53	121.90
1	AA	1210	C	C6-N1-C2	-14.82	114.37	120.30
1	AA	183	C	O4'-C1'-N1	14.81	120.05	108.20
26	BB	2036	C	N3-C4-C5	-14.79	115.99	121.90
26	BB	613	A	C2-N3-C4	14.75	117.98	110.60
1	AA	126	G	C4-C5-C6	14.75	127.65	118.80
26	BB	2243	U	O4'-C1'-N1	14.75	120.00	108.20
1	AA	248	C	C6-N1-C2	14.74	126.20	120.30
26	BB	2867	G	C8-N9-C4	-14.73	100.51	106.40
1	AA	713	G	C5-N7-C8	-14.73	96.94	104.30
1	AA	1487	G	N1-C6-O6	14.73	128.74	119.90
1	AA	599	C	N3-C4-C5	14.72	127.79	121.90
1	AA	1099	G	C8-N9-C4	-14.72	100.51	106.40
1	AA	1367	C	O4'-C1'-N1	14.72	119.98	108.20
26	BB	2151	U	O4'-C1'-N1	14.72	119.98	108.20
1	AA	254	G	C5-C6-O6	-14.71	119.77	128.60
26	BB	1227	G	N3-C4-C5	-14.71	121.25	128.60
26	BB	369	U	O4'-C1'-N1	14.70	119.96	108.20
1	AA	448	A	C8-N9-C4	-14.69	99.92	105.80
1	AA	1346	A	O4'-C1'-N9	14.69	119.95	108.20
1	AA	615	G	C4-C5-C6	14.68	127.61	118.80
1	AA	1464	U	C5-C4-O4	-14.68	117.09	125.90
1	AA	1088	G	N3-C4-C5	-14.67	121.26	128.60
1	AA	1079	G	N3-C4-C5	-14.67	121.27	128.60
1	AA	726	C	C2-N3-C4	14.67	127.23	119.90
1	AA	802	A	N7-C8-N9	14.67	121.13	113.80
26	BB	2118	U	O4'-C1'-N1	14.67	119.93	108.20
7	AG	62	ARG	NE-CZ-NH1	14.66	127.63	120.30
1	AA	766	A	N9-C4-C5	14.65	111.66	105.80
26	BB	20	C	O4'-C1'-N1	14.65	119.92	108.20
26	BB	1626	A	C5-C6-N1	14.65	125.02	117.70
1	AA	1460	C	O4'-C1'-N1	14.64	119.92	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	424	G	C8-N9-C4	-14.64	100.54	106.40
1	AA	575	G	N3-C2-N2	-14.64	109.65	119.90
26	BB	944	C	N3-C4-C5	-14.64	116.05	121.90
1	AA	592	G	C4-C5-N7	-14.63	104.95	110.80
1	AA	175	C	O4'-C1'-N1	14.62	119.89	108.20
1	AA	1352	C	O4'-C1'-N1	14.61	119.89	108.20
30	BF	40	ARG	NE-CZ-NH2	-14.61	113.00	120.30
12	AL	44	ARG	NE-CZ-NH2	-14.60	113.00	120.30
1	AA	346	G	C2-N3-C4	14.59	119.20	111.90
1	AA	1016	A	C8-N9-C4	-14.58	99.97	105.80
7	AG	74	TYR	CB-CG-CD2	-14.58	112.25	121.00
26	BB	2165	C	N1-C2-O2	14.58	127.65	118.90
26	BB	467	G	O4'-C1'-N9	14.57	119.86	108.20
1	AA	284	C	N1-C2-O2	14.57	127.64	118.90
1	AA	175	C	N3-C2-O2	-14.55	111.71	121.90
25	BA	105	G	N1-C6-O6	-14.54	111.17	119.90
1	AA	656	G	N7-C8-N9	14.54	120.37	113.10
1	AA	898	G	N1-C6-O6	-14.54	111.18	119.90
1	AA	1088	G	C8-N9-C4	-14.54	100.58	106.40
26	BB	2037	A	C5-N7-C8	14.53	111.16	103.90
9	AI	25	TYR	CB-CG-CD2	-14.52	112.29	121.00
18	AR	76	ARG	NE-CZ-NH2	-14.52	113.04	120.30
40	BP	30	ARG	NE-CZ-NH1	14.51	127.56	120.30
13	AM	31	ARG	NE-CZ-NH2	-14.50	113.05	120.30
1	AA	215	C	O4'-C1'-N1	14.50	119.80	108.20
1	AA	57	G	N9-C4-C5	14.49	111.20	105.40
26	BB	650	C	O4'-C1'-N1	14.49	119.80	108.20
26	BB	997	G	C5-C6-O6	-14.48	119.91	128.60
26	BB	1348	C	O4'-C1'-N1	14.47	119.78	108.20
26	BB	194	G	C8-N9-C4	-14.47	100.61	106.40
1	AA	126	G	N3-C4-C5	-14.46	121.37	128.60
1	AA	720	C	N3-C4-C5	-14.46	116.11	121.90
25	BA	60	C	C2-N3-C4	14.46	127.13	119.90
26	BB	2651	C	N3-C4-C5	-14.45	116.12	121.90
52	B1	30	ARG	NE-CZ-NH1	14.45	127.53	120.30
27	BC	71	ARG	NE-CZ-NH2	14.45	127.53	120.30
26	BB	2436	G	C2-N3-C4	14.44	119.12	111.90
1	AA	197	A	N1-C6-N6	-14.44	109.94	118.60
1	AA	1230	C	O4'-C1'-N1	14.43	119.75	108.20
26	BB	1573	G	O4'-C1'-N9	14.43	119.74	108.20
22	AV	36	ARG	NE-CZ-NH1	14.43	127.51	120.30
26	BB	1699	G	O4'-C1'-N9	14.42	119.74	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	151	A	C4-C5-N7	-14.40	103.50	110.70
1	AA	307	C	O4'-C1'-N1	14.38	119.71	108.20
26	BB	67	U	O4'-C1'-N1	14.38	119.71	108.20
26	BB	582	A	N1-C2-N3	14.37	136.48	129.30
26	BB	2602	A	C8-N9-C4	-14.36	100.06	105.80
1	AA	279	A	C4-C5-C6	-14.36	109.82	117.00
1	AA	169	C	O4'-C1'-N1	14.35	119.68	108.20
1	AA	1448	C	N3-C4-C5	-14.35	116.16	121.90
1	AA	1271	A	C8-N9-C4	-14.33	100.07	105.80
26	BB	179	C	O4'-C1'-N1	14.33	119.67	108.20
26	BB	1925	C	C6-N1-C2	-14.33	114.57	120.30
26	BB	2492	U	O4'-C1'-N1	14.32	119.66	108.20
26	BB	978	G	C8-N9-C4	-14.32	100.67	106.40
1	AA	698	G	C2-N3-C4	14.31	119.05	111.90
26	BB	822	G	C4-C5-N7	-14.31	105.08	110.80
1	AA	221	C	O4'-C1'-N1	14.30	119.64	108.20
26	BB	2508	G	N9-C4-C5	14.31	111.12	105.40
26	BB	2115	G	N9-C4-C5	14.30	111.12	105.40
1	AA	545	C	C6-N1-C2	-14.30	114.58	120.30
26	BB	853	C	N3-C4-N4	14.29	128.00	118.00
26	BB	2050	C	N1-C2-O2	14.28	127.47	118.90
4	AD	14	A	N9-C4-C5	14.27	111.51	105.80
1	AA	803	G	C5-C6-O6	-14.26	120.04	128.60
41	BQ	15	ARG	NE-CZ-NH1	14.26	127.43	120.30
26	BB	2165	C	N3-C4-C5	-14.26	116.20	121.90
1	AA	832	G	C5-C6-O6	-14.26	120.05	128.60
26	BB	2581	G	N9-C4-C5	14.25	111.10	105.40
3	AC	29	G	N7-C8-N9	14.25	120.22	113.10
26	BB	2004	G	N3-C4-C5	-14.24	121.48	128.60
1	AA	310	G	C8-N9-C4	-14.24	100.70	106.40
1	AA	1134	G	C4-C5-C6	14.24	127.34	118.80
1	AA	779	C	C6-N1-C2	-14.23	114.61	120.30
42	BR	102	ARG	NE-CZ-NH2	14.22	127.41	120.30
1	AA	726	C	O4'-C1'-N1	14.22	119.58	108.20
26	BB	613	A	C4-C5-N7	-14.22	103.59	110.70
26	BB	64	A	N1-C2-N3	14.21	136.41	129.30
26	BB	2114	A	C2-N3-C4	14.17	117.69	110.60
26	BB	2282	G	C2-N3-C4	14.16	118.98	111.90
26	BB	718	A	N7-C8-N9	14.16	120.88	113.80
1	AA	63	C	N3-C4-C5	-14.15	116.24	121.90
13	AM	68	ARG	NE-CZ-NH2	-14.15	113.22	120.30
26	BB	674	G	N3-C4-C5	-14.15	121.53	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	3	G	O4'-C1'-N9	14.14	119.51	108.20
26	BB	276	U	C5-C6-N1	-14.14	115.63	122.70
1	AA	213	G	C8-N9-C4	-14.12	100.75	106.40
1	AA	889	A	N1-C2-N3	-14.11	122.25	129.30
26	BB	693	A	C8-N9-C4	-14.11	100.16	105.80
26	BB	239	C	C6-N1-C2	-14.11	114.66	120.30
1	AA	1459	G	N3-C4-C5	-14.10	121.55	128.60
1	AA	281	G	C4-C5-N7	-14.09	105.16	110.80
1	AA	1489	G	N3-C4-C5	-14.09	121.55	128.60
1	AA	773	G	O4'-C1'-N9	14.08	119.47	108.20
26	BB	2551	C	C6-N1-C2	-14.07	114.67	120.30
26	BB	1575	C	C6-N1-C2	-14.07	114.67	120.30
1	AA	1353	G	N9-C4-C5	14.04	111.02	105.40
1	AA	322	C	N1-C2-O2	14.04	127.32	118.90
26	BB	176	A	N1-C6-N6	-14.04	110.18	118.60
55	B4	27	ARG	NE-CZ-NH1	14.04	127.32	120.30
3	AC	51	C	C5-C4-N4	14.04	130.03	120.20
1	AA	944	G	N3-C4-C5	-14.03	121.59	128.60
4	AD	57	C	N1-C2-O2	14.02	127.31	118.90
26	BB	2133	G	C3'-C2'-C1'	14.02	112.71	101.50
26	BB	883	G	O4'-C1'-N9	14.01	119.41	108.20
12	AL	48	ARG	NE-CZ-NH2	-14.01	113.30	120.30
26	BB	74	A	C8-N9-C4	-14.01	100.20	105.80
26	BB	138	U	C2-N3-C4	-14.01	118.59	127.00
1	AA	484	G	C5-N7-C8	-14.01	97.30	104.30
26	BB	1672	A	C8-N9-C4	-14.00	100.20	105.80
26	BB	2223	G	N7-C8-N9	14.00	120.10	113.10
26	BB	1710	G	C2-N3-C4	14.00	118.90	111.90
26	BB	2239	G	C8-N9-C4	-13.99	100.80	106.40
1	AA	941	G	O4'-C1'-N9	13.99	119.39	108.20
1	AA	1106	G	C5-N7-C8	-13.98	97.31	104.30
26	BB	2881	U	C4-C5-C6	13.97	128.08	119.70
26	BB	1407	G	N3-C4-C5	-13.97	121.61	128.60
25	BA	78	A	C8-N9-C4	-13.97	100.21	105.80
1	AA	1033	G	C2-N3-C4	13.96	118.88	111.90
26	BB	633	A	O4'-C1'-N9	13.96	119.37	108.20
1	AA	419	C	C4-C5-C6	13.96	124.38	117.40
1	AA	705	G	C8-N9-C4	-13.96	100.82	106.40
25	BA	89	U	O4'-C1'-N1	13.96	119.37	108.20
36	BL	120	ARG	NE-CZ-NH1	-13.95	113.32	120.30
1	AA	619	U	N3-C2-O2	-13.95	112.43	122.20
26	BB	554	U	O4'-C1'-N1	13.95	119.36	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	147	G	O4'-C1'-N9	13.95	119.36	108.20
26	BB	2613	U	O4'-C1'-N1	13.95	119.36	108.20
1	AA	938	A	C5-C6-N1	13.95	124.67	117.70
26	BB	2318	G	N7-C8-N9	13.94	120.07	113.10
1	AA	242	G	C8-N9-C4	-13.94	100.82	106.40
24	AX	34	ARG	NE-CZ-NH2	-13.93	113.34	120.30
26	BB	2606	C	N3-C4-N4	13.92	127.75	118.00
26	BB	2223	G	C8-N9-C4	-13.92	100.83	106.40
26	BB	2100	G	C8-N9-C4	-13.91	100.84	106.40
1	AA	876	C	C2-N3-C4	13.91	126.85	119.90
26	BB	818	G	N3-C4-C5	-13.90	121.65	128.60
1	AA	1302	C	N1-C2-O2	13.90	127.24	118.90
26	BB	188	G	N3-C4-C5	-13.90	121.65	128.60
26	BB	2115	G	C8-N9-C4	-13.90	100.84	106.40
26	BB	2357	G	C2-N3-C4	13.88	118.84	111.90
26	BB	1521	G	O4'-C1'-N9	13.88	119.31	108.20
1	AA	346	G	N3-C4-N9	13.87	134.32	126.00
1	AA	310	G	N7-C8-N9	13.87	120.03	113.10
26	BB	275	C	N3-C4-C5	-13.86	116.36	121.90
1	AA	635	A	C2-N3-C4	-13.86	103.67	110.60
26	BB	1625	C	N1-C2-O2	13.85	127.21	118.90
31	BG	132	ARG	NE-CZ-NH1	-13.85	113.38	120.30
26	BB	861	A	N9-C4-C5	13.85	111.34	105.80
1	AA	1010	U	O4'-C1'-N1	13.84	119.27	108.20
6	AF	228	ARG	NE-CZ-NH2	-13.84	113.38	120.30
26	BB	1876	A	C8-N9-C4	-13.84	100.26	105.80
51	B0	23	ARG	NE-CZ-NH2	-13.84	113.38	120.30
26	BB	1906	G	N7-C8-N9	13.84	120.02	113.10
26	BB	843	G	C8-N9-C4	-13.84	100.86	106.40
26	BB	2186	G	N3-C4-C5	-13.84	121.68	128.60
26	BB	2697	G	N3-C4-C5	-13.83	121.68	128.60
26	BB	1259	G	C5-N7-C8	13.83	111.22	104.30
26	BB	1303	G	C8-N9-C4	-13.83	100.87	106.40
1	AA	1475	G	N1-C6-O6	13.82	128.19	119.90
26	BB	428	A	O4'-C1'-N9	13.82	119.26	108.20
26	BB	1110	G	N3-C2-N2	-13.81	110.23	119.90
26	BB	2636	C	C6-N1-C2	-13.81	114.78	120.30
1	AA	155	A	C8-N9-C4	-13.80	100.28	105.80
26	BB	155	A	N1-C2-N3	-13.79	122.41	129.30
1	AA	126	G	N9-C4-C5	13.78	110.91	105.40
2	AB	57	G	C5-C6-O6	-13.78	120.33	128.60
34	BJ	55	ARG	NE-CZ-NH2	-13.78	113.41	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	136	G	C2-N3-C4	13.78	118.79	111.90
26	BB	1486	U	O4'-C1'-N1	13.77	119.22	108.20
26	BB	1265	A	N1-C6-N6	-13.77	110.34	118.60
25	BA	82	U	O4'-C1'-N1	13.77	119.21	108.20
26	BB	940	G	C8-N9-C4	-13.76	100.89	106.40
25	BA	114	C	C6-N1-C2	-13.76	114.80	120.30
26	BB	1699	G	C4-C5-N7	-13.76	105.30	110.80
26	BB	198	C	C5-C6-N1	-13.76	114.12	121.00
26	BB	291	G	N3-C4-C5	-13.76	121.72	128.60
26	BB	2901	C	C5-C4-N4	-13.75	110.58	120.20
2	AB	44	G	N3-C4-C5	-13.74	121.73	128.60
45	BU	25	ARG	NE-CZ-NH1	13.74	127.17	120.30
26	BB	2699	C	O4'-C1'-N1	13.74	119.19	108.20
26	BB	651	G	C8-N9-C4	-13.74	100.90	106.40
1	AA	451	A	N9-C4-C5	13.73	111.29	105.80
1	AA	889	A	C5-N7-C8	-13.72	97.04	103.90
26	BB	1384	A	C4-C5-N7	-13.72	103.84	110.70
41	BQ	13	ARG	NE-CZ-NH2	-13.72	113.44	120.30
26	BB	473	G	N3-C4-C5	-13.72	121.74	128.60
1	AA	929	G	C8-N9-C4	-13.71	100.92	106.40
6	AF	87	ARG	NE-CZ-NH2	-13.70	113.45	120.30
26	BB	1708	C	C4-C5-C6	-13.70	110.55	117.40
26	BB	760	G	C8-N9-C4	-13.70	100.92	106.40
26	BB	2246	G	C8-N9-C4	-13.70	100.92	106.40
26	BB	204	A	N9-C4-C5	13.70	111.28	105.80
26	BB	642	U	N3-C4-O4	13.69	128.98	119.40
3	AC	48	C	O4'-C1'-N1	13.69	119.15	108.20
26	BB	1264	A	N7-C8-N9	13.69	120.64	113.80
26	BB	1784	A	O4'-C1'-N9	13.69	119.15	108.20
38	BN	126	ARG	NE-CZ-NH2	-13.67	113.46	120.30
1	AA	1223	C	N3-C4-C5	-13.67	116.43	121.90
1	AA	281	G	N9-C4-C5	13.67	110.87	105.40
26	BB	1045	C	N3-C4-C5	-13.66	116.43	121.90
26	BB	2564	A	O4'-C1'-N9	13.66	119.13	108.20
26	BB	1529	G	N3-C4-N9	13.66	134.19	126.00
1	AA	109	A	O4'-C1'-N9	13.65	119.12	108.20
1	AA	1276	G	C4-C5-N7	13.64	116.26	110.80
26	BB	1892	C	N1-C2-O2	13.63	127.08	118.90
26	BB	707	G	O4'-C1'-N9	13.62	119.10	108.20
13	AM	31	ARG	NE-CZ-NH1	13.62	127.11	120.30
3	AC	43	U	O4'-C1'-N1	13.61	119.09	108.20
26	BB	698	C	O4'-C1'-N1	13.61	119.09	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	289	G	C5-N7-C8	-13.61	97.50	104.30
1	AA	730	G	O4'-C1'-N9	13.61	119.08	108.20
1	AA	1195	C	N3-C4-C5	-13.60	116.46	121.90
26	BB	2442	C	O4'-C1'-N1	13.60	119.08	108.20
26	BB	2326	C	O4'-C1'-N1	13.59	119.07	108.20
26	BB	326	G	N9-C4-C5	13.59	110.84	105.40
26	BB	634	C	N3-C4-C5	-13.59	116.46	121.90
26	BB	52	A	C2-N3-C4	-13.58	103.81	110.60
26	BB	2434	A	C8-N9-C4	-13.58	100.37	105.80
1	AA	937	A	C8-N9-C4	-13.58	100.37	105.80
26	BB	2238	G	N3-C4-C5	-13.58	121.81	128.60
1	AA	54	C	O4'-C1'-N1	13.57	119.06	108.20
26	BB	2236	U	O4'-C1'-N1	13.57	119.05	108.20
26	BB	1428	C	C2-N3-C4	13.55	126.68	119.90
26	BB	1314	C	N1-C2-O2	13.55	127.03	118.90
1	AA	1424	U	N1-C2-N3	13.55	123.03	114.90
1	AA	422	C	C2-N3-C4	13.54	126.67	119.90
26	BB	2581	G	N7-C8-N9	13.54	119.87	113.10
26	BB	1867	G	C5-N7-C8	-13.53	97.53	104.30
26	BB	2645	G	N9-C4-C5	13.53	110.81	105.40
49	BY	13	ARG	NE-CZ-NH1	13.53	127.07	120.30
26	BB	1197	G	C8-N9-C4	-13.53	100.99	106.40
26	BB	1431	A	N1-C2-N3	-13.53	122.53	129.30
26	BB	2198	A	C8-N9-C4	-13.53	100.39	105.80
26	BB	541	A	C8-N9-C4	-13.53	100.39	105.80
1	AA	1453	G	O4'-C1'-N9	13.52	119.02	108.20
1	AA	337	G	N9-C4-C5	13.52	110.81	105.40
26	BB	142	A	N9-C4-C5	13.52	111.21	105.80
1	AA	890	G	C2-N3-C4	13.52	118.66	111.90
26	BB	472	A	O4'-C1'-N9	13.52	119.01	108.20
1	AA	1480	A	C2-N3-C4	13.51	117.36	110.60
25	BA	57	A	C8-N9-C4	-13.51	100.40	105.80
26	BB	690	G	C8-N9-C4	-13.51	101.00	106.40
26	BB	1906	G	C8-N9-C4	-13.51	101.00	106.40
26	BB	2481	G	C8-N9-C4	-13.51	101.00	106.40
26	BB	1473	G	N7-C8-N9	13.50	119.85	113.10
1	AA	1317	C	O4'-C1'-N1	13.49	118.99	108.20
26	BB	1819	A	O4'-C1'-N9	13.49	118.99	108.20
26	BB	1452	G	N7-C8-N9	13.49	119.84	113.10
3	AC	55	A	C2-N3-C4	13.48	117.34	110.60
26	BB	2117	A	N9-C4-C5	13.48	111.19	105.80
26	BB	2477	U	C5'-C4'-O4'	13.48	125.27	109.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1248	G	N7-C8-N9	13.47	119.84	113.10
1	AA	15	G	N9-C4-C5	13.47	110.79	105.40
1	AA	1188	A	C2-N3-C4	13.47	117.33	110.60
26	BB	759	G	C8-N9-C4	-13.46	101.01	106.40
26	BB	264	C	O4'-C1'-N1	13.46	118.97	108.20
26	BB	926	G	N1-C6-O6	13.46	127.98	119.90
26	BB	2509	G	C4-C5-N7	-13.46	105.42	110.80
26	BB	2860	A	C8-N9-C4	-13.45	100.42	105.80
26	BB	597	G	N3-C4-C5	-13.45	121.88	128.60
1	AA	1536	C	N3-C4-C5	-13.44	116.52	121.90
26	BB	2780	G	N7-C8-N9	13.44	119.82	113.10
1	AA	1102	A	N1-C6-N6	13.44	126.66	118.60
1	AA	1411	C	O4'-C1'-N1	13.43	118.95	108.20
26	BB	1045	C	C2-N3-C4	13.43	126.62	119.90
51	B0	47	ARG	NE-CZ-NH2	13.43	127.01	120.30
1	AA	693	G	C8-N9-C4	-13.42	101.03	106.40
26	BB	428	A	C6-N1-C2	13.42	126.65	118.60
26	BB	1036	G	C8-N9-C4	-13.42	101.03	106.40
1	AA	628	G	N9-C4-C5	13.41	110.77	105.40
26	BB	88	G	C4-C5-N7	13.41	116.16	110.80
26	BB	105	C	N3-C4-C5	-13.40	116.54	121.90
1	AA	1109	C	C2-N3-C4	13.40	126.60	119.90
26	BB	805	G	O4'-C1'-N9	13.40	118.92	108.20
26	BB	1646	C	C2-N3-C4	13.40	126.60	119.90
26	BB	2510	C	C6-N1-C2	-13.39	114.94	120.30
26	BB	2819	G	C8-N9-C4	13.39	111.75	106.40
1	AA	520	A	N9-C4-C5	13.38	111.15	105.80
26	BB	656	G	C8-N9-C4	-13.38	101.05	106.40
1	AA	1304	G	C2-N3-C4	13.37	118.59	111.90
26	BB	2429	G	C4-C5-N7	-13.37	105.45	110.80
26	BB	2077	A	O4'-C1'-N9	13.37	118.89	108.20
26	BB	510	C	C5-C6-N1	13.37	127.68	121.00
26	BB	1905	C	O4'-C1'-N1	13.36	118.89	108.20
26	BB	551	G	C3'-C2'-C1'	-13.36	90.81	101.50
1	AA	746	A	O4'-C4'-C3'	13.36	117.36	104.00
26	BB	2059	A	C8-N9-C4	-13.36	100.46	105.80
1	AA	382	A	C5-N7-C8	13.35	110.58	103.90
26	BB	2648	G	O4'-C1'-N9	13.35	118.88	108.20
26	BB	2141	G	N9-C4-C5	13.35	110.74	105.40
26	BB	2183	A	C5-N7-C8	-13.35	97.23	103.90
26	BB	2556	C	N3-C4-C5	-13.35	116.56	121.90
25	BA	91	C	C1'-O4'-C4'	13.34	120.57	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	682	G	C8-N9-C4	-13.33	101.07	106.40
10	AJ	2	ARG	NE-CZ-NH1	13.32	126.96	120.30
37	BM	49	ARG	NE-CZ-NH1	-13.32	113.64	120.30
26	BB	1980	G	C8-N9-C4	-13.31	101.08	106.40
1	AA	1042	A	C8-N9-C4	-13.30	100.48	105.80
1	AA	1348	U	O4'-C1'-N1	13.30	118.84	108.20
30	BF	117	ARG	NE-CZ-NH1	13.30	126.95	120.30
26	BB	1632	A	C3'-C2'-C1'	13.29	112.14	101.50
26	BB	1178	C	O4'-C1'-N1	13.29	118.83	108.20
26	BB	2192	U	N1-C2-N3	13.28	122.87	114.90
1	AA	451	A	C8-N9-C4	-13.28	100.49	105.80
23	AW	73	ARG	NE-CZ-NH2	-13.26	113.67	120.30
25	BA	97	C	O4'-C1'-N1	13.26	118.81	108.20
26	BB	1264	A	C8-N9-C4	-13.26	100.50	105.80
26	BB	1893	C	C6-N1-C2	-13.26	115.00	120.30
26	BB	318	C	N3-C4-N4	13.26	127.28	118.00
26	BB	793	A	C4-C5-C6	-13.26	110.37	117.00
26	BB	833	A	C2-N3-C4	13.26	117.23	110.60
26	BB	1770	G	C5-N7-C8	13.26	110.93	104.30
26	BB	77	G	N3-C4-C5	-13.25	121.97	128.60
26	BB	1370	C	C6-N1-C2	-13.25	115.00	120.30
26	BB	2048	G	C2-N3-C4	13.25	118.52	111.90
1	AA	1326	U	O4'-C1'-N1	13.24	118.80	108.20
1	AA	1523	G	C2-N3-C4	13.24	118.52	111.90
26	BB	807	U	O4'-C1'-N1	13.24	118.79	108.20
26	BB	708	G	O4'-C1'-N9	13.24	118.79	108.20
26	BB	2254	C	N3-C4-C5	-13.23	116.61	121.90
1	AA	1365	G	C8-N9-C4	-13.23	101.11	106.40
1	AA	1369	C	O4'-C1'-N1	13.22	118.78	108.20
26	BB	1666	G	C6-N1-C2	-13.22	117.17	125.10
1	AA	399	G	C6-C5-N7	-13.22	122.47	130.40
36	BL	120	ARG	NE-CZ-NH2	13.22	126.91	120.30
1	AA	1087	G	C4-C5-N7	-13.22	105.51	110.80
26	BB	2697	G	C2-N3-C4	13.21	118.50	111.90
1	AA	422	C	N3-C4-C5	-13.21	116.62	121.90
1	AA	276	G	N9-C4-C5	-13.20	100.12	105.40
1	AA	366	A	C8-N9-C4	-13.20	100.52	105.80
26	BB	326	G	C8-N9-C4	-13.20	101.12	106.40
26	BB	2044	C	O4'-C1'-N1	13.20	118.76	108.20
26	BB	2811	G	C4-C5-N7	-13.19	105.53	110.80
1	AA	622	A	C8-N9-C4	-13.18	100.53	105.80
3	AC	29	G	C8-N9-C4	-13.18	101.13	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1323	C	C6-N1-C2	-13.18	115.03	120.30
25	BA	92	C	O4'-C1'-N1	13.18	118.75	108.20
1	AA	17	U	O4'-C1'-N1	13.18	118.74	108.20
1	AA	122	G	O4'-C1'-N9	13.18	118.74	108.20
26	BB	718	A	C8-N9-C4	-13.18	100.53	105.80
26	BB	1616	A	C5-C6-N1	13.18	124.29	117.70
26	BB	2635	A	O4'-C1'-N9	13.18	118.74	108.20
3	AC	28	U	O4'-C1'-N1	13.17	118.74	108.20
1	AA	619	U	N1-C2-N3	13.17	122.80	114.90
26	BB	2280	G	N3-C4-C5	-13.17	122.02	128.60
26	BB	1197	G	C2-N3-C4	13.16	118.48	111.90
1	AA	540	G	C8-N9-C4	-13.16	101.14	106.40
26	BB	1235	G	N9-C4-C5	13.16	110.66	105.40
26	BB	2237	G	O4'-C1'-N9	13.15	118.72	108.20
26	BB	1813	G	C2-N3-C4	13.15	118.48	111.90
26	BB	2279	G	N9-C4-C5	13.15	110.66	105.40
26	BB	447	A	N1-C2-N3	13.15	135.88	129.30
1	AA	879	C	C4-C5-C6	-13.14	110.83	117.40
26	BB	1499	C	C5-C6-N1	-13.14	114.43	121.00
26	BB	2097	A	C8-N9-C4	-13.14	100.54	105.80
39	BO	10	ARG	NE-CZ-NH1	-13.14	113.73	120.30
1	AA	106	C	N3-C4-N4	13.14	127.20	118.00
4	AD	1	C	C6-N1-C2	-13.14	115.04	120.30
1	AA	1390	U	C5-C4-O4	13.13	133.78	125.90
26	BB	1451	C	N3-C4-C5	-13.13	116.65	121.90
26	BB	848	C	C5-C4-N4	-13.13	111.01	120.20
26	BB	2857	G	O4'-C1'-N9	13.12	118.70	108.20
26	BB	2048	G	N3-C4-C5	-13.12	122.04	128.60
26	BB	1305	C	N1-C2-O2	13.12	126.77	118.90
26	BB	2626	C	N3-C4-C5	-13.12	116.65	121.90
1	AA	1178	G	N9-C4-C5	13.11	110.65	105.40
26	BB	1622	G	C5-C6-O6	-13.11	120.73	128.60
26	BB	2536	G	N3-C4-C5	-13.11	122.05	128.60
26	BB	2539	C	N3-C4-C5	-13.11	116.66	121.90
26	BB	575	A	C1'-O4'-C4'	-13.10	99.42	109.90
1	AA	1122	U	N1-C2-N3	13.10	122.76	114.90
26	BB	2128	G	N3-C4-N9	13.09	133.86	126.00
26	BB	1708	C	C5-C6-N1	13.09	127.55	121.00
26	BB	2350	C	O4'-C1'-N1	13.09	118.67	108.20
1	AA	802	A	C8-N9-C4	-13.08	100.57	105.80
26	BB	2453	A	N7-C8-N9	13.08	120.34	113.80
1	AA	1062	U	O4'-C1'-N1	13.08	118.66	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	43	G	C8-N9-C4	-13.08	101.17	106.40
26	BB	1224	U	O4'-C1'-N1	13.07	118.66	108.20
26	BB	2165	C	N3-C2-O2	-13.07	112.75	121.90
26	BB	1664	A	N7-C8-N9	13.06	120.33	113.80
26	BB	1555	G	C4-C5-N7	-13.06	105.58	110.80
1	AA	1188	A	C8-N9-C4	-13.06	100.58	105.80
26	BB	556	A	C4-C5-C6	13.06	123.53	117.00
1	AA	1099	G	N7-C8-N9	13.06	119.63	113.10
51	B0	7	ARG	NE-CZ-NH2	-13.05	113.78	120.30
1	AA	518	C	O4'-C1'-N1	13.04	118.64	108.20
1	AA	816	A	O4'-C1'-N9	13.05	118.64	108.20
26	BB	1331	G	C2-N3-C4	13.04	118.42	111.90
1	AA	1275	A	C5-N7-C8	13.04	110.42	103.90
1	AA	1175	G	N1-C2-N3	-13.03	116.08	123.90
1	AA	167	A	C8-N9-C4	-13.03	100.59	105.80
2	AB	42	G	C6-N1-C2	-13.03	117.28	125.10
26	BB	2234	G	C8-N9-C4	-13.03	101.19	106.40
1	AA	1006	G	N7-C8-N9	13.03	119.61	113.10
1	AA	568	G	C8-N9-C4	-13.02	101.19	106.40
26	BB	901	C	C2-N3-C4	13.02	126.41	119.90
26	BB	263	G	O4'-C1'-N9	13.02	118.61	108.20
2	AB	40	C	O4'-C1'-N1	13.01	118.61	108.20
26	BB	2545	G	N9-C4-C5	13.01	110.60	105.40
1	AA	599	C	C2-N3-C4	-13.01	113.39	119.90
31	BG	109	ARG	NE-CZ-NH2	-13.01	113.80	120.30
26	BB	1324	G	O4'-C1'-N9	13.00	118.60	108.20
1	AA	1318	A	N7-C8-N9	12.99	120.30	113.80
25	BA	69	G	N9-C4-C5	12.99	110.60	105.40
1	AA	387	U	O4'-C1'-N1	12.99	118.59	108.20
26	BB	252	G	O4'-C1'-N9	12.98	118.59	108.20
26	BB	1104	C	N3-C4-C5	-12.98	116.71	121.90
26	BB	1651	G	N3-C4-C5	-12.98	122.11	128.60
36	BL	35	ARG	NE-CZ-NH2	-12.98	113.81	120.30
26	BB	367	G	C6-C5-N7	-12.98	122.61	130.40
1	AA	361	G	N9-C4-C5	12.98	110.59	105.40
26	BB	1349	C	C6-N1-C2	-12.98	115.11	120.30
26	BB	1789	A	C8-N9-C4	-12.98	100.61	105.80
26	BB	2056	G	N9-C4-C5	12.98	110.59	105.40
32	BH	54	ARG	NE-CZ-NH1	-12.97	113.81	120.30
26	BB	2481	G	N9-C4-C5	12.97	110.59	105.40
31	BG	94	ARG	NE-CZ-NH1	12.97	126.78	120.30
26	BB	2443	C	N3-C4-C5	-12.97	116.71	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2095	A	N7-C8-N9	12.96	120.28	113.80
26	BB	2130	U	O4'-C1'-N1	12.96	118.57	108.20
26	BB	2155	U	C5-C6-N1	-12.96	116.22	122.70
26	BB	2257	U	O4'-C1'-N1	12.96	118.56	108.20
26	BB	2368	C	C5-C4-N4	-12.95	111.13	120.20
26	BB	2459	A	C8-N9-C4	-12.95	100.62	105.80
26	BB	400	G	C6-C5-N7	-12.95	122.63	130.40
26	BB	2755	C	C4-C5-C6	-12.95	110.93	117.40
26	BB	1674	G	O4'-C1'-N9	12.94	118.55	108.20
26	BB	552	U	N3-C2-O2	-12.94	113.14	122.20
26	BB	1491	G	C8-N9-C4	-12.93	101.23	106.40
26	BB	2242	G	C8-N9-C4	-12.93	101.23	106.40
4	AD	22	A	C8-N9-C4	-12.92	100.63	105.80
1	AA	980	C	N1-C2-O2	12.92	126.65	118.90
26	BB	1774	C	C5-C6-N1	12.91	127.45	121.00
26	BB	2103	C	N3-C4-N4	-12.91	108.96	118.00
1	AA	102	G	N7-C8-N9	12.91	119.55	113.10
1	AA	1088	G	N9-C4-C5	12.90	110.56	105.40
26	BB	2143	C	N1-C2-O2	12.90	126.64	118.90
26	BB	1474	U	C5-C6-N1	-12.90	116.25	122.70
26	BB	910	A	C2-N3-C4	12.90	117.05	110.60
1	AA	346	G	N3-C4-C5	-12.89	122.15	128.60
26	BB	1229	C	O4'-C1'-N1	12.89	118.51	108.20
26	BB	1357	C	C5-C6-N1	12.89	127.45	121.00
26	BB	2118	U	C1'-O4'-C4'	-12.89	99.59	109.90
2	AB	75	C	N3-C2-O2	-12.89	112.88	121.90
26	BB	1344	U	C2-N3-C4	-12.89	119.27	127.00
26	BB	2124	G	C4-C5-N7	-12.89	105.64	110.80
26	BB	2902	C	O4'-C1'-N1	12.89	118.51	108.20
1	AA	1210	C	C5-C6-N1	12.89	127.44	121.00
26	BB	2544	G	C8-N9-C4	-12.88	101.25	106.40
1	AA	523	A	C5-C6-N1	12.88	124.14	117.70
1	AA	794	A	O4'-C1'-N9	12.88	118.50	108.20
26	BB	222	A	N7-C8-N9	-12.88	107.36	113.80
25	BA	2	G	N3-C2-N2	-12.87	110.89	119.90
26	BB	2015	A	O4'-C1'-N9	12.87	118.49	108.20
26	BB	2266	A	C2-N3-C4	12.87	117.03	110.60
26	BB	385	C	N3-C2-O2	-12.87	112.89	121.90
26	BB	1705	A	N7-C8-N9	12.86	120.23	113.80
26	BB	1566	A	C8-N9-C4	12.86	110.94	105.80
26	BB	1130	U	C4-C5-C6	12.86	127.41	119.70
26	BB	732	C	O4'-C1'-N1	12.85	118.48	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1927	A	C8-N9-C4	-12.85	100.66	105.80
26	BB	1941	C	N1-C2-O2	12.85	126.61	118.90
26	BB	129	C	O4'-C1'-N1	12.85	118.48	108.20
26	BB	1856	U	C5-C4-O4	-12.85	118.19	125.90
26	BB	2275	C	O4'-C1'-N1	12.85	118.48	108.20
1	AA	616	G	N3-C2-N2	-12.84	110.91	119.90
26	BB	1987	A	C4-C5-N7	-12.84	104.28	110.70
1	AA	557	G	N3-C4-C5	-12.84	122.18	128.60
26	BB	259	G	C2-N3-C4	12.83	118.32	111.90
26	BB	1163	G	C8-N9-C4	-12.83	101.27	106.40
26	BB	2026	U	O4'-C1'-N1	12.83	118.46	108.20
1	AA	1286	U	O4'-C1'-N1	12.83	118.46	108.20
26	BB	2782	G	C8-N9-C4	-12.82	101.27	106.40
31	BG	149	ARG	NE-CZ-NH1	12.82	126.71	120.30
26	BB	1817	G	C8-N9-C4	-12.82	101.27	106.40
26	BB	2008	C	C6-N1-C2	-12.82	115.17	120.30
26	BB	2781	A	N1-C6-N6	12.82	126.29	118.60
1	AA	980	C	O4'-C1'-N1	12.81	118.45	108.20
2	AB	41	C	O4'-C1'-N1	12.81	118.45	108.20
26	BB	2113	U	O4'-C1'-N1	12.81	118.45	108.20
26	BB	2750	A	N1-C2-N3	12.80	135.70	129.30
26	BB	1916	A	C8-N9-C4	-12.80	100.68	105.80
26	BB	2215	C	O4'-C1'-N1	12.80	118.44	108.20
1	AA	1306	A	C8-N9-C4	-12.79	100.68	105.80
26	BB	125	A	C3'-C2'-C1'	12.79	111.74	101.50
1	AA	1122	U	C6-N1-C2	-12.79	113.32	121.00
25	BA	112	G	C5-C6-N1	12.79	117.89	111.50
25	BA	24	G	N9-C4-C5	12.78	110.51	105.40
26	BB	1140	C	N3-C4-C5	-12.77	116.79	121.90
26	BB	1197	G	N3-C4-C5	-12.77	122.22	128.60
26	BB	1459	G	O4'-C1'-N9	12.77	118.41	108.20
27	BC	60	ARG	NE-CZ-NH1	-12.76	113.92	120.30
26	BB	2317	A	C2-N3-C4	12.76	116.98	110.60
26	BB	1922	G	N7-C8-N9	12.76	119.48	113.10
26	BB	327	G	C8-N9-C4	-12.75	101.30	106.40
51	B0	7	ARG	NE-CZ-NH1	12.75	126.67	120.30
1	AA	600	A	C5-N7-C8	-12.75	97.53	103.90
1	AA	938	A	C4-C5-C6	-12.75	110.63	117.00
26	BB	191	A	C5-N7-C8	-12.75	97.53	103.90
1	AA	68	G	N7-C8-N9	12.74	119.47	113.10
1	AA	812	G	N3-C4-C5	-12.74	122.23	128.60
1	AA	900	A	C2-N3-C4	12.74	116.97	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	BF	67	ARG	NE-CZ-NH1	12.73	126.67	120.30
1	AA	776	G	C5-C6-N1	12.73	117.86	111.50
1	AA	1099	G	N9-C4-C5	12.73	110.49	105.40
26	BB	2694	G	C8-N9-C4	-12.72	101.31	106.40
1	AA	576	C	N1-C2-O2	12.72	126.53	118.90
26	BB	856	G	C5-N7-C8	-12.72	97.94	104.30
1	AA	111	G	C8-N9-C4	-12.72	101.31	106.40
26	BB	1750	G	N9-C4-C5	12.72	110.49	105.40
26	BB	2855	C	O4'-C1'-N1	12.72	118.38	108.20
26	BB	2052	A	C2-N3-C4	12.72	116.96	110.60
26	BB	2600	A	N1-C2-N3	-12.72	122.94	129.30
1	AA	424	G	N7-C8-N9	12.71	119.46	113.10
1	AA	1218	C	O4'-C1'-N1	12.71	118.37	108.20
26	BB	2626	C	N3-C4-N4	12.71	126.90	118.00
1	AA	690	G	O4'-C1'-N9	12.71	118.37	108.20
1	AA	1362	A	O4'-C1'-N9	12.71	118.37	108.20
26	BB	1611	C	C6-N1-C2	-12.70	115.22	120.30
26	BB	2391	G	N7-C8-N9	12.70	119.45	113.10
26	BB	2419	U	O4'-C1'-N1	12.70	118.36	108.20
26	BB	389	G	C2-N3-C4	12.70	118.25	111.90
1	AA	423	G	O4'-C1'-N9	12.70	118.36	108.20
26	BB	1568	G	C4-C5-N7	-12.69	105.72	110.80
26	BB	1954	G	O4'-C1'-N9	12.69	118.35	108.20
26	BB	1664	A	C5-N7-C8	-12.68	97.56	103.90
1	AA	1227	A	N1-C6-N6	-12.68	110.99	118.60
1	AA	1320	C	C6-N1-C2	-12.68	115.23	120.30
40	BP	22	ARG	NE-CZ-NH1	-12.68	113.96	120.30
26	BB	1212	G	N3-C4-C5	-12.67	122.27	128.60
1	AA	461	A	N9-C4-C5	12.67	110.87	105.80
26	BB	194	G	N9-C4-C5	12.66	110.47	105.40
1	AA	959	A	N9-C4-C5	-12.66	100.74	105.80
26	BB	165	A	C8-N9-C4	-12.66	100.74	105.80
1	AA	944	G	C2-N3-C4	12.65	118.22	111.90
1	AA	324	G	N3-C4-N9	12.65	133.59	126.00
26	BB	2842	G	N3-C4-C5	-12.64	122.28	128.60
26	BB	1733	G	N1-C6-O6	-12.64	112.32	119.90
26	BB	455	C	O4'-C1'-N1	-12.63	98.09	108.20
1	AA	369	G	N1-C6-O6	-12.62	112.33	119.90
1	AA	208	U	N1-C2-N3	12.62	122.47	114.90
26	BB	1941	C	C2-N3-C4	12.61	126.21	119.90
26	BB	447	A	C8-N9-C4	-12.61	100.75	105.80
26	BB	1638	C	N3-C4-N4	12.61	126.83	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1863	G	C8-N9-C4	-12.61	101.36	106.40
26	BB	1903	G	N9-C4-C5	12.61	110.44	105.40
26	BB	280	U	C5-C4-O4	-12.60	118.34	125.90
26	BB	2862	G	C8-N9-C4	-12.60	101.36	106.40
1	AA	241	G	N3-C4-N9	12.60	133.56	126.00
1	AA	761	G	C8-N9-C4	-12.60	101.36	106.40
1	AA	1369	C	N3-C4-C5	-12.59	116.86	121.90
26	BB	350	G	N9-C4-C5	12.59	110.44	105.40
2	AB	43	G	N3-C4-C5	-12.58	122.31	128.60
1	AA	691	G	C5-C6-N1	12.57	117.79	111.50
1	AA	502	A	C8-N9-C4	-12.57	100.77	105.80
26	BB	178	G	N7-C8-N9	12.56	119.38	113.10
26	BB	630	G	C2-N3-C4	12.56	118.18	111.90
26	BB	1422	G	C8-N9-C4	-12.56	101.38	106.40
1	AA	1013	G	N3-C4-C5	-12.56	122.32	128.60
26	BB	2125	G	C3'-C2'-C1'	-12.56	91.45	101.50
1	AA	10	A	N9-C4-C5	-12.55	100.78	105.80
26	BB	803	U	C5-C4-O4	12.56	133.43	125.90
26	BB	922	C	O4'-C1'-N1	12.55	118.24	108.20
26	BB	2436	G	N3-C4-C5	-12.54	122.33	128.60
26	BB	996	A	C4-C5-N7	-12.53	104.43	110.70
26	BB	250	G	C4-C5-N7	12.53	115.81	110.80
26	BB	2448	A	N1-C2-N3	-12.53	123.04	129.30
1	AA	1439	G	C6-C5-N7	-12.53	122.89	130.40
26	BB	1903	G	C4-C5-N7	-12.52	105.79	110.80
1	AA	1338	G	O4'-C1'-N9	12.52	118.22	108.20
26	BB	1179	G	N3-C2-N2	-12.52	111.14	119.90
1	AA	656	G	C8-N9-C4	-12.51	101.39	106.40
26	BB	677	A	N1-C2-N3	-12.51	123.04	129.30
1	AA	592	G	N9-C4-C5	12.51	110.41	105.40
19	AS	70	ARG	NE-CZ-NH2	-12.51	114.05	120.30
26	BB	141	G	C6-C5-N7	-12.51	122.89	130.40
26	BB	2008	C	C5-C6-N1	12.51	127.25	121.00
1	AA	324	G	N3-C4-C5	-12.51	122.35	128.60
1	AA	841	C	O4'-C1'-N1	12.51	118.20	108.20
1	AA	488	C	O4'-C1'-N1	12.50	118.20	108.20
26	BB	1948	G	O4'-C1'-N9	12.50	118.20	108.20
26	BB	2136	G	O4'-C1'-N9	12.49	118.19	108.20
1	AA	75	G	N3-C4-C5	-12.49	122.36	128.60
26	BB	163	C	O4'-C1'-N1	12.49	118.19	108.20
26	BB	1003	G	N9-C4-C5	12.49	110.39	105.40
26	BB	224	U	O4'-C1'-N1	12.49	118.19	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2556	C	C4-C5-C6	12.48	123.64	117.40
26	BB	2765	A	N1-C6-N6	-12.48	111.11	118.60
26	BB	2842	G	O4'-C1'-N9	12.48	118.18	108.20
1	AA	690	G	C8-N9-C4	-12.48	101.41	106.40
26	BB	289	G	C2-N3-C4	12.48	118.14	111.90
26	BB	926	G	N3-C2-N2	12.47	128.63	119.90
1	AA	297	G	C2-N3-C4	12.47	118.14	111.90
1	AA	778	G	C5-N7-C8	-12.47	98.06	104.30
1	AA	1459	G	C8-N9-C4	-12.47	101.41	106.40
26	BB	1657	U	C1'-O4'-C4'	-12.46	99.93	109.90
26	BB	446	G	N3-C4-C5	-12.46	122.37	128.60
26	BB	1196	C	N1-C2-O2	12.46	126.38	118.90
26	BB	2290	G	C5-C6-N1	12.46	117.73	111.50
26	BB	390	U	O4'-C1'-N1	12.46	118.17	108.20
26	BB	1515	A	O4'-C1'-N9	12.46	118.17	108.20
26	BB	731	C	O4'-C1'-N1	12.45	118.16	108.20
26	BB	2548	U	C1'-O4'-C4'	-12.46	99.94	109.90
1	AA	1523	G	N3-C2-N2	12.45	128.62	119.90
25	BA	2	G	O4'-C1'-N9	12.45	118.16	108.20
26	BB	2714	G	N7-C8-N9	12.45	119.33	113.10
31	BG	101	ARG	NE-CZ-NH1	-12.45	114.08	120.30
1	AA	774	G	O4'-C1'-N9	12.44	118.15	108.20
26	BB	1119	U	O4'-C1'-N1	12.44	118.15	108.20
1	AA	235	C	O4'-C1'-N1	12.44	118.15	108.20
1	AA	608	A	C2-N3-C4	12.44	116.82	110.60
4	AD	72	C	O4'-C1'-N1	12.44	118.15	108.20
26	BB	447	A	C2-N3-C4	-12.43	104.38	110.60
26	BB	1130	U	C5-C6-N1	-12.43	116.48	122.70
1	AA	88	U	O4'-C1'-N1	12.43	118.14	108.20
26	BB	2531	A	C8-N9-C4	-12.43	100.83	105.80
26	BB	2692	G	N9-C4-C5	-12.43	100.43	105.40
26	BB	2725	A	N1-C6-N6	-12.43	111.14	118.60
1	AA	713	G	C8-N9-C4	-12.42	101.43	106.40
15	AO	109	ARG	NE-CZ-NH2	-12.42	114.09	120.30
1	AA	241	G	C2-N3-C4	12.42	118.11	111.90
26	BB	1813	G	N9-C4-C5	12.41	110.37	105.40
26	BB	1832	C	O4'-C1'-N1	12.41	118.13	108.20
26	BB	2197	U	C6-N1-C2	-12.41	113.55	121.00
31	BG	82	TYR	CB-CG-CD1	-12.41	113.55	121.00
1	AA	1434	A	N1-C6-N6	-12.41	111.15	118.60
26	BB	1238	G	N3-C4-C5	-12.41	122.39	128.60
1	AA	1142	G	N7-C8-N9	12.41	119.30	113.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2092	U	C3'-C2'-C1'	12.40	111.42	101.50
1	AA	1198	G	N3-C4-C5	-12.40	122.40	128.60
17	AQ	40	ARG	NE-CZ-NH1	12.40	126.50	120.30
1	AA	1267	C	C5-C4-N4	-12.40	111.52	120.20
1	AA	361	G	C4-C5-N7	-12.39	105.84	110.80
26	BB	229	C	O4'-C1'-N1	12.39	118.12	108.20
26	BB	713	G	N3-C4-C5	-12.39	122.40	128.60
26	BB	2045	C	N1-C2-O2	12.39	126.33	118.90
26	BB	1948	G	C2-N3-C4	12.39	118.09	111.90
1	AA	481	G	N3-C4-C5	-12.38	122.41	128.60
25	BA	110	C	C6-N1-C2	-12.38	115.35	120.30
31	BG	29	ARG	NE-CZ-NH1	12.38	126.49	120.30
26	BB	2356	U	C4-C5-C6	12.38	127.13	119.70
1	AA	102	G	C8-N9-C4	-12.37	101.45	106.40
26	BB	1305	C	O4'-C1'-N1	12.37	118.10	108.20
26	BB	2141	G	C8-N9-C4	-12.37	101.45	106.40
26	BB	2641	G	O4'-C1'-N9	12.37	118.10	108.20
26	BB	1679	A	C6-C5-N7	-12.37	123.64	132.30
26	BB	2383	G	O4'-C1'-N9	12.37	118.10	108.20
1	AA	1413	A	C8-N9-C4	-12.37	100.85	105.80
26	BB	1576	U	N1-C2-N3	12.37	122.32	114.90
26	BB	414	C	O4'-C1'-N1	12.36	118.08	108.20
4	AD	12	G	C5-C6-O6	-12.35	121.19	128.60
26	BB	142	A	C8-N9-C4	-12.35	100.86	105.80
25	BA	11	C	N3-C4-N4	12.35	126.64	118.00
26	BB	1933	G	C4-C5-N7	-12.35	105.86	110.80
1	AA	898	G	C6-N1-C2	-12.34	117.69	125.10
1	AA	1540	U	N3-C4-O4	12.34	128.04	119.40
26	BB	1952	A	O4'-C1'-N9	12.34	118.07	108.20
1	AA	1187	G	N7-C8-N9	12.34	119.27	113.10
1	AA	1507	A	C8-N9-C4	-12.34	100.86	105.80
12	AL	48	ARG	NE-CZ-NH1	12.34	126.47	120.30
26	BB	1161	C	C6-N1-C2	-12.34	115.37	120.30
1	AA	675	A	C8-N9-C4	-12.33	100.87	105.80
26	BB	262	A	O4'-C1'-N9	12.33	118.06	108.20
26	BB	996	A	N9-C4-C5	12.33	110.73	105.80
26	BB	2128	G	C2-N3-C4	12.33	118.07	111.90
26	BB	2692	G	C4-C5-N7	12.33	115.73	110.80
26	BB	832	U	C5-C6-N1	-12.33	116.54	122.70
27	BC	134	ARG	NE-CZ-NH1	12.32	126.46	120.30
1	AA	1042	A	N7-C8-N9	12.32	119.96	113.80
1	AA	1234	C	C4-C5-C6	-12.32	111.24	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2472	G	C8-N9-C4	-12.32	101.47	106.40
26	BB	2209	G	N9-C4-C5	12.32	110.33	105.40
1	AA	922	G	C8-N9-C4	-12.31	101.47	106.40
1	AA	89	U	C4-C5-C6	12.31	127.09	119.70
26	BB	607	U	C4-C5-C6	12.31	127.09	119.70
1	AA	1480	A	N1-C2-N3	-12.31	123.15	129.30
2	AB	3	G	C8-N9-C4	-12.31	101.48	106.40
26	BB	659	G	C5-C6-N1	12.30	117.65	111.50
25	BA	36	C	C6-N1-C2	12.30	125.22	120.30
26	BB	579	G	C4-C5-N7	-12.30	105.88	110.80
26	BB	1141	U	N1-C2-N3	12.30	122.28	114.90
26	BB	1455	G	N1-C6-O6	-12.30	112.52	119.90
53	B2	49	ARG	NE-CZ-NH1	12.30	126.45	120.30
1	AA	322	C	N3-C2-O2	-12.30	113.29	121.90
1	AA	22	G	N7-C8-N9	12.30	119.25	113.10
1	AA	791	G	O4'-C1'-N9	12.30	118.04	108.20
26	BB	1990	C	O4'-C1'-N1	12.29	118.04	108.20
1	AA	1277	C	C6-N1-C2	-12.29	115.38	120.30
25	BA	93	C	C5-C4-N4	-12.29	111.60	120.20
26	BB	556	A	N7-C8-N9	-12.29	107.66	113.80
26	BB	2848	G	N1-C6-O6	-12.29	112.53	119.90
1	AA	1188	A	N9-C4-C5	12.29	110.72	105.80
1	AA	1205	U	C5-C6-N1	-12.29	116.56	122.70
26	BB	2528	U	O4'-C1'-N1	12.29	118.03	108.20
4	AD	7	G	C8-N9-C4	-12.29	101.48	106.40
1	AA	973	G	N3-C4-N9	12.28	133.37	126.00
26	BB	520	G	C4-C5-N7	-12.29	105.89	110.80
26	BB	893	C	C4-C5-C6	-12.28	111.26	117.40
1	AA	205	A	C8-N9-C4	-12.28	100.89	105.80
1	AA	1469	C	N1-C2-O2	12.28	126.27	118.90
26	BB	1259	G	C4-C5-N7	-12.28	105.89	110.80
1	AA	690	G	N9-C4-C5	12.28	110.31	105.40
26	BB	2058	A	C5-C6-N6	-12.28	113.88	123.70
1	AA	1456	A	N1-C2-N3	12.28	135.44	129.30
1	AA	1292	G	C2-N3-C4	12.27	118.04	111.90
10	AJ	176	TYR	CB-CG-CD2	-12.27	113.64	121.00
26	BB	98	G	C6-C5-N7	-12.27	123.04	130.40
26	BB	926	G	C2-N3-C4	12.27	118.04	111.90
26	BB	1238	G	N1-C2-N3	12.27	131.26	123.90
26	BB	629	G	N7-C8-N9	12.27	119.23	113.10
26	BB	1421	G	C2-N3-C4	12.27	118.03	111.90
3	AC	52	U	O4'-C1'-N1	12.26	118.01	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2573	C	O4'-C1'-N1	12.26	118.01	108.20
26	BB	1692	U	C5-C6-N1	-12.26	116.57	122.70
26	BB	2679	A	C8-N9-C4	-12.26	100.89	105.80
25	BA	69	G	C8-N9-C4	-12.26	101.50	106.40
1	AA	1416	G	N1-C6-O6	-12.26	112.55	119.90
26	BB	2294	G	C8-N9-C4	-12.26	101.50	106.40
1	AA	1396	A	N1-C6-N6	-12.26	111.25	118.60
26	BB	1250	G	N3-C4-C5	-12.26	122.47	128.60
26	BB	2221	G	N7-C8-N9	12.26	119.23	113.10
26	BB	2505	G	N7-C8-N9	-12.26	106.97	113.10
1	AA	733	G	C5-C6-O6	12.25	135.95	128.60
1	AA	484	G	N7-C8-N9	12.25	119.22	113.10
1	AA	1000	A	O4'-C1'-N9	12.25	118.00	108.20
1	AA	595	A	C8-N9-C4	-12.25	100.90	105.80
26	BB	425	G	C8-N9-C4	-12.25	101.50	106.40
1	AA	39	G	N1-C6-O6	-12.24	112.55	119.90
26	BB	1328	A	C8-N9-C4	-12.24	100.90	105.80
26	BB	1979	U	C5-C4-O4	-12.24	118.56	125.90
26	BB	2347	C	C6-N1-C2	12.24	125.20	120.30
26	BB	2042	A	N1-C6-N6	-12.24	111.26	118.60
8	AH	44	ARG	NE-CZ-NH2	12.23	126.42	120.30
26	BB	2326	C	C2-N3-C4	-12.23	113.78	119.90
26	BB	1980	G	N9-C4-C5	12.23	110.29	105.40
1	AA	371	A	N9-C4-C5	12.23	110.69	105.80
3	AC	51	C	N3-C4-N4	-12.22	109.44	118.00
26	BB	421	C	O4'-C1'-N1	12.22	117.98	108.20
26	BB	1085	A	O4'-C1'-N9	12.22	117.97	108.20
26	BB	1713	A	N1-C6-N6	12.22	125.93	118.60
26	BB	2672	U	O4'-C1'-N1	12.22	117.97	108.20
1	AA	1367	C	N3-C4-C5	-12.21	117.02	121.90
25	BA	88	C	O4'-C1'-N1	12.21	117.97	108.20
26	BB	47	C	C2-N3-C4	12.21	126.01	119.90
1	AA	1397	C	N1-C2-O2	12.21	126.22	118.90
26	BB	2079	U	C5-C6-N1	-12.21	116.60	122.70
3	AC	32	U	O4'-C1'-N1	12.21	117.96	108.20
26	BB	2056	G	C4-C5-N7	-12.21	105.92	110.80
26	BB	2361	G	N9-C4-C5	12.21	110.28	105.40
1	AA	1165	U	O4'-C1'-N1	12.20	117.96	108.20
1	AA	1061	G	N7-C8-N9	12.20	119.20	113.10
26	BB	1171	G	N3-C2-N2	-12.20	111.36	119.90
26	BB	1159	U	C5-C4-O4	-12.19	118.58	125.90
3	AC	17	U	O4'-C1'-N1	12.19	117.95	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1413	A	O4'-C1'-N9	12.19	117.95	108.20
1	AA	1106	G	C2-N3-C4	12.19	118.00	111.90
26	BB	1135	C	C1'-O4'-C4'	-12.19	100.15	109.90
1	AA	284	C	N3-C2-O2	-12.19	113.37	121.90
1	AA	580	C	N3-C4-C5	-12.19	117.03	121.90
26	BB	350	G	C8-N9-C4	-12.18	101.53	106.40
26	BB	1987	A	C5-N7-C8	12.17	109.99	103.90
26	BB	2653	U	O4'-C1'-N1	12.17	117.94	108.20
26	BB	1008	A	O4'-C1'-N9	12.17	117.94	108.20
26	BB	2141	G	N3-C4-C5	-12.17	122.51	128.60
26	BB	1482	G	C4-C5-N7	12.17	115.67	110.80
26	BB	902	C	C6-N1-C2	-12.16	115.44	120.30
26	BB	972	A	N9-C4-C5	12.16	110.66	105.80
26	BB	2018	G	C2-N3-C4	12.16	117.98	111.90
1	AA	30	U	C5-C4-O4	-12.15	118.61	125.90
1	AA	372	C	C5-C6-N1	12.15	127.08	121.00
1	AA	1497	G	O4'-C1'-N9	12.15	117.92	108.20
21	AU	42	ARG	NE-CZ-NH2	-12.15	114.23	120.30
26	BB	665	U	O4'-C1'-N1	12.14	117.92	108.20
26	BB	2565	A	C8-N9-C4	-12.14	100.94	105.80
7	AG	2	ARG	NE-CZ-NH2	-12.14	114.23	120.30
56	B5	33	ARG	NE-CZ-NH2	12.14	126.37	120.30
9	AI	25	TYR	CB-CG-CD1	12.14	128.28	121.00
26	BB	1787	A	N7-C8-N9	12.13	119.87	113.80
26	BB	40	U	C5-C6-N1	-12.13	116.63	122.70
26	BB	2667	C	N1-C2-O2	12.13	126.18	118.90
1	AA	319	G	C8-N9-C4	-12.13	101.55	106.40
26	BB	689	A	N1-C2-N3	-12.13	123.23	129.30
1	AA	1106	G	C4-C5-N7	12.13	115.65	110.80
1	AA	365	U	O4'-C1'-N1	12.12	117.90	108.20
2	AB	68	C	O4'-C1'-N1	12.12	117.90	108.20
1	AA	381	C	C5-C6-N1	12.12	127.06	121.00
26	BB	2103	C	C5-C4-N4	12.12	128.69	120.20
1	AA	1534	A	N1-C2-N3	-12.12	123.24	129.30
26	BB	196	A	C1'-O4'-C4'	-12.11	100.21	109.90
26	BB	2210	U	O4'-C1'-N1	12.11	117.89	108.20
26	BB	2237	G	N3-C2-N2	12.11	128.38	119.90
1	AA	319	G	N7-C8-N9	12.11	119.16	113.10
26	BB	656	G	N3-C2-N2	-12.10	111.43	119.90
26	BB	1400	U	O4'-C1'-N1	12.10	117.88	108.20
26	BB	2804	U	C2-N3-C4	-12.10	119.74	127.00
26	BB	170	U	O4'-C1'-N1	12.09	117.87	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	703	U	C4'-C3'-C2'	12.09	114.69	102.60
1	AA	1333	A	N1-C6-N6	-12.09	111.35	118.60
3	AC	55	A	N1-C2-N3	-12.09	123.25	129.30
26	BB	2261	C	N3-C4-C5	-12.09	117.06	121.90
1	AA	237	G	C5-C6-O6	-12.09	121.35	128.60
26	BB	476	G	N3-C4-C5	-12.09	122.56	128.60
3	AC	35	G	C8-N9-C4	-12.08	101.57	106.40
26	BB	1235	G	C8-N9-C4	-12.08	101.57	106.40
26	BB	1728	C	N3-C4-C5	-12.08	117.07	121.90
26	BB	1055	G	C2-N3-C4	12.08	117.94	111.90
26	BB	1149	G	C8-N9-C4	-12.08	101.57	106.40
26	BB	2833	U	O4'-C1'-N1	12.07	117.86	108.20
1	AA	1280	A	N7-C8-N9	-12.07	107.77	113.80
25	BA	46	A	N1-C2-N3	-12.07	123.27	129.30
26	BB	1246	A	C2-N3-C4	12.06	116.63	110.60
1	AA	984	C	C5-C6-N1	12.06	127.03	121.00
1	AA	731	G	N3-C4-C5	-12.05	122.57	128.60
38	BN	126	ARG	NE-CZ-NH1	12.06	126.33	120.30
1	AA	1200	C	N1-C2-O2	12.05	126.13	118.90
26	BB	1104	C	C2-N3-C4	12.05	125.93	119.90
1	AA	1169	A	C6-C5-N7	12.05	140.74	132.30
26	BB	1097	U	O4'-C1'-N1	12.05	117.84	108.20
26	BB	1766	G	C4-C5-N7	12.05	115.62	110.80
26	BB	2602	A	N7-C8-N9	12.05	119.82	113.80
1	AA	21	G	N3-C4-C5	-12.05	122.58	128.60
26	BB	2278	A	N1-C6-N6	12.04	125.83	118.60
1	AA	596	A	N9-C4-C5	12.04	110.62	105.80
26	BB	1867	G	C6-C5-N7	-12.04	123.17	130.40
26	BB	2559	C	N1-C2-O2	12.04	126.12	118.90
26	BB	111	A	N1-C6-N6	12.04	125.82	118.60
2	AB	35	C	C5-C4-N4	-12.04	111.77	120.20
1	AA	1378	C	N1-C2-O2	12.03	126.12	118.90
1	AA	352	C	C5-C6-N1	12.03	127.01	121.00
26	BB	1173	U	C5-C6-N1	-12.03	116.69	122.70
1	AA	127	G	C8-N9-C4	-12.03	101.59	106.40
1	AA	1415	G	N9-C4-C5	12.03	110.21	105.40
26	BB	1943	U	N3-C2-O2	-12.03	113.78	122.20
26	BB	2692	G	O4'-C1'-N9	12.02	117.82	108.20
26	BB	2009	A	N1-C6-N6	12.02	125.81	118.60
25	BA	24	G	C4-C5-N7	-12.02	105.99	110.80
26	BB	2209	G	C8-N9-C4	-12.02	101.59	106.40
26	BB	416	U	O4'-C1'-N1	12.01	117.81	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2819	G	N3-C4-N9	12.01	133.20	126.00
25	BA	24	G	C1'-O4'-C4'	12.00	119.50	109.90
1	AA	1372	U	O4'-C1'-N1	12.00	117.80	108.20
26	BB	2242	G	C5-N7-C8	-12.00	98.30	104.30
1	AA	606	G	N9-C4-C5	12.00	110.20	105.40
26	BB	253	C	N3-C4-C5	-12.00	117.10	121.90
26	BB	1936	A	C2-N3-C4	12.00	116.60	110.60
26	BB	2732	G	C4-C5-N7	-11.99	106.00	110.80
25	BA	11	C	O4'-C1'-N1	11.99	117.79	108.20
26	BB	2510	C	N3-C4-C5	-11.99	117.11	121.90
1	AA	600	A	N7-C8-N9	11.98	119.79	113.80
26	BB	739	A	O4'-C1'-N9	11.98	117.79	108.20
26	BB	926	G	N3-C4-C5	-11.98	122.61	128.60
1	AA	1510	C	O4'-C1'-N1	11.98	117.79	108.20
26	BB	1047	G	N3-C4-C5	-11.97	122.61	128.60
5	AE	6	ARG	NE-CZ-NH1	11.97	126.28	120.30
26	BB	302	C	O4'-C1'-N1	11.96	117.77	108.20
26	BB	1784	A	C8-N9-C4	-11.96	101.02	105.80
26	BB	1496	A	C8-N9-C4	-11.96	101.02	105.80
25	BA	97	C	C5-C6-N1	-11.95	115.02	121.00
26	BB	279	A	O4'-C1'-N9	11.95	117.76	108.20
26	BB	299	A	O4'-C1'-N9	11.95	117.76	108.20
26	BB	805	G	C4-C5-N7	-11.95	106.02	110.80
1	AA	1426	G	C4-C5-N7	-11.95	106.02	110.80
26	BB	468	G	N3-C2-N2	-11.95	111.54	119.90
26	BB	2087	G	N3-C2-N2	-11.95	111.54	119.90
1	AA	1458	G	O4'-C1'-N9	11.94	117.75	108.20
26	BB	1069	A	C8-N9-C4	-11.94	101.02	105.80
26	BB	1179	G	N9-C4-C5	-11.94	100.62	105.40
1	AA	876	C	O4'-C1'-N1	11.94	117.75	108.20
26	BB	68	G	C5-C6-O6	-11.94	121.44	128.60
1	AA	628	G	C4-C5-N7	-11.93	106.03	110.80
26	BB	43	G	C8-N9-C4	-11.93	101.63	106.40
26	BB	1839	G	N3-C4-C5	-11.93	122.64	128.60
26	BB	295	G	N9-C4-C5	11.93	110.17	105.40
13	AM	72	ARG	NE-CZ-NH1	11.93	126.26	120.30
26	BB	740	C	N1-C2-O2	11.92	126.05	118.90
26	BB	2649	C	N3-C4-N4	11.92	126.35	118.00
26	BB	354	A	N9-C4-C5	11.92	110.57	105.80
1	AA	581	G	N9-C4-C5	-11.92	100.63	105.40
26	BB	2447	G	O4'-C1'-N9	11.92	117.74	108.20
26	BB	160	A	C8-N9-C4	11.92	110.57	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2391	G	N1-C6-O6	-11.92	112.75	119.90
1	AA	388	G	N3-C4-C5	-11.91	122.64	128.60
22	AV	54	ARG	NE-CZ-NH2	-11.91	114.34	120.30
26	BB	2876	G	C4-C5-N7	-11.91	106.04	110.80
1	AA	761	G	N7-C8-N9	11.90	119.05	113.10
26	BB	2587	A	O4'-C1'-N9	11.90	117.72	108.20
26	BB	1770	G	C4-C5-N7	-11.90	106.04	110.80
1	AA	752	G	C2-N3-C4	11.90	117.85	111.90
1	AA	142	G	O4'-C1'-N9	11.89	117.71	108.20
1	AA	721	G	N3-C4-C5	-11.88	122.66	128.60
26	BB	2324	U	O4'-C1'-N1	11.88	117.71	108.20
1	AA	1002	G	N3-C4-C5	-11.88	122.66	128.60
26	BB	592	A	C2-N3-C4	11.88	116.54	110.60
2	AB	49	G	O4'-C1'-N9	11.88	117.70	108.20
26	BB	1998	A	C5-N7-C8	11.88	109.84	103.90
26	BB	1663	G	C5-N7-C8	-11.87	98.36	104.30
26	BB	1871	A	N1-C2-N3	-11.87	123.36	129.30
26	BB	308	G	C5-C6-O6	-11.87	121.48	128.60
26	BB	2491	U	O4'-C1'-N1	11.87	117.69	108.20
1	AA	430	A	C8-N9-C4	-11.86	101.06	105.80
26	BB	1840	G	C5-C6-N1	11.86	117.43	111.50
3	AC	22	G	P-O3'-C3'	11.86	133.93	119.70
26	BB	2356	U	N3-C4-C5	-11.85	107.49	114.60
1	AA	420	U	N3-C4-O4	11.85	127.69	119.40
25	BA	34	A	N7-C8-N9	11.85	119.72	113.80
26	BB	534	U	N3-C2-O2	-11.85	113.91	122.20
1	AA	479	U	O4'-C1'-N1	11.85	117.68	108.20
34	BJ	52	ARG	NE-CZ-NH2	-11.84	114.38	120.30
26	BB	1868	C	C4-C5-C6	11.84	123.32	117.40
1	AA	45	G	C2-N3-C4	11.84	117.82	111.90
1	AA	995	C	N3-C4-C5	-11.84	117.17	121.90
12	AL	6	TYR	CB-CG-CD2	-11.83	113.90	121.00
1	AA	290	C	N3-C4-N4	11.83	126.28	118.00
1	AA	1268	G	O4'-C1'-N9	11.83	117.66	108.20
26	BB	910	A	N1-C2-N3	-11.83	123.39	129.30
26	BB	2107	G	N3-C4-C5	-11.83	122.69	128.60
1	AA	723	U	C5-C6-N1	-11.82	116.79	122.70
26	BB	104	A	N7-C8-N9	11.82	119.71	113.80
26	BB	1660	G	N9-C4-C5	11.82	110.13	105.40
26	BB	341	C	C5-C4-N4	-11.82	111.92	120.20
1	AA	1511	G	N7-C8-N9	11.82	119.01	113.10
26	BB	2556	C	O4'-C1'-N1	11.82	117.66	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1431	A	C4-C5-N7	-11.82	104.79	110.70
26	BB	833	A	N1-C2-N3	-11.82	123.39	129.30
26	BB	611	C	O4'-C1'-N1	11.82	117.65	108.20
26	BB	1376	C	N3-C4-N4	11.82	126.27	118.00
26	BB	2900	A	C5-N7-C8	-11.81	98.00	103.90
26	BB	220	G	C8-N9-C4	-11.80	101.68	106.40
26	BB	1930	G	C4-C5-N7	-11.81	106.08	110.80
26	BB	2117	A	C4-C5-N7	-11.80	104.80	110.70
26	BB	2355	G	N3-C4-C5	-11.81	122.70	128.60
1	AA	1353	G	O4'-C1'-N9	11.80	117.64	108.20
26	BB	841	G	O4'-C1'-N9	11.80	117.64	108.20
28	BD	181	ARG	NE-CZ-NH1	11.80	126.20	120.30
26	BB	2006	C	N3-C4-C5	-11.80	117.18	121.90
26	BB	1588	G	C8-N9-C4	-11.79	101.68	106.40
1	AA	870	U	O4'-C1'-N1	11.79	117.63	108.20
26	BB	341	C	N3-C4-N4	11.79	126.25	118.00
26	BB	2237	G	N1-C2-N3	-11.78	116.83	123.90
1	AA	69	G	C3'-C2'-C1'	11.78	110.92	101.50
1	AA	272	C	C5'-C4'-O4'	11.78	123.23	109.10
26	BB	634	C	C2-N3-C4	11.78	125.79	119.90
26	BB	2132	U	O4'-C1'-N1	11.78	117.62	108.20
26	BB	2207	C	C5-C6-N1	-11.78	115.11	121.00
1	AA	529	G	C4-C5-N7	-11.78	106.09	110.80
26	BB	88	G	C6-C5-N7	-11.78	123.33	130.40
26	BB	1414	C	C6-N1-C2	-11.78	115.59	120.30
26	BB	1628	G	C2-N3-C4	11.78	117.79	111.90
26	BB	116	C	O4'-C1'-N1	11.77	117.62	108.20
26	BB	350	G	C4-C5-N7	-11.77	106.09	110.80
26	BB	1090	A	O4'-C1'-N9	11.77	117.62	108.20
26	BB	240	C	N1-C2-O2	11.77	125.96	118.90
26	BB	146	A	O4'-C1'-N9	11.77	117.61	108.20
26	BB	1417	C	N3-C4-C5	-11.77	117.19	121.90
26	BB	1909	C	O4'-C1'-N1	11.77	117.62	108.20
26	BB	1607	C	N1-C2-O2	11.77	125.96	118.90
1	AA	714	G	N3-C4-C5	-11.76	122.72	128.60
1	AA	844	G	N9-C4-C5	11.76	110.11	105.40
26	BB	2391	G	C5-C6-O6	11.76	135.66	128.60
16	AP	28	ARG	NE-CZ-NH1	-11.76	114.42	120.30
1	AA	112	G	N3-C4-C5	-11.75	122.72	128.60
26	BB	304	U	N1-C2-N3	11.75	121.95	114.90
26	BB	544	C	N3-C2-O2	-11.75	113.67	121.90
26	BB	2028	U	O4'-C1'-N1	11.75	117.60	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	350	G	C4-C5-N7	-11.75	106.10	110.80
1	AA	1530	G	C2-N3-C4	11.75	117.78	111.90
1	AA	11	G	N1-C6-O6	11.74	126.95	119.90
1	AA	766	A	C4-C5-N7	-11.74	104.83	110.70
1	AA	1024	G	C8-N9-C4	-11.74	101.70	106.40
26	BB	678	C	C4-C5-C6	11.74	123.27	117.40
26	BB	1299	G	N1-C6-O6	-11.74	112.86	119.90
26	BB	157	C	O4'-C1'-N1	11.74	117.59	108.20
1	AA	1217	C	N3-C4-C5	11.73	126.59	121.90
26	BB	409	G	N7-C8-N9	11.73	118.97	113.10
20	AT	39	ARG	NE-CZ-NH2	-11.73	114.44	120.30
26	BB	517	C	N3-C4-C5	-11.73	117.21	121.90
26	BB	501	A	N1-C6-N6	-11.73	111.56	118.60
26	BB	691	C	O4'-C1'-N1	11.73	117.58	108.20
26	BB	2775	G	C5-C6-N1	11.72	117.36	111.50
1	AA	909	A	N1-C2-N3	11.72	135.16	129.30
26	BB	957	C	N3-C4-C5	-11.72	117.21	121.90
26	BB	2141	G	O4'-C1'-N9	11.72	117.58	108.20
1	AA	628	G	C8-N9-C4	-11.71	101.72	106.40
26	BB	355	U	C5-C4-O4	11.71	132.93	125.90
26	BB	1186	G	C6-N1-C2	-11.71	118.07	125.10
26	BB	972	A	O4'-C1'-N9	11.71	117.57	108.20
26	BB	1084	A	C8-N9-C4	-11.71	101.12	105.80
1	AA	1300	G	O4'-C1'-N9	-11.71	98.83	108.20
26	BB	299	A	N1-C6-N6	-11.71	111.58	118.60
26	BB	546	U	O4'-C1'-N1	11.71	117.56	108.20
26	BB	1352	U	O4'-C1'-N1	11.71	117.56	108.20
26	BB	577	G	C6-N1-C2	-11.70	118.08	125.10
26	BB	1825	U	C5-C4-O4	-11.70	118.88	125.90
1	AA	1418	A	N1-C6-N6	11.70	125.62	118.60
26	BB	1365	A	C2-N3-C4	11.70	116.45	110.60
1	AA	698	G	N3-C4-C5	-11.70	122.75	128.60
26	BB	1169	A	N9-C4-C5	11.70	110.48	105.80
1	AA	373	A	O4'-C1'-N9	11.70	117.56	108.20
7	AG	46	ARG	NE-CZ-NH1	11.70	126.15	120.30
1	AA	156	C	N1-C2-O2	11.70	125.92	118.90
1	AA	918	A	O4'-C1'-N9	11.70	117.56	108.20
1	AA	1324	A	N1-C6-N6	-11.69	111.58	118.60
1	AA	1266	G	N9-C4-C5	-11.69	100.73	105.40
25	BA	55	U	O4'-C1'-N1	11.69	117.55	108.20
26	BB	1369	G	C8-N9-C4	-11.69	101.73	106.40
26	BB	971	G	C2-N3-C4	11.68	117.74	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	29	U	C5-C6-N1	-11.68	116.86	122.70
26	BB	2279	G	C8-N9-C4	-11.67	101.73	106.40
26	BB	453	A	C8-N9-C4	-11.67	101.13	105.80
26	BB	267	C	N1-C2-O2	11.67	125.90	118.90
26	BB	1341	G	C5-C6-O6	-11.67	121.60	128.60
1	AA	1376	U	O4'-C1'-N1	11.66	117.53	108.20
1	AA	1388	C	C5-C4-N4	-11.66	112.04	120.20
26	BB	740	C	C6-N1-C2	11.66	124.97	120.30
1	AA	515	G	N3-C2-N2	-11.66	111.74	119.90
1	AA	973	G	N9-C4-C5	-11.66	100.74	105.40
1	AA	116	A	C6-N1-C2	11.65	125.59	118.60
1	AA	868	C	N3-C4-C5	-11.65	117.24	121.90
26	BB	2846	G	C8-N9-C4	-11.65	101.74	106.40
1	AA	213	G	N3-C4-C5	-11.65	122.78	128.60
1	AA	316	C	N1-C2-N3	-11.65	111.05	119.20
1	AA	330	C	N1-C2-O2	11.65	125.89	118.90
4	AD	28	U	C5'-C4'-O4'	11.65	123.08	109.10
26	BB	176	A	C4-C5-N7	11.65	116.52	110.70
26	BB	1629	U	C5-C6-N1	-11.65	116.88	122.70
49	BY	54	ARG	NE-CZ-NH1	11.65	126.12	120.30
1	AA	78	A	N9-C4-C5	11.64	110.46	105.80
11	AK	76	ARG	NE-CZ-NH1	11.64	126.12	120.30
26	BB	734	A	C8-N9-C4	-11.64	101.14	105.80
1	AA	621	A	C5-N7-C8	11.64	109.72	103.90
26	BB	2142	A	N9-C4-C5	11.64	110.45	105.80
26	BB	2636	C	C5-C6-N1	11.64	126.82	121.00
1	AA	1323	G	C4-C5-N7	-11.63	106.15	110.80
26	BB	2572	A	O4'-C1'-N9	11.63	117.51	108.20
26	BB	1858	A	O4'-C1'-N9	11.63	117.50	108.20
1	AA	185	U	C5-C6-N1	-11.63	116.89	122.70
26	BB	2370	G	C8-N9-C4	-11.63	101.75	106.40
26	BB	1003	G	C4-C5-C6	11.62	125.77	118.80
26	BB	2012	G	N7-C8-N9	11.62	118.91	113.10
26	BB	2894	G	C8-N9-C4	-11.62	101.75	106.40
1	AA	1254	A	C8-N9-C4	-11.62	101.15	105.80
26	BB	424	G	C8-N9-C4	11.62	111.05	106.40
26	BB	447	A	O4'-C1'-N9	11.62	117.50	108.20
26	BB	473	G	C6-N1-C2	-11.62	118.13	125.10
1	AA	289	G	N7-C8-N9	11.62	118.91	113.10
1	AA	1448	C	C6-N1-C2	-11.62	115.65	120.30
1	AA	331	G	C1'-O4'-C4'	-11.62	100.61	109.90
1	AA	3	A	N9-C4-C5	11.61	110.45	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	347	G	N1-C6-O6	-11.62	112.93	119.90
7	AG	50	TYR	CB-CG-CD2	-11.61	114.03	121.00
26	BB	2361	G	C4-C5-N7	-11.61	106.16	110.80
1	AA	665	A	N7-C8-N9	-11.61	108.00	113.80
1	AA	1254	A	N7-C8-N9	11.61	119.60	113.80
26	BB	2864	G	N3-C4-C5	-11.61	122.80	128.60
25	BA	83	G	N7-C8-N9	11.61	118.90	113.10
26	BB	696	G	C6-C5-N7	-11.60	123.44	130.40
26	BB	1078	U	O4'-C1'-N1	11.60	117.48	108.20
1	AA	383	A	C3'-C2'-C1'	-11.60	92.22	101.50
1	AA	752	G	N9-C4-C5	11.60	110.04	105.40
1	AA	973	G	C6-N1-C2	-11.60	118.14	125.10
1	AA	1391	U	N1-C2-N3	11.60	121.86	114.90
18	AR	76	ARG	NE-CZ-NH1	11.60	126.10	120.30
26	BB	2677	G	O4'-C1'-N9	11.60	117.48	108.20
26	BB	147	C	O4'-C1'-N1	11.59	117.47	108.20
26	BB	1615	C	O4'-C1'-N1	11.59	117.47	108.20
26	BB	2248	C	C6-N1-C2	-11.59	115.66	120.30
26	BB	1431	A	C2-N3-C4	11.59	116.39	110.60
1	AA	693	G	C6-C5-N7	-11.59	123.45	130.40
1	AA	1267	C	N3-C4-N4	11.59	126.11	118.00
26	BB	946	C	O4'-C1'-N1	11.59	117.47	108.20
26	BB	1693	U	N3-C2-O2	-11.59	114.09	122.20
1	AA	430	A	N9-C4-C5	11.58	110.43	105.80
26	BB	2484	G	N9-C4-C5	11.58	110.03	105.40
26	BB	2846	G	N1-C6-O6	-11.58	112.95	119.90
26	BB	2752	C	C5-C6-N1	11.58	126.79	121.00
1	AA	764	C	P-O3'-C3'	11.58	133.59	119.70
1	AA	372	C	C6-N1-C2	-11.57	115.67	120.30
1	AA	1011	C	C4'-C3'-C2'	-11.57	91.03	102.60
26	BB	2559	C	N3-C4-C5	-11.57	117.27	121.90
26	BB	347	A	N1-C6-N6	11.57	125.54	118.60
26	BB	628	G	C2-N3-C4	11.57	117.69	111.90
26	BB	221	A	O4'-C1'-N9	11.57	117.45	108.20
26	BB	1512	C	N3-C4-C5	11.57	126.53	121.90
30	BF	49	ARG	NE-CZ-NH2	11.57	126.08	120.30
26	BB	2060	A	N1-C2-N3	-11.56	123.52	129.30
26	BB	2626	C	C4-C5-C6	11.56	123.18	117.40
26	BB	1214	A	N1-C2-N3	-11.56	123.52	129.30
26	BB	1805	A	C8-N9-C4	-11.56	101.18	105.80
26	BB	1269	A	O4'-C1'-N9	11.55	117.44	108.20
1	AA	316	C	O4'-C1'-N1	11.55	117.44	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	775	G	N3-C4-C5	-11.55	122.82	128.60
26	BB	1959	G	N3-C4-C5	-11.55	122.83	128.60
1	AA	1470	U	C4-C5-C6	11.54	126.63	119.70
26	BB	1282	U	C5-C6-N1	-11.54	116.93	122.70
26	BB	181	A	C2-N3-C4	11.54	116.37	110.60
26	BB	239	C	O4'-C1'-N1	11.54	117.43	108.20
26	BB	1892	C	C2-N3-C4	11.54	125.67	119.90
26	BB	2223	G	P-O3'-C3'	11.54	133.55	119.70
1	AA	63	C	C2-N3-C4	11.53	125.67	119.90
26	BB	2098	U	O4'-C1'-N1	11.53	117.43	108.20
1	AA	948	C	O4'-C1'-N1	11.53	117.42	108.20
26	BB	655	A	C8-N9-C4	-11.53	101.19	105.80
26	BB	1456	G	O4'-C1'-N9	11.53	117.42	108.20
26	BB	2454	G	C8-N9-C4	-11.53	101.79	106.40
26	BB	2868	A	C8-N9-C4	-11.53	101.19	105.80
26	BB	1003	G	C8-N9-C4	-11.52	101.79	106.40
1	AA	1142	G	N3-C4-C5	-11.52	122.84	128.60
26	BB	88	G	N7-C8-N9	11.52	118.86	113.10
26	BB	1857	G	N3-C4-C5	-11.52	122.84	128.60
1	AA	141	G	O4'-C1'-N9	11.52	117.41	108.20
26	BB	1303	G	C2-N3-C4	11.52	117.66	111.90
26	BB	2011	U	O4'-C1'-N1	11.52	117.41	108.20
26	BB	1479	G	C2-N3-C4	11.51	117.66	111.90
26	BB	1576	U	C1'-O4'-C4'	11.51	119.11	109.90
1	AA	201	G	O4'-C1'-N9	11.51	117.41	108.20
4	AD	4	G	C2-N3-C4	11.51	117.65	111.90
1	AA	656	G	C4-C5-N7	11.50	115.40	110.80
15	AO	55	ARG	NE-CZ-NH2	-11.50	114.55	120.30
26	BB	532	A	O4'-C1'-N9	11.50	117.40	108.20
1	AA	535	A	C8-N9-C4	-11.50	101.20	105.80
26	BB	903	C	C5-C6-N1	11.50	126.75	121.00
1	AA	205	A	N9-C4-C5	11.49	110.40	105.80
1	AA	685	G	C5-C6-O6	-11.49	121.70	128.60
1	AA	812	G	N3-C4-N9	11.49	132.90	126.00
1	AA	890	G	N3-C4-C5	-11.49	122.85	128.60
26	BB	2872	A	C4-C5-C6	-11.49	111.25	117.00
26	BB	80	G	N3-C4-C5	-11.49	122.86	128.60
1	AA	1094	G	C2-N3-C4	11.49	117.64	111.90
26	BB	413	C	N1-C2-O2	11.49	125.79	118.90
1	AA	281	G	C2-N3-C4	11.49	117.64	111.90
1	AA	602	A	O4'-C1'-N9	11.49	117.39	108.20
1	AA	1241	G	C8-N9-C4	-11.49	101.81	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1307	A	N9-C4-C5	11.49	110.39	105.80
1	AA	407	U	O4'-C1'-N1	11.48	117.39	108.20
3	AC	53	G	N9-C4-C5	11.48	109.99	105.40
1	AA	547	A	O4'-C1'-N9	11.48	117.38	108.20
1	AA	483	C	N3-C4-N4	11.48	126.03	118.00
1	AA	1032	G	C2-N3-C4	11.48	117.64	111.90
3	AC	43	U	C2-N3-C4	-11.48	120.11	127.00
26	BB	2610	C	C2-N3-C4	11.48	125.64	119.90
1	AA	543	U	C5-C6-N1	-11.47	116.96	122.70
1	AA	599	C	C5-C4-N4	-11.47	112.17	120.20
1	AA	997	U	N3-C4-C5	11.47	121.48	114.60
26	BB	2581	G	C4-C5-C6	11.47	125.68	118.80
26	BB	2638	G	C8-N9-C4	-11.47	101.81	106.40
26	BB	2042	A	N9-C4-C5	11.47	110.39	105.80
28	BD	213	ARG	NE-CZ-NH2	-11.47	114.56	120.30
26	BB	1533	C	C5-C4-N4	-11.47	112.17	120.20
26	BB	2625	G	O4'-C1'-N9	11.47	117.38	108.20
1	AA	344	A	C5-C6-N6	-11.46	114.53	123.70
1	AA	655	A	O4'-C1'-N9	11.46	117.37	108.20
1	AA	1002	G	C2-N3-C4	11.46	117.63	111.90
26	BB	413	C	C2-N3-C4	11.46	125.63	119.90
26	BB	93	G	C8-N9-C4	-11.46	101.82	106.40
26	BB	1195	G	N9-C4-C5	11.46	109.98	105.40
26	BB	1580	A	N7-C8-N9	11.46	119.53	113.80
45	BU	25	ARG	NE-CZ-NH2	-11.46	114.57	120.30
1	AA	12	U	O4'-C1'-N1	11.46	117.36	108.20
1	AA	877	G	C8-N9-C4	-11.45	101.82	106.40
26	BB	296	U	O4'-C1'-N1	11.45	117.36	108.20
1	AA	588	G	N3-C4-C5	-11.45	122.88	128.60
1	AA	898	G	C8-N9-C4	-11.45	101.82	106.40
26	BB	2242	G	C6-C5-N7	-11.45	123.53	130.40
49	BY	38	ARG	NE-CZ-NH1	11.45	126.02	120.30
26	BB	2261	C	C4-C5-C6	11.45	123.12	117.40
1	AA	106	C	N3-C4-C5	-11.45	117.32	121.90
1	AA	1057	G	N3-C4-C5	-11.45	122.88	128.60
26	BB	88	G	C8-N9-C4	-11.45	101.82	106.40
26	BB	1164	C	O4'-C1'-N1	11.45	117.36	108.20
26	BB	1278	C	C5-C4-N4	-11.45	112.19	120.20
26	BB	2235	G	N1-C6-O6	-11.44	113.03	119.90
26	BB	2623	G	C8-N9-C4	-11.44	101.82	106.40
26	BB	228	C	N3-C4-C5	-11.44	117.33	121.90
26	BB	2300	C	O4'-C1'-N1	11.44	117.35	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	622	A	N7-C8-N9	11.43	119.52	113.80
26	BB	468	G	O4'-C1'-N9	11.43	117.35	108.20
26	BB	1428	C	N3-C4-C5	-11.43	117.33	121.90
26	BB	2142	A	C4-C5-N7	-11.43	104.98	110.70
48	BX	82	TYR	CB-CG-CD2	-11.43	114.14	121.00
3	AC	29	G	C5-C6-O6	11.43	135.46	128.60
1	AA	850	U	N3-C4-C5	-11.43	107.74	114.60
26	BB	90	U	C5-C6-N1	11.43	128.41	122.70
26	BB	141	G	C5-C6-N1	-11.43	105.78	111.50
26	BB	1568	G	N3-C4-C5	-11.43	122.89	128.60
26	BB	1650	A	C8-N9-C4	-11.43	101.23	105.80
1	AA	328	C	O4'-C1'-N1	11.43	117.34	108.20
1	AA	530	G	N3-C4-C5	-11.43	122.89	128.60
26	BB	1061	U	N3-C4-C5	-11.43	107.74	114.60
26	BB	2508	G	C4-C5-N7	-11.43	106.23	110.80
26	BB	2104	C	N3-C4-C5	-11.43	117.33	121.90
1	AA	169	C	N3-C4-C5	11.42	126.47	121.90
26	BB	991	C	C6-N1-C2	-11.42	115.73	120.30
1	AA	1415	G	C2-N3-C4	11.42	117.61	111.90
26	BB	779	U	N1-C2-N3	11.42	121.75	114.90
26	BB	1066	U	C5-C6-N1	-11.42	116.99	122.70
1	AA	667	G	C2-N3-C4	11.42	117.61	111.90
26	BB	1497	U	C4-C5-C6	11.42	126.55	119.70
26	BB	1509	A	C2-N3-C4	11.42	116.31	110.60
26	BB	1959	G	C2-N3-C4	11.42	117.61	111.90
26	BB	2058	A	N1-C6-N6	11.42	125.45	118.60
26	BB	436	C	C6-N1-C2	-11.41	115.73	120.30
26	BB	1	G	N3-C4-C5	-11.41	122.89	128.60
26	BB	2499	C	N3-C4-C5	-11.41	117.33	121.90
26	BB	2879	A	C8-N9-C4	-11.41	101.23	105.80
12	AL	10	ARG	NE-CZ-NH1	11.41	126.00	120.30
26	BB	1062	G	C8-N9-C4	-11.41	101.84	106.40
26	BB	2708	G	O4'-C1'-N9	11.41	117.33	108.20
26	BB	1066	U	C4-C5-C6	11.41	126.55	119.70
26	BB	221	A	N7-C8-N9	-11.41	108.10	113.80
26	BB	2070	A	C5-N7-C8	11.40	109.60	103.90
1	AA	1171	A	C2-N3-C4	11.40	116.30	110.60
26	BB	404	A	O4'-C1'-N9	11.40	117.32	108.20
26	BB	1307	A	C4-C5-N7	-11.40	105.00	110.70
26	BB	1345	C	N3-C4-C5	-11.40	117.34	121.90
26	BB	2415	G	C2-N3-C4	11.40	117.60	111.90
26	BB	2675	A	N9-C4-C5	-11.40	101.24	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	841	G	C8-N9-C4	-11.40	101.84	106.40
26	BB	1208	C	C6-N1-C2	11.40	124.86	120.30
26	BB	112	U	C4-C5-C6	11.40	126.54	119.70
26	BB	1140	C	C2-N3-C4	11.40	125.60	119.90
26	BB	1236	G	C5-C6-N1	-11.40	105.80	111.50
26	BB	2318	G	C8-N9-C4	-11.40	101.84	106.40
1	AA	255	G	C6-C5-N7	-11.39	123.56	130.40
26	BB	1159	U	C2-N3-C4	-11.39	120.16	127.00
26	BB	1228	G	N7-C8-N9	11.39	118.80	113.10
26	BB	2012	G	C8-N9-C4	-11.39	101.84	106.40
26	BB	2124	G	N9-C4-C5	11.39	109.96	105.40
1	AA	1242	G	O4'-C1'-N9	11.39	117.31	108.20
26	BB	334	C	C5-C6-N1	11.39	126.69	121.00
26	BB	1183	U	C2-N3-C4	-11.39	120.17	127.00
26	BB	233	A	N1-C6-N6	11.39	125.43	118.60
26	BB	2174	C	N3-C4-N4	-11.39	110.03	118.00
1	AA	954	G	O4'-C1'-N9	11.38	117.31	108.20
23	AW	73	ARG	NE-CZ-NH1	11.38	125.99	120.30
26	BB	1410	G	N3-C4-C5	-11.38	122.91	128.60
26	BB	2094	A	O4'-C1'-N9	11.38	117.31	108.20
1	AA	662	U	O4'-C1'-N1	11.38	117.31	108.20
1	AA	647	C	N3-C4-C5	-11.38	117.35	121.90
26	BB	440	C	O4'-C1'-N1	11.38	117.30	108.20
1	AA	1361	G	O4'-C1'-N9	11.37	117.30	108.20
26	BB	1500	G	N1-C6-O6	11.37	126.72	119.90
26	BB	2136	G	N9-C4-C5	11.37	109.95	105.40
26	BB	2376	A	C8-N9-C4	-11.37	101.25	105.80
26	BB	2726	A	N9-C4-C5	11.37	110.35	105.80
1	AA	614	C	N3-C4-C5	-11.37	117.35	121.90
1	AA	1110	A	O4'-C1'-N9	11.37	117.29	108.20
24	AX	54	ARG	NE-CZ-NH1	11.37	125.98	120.30
1	AA	275	G	C5-N7-C8	-11.37	98.62	104.30
26	BB	903	C	C6-N1-C2	-11.37	115.75	120.30
26	BB	659	G	C5-C6-O6	-11.36	121.78	128.60
1	AA	1248	A	N1-C2-N3	-11.36	123.62	129.30
26	BB	1075	C	O4'-C1'-N1	11.36	117.29	108.20
1	AA	1511	G	C5-N7-C8	-11.36	98.62	104.30
36	BL	116	ARG	NE-CZ-NH1	11.36	125.98	120.30
1	AA	882	C	C6-N1-C2	-11.36	115.76	120.30
26	BB	1842	G	O4'-C1'-N9	11.35	117.28	108.20
26	BB	818	G	C8-N9-C4	-11.35	101.86	106.40
25	BA	31	C	O4'-C1'-N1	11.35	117.28	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2419	U	C4-C5-C6	11.35	126.51	119.70
26	BB	1125	G	N3-C4-C5	-11.35	122.93	128.60
26	BB	1144	A	N9-C4-C5	-11.35	101.26	105.80
26	BB	2009	A	C5-N7-C8	11.35	109.57	103.90
1	AA	283	U	C4-C5-C6	11.34	126.50	119.70
26	BB	22	C	N1-C2-O2	11.34	125.70	118.90
26	BB	350	G	N3-C4-C5	-11.34	122.93	128.60
26	BB	397	U	N3-C4-O4	11.34	127.34	119.40
26	BB	2567	G	C2-N3-C4	11.34	117.57	111.90
26	BB	2592	G	N9-C4-C5	11.34	109.94	105.40
29	BE	33	ARG	NE-CZ-NH2	11.34	125.97	120.30
26	BB	1557	C	N3-C4-C5	-11.34	117.36	121.90
26	BB	2618	G	C8-N9-C4	-11.34	101.86	106.40
26	BB	2178	C	O4'-C1'-N1	11.34	117.27	108.20
26	BB	2266	A	N1-C2-N3	-11.34	123.63	129.30
1	AA	1265	C	O4'-C1'-N1	11.34	117.27	108.20
26	BB	1749	A	N7-C8-N9	11.33	119.47	113.80
26	BB	2277	G	N9-C4-C5	11.33	109.93	105.40
25	BA	85	G	C8-N9-C4	-11.33	101.87	106.40
26	BB	1307	A	C8-N9-C4	-11.33	101.27	105.80
26	BB	217	A	C2-N3-C4	11.33	116.26	110.60
1	AA	1097	C	O4'-C1'-N1	11.32	117.26	108.20
1	AA	1296	C	N3-C4-C5	-11.32	117.37	121.90
26	BB	2559	C	C5-C6-N1	-11.32	115.34	121.00
2	AB	42	G	C5-C6-N1	11.32	117.16	111.50
26	BB	172	A	C8-N9-C4	-11.32	101.27	105.80
46	BV	73	ARG	NE-CZ-NH2	-11.32	114.64	120.30
1	AA	29	U	O4'-C1'-N1	11.32	117.25	108.20
1	AA	257	G	N3-C4-C5	-11.32	122.94	128.60
26	BB	2813	A	N9-C4-C5	11.32	110.33	105.80
26	BB	2815	C	N3-C2-O2	-11.31	113.98	121.90
1	AA	1318	A	C5-N7-C8	-11.31	98.24	103.90
1	AA	783	C	N1-C2-O2	11.31	125.69	118.90
26	BB	975	A	C2-N3-C4	11.31	116.25	110.60
26	BB	2398	U	N3-C2-O2	-11.31	114.28	122.20
1	AA	1341	U	O4'-C1'-N1	11.30	117.24	108.20
1	AA	1535	C	N3-C4-C5	-11.30	117.38	121.90
26	BB	2616	C	O4'-C1'-N1	11.30	117.24	108.20
26	BB	181	A	N1-C2-N3	-11.30	123.65	129.30
26	BB	1960	A	N1-C6-N6	11.30	125.38	118.60
26	BB	664	G	C4-C5-N7	-11.30	106.28	110.80
1	AA	962	C	N3-C4-C5	-11.29	117.38	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	309	A	C8-N9-C4	-11.29	101.28	105.80
26	BB	490	C	N3-C2-O2	-11.29	114.00	121.90
26	BB	2191	A	C2-N3-C4	11.29	116.25	110.60
26	BB	2480	C	O4'-C1'-N1	11.29	117.23	108.20
26	BB	1349	C	C5-C6-N1	11.28	126.64	121.00
26	BB	1701	A	C5-N7-C8	11.28	109.54	103.90
1	AA	1302	C	N3-C2-O2	-11.28	114.00	121.90
26	BB	841	G	N9-C4-C5	11.28	109.91	105.40
26	BB	1414	C	O4'-C1'-N1	11.28	117.22	108.20
4	AD	76	C	C6-N1-C2	-11.28	115.79	120.30
26	BB	529	A	C5-C6-N1	11.28	123.34	117.70
1	AA	241	G	N3-C4-C5	-11.27	122.96	128.60
1	AA	481	G	C4-C5-C6	11.27	125.56	118.80
1	AA	889	A	N7-C8-N9	11.27	119.44	113.80
17	AQ	40	ARG	NE-CZ-NH2	-11.27	114.66	120.30
26	BB	1382	G	O4'-C1'-N9	11.27	117.22	108.20
26	BB	2318	G	C5-C6-N1	11.27	117.14	111.50
26	BB	2606	C	C6-N1-C2	-11.27	115.79	120.30
26	BB	2048	G	N9-C4-C5	11.27	109.91	105.40
26	BB	2565	A	N7-C8-N9	11.27	119.44	113.80
1	AA	1486	G	C6-C5-N7	-11.26	123.64	130.40
26	BB	1756	G	C5-C6-O6	-11.26	121.84	128.60
26	BB	2136	G	N3-C4-C5	-11.26	122.97	128.60
26	BB	2536	G	C2-N3-C4	11.26	117.53	111.90
3	AC	29	G	N1-C6-O6	-11.26	113.14	119.90
26	BB	707	G	N7-C8-N9	-11.26	107.47	113.10
1	AA	639	G	N9-C4-C5	11.26	109.90	105.40
26	BB	368	A	O4'-C1'-N9	11.26	117.20	108.20
26	BB	1980	G	C5-C6-N1	-11.25	105.88	111.50
26	BB	613	A	C6-C5-N7	11.25	140.17	132.30
26	BB	1377	G	N3-C4-C5	-11.25	122.98	128.60
25	BA	7	G	C8-N9-C4	-11.24	101.90	106.40
26	BB	2387	U	C2-N3-C4	-11.24	120.25	127.00
28	BD	86	ARG	NE-CZ-NH1	11.24	125.92	120.30
1	AA	316	C	C6-N1-C2	11.24	124.80	120.30
1	AA	1328	C	O4'-C1'-N1	11.24	117.19	108.20
1	AA	663	A	N1-C2-N3	-11.24	123.68	129.30
26	BB	595	C	C5-C4-N4	-11.24	112.33	120.20
1	AA	595	A	O4'-C1'-N9	11.24	117.19	108.20
25	BA	81	G	C4-C5-N7	-11.24	106.31	110.80
26	BB	843	G	C2-N3-C4	11.24	117.52	111.90
26	BB	1726	C	N1-C2-O2	11.24	125.64	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1147	A	C5-C6-N1	11.23	123.32	117.70
25	BA	101	A	N9-C4-C5	11.23	110.29	105.80
1	AA	48	C	C2-N3-C4	11.23	125.52	119.90
28	BD	174	ARG	NE-CZ-NH1	11.23	125.92	120.30
1	AA	108	G	C8-N9-C4	-11.23	101.91	106.40
26	BB	2221	G	C8-N9-C4	-11.23	101.91	106.40
26	BB	2209	G	N3-C4-C5	-11.23	122.99	128.60
1	AA	129	A	C8-N9-C4	-11.23	101.31	105.80
26	BB	535	G	C5-C6-O6	-11.23	121.86	128.60
1	AA	1280	A	C8-N9-C4	11.22	110.29	105.80
1	AA	340	U	N1-C2-N3	11.22	121.63	114.90
1	AA	880	C	O4'-C1'-N1	11.22	117.17	108.20
1	AA	248	C	O4'-C1'-N1	11.22	117.17	108.20
4	AD	4	G	O4'-C1'-N9	11.21	117.17	108.20
26	BB	177	G	O4'-C1'-N9	11.22	117.17	108.20
26	BB	1170	C	O4'-C1'-N1	11.22	117.17	108.20
26	BB	2432	A	C2-N3-C4	-11.21	104.99	110.60
1	AA	601	G	C2-N3-C4	11.21	117.51	111.90
26	BB	856	G	N7-C8-N9	11.21	118.71	113.10
1	AA	276	G	C4-C5-N7	11.21	115.28	110.80
1	AA	1174	G	C8-N9-C4	11.21	110.88	106.40
14	AN	97	ARG	NE-CZ-NH2	11.21	125.90	120.30
26	BB	454	A	C4-C5-N7	-11.21	105.10	110.70
26	BB	1023	U	C5-C6-N1	-11.21	117.10	122.70
26	BB	2376	A	C5-C6-N1	11.20	123.30	117.70
26	BB	2581	G	N3-C4-C5	-11.20	123.00	128.60
40	BP	8	ARG	NE-CZ-NH1	11.20	125.90	120.30
26	BB	340	A	C5-C6-N6	11.20	132.66	123.70
26	BB	1497	U	O4'-C1'-N1	11.20	117.16	108.20
26	BB	1839	G	C4-C5-C6	11.20	125.52	118.80
1	AA	60	A	N9-C4-C5	-11.19	101.32	105.80
26	BB	1410	G	C2-N3-C4	11.19	117.50	111.90
25	BA	89	U	N3-C2-O2	-11.19	114.37	122.20
1	AA	1259	C	N3-C2-O2	-11.19	114.07	121.90
26	BB	2732	G	N3-C4-C5	-11.19	123.01	128.60
26	BB	1321	A	C8-N9-C4	-11.19	101.33	105.80
26	BB	1528	A	N1-C2-N3	-11.19	123.71	129.30
2	AB	11	U	C2-N3-C4	-11.18	120.29	127.00
1	AA	1476	A	C4-C5-N7	-11.18	105.11	110.70
7	AG	183	ARG	NE-CZ-NH1	11.18	125.89	120.30
1	AA	123	U	O4'-C1'-N1	11.18	117.14	108.20
25	BA	98	G	C2-N3-C4	11.18	117.49	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	946	C	C6-N1-C2	-11.18	115.83	120.30
26	BB	2881	U	N3-C4-C5	-11.18	107.89	114.60
1	AA	778	G	N7-C8-N9	11.18	118.69	113.10
26	BB	415	A	C2-N3-C4	11.18	116.19	110.60
26	BB	1358	G	N3-C4-C5	-11.18	123.01	128.60
26	BB	2629	U	C5-C6-N1	-11.18	117.11	122.70
36	BL	35	ARG	NE-CZ-NH1	11.18	125.89	120.30
1	AA	209	U	O4'-C1'-N1	11.17	117.14	108.20
1	AA	1019	A	C5-C6-N1	11.17	123.29	117.70
25	BA	21	G	C8-N9-C4	-11.17	101.93	106.40
26	BB	1446	C	O4'-C1'-N1	11.17	117.14	108.20
26	BB	2357	G	C4-C5-N7	-11.17	106.33	110.80
26	BB	1579	A	N9-C4-C5	11.17	110.27	105.80
4	AD	71	G	N3-C4-C5	-11.17	123.02	128.60
26	BB	263	G	C4-C5-N7	-11.17	106.33	110.80
26	BB	1331	G	N3-C4-C5	-11.17	123.01	128.60
26	BB	126	A	O4'-C1'-N9	11.17	117.14	108.20
26	BB	2567	G	N9-C4-C5	11.17	109.87	105.40
26	BB	88	G	C5-N7-C8	-11.17	98.72	104.30
26	BB	2003	A	C8-N9-C4	-11.17	101.33	105.80
26	BB	147	C	N3-C4-C5	-11.16	117.43	121.90
26	BB	735	A	C8-N9-C4	-11.16	101.33	105.80
26	BB	1857	G	C8-N9-C4	-11.16	101.93	106.40
26	BB	2632	A	N9-C4-C5	11.16	110.27	105.80
2	AB	50	G	O4'-C1'-N9	11.16	117.13	108.20
1	AA	1265	C	C4-C5-C6	11.16	122.98	117.40
26	BB	378	C	C1'-O4'-C4'	11.16	118.83	109.90
26	BB	508	A	O4'-C1'-N9	11.16	117.13	108.20
26	BB	1710	G	N3-C4-N9	11.16	132.70	126.00
26	BB	2623	G	N7-C8-N9	11.16	118.68	113.10
26	BB	2710	C	C6-N1-C2	-11.16	115.84	120.30
1	AA	468	A	O4'-C1'-N9	11.16	117.13	108.20
1	AA	705	G	N9-C4-C5	11.15	109.86	105.40
25	BA	15	A	N9-C4-C5	11.15	110.26	105.80
1	AA	1000	A	C3'-C2'-C1'	-11.15	92.58	101.50
26	BB	833	A	C5-C6-N1	11.15	123.28	117.70
26	BB	2277	G	N3-C4-C5	-11.15	123.02	128.60
26	BB	2882	A	C2-N3-C4	11.15	116.18	110.60
26	BB	612	G	C4-C5-N7	-11.15	106.34	110.80
26	BB	1452	G	C8-N9-C4	-11.15	101.94	106.40
26	BB	2334	U	O4'-C1'-N1	11.15	117.12	108.20
28	BD	268	ARG	NE-CZ-NH2	-11.15	114.73	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	34	C	N1-C2-O2	11.14	125.59	118.90
26	BB	1970	A	C8-N9-C4	-11.14	101.34	105.80
26	BB	822	G	N3-C4-C5	-11.14	123.03	128.60
26	BB	1596	A	N1-C2-N3	-11.14	123.73	129.30
26	BB	2203	U	C4-C5-C6	11.14	126.38	119.70
26	BB	656	G	N9-C4-C5	11.14	109.86	105.40
26	BB	1197	G	C5-C6-O6	-11.14	121.92	128.60
26	BB	1813	G	C8-N9-C4	-11.14	101.94	106.40
26	BB	2351	G	N3-C4-C5	-11.14	123.03	128.60
50	BZ	10	ARG	NE-CZ-NH2	11.14	125.87	120.30
1	AA	1105	A	C5-N7-C8	11.13	109.47	103.90
26	BB	466	A	N1-C6-N6	11.13	125.28	118.60
26	BB	2559	C	C6-N1-C2	11.13	124.75	120.30
26	BB	346	A	O4'-C1'-N9	11.13	117.11	108.20
26	BB	1695	G	C8-N9-C4	-11.13	101.95	106.40
1	AA	537	G	O4'-C1'-N9	11.13	117.10	108.20
26	BB	510	C	C2-N3-C4	11.13	125.46	119.90
26	BB	1500	G	C5-C6-O6	-11.13	121.92	128.60
1	AA	1338	G	C8-N9-C4	-11.13	101.95	106.40
26	BB	2802	G	N3-C4-C5	-11.13	123.04	128.60
1	AA	58	C	N3-C4-C5	-11.12	117.45	121.90
1	AA	739	C	C6-N1-C2	-11.12	115.85	120.30
1	AA	1014	A	O4'-C1'-N9	11.12	117.10	108.20
1	AA	1503	A	N9-C4-C5	11.12	110.25	105.80
26	BB	350	G	C2-N3-C4	11.12	117.46	111.90
26	BB	1990	C	N1-C2-O2	11.12	125.57	118.90
1	AA	117	G	N3-C4-C5	-11.12	123.04	128.60
26	BB	2393	U	N3-C2-O2	-11.12	114.42	122.20
1	AA	518	C	N3-C4-C5	-11.12	117.45	121.90
26	BB	2117	A	C8-N9-C4	-11.12	101.35	105.80
26	BB	2825	G	O4'-C1'-N9	11.12	117.09	108.20
8	AH	19	ARG	NE-CZ-NH2	11.12	125.86	120.30
26	BB	693	A	N1-C6-N6	11.12	125.27	118.60
26	BB	978	G	N9-C4-C5	11.12	109.85	105.40
26	BB	1375	U	O4'-C1'-N1	11.11	117.09	108.20
26	BB	104	A	C5-N7-C8	-11.11	98.34	103.90
1	AA	1342	C	C4-C5-C6	11.11	122.95	117.40
1	AA	539	A	O4'-C1'-N9	11.11	117.09	108.20
41	BQ	81	ARG	NE-CZ-NH2	11.11	125.86	120.30
3	AC	29	G	C5-N7-C8	-11.11	98.75	104.30
1	AA	603	U	C5-C6-N1	-11.11	117.15	122.70
3	AC	37	G	C8-N9-C4	-11.11	101.96	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	55	A	O4'-C1'-N9	11.11	117.08	108.20
1	AA	1442	G	C6-N1-C2	-11.10	118.44	125.10
26	BB	538	A	N9-C4-C5	11.10	110.24	105.80
26	BB	799	G	C4-C5-N7	-11.10	106.36	110.80
26	BB	861	A	C8-N9-C4	-11.10	101.36	105.80
25	BA	34	A	N1-C2-N3	11.10	134.85	129.30
26	BB	1651	G	C2-N3-C4	11.10	117.45	111.90
26	BB	192	C	N1-C2-O2	11.10	125.56	118.90
1	AA	141	G	C4'-C3'-C2'	-11.10	91.50	102.60
26	BB	8	C	C5-C6-N1	11.10	126.55	121.00
26	BB	2329	U	O4'-C1'-N1	11.10	117.08	108.20
1	AA	10	A	C4-C5-N7	11.09	116.25	110.70
1	AA	131	A	C8-N9-C4	-11.09	101.36	105.80
1	AA	702	A	C3'-C2'-C1'	11.09	110.37	101.50
1	AA	1540	U	N3-C2-O2	-11.09	114.44	122.20
26	BB	1559	U	O4'-C1'-N1	11.09	117.07	108.20
1	AA	815	A	C8-N9-C4	-11.09	101.36	105.80
1	AA	1264	U	C5-C6-N1	11.09	128.25	122.70
26	BB	616	A	C6-N1-C2	11.09	125.25	118.60
26	BB	1227	G	C5-C6-O6	-11.09	121.94	128.60
26	BB	2274	A	N7-C8-N9	-11.09	108.26	113.80
26	BB	1544	A	N7-C8-N9	-11.09	108.26	113.80
36	BL	99	ARG	NE-CZ-NH2	-11.09	114.76	120.30
1	AA	289	G	N3-C4-N9	11.08	132.65	126.00
1	AA	1269	A	C1'-O4'-C4'	-11.08	101.03	109.90
26	BB	608	A	N7-C8-N9	11.08	119.34	113.80
26	BB	1160	G	C5-C6-O6	-11.08	121.95	128.60
26	BB	2260	C	C4-C5-C6	-11.08	111.86	117.40
26	BB	2487	G	N9-C4-C5	11.08	109.83	105.40
12	AL	37	TYR	CB-CG-CD1	-11.08	114.35	121.00
26	BB	1459	G	N3-C4-N9	11.08	132.65	126.00
26	BB	1955	U	C6-N1-C2	-11.08	114.35	121.00
26	BB	2186	G	C4-C5-C6	11.08	125.45	118.80
1	AA	1214	C	C6-N1-C2	-11.08	115.87	120.30
26	BB	60	G	C8-N9-C4	-11.08	101.97	106.40
26	BB	292	U	O4'-C1'-N1	11.07	117.06	108.20
1	AA	731	G	N3-C4-N9	11.07	132.64	126.00
4	AD	12	G	N1-C6-O6	11.07	126.54	119.90
26	BB	2058	A	N1-C2-N3	11.07	134.84	129.30
1	AA	906	A	C8-N9-C4	-11.07	101.37	105.80
1	AA	1386	G	C2-N3-C4	11.07	117.44	111.90
26	BB	1858	A	C5'-C4'-O4'	11.07	122.38	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1391	U	C2-N3-C4	-11.07	120.36	127.00
26	BB	181	A	C4-C5-N7	-11.07	105.17	110.70
26	BB	1793	C	N3-C2-O2	-11.07	114.15	121.90
26	BB	2848	G	C5-C6-O6	11.07	135.24	128.60
26	BB	1128	G	N9-C4-C5	11.06	109.83	105.40
26	BB	1626	A	C4-C5-C6	-11.06	111.47	117.00
26	BB	853	C	C6-N1-C2	-11.06	115.88	120.30
26	BB	1995	U	O4'-C1'-N1	11.06	117.05	108.20
26	BB	2157	G	C8-N9-C4	-11.06	101.97	106.40
25	BA	101	A	C8-N9-C4	-11.06	101.38	105.80
26	BB	595	C	N3-C4-N4	11.06	125.74	118.00
1	AA	819	A	C8-N9-C4	-11.06	101.38	105.80
26	BB	903	C	N3-C4-C5	-11.05	117.48	121.90
26	BB	995	C	N3-C2-O2	-11.05	114.16	121.90
29	BE	128	ARG	NE-CZ-NH1	11.05	125.83	120.30
1	AA	111	G	N3-C4-C5	-11.05	123.08	128.60
1	AA	35	G	N1-C2-N3	-11.05	117.27	123.90
26	BB	242	G	P-O3'-C3'	11.05	132.96	119.70
1	AA	929	G	C2-N3-C4	11.05	117.42	111.90
26	BB	1910	G	C6-C5-N7	-11.05	123.77	130.40
1	AA	432	A	C4-C5-C6	-11.04	111.48	117.00
1	AA	719	C	N3-C4-N4	-11.05	110.27	118.00
1	AA	837	U	O4'-C1'-N1	11.05	117.04	108.20
26	BB	1847	A	O4'-C1'-N9	11.05	117.04	108.20
26	BB	2685	G	C4-C5-N7	11.04	115.22	110.80
46	BV	76	ARG	NE-CZ-NH1	-11.04	114.78	120.30
26	BB	853	C	C5-C4-N4	-11.04	112.47	120.20
1	AA	416	G	N7-C8-N9	11.04	118.62	113.10
1	AA	1244	G	C5-N7-C8	11.04	109.82	104.30
26	BB	94	A	N7-C8-N9	11.04	119.32	113.80
26	BB	90	U	C6-N1-C2	-11.04	114.38	121.00
26	BB	664	G	C8-N9-C4	-11.04	101.98	106.40
26	BB	1156	A	C3'-C2'-C1'	11.04	110.33	101.50
26	BB	1030	C	O4'-C1'-N1	11.04	117.03	108.20
1	AA	546	A	C1'-O4'-C4'	11.03	118.73	109.90
1	AA	1272	G	C3'-C2'-C1'	11.03	110.33	101.50
10	AJ	142	ARG	NE-CZ-NH1	11.03	125.82	120.30
26	BB	1999	C	O4'-C1'-N1	11.03	117.03	108.20
2	AB	44	G	O4'-C1'-N9	11.03	117.02	108.20
26	BB	380	G	N7-C8-N9	11.03	118.61	113.10
26	BB	1141	U	C2-N3-C4	-11.03	120.38	127.00
26	BB	1197	G	N7-C8-N9	11.03	118.61	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	746	A	C4'-C3'-C2'	-11.03	91.57	102.60
26	BB	2282	G	O4'-C4'-C3'	11.03	115.03	104.00
26	BB	2812	G	C8-N9-C4	-11.03	101.99	106.40
26	BB	1474	U	O4'-C1'-N1	11.02	117.02	108.20
26	BB	1998	A	C4-C5-N7	-11.02	105.19	110.70
1	AA	242	G	N7-C8-N9	11.02	118.61	113.10
26	BB	990	A	N9-C4-C5	11.02	110.21	105.80
26	BB	2272	U	N1-C2-O2	11.02	130.51	122.80
1	AA	617	G	C5-N7-C8	-11.02	98.79	104.30
1	AA	1484	C	O4'-C1'-N1	11.02	117.02	108.20
26	BB	1103	A	N1-C2-N3	-11.02	123.79	129.30
26	BB	278	A	N9-C4-C5	-11.02	101.39	105.80
26	BB	600	G	O4'-C1'-N9	11.02	117.01	108.20
1	AA	693	G	N7-C8-N9	11.01	118.61	113.10
26	BB	405	U	N3-C2-O2	-11.01	114.49	122.20
1	AA	177	G	C2-N3-C4	11.01	117.40	111.90
26	BB	2738	A	N1-C2-N3	-11.01	123.80	129.30
26	BB	2331	G	C4-C5-N7	11.00	115.20	110.80
26	BB	1790	C	O4'-C1'-N1	11.00	117.00	108.20
1	AA	212	G	O4'-C1'-N9	11.00	117.00	108.20
26	BB	1547	C	C4'-C3'-C2'	-10.99	91.61	102.60
26	BB	1157	G	C6-C5-N7	-10.99	123.81	130.40
26	BB	1899	A	C8-N9-C4	-10.99	101.41	105.80
1	AA	482	A	C8-N9-C4	-10.99	101.41	105.80
26	BB	2612	C	N3-C2-O2	-10.99	114.21	121.90
26	BB	600	G	N3-C2-N2	10.98	127.59	119.90
26	BB	2134	A	O4'-C1'-N9	10.98	116.99	108.20
1	AA	696	A	C5-C6-N1	-10.98	112.21	117.70
26	BB	707	G	N3-C4-N9	10.98	132.59	126.00
26	BB	1925	C	N3-C4-C5	-10.98	117.51	121.90
1	AA	290	C	N3-C4-C5	-10.97	117.51	121.90
26	BB	2389	G	N1-C6-O6	-10.97	113.32	119.90
26	BB	1343	G	N9-C4-C5	10.97	109.79	105.40
1	AA	927	G	C5-C6-O6	10.97	135.18	128.60
26	BB	2157	G	N9-C4-C5	10.97	109.79	105.40
1	AA	730	G	N9-C4-C5	10.96	109.78	105.40
26	BB	1895	C	O4'-C1'-N1	10.96	116.97	108.20
26	BB	2263	C	N3-C4-C5	-10.96	117.52	121.90
26	BB	2335	A	C3'-C2'-C1'	10.96	110.27	101.50
1	AA	689	C	N3-C4-C5	-10.96	117.52	121.90
26	BB	108	G	N3-C4-C5	-10.96	123.12	128.60
1	AA	1107	C	C6-N1-C2	-10.96	115.92	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	8	C	C6-N1-C2	-10.96	115.92	120.30
26	BB	355	U	C4-C5-C6	10.96	126.28	119.70
26	BB	2009	A	C4-C5-N7	-10.96	105.22	110.70
26	BB	760	G	N7-C8-N9	10.95	118.58	113.10
26	BB	2132	U	N1-C2-O2	10.95	130.47	122.80
26	BB	2441	U	O4'-C1'-N1	10.95	116.96	108.20
1	AA	1387	G	C5-N7-C8	10.95	109.78	104.30
26	BB	497	A	C8-N9-C4	10.95	110.18	105.80
26	BB	1259	G	N7-C8-N9	-10.95	107.62	113.10
26	BB	1825	U	N3-C4-O4	10.95	127.06	119.40
26	BB	2037	A	N9-C4-C5	10.95	110.18	105.80
26	BB	2867	G	N7-C8-N9	10.95	118.57	113.10
1	AA	743	A	O4'-C1'-N9	10.95	116.96	108.20
26	BB	1257	C	N3-C4-N4	10.94	125.66	118.00
26	BB	1947	C	O4'-C1'-N1	10.94	116.95	108.20
26	BB	2190	G	N9-C4-C5	10.94	109.78	105.40
1	AA	930	C	C5-C6-N1	10.94	126.47	121.00
1	AA	1237	C	N1-C2-O2	10.93	125.46	118.90
26	BB	994	C	O4'-C1'-N1	10.93	116.95	108.20
26	BB	2351	G	C8-N9-C4	-10.93	102.03	106.40
1	AA	560	A	C8-N9-C4	-10.93	101.43	105.80
1	AA	578	C	N3-C2-O2	-10.93	114.25	121.90
26	BB	389	G	C4-C5-N7	-10.93	106.43	110.80
26	BB	2086	U	C5-C6-N1	-10.93	117.23	122.70
1	AA	77	A	N1-C6-N6	10.93	125.16	118.60
1	AA	92	U	O4'-C1'-N1	10.93	116.94	108.20
1	AA	887	G	N3-C2-N2	-10.93	112.25	119.90
26	BB	1650	A	N7-C8-N9	10.92	119.26	113.80
1	AA	1338	G	N7-C8-N9	10.92	118.56	113.10
25	BA	10	G	O4'-C1'-N9	10.92	116.94	108.20
26	BB	889	C	C5-C6-N1	10.92	126.46	121.00
26	BB	2331	G	C5-N7-C8	-10.92	98.84	104.30
1	AA	1251	A	N1-C6-N6	-10.92	112.05	118.60
26	BB	1250	G	C5-N7-C8	-10.92	98.84	104.30
1	AA	76	G	C5-C6-N1	10.91	116.96	111.50
1	AA	1187	G	C5-N7-C8	-10.91	98.84	104.30
21	AU	42	ARG	NE-CZ-NH1	10.91	125.76	120.30
26	BB	956	G	N3-C4-C5	-10.91	123.14	128.60
26	BB	2078	C	C5'-C4'-O4'	10.91	122.20	109.10
1	AA	124	C	C4-C5-C6	-10.91	111.94	117.40
1	AA	1036	A	N9-C4-C5	10.91	110.16	105.80
1	AA	1412	C	C1'-O4'-C4'	-10.91	101.17	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	29	C	C5-C4-N4	-10.91	112.56	120.20
26	BB	769	U	O4'-C1'-N1	10.91	116.93	108.20
26	BB	574	A	O4'-C1'-N9	10.91	116.93	108.20
3	AC	55	A	C3'-C2'-C1'	10.91	110.22	101.50
26	BB	510	C	C6-N1-C2	-10.91	115.94	120.30
1	AA	1197	A	N1-C6-N6	-10.90	112.06	118.60
26	BB	1422	G	C5-N7-C8	-10.90	98.85	104.30
26	BB	1765	U	O4'-C1'-N1	10.90	116.92	108.20
45	BU	84	ARG	NE-CZ-NH1	-10.90	114.85	120.30
26	BB	1475	G	C5-C6-N1	10.90	116.95	111.50
1	AA	260	G	C6-N1-C2	-10.90	118.56	125.10
1	AA	1143	G	C8-N9-C4	-10.90	102.04	106.40
1	AA	1280	A	N1-C2-N3	-10.89	123.85	129.30
26	BB	1560	G	N3-C4-C5	-10.89	123.15	128.60
1	AA	1217	C	C6-N1-C2	-10.89	115.94	120.30
26	BB	1885	A	N7-C8-N9	10.89	119.25	113.80
25	BA	20	G	O4'-C1'-N9	10.89	116.91	108.20
1	AA	922	G	N9-C4-C5	10.89	109.76	105.40
11	AK	87	ARG	NE-CZ-NH2	10.89	125.75	120.30
26	BB	2115	G	C2-N3-C4	10.89	117.34	111.90
26	BB	139	U	O4'-C1'-N1	10.89	116.91	108.20
26	BB	1664	A	C8-N9-C4	-10.88	101.45	105.80
1	AA	1415	G	C8-N9-C4	-10.88	102.05	106.40
1	AA	1068	G	C6-C5-N7	-10.88	123.87	130.40
6	AF	167	TYR	CB-CG-CD2	-10.88	114.47	121.00
26	BB	668	A	N9-C4-C5	-10.88	101.45	105.80
26	BB	2357	G	N9-C4-C5	10.88	109.75	105.40
4	AD	76	C	C5-C6-N1	10.88	126.44	121.00
26	BB	923	G	O4'-C1'-N9	10.88	116.90	108.20
1	AA	102	G	C5-N7-C8	-10.87	98.86	104.30
1	AA	615	G	N3-C4-C5	-10.87	123.16	128.60
7	AG	12	ARG	NE-CZ-NH1	10.87	125.74	120.30
26	BB	848	C	N3-C4-N4	10.87	125.61	118.00
1	AA	594	U	N3-C2-O2	-10.87	114.59	122.20
26	BB	662	G	O4'-C1'-N9	10.87	116.89	108.20
26	BB	250	G	N9-C4-C5	-10.86	101.05	105.40
1	AA	242	G	N9-C4-C5	10.86	109.75	105.40
10	AJ	118	ARG	NE-CZ-NH1	10.86	125.73	120.30
26	BB	1644	C	O4'-C1'-N1	10.86	116.89	108.20
1	AA	1251	A	C8-N9-C4	-10.86	101.45	105.80
1	AA	1482	G	N7-C8-N9	-10.86	107.67	113.10
26	BB	413	C	C6-N1-C2	10.86	124.64	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1013	G	N1-C6-O6	10.86	126.42	119.90
26	BB	1616	A	N7-C8-N9	10.86	119.23	113.80
1	AA	271	C	N3-C4-C5	-10.86	117.56	121.90
1	AA	310	G	O4'-C1'-N9	10.86	116.89	108.20
26	BB	1393	A	C4-C5-N7	-10.86	105.27	110.70
26	BB	2871	U	O4'-C1'-N1	10.86	116.89	108.20
1	AA	635	A	C5-C6-N1	-10.85	112.27	117.70
6	AF	231	ARG	NE-CZ-NH2	10.85	125.73	120.30
26	BB	1371	G	O4'-C1'-N9	10.85	116.88	108.20
26	BB	454	A	C5-N7-C8	10.85	109.33	103.90
26	BB	1085	A	C8-N9-C4	-10.85	101.46	105.80
4	AD	74	A	C8-N9-C4	-10.85	101.46	105.80
26	BB	522	A	C8-N9-C4	-10.85	101.46	105.80
26	BB	1376	C	C5-C4-N4	-10.85	112.61	120.20
26	BB	2387	U	C5-C4-O4	-10.85	119.39	125.90
1	AA	213	G	C2-N3-C4	10.85	117.32	111.90
1	AA	714	G	O4'-C1'-N9	10.85	116.88	108.20
1	AA	1013	G	C5-C6-O6	-10.85	122.09	128.60
26	BB	1910	G	C5-N7-C8	-10.85	98.88	104.30
26	BB	2042	A	C8-N9-C4	-10.84	101.46	105.80
26	BB	2114	A	N3-C4-C5	-10.84	119.21	126.80
1	AA	838	G	C5-C6-N1	10.84	116.92	111.50
1	AA	296	U	O4'-C1'-N1	10.84	116.87	108.20
2	AB	13	C	O4'-C1'-N1	10.84	116.87	108.20
26	BB	108	G	C2-N3-C4	10.84	117.32	111.90
26	BB	468	G	N1-C6-O6	10.84	126.40	119.90
26	BB	821	A	O4'-C1'-N9	10.84	116.87	108.20
26	BB	514	A	C4'-C3'-C2'	-10.84	91.77	102.60
26	BB	1225	G	C5-N7-C8	-10.84	98.88	104.30
1	AA	44	A	N7-C8-N9	10.83	119.22	113.80
1	AA	351	G	C2-N3-C4	10.83	117.32	111.90
26	BB	422	A	N9-C4-C5	-10.83	101.47	105.80
26	BB	2268	A	C5'-C4'-O4'	10.83	122.10	109.10
1	AA	1362	A	N7-C8-N9	10.83	119.22	113.80
26	BB	1343	G	C2-N3-C4	10.83	117.32	111.90
26	BB	1259	G	O4'-C1'-N9	10.83	116.86	108.20
1	AA	1492	A	O4'-C1'-N9	10.82	116.86	108.20
26	BB	686	U	O4'-C1'-N1	10.82	116.86	108.20
26	BB	1280	G	N1-C6-O6	-10.82	113.41	119.90
26	BB	1925	C	C5-C6-N1	10.82	126.41	121.00
1	AA	726	C	N1-C2-O2	10.82	125.39	118.90
1	AA	1109	C	O4'-C1'-N1	10.82	116.86	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1333	A	N1-C2-N3	-10.82	123.89	129.30
26	BB	1932	A	C5-N7-C8	-10.82	98.49	103.90
26	BB	2842	G	C2-N3-C4	10.82	117.31	111.90
26	BB	625	G	C8-N9-C4	-10.81	102.07	106.40
1	AA	104	G	C5-C6-O6	-10.81	122.11	128.60
7	AG	187	ARG	NE-CZ-NH1	10.81	125.71	120.30
25	BA	64	G	N7-C8-N9	10.81	118.51	113.10
26	BB	2694	G	N9-C4-C5	10.81	109.73	105.40
1	AA	716	A	O4'-C1'-N9	10.81	116.85	108.20
1	AA	741	G	C5-C6-N1	10.81	116.91	111.50
26	BB	962	G	C6-N1-C2	-10.81	118.61	125.10
26	BB	1816	C	C2-N3-C4	10.81	125.31	119.90
1	AA	1540	U	C5-C4-O4	-10.81	119.42	125.90
26	BB	47	C	O4'-C1'-N1	10.81	116.85	108.20
26	BB	891	G	C6-N1-C2	-10.81	118.61	125.10
26	BB	1581	G	C8-N9-C4	-10.81	102.08	106.40
26	BB	1980	G	O4'-C4'-C3'	10.81	114.81	104.00
13	AM	62	ARG	NE-CZ-NH2	-10.80	114.90	120.30
26	BB	966	G	N9-C4-C5	10.80	109.72	105.40
26	BB	1839	G	C3'-C2'-C1'	10.80	110.14	101.50
26	BB	2084	C	C4-C5-C6	-10.80	112.00	117.40
26	BB	557	C	N3-C4-C5	-10.80	117.58	121.90
26	BB	738	G	C6-N1-C2	-10.80	118.62	125.10
26	BB	764	A	O4'-C1'-N9	10.80	116.84	108.20
26	BB	915	C	C5-C4-N4	-10.80	112.64	120.20
1	AA	658	C	O4'-C1'-N1	10.80	116.84	108.20
1	AA	1528	U	C4-C5-C6	10.80	126.18	119.70
26	BB	2213	U	O4'-C1'-N1	10.80	116.84	108.20
26	BB	1031	G	C5-C6-N1	10.79	116.90	111.50
26	BB	1793	C	N1-C2-O2	10.79	125.38	118.90
26	BB	1116	G	C4-C5-N7	-10.79	106.48	110.80
26	BB	2206	C	N1-C2-O2	10.79	125.37	118.90
1	AA	410	G	O4'-C1'-N9	10.78	116.83	108.20
1	AA	1530	G	N3-C4-C5	-10.78	123.21	128.60
26	BB	979	A	N3-C4-C5	-10.79	119.25	126.80
26	BB	2111	U	C5-C4-O4	-10.79	119.43	125.90
1	AA	1347	G	C2-N3-C4	10.78	117.29	111.90
1	AA	158	G	C5-C6-N1	10.78	116.89	111.50
2	AB	27	C	C6-N1-C2	-10.78	115.99	120.30
26	BB	134	G	N1-C2-N3	10.78	130.37	123.90
1	AA	1122	U	C4-C5-C6	10.78	126.17	119.70
1	AA	1439	G	C6-N1-C2	-10.78	118.63	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	505	G	C8-N9-C4	-10.78	102.09	106.40
1	AA	169	C	C4-C5-C6	-10.77	112.01	117.40
26	BB	252	G	C2-N3-C4	10.77	117.29	111.90
1	AA	1082	A	N1-C2-N3	10.77	134.69	129.30
1	AA	367	U	C5-C4-O4	-10.77	119.44	125.90
3	AC	32	U	N1-C2-O2	-10.77	115.26	122.80
4	AD	34	U	N3-C2-O2	-10.77	114.66	122.20
26	BB	2607	G	C5-C6-O6	10.77	135.06	128.60
40	BP	22	ARG	NE-CZ-NH2	10.77	125.68	120.30
26	BB	2394	C	O4'-C1'-N1	10.77	116.81	108.20
1	AA	696	A	O4'-C1'-N9	10.76	116.81	108.20
1	AA	1438	G	N3-C4-N9	-10.76	119.54	126.00
1	AA	1477	U	O4'-C1'-N1	10.76	116.81	108.20
26	BB	2452	C	O4'-C1'-N1	10.76	116.81	108.20
1	AA	461	A	C8-N9-C4	-10.76	101.50	105.80
26	BB	1301	A	C2-N3-C4	10.76	115.98	110.60
26	BB	1619	G	N3-C4-C5	-10.76	123.22	128.60
26	BB	784	G	C8-N9-C4	-10.76	102.10	106.40
1	AA	399	G	C8-N9-C4	-10.76	102.10	106.40
1	AA	836	G	C4-C5-N7	10.76	115.10	110.80
26	BB	1064	C	C6-N1-C2	-10.76	116.00	120.30
26	BB	2082	A	N7-C8-N9	-10.76	108.42	113.80
1	AA	2	A	C4-C5-C6	-10.75	111.62	117.00
26	BB	258	G	C8-N9-C4	-10.75	102.10	106.40
26	BB	1710	G	N3-C4-C5	-10.75	123.22	128.60
54	B3	15	ARG	NE-CZ-NH2	10.75	125.68	120.30
1	AA	472	U	C5-C4-O4	-10.75	119.45	125.90
25	BA	75	G	C6-N1-C2	-10.75	118.65	125.10
26	BB	2642	G	N1-C6-O6	-10.75	113.45	119.90
26	BB	632	A	C5-N7-C8	10.75	109.27	103.90
26	BB	2282	G	P-O3'-C3'	10.75	132.60	119.70
26	BB	291	G	N3-C4-N9	10.75	132.45	126.00
37	BM	64	ARG	NE-CZ-NH2	10.75	125.67	120.30
1	AA	157	U	O4'-C1'-N1	10.75	116.80	108.20
1	AA	825	A	O4'-C1'-N9	10.75	116.80	108.20
26	BB	364	C	O4'-C1'-N1	10.75	116.80	108.20
26	BB	1304	A	C6-N1-C2	10.75	125.05	118.60
26	BB	1805	A	C4-C5-C6	-10.74	111.63	117.00
1	AA	1029	U	O4'-C1'-N1	10.74	116.79	108.20
26	BB	1329	U	O4'-C1'-N1	10.74	116.79	108.20
1	AA	448	A	N7-C8-N9	10.73	119.17	113.80
26	BB	1146	C	C6-N1-C2	10.73	124.59	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1162	G	N7-C8-N9	10.73	118.47	113.10
1	AA	999	C	N3-C4-C5	-10.73	117.61	121.90
26	BB	524	G	N3-C4-C5	-10.73	123.23	128.60
26	BB	2455	G	N3-C4-C5	-10.73	123.23	128.60
26	BB	2518	A	N9-C4-C5	10.73	110.09	105.80
25	BA	34	A	C2-N3-C4	-10.73	105.24	110.60
1	AA	354	G	C6-C5-N7	-10.73	123.96	130.40
1	AA	482	A	C2-N3-C4	10.73	115.96	110.60
26	BB	105	C	C2-N3-C4	10.73	125.26	119.90
26	BB	1750	G	C2-N3-C4	10.73	117.26	111.90
26	BB	2590	A	N1-C2-N3	10.72	134.66	129.30
1	AA	114	U	O4'-C1'-N1	10.72	116.78	108.20
1	AA	266	G	C8-N9-C4	-10.72	102.11	106.40
26	BB	2169	A	O4'-C1'-N9	10.72	116.78	108.20
26	BB	2253	G	O4'-C1'-N9	10.72	116.78	108.20
26	BB	2404	U	O4'-C1'-N1	10.72	116.78	108.20
2	AB	39	A	N1-C2-N3	-10.72	123.94	129.30
26	BB	1153	C	O4'-C1'-N1	10.72	116.78	108.20
26	BB	2740	A	C2-N3-C4	10.72	115.96	110.60
1	AA	796	C	C5-C6-N1	10.72	126.36	121.00
26	BB	2738	A	C2-N3-C4	10.72	115.96	110.60
1	AA	369	G	C5-C6-N1	10.71	116.86	111.50
1	AA	908	A	C2-N3-C4	10.71	115.96	110.60
1	AA	167	A	N9-C4-C5	10.71	110.08	105.80
1	AA	554	A	O4'-C1'-N9	10.71	116.77	108.20
26	BB	2477	U	N1-C2-O2	10.71	130.30	122.80
28	BD	174	ARG	NE-CZ-NH2	-10.71	114.94	120.30
1	AA	444	G	N9-C4-C5	10.71	109.68	105.40
1	AA	959	A	C5-C6-N1	10.71	123.05	117.70
26	BB	34	U	C4-C5-C6	10.71	126.12	119.70
26	BB	2161	C	C3'-C2'-C1'	-10.71	92.93	101.50
1	AA	1	A	O4'-C1'-N9	10.70	116.76	108.20
1	AA	1438	G	C4'-C3'-C2'	-10.71	91.89	102.60
26	BB	1035	U	C3'-C2'-C1'	-10.71	92.94	101.50
25	BA	15	A	C4-C5-N7	-10.70	105.35	110.70
2	AB	61	C	C6-N1-C2	10.70	124.58	120.30
25	BA	79	G	C6-N1-C2	-10.70	118.68	125.10
26	BB	535	G	C5-C6-N1	10.70	116.85	111.50
26	BB	1128	G	O4'-C1'-N9	10.70	116.76	108.20
26	BB	1417	C	C6-N1-C2	-10.70	116.02	120.30
26	BB	2037	A	C8-N9-C4	-10.70	101.52	105.80
26	BB	2132	U	C4-C5-C6	10.70	126.12	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	890	G	N1-C2-N3	-10.70	117.48	123.90
1	AA	1459	G	N9-C4-C5	10.70	109.68	105.40
1	AA	577	G	C8-N9-C4	-10.70	102.12	106.40
26	BB	128	C	N3-C4-C5	-10.70	117.62	121.90
26	BB	222	A	C8-N9-C4	10.70	110.08	105.80
3	AC	58	C	N1-C2-O2	10.69	125.32	118.90
26	BB	2229	U	C6-N1-C2	-10.70	114.58	121.00
1	AA	411	A	C4-C5-C6	-10.69	111.65	117.00
31	BG	166	ARG	NE-CZ-NH2	-10.69	114.95	120.30
1	AA	412	A	N1-C2-N3	10.69	134.65	129.30
1	AA	1453	G	N7-C8-N9	10.69	118.44	113.10
26	BB	2451	A	C4'-C3'-C2'	-10.69	91.91	102.60
26	BB	971	G	N3-C4-C5	-10.69	123.26	128.60
10	AJ	9	ARG	NE-CZ-NH1	10.69	125.64	120.30
26	BB	301	G	N3-C4-C5	-10.69	123.26	128.60
26	BB	1329	U	N1-C2-N3	10.68	121.31	114.90
26	BB	1328	A	N9-C4-C5	10.68	110.07	105.80
26	BB	132	G	N3-C4-C5	-10.68	123.26	128.60
26	BB	558	U	N3-C2-O2	-10.68	114.73	122.20
26	BB	1298	C	C5-C6-N1	10.68	126.34	121.00
26	BB	1547	C	C3'-C2'-C1'	10.68	110.04	101.50
26	BB	2750	A	C8-N9-C4	-10.68	101.53	105.80
26	BB	966	G	C4-C5-N7	-10.67	106.53	110.80
26	BB	2140	G	N9-C1'-C2'	-10.67	100.13	114.00
26	BB	2901	C	C6-N1-C2	10.67	124.57	120.30
1	AA	1423	G	C5-C6-O6	-10.67	122.20	128.60
26	BB	334	C	C4-C5-C6	-10.67	112.06	117.40
26	BB	1061	U	N3-C4-O4	10.67	126.87	119.40
26	BB	1095	A	O4'-C1'-N9	10.67	116.73	108.20
1	AA	650	G	N1-C6-O6	-10.66	113.50	119.90
4	AD	60	A	C2-N3-C4	10.66	115.93	110.60
26	BB	556	A	C5-N7-C8	10.66	109.23	103.90
26	BB	2680	U	C2-N3-C4	-10.66	120.60	127.00
1	AA	862	C	C6-N1-C2	-10.66	116.03	120.30
26	BB	1465	G	N3-C4-C5	-10.66	123.27	128.60
26	BB	473	G	C4-C5-N7	-10.66	106.54	110.80
1	AA	666	G	C6-N1-C2	-10.66	118.70	125.10
26	BB	2093	G	N3-C4-C5	-10.66	123.27	128.60
26	BB	2439	A	N1-C2-N3	-10.66	123.97	129.30
26	BB	2520	C	N3-C4-C5	-10.66	117.64	121.90
1	AA	1259	C	N1-C2-O2	10.65	125.29	118.90
26	BB	122	G	C8-N9-C4	-10.65	102.14	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2238	G	C8-N9-C4	-10.65	102.14	106.40
1	AA	369	G	C6-N1-C2	-10.65	118.71	125.10
1	AA	693	G	N1-C2-N2	-10.65	106.61	116.20
26	BB	614	A	C5-C6-N1	-10.65	112.37	117.70
26	BB	1244	A	N1-C6-N6	10.65	124.99	118.60
1	AA	767	A	N1-C6-N6	10.65	124.99	118.60
36	BL	60	ASP	CB-CG-OD1	-10.65	108.72	118.30
1	AA	552	U	O4'-C1'-N1	10.65	116.72	108.20
1	AA	1148	U	C6-N1-C2	-10.65	114.61	121.00
1	AA	331	G	O4'-C4'-C3'	10.64	114.64	104.00
1	AA	1392	G	N3-C4-C5	-10.64	123.28	128.60
26	BB	2132	U	N3-C2-O2	-10.64	114.75	122.20
1	AA	544	G	N1-C6-O6	-10.64	113.52	119.90
26	BB	1049	C	N3-C4-C5	-10.64	117.65	121.90
26	BB	1992	G	C4-C5-N7	-10.63	106.55	110.80
1	AA	230	G	C8-N9-C4	-10.63	102.15	106.40
1	AA	938	A	N7-C8-N9	-10.63	108.48	113.80
26	BB	780	G	N7-C8-N9	10.63	118.42	113.10
1	AA	420	U	C6-N1-C2	-10.63	114.62	121.00
26	BB	1207	C	C6-N1-C2	-10.63	116.05	120.30
26	BB	1451	C	C4-C5-C6	10.63	122.71	117.40
26	BB	1462	C	C3'-C2'-C1'	-10.63	93.00	101.50
1	AA	419	C	N1-C2-O2	10.63	125.28	118.90
1	AA	510	A	N1-C2-N3	-10.62	123.99	129.30
1	AA	1506	U	O4'-C1'-N1	10.62	116.70	108.20
26	BB	1705	A	C5-N7-C8	-10.62	98.59	103.90
4	AD	68	C	N3-C2-O2	-10.62	114.47	121.90
26	BB	616	A	C2-N3-C4	10.62	115.91	110.60
26	BB	2036	C	C2-N3-C4	10.62	125.21	119.90
26	BB	182	A	C5-N7-C8	10.62	109.21	103.90
26	BB	1211	C	N3-C4-C5	-10.62	117.65	121.90
1	AA	836	G	N7-C8-N9	10.61	118.41	113.10
1	AA	1122	U	N3-C4-C5	-10.61	108.23	114.60
26	BB	1530	G	O4'-C1'-N9	10.61	116.69	108.20
26	BB	1918	A	C3'-C2'-C1'	10.61	109.99	101.50
1	AA	654	G	C4-C5-N7	10.61	115.04	110.80
26	BB	1720	U	C5-C6-N1	-10.61	117.39	122.70
26	BB	2227	A	C2-N3-C4	10.61	115.91	110.60
26	BB	1298	C	C6-N1-C2	-10.61	116.06	120.30
26	BB	2791	G	C4-C5-N7	-10.61	106.56	110.80
1	AA	1083	U	C5-C6-N1	-10.60	117.40	122.70
26	BB	1935	G	N1-C2-N2	10.60	125.74	116.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2472	G	N1-C2-N3	10.60	130.26	123.90
1	AA	411	A	C5-C6-N1	10.60	123.00	117.70
1	AA	1319	A	C5'-C4'-O4'	10.60	121.82	109.10
26	BB	289	G	C4-C5-N7	-10.60	106.56	110.80
26	BB	289	G	N3-C4-C5	-10.60	123.30	128.60
26	BB	782	A	O4'-C1'-C2'	-10.60	95.20	105.80
26	BB	909	A	N1-C6-N6	-10.60	112.24	118.60
26	BB	163	C	N1-C2-O2	10.60	125.26	118.90
26	BB	1855	U	C5-C4-O4	-10.60	119.54	125.90
26	BB	2451	A	N1-C2-N3	-10.60	124.00	129.30
1	AA	909	A	O4'-C1'-N9	10.60	116.68	108.20
1	AA	1538	C	C3'-C2'-C1'	10.60	109.98	101.50
1	AA	89	U	C5-C6-N1	-10.59	117.40	122.70
26	BB	794	A	N9-C4-C5	-10.59	101.56	105.80
27	BC	7	ARG	NE-CZ-NH2	-10.59	115.00	120.30
1	AA	390	U	O4'-C1'-N1	10.59	116.67	108.20
1	AA	564	C	C6-N1-C2	-10.59	116.06	120.30
1	AA	684	U	O4'-C1'-N1	10.59	116.67	108.20
1	AA	1195	C	C2-N3-C4	10.59	125.19	119.90
11	AK	76	ARG	NE-CZ-NH2	-10.59	115.00	120.30
26	BB	1693	U	O4'-C4'-C3'	10.59	114.59	104.00
1	AA	1416	G	C5-C6-O6	10.59	134.95	128.60
26	BB	692	C	N3-C4-N4	10.59	125.41	118.00
1	AA	803	G	N1-C6-O6	10.59	126.25	119.90
1	AA	1094	G	N1-C2-N3	-10.59	117.55	123.90
26	BB	1871	A	C6-N1-C2	10.59	124.95	118.60
26	BB	185	G	N3-C4-C5	-10.59	123.31	128.60
26	BB	534	U	N1-C2-N3	10.59	121.25	114.90
26	BB	1304	A	N1-C2-N3	-10.59	124.01	129.30
26	BB	1676	A	C3'-C2'-C1'	-10.58	93.03	101.50
1	AA	1432	G	C6-N1-C2	-10.58	118.75	125.10
26	BB	1333	G	C8-N9-C4	-10.58	102.17	106.40
57	B6	29	ARG	NE-CZ-NH2	10.58	125.59	120.30
32	BH	169	ARG	NE-CZ-NH2	10.58	125.59	120.30
26	BB	2576	G	C5-C6-N1	10.58	116.79	111.50
1	AA	910	C	C5-C6-N1	-10.57	115.71	121.00
1	AA	1496	C	O4'-C1'-N1	10.57	116.66	108.20
26	BB	686	U	C4-C5-C6	10.57	126.05	119.70
26	BB	735	A	C5-C6-N1	10.57	122.99	117.70
26	BB	1178	C	C5-C6-N1	-10.57	115.71	121.00
26	BB	2377	A	C5-C6-N1	10.57	122.99	117.70
26	BB	106	C	C5'-C4'-C3'	-10.57	99.09	116.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1431	A	N7-C8-N9	-10.57	108.52	113.80
26	BB	2038	G	N9-C1'-C2'	-10.57	100.26	114.00
26	BB	1275	A	O4'-C1'-N9	10.57	116.65	108.20
1	AA	596	A	C8-N9-C4	-10.56	101.57	105.80
1	AA	628	G	N3-C4-C5	-10.56	123.32	128.60
26	BB	1722	A	N9-C4-C5	10.56	110.03	105.80
26	BB	2206	C	O4'-C1'-N1	10.56	116.65	108.20
26	BB	2230	G	C6-C5-N7	-10.56	124.06	130.40
26	BB	2488	G	C8-N9-C4	-10.56	102.17	106.40
1	AA	467	U	N3-C2-O2	-10.56	114.81	122.20
5	AE	138	ARG	NE-CZ-NH2	10.56	125.58	120.30
26	BB	259	G	N3-C4-N9	10.56	132.34	126.00
26	BB	691	C	N3-C2-O2	-10.56	114.51	121.90
26	BB	1155	A	C4-C5-C6	-10.56	111.72	117.00
26	BB	2487	G	N3-C4-C5	-10.56	123.32	128.60
1	AA	1272	G	C4'-C3'-C2'	-10.56	92.04	102.60
26	BB	323	C	O4'-C1'-N1	10.56	116.65	108.20
26	BB	1177	G	C4-C5-N7	10.56	115.02	110.80
26	BB	2592	G	N7-C8-N9	10.56	118.38	113.10
26	BB	2740	A	N1-C2-N3	-10.56	124.02	129.30
26	BB	2710	C	C5-C6-N1	10.56	126.28	121.00
26	BB	753	A	N7-C8-N9	10.55	119.08	113.80
1	AA	251	G	C6-N1-C2	-10.55	118.77	125.10
1	AA	1217	C	C5-C4-N4	-10.55	112.81	120.20
1	AA	616	G	C6-N1-C2	-10.55	118.77	125.10
26	BB	613	A	N1-C2-N3	-10.55	124.03	129.30
25	BA	112	G	C8-N9-C4	-10.54	102.18	106.40
26	BB	384	A	N7-C8-N9	10.54	119.07	113.80
26	BB	567	U	N3-C2-O2	-10.54	114.82	122.20
26	BB	791	C	N3-C4-N4	10.54	125.38	118.00
26	BB	1449	G	C4-C5-N7	-10.54	106.58	110.80
26	BB	1731	G	N3-C4-C5	-10.54	123.33	128.60
1	AA	1247	U	C2-N3-C4	-10.54	120.68	127.00
26	BB	440	C	N1-C2-O2	10.54	125.22	118.90
26	BB	476	G	C2-N3-C4	10.54	117.17	111.90
26	BB	1571	A	N3-C4-C5	-10.54	119.42	126.80
26	BB	2592	G	C4-C5-C6	10.54	125.12	118.80
26	BB	1789	A	N9-C4-C5	10.53	110.01	105.80
26	BB	2752	C	C1'-O4'-C4'	-10.53	101.47	109.90
26	BB	72	U	O4'-C1'-N1	10.53	116.63	108.20
26	BB	1196	C	O4'-C1'-N1	10.53	116.62	108.20
26	BB	1026	G	N3-C2-N2	10.53	127.27	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1059	G	C8-N9-C4	-10.53	102.19	106.40
26	BB	1314	C	N3-C2-O2	-10.53	114.53	121.90
26	BB	1392	A	C2-N3-C4	10.53	115.86	110.60
1	AA	149	A	C2-N3-C4	-10.53	105.34	110.60
1	AA	829	G	N3-C2-N2	-10.53	112.53	119.90
26	BB	396	G	O4'-C1'-N9	10.53	116.62	108.20
26	BB	2473	U	C2-N3-C4	-10.53	120.68	127.00
1	AA	843	U	O4'-C1'-N1	10.52	116.62	108.20
26	BB	1165	A	N9-C4-C5	10.52	110.01	105.80
26	BB	1261	C	N1-C2-O2	10.52	125.21	118.90
1	AA	972	C	O4'-C1'-N1	10.52	116.62	108.20
26	BB	1069	A	O4'-C1'-N9	10.52	116.61	108.20
26	BB	1793	C	C5-C6-N1	-10.52	115.74	121.00
1	AA	1154	G	N3-C2-N2	-10.52	112.54	119.90
2	AB	65	C	N1-C2-O2	10.52	125.21	118.90
26	BB	1087	G	N9-C4-C5	10.52	109.61	105.40
26	BB	1659	G	O4'-C1'-N9	10.52	116.61	108.20
26	BB	2426	A	O4'-C1'-N9	10.52	116.61	108.20
37	BM	62	VAL	CA-CB-CG1	10.52	126.67	110.90
26	BB	274	C	N3-C4-C5	10.51	126.11	121.90
26	BB	669	G	C8-N9-C4	-10.51	102.19	106.40
26	BB	1077	A	O4'-C1'-N9	10.51	116.61	108.20
26	BB	2139	U	C4-C5-C6	10.51	126.01	119.70
26	BB	2793	C	O4'-C1'-N1	10.51	116.61	108.20
1	AA	1006	G	C6-C5-N7	-10.51	124.09	130.40
26	BB	1392	A	N1-C2-N3	-10.51	124.05	129.30
26	BB	1659	G	C6-N1-C2	-10.51	118.79	125.10
26	BB	2659	G	C8-N9-C4	10.51	110.60	106.40
26	BB	1566	A	N9-C4-C5	-10.50	101.60	105.80
2	AB	3	G	N7-C8-N9	10.50	118.35	113.10
26	BB	410	G	C2-N3-C4	10.50	117.15	111.90
26	BB	2333	A	C5-N7-C8	10.50	109.15	103.90
1	AA	610	U	N3-C4-O4	-10.50	112.05	119.40
26	BB	49	A	O4'-C1'-N9	10.50	116.60	108.20
26	BB	2446	G	N3-C4-C5	-10.50	123.35	128.60
1	AA	57	G	C8-N9-C4	-10.49	102.20	106.40
26	BB	680	C	C5'-C4'-O4'	10.49	121.69	109.10
26	BB	1386	C	O4'-C1'-N1	10.49	116.59	108.20
26	BB	2356	U	O4'-C1'-N1	10.49	116.59	108.20
26	BB	1515	A	N7-C8-N9	-10.49	108.55	113.80
1	AA	575	G	N1-C2-N2	10.49	125.64	116.20
1	AA	1063	C	C5-C6-N1	10.49	126.24	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1074	G	C6-C5-N7	-10.49	124.11	130.40
1	AA	443	C	O4'-C1'-N1	10.49	116.59	108.20
1	AA	1272	G	N9-C1'-C2'	-10.49	100.37	114.00
26	BB	47	C	N1-C2-O2	10.49	125.19	118.90
26	BB	383	C	N3-C4-C5	-10.49	117.70	121.90
26	BB	489	G	C3'-C2'-C1'	10.49	109.89	101.50
1	AA	2	A	C5-C6-N6	-10.48	115.31	123.70
26	BB	336	C	O4'-C1'-N1	10.48	116.59	108.20
26	BB	669	G	C4'-C3'-C2'	-10.48	92.11	102.60
1	AA	1046	A	C5-C6-N6	-10.48	115.31	123.70
1	AA	1447	A	C8-N9-C4	-10.48	101.61	105.80
3	AC	44	U	N1-C2-O2	10.48	130.14	122.80
26	BB	111	A	C5-C6-N6	-10.48	115.32	123.70
1	AA	112	G	N1-C2-N2	-10.48	106.77	116.20
1	AA	340	U	N3-C4-O4	10.48	126.73	119.40
1	AA	619	U	C6-N1-C2	-10.48	114.71	121.00
1	AA	1255	G	N7-C8-N9	10.48	118.34	113.10
25	BA	47	C	N3-C4-C5	-10.48	117.71	121.90
26	BB	1976	U	O4'-C1'-N1	10.48	116.58	108.20
1	AA	222	C	O4'-C1'-N1	10.48	116.58	108.20
1	AA	780	A	N7-C8-N9	10.48	119.04	113.80
1	AA	973	G	N1-C6-O6	-10.48	113.61	119.90
26	BB	685	A	C8-N9-C4	-10.48	101.61	105.80
1	AA	162	A	C8-N9-C4	-10.47	101.61	105.80
1	AA	1121	U	C4-C5-C6	10.47	125.98	119.70
26	BB	50	U	O4'-C1'-N1	10.47	116.58	108.20
26	BB	1324	G	C5-N7-C8	-10.47	99.06	104.30
1	AA	740	U	C5-C6-N1	-10.47	117.46	122.70
26	BB	134	G	C3'-C2'-C1'	10.47	109.88	101.50
26	BB	1802	A	C5-N7-C8	-10.47	98.67	103.90
26	BB	2326	C	N3-C2-O2	-10.47	114.57	121.90
1	AA	743	A	C2-N3-C4	10.47	115.83	110.60
1	AA	819	A	N9-C4-C5	10.47	109.99	105.80
26	BB	583	G	N3-C4-N9	10.47	132.28	126.00
26	BB	1022	G	C3'-C2'-C1'	-10.47	93.13	101.50
26	BB	1033	U	C5-C4-O4	-10.47	119.62	125.90
26	BB	1640	A	N9-C4-C5	10.47	109.99	105.80
26	BB	2271	G	C8-N9-C4	-10.47	102.21	106.40
1	AA	441	A	N9-C4-C5	10.47	109.99	105.80
1	AA	654	G	C5-N7-C8	-10.46	99.07	104.30
1	AA	666	G	C5-C6-N1	10.46	116.73	111.50
2	AB	26	A	C4-C5-C6	10.46	122.23	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1125	G	N3-C4-N9	10.46	132.28	126.00
26	BB	1576	U	C2-N3-C4	-10.46	120.72	127.00
26	BB	1994	C	O4'-C1'-N1	10.46	116.57	108.20
26	BB	2876	G	N3-C4-C5	-10.46	123.37	128.60
1	AA	1459	G	C4-C5-N7	-10.46	106.62	110.80
1	AA	980	C	N3-C4-C5	-10.46	117.72	121.90
1	AA	1175	G	C2-N3-C4	10.46	117.13	111.90
26	BB	1021	A	C2-N3-C4	10.46	115.83	110.60
26	BB	1930	G	C8-N9-C4	-10.46	102.22	106.40
1	AA	615	G	C5-C6-N1	-10.46	106.27	111.50
26	BB	490	C	O4'-C1'-N1	10.46	116.56	108.20
1	AA	344	A	N7-C8-N9	10.45	119.03	113.80
26	BB	561	G	O4'-C1'-N9	10.45	116.56	108.20
26	BB	883	G	C4-C5-N7	-10.45	106.62	110.80
26	BB	1160	G	C5-C6-N1	10.45	116.73	111.50
1	AA	1193	G	N9-C1'-C2'	-10.45	100.42	114.00
26	BB	1125	G	C6-C5-N7	-10.45	124.13	130.40
1	AA	95	C	N3-C4-C5	-10.45	117.72	121.90
1	AA	108	G	N3-C4-C5	-10.45	123.38	128.60
1	AA	848	C	O4'-C1'-N1	10.45	116.56	108.20
1	AA	1004	A	N9-C4-C5	10.45	109.98	105.80
26	BB	1309	G	C5-C6-N1	10.44	116.72	111.50
26	BB	2775	G	C6-N1-C2	-10.45	118.83	125.10
26	BB	652	U	N1-C2-N3	10.44	121.17	114.90
1	AA	71	A	O4'-C1'-N9	10.44	116.55	108.20
1	AA	291	U	O4'-C1'-N1	10.44	116.55	108.20
26	BB	628	G	N1-C2-N3	-10.44	117.64	123.90
26	BB	1214	A	C2-N3-C4	10.44	115.82	110.60
2	AB	53	G	C5'-C4'-O4'	10.44	121.62	109.10
26	BB	48	G	C5-C6-O6	-10.44	122.34	128.60
26	BB	700	G	O4'-C1'-N9	10.44	116.55	108.20
26	BB	2657	A	C5-N7-C8	10.44	109.12	103.90
26	BB	2061	G	C4-C5-N7	-10.44	106.63	110.80
26	BB	2663	G	N9-C4-C5	10.44	109.57	105.40
1	AA	1215	G	O4'-C1'-N9	10.43	116.55	108.20
26	BB	592	A	C8-N9-C4	-10.43	101.63	105.80
26	BB	2415	G	N9-C4-C5	10.43	109.57	105.40
1	AA	128	G	N3-C2-N2	10.43	127.20	119.90
26	BB	1802	A	C8-N9-C4	-10.43	101.63	105.80
26	BB	2164	C	N1-C2-O2	10.43	125.16	118.90
26	BB	2555	U	C2-N3-C4	-10.43	120.74	127.00
26	BB	2591	C	N3-C2-O2	-10.43	114.60	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	541	G	C6-N1-C2	-10.43	118.84	125.10
1	AA	1363	A	O4'-C1'-N9	10.43	116.54	108.20
26	BB	532	A	C8-N9-C4	-10.42	101.63	105.80
26	BB	1955	U	N1-C2-N3	10.42	121.15	114.90
26	BB	557	C	C4-C5-C6	10.42	122.61	117.40
26	BB	2364	C	O4'-C1'-N1	10.42	116.54	108.20
1	AA	138	G	N3-C4-C5	-10.42	123.39	128.60
26	BB	478	A	N7-C8-N9	10.42	119.01	113.80
1	AA	1152	A	C1'-O4'-C4'	-10.42	101.57	109.90
26	BB	756	A	C2-N3-C4	10.42	115.81	110.60
26	BB	1195	G	C4-C5-N7	-10.42	106.63	110.80
1	AA	429	U	C4-C5-C6	10.41	125.95	119.70
26	BB	1805	A	N1-C2-N3	-10.41	124.09	129.30
1	AA	1105	A	N7-C8-N9	-10.41	108.60	113.80
4	AD	5	G	C6-N1-C2	-10.41	118.85	125.10
26	BB	2036	C	C3'-C2'-C1'	10.41	109.83	101.50
1	AA	27	G	C6-C5-N7	-10.41	124.16	130.40
1	AA	187	G	C5-C6-N1	-10.41	106.30	111.50
1	AA	520	A	C4-C5-N7	-10.40	105.50	110.70
1	AA	588	G	C2-N3-C4	10.40	117.10	111.90
1	AA	765	G	C1'-O4'-C4'	-10.40	101.58	109.90
26	BB	58	G	N3-C4-C5	-10.40	123.40	128.60
26	BB	88	G	O4'-C1'-N9	10.40	116.52	108.20
26	BB	1604	C	C4'-C3'-C2'	-10.40	92.20	102.60
26	BB	2499	C	C6-N1-C2	-10.40	116.14	120.30
1	AA	266	G	N1-C2-N3	-10.40	117.66	123.90
1	AA	657	U	C3'-C2'-C1'	10.40	109.82	101.50
1	AA	675	A	N1-C6-N6	-10.40	112.36	118.60
1	AA	1228	C	O4'-C1'-N1	10.40	116.52	108.20
26	BB	205	G	N3-C4-C5	-10.40	123.40	128.60
26	BB	1210	G	C5-N7-C8	-10.40	99.10	104.30
26	BB	2114	A	N1-C6-N6	-10.40	112.36	118.60
26	BB	249	C	N1-C2-O2	10.40	125.14	118.90
26	BB	806	C	N3-C4-C5	-10.40	117.74	121.90
26	BB	1022	G	C5-C6-O6	10.40	134.84	128.60
26	BB	1885	A	C8-N9-C4	-10.40	101.64	105.80
26	BB	2207	C	N3-C4-N4	10.39	125.28	118.00
4	AD	19	G	C3'-C2'-C1'	10.39	109.81	101.50
1	AA	386	C	O4'-C1'-N1	10.39	116.51	108.20
3	AC	13	A	C8-N9-C4	-10.39	101.64	105.80
26	BB	1162	G	C8-N9-C4	-10.39	102.24	106.40
26	BB	1629	U	C4-C5-C6	10.39	125.94	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2507	C	N3-C2-O2	-10.39	114.63	121.90
1	AA	339	C	O4'-C1'-N1	10.39	116.51	108.20
26	BB	1862	G	O4'-C1'-N9	10.39	116.51	108.20
1	AA	872	A	C8-N9-C4	-10.39	101.64	105.80
32	BH	34	ARG	NE-CZ-NH1	-10.39	115.11	120.30
26	BB	556	A	N3-C4-C5	-10.39	119.53	126.80
26	BB	1257	C	C2-N3-C4	10.39	125.09	119.90
26	BB	1565	C	O4'-C1'-N1	10.39	116.51	108.20
1	AA	251	G	C2-N3-C4	10.38	117.09	111.90
1	AA	254	G	N9-C4-C5	10.39	109.56	105.40
1	AA	1187	G	C8-N9-C4	-10.39	102.25	106.40
26	BB	944	C	O4'-C1'-N1	10.38	116.51	108.20
1	AA	289	G	C6-C5-N7	-10.38	124.17	130.40
26	BB	43	G	N3-C4-C5	-10.38	123.41	128.60
26	BB	275	C	C2-N3-C4	10.38	125.09	119.90
26	BB	1670	C	C6-N1-C2	10.38	124.45	120.30
26	BB	2470	G	C8-N9-C4	-10.38	102.25	106.40
1	AA	1533	C	O4'-C1'-N1	10.38	116.50	108.20
26	BB	1424	G	N3-C4-N9	-10.38	119.77	126.00
1	AA	471	U	O4'-C1'-N1	10.38	116.50	108.20
26	BB	2714	G	C8-N9-C4	-10.38	102.25	106.40
1	AA	378	G	N3-C2-N2	-10.38	112.64	119.90
26	BB	115	C	O4'-C1'-N1	10.38	116.50	108.20
26	BB	181	A	N9-C4-C5	10.38	109.95	105.80
26	BB	2901	C	N3-C4-N4	10.38	125.26	118.00
1	AA	702	A	C8-N9-C4	-10.37	101.65	105.80
26	BB	1560	G	N3-C4-N9	10.37	132.22	126.00
1	AA	101	A	N9-C4-C5	10.37	109.95	105.80
1	AA	1238	A	C8-N9-C4	-10.37	101.65	105.80
5	AE	73	ARG	NE-CZ-NH2	-10.37	115.11	120.30
26	BB	1998	A	C6-C5-N7	10.37	139.56	132.30
26	BB	1724	G	O4'-C1'-N9	10.37	116.49	108.20
26	BB	2573	C	N1-C2-O2	10.37	125.12	118.90
26	BB	852	U	N3-C4-O4	10.37	126.66	119.40
26	BB	1944	U	C5-C4-O4	-10.37	119.68	125.90
26	BB	2496	C	O4'-C4'-C3'	10.37	114.39	106.10
1	AA	1186	G	N9-C4-C5	10.36	109.55	105.40
1	AA	1336	C	N3-C2-O2	-10.36	114.64	121.90
25	BA	16	G	N7-C8-N9	10.36	118.28	113.10
26	BB	1534	U	N3-C4-O4	10.36	126.66	119.40
1	AA	447	G	O4'-C1'-N9	10.36	116.49	108.20
26	BB	1922	G	N3-C4-C5	-10.36	123.42	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	466	A	N1-C6-N6	-10.36	112.39	118.60
1	AA	1338	G	C4'-C3'-C2'	-10.36	92.24	102.60
26	BB	2107	G	C8-N9-C4	-10.36	102.26	106.40
26	BB	2496	C	O4'-C1'-N1	10.36	116.48	108.20
15	AO	116	TYR	CB-CG-CD1	-10.35	114.79	121.00
26	BB	23	G	C8-N9-C4	-10.35	102.26	106.40
1	AA	340	U	C5-C4-O4	-10.35	119.69	125.90
26	BB	73	A	C4-C5-C6	-10.35	111.83	117.00
26	BB	1988	G	N1-C2-N2	10.35	125.52	116.20
26	BB	2653	U	N1-C2-N3	10.35	121.11	114.90
1	AA	53	A	N1-C6-N6	-10.35	112.39	118.60
1	AA	484	G	C4-C5-N7	10.35	114.94	110.80
4	AD	62	C	O4'-C1'-N1	10.35	116.48	108.20
26	BB	1202	G	N9-C4-C5	10.35	109.54	105.40
1	AA	1217	C	O4'-C1'-N1	10.35	116.48	108.20
25	BA	36	C	N1-C2-O2	10.35	125.11	118.90
26	BB	948	C	N1-C2-O2	10.35	125.11	118.90
1	AA	764	C	N3-C4-C5	-10.34	117.76	121.90
25	BA	94	A	C2-N3-C4	10.34	115.77	110.60
26	BB	88	G	N1-C2-N3	-10.34	117.69	123.90
1	AA	1327	C	O4'-C1'-N1	10.34	116.47	108.20
1	AA	1433	A	C8-N9-C4	-10.34	101.66	105.80
26	BB	1252	G	C8-N9-C4	-10.34	102.26	106.40
26	BB	2469	A	C5-C6-N1	10.34	122.87	117.70
1	AA	1101	A	O4'-C1'-N9	10.34	116.47	108.20
4	AD	50	G	O4'-C1'-N9	10.34	116.47	108.20
26	BB	684	G	O4'-C1'-N9	10.34	116.47	108.20
26	BB	2606	C	C5-C4-N4	-10.34	112.97	120.20
1	AA	1064	G	C4-C5-N7	10.33	114.93	110.80
26	BB	1344	U	N3-C4-C5	10.33	120.80	114.60
26	BB	2153	C	O4'-C4'-C3'	10.33	114.37	106.10
1	AA	1243	C	C6-N1-C2	-10.33	116.17	120.30
26	BB	444	C	C5-C4-N4	-10.33	112.97	120.20
1	AA	223	A	C8-N9-C4	-10.33	101.67	105.80
2	AB	30	G	N1-C6-O6	10.33	126.09	119.90
26	BB	772	C	O4'-C1'-N1	10.33	116.46	108.20
26	BB	1653	G	C8-N9-C4	-10.33	102.27	106.40
26	BB	131	A	N9-C4-C5	10.32	109.93	105.80
26	BB	1511	G	C4-C5-N7	-10.32	106.67	110.80
26	BB	1569	A	N1-C2-N3	10.32	134.46	129.30
26	BB	2822	G	O4'-C1'-N9	10.32	116.46	108.20
26	BB	511	U	C5-C4-O4	-10.32	119.71	125.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2365	G	C5-N7-C8	-10.32	99.14	104.30
26	BB	2873	A	C4-C5-C6	10.32	122.16	117.00
1	AA	768	A	N7-C8-N9	-10.31	108.64	113.80
1	AA	1296	C	C5-C6-N1	-10.31	115.84	121.00
1	AA	41	G	N7-C8-N9	10.31	118.26	113.10
1	AA	1448	C	C4-C5-C6	10.31	122.56	117.40
25	BA	79	G	N3-C2-N2	-10.31	112.68	119.90
26	BB	226	A	N9-C4-C5	10.31	109.92	105.80
26	BB	701	G	C4-C5-N7	-10.31	106.67	110.80
26	BB	2440	C	O4'-C1'-N1	10.31	116.45	108.20
42	BR	97	TYR	CB-CG-CD2	-10.31	114.81	121.00
2	AB	15	A	N1-C6-N6	-10.31	112.42	118.60
26	BB	927	A	C8-N9-C4	-10.31	101.68	105.80
26	BB	1567	G	O4'-C1'-N9	10.31	116.45	108.20
26	BB	1695	G	N7-C8-N9	10.31	118.25	113.10
26	BB	2161	C	O4'-C1'-N1	10.31	116.45	108.20
1	AA	1413	A	N7-C8-N9	10.31	118.95	113.80
26	BB	2451	A	O4'-C1'-N9	10.31	116.44	108.20
1	AA	185	U	C4-C5-C6	10.30	125.88	119.70
26	BB	691	C	N1-C2-O2	10.30	125.08	118.90
26	BB	2279	G	C4-C5-N7	-10.31	106.68	110.80
1	AA	193	C	O4'-C1'-N1	10.30	116.44	108.20
26	BB	141	G	C4-C5-C6	10.30	124.98	118.80
26	BB	2815	C	N1-C2-O2	10.30	125.08	118.90
6	AF	163	ARG	NE-CZ-NH2	-10.30	115.15	120.30
12	AL	118	ARG	NE-CZ-NH2	-10.30	115.15	120.30
55	B4	20	TYR	CB-CG-CD2	-10.30	114.82	121.00
26	BB	2114	A	C4-C5-N7	-10.30	105.55	110.70
26	BB	2642	G	N9-C4-C5	10.30	109.52	105.40
1	AA	667	G	N3-C4-C5	-10.30	123.45	128.60
1	AA	689	C	O4'-C1'-N1	10.30	116.44	108.20
26	BB	2141	G	C4-C5-N7	-10.30	106.68	110.80
27	BC	162	ARG	NE-CZ-NH1	10.30	125.45	120.30
1	AA	1074	G	C4-C5-N7	10.30	114.92	110.80
1	AA	505	G	N9-C4-C5	10.29	109.52	105.40
26	BB	65	U	C4-C5-C6	10.29	125.88	119.70
26	BB	1787	A	C8-N9-C4	-10.29	101.68	105.80
26	BB	1611	C	C5-C6-N1	10.29	126.15	121.00
26	BB	2541	A	N1-C2-N3	-10.29	124.15	129.30
26	BB	2801	G	C8-N9-C4	-10.29	102.28	106.40
1	AA	1156	G	C1'-O4'-C4'	-10.29	101.67	109.90
2	AB	30	G	C5-C6-O6	-10.29	122.43	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1456	A	N9-C4-C5	10.28	109.91	105.80
26	BB	1072	C	C6-N1-C2	10.28	124.41	120.30
26	BB	1514	G	C5-C6-N1	10.29	116.64	111.50
26	BB	1903	G	N3-C4-C5	-10.28	123.46	128.60
1	AA	574	A	N9-C4-C5	10.28	109.91	105.80
26	BB	2143	C	C2-N3-C4	10.28	125.04	119.90
26	BB	1297	C	N1-C2-O2	10.28	125.07	118.90
2	AB	51	G	N7-C8-N9	10.28	118.24	113.10
26	BB	176	A	C5-C6-N1	10.28	122.84	117.70
26	BB	1267	U	N3-C4-O4	10.28	126.59	119.40
26	BB	2255	G	N1-C6-O6	-10.28	113.73	119.90
1	AA	1102	A	C1'-O4'-C4'	-10.27	101.68	109.90
25	BA	7	G	N7-C8-N9	10.27	118.24	113.10
1	AA	184	G	O4'-C1'-N9	10.27	116.42	108.20
1	AA	432	A	C5-C6-N1	10.27	122.84	117.70
26	BB	1467	U	N1-C2-O2	-10.27	115.61	122.80
1	AA	1011	C	C2-N3-C4	10.27	125.03	119.90
26	BB	154	U	O4'-C1'-N1	10.27	116.42	108.20
26	BB	403	U	O4'-C1'-N1	10.27	116.42	108.20
26	BB	953	G	N9-C4-C5	10.27	109.51	105.40
1	AA	281	G	C8-N9-C4	-10.27	102.29	106.40
1	AA	310	G	C5-C6-N1	10.27	116.63	111.50
26	BB	82	U	C5-C4-O4	-10.27	119.74	125.90
26	BB	2814	A	N1-C6-N6	-10.27	112.44	118.60
1	AA	45	G	N1-C2-N3	-10.26	117.74	123.90
1	AA	1059	C	C6-N1-C2	-10.26	116.20	120.30
26	BB	534	U	C5-C6-N1	-10.26	117.57	122.70
26	BB	1875	G	C8-N9-C4	-10.26	102.30	106.40
26	BB	1529	G	C4-C5-C6	10.26	124.95	118.80
1	AA	1006	G	C8-N9-C4	-10.26	102.30	106.40
26	BB	673	C	O4'-C1'-N1	10.26	116.41	108.20
26	BB	1762	A	O4'-C4'-C3'	10.26	114.31	106.10
1	AA	59	A	N1-C2-N3	-10.26	124.17	129.30
1	AA	440	C	O4'-C1'-N1	10.26	116.40	108.20
1	AA	533	A	C5-C6-N6	-10.26	115.50	123.70
1	AA	1358	U	C2-N3-C4	-10.26	120.85	127.00
26	BB	1813	G	C1'-O4'-C4'	10.26	118.11	109.90
26	BB	2010	G	O4'-C4'-C3'	10.26	114.30	106.10
1	AA	276	G	C6-C5-N7	-10.25	124.25	130.40
26	BB	2084	C	C5-C4-N4	-10.25	113.02	120.20
1	AA	1169	A	C4-C5-N7	-10.25	105.58	110.70
26	BB	546	U	C5-C6-N1	-10.25	117.58	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1780	A	O4'-C4'-C3'	10.25	114.30	106.10
31	BG	149	ARG	NE-CZ-NH2	-10.25	115.17	120.30
26	BB	82	U	O4'-C1'-N1	10.25	116.40	108.20
26	BB	1330	C	O4'-C1'-N1	10.25	116.40	108.20
25	BA	30	C	C5-C6-N1	10.25	126.12	121.00
26	BB	2149	U	C3'-C2'-C1'	-10.25	93.30	101.50
26	BB	1111	A	C8-N9-C4	-10.24	101.70	105.80
26	BB	1464	G	N3-C4-C5	-10.24	123.48	128.60
26	BB	2903	U	N3-C2-O2	-10.24	115.03	122.20
26	BB	1718	G	N1-C2-N3	-10.24	117.75	123.90
26	BB	1924	C	C2-N3-C4	10.24	125.02	119.90
1	AA	213	G	N7-C8-N9	10.24	118.22	113.10
1	AA	984	C	C6-N1-C2	-10.24	116.20	120.30
26	BB	125	A	C2-N3-C4	10.24	115.72	110.60
26	BB	769	U	C5-C6-N1	-10.24	117.58	122.70
26	BB	1454	C	C6-N1-C2	10.24	124.40	120.30
26	BB	1085	A	C3'-C2'-C1'	10.24	109.69	101.50
26	BB	2535	G	N3-C4-C5	-10.24	123.48	128.60
1	AA	297	G	N3-C4-C5	-10.24	123.48	128.60
1	AA	1450	U	C5-C6-N1	-10.24	117.58	122.70
1	AA	1369	C	N1-C2-O2	10.24	125.04	118.90
26	BB	586	A	C8-N9-C4	-10.24	101.70	105.80
26	BB	1023	U	C4'-C3'-C2'	-10.24	92.36	102.60
26	BB	1465	G	N3-C2-N2	10.24	127.06	119.90
26	BB	2238	G	C3'-C2'-C1'	10.24	109.69	101.50
26	BB	823	C	N3-C4-N4	10.23	125.17	118.00
1	AA	1254	A	C5-N7-C8	-10.23	98.78	103.90
1	AA	1439	G	O4'-C1'-N9	10.23	116.39	108.20
2	AB	57	G	C5-C6-N1	10.23	116.62	111.50
26	BB	417	C	O4'-C1'-N1	10.23	116.39	108.20
26	BB	717	C	O4'-C1'-N1	10.23	116.39	108.20
26	BB	808	G	O4'-C1'-N9	10.23	116.39	108.20
1	AA	146	G	N1-C6-O6	-10.23	113.76	119.90
26	BB	954	G	C8-N9-C4	-10.23	102.31	106.40
26	BB	381	G	C8-N9-C4	-10.23	102.31	106.40
26	BB	829	A	C4-C5-C6	-10.23	111.89	117.00
1	AA	382	A	C1'-O4'-C4'	10.23	118.08	109.90
1	AA	1396	A	C2-N3-C4	10.23	115.71	110.60
4	AD	14	A	C4-C5-C6	10.23	122.11	117.00
26	BB	1404	C	O4'-C1'-N1	10.22	116.38	108.20
1	AA	1229	A	N7-C8-N9	10.22	118.91	113.80
26	BB	2086	U	O4'-C1'-N1	10.22	116.38	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2351	G	N9-C4-C5	10.22	109.49	105.40
44	BT	84	ARG	NE-CZ-NH2	-10.22	115.19	120.30
26	BB	2764	A	C6-C5-N7	10.22	139.46	132.30
1	AA	382	A	N7-C8-N9	-10.22	108.69	113.80
1	AA	624	C	N1-C2-O2	10.22	125.03	118.90
26	BB	577	G	C5-C6-N1	10.22	116.61	111.50
26	BB	513	A	N1-C2-N3	-10.22	124.19	129.30
26	BB	771	G	N3-C4-C5	-10.22	123.49	128.60
26	BB	1293	C	N1-C2-O2	10.22	125.03	118.90
26	BB	1414	C	C5-C6-N1	10.22	126.11	121.00
26	BB	1596	A	C1'-O4'-C4'	10.22	118.07	109.90
26	BB	1603	A	O4'-C1'-N9	10.22	116.37	108.20
26	BB	763	G	C3'-C2'-C1'	-10.21	93.33	101.50
26	BB	2727	A	O4'-C1'-N9	10.21	116.37	108.20
25	BA	86	G	C6-N1-C2	-10.21	118.97	125.10
26	BB	2472	G	C6-N1-C2	-10.21	118.97	125.10
1	AA	228	A	C3'-C2'-C1'	10.21	109.67	101.50
1	AA	933	G	C8-N9-C4	-10.21	102.31	106.40
26	BB	165	A	C4-C5-N7	-10.21	105.59	110.70
26	BB	944	C	C2-N3-C4	10.21	125.01	119.90
1	AA	509	A	C2-N3-C4	10.21	115.70	110.60
26	BB	879	G	C2-N3-C4	10.21	117.00	111.90
26	BB	1373	A	C5-C6-N1	10.21	122.80	117.70
26	BB	2060	A	N9-C4-C5	10.21	109.88	105.80
26	BB	2652	C	N3-C2-O2	-10.21	114.76	121.90
1	AA	6	G	C2-N3-C4	10.20	117.00	111.90
26	BB	966	G	N7-C8-N9	10.20	118.20	113.10
1	AA	510	A	C4-C5-N7	-10.20	105.60	110.70
1	AA	1331	G	C5-C6-N1	-10.20	106.40	111.50
1	AA	1240	U	N1-C1'-C2'	10.20	127.26	114.00
25	BA	93	C	N3-C4-C5	10.20	125.98	121.90
26	BB	227	A	N1-C6-N6	-10.20	112.48	118.60
26	BB	2577	A	C8-N9-C4	-10.20	101.72	105.80
1	AA	260	G	N3-C4-C5	-10.20	123.50	128.60
26	BB	107	G	C4-C5-N7	10.20	114.88	110.80
1	AA	1036	A	C8-N9-C4	-10.20	101.72	105.80
1	AA	1118	U	N3-C2-O2	-10.20	115.06	122.20
1	AA	1536	C	C6-N1-C2	-10.20	116.22	120.30
1	AA	1291	U	O4'-C1'-N1	10.19	116.35	108.20
26	BB	853	C	N1-C2-O2	10.19	125.02	118.90
26	BB	988	A	N1-C2-N3	-10.19	124.20	129.30
26	BB	2018	G	O4'-C1'-N9	10.19	116.35	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2673	G	N3-C4-C5	-10.19	123.50	128.60
1	AA	529	G	N3-C4-C5	-10.19	123.50	128.60
1	AA	775	G	N3-C4-C5	-10.19	123.50	128.60
1	AA	959	A	C6-N1-C2	-10.19	112.49	118.60
1	AA	1482	G	N3-C4-N9	10.19	132.11	126.00
26	BB	220	G	N9-C4-C5	10.19	109.48	105.40
26	BB	242	G	O4'-C1'-N9	10.19	116.35	108.20
26	BB	1721	G	N7-C8-N9	10.19	118.19	113.10
26	BB	2295	C	O4'-C1'-N1	10.19	116.35	108.20
26	BB	2620	C	N1-C2-O2	10.19	125.01	118.90
1	AA	53	A	C4-C5-C6	-10.19	111.91	117.00
26	BB	678	C	C5-C6-N1	-10.19	115.91	121.00
1	AA	1345	U	C2-N3-C4	-10.19	120.89	127.00
1	AA	1467	C	C6-N1-C2	-10.19	116.23	120.30
1	AA	1526	G	C8-N9-C4	-10.19	102.33	106.40
26	BB	1660	G	C4-C5-N7	-10.19	106.73	110.80
26	BB	2005	A	C2-N3-C4	10.19	115.69	110.60
26	BB	2169	A	C1'-O4'-C4'	10.19	118.05	109.90
26	BB	1696	G	C4-C5-N7	-10.19	106.73	110.80
26	BB	1516	G	C8-N9-C4	-10.18	102.33	106.40
26	BB	1907	G	N1-C6-O6	-10.18	113.79	119.90
1	AA	38	G	O4'-C1'-N9	10.18	116.34	108.20
26	BB	2382	G	O4'-C1'-N9	10.18	116.34	108.20
1	AA	887	G	C6-C5-N7	-10.18	124.29	130.40
1	AA	275	G	N3-C4-N9	10.18	132.10	126.00
1	AA	974	A	C8-N9-C4	-10.18	101.73	105.80
26	BB	465	G	N1-C6-O6	10.18	126.00	119.90
1	AA	601	G	C6-C5-N7	10.17	136.50	130.40
1	AA	1304	G	N3-C4-C5	-10.17	123.51	128.60
26	BB	47	C	N3-C4-C5	-10.17	117.83	121.90
26	BB	482	A	N1-C6-N6	10.17	124.70	118.60
26	BB	543	G	C4-C5-N7	-10.17	106.73	110.80
26	BB	1566	A	O4'-C1'-N9	10.17	116.34	108.20
26	BB	2699	C	N3-C4-C5	-10.17	117.83	121.90
26	BB	2817	U	N1-C2-O2	10.17	129.92	122.80
1	AA	963	G	C5-C6-O6	-10.17	122.50	128.60
1	AA	9	G	C5-C6-N1	10.17	116.58	111.50
1	AA	1229	A	C8-N9-C4	-10.17	101.73	105.80
26	BB	1179	G	C6-N1-C2	-10.17	119.00	125.10
26	BB	1791	A	C5-C6-N1	-10.17	112.61	117.70
26	BB	1816	C	O4'-C1'-N1	10.17	116.34	108.20
1	AA	1187	G	C5-C6-O6	-10.17	122.50	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	520	A	C4-C5-C6	10.17	122.08	117.00
26	BB	2418	A	C2-N3-C4	10.17	115.68	110.60
44	BT	83	TYR	CB-CG-CD2	-10.17	114.90	121.00
26	BB	176	A	C8-N9-C4	-10.16	101.73	105.80
26	BB	2055	C	O4'-C1'-N1	10.16	116.33	108.20
1	AA	104	G	N1-C6-O6	10.16	126.00	119.90
1	AA	116	A	N1-C2-N3	-10.16	124.22	129.30
1	AA	871	U	N3-C2-O2	-10.16	115.09	122.20
1	AA	1439	G	N1-C2-N3	10.16	130.00	123.90
26	BB	1465	G	C4-C5-N7	-10.16	106.73	110.80
26	BB	473	G	C2-N3-C4	10.16	116.98	111.90
26	BB	518	G	O4'-C1'-N9	10.16	116.33	108.20
26	BB	1373	A	C2-N3-C4	10.16	115.68	110.60
26	BB	1385	A	N1-C2-N3	-10.16	124.22	129.30
26	BB	1723	G	C2-N3-C4	10.16	116.98	111.90
1	AA	647	C	C2-N3-C4	10.15	124.98	119.90
1	AA	1375	A	C8-N9-C4	-10.15	101.74	105.80
26	BB	799	G	C4-C5-C6	10.15	124.89	118.80
26	BB	1512	C	C4-C5-C6	-10.15	112.32	117.40
26	BB	1657	U	C4'-C3'-C2'	-10.15	92.44	102.60
26	BB	1679	A	C4-C5-N7	10.15	115.78	110.70
26	BB	2330	G	N3-C2-N2	-10.15	112.79	119.90
1	AA	1408	A	O4'-C1'-N9	10.15	116.32	108.20
25	BA	109	A	N9-C4-C5	-10.15	101.74	105.80
26	BB	2823	A	C3'-C2'-C1'	10.15	109.62	101.50
1	AA	273	U	O4'-C1'-N1	10.15	116.32	108.20
3	AC	46	C	N3-C2-O2	-10.15	114.80	121.90
25	BA	36	C	C5-C4-N4	10.15	127.30	120.20
26	BB	250	G	C5-N7-C8	-10.15	99.23	104.30
26	BB	287	G	N9-C4-C5	10.15	109.46	105.40
26	BB	361	G	O4'-C1'-N9	10.15	116.32	108.20
26	BB	875	G	C4'-C3'-C2'	-10.15	92.45	102.60
26	BB	1822	C	N1-C1'-C2'	-10.14	100.81	114.00
1	AA	546	A	O4'-C1'-N9	10.14	116.31	108.20
1	AA	850	U	C4-C5-C6	10.14	125.78	119.70
1	AA	1343	G	C8-N9-C4	-10.14	102.34	106.40
25	BA	80	U	N3-C4-C5	-10.14	108.52	114.60
26	BB	136	G	N1-C2-N3	-10.14	117.81	123.90
26	BB	1988	G	N7-C8-N9	10.14	118.17	113.10
26	BB	2801	G	N7-C8-N9	10.14	118.17	113.10
26	BB	125	A	O4'-C1'-N9	10.14	116.31	108.20
1	AA	750	C	C5'-C4'-O4'	10.13	121.26	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1343	G	O4'-C1'-N9	10.13	116.31	108.20
26	BB	620	G	O4'-C1'-N9	10.14	116.31	108.20
26	BB	2859	G	C4-C5-N7	-10.13	106.75	110.80
2	AB	52	A	C5-N7-C8	-10.13	98.83	103.90
26	BB	1191	G	O4'-C1'-N9	10.13	116.31	108.20
26	BB	2409	G	C2-N3-C4	10.13	116.97	111.90
26	BB	2852	G	C5-C6-O6	-10.13	122.52	128.60
26	BB	1724	G	N3-C4-N9	10.13	132.08	126.00
26	BB	331	C	N3-C2-O2	-10.13	114.81	121.90
26	BB	517	C	N1-C2-O2	10.13	124.98	118.90
26	BB	1180	U	O4'-C1'-N1	10.13	116.30	108.20
26	BB	1379	U	N3-C4-O4	10.13	126.49	119.40
1	AA	985	C	O4'-C1'-N1	10.12	116.30	108.20
1	AA	1215	G	C8-N9-C4	-10.12	102.35	106.40
26	BB	687	C	C5-C4-N4	10.12	127.29	120.20
26	BB	791	C	C2-N3-C4	10.12	124.96	119.90
26	BB	1033	U	O4'-C1'-N1	10.12	116.30	108.20
26	BB	2604	U	O4'-C1'-N1	10.12	116.30	108.20
1	AA	1219	A	C4-C5-C6	-10.12	111.94	117.00
1	AA	1227	A	O4'-C1'-N9	10.12	116.30	108.20
26	BB	798	G	N1-C6-O6	-10.12	113.83	119.90
26	BB	1801	A	N1-C2-N3	-10.12	124.24	129.30
26	BB	2229	U	N3-C4-C5	-10.12	108.53	114.60
1	AA	119	A	C6-N1-C2	10.12	124.67	118.60
1	AA	1106	G	O4'-C1'-N9	10.12	116.30	108.20
1	AA	1540	U	N1-C2-N3	10.12	120.97	114.90
21	AU	62	ARG	NE-CZ-NH2	-10.12	115.24	120.30
26	BB	822	G	N1-C6-O6	10.12	125.97	119.90
26	BB	1843	C	C5-C6-N1	10.12	126.06	121.00
1	AA	36	C	N3-C4-N4	10.12	125.08	118.00
1	AA	177	G	O4'-C1'-N9	10.12	116.29	108.20
26	BB	2097	A	N9-C4-C5	10.12	109.85	105.80
26	BB	2835	A	N1-C2-N3	-10.11	124.24	129.30
1	AA	132	C	N1-C2-O2	10.11	124.97	118.90
3	AC	55	A	C8-N9-C4	-10.11	101.75	105.80
26	BB	289	G	N9-C4-C5	10.11	109.44	105.40
27	BC	53	ARG	NE-CZ-NH1	10.11	125.36	120.30
39	BO	31	PHE	CB-CG-CD1	-10.11	113.72	120.80
4	AD	5	G	C5-C6-N1	10.11	116.55	111.50
26	BB	199	A	C8-N9-C4	-10.11	101.76	105.80
26	BB	74	A	N9-C4-C5	10.11	109.84	105.80
1	AA	769	G	N3-C4-C5	-10.11	123.55	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1462	C	N3-C2-O2	-10.11	114.83	121.90
26	BB	2038	G	C8-N9-C4	-10.11	102.36	106.40
1	AA	561	U	C5-C6-N1	-10.10	117.65	122.70
1	AA	595	A	N1-C6-N6	-10.10	112.54	118.60
1	AA	742	G	C8-N9-C4	-10.10	102.36	106.40
4	AD	16	C	C2-N3-C4	10.10	124.95	119.90
26	BB	160	A	N7-C8-N9	-10.10	108.75	113.80
1	AA	122	G	C5-N7-C8	10.10	109.35	104.30
26	BB	2158	A	O4'-C1'-N9	10.10	116.28	108.20
26	BB	2357	G	C4'-C3'-C2'	-10.10	92.50	102.60
1	AA	148	G	C5-C6-O6	-10.10	122.54	128.60
26	BB	1019	U	C6-N1-C2	-10.10	114.94	121.00
1	AA	1103	C	C5'-C4'-O4'	10.10	121.22	109.10
24	AX	20	ARG	NE-CZ-NH2	-10.10	115.25	120.30
26	BB	2207	C	N3-C4-C5	-10.10	117.86	121.90
26	BB	101	A	C2-N3-C4	10.10	115.65	110.60
26	BB	737	C	C6-N1-C2	-10.10	116.26	120.30
1	AA	380	G	N3-C4-C5	-10.09	123.55	128.60
1	AA	888	G	C8-N9-C4	-10.09	102.36	106.40
26	BB	2510	C	N3-C4-N4	10.09	125.07	118.00
1	AA	663	A	C6-N1-C2	10.09	124.66	118.60
26	BB	999	U	C6-N1-C2	-10.09	114.94	121.00
1	AA	646	G	N3-C4-N9	10.09	132.05	126.00
3	AC	35	G	N9-C4-C5	10.09	109.44	105.40
26	BB	1892	C	N3-C4-C5	-10.09	117.86	121.90
1	AA	182	A	N7-C8-N9	10.09	118.84	113.80
25	BA	2	G	C8-N9-C4	-10.09	102.36	106.40
26	BB	51	G	C8-N9-C4	-10.09	102.36	106.40
26	BB	1239	G	C5'-C4'-O4'	10.09	121.20	109.10
26	BB	2772	C	C6-N1-C2	-10.09	116.27	120.30
37	BM	80	ASP	CB-CG-OD1	-10.09	109.22	118.30
1	AA	651	C	N3-C4-C5	10.08	125.93	121.90
26	BB	750	A	C2-N3-C4	10.08	115.64	110.60
26	BB	867	C	N1-C2-O2	10.08	124.95	118.90
26	BB	1905	C	P-O3'-C3'	10.08	131.80	119.70
26	BB	2024	G	O4'-C1'-N9	10.08	116.27	108.20
26	BB	2701	U	C2-N3-C4	-10.08	120.95	127.00
1	AA	319	G	C5'-C4'-O4'	10.08	121.20	109.10
1	AA	371	A	C8-N9-C4	-10.08	101.77	105.80
1	AA	778	G	C4-C5-N7	10.08	114.83	110.80
4	AD	5	G	C4-C5-N7	10.08	114.83	110.80
26	BB	615	U	C5-C6-N1	-10.08	117.66	122.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2177	C	O4'-C1'-N1	10.08	116.26	108.20
26	BB	990	A	C8-N9-C4	-10.08	101.77	105.80
26	BB	1735	A	N1-C2-N3	-10.08	124.26	129.30
43	BS	24	TYR	CB-CG-CD1	-10.08	114.95	121.00
2	AB	25	C	O4'-C1'-N1	10.07	116.26	108.20
26	BB	678	C	N3-C4-C5	-10.07	117.87	121.90
1	AA	1375	A	C4'-C3'-C2'	-10.07	92.53	102.60
38	BN	47	ARG	NE-CZ-NH1	10.07	125.34	120.30
2	AB	40	C	C6-N1-C2	-10.07	116.27	120.30
25	BA	119	A	O4'-C1'-N9	10.07	116.26	108.20
26	BB	113	U	O4'-C1'-N1	10.07	116.26	108.20
26	BB	1399	C	O4'-C1'-N1	10.07	116.26	108.20
26	BB	1645	G	N3-C4-C5	-10.07	123.56	128.60
1	AA	134	G	C8-N9-C4	-10.07	102.37	106.40
1	AA	1280	A	N9-C4-C5	-10.07	101.77	105.80
1	AA	1374	A	N9-C1'-C2'	-10.07	100.91	114.00
26	BB	283	G	O4'-C1'-N9	10.07	116.26	108.20
46	BV	77	ARG	NE-CZ-NH1	-10.07	115.27	120.30
1	AA	578	C	N3-C4-C5	-10.07	117.87	121.90
1	AA	693	G	C5-C6-N1	-10.07	106.47	111.50
1	AA	805	C	C6-N1-C2	-10.07	116.27	120.30
1	AA	965	U	N1-C2-O2	10.07	129.85	122.80
26	BB	302	C	C6-N1-C2	10.07	124.33	120.30
26	BB	786	C	C6-N1-C2	10.07	124.33	120.30
26	BB	1985	C	O4'-C1'-N1	10.07	116.25	108.20
26	BB	2665	A	C1'-O4'-C4'	-10.07	101.85	109.90
56	B5	14	ARG	NE-CZ-NH2	-10.07	115.27	120.30
1	AA	567	G	C5-C6-N1	10.06	116.53	111.50
26	BB	762	U	O4'-C1'-N1	10.06	116.25	108.20
26	BB	2317	A	N3-C4-C5	-10.06	119.76	126.80
26	BB	2671	G	C4-C5-N7	-10.06	106.78	110.80
26	BB	2891	U	C6-N1-C2	-10.06	114.96	121.00
1	AA	276	G	N3-C4-N9	10.06	132.04	126.00
1	AA	805	C	O4'-C1'-N1	10.06	116.25	108.20
1	AA	948	C	C6-N1-C2	10.06	124.32	120.30
1	AA	189	A	N7-C8-N9	10.06	118.83	113.80
1	AA	208	U	C5-C6-N1	-10.06	117.67	122.70
12	AL	11	ARG	NE-CZ-NH1	10.06	125.33	120.30
26	BB	1281	G	C8-N9-C4	-10.06	102.38	106.40
26	BB	1857	G	C5-N7-C8	-10.06	99.27	104.30
26	BB	1872	A	C8-N9-C4	-10.06	101.78	105.80
1	AA	156	C	O4'-C1'-N1	10.05	116.24	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	530	G	C5-N7-C8	10.05	109.33	104.30
25	BA	36	C	N3-C4-C5	-10.05	117.88	121.90
26	BB	1104	C	N1-C2-O2	10.05	124.93	118.90
26	BB	1324	G	C4-C5-N7	10.05	114.82	110.80
26	BB	2076	U	O4'-C1'-N1	10.05	116.24	108.20
26	BB	1471	G	N3-C4-C5	-10.05	123.57	128.60
26	BB	2099	U	N3-C4-C5	-10.05	108.57	114.60
26	BB	2839	G	C5'-C4'-O4'	10.05	121.16	109.10
1	AA	165	G	N9-C4-C5	10.05	109.42	105.40
26	BB	1496	A	C4-C5-N7	10.05	115.73	110.70
1	AA	399	G	N3-C4-C5	-10.05	123.58	128.60
1	AA	929	G	N3-C4-C5	-10.05	123.58	128.60
1	AA	1144	G	N7-C8-N9	10.05	118.12	113.10
26	BB	936	A	C2-N3-C4	10.05	115.62	110.60
26	BB	1167	C	N3-C4-C5	-10.05	117.88	121.90
26	BB	1239	G	C8-N9-C4	-10.05	102.38	106.40
26	BB	2764	A	C5-N7-C8	10.05	108.92	103.90
1	AA	230	G	C6-C5-N7	-10.05	124.37	130.40
1	AA	376	G	O4'-C4'-C3'	10.05	114.14	106.10
1	AA	1157	A	C3'-C2'-C1'	10.05	109.54	101.50
26	BB	181	A	C5-N7-C8	10.05	108.92	103.90
1	AA	578	C	N1-C2-O2	10.04	124.93	118.90
26	BB	381	G	O4'-C1'-N9	10.05	116.24	108.20
26	BB	997	G	N1-C6-O6	10.05	125.93	119.90
26	BB	1580	A	C5-N7-C8	-10.05	98.88	103.90
26	BB	279	A	O4'-C4'-C3'	10.04	114.14	106.10
26	BB	2535	G	N3-C2-N2	10.04	126.93	119.90
1	AA	82	G	C5-C6-O6	-10.04	122.57	128.60
1	AA	848	C	N3-C4-N4	10.04	125.03	118.00
1	AA	871	U	O4'-C1'-N1	10.04	116.23	108.20
26	BB	378	C	O4'-C1'-N1	10.04	116.23	108.20
26	BB	1682	G	C6-C5-N7	-10.04	124.37	130.40
1	AA	38	G	C6-C5-N7	10.04	136.42	130.40
28	BD	68	ARG	NE-CZ-NH1	10.04	125.32	120.30
1	AA	458	U	N3-C4-C5	-10.04	108.58	114.60
1	AA	862	C	N3-C2-O2	-10.04	114.87	121.90
1	AA	1163	A	O4'-C1'-N9	10.04	116.23	108.20
1	AA	1302	C	O4'-C1'-N1	10.04	116.23	108.20
26	BB	2087	G	N7-C8-N9	10.04	118.12	113.10
26	BB	383	C	C2-N3-C4	10.04	124.92	119.90
26	BB	387	U	O4'-C1'-N1	10.04	116.23	108.20
26	BB	149	A	P-O3'-C3'	10.04	131.74	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1608	A	C4-C5-C6	-10.04	111.98	117.00
26	BB	2279	G	O4'-C1'-N9	10.04	116.23	108.20
4	AD	11	A	C5-C6-N1	10.03	122.72	117.70
26	BB	1407	G	C2-N3-C4	10.04	116.92	111.90
26	BB	1537	G	C4-C5-N7	-10.03	106.79	110.80
26	BB	2040	G	N3-C4-N9	10.04	132.02	126.00
26	BB	2339	C	C6-N1-C2	-10.04	116.29	120.30
1	AA	82	G	N1-C6-O6	10.03	125.92	119.90
26	BB	2094	A	C2-N3-C4	10.03	115.62	110.60
26	BB	853	C	C5-C6-N1	10.03	126.02	121.00
26	BB	935	C	O4'-C1'-N1	10.03	116.22	108.20
26	BB	1033	U	N3-C4-O4	10.03	126.42	119.40
26	BB	1476	U	N3-C2-O2	-10.03	115.18	122.20
26	BB	2573	C	C5-C4-N4	10.03	127.22	120.20
26	BB	2599	G	O4'-C1'-N9	10.03	116.22	108.20
1	AA	1	A	N1-C2-N3	-10.03	124.29	129.30
1	AA	583	A	C5-C6-N1	10.03	122.71	117.70
1	AA	587	G	C4-C5-N7	-10.03	106.79	110.80
1	AA	1435	G	C3'-C2'-C1'	10.03	109.52	101.50
2	AB	5	G	C6-N1-C2	-10.03	119.08	125.10
3	AC	30	U	O4'-C1'-N1	10.03	116.22	108.20
26	BB	48	G	N1-C6-O6	10.03	125.92	119.90
26	BB	90	U	O4'-C1'-N1	10.03	116.22	108.20
26	BB	698	C	N3-C4-C5	10.03	125.91	121.90
26	BB	1327	A	O4'-C1'-N9	10.03	116.22	108.20
26	BB	2136	G	C5'-C4'-O4'	10.03	121.13	109.10
26	BB	2684	U	C5-C4-O4	-10.03	119.88	125.90
26	BB	1609	A	C2-N3-C4	-10.02	105.59	110.60
26	BB	2565	A	C5-N7-C8	-10.02	98.89	103.90
26	BB	2829	A	N9-C1'-C2'	-10.02	100.97	114.00
26	BB	2062	A	O4'-C1'-N9	10.02	116.22	108.20
1	AA	324	G	C2-N3-C4	10.02	116.91	111.90
1	AA	419	C	N3-C2-O2	-10.02	114.89	121.90
26	BB	1124	G	C3'-C2'-C1'	10.02	109.52	101.50
39	BO	38	ARG	NE-CZ-NH2	-10.02	115.29	120.30
26	BB	558	U	N1-C2-N3	10.02	120.91	114.90
26	BB	1529	G	C6-C5-N7	-10.02	124.39	130.40
26	BB	611	C	C1'-O4'-C4'	-10.02	101.89	109.90
1	AA	537	G	C3'-C2'-C1'	-10.01	93.49	101.50
26	BB	979	A	C6-N1-C2	-10.01	112.59	118.60
1	AA	87	C	C3'-C2'-C1'	10.01	109.51	101.50
1	AA	173	U	P-O3'-C3'	10.01	131.71	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	259	G	O4'-C1'-N9	10.01	116.21	108.20
26	BB	2627	G	O4'-C1'-N9	10.01	116.21	108.20
3	AC	34	U	O4'-C1'-N1	10.01	116.21	108.20
26	BB	1235	G	O4'-C1'-N9	10.01	116.21	108.20
26	BB	1462	C	O4'-C1'-C2'	10.01	116.61	107.60
26	BB	482	A	C5-C6-N6	-10.01	115.69	123.70
26	BB	2304	G	N3-C4-N9	10.01	132.00	126.00
26	BB	780	G	C8-N9-C4	-10.01	102.40	106.40
26	BB	1037	G	N3-C4-C5	-10.01	123.60	128.60
26	BB	107	G	C5-N7-C8	-10.00	99.30	104.30
1	AA	670	G	C8-N9-C4	-10.00	102.40	106.40
26	BB	2416	C	N3-C4-C5	10.00	125.90	121.90
1	AA	1060	U	C4'-C3'-C2'	-10.00	92.60	102.60
26	BB	1232	G	O4'-C1'-N9	10.00	116.20	108.20
2	AB	3	G	N3-C2-N2	-10.00	112.90	119.90
26	BB	415	A	N7-C8-N9	10.00	118.80	113.80
1	AA	45	G	N3-C4-N9	9.99	132.00	126.00
1	AA	860	A	O4'-C1'-N9	9.99	116.19	108.20
26	BB	707	G	C5-N7-C8	9.99	109.30	104.30
26	BB	2166	U	C4-C5-C6	9.99	125.70	119.70
1	AA	748	G	N3-C4-C5	-9.99	123.61	128.60
26	BB	417	C	N3-C4-C5	9.99	125.90	121.90
26	BB	1479	G	N3-C4-C5	-9.99	123.61	128.60
1	AA	281	G	C4-C5-C6	9.99	124.79	118.80
26	BB	716	A	N1-C6-N6	-9.99	112.61	118.60
26	BB	2068	U	C1'-O4'-C4'	-9.99	101.91	109.90
26	BB	1389	G	C2-N3-C4	9.99	116.89	111.90
1	AA	45	G	N3-C4-C5	-9.98	123.61	128.60
1	AA	1444	U	O4'-C1'-N1	9.98	116.19	108.20
26	BB	2375	G	C2-N3-C4	9.98	116.89	111.90
43	BS	27	ARG	NE-CZ-NH2	-9.98	115.31	120.30
1	AA	779	C	C5-C6-N1	9.98	125.99	121.00
1	AA	1318	A	C8-N9-C4	-9.98	101.81	105.80
26	BB	1238	G	N9-C4-C5	9.98	109.39	105.40
26	BB	2773	C	O4'-C1'-N1	9.98	116.18	108.20
4	AD	16	C	N1-C2-O2	9.98	124.89	118.90
1	AA	987	G	C8-N9-C4	-9.98	102.41	106.40
25	BA	18	G	N1-C6-O6	-9.98	113.91	119.90
26	BB	600	G	C5-N7-C8	-9.98	99.31	104.30
26	BB	1424	G	N3-C4-C5	9.97	133.59	128.60
1	AA	1017	U	O4'-C1'-N1	9.97	116.18	108.20
1	AA	411	A	N1-C6-N6	-9.97	112.62	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1272	A	C5-C6-N1	9.97	122.69	117.70
1	AA	434	U	O4'-C1'-N1	9.97	116.17	108.20
1	AA	1166	G	O4'-C1'-N9	9.97	116.17	108.20
26	BB	204	A	C8-N9-C4	-9.97	101.81	105.80
1	AA	525	C	N1-C2-O2	9.96	124.88	118.90
26	BB	2884	U	O4'-C1'-N1	9.97	116.17	108.20
26	BB	119	A	O4'-C1'-N9	9.96	116.17	108.20
26	BB	1153	C	N3-C4-N4	9.96	124.97	118.00
26	BB	1583	A	C3'-C2'-C1'	-9.96	93.53	101.50
26	BB	1776	G	N7-C8-N9	9.96	118.08	113.10
26	BB	1818	U	O4'-C1'-N1	9.96	116.17	108.20
1	AA	361	G	C6-N1-C2	-9.96	119.13	125.10
1	AA	937	A	N9-C4-C5	9.96	109.78	105.80
1	AA	1156	G	C6-C5-N7	-9.96	124.43	130.40
26	BB	618	G	C4-C5-N7	9.95	114.78	110.80
1	AA	61	G	O4'-C1'-N9	9.95	116.16	108.20
1	AA	436	C	N1-C2-N3	-9.95	112.23	119.20
26	BB	522	A	N9-C4-C5	9.95	109.78	105.80
26	BB	2655	G	C1'-O4'-C4'	-9.95	101.94	109.90
26	BB	1068	G	C6-C5-N7	-9.95	124.43	130.40
26	BB	1988	G	N9-C4-C5	9.95	109.38	105.40
26	BB	2709	G	O4'-C1'-N9	9.95	116.16	108.20
1	AA	791	G	C5-N7-C8	-9.95	99.33	104.30
2	AB	27	C	O4'-C1'-N1	9.95	116.16	108.20
26	BB	133	U	O4'-C1'-N1	9.95	116.16	108.20
1	AA	1181	G	C8-N9-C4	-9.95	102.42	106.40
26	BB	331	C	N1-C2-O2	9.95	124.87	118.90
26	BB	420	C	O4'-C1'-N1	9.95	116.16	108.20
26	BB	1849	G	O4'-C1'-N9	9.95	116.16	108.20
26	BB	2900	A	N7-C8-N9	9.95	118.78	113.80
1	AA	959	A	C4-C5-C6	-9.95	112.03	117.00
1	AA	1119	C	O4'-C1'-N1	9.95	116.16	108.20
25	BA	107	G	C5-C6-O6	-9.95	122.63	128.60
26	BB	1929	G	O4'-C1'-N9	9.95	116.16	108.20
26	BB	2382	G	C8-N9-C4	-9.95	102.42	106.40
26	BB	1910	G	N7-C8-N9	9.95	118.07	113.10
26	BB	2209	G	N1-C6-O6	-9.94	113.93	119.90
26	BB	531	C	C3'-C2'-C1'	-9.94	93.55	101.50
26	BB	1285	A	N1-C2-N3	-9.94	124.33	129.30
26	BB	1449	G	N7-C8-N9	-9.94	108.13	113.10
26	BB	2207	C	C5'-C4'-O4'	9.94	121.03	109.10
1	AA	425	G	O4'-C1'-N9	9.94	116.15	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1250	A	C8-N9-C4	-9.94	101.82	105.80
26	BB	728	G	N1-C6-O6	-9.94	113.94	119.90
26	BB	1580	A	O4'-C1'-N9	9.94	116.15	108.20
25	BA	108	A	N1-C6-N6	-9.94	112.64	118.60
26	BB	572	A	C8-N9-C4	-9.94	101.83	105.80
1	AA	455	G	C5-C6-O6	-9.93	122.64	128.60
1	AA	1016	A	O4'-C1'-N9	9.93	116.15	108.20
1	AA	1462	C	C5-C6-N1	9.93	125.97	121.00
26	BB	212	G	N3-C4-C5	-9.93	123.63	128.60
26	BB	1331	G	C4-C5-N7	-9.93	106.83	110.80
26	BB	2652	C	N1-C2-O2	9.93	124.86	118.90
26	BB	2857	G	C2-N3-C4	9.93	116.87	111.90
26	BB	1361	G	C2-N3-C4	-9.93	106.94	111.90
26	BB	2114	A	N7-C8-N9	9.93	118.77	113.80
26	BB	2331	G	N9-C4-C5	-9.93	101.43	105.40
1	AA	333	U	P-O3'-C3'	9.93	131.61	119.70
1	AA	938	A	C6-C5-N7	9.93	139.25	132.30
1	AA	579	A	C8-N9-C4	-9.92	101.83	105.80
1	AA	1331	G	C6-C5-N7	-9.92	124.45	130.40
1	AA	1489	G	N3-C4-N9	9.92	131.95	126.00
26	BB	815	C	N3-C4-C5	-9.92	117.93	121.90
26	BB	930	G	C6-C5-N7	-9.92	124.45	130.40
26	BB	1555	G	C4'-C3'-C2'	-9.92	92.68	102.60
1	AA	325	A	C8-N9-C4	-9.92	101.83	105.80
26	BB	991	C	C2-N3-C4	9.92	124.86	119.90
26	BB	1274	A	N1-C6-N6	9.92	124.55	118.60
26	BB	1384	A	C6-C5-N7	9.92	139.24	132.30
26	BB	2512	C	N3-C4-N4	9.92	124.94	118.00
1	AA	422	C	O4'-C1'-N1	9.92	116.13	108.20
26	BB	577	G	N1-C6-O6	-9.92	113.95	119.90
26	BB	1879	C	N3-C4-N4	9.92	124.94	118.00
26	BB	2266	A	N9-C4-C5	9.92	109.77	105.80
26	BB	2562	U	O4'-C1'-N1	9.92	116.13	108.20
26	BB	1051	G	C8-N9-C4	-9.91	102.43	106.40
26	BB	2052	A	N7-C8-N9	-9.91	108.84	113.80
1	AA	1219	A	O4'-C1'-N9	9.91	116.13	108.20
1	AA	1517	G	C8-N9-C4	-9.91	102.44	106.40
26	BB	2521	C	C2-N3-C4	9.91	124.86	119.90
12	AL	89	TYR	CB-CG-CD1	-9.91	115.05	121.00
26	BB	2619	C	N3-C4-N4	-9.91	111.06	118.00
26	BB	1649	G	C8-N9-C4	-9.91	102.44	106.40
26	BB	1843	C	C6-N1-C2	-9.91	116.34	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	795	C	N3-C2-O2	-9.91	114.96	121.90
1	AA	120	A	O4'-C4'-C3'	9.91	114.03	106.10
26	BB	415	A	C8-N9-C4	-9.91	101.84	105.80
26	BB	1817	G	N7-C8-N9	9.91	118.05	113.10
26	BB	1107	G	C5-C6-O6	-9.91	122.66	128.60
1	AA	988	G	C5-C6-N1	9.90	116.45	111.50
26	BB	646	U	C5-C6-N1	-9.90	117.75	122.70
1	AA	615	G	C6-C5-N7	-9.90	124.46	130.40
26	BB	1382	G	N3-C4-C5	-9.90	123.65	128.60
26	BB	2263	C	N1-C2-O2	9.90	124.84	118.90
1	AA	108	G	C5-N7-C8	-9.90	99.35	104.30
1	AA	830	G	C5-C6-O6	-9.90	122.66	128.60
1	AA	438	U	O4'-C1'-N1	9.90	116.12	108.20
25	BA	47	C	C4-C5-C6	9.90	122.35	117.40
26	BB	2008	C	C4-C5-C6	-9.90	112.45	117.40
26	BB	2468	A	N9-C4-C5	-9.90	101.84	105.80
1	AA	376	G	C4'-C3'-C2'	-9.90	92.70	102.60
1	AA	490	C	O4'-C1'-N1	9.90	116.12	108.20
1	AA	691	G	C5-C6-O6	-9.90	122.66	128.60
26	BB	101	A	C5-N7-C8	9.90	108.85	103.90
26	BB	2803	G	N9-C4-C5	-9.90	101.44	105.40
26	BB	301	G	C2-N3-C4	9.90	116.85	111.90
26	BB	818	G	C2-N3-C4	9.90	116.85	111.90
26	BB	2062	A	C2-N3-C4	9.90	115.55	110.60
1	AA	677	U	C5-C6-N1	-9.89	117.75	122.70
2	AB	10	G	O4'-C1'-N9	9.89	116.12	108.20
26	BB	223	A	O4'-C1'-N9	-9.89	100.28	108.20
26	BB	2369	A	C4-C5-C6	-9.89	112.05	117.00
1	AA	987	G	N7-C8-N9	9.89	118.05	113.10
26	BB	1625	C	N3-C4-C5	-9.89	117.94	121.90
26	BB	1918	A	C5-C6-N1	9.89	122.65	117.70
1	AA	1156	G	C2-N3-C4	-9.89	106.95	111.90
26	BB	1521	G	C2-N3-C4	9.89	116.84	111.90
26	BB	1718	G	C2-N3-C4	9.89	116.84	111.90
26	BB	2903	U	O4'-C1'-N1	9.89	116.11	108.20
25	BA	34	A	C5-N7-C8	-9.88	98.96	103.90
26	BB	400	G	N3-C4-C5	-9.88	123.66	128.60
26	BB	758	C	N3-C4-N4	9.88	124.92	118.00
26	BB	940	G	N1-C6-O6	-9.88	113.97	119.90
26	BB	1972	G	N3-C4-N9	-9.88	120.07	126.00
1	AA	59	A	N9-C1'-C2'	-9.88	101.13	112.00
1	AA	146	G	C5-C6-N1	9.88	116.44	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	425	G	C5'-C4'-O4'	9.88	120.96	109.10
1	AA	1137	C	N3-C4-C5	-9.88	117.95	121.90
25	BA	112	G	N7-C8-N9	9.88	118.04	113.10
26	BB	923	G	C5-N7-C8	-9.88	99.36	104.30
26	BB	1272	A	C4-C5-C6	-9.88	112.06	117.00
26	BB	1471	G	C2-N3-C4	9.88	116.84	111.90
26	BB	1670	C	C3'-C2'-C1'	9.88	109.41	101.50
26	BB	1826	G	C6-C5-N7	-9.88	124.47	130.40
26	BB	2481	G	C4-C5-N7	-9.88	106.85	110.80
1	AA	1094	G	N3-C4-C5	-9.88	123.66	128.60
3	AC	55	A	N9-C4-C5	9.88	109.75	105.80
26	BB	1238	G	O4'-C1'-N9	9.88	116.10	108.20
26	BB	1870	C	N1-C2-O2	9.88	124.83	118.90
26	BB	1764	C	N1-C1'-C2'	-9.88	101.14	112.00
1	AA	1459	G	C2-N3-C4	9.88	116.84	111.90
26	BB	2684	U	N3-C4-O4	9.88	126.31	119.40
26	BB	401	A	C1'-O4'-C4'	-9.87	102.00	109.90
26	BB	876	C	N1-C2-O2	9.87	124.82	118.90
26	BB	2789	C	N1-C2-O2	9.87	124.82	118.90
50	BZ	17	ARG	NE-CZ-NH1	-9.87	115.36	120.30
1	AA	1231	G	C4'-C3'-C2'	-9.87	92.73	102.60
26	BB	2539	C	O4'-C1'-N1	9.87	116.09	108.20
1	AA	867	G	N3-C4-C5	-9.87	123.67	128.60
26	BB	507	A	C2-N3-C4	9.87	115.53	110.60
26	BB	930	G	C2-N3-C4	9.87	116.83	111.90
1	AA	1032	G	N3-C4-C5	-9.86	123.67	128.60
2	AB	39	A	C2-N3-C4	9.86	115.53	110.60
26	BB	685	A	N7-C8-N9	9.86	118.73	113.80
26	BB	991	C	N3-C4-N4	9.87	124.91	118.00
26	BB	251	A	C8-N9-C4	-9.86	101.86	105.80
26	BB	915	C	N3-C4-N4	9.86	124.90	118.00
26	BB	1163	G	N3-C2-N2	-9.86	113.00	119.90
26	BB	488	G	C8-N9-C4	-9.86	102.46	106.40
26	BB	2789	C	C6-N1-C2	-9.86	116.36	120.30
26	BB	2198	A	N7-C8-N9	9.86	118.73	113.80
26	BB	2870	C	N3-C4-C5	-9.86	117.96	121.90
26	BB	2340	A	C8-N9-C4	-9.85	101.86	105.80
4	AD	2	G	C2-N3-C4	9.85	116.83	111.90
26	BB	134	G	C6-N1-C2	-9.85	119.19	125.10
26	BB	517	C	C2-N3-C4	9.85	124.83	119.90
26	BB	1616	A	C5-C6-N6	-9.85	115.82	123.70
1	AA	31	G	O4'-C4'-C3'	9.85	113.98	106.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2123	G	N3-C2-N2	-9.85	113.00	119.90
1	AA	894	G	C2-N3-C4	-9.85	106.98	111.90
1	AA	1339	A	C5-N7-C8	-9.85	98.98	103.90
26	BB	2418	A	N1-C2-N3	-9.85	124.38	129.30
1	AA	223	A	N1-C6-N6	9.85	124.51	118.60
1	AA	1135	U	O4'-C1'-N1	9.84	116.07	108.20
26	BB	1139	G	N3-C4-C5	-9.84	123.68	128.60
26	BB	2065	C	O4'-C1'-N1	9.84	116.07	108.20
26	BB	2894	G	N7-C8-N9	9.84	118.02	113.10
1	AA	759	A	N7-C8-N9	-9.84	108.88	113.80
1	AA	1238	A	N7-C8-N9	9.84	118.72	113.80
26	BB	816	C	N3-C4-C5	-9.84	117.96	121.90
1	AA	1455	G	C8-N9-C4	9.84	110.33	106.40
26	BB	1205	A	C3'-C2'-C1'	-9.84	93.63	101.50
26	BB	1849	G	C6-N1-C2	-9.84	119.20	125.10
1	AA	749	A	O4'-C1'-N9	9.84	116.07	108.20
26	BB	1645	G	C2-N3-C4	9.84	116.82	111.90
26	BB	2582	G	C4-C5-N7	9.84	114.73	110.80
26	BB	325	G	N9-C4-C5	9.84	109.33	105.40
1	AA	491	G	C4-C5-N7	-9.83	106.87	110.80
1	AA	610	U	O4'-C1'-N1	9.83	116.07	108.20
3	AC	30	U	C5-C4-O4	-9.83	120.00	125.90
1	AA	932	C	N1-C2-O2	9.83	124.80	118.90
13	AM	48	ARG	NE-CZ-NH2	-9.83	115.38	120.30
26	BB	1020	A	N1-C2-N3	-9.83	124.39	129.30
26	BB	1615	C	C4-C5-C6	-9.83	112.48	117.40
26	BB	578	G	C8-N9-C4	-9.83	102.47	106.40
26	BB	1764	C	O4'-C1'-N1	9.83	116.06	108.20
26	BB	1802	A	N7-C8-N9	9.83	118.71	113.80
26	BB	1963	U	C2-N3-C4	-9.83	121.10	127.00
26	BB	439	A	O4'-C1'-N9	9.82	116.06	108.20
4	AD	7	G	N3-C4-C5	-9.82	123.69	128.60
26	BB	1339	G	C8-N9-C4	-9.82	102.47	106.40
1	AA	489	C	C6-N1-C2	-9.82	116.37	120.30
26	BB	610	C	N3-C2-O2	-9.82	115.03	121.90
26	BB	2645	G	C2-N3-C4	9.82	116.81	111.90
1	AA	26	A	C1'-O4'-C4'	-9.82	102.05	109.90
1	AA	46	G	N7-C8-N9	9.82	118.01	113.10
26	BB	1095	A	C3'-C2'-C1'	9.82	109.35	101.50
26	BB	733	G	N3-C4-C5	-9.82	123.69	128.60
1	AA	805	C	N3-C4-C5	-9.81	117.97	121.90
4	AD	34	U	N1-C2-N3	9.81	120.79	114.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	668	A	C8-N9-C4	9.81	109.73	105.80
25	BA	69	G	C4-C5-N7	-9.81	106.88	110.80
26	BB	1071	G	N9-C4-C5	9.81	109.33	105.40
26	BB	2239	G	N7-C8-N9	9.81	118.01	113.10
50	BZ	71	ARG	NE-CZ-NH2	-9.81	115.39	120.30
26	BB	2278	A	C5-C6-N6	-9.81	115.85	123.70
26	BB	2787	C	N3-C4-C5	9.81	125.83	121.90
1	AA	1276	G	C5-N7-C8	-9.81	99.39	104.30
1	AA	1391	U	C4-C5-C6	9.81	125.59	119.70
2	AB	47	U	N3-C2-O2	-9.81	115.33	122.20
25	BA	47	C	N1-C2-O2	9.81	124.79	118.90
26	BB	295	G	N3-C4-C5	-9.81	123.69	128.60
26	BB	1073	A	C5-N7-C8	9.81	108.81	103.90
26	BB	1774	C	C2-N3-C4	9.81	124.81	119.90
1	AA	228	A	C6-N1-C2	9.81	124.49	118.60
28	BD	270	ARG	NE-CZ-NH1	-9.81	115.40	120.30
1	AA	473	U	C5-C6-N1	9.81	127.60	122.70
26	BB	780	G	C5-C6-O6	-9.81	122.72	128.60
26	BB	2115	G	N3-C4-C5	-9.81	123.70	128.60
26	BB	2719	G	C6-N1-C2	-9.80	119.22	125.10
26	BB	222	A	N1-C2-N3	-9.80	124.40	129.30
26	BB	825	A	C8-N9-C4	-9.80	101.88	105.80
26	BB	1771	C	O4'-C1'-N1	9.80	116.04	108.20
1	AA	359	G	O4'-C1'-N9	9.80	116.04	108.20
26	BB	48	G	N3-C4-C5	-9.80	123.70	128.60
26	BB	1535	A	C8-N9-C4	-9.80	101.88	105.80
26	BB	2073	C	N3-C4-N4	9.80	124.86	118.00
1	AA	381	C	C3'-C2'-C1'	9.80	109.34	101.50
1	AA	755	G	C8-N9-C4	-9.80	102.48	106.40
26	BB	960	A	N7-C8-N9	9.80	118.70	113.80
26	BB	1173	U	C4-C5-C6	9.80	125.58	119.70
26	BB	1638	C	C4-C5-C6	9.80	122.30	117.40
26	BB	1750	G	N3-C4-C5	-9.80	123.70	128.60
26	BB	1926	U	O4'-C1'-N1	9.80	116.04	108.20
26	BB	2009	A	N9-C4-C5	9.80	109.72	105.80
1	AA	125	U	O4'-C1'-N1	9.79	116.04	108.20
1	AA	853	C	N3-C4-C5	9.80	125.82	121.90
26	BB	2631	G	N3-C4-C5	-9.80	123.70	128.60
1	AA	352	C	C6-N1-C2	-9.79	116.38	120.30
1	AA	429	U	C5-C6-N1	-9.79	117.80	122.70
26	BB	468	G	N1-C2-N2	9.79	125.02	116.20
26	BB	2507	C	N1-C2-O2	9.79	124.78	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	68	C	N1-C2-O2	9.79	124.78	118.90
25	BA	41	G	N1-C2-N3	-9.79	118.02	123.90
26	BB	367	G	C4-C5-C6	9.79	124.68	118.80
26	BB	862	G	N1-C6-O6	-9.79	114.03	119.90
26	BB	2332	C	C5-C6-N1	9.79	125.89	121.00
1	AA	1062	U	N3-C2-O2	-9.79	115.35	122.20
4	AD	27	G	N3-C2-N2	9.79	126.75	119.90
26	BB	1178	C	C4-C5-C6	9.79	122.30	117.40
26	BB	1979	U	N3-C4-O4	9.79	126.25	119.40
26	BB	1989	G	C3'-C2'-C1'	-9.79	93.67	101.50
26	BB	2190	G	C8-N9-C4	-9.79	102.48	106.40
26	BB	2191	A	N1-C2-N3	-9.79	124.41	129.30
26	BB	2543	G	C5'-C4'-O4'	9.79	120.84	109.10
26	BB	2695	U	O4'-C1'-N1	9.78	116.03	108.20
37	BM	98	ARG	NE-CZ-NH2	-9.78	115.41	120.30
1	AA	421	U	C3'-C2'-C1'	9.78	109.33	101.50
14	AN	76	TYR	CB-CG-CD1	-9.78	115.13	121.00
26	BB	1608	A	C6-C5-N7	9.78	139.15	132.30
26	BB	2282	G	N9-C4-C5	9.78	109.31	105.40
1	AA	397	A	C5-N7-C8	9.78	108.79	103.90
26	BB	2859	G	N3-C4-C5	-9.78	123.71	128.60
1	AA	1195	C	N3-C4-N4	9.78	124.84	118.00
26	BB	1533	C	N3-C4-N4	9.78	124.84	118.00
26	BB	2368	C	C4-C5-C6	-9.78	112.51	117.40
1	AA	776	G	C4-C5-N7	9.78	114.71	110.80
26	BB	570	G	O4'-C4'-C3'	9.78	113.92	106.10
26	BB	1225	G	N9-C4-C5	9.78	109.31	105.40
26	BB	1992	G	C1'-O4'-C4'	9.78	117.72	109.90
26	BB	2796	U	C5-C4-O4	-9.78	120.03	125.90
1	AA	79	G	N3-C4-C5	-9.77	123.72	128.60
1	AA	917	G	N3-C4-C5	-9.77	123.71	128.60
26	BB	436	C	C2-N3-C4	-9.77	115.01	119.90
26	BB	548	G	C6-N1-C2	-9.77	119.24	125.10
26	BB	900	A	P-O3'-C3'	9.77	131.43	119.70
26	BB	2757	A	C8-N9-C4	-9.77	101.89	105.80
1	AA	1044	A	N1-C6-N6	9.77	124.46	118.60
1	AA	1455	G	N9-C4-C5	-9.77	101.49	105.40
25	BA	30	C	N3-C4-C5	-9.77	117.99	121.90
26	BB	409	G	N3-C4-C5	-9.77	123.72	128.60
26	BB	566	U	C3'-C2'-C1'	9.77	109.31	101.50
26	BB	1059	G	N1-C2-N3	-9.77	118.04	123.90
26	BB	1793	C	C4-C5-C6	9.77	122.28	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2489	U	C4-C5-C6	9.77	125.56	119.70
44	BT	83	TYR	CB-CG-CD1	9.77	126.86	121.00
3	AC	16	A	N1-C2-N3	-9.77	124.42	129.30
1	AA	565	U	C5-C4-O4	-9.77	120.04	125.90
26	BB	514	A	C3'-C2'-C1'	9.77	109.31	101.50
26	BB	2660	A	C5-C6-N1	9.77	122.58	117.70
1	AA	48	C	N3-C4-C5	-9.76	118.00	121.90
1	AA	6	G	C8-N9-C4	-9.76	102.50	106.40
26	BB	524	G	N3-C4-N9	9.76	131.86	126.00
26	BB	1931	U	N3-C2-O2	-9.76	115.37	122.20
26	BB	557	C	C6-N1-C2	-9.76	116.40	120.30
26	BB	1781	U	N3-C2-O2	-9.76	115.37	122.20
26	BB	1840	G	C6-N1-C2	-9.76	119.25	125.10
26	BB	478	A	C5-N7-C8	-9.76	99.02	103.90
26	BB	1265	A	N1-C2-N3	9.76	134.18	129.30
26	BB	1935	G	N3-C2-N2	-9.76	113.07	119.90
1	AA	910	C	O4'-C1'-N1	9.75	116.00	108.20
26	BB	730	A	C2-N3-C4	9.75	115.48	110.60
26	BB	1343	G	N3-C4-C5	-9.75	123.72	128.60
26	BB	2849	U	C5-C4-O4	-9.75	120.05	125.90
1	AA	347	G	C5-N7-C8	-9.75	99.42	104.30
1	AA	1469	C	C2-N3-C4	9.75	124.78	119.90
26	BB	1248	G	N9-C4-C5	-9.75	101.50	105.40
26	BB	1628	G	C5-C6-N1	9.75	116.38	111.50
26	BB	2432	A	N1-C6-N6	-9.75	112.75	118.60
26	BB	188	G	N9-C4-C5	9.75	109.30	105.40
26	BB	2217	G	N3-C2-N2	9.75	126.72	119.90
1	AA	1517	G	C6-C5-N7	-9.74	124.55	130.40
26	BB	717	C	N3-C4-N4	-9.74	111.18	118.00
26	BB	924	G	C2-N3-C4	9.74	116.77	111.90
26	BB	1364	G	O4'-C1'-N9	9.74	116.00	108.20
26	BB	1807	G	N3-C2-N2	-9.74	113.08	119.90
26	BB	2677	G	C2-N3-C4	9.74	116.77	111.90
1	AA	579	A	C2-N3-C4	9.74	115.47	110.60
1	AA	1160	G	C5-N7-C8	9.74	109.17	104.30
26	BB	37	C	C5-C4-N4	-9.74	113.38	120.20
26	BB	154	U	N3-C4-O4	9.74	126.22	119.40
1	AA	1293	C	N3-C4-N4	9.74	124.82	118.00
1	AA	186	C	O4'-C1'-N1	9.74	115.99	108.20
26	BB	413	C	O4'-C1'-N1	9.74	115.99	108.20
26	BB	2024	G	C2-N3-C4	9.74	116.77	111.90
26	BB	877	A	C6-C5-N7	9.73	139.12	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	253	A	C3'-C2'-C1'	-9.73	93.72	101.50
1	AA	798	U	O4'-C1'-N1	9.73	115.98	108.20
1	AA	815	A	N9-C4-C5	9.73	109.69	105.80
1	AA	1281	C	O4'-C1'-N1	9.73	115.98	108.20
26	BB	2132	U	C5-C6-N1	-9.73	117.83	122.70
26	BB	2139	U	C5-C6-N1	-9.73	117.83	122.70
26	BB	2429	G	C8-N9-C4	-9.73	102.51	106.40
26	BB	2563	U	O4'-C1'-N1	9.73	115.98	108.20
25	BA	78	A	N9-C4-C5	9.73	109.69	105.80
1	AA	111	G	N7-C8-N9	9.73	117.96	113.10
26	BB	1011	G	N7-C8-N9	9.73	117.96	113.10
26	BB	1248	G	C5-N7-C8	-9.73	99.44	104.30
1	AA	843	U	N1-C2-N3	9.72	120.73	114.90
1	AA	1096	C	N3-C2-O2	-9.72	115.09	121.90
26	BB	1659	G	C4-C5-N7	-9.72	106.91	110.80
26	BB	2061	G	N1-C2-N3	-9.72	118.07	123.90
1	AA	187	G	C4'-C3'-C2'	-9.72	92.88	102.60
26	BB	2154	A	C4-C5-C6	9.72	121.86	117.00
26	BB	852	U	C5-C4-O4	-9.72	120.07	125.90
26	BB	1318	U	O4'-C1'-N1	9.71	115.97	108.20
26	BB	1541	C	O4'-C1'-N1	9.72	115.97	108.20
26	BB	1863	G	O4'-C1'-N9	9.71	115.97	108.20
26	BB	2022	U	O4'-C1'-N1	9.71	115.97	108.20
26	BB	2628	C	C2-N3-C4	-9.71	115.04	119.90
12	AL	105	ARG	NE-CZ-NH1	9.71	125.16	120.30
1	AA	384	G	N1-C2-N3	9.71	129.73	123.90
1	AA	784	A	O4'-C1'-N9	9.71	115.97	108.20
1	AA	1353	G	C5-N7-C8	9.71	109.15	104.30
26	BB	1927	A	N9-C4-C5	9.71	109.68	105.80
2	AB	65	C	C1'-O4'-C4'	-9.71	102.13	109.90
26	BB	446	G	N3-C4-N9	9.71	131.82	126.00
26	BB	457	A	C5-C6-N1	9.71	122.55	117.70
26	BB	2823	A	O4'-C1'-N9	9.71	115.97	108.20
1	AA	18	C	C4-C5-C6	-9.71	112.55	117.40
1	AA	874	G	N1-C2-N3	-9.71	118.08	123.90
1	AA	1294	G	N1-C6-O6	-9.71	114.08	119.90
26	BB	543	G	N9-C4-C5	9.71	109.28	105.40
26	BB	1070	A	O4'-C1'-N9	9.70	115.96	108.20
26	BB	2346	A	O4'-C1'-N9	9.70	115.96	108.20
50	BZ	44	ARG	NE-CZ-NH1	9.70	125.15	120.30
26	BB	537	G	N3-C4-C5	-9.70	123.75	128.60
1	AA	645	G	N7-C8-N9	9.70	117.95	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1265	C	C5-C6-N1	-9.70	116.15	121.00
2	AB	40	C	N3-C4-N4	9.70	124.79	118.00
26	BB	49	A	C5-N7-C8	9.70	108.75	103.90
26	BB	1459	G	N3-C4-C5	-9.70	123.75	128.60
1	AA	588	G	O4'-C1'-N9	9.70	115.96	108.20
26	BB	117	G	N3-C4-N9	9.70	131.82	126.00
26	BB	869	G	N1-C6-O6	-9.70	114.08	119.90
26	BB	1029	A	C5'-C4'-O4'	9.70	120.74	109.10
26	BB	582	A	O4'-C1'-N9	9.70	115.96	108.20
26	BB	1143	A	C2-N3-C4	-9.70	105.75	110.60
26	BB	1938	A	C4-C5-N7	-9.70	105.85	110.70
26	BB	2877	G	N1-C2-N3	-9.70	118.08	123.90
26	BB	389	G	N9-C4-C5	9.70	109.28	105.40
26	BB	920	A	C8-N9-C4	-9.70	101.92	105.80
26	BB	2279	G	N3-C4-C5	-9.70	123.75	128.60
1	AA	1383	C	N3-C4-C5	9.69	125.78	121.90
26	BB	79	C	O4'-C1'-N1	9.70	115.96	108.20
26	BB	168	G	N9-C4-C5	9.70	109.28	105.40
26	BB	1534	U	N3-C4-C5	-9.70	108.78	114.60
26	BB	1386	C	C4'-C3'-C2'	-9.69	92.91	102.60
26	BB	2787	C	C4-C5-C6	-9.69	112.55	117.40
44	BT	84	ARG	NE-CZ-NH1	9.70	125.15	120.30
22	AV	85	ASP	CB-CG-OD2	-9.69	109.58	118.30
26	BB	935	C	N3-C4-C5	-9.69	118.02	121.90
26	BB	730	A	C8-N9-C4	-9.69	101.92	105.80
26	BB	1774	C	O4'-C1'-N1	9.69	115.95	108.20
26	BB	1186	G	N1-C6-O6	-9.69	114.09	119.90
1	AA	1246	A	C8-N9-C4	-9.69	101.93	105.80
26	BB	50	U	N3-C2-O2	-9.69	115.42	122.20
26	BB	397	U	O4'-C1'-N1	9.69	115.95	108.20
26	BB	1241	A	N1-C2-N3	-9.69	124.46	129.30
1	AA	713	G	C4-C5-N7	9.68	114.67	110.80
1	AA	1448	C	C5-C4-N4	9.68	126.98	120.20
1	AA	1522	U	N1-C2-O2	-9.68	116.02	122.80
26	BB	1849	G	N3-C4-C5	-9.68	123.76	128.60
26	BB	1918	A	O4'-C1'-N9	9.68	115.94	108.20
1	AA	852	G	N3-C4-C5	-9.68	123.76	128.60
1	AA	1171	A	O4'-C1'-N9	9.68	115.94	108.20
1	AA	1238	A	N1-C6-N6	-9.68	112.79	118.60
26	BB	344	A	C8-N9-C4	-9.68	101.93	105.80
26	BB	2088	A	C4-C5-N7	9.68	115.54	110.70
26	BB	2767	C	N3-C4-C5	-9.68	118.03	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1074	G	C5-N7-C8	-9.68	99.46	104.30
26	BB	1087	G	N3-C4-C5	-9.68	123.76	128.60
1	AA	1270	G	N1-C6-O6	-9.68	114.09	119.90
26	BB	263	G	C8-N9-C4	-9.68	102.53	106.40
26	BB	266	G	N7-C8-N9	9.68	117.94	113.10
26	BB	2529	G	C1'-O4'-C4'	9.68	117.64	109.90
4	AD	50	G	C2-N3-C4	9.67	116.74	111.90
26	BB	1293	C	O4'-C1'-N1	9.67	115.94	108.20
26	BB	2485	G	C5-C6-O6	-9.67	122.80	128.60
1	AA	1304	G	C8-N9-C4	-9.67	102.53	106.40
26	BB	220	G	C6-N1-C2	-9.67	119.30	125.10
26	BB	520	G	C8-N9-C4	-9.67	102.53	106.40
25	BA	98	G	N3-C4-C5	-9.67	123.77	128.60
26	BB	687	C	O4'-C1'-N1	9.67	115.93	108.20
26	BB	137	U	O4'-C1'-N1	9.66	115.93	108.20
26	BB	677	A	C4-C5-C6	-9.66	112.17	117.00
26	BB	1228	G	C5-N7-C8	-9.66	99.47	104.30
26	BB	1307	A	O4'-C1'-N9	9.66	115.93	108.20
26	BB	2781	A	C5-N7-C8	-9.66	99.07	103.90
1	AA	46	G	O4'-C1'-N9	9.66	115.93	108.20
26	BB	1294	U	O4'-C1'-N1	9.66	115.93	108.20
26	BB	2835	A	C2-N3-C4	9.66	115.43	110.60
1	AA	1452	C	C4-C5-C6	-9.66	112.57	117.40
26	BB	95	A	C4-C5-C6	-9.66	112.17	117.00
26	BB	1462	C	N1-C2-O2	9.66	124.70	118.90
26	BB	1778	U	N1-C2-N3	9.66	120.70	114.90
26	BB	193	U	N3-C2-O2	-9.66	115.44	122.20
26	BB	1898	U	O4'-C1'-N1	9.66	115.93	108.20
1	AA	1139	G	C5-C6-N1	9.66	116.33	111.50
25	BA	15	A	C8-N9-C4	-9.66	101.94	105.80
26	BB	2481	G	N3-C4-N9	-9.66	120.21	126.00
1	AA	708	C	C2-N3-C4	9.65	124.73	119.90
26	BB	822	G	N9-C4-C5	9.65	109.26	105.40
26	BB	950	G	C5-C6-N1	9.65	116.33	111.50
26	BB	1209	U	N3-C2-O2	-9.65	115.44	122.20
26	BB	2755	C	O4'-C4'-C3'	9.65	113.82	106.10
1	AA	112	G	N3-C2-N2	9.65	126.66	119.90
1	AA	483	C	C2-N3-C4	9.65	124.73	119.90
26	BB	389	G	C4'-C3'-C2'	-9.65	92.95	102.60
26	BB	399	U	O4'-C1'-N1	9.65	115.92	108.20
26	BB	1003	G	C5-N7-C8	9.65	109.12	104.30
26	BB	1324	G	C6-C5-N7	-9.65	124.61	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2111	U	N3-C4-O4	9.65	126.16	119.40
26	BB	2804	U	C5-C4-O4	-9.65	120.11	125.90
1	AA	405	U	O4'-C1'-N1	9.65	115.92	108.20
1	AA	1011	C	N1-C2-O2	9.65	124.69	118.90
26	BB	1552	A	C4-C5-C6	9.65	121.83	117.00
1	AA	1338	G	N1-C6-O6	9.65	125.69	119.90
26	BB	2093	G	O4'-C1'-N9	9.65	115.92	108.20
58	B7	19	ARG	NE-CZ-NH1	9.65	125.12	120.30
26	BB	1437	C	O4'-C1'-N1	9.64	115.92	108.20
26	BB	2255	G	N3-C4-C5	-9.64	123.78	128.60
26	BB	2335	A	N7-C8-N9	-9.64	108.98	113.80
1	AA	839	C	C2-N3-C4	-9.64	115.08	119.90
1	AA	1396	A	N1-C2-N3	-9.64	124.48	129.30
26	BB	1299	G	C5-N7-C8	9.64	109.12	104.30
26	BB	1509	A	N1-C2-N3	-9.64	124.48	129.30
26	BB	1878	G	N3-C2-N2	9.64	126.65	119.90
26	BB	2253	G	C6-N1-C2	-9.64	119.31	125.10
34	BJ	157	VAL	CA-CB-CG2	9.64	125.36	110.90
26	BB	1878	G	C5-N7-C8	9.64	109.12	104.30
26	BB	417	C	C4-C5-C6	-9.64	112.58	117.40
26	BB	791	C	C5-C6-N1	9.64	125.82	121.00
26	BB	805	G	N9-C4-C5	9.64	109.25	105.40
1	AA	1226	C	C5-C4-N4	-9.63	113.46	120.20
26	BB	1955	U	C4-C5-C6	9.63	125.48	119.70
26	BB	2430	A	O4'-C1'-N9	-9.64	100.49	108.20
26	BB	49	A	P-O3'-C3'	9.63	131.26	119.70
1	AA	46	G	C5-N7-C8	-9.63	99.48	104.30
2	AB	64	U	N3-C2-O2	-9.63	115.46	122.20
26	BB	231	A	C5-N7-C8	9.63	108.72	103.90
26	BB	533	G	N3-C4-C5	-9.63	123.78	128.60
26	BB	775	G	N7-C8-N9	9.63	117.92	113.10
26	BB	883	G	N3-C4-C5	-9.63	123.78	128.60
1	AA	1335	U	C1'-O4'-C4'	-9.63	102.20	109.90
26	BB	407	G	C6-N1-C2	-9.63	119.32	125.10
26	BB	1390	U	C2-N3-C4	-9.63	121.22	127.00
26	BB	1499	C	C4-C5-C6	9.63	122.22	117.40
26	BB	2294	G	O4'-C1'-N9	9.63	115.90	108.20
26	BB	2819	G	C5-C6-N1	9.63	116.31	111.50
26	BB	1445	G	O4'-C1'-N9	9.63	115.90	108.20
26	BB	617	G	C2-N3-C4	9.62	116.71	111.90
26	BB	1016	G	C6-N1-C2	-9.62	119.33	125.10
1	AA	695	A	O5'-P-OP2	-9.62	97.04	105.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	309	A	C5-N7-C8	9.62	108.71	103.90
26	BB	1107	G	C5'-C4'-O4'	9.62	120.65	109.10
26	BB	1399	C	C4-C5-C6	9.62	122.21	117.40
26	BB	1509	A	C5-C6-N1	9.62	122.51	117.70
1	AA	529	G	C4-C5-C6	9.62	124.57	118.80
1	AA	1523	G	N1-C2-N3	-9.62	118.13	123.90
4	AD	36	A	N1-C6-N6	-9.62	112.83	118.60
26	BB	326	G	C2-N3-C4	9.62	116.71	111.90
26	BB	1182	G	N3-C2-N2	-9.62	113.17	119.90
26	BB	2720	U	N3-C2-O2	-9.62	115.47	122.20
1	AA	1118	U	C1'-O4'-C4'	9.61	117.59	109.90
26	BB	67	U	C5-C4-O4	9.61	131.67	125.90
1	AA	606	G	N3-C4-C5	-9.61	123.79	128.60
1	AA	666	G	O4'-C1'-N9	9.61	115.89	108.20
26	BB	566	U	C5-C4-O4	-9.61	120.13	125.90
26	BB	582	A	C6-N1-C2	-9.61	112.83	118.60
26	BB	1201	U	C5-C6-N1	-9.61	117.89	122.70
1	AA	576	C	N3-C2-O2	-9.61	115.17	121.90
26	BB	908	C	C6-N1-C2	9.61	124.14	120.30
26	BB	1666	G	O4'-C1'-N9	9.61	115.89	108.20
26	BB	2484	G	N3-C4-C5	-9.61	123.80	128.60
28	BD	101	ARG	NE-CZ-NH2	-9.61	115.50	120.30
1	AA	197	A	C4-C5-C6	-9.61	112.20	117.00
1	AA	601	G	N7-C8-N9	9.61	117.90	113.10
1	AA	741	G	C8-N9-C4	9.61	110.24	106.40
1	AA	1426	G	C5-N7-C8	9.61	109.10	104.30
1	AA	1268	G	N9-C4-C5	-9.60	101.56	105.40
26	BB	1037	G	C4-C5-N7	-9.60	106.96	110.80
26	BB	2263	C	O4'-C1'-N1	9.60	115.88	108.20
25	BA	118	C	O4'-C1'-N1	9.60	115.88	108.20
26	BB	35	G	C3'-C2'-C1'	-9.60	93.82	101.50
1	AA	604	G	N7-C8-N9	9.60	117.90	113.10
1	AA	1346	A	C5-C6-N6	-9.60	116.02	123.70
1	AA	758	C	C6-N1-C2	9.60	124.14	120.30
1	AA	817	C	C3'-C2'-C1'	-9.60	93.82	101.50
26	BB	663	G	N7-C8-N9	9.60	117.90	113.10
1	AA	846	G	C1'-O4'-C4'	9.60	117.58	109.90
2	AB	59	G	N3-C4-C5	-9.60	123.80	128.60
26	BB	1767	G	C2-N3-C4	9.60	116.70	111.90
1	AA	1231	G	N7-C8-N9	9.60	117.90	113.10
2	AB	43	G	C4-C5-N7	-9.59	106.96	110.80
26	BB	335	C	N1-C2-O2	9.59	124.66	118.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	340	A	N1-C6-N6	-9.59	112.84	118.60
26	BB	1524	G	C5'-C4'-O4'	9.59	120.61	109.10
1	AA	27	G	N1-C6-O6	9.59	125.65	119.90
1	AA	1245	C	C6-N1-C2	-9.59	116.46	120.30
1	AA	1304	G	C5-C6-O6	-9.59	122.85	128.60
26	BB	1307	A	N1-C2-N3	-9.59	124.50	129.30
26	BB	2351	G	O4'-C1'-N9	9.59	115.87	108.20
1	AA	1457	G	O4'-C1'-N9	9.59	115.87	108.20
26	BB	686	U	C2-N3-C4	-9.59	121.25	127.00
26	BB	1780	A	C4-C5-C6	9.59	121.80	117.00
1	AA	702	A	O4'-C1'-N9	9.59	115.87	108.20
26	BB	305	C	N3-C4-C5	-9.59	118.06	121.90
26	BB	339	U	C2-N3-C4	-9.59	121.25	127.00
26	BB	848	C	O4'-C1'-N1	9.59	115.87	108.20
26	BB	2059	A	N7-C8-N9	9.59	118.59	113.80
26	BB	2088	A	N9-C4-C5	-9.59	101.97	105.80
1	AA	1036	A	O4'-C1'-N9	9.59	115.87	108.20
26	BB	2699	C	N1-C2-O2	9.59	124.65	118.90
48	BX	57	TYR	CB-CG-CD1	-9.59	115.25	121.00
26	BB	1562	U	O4'-C1'-N1	9.58	115.87	108.20
1	AA	836	G	N9-C4-C5	-9.58	101.57	105.40
26	BB	1731	G	O4'-C1'-N9	9.58	115.86	108.20
1	AA	729	A	O4'-C1'-N9	9.58	115.86	108.20
26	BB	902	C	C5-C6-N1	9.58	125.79	121.00
26	BB	1933	G	C2-N3-C4	9.58	116.69	111.90
26	BB	2186	G	N3-C4-N9	9.58	131.75	126.00
1	AA	1114	C	O4'-C1'-N1	9.58	115.86	108.20
26	BB	1949	G	C3'-C2'-C1'	-9.58	93.84	101.50
1	AA	25	C	N3-C2-O2	9.58	128.60	121.90
1	AA	405	U	C5-C6-N1	-9.58	117.91	122.70
1	AA	1457	G	C5-C6-O6	-9.58	122.85	128.60
26	BB	1167	C	C2-N3-C4	9.58	124.69	119.90
26	BB	1882	U	N3-C2-O2	-9.58	115.50	122.20
1	AA	37	U	N1-C1'-C2'	-9.57	101.47	112.00
1	AA	1018	G	C5-N7-C8	-9.57	99.51	104.30
26	BB	2858	C	C2-N3-C4	9.57	124.69	119.90
26	BB	387	U	C4-C5-C6	9.57	125.44	119.70
26	BB	541	A	N1-C2-N3	9.57	134.09	129.30
26	BB	822	G	C5-C6-O6	-9.57	122.86	128.60
1	AA	347	G	N7-C8-N9	9.57	117.89	113.10
26	BB	1476	U	O4'-C1'-N1	9.57	115.86	108.20
26	BB	1774	C	N1-C2-O2	9.57	124.64	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1249	C	O4'-C1'-N1	9.57	115.86	108.20
26	BB	1830	C	N3-C4-C5	9.57	125.73	121.90
43	BS	10	ARG	NE-CZ-NH2	9.57	125.08	120.30
1	AA	580	C	N3-C4-N4	9.57	124.70	118.00
26	BB	898	C	C4-C5-C6	-9.57	112.62	117.40
1	AA	1475	G	C4-C5-N7	-9.57	106.97	110.80
26	BB	1251	C	C4'-C3'-C2'	-9.57	93.03	102.60
26	BB	1304	A	C4-C5-C6	-9.57	112.22	117.00
1	AA	77	A	O4'-C1'-N9	9.56	115.85	108.20
1	AA	446	G	N9-C4-C5	9.56	109.22	105.40
1	AA	1347	G	N1-C6-O6	-9.56	114.16	119.90
26	BB	877	A	N9-C4-C5	9.56	109.63	105.80
26	BB	985	C	N3-C4-C5	-9.56	118.07	121.90
1	AA	1138	G	C5-N7-C8	9.56	109.08	104.30
26	BB	767	U	O4'-C1'-N1	9.56	115.85	108.20
26	BB	818	G	C4-C5-N7	-9.56	106.97	110.80
26	BB	2509	G	C4-C5-C6	9.56	124.54	118.80
1	AA	87	C	N3-C2-O2	-9.56	115.21	121.90
1	AA	179	A	C2-N3-C4	9.56	115.38	110.60
1	AA	108	G	N9-C4-C5	9.56	109.22	105.40
26	BB	863	A	C5-C6-N6	-9.56	116.06	123.70
1	AA	277	C	N1-C2-O2	9.55	124.63	118.90
1	AA	406	G	C5-N7-C8	9.55	109.08	104.30
1	AA	1120	C	C6-N1-C2	9.55	124.12	120.30
1	AA	1237	C	C4'-C3'-C2'	-9.55	93.05	102.60
22	AV	35	ARG	NE-CZ-NH1	9.56	125.08	120.30
26	BB	457	A	C6-N1-C2	-9.55	112.87	118.60
26	BB	1275	A	C4-C5-N7	-9.55	105.92	110.70
26	BB	1616	A	C6-N1-C2	-9.55	112.87	118.60
49	BY	40	ARG	NE-CZ-NH1	9.56	125.08	120.30
26	BB	2440	C	C2-N3-C4	9.55	124.68	119.90
26	BB	2213	U	P-O3'-C3'	9.55	131.16	119.70
26	BB	268	C	C1'-O4'-C4'	-9.55	102.26	109.90
26	BB	1396	U	C5-C6-N1	-9.55	117.92	122.70
1	AA	484	G	C8-N9-C4	-9.55	102.58	106.40
4	AD	3	C	N1-C2-O2	9.55	124.63	118.90
1	AA	1139	G	C5-C6-O6	-9.54	122.87	128.60
1	AA	1160	G	C4-C5-N7	-9.54	106.98	110.80
26	BB	325	G	O4'-C1'-N9	9.54	115.84	108.20
26	BB	1592	C	O4'-C1'-N1	9.54	115.84	108.20
26	BB	2710	C	O4'-C1'-N1	9.55	115.84	108.20
1	AA	1482	G	C6-C5-N7	-9.54	124.67	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	93	C	O4'-C1'-N1	9.54	115.83	108.20
26	BB	2393	U	C2-N3-C4	-9.54	121.28	127.00
1	AA	392	C	N1-C2-O2	9.54	124.62	118.90
1	AA	566	G	C5-C6-N1	9.54	116.27	111.50
1	AA	724	G	C8-N9-C4	-9.54	102.58	106.40
14	AN	127	ARG	NE-CZ-NH1	9.54	125.07	120.30
25	BA	81	G	C6-C5-N7	9.54	136.12	130.40
26	BB	962	G	C5-C6-N1	9.54	116.27	111.50
26	BB	2433	A	O4'-C1'-N9	9.54	115.83	108.20
1	AA	325	A	C5-N7-C8	-9.54	99.13	103.90
26	BB	782	A	N1-C6-N6	-9.53	112.88	118.60
26	BB	2796	U	O4'-C1'-N1	9.54	115.83	108.20
1	AA	1106	G	N1-C2-N3	-9.53	118.18	123.90
1	AA	1513	A	N9-C4-C5	9.53	109.61	105.80
26	BB	2230	G	C6-N1-C2	-9.53	119.38	125.10
1	AA	78	A	O4'-C1'-N9	9.53	115.82	108.20
1	AA	1386	G	C5-N7-C8	-9.53	99.54	104.30
26	BB	367	G	C3'-C2'-C1'	-9.53	93.88	101.50
26	BB	2439	A	C2-N3-C4	9.53	115.36	110.60
1	AA	830	G	C6-N1-C2	-9.53	119.38	125.10
1	AA	1488	G	N9-C4-C5	9.53	109.21	105.40
2	AB	35	C	C5'-C4'-O4'	9.53	120.53	109.10
7	AG	127	ARG	NE-CZ-NH2	-9.53	115.54	120.30
26	BB	318	C	O4'-C1'-N1	9.53	115.82	108.20
26	BB	2094	A	N3-C4-N9	9.53	135.02	127.40
26	BB	890	C	C1'-O4'-C4'	9.53	117.52	109.90
26	BB	1859	U	C3'-C2'-C1'	-9.53	93.88	101.50
26	BB	1910	G	C4-C5-N7	9.53	114.61	110.80
1	AA	223	A	C5-C6-N6	-9.52	116.08	123.70
1	AA	736	C	N3-C2-O2	-9.52	115.23	121.90
2	AB	45	U	C2-N3-C4	-9.52	121.29	127.00
26	BB	736	C	O4'-C1'-N1	9.52	115.82	108.20
26	BB	1179	G	C4-C5-N7	9.52	114.61	110.80
1	AA	965	U	N3-C2-O2	-9.52	115.53	122.20
4	AD	4	G	C5-C6-N1	9.52	116.26	111.50
1	AA	836	G	C5-N7-C8	-9.52	99.54	104.30
26	BB	1373	A	C4-C5-C6	-9.52	112.24	117.00
26	BB	1565	C	C4-C5-C6	9.52	122.16	117.40
26	BB	675	A	C4-C5-N7	-9.51	105.94	110.70
26	BB	2219	U	C5-C4-O4	-9.51	120.19	125.90
1	AA	1077	G	O4'-C1'-N9	9.51	115.81	108.20
25	BA	74	U	C2-N3-C4	-9.51	121.30	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	996	A	C6-C5-N7	9.51	138.96	132.30
26	BB	2631	G	N3-C4-N9	9.51	131.71	126.00
1	AA	703	G	C5'-C4'-O4'	9.51	120.51	109.10
26	BB	369	U	N1-C1'-C2'	-9.51	101.54	112.00
26	BB	1141	U	C1'-O4'-C4'	-9.51	102.29	109.90
26	BB	1399	C	N3-C4-C5	-9.51	118.10	121.90
26	BB	2622	U	O4'-C1'-N1	9.51	115.81	108.20
26	BB	2707	U	N3-C4-C5	-9.51	108.89	114.60
1	AA	931	C	C1'-O4'-C4'	-9.51	102.30	109.90
26	BB	2086	U	C1'-O4'-C4'	-9.51	102.30	109.90
2	AB	71	C	O4'-C1'-N1	9.50	115.80	108.20
26	BB	341	C	O4'-C1'-N1	9.50	115.80	108.20
3	AC	34	U	N3-C4-O4	9.50	126.05	119.40
1	AA	1052	U	C4'-C3'-C2'	-9.50	93.10	102.60
2	AB	38	A	O4'-C1'-N9	9.50	115.80	108.20
26	BB	231	A	N7-C8-N9	-9.50	109.05	113.80
26	BB	1186	G	N1-C2-N3	9.50	129.60	123.90
26	BB	1061	U	C4-C5-C6	9.50	125.40	119.70
1	AA	325	A	C4-C5-C6	-9.50	112.25	117.00
26	BB	1515	A	C5-N7-C8	9.50	108.65	103.90
26	BB	2427	C	O4'-C1'-N1	9.50	115.80	108.20
1	AA	962	C	N3-C4-N4	9.49	124.65	118.00
1	AA	1382	C	C6-N1-C2	9.49	124.10	120.30
26	BB	58	G	C4-C5-C6	9.49	124.50	118.80
26	BB	2142	A	O4'-C1'-N9	9.49	115.80	108.20
26	BB	2628	C	N3-C2-O2	-9.49	115.25	121.90
1	AA	1161	C	C5-C6-N1	9.49	125.75	121.00
1	AA	295	C	O4'-C1'-N1	9.49	115.79	108.20
1	AA	1441	A	C8-N9-C4	-9.49	102.00	105.80
26	BB	1661	G	O4'-C1'-N9	9.49	115.79	108.20
26	BB	2679	A	C5'-C4'-O4'	9.49	120.49	109.10
26	BB	1488	C	O4'-C1'-N1	9.49	115.79	108.20
26	BB	1997	C	N3-C4-N4	9.49	124.64	118.00
26	BB	1625	C	C2-N3-C4	9.48	124.64	119.90
1	AA	1388	C	N3-C4-N4	9.48	124.64	118.00
26	BB	470	A	C2-N3-C4	9.48	115.34	110.60
26	BB	707	G	N3-C4-C5	-9.48	123.86	128.60
10	AJ	77	ARG	NE-CZ-NH1	9.48	125.04	120.30
26	BB	1646	C	C5-C6-N1	9.48	125.74	121.00
1	AA	380	G	C6-N1-C2	-9.48	119.41	125.10
1	AA	1032	G	N1-C2-N3	-9.48	118.21	123.90
1	AA	1325	C	C6-N1-C2	-9.48	116.51	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1184	G	C5-C6-O6	-9.48	122.91	128.60
26	BB	119	A	C5-N7-C8	-9.48	99.16	103.90
26	BB	410	G	C4-C5-N7	9.48	114.59	110.80
26	BB	1144	A	C8-N9-C4	9.48	109.59	105.80
26	BB	1557	C	N3-C4-N4	9.48	124.63	118.00
26	BB	1679	A	N9-C4-C5	-9.48	102.01	105.80
26	BB	2354	C	N3-C4-C5	-9.48	118.11	121.90
26	BB	2601	C	C5-C6-N1	-9.48	116.26	121.00
26	BB	2163	A	N9-C1'-C2'	-9.47	101.58	112.00
26	BB	938	G	N3-C4-C5	-9.47	123.86	128.60
26	BB	1998	A	N1-C2-N3	-9.47	124.56	129.30
26	BB	114	U	N3-C2-O2	-9.47	115.57	122.20
26	BB	1087	G	C8-N9-C4	-9.47	102.61	106.40
26	BB	2274	A	C8-N9-C4	9.47	109.59	105.80
1	AA	758	C	C4-C5-C6	-9.47	112.67	117.40
4	AD	53	G	C4-C5-N7	9.47	114.59	110.80
8	AH	67	ARG	NE-CZ-NH2	9.47	125.03	120.30
26	BB	198	C	C6-N1-C2	9.47	124.09	120.30
26	BB	478	A	C4-C5-N7	9.47	115.43	110.70
26	BB	506	G	C8-N9-C4	-9.47	102.61	106.40
26	BB	824	U	N3-C2-O2	-9.47	115.57	122.20
26	BB	1428	C	N1-C2-O2	9.47	124.58	118.90
26	BB	2686	G	C8-N9-C4	-9.47	102.61	106.40
26	BB	2469	A	C2-N3-C4	9.47	115.33	110.60
26	BB	581	C	N1-C2-O2	9.47	124.58	118.90
26	BB	2650	U	O4'-C1'-N1	9.46	115.77	108.20
1	AA	87	C	C5-C6-N1	9.46	125.73	121.00
1	AA	1034	G	C5-C6-O6	-9.46	122.92	128.60
26	BB	940	G	O4'-C1'-N9	9.46	115.77	108.20
26	BB	1555	G	C8-N9-C4	-9.46	102.62	106.40
26	BB	1635	A	C4-C5-N7	-9.46	105.97	110.70
1	AA	875	U	N1-C2-N3	9.46	120.58	114.90
26	BB	469	G	N3-C4-C5	-9.46	123.87	128.60
26	BB	1611	C	C5'-C4'-O4'	9.46	120.45	109.10
48	BX	82	TYR	CG-CD2-CE2	-9.46	113.73	121.30
1	AA	161	A	C4-C5-C6	-9.46	112.27	117.00
1	AA	706	A	C5'-C4'-O4'	9.45	120.44	109.10
26	BB	1840	G	N3-C4-C5	-9.45	123.87	128.60
26	BB	2446	G	C5'-C4'-O4'	9.45	120.44	109.10
26	BB	2464	G	C5-C6-O6	-9.45	122.93	128.60
4	AD	65	G	N3-C2-N2	-9.45	113.28	119.90
1	AA	1029	U	C1'-O4'-C4'	9.45	117.46	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1483	A	C8-N9-C4	-9.45	102.02	105.80
9	AI	112	ARG	NE-CZ-NH1	9.45	125.02	120.30
26	BB	578	G	C4-C5-C6	9.45	124.47	118.80
26	BB	630	G	N9-C4-C5	9.45	109.18	105.40
26	BB	1527	G	N3-C4-C5	-9.45	123.88	128.60
26	BB	2508	G	C8-N9-C4	-9.45	102.62	106.40
1	AA	1167	A	O4'-C4'-C3'	9.45	113.66	106.10
1	AA	1504	G	C2-N3-C4	9.45	116.62	111.90
26	BB	2794	C	N3-C2-O2	-9.45	115.29	121.90
1	AA	125	U	C5-C6-N1	-9.44	117.98	122.70
1	AA	195	A	C4-C5-C6	-9.45	112.28	117.00
26	BB	88	G	N1-C6-O6	9.45	125.57	119.90
26	BB	308	G	N9-C4-C5	9.45	109.18	105.40
26	BB	966	G	C2-N3-C4	9.45	116.62	111.90
26	BB	1688	U	C5-C6-N1	-9.45	117.98	122.70
26	BB	1839	G	C6-C5-N7	-9.45	124.73	130.40
26	BB	2484	G	C2-N3-C4	9.45	116.62	111.90
38	BN	69	ARG	NE-CZ-NH2	9.45	125.02	120.30
1	AA	145	G	C8-N9-C4	-9.44	102.62	106.40
26	BB	193	U	C4'-C3'-C2'	-9.44	93.16	102.60
1	AA	149	A	N1-C2-N3	9.44	134.02	129.30
1	AA	493	A	C8-N9-C4	-9.44	102.02	105.80
26	BB	2722	G	C5-C6-O6	-9.44	122.94	128.60
26	BB	2816	G	C5'-C4'-O4'	9.44	120.43	109.10
1	AA	331	G	C8-N9-C4	-9.44	102.62	106.40
1	AA	182	A	C5-C6-N1	9.44	122.42	117.70
1	AA	195	A	C5-N7-C8	-9.44	99.18	103.90
1	AA	960	U	P-O3'-C3'	9.44	131.03	119.70
1	AA	1073	U	N3-C4-C5	-9.44	108.94	114.60
1	AA	1275	A	N7-C8-N9	-9.44	109.08	113.80
1	AA	1044	A	N1-C2-N3	-9.44	124.58	129.30
26	BB	286	U	O4'-C1'-N1	9.44	115.75	108.20
26	BB	302	C	N1-C2-O2	9.44	124.56	118.90
26	BB	1954	G	C5-C6-O6	-9.44	122.94	128.60
26	BB	2755	C	C5-C6-N1	9.43	125.72	121.00
26	BB	2900	A	N9-C4-C5	9.43	109.57	105.80
10	AJ	91	ARG	NE-CZ-NH2	-9.43	115.58	120.30
26	BB	2836	U	C5-C6-N1	-9.43	117.98	122.70
39	BO	66	ARG	NE-CZ-NH1	9.43	125.02	120.30
39	BO	81	ARG	NE-CZ-NH2	-9.43	115.58	120.30
1	AA	1502	A	C2-N3-C4	9.43	115.31	110.60
4	AD	14	A	C8-N9-C4	-9.43	102.03	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	952	G	O4'-C1'-N9	9.43	115.74	108.20
26	BB	1037	G	N9-C4-C5	9.43	109.17	105.40
26	BB	1169	A	C8-N9-C4	-9.43	102.03	105.80
56	B5	21	ARG	NE-CZ-NH2	9.43	125.01	120.30
1	AA	65	A	C5-N7-C8	9.43	108.61	103.90
26	BB	381	G	N7-C8-N9	9.43	117.81	113.10
26	BB	403	U	N3-C4-C5	-9.43	108.94	114.60
26	BB	1344	U	N3-C2-O2	-9.43	115.60	122.20
26	BB	2577	A	C5-C6-N1	9.43	122.41	117.70
26	BB	507	A	N1-C6-N6	-9.43	112.94	118.60
26	BB	1656	C	C4-C5-C6	9.43	122.11	117.40
26	BB	2801	G	C6-C5-N7	-9.43	124.75	130.40
1	AA	90	C	N3-C2-O2	-9.42	115.30	121.90
1	AA	1386	G	N1-C6-O6	-9.42	114.25	119.90
26	BB	979	A	C5-C6-N1	9.42	122.41	117.70
26	BB	1492	G	N7-C8-N9	9.42	117.81	113.10
1	AA	660	C	N3-C4-C5	-9.42	118.13	121.90
14	AN	126	ARG	NE-CZ-NH1	9.42	125.01	120.30
25	BA	64	G	C8-N9-C4	-9.42	102.63	106.40
26	BB	744	U	O4'-C1'-N1	9.42	115.74	108.20
26	BB	835	C	C1'-O4'-C4'	-9.42	102.36	109.90
26	BB	1451	C	C5-C6-N1	-9.42	116.29	121.00
26	BB	2070	A	C4-C5-N7	-9.42	105.99	110.70
26	BB	2147	A	C1'-O4'-C4'	-9.42	102.37	109.90
26	BB	2632	A	O4'-C1'-N9	9.42	115.73	108.20
26	BB	2858	C	N3-C4-N4	9.42	124.59	118.00
26	BB	2863	C	O4'-C1'-N1	9.42	115.73	108.20
1	AA	5	U	O4'-C1'-N1	9.41	115.73	108.20
26	BB	2649	C	C5-C4-N4	-9.41	113.61	120.20
1	AA	251	G	N7-C8-N9	9.41	117.81	113.10
2	AB	30	G	O4'-C1'-N9	9.41	115.73	108.20
26	BB	309	A	C6-C5-N7	9.41	138.89	132.30
26	BB	1146	C	C4-C5-C6	-9.41	112.69	117.40
26	BB	2238	G	N1-C6-O6	9.41	125.55	119.90
1	AA	1499	A	O4'-C1'-N9	-9.41	100.67	108.20
26	BB	1184	U	O4'-C1'-N1	9.41	115.73	108.20
26	BB	2202	U	O4'-C1'-N1	9.41	115.73	108.20
1	AA	384	G	N3-C4-C5	-9.41	123.90	128.60
1	AA	1358	U	O4'-C1'-N1	9.41	115.73	108.20
26	BB	313	G	C8-N9-C4	-9.41	102.64	106.40
26	BB	763	G	N9-C4-C5	-9.41	101.64	105.40
26	BB	1431	A	C5-N7-C8	9.41	108.60	103.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1737	G	C5-C6-N1	-9.41	106.80	111.50
26	BB	2153	C	O4'-C1'-N1	9.41	115.72	108.20
26	BB	2121	G	C6-C5-N7	-9.40	124.76	130.40
26	BB	1272	A	N9-C4-C5	-9.40	102.04	105.80
26	BB	1368	G	C8-N9-C4	-9.40	102.64	106.40
1	AA	1239	A	C2-N3-C4	9.40	115.30	110.60
26	BB	415	A	N9-C4-C5	9.40	109.56	105.80
26	BB	1007	C	N3-C2-O2	-9.40	115.32	121.90
1	AA	712	A	C1'-O4'-C4'	9.40	117.42	109.90
1	AA	1424	U	C2-N3-C4	-9.40	121.36	127.00
1	AA	1002	G	C8-N9-C4	-9.40	102.64	106.40
1	AA	1387	G	C1'-O4'-C4'	-9.40	102.38	109.90
1	AA	1374	A	C8-N9-C4	-9.40	102.04	105.80
26	BB	113	U	N3-C2-O2	-9.40	115.62	122.20
26	BB	920	A	N1-C2-N3	9.40	134.00	129.30
26	BB	954	G	N7-C8-N9	9.40	117.80	113.10
26	BB	1635	A	N9-C4-C5	9.40	109.56	105.80
26	BB	2121	G	C5-N7-C8	-9.40	99.60	104.30
1	AA	241	G	C5-C6-N1	9.39	116.20	111.50
2	AB	29	G	C5-N7-C8	-9.39	99.60	104.30
26	BB	1300	G	C4-C5-N7	-9.39	107.04	110.80
26	BB	1369	G	C4-C5-N7	-9.39	107.04	110.80
26	BB	2509	G	N3-C4-C5	-9.39	123.90	128.60
26	BB	700	G	C8-N9-C4	-9.39	102.64	106.40
1	AA	155	A	N9-C4-C5	9.39	109.56	105.80
1	AA	1177	G	N1-C2-N3	-9.39	118.27	123.90
20	AT	56	ASP	CB-CG-OD1	-9.39	109.85	118.30
26	BB	2477	U	O4'-C1'-N1	9.39	115.71	108.20
3	AC	37	G	N7-C8-N9	9.39	117.79	113.10
39	BO	114	ARG	NE-CZ-NH1	9.39	124.99	120.30
1	AA	786	G	N3-C4-C5	-9.38	123.91	128.60
26	BB	86	G	O4'-C1'-N9	9.38	115.71	108.20
1	AA	583	A	O4'-C1'-N9	9.38	115.70	108.20
1	AA	1366	C	C5-C6-N1	9.38	125.69	121.00
1	AA	1419	G	C4-C5-N7	-9.38	107.05	110.80
2	AB	40	C	C5-C6-N1	9.38	125.69	121.00
26	BB	1555	G	N9-C4-C5	9.38	109.15	105.40
26	BB	1626	A	O5'-P-OP1	-9.38	97.25	105.70
26	BB	1902	C	O4'-C1'-N1	9.38	115.71	108.20
1	AA	580	C	C2-N3-C4	9.38	124.59	119.90
1	AA	1032	G	C6-C5-N7	-9.38	124.77	130.40
1	AA	1	A	C8-N9-C4	9.38	109.55	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	87	C	N3-C4-N4	-9.38	111.44	118.00
1	AA	725	G	N3-C2-N2	-9.38	113.34	119.90
1	AA	802	A	O4'-C1'-N9	9.38	115.70	108.20
1	AA	1271	A	N7-C8-N9	9.38	118.49	113.80
4	AD	2	G	N3-C4-C5	-9.38	123.91	128.60
26	BB	265	A	C2-N3-C4	9.38	115.29	110.60
26	BB	378	C	C5'-C4'-O4'	9.38	120.35	109.10
26	BB	1030	C	N3-C4-C5	9.38	125.65	121.90
26	BB	2128	G	N3-C4-C5	-9.38	123.91	128.60
1	AA	98	A	C5-N7-C8	9.38	108.59	103.90
26	BB	2172	U	O4'-C1'-N1	9.37	115.70	108.20
1	AA	251	G	C8-N9-C4	-9.37	102.65	106.40
1	AA	1013	G	C8-N9-C4	-9.37	102.65	106.40
1	AA	1035	A	O4'-C1'-N9	9.37	115.70	108.20
26	BB	1275	A	N3-C4-C5	-9.37	120.24	126.80
1	AA	1156	G	O4'-C4'-C3'	9.37	113.60	106.10
26	BB	1366	A	N7-C8-N9	9.37	118.49	113.80
26	BB	1838	C	C2-N3-C4	9.37	124.59	119.90
26	BB	2009	A	O4'-C1'-N9	9.37	115.70	108.20
1	AA	693	G	N3-C2-N2	9.37	126.46	119.90
1	AA	955	U	N3-C2-O2	-9.37	115.64	122.20
2	AB	45	U	O4'-C1'-N1	9.37	115.70	108.20
26	BB	85	G	N3-C4-N9	9.37	131.62	126.00
26	BB	1162	G	N1-C2-N3	9.37	129.52	123.90
26	BB	1128	G	C8-N9-C4	-9.37	102.65	106.40
26	BB	1954	G	C4-C5-N7	9.37	114.55	110.80
26	BB	2678	C	C4'-C3'-C2'	-9.37	93.23	102.60
26	BB	2694	G	N1-C6-O6	9.37	125.52	119.90
1	AA	354	G	C4-C5-N7	9.37	114.55	110.80
26	BB	934	U	N1-C2-O2	9.37	129.36	122.80
1	AA	677	U	O4'-C1'-N1	9.36	115.69	108.20
1	AA	1457	G	N1-C6-O6	9.36	125.52	119.90
26	BB	1055	G	N3-C4-C5	-9.37	123.92	128.60
26	BB	1202	G	C6-N1-C2	-9.37	119.48	125.10
26	BB	1556	C	O4'-C1'-N1	9.36	115.69	108.20
1	AA	200	G	C8-N9-C4	-9.36	102.66	106.40
1	AA	936	C	N3-C4-C5	9.36	125.64	121.90
26	BB	762	U	C3'-C2'-C1'	9.36	108.99	101.50
1	AA	278	G	O4'-C1'-N9	9.36	115.69	108.20
1	AA	1102	A	C5-C6-N6	-9.36	116.21	123.70
26	BB	195	A	N9-C4-C5	9.36	109.54	105.80
26	BB	231	A	C2'-C3'-O3'	9.36	130.09	109.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1393	A	N9-C4-C5	9.36	109.54	105.80
26	BB	2443	C	N3-C4-N4	9.36	124.55	118.00
1	AA	61	G	C5'-C4'-C3'	9.36	130.97	116.00
1	AA	408	A	N1-C6-N6	9.36	124.21	118.60
1	AA	1059	C	O4'-C4'-C3'	9.36	113.58	106.10
1	AA	1533	C	C2-N3-C4	9.36	124.58	119.90
26	BB	1315	C	O4'-C1'-N1	9.36	115.69	108.20
26	BB	2873	A	N1-C2-N3	-9.36	124.62	129.30
26	BB	2112	G	N1-C6-O6	-9.35	114.29	119.90
26	BB	2679	A	N9-C4-C5	9.35	109.54	105.80
4	AD	45	A	O4'-C1'-N9	9.35	115.68	108.20
10	AJ	84	TYR	CB-CG-CD2	-9.35	115.39	121.00
26	BB	74	A	N7-C8-N9	9.35	118.47	113.80
26	BB	181	A	C6-C5-N7	9.35	138.85	132.30
26	BB	1143	A	N1-C2-N3	9.35	133.98	129.30
26	BB	1766	G	C5-N7-C8	-9.35	99.62	104.30
26	BB	2511	U	C5'-C4'-O4'	9.35	120.32	109.10
26	BB	323	C	N3-C4-C5	-9.35	118.16	121.90
26	BB	625	G	O4'-C1'-N9	9.35	115.68	108.20
26	BB	2827	C	C6-N1-C2	-9.35	116.56	120.30
34	BJ	55	ARG	NE-CZ-NH1	9.35	124.97	120.30
1	AA	718	A	O4'-C1'-N9	9.35	115.68	108.20
1	AA	1292	G	N9-C4-C5	9.35	109.14	105.40
5	AE	221	ARG	NE-CZ-NH1	9.35	124.97	120.30
26	BB	658	U	C6-N1-C2	-9.35	115.39	121.00
45	BU	99	ARG	NE-CZ-NH1	9.35	124.97	120.30
26	BB	31	C	C2-N3-C4	-9.34	115.23	119.90
26	BB	118	A	C4-C5-C6	-9.34	112.33	117.00
26	BB	432	A	O4'-C1'-N9	9.34	115.67	108.20
1	AA	914	A	N1-C6-N6	-9.34	113.00	118.60
1	AA	1098	C	C6-N1-C2	-9.34	116.56	120.30
1	AA	1409	C	N3-C2-O2	-9.34	115.36	121.90
1	AA	1475	G	N3-C4-C5	-9.34	123.93	128.60
11	AK	113	ARG	NE-CZ-NH1	9.34	124.97	120.30
26	BB	556	A	N3-C4-N9	9.34	134.87	127.40
26	BB	2245	U	N1-C2-N3	9.34	120.50	114.90
26	BB	2368	C	N3-C4-C5	9.34	125.64	121.90
26	BB	2820	A	C8-N9-C4	-9.34	102.06	105.80
1	AA	93	U	O4'-C1'-N1	9.34	115.67	108.20
1	AA	677	U	N1-C2-N3	9.34	120.50	114.90
26	BB	371	A	N7-C8-N9	9.34	118.47	113.80
1	AA	704	A	N1-C6-N6	-9.34	113.00	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	37	C	N3-C4-N4	9.34	124.53	118.00
26	BB	995	C	C6-N1-C2	-9.34	116.56	120.30
26	BB	1645	G	C8-N9-C4	-9.34	102.67	106.40
26	BB	2361	G	C8-N9-C4	-9.34	102.67	106.40
20	AT	65	PRO	N-CA-CB	9.33	114.50	103.30
26	BB	1067	A	N1-C2-N3	-9.33	124.63	129.30
1	AA	1368	A	N1-C2-N3	-9.33	124.64	129.30
26	BB	793	A	N1-C2-N3	-9.33	124.64	129.30
26	BB	1006	C	N3-C4-C5	-9.33	118.17	121.90
26	BB	1693	U	C5-C6-N1	-9.33	118.04	122.70
1	AA	1213	A	C5-C6-N1	9.32	122.36	117.70
1	AA	1432	G	N1-C6-O6	-9.32	114.31	119.90
1	AA	1462	C	O4'-C1'-N1	9.32	115.66	108.20
4	AD	29	C	O4'-C1'-N1	9.32	115.66	108.20
25	BA	49	C	N3-C2-O2	-9.32	115.37	121.90
26	BB	2166	U	C5-C6-N1	-9.32	118.04	122.70
1	AA	251	G	C5-C6-N1	9.32	116.16	111.50
1	AA	361	G	C5-N7-C8	9.32	108.96	104.30
1	AA	812	G	C5-N7-C8	-9.32	99.64	104.30
1	AA	1186	G	C4-C5-N7	-9.32	107.07	110.80
1	AA	1311	A	N1-C6-N6	9.32	124.19	118.60
25	BA	86	G	C4-C5-N7	-9.32	107.07	110.80
26	BB	1681	G	N3-C2-N2	-9.32	113.38	119.90
4	AD	38	A	O4'-C1'-N9	9.32	115.66	108.20
26	BB	252	G	N1-C2-N3	-9.32	118.31	123.90
26	BB	1274	A	O4'-C1'-N9	9.32	115.66	108.20
26	BB	2356	U	N3-C4-O4	9.32	125.92	119.40
26	BB	2531	A	N7-C8-N9	9.32	118.46	113.80
26	BB	754	U	C5-C4-O4	-9.32	120.31	125.90
26	BB	1514	G	N3-C4-C5	-9.32	123.94	128.60
26	BB	2301	C	O4'-C1'-N1	9.32	115.66	108.20
40	BP	2	ARG	NE-CZ-NH1	9.32	124.96	120.30
1	AA	223	A	N1-C2-N3	9.32	133.96	129.30
25	BA	11	C	C5-C4-N4	-9.32	113.68	120.20
26	BB	824	U	O4'-C1'-N1	9.32	115.65	108.20
1	AA	1112	C	O4'-C1'-N1	9.32	115.65	108.20
2	AB	48	U	O4'-C4'-C3'	9.32	113.55	106.10
26	BB	726	G	O4'-C1'-N9	9.32	115.65	108.20
26	BB	1071	G	N3-C4-N9	-9.32	120.41	126.00
1	AA	198	G	C5-C6-N1	9.31	116.16	111.50
26	BB	1922	G	C8-N9-C4	-9.31	102.67	106.40
26	BB	2208	C	C3'-C2'-C1'	9.31	108.95	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2385	C	O4'-C4'-C3'	-9.31	94.69	104.00
25	BA	96	G	C2-N3-C4	9.31	116.56	111.90
1	AA	345	C	O4'-C4'-C3'	9.31	113.55	106.10
1	AA	1030	U	O5'-P-OP2	-9.31	97.32	105.70
26	BB	1052	C	C2-N3-C4	-9.31	115.25	119.90
26	BB	1059	G	C2-N3-C4	9.31	116.56	111.90
26	BB	1401	G	C4'-C3'-C2'	-9.31	93.29	102.60
26	BB	1486	U	C5-C4-O4	-9.31	120.31	125.90
26	BB	2514	U	O4'-C1'-N1	9.31	115.65	108.20
26	BB	1774	C	C4-C5-C6	-9.31	112.75	117.40
49	BY	24	ARG	NE-CZ-NH2	9.31	124.96	120.30
1	AA	1064	G	N9-C4-C5	-9.31	101.68	105.40
4	AD	16	C	C5-C6-N1	9.31	125.65	121.00
26	BB	112	U	C5-C6-N1	-9.31	118.05	122.70
26	BB	335	C	C5'-C4'-C3'	-9.31	101.11	116.00
26	BB	1561	C	N3-C4-N4	9.31	124.52	118.00
26	BB	2436	G	C8-N9-C4	-9.31	102.68	106.40
25	BA	72	G	O4'-C1'-N9	9.31	115.64	108.20
26	BB	958	U	C2-N3-C4	-9.31	121.42	127.00
1	AA	39	G	C6-C5-N7	-9.30	124.82	130.40
1	AA	1244	G	C4-C5-N7	-9.30	107.08	110.80
3	AC	18	A	C5'-C4'-O4'	9.30	120.26	109.10
25	BA	30	C	O4'-C1'-N1	9.30	115.64	108.20
26	BB	280	U	C5-C6-N1	-9.30	118.05	122.70
26	BB	1232	G	C8-N9-C4	-9.30	102.68	106.40
26	BB	1654	A	C5'-C4'-C3'	-9.30	101.11	116.00
39	BO	66	ARG	NE-CZ-NH2	-9.30	115.65	120.30
1	AA	145	G	N3-C4-C5	-9.30	123.95	128.60
1	AA	631	C	C5-C4-N4	-9.30	113.69	120.20
1	AA	1088	G	C4-C5-C6	9.30	124.38	118.80
3	AC	15	G	O4'-C1'-N9	9.30	115.64	108.20
26	BB	2757	A	C4'-C3'-C2'	-9.30	93.30	102.60
1	AA	821	G	C5-C6-O6	-9.30	123.02	128.60
1	AA	959	A	C2-N3-C4	9.30	115.25	110.60
26	BB	128	C	C2-N3-C4	9.30	124.55	119.90
26	BB	2769	U	O4'-C1'-N1	9.30	115.64	108.20
26	BB	1863	G	N9-C4-C5	9.30	109.12	105.40
26	BB	2791	G	N3-C4-C5	-9.30	123.95	128.60
1	AA	413	G	N3-C4-C5	-9.30	123.95	128.60
46	BV	73	ARG	NE-CZ-NH1	9.30	124.95	120.30
1	AA	986	U	C5-C6-N1	-9.29	118.05	122.70
26	BB	1372	U	C5-C6-N1	-9.29	118.05	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2458	G	O4'-C1'-N9	9.29	115.64	108.20
26	BB	2472	G	C5-C6-O6	-9.29	123.02	128.60
1	AA	715	A	C8-N9-C4	-9.29	102.08	105.80
1	AA	806	C	N1-C2-O2	9.29	124.47	118.90
25	BA	22	U	N1-C2-N3	9.29	120.47	114.90
26	BB	83	A	N9-C4-C5	9.29	109.52	105.80
26	BB	940	G	C5-C6-N1	9.29	116.15	111.50
26	BB	999	U	N3-C4-C5	-9.29	109.03	114.60
26	BB	1235	G	C6-N1-C2	-9.29	119.53	125.10
26	BB	2877	G	C2-N3-C4	9.29	116.55	111.90
1	AA	50	A	C3'-C2'-C1'	9.29	108.93	101.50
26	BB	1269	A	N1-C2-N3	-9.29	124.66	129.30
26	BB	2882	A	C5-C6-N1	9.29	122.34	117.70
26	BB	2136	G	C5-N7-C8	9.29	108.94	104.30
1	AA	1156	G	N1-C2-N3	9.29	129.47	123.90
9	AI	45	ARG	NE-CZ-NH2	-9.29	115.66	120.30
1	AA	364	A	C5-C6-N1	9.28	122.34	117.70
1	AA	1060	U	N1-C2-N3	9.28	120.47	114.90
26	BB	77	G	C8-N9-C4	-9.29	102.69	106.40
1	AA	559	A	C4-C5-N7	9.28	115.34	110.70
1	AA	1237	C	N3-C2-O2	-9.28	115.40	121.90
1	AA	1266	G	C5-C6-N1	9.28	116.14	111.50
26	BB	611	C	P-O3'-C3'	9.28	130.84	119.70
26	BB	710	U	C5'-C4'-C3'	9.28	130.85	116.00
26	BB	883	G	N9-C4-C5	9.28	109.11	105.40
1	AA	170	U	C4-C5-C6	9.28	125.27	119.70
1	AA	1105	A	O4'-C1'-N9	9.28	115.62	108.20
26	BB	748	G	C5-C6-O6	9.28	134.17	128.60
26	BB	2750	A	C2-N3-C4	-9.28	105.96	110.60
26	BB	2750	A	O4'-C4'-C3'	9.28	113.52	106.10
26	BB	2903	U	C3'-C2'-C1'	-9.28	94.08	101.50
1	AA	15	G	N3-C4-C5	-9.28	123.96	128.60
1	AA	1482	G	N9-C4-C5	-9.28	101.69	105.40
26	BB	135	U	N1-C2-O2	9.28	129.29	122.80
26	BB	2510	C	C4-C5-C6	9.28	122.04	117.40
1	AA	816	A	O4'-C1'-C2'	-9.27	96.53	105.80
26	BB	1336	A	N1-C2-N3	-9.27	124.66	129.30
4	AD	26	C	O4'-C1'-N1	9.27	115.62	108.20
26	BB	861	A	C4-C5-N7	-9.27	106.06	110.70
26	BB	1569	A	O4'-C1'-N9	9.27	115.62	108.20
26	BB	2397	G	N1-C6-O6	-9.27	114.34	119.90
1	AA	331	G	C4'-C3'-C2'	-9.27	93.33	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	AJ	101	ARG	NE-CZ-NH1	9.27	124.94	120.30
26	BB	582	A	C5-N7-C8	-9.27	99.27	103.90
30	BF	88	ARG	NE-CZ-NH1	9.27	124.93	120.30
37	BM	105	ARG	NE-CZ-NH2	-9.27	115.67	120.30
1	AA	1154	G	N3-C4-C5	-9.27	123.97	128.60
26	BB	2400	G	C8-N9-C4	-9.27	102.69	106.40
26	BB	1369	G	N9-C4-C5	9.27	109.11	105.40
26	BB	1788	C	N3-C4-C5	-9.27	118.19	121.90
1	AA	808	C	C5-C6-N1	-9.26	116.37	121.00
26	BB	440	C	N3-C2-O2	-9.26	115.42	121.90
26	BB	642	U	C5-C6-N1	-9.26	118.07	122.70
26	BB	2014	A	C3'-C2'-C1'	-9.26	94.09	101.50
1	AA	207	C	N3-C4-N4	9.26	124.48	118.00
1	AA	589	U	N3-C2-O2	-9.26	115.72	122.20
26	BB	363	G	C5-C6-N1	9.26	116.13	111.50
26	BB	1257	C	N3-C4-C5	-9.26	118.20	121.90
26	BB	1335	C	N3-C2-O2	-9.26	115.42	121.90
1	AA	1331	G	C5-C6-O6	9.26	134.16	128.60
26	BB	1646	C	N3-C4-C5	-9.26	118.20	121.90
26	BB	1959	G	N7-C8-N9	9.26	117.73	113.10
1	AA	842	U	C2-N3-C4	-9.26	121.45	127.00
1	AA	1056	U	C5-C4-O4	9.26	131.46	125.90
26	BB	365	U	N3-C4-O4	9.26	125.88	119.40
26	BB	387	U	N3-C4-C5	-9.26	109.05	114.60
26	BB	914	G	C4'-C3'-C2'	-9.26	93.34	102.60
1	AA	268	U	C4-C5-C6	9.26	125.25	119.70
1	AA	842	U	C5-C6-N1	-9.26	118.07	122.70
3	AC	30	U	C5'-C4'-O4'	9.26	120.21	109.10
26	BB	1733	G	C5-C6-N1	9.26	116.13	111.50
26	BB	1971	U	C3'-C2'-C1'	9.26	108.90	101.50
26	BB	2094	A	N9-C4-C5	-9.26	102.10	105.80
29	BE	176	ASP	CB-CG-OD2	-9.26	109.97	118.30
1	AA	708	C	C1'-O4'-C4'	-9.25	102.50	109.90
1	AA	769	G	C8-N9-C4	9.25	110.10	106.40
1	AA	1255	G	C8-N9-C4	-9.25	102.70	106.40
26	BB	814	C	O4'-C1'-N1	9.25	115.60	108.20
1	AA	235	C	C5-C6-N1	-9.25	116.37	121.00
1	AA	991	U	N1-C2-O2	-9.25	116.33	122.80
1	AA	1306	A	N3-C4-C5	-9.25	120.32	126.80
26	BB	154	U	C5-C4-O4	-9.25	120.35	125.90
26	BB	2842	G	N3-C4-N9	9.25	131.55	126.00
1	AA	1310	G	C4-C5-N7	-9.25	107.10	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1315	U	C2-N3-C4	-9.25	121.45	127.00
25	BA	17	C	O4'-C1'-N1	9.25	115.60	108.20
26	BB	1744	A	N1-C6-N6	-9.25	113.05	118.60
1	AA	1046	A	C5-C6-N1	9.25	122.32	117.70
26	BB	1992	G	N3-C4-C5	-9.25	123.98	128.60
1	AA	997	U	C2-N3-C4	-9.25	121.45	127.00
26	BB	598	U	C4-C5-C6	9.25	125.25	119.70
26	BB	1019	U	N1-C2-N3	9.25	120.45	114.90
26	BB	1773	A	N1-C2-N3	-9.25	124.68	129.30
26	BB	2254	C	N1-C2-N3	-9.25	112.73	119.20
1	AA	436	C	N1-C2-O2	9.24	124.45	118.90
26	BB	2225	A	N1-C2-N3	-9.24	124.68	129.30
26	BB	2358	A	C3'-C2'-C1'	9.24	108.90	101.50
1	AA	342	C	O4'-C1'-N1	9.24	115.59	108.20
26	BB	410	G	N9-C4-C5	-9.24	101.70	105.40
26	BB	915	C	O4'-C1'-N1	9.24	115.59	108.20
26	BB	1098	A	C5'-C4'-O4'	9.24	120.19	109.10
26	BB	2486	C	C5-C4-N4	-9.24	113.73	120.20
26	BB	2585	U	N3-C4-C5	-9.24	109.06	114.60
1	AA	237	G	C5-C6-N1	9.24	116.12	111.50
1	AA	766	A	C8-N9-C4	-9.24	102.10	105.80
1	AA	1305	G	O4'-C1'-N9	-9.24	100.81	108.20
1	AA	1331	G	C4-C5-C6	9.24	124.34	118.80
25	BA	53	A	O4'-C1'-N9	9.24	115.59	108.20
26	BB	191	A	C4-C5-N7	9.24	115.32	110.70
26	BB	658	U	C5-C4-O4	9.24	131.44	125.90
26	BB	1246	A	C5-C6-N1	9.24	122.32	117.70
26	BB	2469	A	C5'-C4'-O4'	9.24	120.19	109.10
1	AA	693	G	C4-C5-C6	9.24	124.34	118.80
26	BB	217	A	O4'-C1'-N9	9.24	115.59	108.20
26	BB	760	G	N3-C4-C5	-9.24	123.98	128.60
26	BB	1197	G	N9-C4-C5	9.24	109.09	105.40
26	BB	2174	C	C5-C4-N4	9.24	126.67	120.20
1	AA	231	U	C5-C6-N1	-9.23	118.08	122.70
1	AA	302	G	N3-C4-C5	-9.23	123.98	128.60
26	BB	153	U	C5-C6-N1	-9.23	118.08	122.70
26	BB	482	A	O4'-C1'-N9	9.23	115.59	108.20
26	BB	2066	C	N3-C4-C5	-9.23	118.21	121.90
26	BB	2339	C	C3'-C2'-C1'	9.23	108.89	101.50
1	AA	165	G	C4-C5-N7	-9.23	107.11	110.80
1	AA	304	U	N3-C2-O2	-9.23	115.74	122.20
26	BB	2511	U	O4'-C1'-N1	9.23	115.58	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1012	A	C2-N3-C4	9.23	115.22	110.60
1	AA	1152	A	C4-C5-N7	-9.23	106.08	110.70
1	AA	1497	G	C5-C6-O6	-9.23	123.06	128.60
26	BB	2346	A	C5-N7-C8	9.23	108.52	103.90
1	AA	474	G	C8-N9-C4	-9.23	102.71	106.40
1	AA	474	G	O4'-C1'-N9	9.23	115.58	108.20
1	AA	1483	A	N9-C4-C5	9.23	109.49	105.80
1	AA	1513	A	C8-N9-C4	-9.23	102.11	105.80
26	BB	247	G	C6-C5-N7	9.23	135.94	130.40
26	BB	638	G	C4-C5-N7	-9.23	107.11	110.80
26	BB	763	G	C4-C5-N7	9.23	114.49	110.80
26	BB	1988	G	C6-N1-C2	-9.23	119.56	125.10
26	BB	2045	C	N3-C2-O2	-9.23	115.44	121.90
26	BB	1568	G	N9-C4-C5	9.23	109.09	105.40
26	BB	2649	C	C3'-C2'-C1'	-9.23	94.12	101.50
30	BF	7	ASP	CB-CG-OD2	-9.23	110.00	118.30
26	BB	1222	U	C5-C6-N1	-9.22	118.09	122.70
26	BB	2037	A	C4-C5-N7	-9.22	106.09	110.70
1	AA	1119	C	N3-C4-C5	-9.22	118.21	121.90
1	AA	1364	U	C5-C6-N1	-9.22	118.09	122.70
1	AA	626	G	N3-C4-C5	-9.22	123.99	128.60
1	AA	867	G	O4'-C1'-N9	9.22	115.58	108.20
26	BB	212	G	C4-C5-C6	9.22	124.33	118.80
26	BB	1514	G	C6-N1-C2	-9.22	119.57	125.10
26	BB	2467	C	C4-C5-C6	-9.22	112.79	117.40
26	BB	2735	G	N7-C8-N9	9.22	117.71	113.10
2	AB	4	G	N3-C4-C5	-9.22	123.99	128.60
25	BA	51	G	C4-C5-N7	9.22	114.49	110.80
26	BB	2178	C	O4'-C1'-C2'	-9.22	96.58	105.80
1	AA	1004	A	C4-C5-N7	-9.22	106.09	110.70
1	AA	110	C	O4'-C1'-N1	9.21	115.57	108.20
1	AA	953	G	O4'-C1'-N9	9.21	115.57	108.20
1	AA	1419	G	C2-N3-C4	9.21	116.51	111.90
1	AA	809	G	C4-C5-N7	9.21	114.48	110.80
1	AA	984	C	N3-C2-O2	-9.21	115.45	121.90
26	BB	1457	U	N1-C2-N3	9.21	120.43	114.90
26	BB	2047	C	O4'-C1'-N1	9.21	115.57	108.20
26	BB	2341	G	O4'-C1'-N9	9.21	115.57	108.20
26	BB	2843	G	N1-C6-O6	9.21	125.43	119.90
1	AA	192	A	O4'-C1'-N9	9.21	115.57	108.20
1	AA	1486	G	N3-C4-N9	9.21	131.53	126.00
26	BB	1041	G	N3-C4-C5	-9.21	124.00	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	B1	30	ARG	NE-CZ-NH2	-9.21	115.69	120.30
1	AA	1036	A	C4-C5-N7	-9.21	106.10	110.70
26	BB	80	G	C2-N3-C4	9.21	116.50	111.90
26	BB	2422	C	N1-C2-O2	9.21	124.42	118.90
26	BB	2550	G	C5-N7-C8	-9.21	99.70	104.30
1	AA	331	G	N3-C4-N9	-9.21	120.48	126.00
1	AA	1370	G	C8-N9-C4	-9.20	102.72	106.40
26	BB	221	A	C8-N9-C4	9.21	109.48	105.80
26	BB	410	G	O4'-C1'-N9	9.21	115.56	108.20
26	BB	556	A	C8-N9-C4	9.21	109.48	105.80
26	BB	2729	G	N3-C2-N2	-9.21	113.46	119.90
26	BB	2132	U	N1-C1'-C2'	-9.20	101.88	112.00
1	AA	725	G	C8-N9-C4	-9.20	102.72	106.40
26	BB	1371	G	C5-N7-C8	9.20	108.90	104.30
1	AA	15	G	C8-N9-C4	-9.20	102.72	106.40
1	AA	45	G	N9-C1'-C2'	-9.20	101.88	112.00
26	BB	198	C	C4-C5-C6	9.20	122.00	117.40
26	BB	352	A	N1-C2-N3	9.20	133.90	129.30
26	BB	363	G	C8-N9-C4	-9.20	102.72	106.40
26	BB	1108	U	C2-N3-C4	-9.20	121.48	127.00
26	BB	1467	U	N1-C2-N3	9.20	120.42	114.90
26	BB	1808	A	C4-C5-N7	9.20	115.30	110.70
1	AA	18	C	C5-C6-N1	9.20	125.60	121.00
1	AA	601	G	C5-C6-O6	-9.20	123.08	128.60
1	AA	764	C	C6-N1-C2	-9.20	116.62	120.30
1	AA	1387	G	N3-C4-C5	-9.20	124.00	128.60
26	BB	503	A	O4'-C4'-C3'	9.20	113.46	106.10
26	BB	2509	G	C5-N7-C8	9.20	108.90	104.30
1	AA	308	C	O4'-C1'-N1	9.19	115.56	108.20
1	AA	780	A	C8-N9-C4	-9.19	102.12	105.80
1	AA	1322	C	N1-C2-O2	9.20	124.42	118.90
26	BB	378	C	O4'-C1'-C2'	-9.20	96.61	105.80
26	BB	2595	G	N9-C4-C5	9.20	109.08	105.40
1	AA	1318	A	C5-C6-N6	9.19	131.05	123.70
1	AA	1529	G	C8-N9-C4	-9.19	102.72	106.40
26	BB	592	A	N3-C4-C5	-9.19	120.37	126.80
26	BB	1407	G	C8-N9-C4	-9.19	102.72	106.40
26	BB	2604	U	N3-C4-O4	9.19	125.83	119.40
2	AB	71	C	O5'-P-OP1	-9.19	97.43	105.70
26	BB	2176	A	N1-C6-N6	9.19	124.11	118.60
26	BB	2398	U	O4'-C1'-N1	9.19	115.55	108.20
26	BB	2515	C	C6-N1-C2	-9.19	116.62	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	412	A	C6-N1-C2	-9.19	113.09	118.60
26	BB	520	G	N3-C4-C5	-9.19	124.01	128.60
26	BB	1926	U	C5-C6-N1	-9.19	118.11	122.70
26	BB	2199	A	O4'-C1'-N9	9.19	115.55	108.20
32	BH	108	PHE	CB-CG-CD2	-9.19	114.37	120.80
1	AA	122	G	C2-N3-C4	9.18	116.49	111.90
1	AA	938	A	C5-N7-C8	9.18	108.49	103.90
1	AA	1382	C	N1-C2-O2	9.18	124.41	118.90
1	AA	1426	G	N3-C4-C5	-9.18	124.01	128.60
6	AF	228	ARG	NE-CZ-NH1	9.18	124.89	120.30
26	BB	20	C	C5'-C4'-O4'	9.18	120.12	109.10
26	BB	2756	U	P-O3'-C3'	9.18	130.72	119.70
1	AA	117	G	C2-N3-C4	9.18	116.49	111.90
26	BB	533	G	O4'-C1'-N9	9.18	115.55	108.20
1	AA	211	G	N3-C2-N2	-9.18	113.47	119.90
1	AA	279	A	P-O3'-C3'	9.18	130.71	119.70
1	AA	326	G	O4'-C1'-N9	9.18	115.54	108.20
1	AA	1525	G	C8-N9-C4	-9.18	102.73	106.40
26	BB	367	G	C5-C6-N1	-9.18	106.91	111.50
26	BB	1128	G	C5-C6-O6	9.18	134.11	128.60
26	BB	1699	G	N9-C4-C5	9.18	109.07	105.40
1	AA	600	A	N9-C1'-C2'	-9.18	101.91	112.00
26	BB	811	U	O4'-C1'-N1	9.18	115.54	108.20
1	AA	1489	G	C6-C5-N7	-9.18	124.89	130.40
26	BB	875	G	C8-N9-C4	-9.18	102.73	106.40
26	BB	1370	C	N3-C2-O2	-9.18	115.48	121.90
1	AA	931	C	C5'-C4'-O4'	9.17	120.11	109.10
26	BB	64	A	C6-N1-C2	-9.17	113.09	118.60
26	BB	326	G	C4-C5-C6	9.17	124.30	118.80
26	BB	790	U	N3-C2-O2	-9.17	115.78	122.20
26	BB	1487	U	N3-C4-O4	9.17	125.82	119.40
26	BB	2396	G	C5-C6-O6	-9.17	123.10	128.60
1	AA	366	A	N9-C4-C5	9.17	109.47	105.80
1	AA	1178	G	C4-C5-C6	9.17	124.30	118.80
26	BB	1812	U	C5-C6-N1	-9.17	118.11	122.70
1	AA	1297	G	C5-C6-N1	9.17	116.08	111.50
25	BA	68	C	N1-C2-O2	9.17	124.40	118.90
26	BB	2541	A	C6-C5-N7	9.17	138.72	132.30
1	AA	130	A	C1'-O4'-C4'	-9.16	102.57	109.90
1	AA	858	G	N1-C2-N3	-9.16	118.40	123.90
1	AA	1116	U	O4'-C1'-N1	9.16	115.53	108.20
1	AA	1353	G	C5-C6-N1	-9.16	106.92	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1086	A	C2-N3-C4	9.16	115.18	110.60
26	BB	1992	G	N9-C4-C5	9.16	109.07	105.40
1	AA	253	A	C1'-O4'-C4'	-9.16	102.57	109.90
1	AA	1234	C	C3'-C2'-C1'	9.16	108.83	101.50
2	AB	71	C	N3-C2-O2	-9.16	115.49	121.90
26	BB	1436	G	N3-C4-C5	-9.16	124.02	128.60
26	BB	30	G	C5-C6-N1	9.16	116.08	111.50
26	BB	821	A	C5-C6-N6	9.16	131.03	123.70
26	BB	2060	A	O4'-C1'-N9	-9.16	100.87	108.20
1	AA	1024	G	N3-C2-N2	-9.16	113.49	119.90
26	BB	793	A	C5-C6-N1	9.16	122.28	117.70
26	BB	818	G	N7-C8-N9	9.16	117.68	113.10
26	BB	2016	U	C4-C5-C6	9.16	125.19	119.70
26	BB	1085	A	P-O3'-C3'	9.16	130.69	119.70
26	BB	2270	A	C8-N9-C4	-9.16	102.14	105.80
26	BB	2894	G	C5-C6-N1	9.16	116.08	111.50
1	AA	98	A	C4-C5-C6	9.15	121.58	117.00
1	AA	721	G	N9-C4-C5	9.15	109.06	105.40
26	BB	2512	C	C5-C4-N4	-9.15	113.79	120.20
26	BB	2577	A	C2-N3-C4	9.15	115.18	110.60
26	BB	2757	A	C6-N1-C2	9.15	124.09	118.60
1	AA	41	G	N9-C4-C5	9.15	109.06	105.40
26	BB	78	U	O4'-C1'-N1	9.15	115.52	108.20
26	BB	609	A	N9-C4-C5	-9.15	102.14	105.80
26	BB	1639	C	O4'-C1'-N1	9.15	115.52	108.20
26	BB	2633	G	N1-C6-O6	-9.15	114.41	119.90
26	BB	2647	U	C2-N3-C4	-9.15	121.51	127.00
1	AA	181	A	C2-N3-C4	9.15	115.17	110.60
1	AA	113	G	C5-C6-O6	-9.15	123.11	128.60
1	AA	1488	G	C3'-C2'-C1'	-9.15	94.18	101.50
4	AD	60	A	C8-N9-C4	-9.15	102.14	105.80
26	BB	1599	U	C2-N3-C4	-9.15	121.51	127.00
26	BB	2680	U	N3-C2-O2	-9.15	115.80	122.20
26	BB	2750	A	N9-C4-C5	9.15	109.46	105.80
26	BB	632	A	C4-C5-N7	-9.15	106.13	110.70
26	BB	1153	C	C5-C4-N4	-9.15	113.80	120.20
26	BB	1356	G	C6-C5-N7	-9.15	124.91	130.40
26	BB	2532	G	C8-N9-C4	-9.15	102.74	106.40
1	AA	444	G	C6-N1-C2	-9.14	119.61	125.10
26	BB	117	G	C4-C5-N7	9.14	114.46	110.80
26	BB	1174	U	C5-C6-N1	-9.14	118.13	122.70
26	BB	1485	U	N1-C2-O2	9.14	129.20	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2542	A	C1'-O4'-C4'	-9.14	102.58	109.90
26	BB	1831	G	N3-C2-N2	-9.14	113.50	119.90
26	BB	1946	U	N1-C2-O2	9.14	129.20	122.80
26	BB	2307	G	C2-N3-C4	9.14	116.47	111.90
26	BB	2442	C	C5-C6-N1	9.14	125.57	121.00
26	BB	2305	U	C5-C6-N1	9.14	127.27	122.70
26	BB	2535	G	O4'-C1'-N9	9.14	115.51	108.20
36	BL	13	ARG	NE-CZ-NH2	-9.14	115.73	120.30
26	BB	1058	U	O4'-C1'-N1	9.14	115.51	108.20
26	BB	1592	C	N3-C2-O2	-9.14	115.50	121.90
26	BB	1609	A	N1-C6-N6	-9.14	113.12	118.60
1	AA	765	G	O4'-C1'-N9	9.14	115.51	108.20
4	AD	60	A	N1-C2-N3	-9.14	124.73	129.30
26	BB	76	C	C5'-C4'-O4'	9.14	120.07	109.10
26	BB	1637	A	N9-C4-C5	-9.14	102.14	105.80
26	BB	1938	A	N9-C4-C5	9.14	109.45	105.80
1	AA	1362	A	C8-N9-C4	-9.13	102.15	105.80
26	BB	1791	A	C5-C6-N6	9.14	131.01	123.70
26	BB	885	C	N3-C4-C5	9.13	125.55	121.90
26	BB	1424	G	C2-N3-C4	-9.13	107.33	111.90
1	AA	722	G	C4-C5-N7	-9.13	107.15	110.80
26	BB	1907	G	C5-C6-O6	9.13	134.08	128.60
26	BB	2464	G	O4'-C4'-C3'	-9.13	94.87	104.00
4	AD	59	A	C5-C6-N1	9.13	122.27	117.70
26	BB	445	C	N3-C4-C5	-9.13	118.25	121.90
26	BB	1764	C	C6-N1-C2	-9.13	116.65	120.30
1	AA	298	A	O4'-C1'-N9	9.13	115.50	108.20
11	AK	14	ARG	NE-CZ-NH2	9.13	124.86	120.30
26	BB	47	C	N1-C1'-C2'	-9.13	101.96	112.00
26	BB	1910	G	N3-C4-C5	-9.13	124.04	128.60
26	BB	2424	C	C6-N1-C2	-9.13	116.65	120.30
26	BB	2442	C	C4-C5-C6	-9.13	112.84	117.40
26	BB	2455	G	N3-C4-N9	9.13	131.48	126.00
1	AA	894	G	N1-C2-N3	9.12	129.38	123.90
1	AA	1049	U	C4-C5-C6	9.12	125.17	119.70
1	AA	1190	G	C3'-C2'-C1'	-9.12	94.20	101.50
4	AD	51	U	O4'-C1'-N1	9.13	115.50	108.20
26	BB	594	U	O4'-C1'-N1	9.13	115.50	108.20
1	AA	1456	A	C5-C6-N6	-9.12	116.40	123.70
26	BB	448	U	C5-C4-O4	-9.12	120.42	125.90
26	BB	1161	C	C2-N3-C4	9.12	124.46	119.90
26	BB	1582	C	N3-C2-O2	-9.12	115.51	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1736	U	C2-N3-C4	-9.12	121.53	127.00
26	BB	2180	U	O4'-C1'-N1	9.12	115.50	108.20
1	AA	412	A	O4'-C1'-N9	9.12	115.50	108.20
1	AA	772	U	C5'-C4'-O4'	9.12	120.05	109.10
1	AA	1240	U	C3'-C2'-C1'	9.12	108.80	101.50
26	BB	1699	G	N1-C6-O6	9.12	125.37	119.90
1	AA	1522	U	O4'-C1'-N1	9.12	115.50	108.20
26	BB	1447	C	N3-C2-O2	-9.12	115.52	121.90
26	BB	573	U	C3'-C2'-C1'	9.12	108.80	101.50
26	BB	1498	C	C5-C4-N4	-9.12	113.82	120.20
26	BB	2124	G	C6-C5-N7	9.12	135.87	130.40
1	AA	930	C	O4'-C1'-N1	9.12	115.49	108.20
1	AA	1315	U	N3-C2-O2	-9.12	115.82	122.20
25	BA	102	G	C5-C6-O6	-9.12	123.13	128.60
26	BB	540	C	C4'-C3'-C2'	-9.12	93.48	102.60
26	BB	1857	G	N3-C4-N9	9.12	131.47	126.00
26	BB	2189	U	N1-C1'-C2'	-9.12	101.97	112.00
26	BB	2487	G	C8-N9-C4	-9.12	102.75	106.40
26	BB	2489	U	N3-C4-C5	-9.12	109.13	114.60
1	AA	466	A	O4'-C1'-N9	9.12	115.49	108.20
2	AB	70	C	C3'-C2'-C1'	-9.12	94.21	101.50
1	AA	344	A	N1-C6-N6	9.11	124.07	118.60
1	AA	858	G	C2-N3-C4	9.12	116.46	111.90
2	AB	71	C	N1-C2-O2	9.12	124.37	118.90
26	BB	685	A	C5-N7-C8	-9.12	99.34	103.90
26	BB	1045	C	N1-C2-O2	9.12	124.37	118.90
26	BB	1924	C	C5-C6-N1	9.12	125.56	121.00
1	AA	146	G	N3-C4-C5	-9.11	124.04	128.60
26	BB	2595	G	O4'-C1'-N9	9.11	115.49	108.20
26	BB	2764	A	C4-C5-N7	-9.11	106.14	110.70
1	AA	1438	G	C4-C5-N7	-9.11	107.16	110.80
25	BA	54	G	C2-N3-C4	9.11	116.46	111.90
26	BB	725	G	N3-C4-C5	-9.11	124.05	128.60
26	BB	1925	C	C5'-C4'-O4'	9.11	120.03	109.10
1	AA	1138	G	O4'-C1'-N9	9.11	115.49	108.20
1	AA	700	G	C5'-C4'-O4'	9.11	120.03	109.10
26	BB	1198	U	C2-N3-C4	-9.11	121.53	127.00
26	BB	1701	A	O4'-C1'-N9	9.11	115.49	108.20
28	BD	257	ARG	NE-CZ-NH2	-9.11	115.75	120.30
1	AA	490	C	N3-C4-C5	-9.11	118.26	121.90
26	BB	424	G	N3-C2-N2	-9.11	113.53	119.90
26	BB	1491	G	C5-C6-O6	-9.11	123.14	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2426	A	C5-C6-N1	-9.11	113.15	117.70
26	BB	1308	A	N9-C4-C5	9.10	109.44	105.80
26	BB	1620	G	N1-C6-O6	-9.10	114.44	119.90
1	AA	90	C	C6-N1-C2	-9.10	116.66	120.30
1	AA	365	U	C5-C6-N1	-9.10	118.15	122.70
26	BB	1874	C	O4'-C1'-N1	9.10	115.48	108.20
26	BB	2186	G	C6-C5-N7	-9.10	124.94	130.40
26	BB	2537	U	O4'-C1'-N1	9.10	115.48	108.20
48	BX	57	TYR	CB-CG-CD2	9.10	126.46	121.00
26	BB	979	A	N3-C4-N9	9.10	134.68	127.40
26	BB	1529	G	O4'-C1'-N9	9.10	115.48	108.20
25	BA	85	G	N7-C8-N9	9.10	117.65	113.10
26	BB	2714	G	C5-N7-C8	-9.10	99.75	104.30
48	BX	21	ARG	NE-CZ-NH1	9.10	124.85	120.30
1	AA	720	C	C6-N1-C2	-9.10	116.66	120.30
1	AA	1222	G	O4'-C1'-N9	9.10	115.48	108.20
26	BB	1566	A	N7-C8-N9	-9.10	109.25	113.80
26	BB	2104	C	C5-C4-N4	9.10	126.57	120.20
1	AA	257	G	C8-N9-C4	-9.09	102.76	106.40
26	BB	2116	G	N3-C2-N2	-9.09	113.53	119.90
1	AA	568	G	O4'-C1'-N9	9.09	115.47	108.20
26	BB	2259	U	C5-C6-N1	-9.09	118.15	122.70
26	BB	2329	U	N3-C4-O4	-9.09	113.03	119.40
1	AA	514	C	O4'-C1'-N1	9.09	115.47	108.20
25	BA	108	A	O4'-C4'-C3'	9.09	113.37	106.10
26	BB	1302	A	N1-C6-N6	9.09	124.06	118.60
1	AA	765	G	C8-N9-C4	-9.09	102.77	106.40
1	AA	1037	C	C4'-C3'-C2'	-9.09	93.51	102.60
7	AG	127	ARG	NE-CZ-NH1	9.09	124.84	120.30
26	BB	591	U	C2-N3-C4	-9.09	121.55	127.00
26	BB	2304	G	N3-C4-C5	-9.09	124.06	128.60
26	BB	2745	C	O4'-C1'-N1	9.09	115.47	108.20
1	AA	251	G	C5-N7-C8	-9.09	99.76	104.30
26	BB	725	G	N3-C2-N2	9.09	126.26	119.90
26	BB	803	U	C1'-O4'-C4'	9.09	117.17	109.90
26	BB	855	G	N3-C4-C5	-9.09	124.06	128.60
1	AA	1184	G	N1-C6-O6	9.09	125.35	119.90
26	BB	896	A	O4'-C1'-N9	9.09	115.47	108.20
26	BB	1022	G	C5-C6-N1	-9.09	106.96	111.50
26	BB	1458	U	O4'-C1'-N1	9.09	115.47	108.20
26	BB	614	A	O4'-C1'-N9	9.09	115.47	108.20
26	BB	1724	G	N3-C4-C5	-9.09	124.06	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1865	U	N3-C2-O2	-9.09	115.84	122.20
26	BB	1930	G	N9-C4-C5	9.09	109.03	105.40
26	BB	2148	G	C2-N3-C4	9.09	116.44	111.90
26	BB	2432	A	C5-C6-N6	9.09	130.97	123.70
26	BB	2694	G	N7-C8-N9	9.09	117.64	113.10
26	BB	2829	A	C5-C6-N1	9.09	122.24	117.70
26	BB	2857	G	C6-N1-C2	-9.09	119.65	125.10
40	BP	63	ARG	NE-CZ-NH1	9.09	124.84	120.30
1	AA	902	G	C3'-C2'-C1'	-9.08	94.23	101.50
26	BB	412	A	O4'-C1'-N9	9.08	115.47	108.20
26	BB	2566	A	C2-N3-C4	9.08	115.14	110.60
26	BB	1031	G	N1-C6-O6	-9.08	114.45	119.90
26	BB	2732	G	C2-N3-C4	9.08	116.44	111.90
26	BB	2791	G	C5'-C4'-O4'	9.08	120.00	109.10
1	AA	272	C	C6-N1-C2	9.08	123.93	120.30
1	AA	617	G	N7-C8-N9	9.08	117.64	113.10
1	AA	987	G	O4'-C1'-N9	9.08	115.46	108.20
1	AA	1365	G	N7-C8-N9	9.08	117.64	113.10
26	BB	597	G	C6-N1-C2	-9.08	119.65	125.10
26	BB	1170	C	N3-C4-C5	-9.08	118.27	121.90
26	BB	1637	A	C8-N9-C4	9.08	109.43	105.80
26	BB	1924	C	C4'-C3'-C2'	-9.08	93.52	102.60
26	BB	2875	C	C4'-C3'-C2'	-9.08	93.52	102.60
1	AA	1156	G	C4'-C3'-C2'	-9.08	93.52	102.60
1	AA	1165	U	N1-C2-N3	9.08	120.34	114.90
26	BB	335	C	C5'-C4'-O4'	9.08	119.99	109.10
26	BB	630	G	N3-C4-C5	-9.08	124.06	128.60
26	BB	1464	G	C6-N1-C2	-9.08	119.66	125.10
1	AA	830	G	N7-C8-N9	9.07	117.64	113.10
2	AB	56	C	C3'-C2'-C1'	9.07	108.76	101.50
26	BB	251	A	N1-C2-N3	-9.07	124.76	129.30
1	AA	973	G	C2-N3-C4	9.07	116.44	111.90
1	AA	1501	C	C4-C5-C6	9.07	121.94	117.40
4	AD	47	A	O4'-C1'-N9	9.07	115.46	108.20
26	BB	1696	G	N1-C2-N3	9.07	129.34	123.90
26	BB	456	C	N1-C2-O2	9.07	124.34	118.90
26	BB	489	G	O4'-C1'-N9	9.07	115.45	108.20
26	BB	720	U	O4'-C1'-N1	9.07	115.45	108.20
26	BB	2016	U	N3-C4-C5	-9.07	109.16	114.60
26	BB	2290	G	C2-N3-C4	9.07	116.44	111.90
1	AA	99	C	N1-C2-O2	9.07	124.34	118.90
1	AA	844	G	C4-C5-N7	-9.07	107.17	110.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1183	U	N3-C4-O4	9.07	125.75	119.40
25	BA	78	A	C5-C6-N1	9.07	122.23	117.70
26	BB	205	G	C8-N9-C4	-9.07	102.77	106.40
26	BB	426	C	C6-N1-C2	9.07	123.93	120.30
26	BB	1382	G	N9-C1'-C2'	-9.07	102.03	112.00
26	BB	1549	A	N9-C4-C5	9.07	109.43	105.80
26	BB	2417	C	O4'-C1'-N1	9.07	115.45	108.20
26	BB	2421	G	O4'-C1'-N9	9.07	115.45	108.20
1	AA	76	G	C5-C6-O6	-9.06	123.16	128.60
1	AA	372	C	C2-N3-C4	9.06	124.43	119.90
1	AA	397	A	O4'-C1'-N9	-9.06	100.95	108.20
26	BB	1532	A	C5-C6-N1	9.06	122.23	117.70
26	BB	1592	C	N1-C2-O2	9.06	124.34	118.90
26	BB	2379	G	N7-C8-N9	9.06	117.63	113.10
15	AO	109	ARG	NE-CZ-NH1	9.06	124.83	120.30
26	BB	977	G	C6-C5-N7	-9.06	124.96	130.40
26	BB	2473	U	C5-C4-O4	-9.06	120.46	125.90
1	AA	106	C	C5-C6-N1	9.06	125.53	121.00
1	AA	1213	A	C5-C6-N6	-9.06	116.45	123.70
25	BA	104	A	N9-C4-C5	9.06	109.42	105.80
26	BB	696	G	N9-C4-C5	-9.06	101.78	105.40
26	BB	2645	G	N3-C4-C5	-9.06	124.07	128.60
25	BA	89	U	N1-C2-O2	9.06	129.14	122.80
26	BB	132	G	C5-N7-C8	9.06	108.83	104.30
26	BB	529	A	N9-C4-C5	9.06	109.42	105.80
26	BB	2052	A	N1-C2-N3	-9.06	124.77	129.30
1	AA	214	C	N1-C2-O2	9.06	124.33	118.90
1	AA	465	A	C4-C5-C6	9.05	121.53	117.00
1	AA	637	C	N3-C2-O2	-9.06	115.56	121.90
1	AA	27	G	C4-C5-C6	9.05	124.23	118.80
1	AA	347	G	C4-C5-N7	9.05	114.42	110.80
3	AC	40	G	O4'-C4'-C3'	9.05	113.34	106.10
26	BB	861	A	O4'-C1'-N9	9.05	115.44	108.20
26	BB	1170	C	C2-N3-C4	9.05	124.43	119.90
26	BB	983	A	C8-N9-C4	-9.05	102.18	105.80
26	BB	1103	A	C2-N3-C4	9.05	115.13	110.60
26	BB	1768	C	N1-C2-O2	9.05	124.33	118.90
26	BB	2646	C	N3-C4-N4	9.05	124.34	118.00
1	AA	1055	A	O4'-C1'-N9	9.05	115.44	108.20
1	AA	519	C	O4'-C1'-C2'	9.05	115.75	107.60
26	BB	1335	C	N1-C2-O2	9.05	124.33	118.90
26	BB	2485	G	C5-C6-N1	9.05	116.03	111.50

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	303	A	N7-C8-N9	9.05	118.33	113.80
26	BB	525	U	C5-C4-O4	-9.05	120.47	125.90
26	BB	840	C	C2-N3-C4	-9.05	115.38	119.90
3	AC	58	C	O4'-C1'-N1	9.05	115.44	108.20
26	BB	2048	G	N7-C8-N9	9.05	117.62	113.10
54	B3	15	ARG	NE-CZ-NH1	-9.05	115.78	120.30
1	AA	507	C	C4'-C3'-C2'	-9.05	93.55	102.60
26	BB	165	A	N9-C4-C5	9.05	109.42	105.80
26	BB	1280	G	N9-C4-C5	9.05	109.02	105.40
1	AA	655	A	C5-N7-C8	-9.04	99.38	103.90
1	AA	1134	G	N3-C4-C5	-9.04	124.08	128.60
26	BB	1185	G	O4'-C1'-N9	9.04	115.44	108.20
26	BB	2277	G	C4-C5-C6	9.04	124.23	118.80
26	BB	1811	G	C4-C5-N7	9.04	114.42	110.80
1	AA	309	A	N9-C4-C5	9.04	109.42	105.80
4	AD	49	C	N3-C4-C5	-9.04	118.28	121.90
26	BB	511	U	O4'-C1'-N1	9.04	115.43	108.20
26	BB	1317	G	N3-C2-N2	-9.04	113.57	119.90
26	BB	2813	A	N1-C6-N6	-9.04	113.17	118.60
39	BO	55	ARG	NE-CZ-NH1	-9.04	115.78	120.30
26	BB	778	G	C6-N1-C2	-9.04	119.68	125.10
26	BB	1319	C	N1-C2-O2	9.04	124.32	118.90
1	AA	254	G	N1-C6-O6	9.04	125.32	119.90
1	AA	601	G	C5-C6-N1	9.04	116.02	111.50
26	BB	338	G	O4'-C1'-N9	9.04	115.43	108.20
26	BB	521	U	N3-C2-O2	-9.04	115.87	122.20
26	BB	771	G	C2-N3-C4	9.04	116.42	111.90
26	BB	2443	C	C4-C5-C6	9.04	121.92	117.40
26	BB	2707	U	C4-C5-C6	9.04	125.12	119.70
1	AA	1244	G	C8-N9-C4	-9.04	102.79	106.40
1	AA	1341	U	N3-C2-O2	-9.04	115.88	122.20
26	BB	1475	G	N1-C6-O6	-9.04	114.48	119.90
26	BB	1868	C	C5-C6-N1	-9.04	116.48	121.00
26	BB	429	A	C1'-O4'-C4'	9.03	117.13	109.90
26	BB	2846	G	C5-C6-O6	9.04	134.02	128.60
26	BB	2862	G	N9-C4-C5	9.04	109.01	105.40
1	AA	95	C	C5'-C4'-O4'	9.03	119.94	109.10
1	AA	179	A	N7-C8-N9	9.03	118.32	113.80
1	AA	1283	U	N3-C2-O2	-9.03	115.88	122.20
26	BB	582	A	C4-C5-N7	9.03	115.22	110.70
26	BB	663	G	N3-C4-C5	-9.03	124.08	128.60
1	AA	1013	G	N9-C4-C5	9.03	109.01	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	AE	22	TRP	NE1-CE2-CD2	-9.03	98.27	107.30
26	BB	34	U	N1-C2-N3	9.03	120.32	114.90
36	BL	37	ARG	NE-CZ-NH2	9.03	124.81	120.30
26	BB	1068	G	N1-C6-O6	9.03	125.32	119.90
1	AA	307	C	N1-C1'-C2'	-9.03	102.07	112.00
26	BB	2545	G	N3-C4-C5	-9.03	124.09	128.60
1	AA	1337	G	C8-N9-C4	-9.03	102.79	106.40
25	BA	105	G	C5-C6-N1	9.03	116.01	111.50
26	BB	678	C	C1'-O4'-C4'	9.03	117.12	109.90
1	AA	621	A	C4-C5-N7	-9.02	106.19	110.70
1	AA	1176	A	N9-C4-C5	9.02	109.41	105.80
1	AA	1296	C	C4-C5-C6	9.02	121.91	117.40
26	BB	779	U	N3-C4-O4	9.02	125.72	119.40
1	AA	655	A	N9-C4-C5	-9.02	102.19	105.80
1	AA	720	C	C2-N3-C4	9.02	124.41	119.90
26	BB	618	G	C1'-O4'-C4'	-9.02	102.68	109.90
26	BB	863	A	C8-N9-C4	9.02	109.41	105.80
26	BB	1534	U	C4-C5-C6	9.02	125.11	119.70
1	AA	352	C	C2-N3-C4	9.02	124.41	119.90
26	BB	129	C	C3'-C2'-C1'	9.02	108.72	101.50
26	BB	405	U	N3-C4-O4	-9.02	113.09	119.40
26	BB	1159	U	N1-C2-N3	9.02	120.31	114.90
25	BA	2	G	C5-C6-O6	-9.02	123.19	128.60
25	BA	48	U	O4'-C1'-N1	9.02	115.41	108.20
26	BB	707	G	C8-N9-C4	9.02	110.01	106.40
26	BB	1086	A	N1-C2-N3	-9.02	124.79	129.30
26	BB	2331	G	P-O3'-C3'	9.02	130.52	119.70
1	AA	305	G	O4'-C1'-N9	9.02	115.41	108.20
1	AA	1441	A	N7-C8-N9	9.02	118.31	113.80
26	BB	1931	U	O4'-C1'-N1	9.02	115.41	108.20
1	AA	766	A	C5-N7-C8	9.02	108.41	103.90
1	AA	819	A	O4'-C1'-N9	9.02	115.41	108.20
3	AC	53	G	C8-N9-C4	-9.02	102.79	106.40
26	BB	2774	C	O4'-C1'-N1	9.02	115.41	108.20
15	AO	55	ARG	NE-CZ-NH1	9.02	124.81	120.30
26	BB	2254	C	O4'-C1'-N1	9.02	115.41	108.20
1	AA	277	C	N3-C2-O2	-9.01	115.59	121.90
1	AA	558	G	C8-N9-C4	-9.01	102.80	106.40
26	BB	628	G	N3-C4-C5	-9.01	124.09	128.60
26	BB	2299	U	C1'-O4'-C4'	-9.01	102.69	109.90
26	BB	2352	A	C8-N9-C4	-9.01	102.19	105.80
26	BB	2374	C	C5'-C4'-O4'	9.01	119.92	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	210	C	O4'-C1'-N1	9.01	115.41	108.20
1	AA	1334	G	O4'-C1'-N9	9.01	115.41	108.20
26	BB	2079	U	C4-C5-C6	9.01	125.11	119.70
26	BB	2292	U	O4'-C1'-N1	-9.01	100.99	108.20
1	AA	135	C	N3-C4-C5	-9.01	118.30	121.90
26	BB	1762	A	C3'-C2'-C1'	9.01	108.71	101.50
26	BB	2819	G	C5-C6-O6	-9.01	123.19	128.60
1	AA	566	G	C4-C5-N7	9.01	114.40	110.80
1	AA	568	G	C6-N1-C2	-9.01	119.70	125.10
1	AA	1029	U	N1-C2-N3	9.01	120.30	114.90
1	AA	1251	A	C5-C6-N1	9.01	122.20	117.70
26	BB	690	G	N7-C8-N9	9.01	117.60	113.10
26	BB	2412	A	N9-C4-C5	9.01	109.40	105.80
26	BB	1150	C	O4'-C1'-N1	9.01	115.40	108.20
26	BB	1167	C	C6-N1-C2	-9.00	116.70	120.30
26	BB	1422	G	N7-C8-N9	9.00	117.60	113.10
40	BP	87	PHE	CB-CG-CD2	-9.00	114.50	120.80
1	AA	1419	G	N1-C2-N3	-9.00	118.50	123.90
26	BB	415	A	N1-C2-N3	-9.00	124.80	129.30
26	BB	1678	A	C8-N9-C4	-9.00	102.20	105.80
26	BB	1787	A	C5-N7-C8	-9.00	99.40	103.90
1	AA	895	G	C2-N3-C4	9.00	116.40	111.90
1	AA	1240	U	N3-C2-O2	-9.00	115.90	122.20
1	AA	1266	G	C4-C5-N7	9.00	114.40	110.80
1	AA	1340	A	C6-N1-C2	9.00	124.00	118.60
26	BB	513	A	N1-C6-N6	-9.00	113.20	118.60
26	BB	633	A	N1-C2-N3	-9.00	124.80	129.30
26	BB	791	C	C6-N1-C2	-9.00	116.70	120.30
26	BB	949	G	C5-N7-C8	-9.00	99.80	104.30
26	BB	2262	U	O4'-C1'-N1	9.00	115.40	108.20
26	BB	2546	U	C5-C4-O4	-9.00	120.50	125.90
1	AA	37	U	N3-C4-O4	-9.00	113.10	119.40
26	BB	2084	C	C5-C6-N1	9.00	125.50	121.00
1	AA	898	G	C2-N3-C4	9.00	116.40	111.90
1	AA	912	C	N1-C1'-C2'	-9.00	102.10	112.00
1	AA	1200	C	N3-C2-O2	-9.00	115.60	121.90
26	BB	1331	G	N1-C6-O6	-9.00	114.50	119.90
26	BB	1635	A	C4-C5-C6	9.00	121.50	117.00
1	AA	1464	U	N3-C4-O4	8.99	125.70	119.40
1	AA	661	G	N9-C4-C5	-8.99	101.80	105.40
1	AA	1357	A	N1-C2-N3	-8.99	124.80	129.30
2	AB	47	U	N1-C2-O2	8.99	129.10	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1029	A	C2-N3-C4	8.99	115.10	110.60
26	BB	2249	U	C4-C5-C6	8.99	125.09	119.70
26	BB	2581	G	C4-C5-N7	-8.99	107.20	110.80
26	BB	2600	A	C2-N3-C4	8.99	115.10	110.60
1	AA	774	G	N1-C2-N2	8.99	124.29	116.20
26	BB	14	A	C4-C5-N7	8.99	115.19	110.70
26	BB	2758	A	N9-C1'-C2'	-8.99	102.11	112.00
26	BB	2801	G	C5-N7-C8	-8.99	99.81	104.30
26	BB	2836	U	C4-C5-C6	8.99	125.09	119.70
26	BB	1759	A	N9-C4-C5	8.99	109.39	105.80
1	AA	824	G	N9-C4-C5	8.99	109.00	105.40
1	AA	1488	G	N3-C4-C5	-8.99	124.11	128.60
26	BB	1941	C	C6-N1-C2	8.99	123.89	120.30
26	BB	1968	G	C6-C5-N7	-8.99	125.01	130.40
26	BB	2059	A	O4'-C4'-C3'	8.99	113.29	106.10
26	BB	2070	A	N7-C8-N9	-8.99	109.31	113.80
26	BB	2718	G	C8-N9-C4	-8.99	102.81	106.40
30	BF	114	ARG	NE-CZ-NH1	8.99	124.79	120.30
1	AA	147	G	C8-N9-C4	-8.98	102.81	106.40
1	AA	440	C	N1-C1'-C2'	-8.98	102.12	112.00
1	AA	616	G	C5-C6-N1	8.98	115.99	111.50
26	BB	1071	G	C8-N9-C4	-8.98	102.81	106.40
26	BB	1189	A	N1-C2-N3	8.98	133.79	129.30
26	BB	1651	G	C3'-C2'-C1'	8.98	108.69	101.50
26	BB	1794	A	N1-C2-N3	8.98	133.79	129.30
30	BF	67	ARG	NE-CZ-NH2	-8.98	115.81	120.30
1	AA	1057	G	C4'-C3'-C2'	-8.98	93.62	102.60
26	BB	128	C	N3-C4-N4	8.98	124.29	118.00
26	BB	173	A	C4-C5-N7	8.98	115.19	110.70
26	BB	317	G	N3-C4-C5	-8.98	124.11	128.60
26	BB	529	A	C8-N9-C4	-8.98	102.21	105.80
26	BB	1039	A	N3-C4-C5	-8.98	120.51	126.80
26	BB	1658	C	C2-N3-C4	8.98	124.39	119.90
26	BB	1778	U	C2-N3-C4	-8.98	121.61	127.00
1	AA	809	G	N3-C2-N2	8.98	126.19	119.90
1	AA	676	A	O4'-C1'-N9	8.98	115.38	108.20
26	BB	974	G	N1-C6-O6	8.98	125.29	119.90
26	BB	2813	A	C4-C5-N7	-8.98	106.21	110.70
1	AA	996	A	P-O3'-C3'	8.97	130.47	119.70
1	AA	1079	G	C2-N3-C4	8.97	116.39	111.90
26	BB	1572	A	O4'-C1'-N9	8.97	115.38	108.20
26	BB	496	G	N3-C4-C5	-8.97	124.11	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	972	A	C8-N9-C4	-8.97	102.21	105.80
26	BB	1265	A	N7-C8-N9	8.97	118.29	113.80
26	BB	1782	U	C4-C5-C6	8.97	125.08	119.70
26	BB	2347	C	O4'-C1'-N1	8.97	115.38	108.20
26	BB	2598	A	C6-C5-N7	8.97	138.58	132.30
26	BB	2754	U	O4'-C1'-N1	8.97	115.38	108.20
1	AA	392	C	N3-C4-N4	8.97	124.28	118.00
26	BB	1	G	C5-C6-O6	-8.97	123.22	128.60
1	AA	477	C	N3-C4-C5	-8.97	118.31	121.90
26	BB	1310	G	N3-C4-C5	-8.97	124.11	128.60
26	BB	2301	C	N3-C4-N4	8.97	124.28	118.00
1	AA	1226	C	N3-C4-N4	8.97	124.28	118.00
1	AA	1491	G	N3-C2-N2	-8.97	113.62	119.90
26	BB	1983	G	C4-C5-N7	-8.97	107.21	110.80
26	BB	2307	G	O4'-C1'-N9	8.97	115.38	108.20
26	BB	1728	C	N3-C2-O2	-8.97	115.62	121.90
1	AA	1368	A	C3'-C2'-C1'	8.97	108.67	101.50
4	AD	7	G	C3'-C2'-C1'	8.96	108.67	101.50
25	BA	47	C	C5-C4-N4	8.96	126.47	120.20
26	BB	741	U	O4'-C1'-N1	8.97	115.37	108.20
26	BB	868	U	N1-C1'-C2'	-8.97	102.14	112.00
26	BB	928	A	C4-C5-C6	-8.97	112.52	117.00
1	AA	507	C	N3-C4-C5	8.96	125.48	121.90
1	AA	97	G	N9-C4-C5	8.96	108.98	105.40
1	AA	889	A	C2-N3-C4	8.96	115.08	110.60
26	BB	1189	A	C5'-C4'-O4'	8.96	119.86	109.10
26	BB	1321	A	N7-C8-N9	8.96	118.28	113.80
26	BB	1975	G	N1-C2-N3	-8.96	118.52	123.90
26	BB	2557	G	C6-N1-C2	-8.96	119.72	125.10
1	AA	185	U	N3-C4-O4	8.96	125.67	119.40
2	AB	9	A	N1-C2-N3	-8.96	124.82	129.30
26	BB	297	G	C5-C6-O6	-8.96	123.22	128.60
26	BB	1995	U	C2-N3-C4	-8.96	121.62	127.00
26	BB	2567	G	N3-C4-C5	-8.96	124.12	128.60
49	BY	10	ARG	NE-CZ-NH2	8.96	124.78	120.30
1	AA	928	G	O4'-C1'-N9	8.96	115.37	108.20
1	AA	1100	C	O4'-C1'-N1	8.96	115.37	108.20
26	BB	779	U	C6-N1-C2	-8.96	115.62	121.00
26	BB	1008	A	C1'-O4'-C4'	8.96	117.07	109.90
26	BB	1750	G	C8-N9-C4	-8.96	102.82	106.40
32	BH	57	TYR	CG-CD2-CE2	-8.96	114.13	121.30
26	BB	1578	U	C5-C4-O4	-8.96	120.53	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2869	G	C6-C5-N7	-8.96	125.03	130.40
1	AA	63	C	C5'-C4'-O4'	8.96	119.85	109.10
26	BB	117	G	C5-N7-C8	-8.96	99.82	104.30
26	BB	570	G	C1'-O4'-C4'	-8.96	102.73	109.90
26	BB	608	A	C5-N7-C8	-8.96	99.42	103.90
26	BB	713	G	N3-C4-N9	8.96	131.37	126.00
26	BB	1085	A	C4'-C3'-C2'	-8.96	93.64	102.60
26	BB	2888	C	C6-N1-C2	-8.96	116.72	120.30
26	BB	1046	A	C8-N9-C4	-8.95	102.22	105.80
26	BB	2157	G	N1-C6-O6	8.95	125.27	119.90
1	AA	906	A	N7-C8-N9	8.95	118.28	113.80
20	AT	10	ARG	NE-CZ-NH1	8.95	124.78	120.30
26	BB	406	G	N3-C4-C5	-8.95	124.12	128.60
26	BB	473	G	C5-C6-N1	8.95	115.98	111.50
26	BB	1544	A	C5'-C4'-O4'	8.95	119.84	109.10
26	BB	2275	C	C2-N3-C4	-8.95	115.42	119.90
1	AA	978	A	C5-N7-C8	-8.95	99.43	103.90
26	BB	45	G	C6-N1-C2	-8.95	119.73	125.10
26	BB	1848	A	N1-C2-N3	8.95	133.77	129.30
1	AA	403	C	N1-C2-O2	8.95	124.27	118.90
1	AA	945	G	C5-C6-N1	8.95	115.97	111.50
1	AA	1148	U	O4'-C1'-N1	8.95	115.36	108.20
1	AA	1293	C	C4-C5-C6	8.95	121.87	117.40
25	BA	3	C	C2-N3-C4	8.95	124.37	119.90
1	AA	1538	C	N1-C2-O2	8.94	124.27	118.90
26	BB	843	G	C4-C5-N7	-8.94	107.22	110.80
26	BB	978	G	N3-C4-C5	-8.95	124.13	128.60
26	BB	1435	G	C8-N9-C4	-8.95	102.82	106.40
26	BB	1656	C	N3-C4-C5	-8.95	118.32	121.90
26	BB	2581	G	O4'-C1'-N9	8.95	115.36	108.20
26	BB	2744	G	C3'-C2'-C1'	8.95	108.66	101.50
26	BB	2864	G	C8-N9-C4	-8.95	102.82	106.40
26	BB	2902	C	C5-C4-N4	8.95	126.46	120.20
31	BG	176	PHE	CB-CG-CD1	-8.95	114.54	120.80
1	AA	815	A	N1-C6-N6	-8.94	113.23	118.60
1	AA	1293	C	C5-C6-N1	-8.94	116.53	121.00
1	AA	1322	C	N3-C2-O2	-8.94	115.64	121.90
26	BB	2054	A	C5-N7-C8	-8.94	99.43	103.90
1	AA	1134	G	C6-C5-N7	-8.94	125.04	130.40
26	BB	254	G	C4-C5-N7	-8.94	107.22	110.80
26	BB	2521	C	O4'-C1'-N1	8.94	115.35	108.20
1	AA	726	C	C4-C5-C6	-8.94	112.93	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1447	A	N9-C4-C5	8.94	109.38	105.80
26	BB	533	G	C8-N9-C4	-8.94	102.82	106.40
26	BB	2867	G	P-O3'-C3'	8.94	130.43	119.70
1	AA	1001	C	O4'-C1'-N1	8.94	115.35	108.20
1	AA	553	A	O4'-C1'-N9	8.94	115.35	108.20
1	AA	1324	A	C6-C5-N7	8.94	138.56	132.30
4	AD	32	G	N9-C4-C5	-8.94	101.83	105.40
26	BB	1376	C	C2-N3-C4	8.94	124.37	119.90
26	BB	2259	U	C4-C5-C6	8.94	125.06	119.70
1	AA	402	G	N3-C4-N9	8.93	131.36	126.00
1	AA	893	C	C5-C6-N1	-8.93	116.53	121.00
1	AA	910	C	C6-N1-C2	8.93	123.87	120.30
26	BB	1099	G	C6-C5-N7	-8.93	125.04	130.40
26	BB	2535	G	C4-C5-N7	-8.93	107.23	110.80
26	BB	2770	G	N7-C8-N9	8.93	117.57	113.10
26	BB	2811	G	N1-C6-O6	-8.93	114.54	119.90
1	AA	494	G	C5-C6-N1	8.93	115.97	111.50
1	AA	544	G	C5-C6-O6	8.93	133.96	128.60
26	BB	1796	U	N3-C4-O4	8.93	125.65	119.40
4	AD	23	G	C5-N7-C8	-8.93	99.84	104.30
1	AA	813	U	O4'-C1'-N1	8.93	115.34	108.20
1	AA	1316	G	P-O3'-C3'	8.93	130.41	119.70
26	BB	408	G	N7-C8-N9	8.93	117.56	113.10
26	BB	2407	A	N9-C4-C5	8.93	109.37	105.80
26	BB	2606	C	C5-C6-N1	8.93	125.46	121.00
26	BB	58	G	C4-C5-N7	-8.93	107.23	110.80
26	BB	1616	A	C5-N7-C8	-8.93	99.44	103.90
26	BB	1948	G	C6-C5-N7	-8.93	125.05	130.40
1	AA	289	G	N9-C4-C5	-8.92	101.83	105.40
1	AA	382	A	C4-C5-N7	-8.92	106.24	110.70
1	AA	515	G	C5-C6-O6	-8.92	123.25	128.60
1	AA	832	G	N1-C6-O6	8.92	125.25	119.90
1	AA	932	C	N3-C4-N4	8.92	124.25	118.00
26	BB	1514	G	N7-C8-N9	8.92	117.56	113.10
26	BB	2545	G	C4-C5-C6	8.92	124.15	118.80
26	BB	1739	A	N3-C4-N9	-8.92	120.26	127.40
26	BB	1763	G	N3-C2-N2	-8.92	113.65	119.90
1	AA	425	G	N3-C4-C5	-8.92	124.14	128.60
4	AD	59	A	N7-C8-N9	8.92	118.26	113.80
26	BB	2207	C	C4-C5-C6	8.92	121.86	117.40
1	AA	522	C	C5'-C4'-C3'	-8.92	101.73	116.00
26	BB	529	A	N1-C6-N6	-8.92	113.25	118.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1805	A	C4-C5-N7	8.92	115.16	110.70
1	AA	116	A	C5-C6-N1	-8.92	113.24	117.70
26	BB	785	G	O4'-C1'-N9	8.92	115.33	108.20
26	BB	2690	U	C6-N1-C2	-8.92	115.65	121.00
26	BB	1306	C	C2-N3-C4	8.92	124.36	119.90
26	BB	2100	G	N3-C2-N2	8.92	126.14	119.90
41	BQ	81	ARG	NE-CZ-NH1	-8.92	115.84	120.30
1	AA	150	U	O4'-C1'-N1	8.91	115.33	108.20
26	BB	2243	U	C2-N3-C4	-8.91	121.65	127.00
1	AA	551	U	O4'-C1'-N1	8.91	115.33	108.20
13	AM	14	ASP	CB-CG-OD1	-8.91	110.28	118.30
26	BB	53	A	N1-C2-N3	-8.91	124.84	129.30
26	BB	305	C	N1-C2-O2	8.91	124.25	118.90
26	BB	510	C	C4-C5-C6	-8.91	112.94	117.40
26	BB	1371	G	C4-C5-N7	-8.91	107.23	110.80
26	BB	1908	C	N1-C2-O2	8.91	124.25	118.90
26	BB	1989	G	O4'-C1'-C2'	8.91	115.62	107.60
1	AA	330	C	C3'-C2'-C1'	8.91	108.63	101.50
1	AA	993	G	N3-C4-C5	-8.91	124.14	128.60
1	AA	466	A	C4'-C3'-C2'	-8.91	93.69	102.60
1	AA	939	G	N7-C8-N9	8.91	117.55	113.10
1	AA	1223	C	C4-C5-C6	8.91	121.86	117.40
1	AA	1535	C	C6-N1-C2	-8.91	116.74	120.30
25	BA	60	C	N1-C2-N3	-8.91	112.96	119.20
25	BA	80	U	C4-C5-C6	8.91	125.05	119.70
26	BB	257	C	N1-C2-O2	8.91	124.25	118.90
26	BB	782	A	C1'-O4'-C4'	8.91	117.03	109.90
26	BB	2765	A	N1-C2-N3	-8.91	124.85	129.30
1	AA	933	G	N7-C8-N9	8.91	117.55	113.10
1	AA	974	A	N7-C8-N9	8.91	118.25	113.80
19	AS	31	ARG	NE-CZ-NH2	-8.91	115.85	120.30
1	AA	663	A	C5-C6-N1	-8.91	113.25	117.70
1	AA	974	A	C1'-O4'-C4'	-8.91	102.78	109.90
1	AA	1198	G	C2-N3-C4	8.91	116.35	111.90
1	AA	1287	A	O4'-C1'-N9	8.91	115.33	108.20
26	BB	1343	G	C8-N9-C4	-8.91	102.84	106.40
26	BB	439	A	C2-N3-C4	-8.91	106.15	110.60
26	BB	939	G	C5-C6-N1	8.91	115.95	111.50
26	BB	2071	A	N9-C4-C5	-8.91	102.24	105.80
26	BB	2690	U	N3-C4-C5	-8.91	109.25	114.60
1	AA	734	G	C4-C5-C6	8.90	124.14	118.80
1	AA	848	C	N3-C4-C5	-8.90	118.34	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1189	U	N3-C2-O2	-8.90	115.97	122.20
26	BB	189	G	C8-N9-C4	-8.90	102.84	106.40
26	BB	1171	G	N1-C2-N2	8.90	124.21	116.20
26	BB	1262	A	C6-N1-C2	-8.90	113.26	118.60
26	BB	2159	G	N3-C4-C5	-8.90	124.15	128.60
1	AA	1285	A	C6-C5-N7	-8.90	126.07	132.30
26	BB	14	A	C6-C5-N7	-8.90	126.07	132.30
26	BB	287	G	N3-C4-C5	-8.90	124.15	128.60
1	AA	942	G	C5-C6-N1	8.90	115.95	111.50
1	AA	1374	A	N9-C4-C5	8.90	109.36	105.80
1	AA	1507	A	N9-C4-C5	8.90	109.36	105.80
26	BB	286	U	C5-C4-O4	8.90	131.24	125.90
26	BB	583	G	N3-C4-C5	-8.90	124.15	128.60
26	BB	1628	G	C5-C6-O6	-8.90	123.26	128.60
1	AA	676	A	C5-C6-N1	-8.90	113.25	117.70
1	AA	1107	C	N3-C4-C5	-8.90	118.34	121.90
25	BA	39	A	C8-N9-C4	-8.90	102.24	105.80
26	BB	313	G	C5-C6-N1	8.90	115.95	111.50
26	BB	1479	G	C8-N9-C4	-8.90	102.84	106.40
26	BB	1658	C	N1-C2-O2	8.90	124.24	118.90
26	BB	1659	G	N3-C2-N2	-8.90	113.67	119.90
26	BB	2029	G	C6-N1-C2	-8.90	119.76	125.10
1	AA	848	C	N1-C2-O2	8.90	124.24	118.90
26	BB	209	C	N1-C2-O2	8.90	124.24	118.90
26	BB	1059	G	C5-N7-C8	-8.90	99.85	104.30
26	BB	1356	G	C4-C5-N7	8.90	114.36	110.80
26	BB	1777	U	C2-N3-C4	-8.90	121.66	127.00
26	BB	1793	C	N3-C4-C5	-8.90	118.34	121.90
1	AA	669	G	C8-N9-C4	-8.89	102.84	106.40
1	AA	781	A	N1-C2-N3	-8.89	124.85	129.30
26	BB	2092	U	O4'-C1'-N1	8.89	115.32	108.20
26	BB	2302	U	N3-C2-O2	-8.89	115.97	122.20
26	BB	500	G	C6-N1-C2	-8.89	119.76	125.10
26	BB	648	G	N3-C4-C5	-8.89	124.15	128.60
26	BB	1368	G	N3-C2-N2	-8.89	113.67	119.90
26	BB	2199	A	C2-N3-C4	8.89	115.05	110.60
26	BB	2269	G	C5-C6-O6	8.89	133.94	128.60
1	AA	262	A	C5'-C4'-O4'	8.89	119.77	109.10
1	AA	1379	G	C5-C6-N1	8.89	115.95	111.50
26	BB	2025	C	C5-C6-N1	8.89	125.45	121.00
1	AA	879	C	C5-C6-N1	8.89	125.44	121.00
26	BB	662	G	C5-C6-N1	8.89	115.94	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1017	G	C5-C6-N1	8.89	115.95	111.50
26	BB	2016	U	C2-N3-C4	8.89	132.33	127.00
26	BB	2089	C	N3-C4-C5	-8.89	118.34	121.90
1	AA	8	A	C5-C6-N1	8.89	122.14	117.70
26	BB	582	A	N9-C4-C5	-8.89	102.25	105.80
26	BB	586	A	C5-C6-N6	8.89	130.81	123.70
26	BB	1621	U	C2-N3-C4	8.89	132.33	127.00
26	BB	1982	U	C5-C4-O4	-8.89	120.57	125.90
1	AA	170	U	O4'-C1'-N1	8.89	115.31	108.20
2	AB	47	U	O4'-C1'-N1	8.89	115.31	108.20
26	BB	219	A	C5-C6-N6	-8.89	116.59	123.70
26	BB	2199	A	N1-C2-N3	-8.89	124.86	129.30
4	AD	48	U	O4'-C1'-N1	8.89	115.31	108.20
26	BB	2013	A	O4'-C1'-N9	8.89	115.31	108.20
26	BB	142	A	C5-C6-N1	8.88	122.14	117.70
26	BB	855	G	O4'-C1'-N9	8.88	115.31	108.20
26	BB	953	G	N3-C4-N9	8.88	131.33	126.00
26	BB	1278	C	O4'-C1'-N1	8.88	115.31	108.20
26	BB	1499	C	O4'-C1'-N1	8.88	115.31	108.20
26	BB	1878	G	N1-C6-O6	8.88	125.23	119.90
31	BG	177	ARG	NE-CZ-NH2	-8.88	115.86	120.30
1	AA	32	A	C2-N3-C4	8.88	115.04	110.60
1	AA	337	G	N3-C4-N9	-8.88	120.67	126.00
1	AA	1475	G	C4-C5-C6	8.88	124.13	118.80
26	BB	703	U	N3-C4-O4	8.88	125.62	119.40
25	BA	15	A	N3-C4-C5	-8.88	120.58	126.80
26	BB	849	A	C2-N3-C4	-8.88	106.16	110.60
26	BB	982	C	N3-C4-C5	8.88	125.45	121.90
26	BB	2134	A	C8-N9-C4	-8.88	102.25	105.80
26	BB	2186	G	C6-N1-C2	-8.88	119.77	125.10
26	BB	1338	G	C6-C5-N7	-8.88	125.07	130.40
1	AA	1226	C	C5-C6-N1	8.88	125.44	121.00
26	BB	1359	A	N9-C4-C5	8.88	109.35	105.80
26	BB	1945	G	C5-C6-N1	8.88	115.94	111.50
26	BB	2277	G	N1-C6-O6	8.88	125.23	119.90
1	AA	486	U	C5-C6-N1	-8.88	118.26	122.70
1	AA	726	C	C5-C6-N1	8.88	125.44	121.00
1	AA	1225	A	C8-N9-C4	-8.88	102.25	105.80
4	AD	57	C	C2-N3-C4	8.88	124.34	119.90
26	BB	420	C	N3-C2-O2	-8.88	115.69	121.90
26	BB	1796	U	C5'-C4'-O4'	8.88	119.75	109.10
26	BB	1853	A	C8-N9-C4	8.87	109.35	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	667	G	C6-N1-C2	-8.87	119.78	125.10
1	AA	1288	A	N1-C2-N3	8.87	133.74	129.30
26	BB	484	C	N3-C4-N4	-8.87	111.79	118.00
26	BB	384	A	C8-N9-C4	-8.87	102.25	105.80
26	BB	408	G	C4'-C3'-C2'	-8.87	93.73	102.60
26	BB	916	G	N1-C6-O6	8.87	125.22	119.90
26	BB	2256	G	N3-C4-C5	-8.87	124.16	128.60
26	BB	2595	G	C3'-C2'-C1'	8.87	108.60	101.50
26	BB	1069	A	C5'-C4'-O4'	8.87	119.74	109.10
1	AA	76	G	C4-C5-C6	-8.87	113.48	118.80
1	AA	671	G	C8-N9-C4	-8.87	102.85	106.40
1	AA	816	A	C3'-C2'-C1'	-8.87	94.40	101.50
1	AA	807	A	C4-C5-N7	8.87	115.13	110.70
1	AA	1159	U	N3-C2-O2	-8.87	115.99	122.20
4	AD	44	A	N1-C6-N6	-8.87	113.28	118.60
26	BB	88	G	C2-N3-C4	8.87	116.33	111.90
26	BB	539	G	N3-C2-N2	-8.87	113.69	119.90
26	BB	2115	G	C4-C5-N7	-8.87	107.25	110.80
26	BB	273	G	C5-C6-O6	-8.87	123.28	128.60
26	BB	303	G	C3'-C2'-C1'	-8.87	94.41	101.50
26	BB	1080	A	N7-C8-N9	8.87	118.23	113.80
26	BB	1168	G	N3-C4-C5	-8.87	124.17	128.60
26	BB	1610	A	C2-N3-C4	8.87	115.03	110.60
26	BB	2557	G	C8-N9-C4	-8.87	102.85	106.40
1	AA	95	C	O4'-C1'-N1	8.87	115.29	108.20
1	AA	251	G	O4'-C1'-C2'	-8.87	96.93	105.80
26	BB	180	G	N1-C6-O6	-8.87	114.58	119.90
26	BB	2001	C	N3-C4-C5	-8.87	118.35	121.90
1	AA	774	G	N3-C2-N2	-8.86	113.69	119.90
26	BB	1361	G	N3-C2-N2	-8.86	113.69	119.90
26	BB	2171	A	O4'-C1'-N9	8.86	115.29	108.20
1	AA	274	A	N1-C6-N6	-8.86	113.28	118.60
1	AA	1088	G	C2-N3-C4	8.86	116.33	111.90
26	BB	942	G	C2-N3-C4	8.86	116.33	111.90
29	BE	179	ARG	NE-CZ-NH1	8.86	124.73	120.30
1	AA	108	G	N7-C8-N9	8.86	117.53	113.10
1	AA	645	G	O4'-C1'-N9	8.86	115.29	108.20
3	AC	23	C	C2-N3-C4	8.86	124.33	119.90
26	BB	544	C	C4-C5-C6	8.86	121.83	117.40
26	BB	1333	G	N7-C8-N9	8.86	117.53	113.10
26	BB	1544	A	C8-N9-C4	8.86	109.34	105.80
26	BB	1994	C	P-O3'-C3'	8.86	130.33	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	24	U	N3-C2-O2	-8.86	116.00	122.20
1	AA	528	C	C4-C5-C6	8.86	121.83	117.40
1	AA	567	G	C6-N1-C2	-8.86	119.79	125.10
1	AA	639	G	O4'-C1'-N9	8.86	115.28	108.20
2	AB	34	C	C5'-C4'-O4'	8.86	119.73	109.10
8	AH	156	ARG	NE-CZ-NH1	-8.86	115.87	120.30
26	BB	181	A	C4'-C3'-C2'	-8.86	93.74	102.60
26	BB	1681	G	N3-C4-N9	8.86	131.31	126.00
26	BB	1895	C	N3-C2-O2	-8.86	115.70	121.90
26	BB	1928	A	N1-C2-N3	-8.86	124.87	129.30
26	BB	2060	A	O4'-C4'-C3'	8.86	113.18	106.10
26	BB	2333	A	O4'-C1'-N9	8.86	115.28	108.20
1	AA	552	U	N1-C2-O2	-8.85	116.60	122.80
26	BB	2685	G	C5-N7-C8	-8.85	99.87	104.30
1	AA	312	C	O4'-C1'-N1	8.85	115.28	108.20
1	AA	1037	C	C3'-C2'-C1'	8.85	108.58	101.50
26	BB	289	G	C3'-C2'-C1'	-8.85	94.42	101.50
26	BB	756	A	N9-C1'-C2'	-8.85	102.26	112.00
26	BB	1061	U	C6-N1-C2	-8.85	115.69	121.00
26	BB	1894	C	N3-C2-O2	-8.85	115.70	121.90
1	AA	1128	C	C6-N1-C2	-8.85	116.76	120.30
1	AA	1268	G	C4-C5-N7	8.85	114.34	110.80
1	AA	1414	U	N1-C2-N3	8.85	120.21	114.90
25	BA	12	C	N1-C2-O2	8.85	124.21	118.90
25	BA	85	G	C2-N3-C4	8.85	116.32	111.90
26	BB	755	U	O4'-C1'-N1	8.85	115.28	108.20
26	BB	855	G	N9-C4-C5	8.85	108.94	105.40
26	BB	1606	C	C4-C5-C6	-8.85	112.97	117.40
26	BB	1723	G	N3-C4-C5	-8.85	124.17	128.60
26	BB	2099	U	C6-N1-C2	-8.85	115.69	121.00
1	AA	76	G	C2-N3-C4	8.85	116.32	111.90
26	BB	27	G	N7-C8-N9	8.85	117.52	113.10
26	BB	439	A	N7-C8-N9	8.85	118.22	113.80
26	BB	478	A	N1-C6-N6	-8.85	113.29	118.60
26	BB	960	A	C8-N9-C4	-8.85	102.26	105.80
26	BB	1398	C	C5-C6-N1	8.85	125.42	121.00
26	BB	1726	C	N3-C2-O2	-8.85	115.71	121.90
26	BB	2087	G	C8-N9-C4	-8.85	102.86	106.40
26	BB	2543	G	C1'-O4'-C4'	8.85	116.98	109.90
26	BB	2024	G	N3-C4-C5	-8.85	124.18	128.60
26	BB	2230	G	C8-N9-C4	-8.85	102.86	106.40
1	AA	474	G	C6-N1-C2	-8.84	119.79	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	938	A	O4'-C1'-N9	8.84	115.27	108.20
1	AA	1134	G	C4-C5-N7	-8.84	107.26	110.80
1	AA	1418	A	C1'-O4'-C4'	-8.84	102.83	109.90
26	BB	304	U	C2-N3-C4	-8.84	121.69	127.00
26	BB	2468	A	C4-C5-C6	-8.84	112.58	117.00
1	AA	675	A	N3-C4-C5	-8.84	120.61	126.80
26	BB	684	G	N3-C4-C5	-8.84	124.18	128.60
26	BB	1110	G	N1-C2-N2	8.84	124.16	116.20
4	AD	5	G	C2-N3-C4	8.84	116.32	111.90
26	BB	73	A	N1-C6-N6	-8.84	113.30	118.60
26	BB	2476	A	C5-C6-N1	-8.84	113.28	117.70
26	BB	1811	G	O4'-C1'-N9	8.84	115.27	108.20
26	BB	2319	G	C5-N7-C8	-8.84	99.88	104.30
1	AA	628	G	C4-C5-C6	8.84	124.10	118.80
1	AA	1523	G	C5-C6-N1	8.84	115.92	111.50
1	AA	25	C	N3-C4-N4	8.84	124.18	118.00
1	AA	238	A	O4'-C1'-N9	8.84	115.27	108.20
26	BB	1529	G	C6-N1-C2	-8.84	119.80	125.10
26	BB	2673	G	C5-C6-N1	8.84	115.92	111.50
26	BB	2455	G	C2-N3-C4	8.84	116.32	111.90
26	BB	772	C	N3-C4-C5	8.83	125.43	121.90
1	AA	423	G	C8-N9-C4	-8.83	102.87	106.40
1	AA	903	G	N3-C4-C5	-8.83	124.18	128.60
26	BB	1316	U	N3-C2-O2	-8.83	116.02	122.20
26	BB	2109	U	C6-N1-C2	-8.83	115.70	121.00
1	AA	720	C	C4-C5-C6	8.83	121.81	117.40
1	AA	790	A	N1-C2-N3	-8.83	124.88	129.30
1	AA	1339	A	C4-C5-N7	8.83	115.11	110.70
26	BB	205	G	C2-N3-C4	8.83	116.31	111.90
26	BB	799	G	N3-C4-C5	-8.83	124.19	128.60
26	BB	993	G	C6-N1-C2	-8.83	119.80	125.10
26	BB	1046	A	C2-N3-C4	8.83	115.01	110.60
26	BB	1537	G	N9-C4-C5	8.83	108.93	105.40
26	BB	1722	A	C8-N9-C4	-8.83	102.27	105.80
1	AA	114	U	C2-N3-C4	-8.83	121.70	127.00
1	AA	550	G	C5-C6-N1	8.83	115.91	111.50
1	AA	1454	G	N3-C2-N2	-8.83	113.72	119.90
2	AB	53	G	C5-C6-O6	-8.83	123.30	128.60
4	AD	3	C	N3-C4-C5	-8.83	118.37	121.90
25	BA	114	C	C2-N3-C4	-8.83	115.49	119.90
26	BB	165	A	C5-N7-C8	8.83	108.31	103.90
26	BB	1022	G	C4-C5-C6	8.83	124.10	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
42	BR	100	ARG	NE-CZ-NH1	-8.83	115.89	120.30
26	BB	2351	G	C4-C5-C6	8.83	124.10	118.80
26	BB	988	A	C5-C6-N6	-8.82	116.64	123.70
26	BB	1527	G	N1-C6-O6	-8.82	114.61	119.90
26	BB	956	G	C2-N3-C4	8.82	116.31	111.90
1	AA	249	U	C2-N3-C4	-8.82	121.71	127.00
1	AA	945	G	N3-C2-N2	8.82	126.08	119.90
26	BB	1063	G	C5-N7-C8	-8.82	99.89	104.30
26	BB	1398	C	O4'-C1'-N1	8.82	115.26	108.20
1	AA	598	U	N3-C2-O2	-8.82	116.03	122.20
1	AA	1478	U	O4'-C1'-N1	8.82	115.25	108.20
2	AB	9	A	C8-N9-C4	-8.82	102.27	105.80
26	BB	287	G	C4-C5-N7	-8.82	107.27	110.80
26	BB	1210	G	C2-N3-C4	-8.82	107.49	111.90
26	BB	1559	U	C4-C5-C6	8.82	124.99	119.70
26	BB	2010	G	C1'-O4'-C4'	-8.82	102.84	109.90
1	AA	734	G	C6-C5-N7	-8.82	125.11	130.40
1	AA	1311	A	O4'-C1'-N9	8.82	115.25	108.20
2	AB	65	C	C6-N1-C2	8.82	123.83	120.30
4	AD	1	C	C5-C6-N1	8.82	125.41	121.00
26	BB	1643	G	C8-N9-C4	-8.82	102.87	106.40
26	BB	386	G	C2-N3-C4	8.82	116.31	111.90
26	BB	408	G	C8-N9-C4	-8.82	102.87	106.40
26	BB	934	U	N3-C2-O2	-8.82	116.03	122.20
26	BB	1336	A	N9-C1'-C2'	-8.81	102.30	112.00
1	AA	299	G	C4-C5-N7	-8.81	107.28	110.80
1	AA	302	G	C6-C5-N7	-8.81	125.11	130.40
1	AA	1403	C	N3-C4-C5	8.81	125.42	121.90
17	AQ	74	ARG	NE-CZ-NH1	8.81	124.71	120.30
26	BB	147	C	C3'-C2'-C1'	8.81	108.55	101.50
26	BB	1142	A	P-O3'-C3'	8.81	130.28	119.70
26	BB	1637	A	N3-C4-N9	8.81	134.45	127.40
26	BB	1700	A	C5'-C4'-O4'	8.81	119.68	109.10
1	AA	50	A	C6-N1-C2	-8.81	113.31	118.60
1	AA	259	G	N3-C4-N9	-8.81	120.71	126.00
1	AA	810	C	C6-N1-C2	-8.81	116.78	120.30
1	AA	903	G	C5-N7-C8	-8.81	99.89	104.30
26	BB	510	C	C3'-C2'-C1'	8.81	108.55	101.50
26	BB	1284	A	C2-N3-C4	8.81	115.00	110.60
26	BB	2099	U	C4-C5-C6	8.81	124.99	119.70
26	BB	2136	G	N1-C6-O6	-8.81	114.61	119.90
26	BB	2144	G	N7-C8-N9	8.81	117.50	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2240	U	C4-C5-C6	8.81	124.99	119.70
1	AA	502	A	C5-C6-N1	8.81	122.11	117.70
1	AA	375	U	C4'-C3'-C2'	-8.81	93.79	102.60
4	AD	16	C	N3-C4-C5	-8.81	118.38	121.90
26	BB	1796	U	N3-C4-C5	-8.81	109.31	114.60
26	BB	2566	A	O4'-C1'-N9	8.81	115.25	108.20
28	BD	167	ASP	CB-CG-OD2	8.81	126.23	118.30
1	AA	741	G	N3-C4-N9	8.81	131.28	126.00
26	BB	132	G	C2-N3-C4	8.80	116.30	111.90
1	AA	17	U	C3'-C2'-C1'	8.80	108.54	101.50
1	AA	1097	C	N3-C4-N4	8.80	124.16	118.00
1	AA	1148	U	C5-C6-N1	8.80	127.10	122.70
26	BB	928	A	N1-C2-N3	-8.80	124.90	129.30
26	BB	2072	C	O4'-C1'-N1	8.80	115.24	108.20
26	BB	1416	G	C6-N1-C2	-8.80	119.82	125.10
1	AA	250	A	C8-N9-C4	-8.80	102.28	105.80
1	AA	667	G	N9-C4-C5	8.80	108.92	105.40
1	AA	862	C	C1'-O4'-C4'	-8.80	102.86	109.90
5	AE	73	ARG	NE-CZ-NH1	8.80	124.70	120.30
1	AA	672	U	O4'-C1'-N1	8.80	115.24	108.20
12	AL	123	ARG	NE-CZ-NH2	-8.80	115.90	120.30
26	BB	181	A	O4'-C1'-N9	8.80	115.24	108.20
26	BB	2271	G	N1-C6-O6	8.80	125.18	119.90
26	BB	80	G	C4-C5-N7	-8.80	107.28	110.80
26	BB	656	G	N7-C8-N9	8.80	117.50	113.10
26	BB	1722	A	C4-C5-N7	-8.80	106.30	110.70
26	BB	2177	C	N1-C2-O2	8.80	124.18	118.90
47	BW	93	ARG	NE-CZ-NH2	-8.80	115.90	120.30
1	AA	761	G	C2-N3-C4	8.80	116.30	111.90
1	AA	1369	C	N3-C2-O2	-8.80	115.74	121.90
26	BB	614	A	N7-C8-N9	8.80	118.20	113.80
26	BB	938	G	C6-C5-N7	-8.80	125.12	130.40
26	BB	967	U	C4'-C3'-C2'	-8.80	93.80	102.60
26	BB	1941	C	N3-C4-C5	-8.80	118.38	121.90
1	AA	170	U	C5-C6-N1	-8.80	118.30	122.70
26	BB	1803	A	O4'-C1'-N9	8.80	115.24	108.20
26	BB	2088	A	C3'-C2'-C1'	-8.79	94.46	101.50
1	AA	253	A	O4'-C1'-C2'	8.79	115.51	107.60
1	AA	1412	C	C4'-C3'-C2'	-8.79	93.81	102.60
1	AA	1540	U	C6-N1-C2	-8.79	115.72	121.00
26	BB	882	G	C8-N9-C4	-8.79	102.88	106.40
26	BB	2198	A	C4-C5-C6	-8.79	112.60	117.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2608	G	N3-C2-N2	-8.79	113.75	119.90
26	BB	2728	U	C2-N3-C4	-8.79	121.72	127.00
1	AA	144	G	O4'-C1'-N9	8.79	115.23	108.20
1	AA	590	U	O4'-C1'-N1	8.79	115.23	108.20
26	BB	1065	U	C5-C4-O4	-8.79	120.63	125.90
1	AA	232	G	C5-C6-O6	-8.79	123.33	128.60
1	AA	694	A	O4'-C1'-N9	8.79	115.23	108.20
1	AA	1355	G	N3-C4-C5	-8.79	124.21	128.60
25	BA	57	A	N9-C4-C5	8.79	109.32	105.80
25	BA	3	C	N3-C4-C5	-8.79	118.39	121.90
26	BB	1361	G	N1-C2-N3	8.79	129.17	123.90
26	BB	1719	G	C8-N9-C4	-8.79	102.89	106.40
26	BB	2238	G	C4-C5-N7	-8.79	107.28	110.80
26	BB	2544	G	N7-C8-N9	8.79	117.49	113.10
26	BB	2573	C	N3-C4-C5	-8.79	118.39	121.90
26	BB	2836	U	C4'-C3'-C2'	8.79	111.39	102.60
26	BB	2842	G	O5'-P-OP1	-8.79	97.79	105.70
1	AA	949	A	N1-C2-N3	-8.79	124.91	129.30
9	AI	79	ARG	NE-CZ-NH2	-8.79	115.91	120.30
25	BA	103	U	O4'-C1'-N1	8.79	115.23	108.20
26	BB	368	A	N1-C6-N6	8.78	123.87	118.60
26	BB	952	G	C6-C5-N7	8.79	135.67	130.40
26	BB	1092	C	O4'-C1'-N1	8.79	115.23	108.20
1	AA	202	G	C2-N3-C4	8.78	116.29	111.90
1	AA	280	C	C5'-C4'-O4'	8.78	119.64	109.10
1	AA	352	C	N3-C4-C5	-8.78	118.39	121.90
26	BB	1159	U	O4'-C1'-N1	8.78	115.23	108.20
1	AA	67	C	C1'-O4'-C4'	-8.78	102.88	109.90
1	AA	230	G	C3'-C2'-C1'	-8.78	94.47	101.50
1	AA	402	G	N3-C4-C5	-8.78	124.21	128.60
1	AA	842	U	O4'-C1'-N1	8.78	115.23	108.20
1	AA	1229	A	C5-N7-C8	-8.78	99.51	103.90
26	BB	925	A	C5-C6-N6	8.78	130.72	123.70
26	BB	1221	C	N3-C4-N4	8.78	124.15	118.00
26	BB	2012	G	N9-C4-C5	8.78	108.91	105.40
1	AA	1208	C	N3-C4-C5	8.78	125.41	121.90
1	AA	1210	C	C4'-C3'-C2'	-8.78	93.82	102.60
1	AA	1424	U	C6-N1-C2	-8.78	115.73	121.00
26	BB	488	G	C5-N7-C8	8.78	108.69	104.30
26	BB	1262	A	C5-C6-N1	8.78	122.09	117.70
26	BB	1479	G	C5-C6-O6	-8.78	123.33	128.60
26	BB	1869	G	C5-N7-C8	8.78	108.69	104.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	14	G	C5-N7-C8	8.78	108.69	104.30
26	BB	264	C	C2-N3-C4	8.78	124.29	119.90
26	BB	1071	G	N7-C8-N9	8.78	117.49	113.10
26	BB	1973	G	N9-C4-C5	-8.78	101.89	105.40
26	BB	2242	G	C3'-C2'-C1'	8.78	108.52	101.50
26	BB	2276	G	C6-C5-N7	-8.78	125.13	130.40
1	AA	406	G	C5-C6-N1	8.78	115.89	111.50
1	AA	896	C	N1-C1'-C2'	-8.78	102.35	112.00
26	BB	1548	A	C8-N9-C4	-8.78	102.29	105.80
26	BB	1749	A	C8-N9-C4	-8.78	102.29	105.80
26	BB	1769	U	P-O3'-C3'	8.78	130.23	119.70
26	BB	2055	C	C2-N3-C4	8.78	124.29	119.90
1	AA	161	A	O4'-C1'-N9	8.77	115.22	108.20
1	AA	657	U	C4'-C3'-C2'	-8.77	93.83	102.60
26	BB	797	G	O4'-C1'-N9	8.77	115.22	108.20
1	AA	269	C	N1-C2-O2	8.77	124.16	118.90
1	AA	331	G	N9-C4-C5	8.77	108.91	105.40
1	AA	456	A	N1-C2-N3	8.77	133.69	129.30
1	AA	510	A	N9-C4-C5	8.77	109.31	105.80
1	AA	1157	A	N1-C6-N6	-8.77	113.34	118.60
26	BB	1600	C	N1-C2-O2	8.77	124.16	118.90
1	AA	1489	G	C4-C5-C6	8.77	124.06	118.80
26	BB	17	G	C5-C6-O6	-8.77	123.34	128.60
26	BB	492	A	C2-N3-C4	-8.77	106.21	110.60
26	BB	1103	A	N1-C6-N6	-8.77	113.34	118.60
26	BB	1547	C	N1-C2-O2	8.77	124.16	118.90
26	BB	1746	A	C4-C5-N7	8.77	115.09	110.70
26	BB	2249	U	N3-C4-O4	8.77	125.54	119.40
26	BB	2256	G	C2-N3-C4	8.77	116.29	111.90
26	BB	2438	U	C6-N1-C2	8.77	126.26	121.00
26	BB	135	U	C6-N1-C2	8.77	126.26	121.00
26	BB	138	U	N1-C2-N3	8.77	120.16	114.90
26	BB	1096	A	O4'-C1'-N9	8.77	115.22	108.20
26	BB	2054	A	N1-C6-N6	-8.77	113.34	118.60
1	AA	236	A	C5-C6-N6	-8.77	116.69	123.70
1	AA	609	A	C8-N9-C4	-8.77	102.29	105.80
1	AA	867	G	C4-C5-N7	-8.77	107.29	110.80
1	AA	1232	U	O4'-C1'-N1	8.77	115.21	108.20
1	AA	1311	A	C8-N9-C4	-8.77	102.29	105.80
1	AA	1530	G	O4'-C1'-N9	8.77	115.21	108.20
26	BB	376	G	C5-C6-N1	8.77	115.88	111.50
1	AA	801	U	O4'-C1'-N1	8.77	115.21	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1096	C	C2-N3-C4	-8.77	115.52	119.90
1	AA	1448	C	O4'-C4'-C3'	8.77	113.11	106.10
26	BB	12	U	C4-C5-C6	-8.77	114.44	119.70
26	BB	733	G	N9-C4-C5	8.77	108.91	105.40
26	BB	2221	G	C5-N7-C8	-8.77	99.92	104.30
1	AA	517	G	N9-C4-C5	8.76	108.91	105.40
1	AA	889	A	C5-C6-N1	8.76	122.08	117.70
1	AA	1273	C	C5'-C4'-O4'	8.76	119.61	109.10
22	AV	31	ARG	NE-CZ-NH2	-8.76	115.92	120.30
26	BB	265	A	C5-N7-C8	8.76	108.28	103.90
26	BB	77	G	N3-C4-N9	8.76	131.26	126.00
26	BB	940	G	N7-C8-N9	8.76	117.48	113.10
26	BB	1133	A	C8-N9-C4	-8.76	102.30	105.80
26	BB	2495	G	N1-C6-O6	-8.76	114.64	119.90
1	AA	94	G	C5-C6-O6	-8.76	123.34	128.60
1	AA	462	G	N3-C2-N2	8.76	126.03	119.90
26	BB	112	U	C1'-O4'-C4'	-8.76	102.89	109.90
26	BB	342	A	C5-C6-N1	-8.76	113.32	117.70
26	BB	2235	G	C6-N1-C2	-8.76	119.84	125.10
26	BB	176	A	C5-N7-C8	-8.76	99.52	103.90
26	BB	404	A	C5-C6-N1	8.76	122.08	117.70
26	BB	407	G	N3-C4-N9	8.76	131.25	126.00
26	BB	2679	A	O4'-C1'-N9	8.76	115.21	108.20
26	BB	2760	C	O4'-C1'-N1	8.76	115.21	108.20
1	AA	122	G	C6-C5-N7	8.76	135.66	130.40
1	AA	366	A	P-O3'-C3'	8.76	130.21	119.70
1	AA	1488	G	C2-N3-C4	8.76	116.28	111.90
26	BB	988	A	C5-N7-C8	-8.76	99.52	103.90
1	AA	318	G	N3-C4-C5	-8.76	124.22	128.60
4	AD	7	G	N9-C4-C5	8.76	108.90	105.40
26	BB	1016	G	O4'-C1'-N9	8.76	115.20	108.20
26	BB	1151	A	C5'-C4'-O4'	8.76	119.61	109.10
26	BB	1559	U	P-O3'-C3'	8.76	130.21	119.70
25	BA	54	G	C5'-C4'-O4'	8.75	119.61	109.10
1	AA	574	A	O4'-C1'-N9	8.75	115.20	108.20
4	AD	49	C	N3-C2-O2	-8.75	115.77	121.90
26	BB	19	A	C5-C6-N1	8.75	122.08	117.70
26	BB	2031	A	C5-N7-C8	-8.75	99.52	103.90
26	BB	2187	U	O4'-C1'-N1	8.75	115.20	108.20
26	BB	2218	G	C8-N9-C4	-8.75	102.90	106.40
1	AA	451	A	C4-C5-C6	8.75	121.38	117.00
26	BB	577	G	C4-C5-N7	8.75	114.30	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1808	A	C6-C5-N7	-8.75	126.17	132.30
1	AA	463	U	O4'-C1'-N1	8.75	115.20	108.20
1	AA	549	C	C2-N3-C4	8.75	124.27	119.90
1	AA	752	G	C4-C5-N7	-8.75	107.30	110.80
1	AA	1277	C	C1'-O4'-C4'	8.75	116.90	109.90
26	BB	2509	G	N9-C4-C5	8.75	108.90	105.40
1	AA	879	C	C5-C4-N4	-8.75	114.08	120.20
1	AA	1504	G	O4'-C1'-N9	8.75	115.20	108.20
26	BB	875	G	N3-C4-C5	-8.74	124.23	128.60
1	AA	1285	A	C4-C5-C6	8.74	121.37	117.00
12	AL	94	ARG	NE-CZ-NH1	8.74	124.67	120.30
26	BB	341	C	N1-C2-O2	8.74	124.15	118.90
26	BB	413	C	N1-C2-N3	-8.74	113.08	119.20
26	BB	506	G	N3-C4-C5	-8.74	124.23	128.60
26	BB	830	G	C8-N9-C4	-8.74	102.90	106.40
26	BB	2	G	O4'-C1'-N9	8.74	115.19	108.20
26	BB	627	A	P-O3'-C3'	8.74	130.19	119.70
26	BB	2477	U	N3-C2-O2	-8.74	116.08	122.20
26	BB	1594	U	N3-C4-C5	-8.74	109.36	114.60
1	AA	275	G	N7-C8-N9	8.74	117.47	113.10
26	BB	27	G	C5-C6-O6	-8.74	123.36	128.60
26	BB	1016	G	O4'-C4'-C3'	8.74	113.09	106.10
26	BB	1144	A	N7-C8-N9	-8.74	109.43	113.80
26	BB	1196	C	N3-C2-O2	-8.74	115.78	121.90
26	BB	1445	G	N3-C4-C5	-8.74	124.23	128.60
26	BB	2016	U	C5-C6-N1	-8.74	118.33	122.70
1	AA	927	G	N1-C6-O6	-8.74	114.66	119.90
26	BB	2240	U	C5-C4-O4	8.74	131.14	125.90
1	AA	869	G	N7-C8-N9	8.74	117.47	113.10
1	AA	1198	G	C6-C5-N7	-8.74	125.16	130.40
1	AA	806	C	N3-C2-O2	-8.73	115.79	121.90
1	AA	840	C	C5'-C4'-O4'	8.73	119.58	109.10
1	AA	1053	G	C8-N9-C4	-8.73	102.91	106.40
26	BB	1799	G	N9-C4-C5	8.73	108.89	105.40
26	BB	2873	A	N3-C4-C5	-8.73	120.69	126.80
26	BB	725	G	C3'-C2'-C1'	8.73	108.49	101.50
26	BB	841	G	N3-C4-N9	-8.73	120.76	126.00
26	BB	1198	U	N1-C2-O2	-8.73	116.69	122.80
26	BB	2603	G	C8-N9-C4	-8.73	102.91	106.40
26	BB	2059	A	C1'-O4'-C4'	-8.73	102.91	109.90
1	AA	302	G	C4-C5-C6	8.73	124.04	118.80
26	BB	1343	G	C5-C6-O6	-8.73	123.36	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	378	G	N3-C4-N9	8.73	131.24	126.00
1	AA	439	U	C5-C6-N1	-8.73	118.33	122.70
26	BB	739	A	N1-C6-N6	8.73	123.84	118.60
26	BB	1026	G	N3-C4-C5	-8.73	124.23	128.60
26	BB	1981	A	C5-C6-N1	8.73	122.06	117.70
26	BB	2010	G	N1-C6-O6	-8.73	114.66	119.90
28	BD	265	PHE	CB-CG-CD1	-8.73	114.69	120.80
26	BB	534	U	C1'-O4'-C4'	8.73	116.88	109.90
26	BB	614	A	N1-C6-N6	8.73	123.84	118.60
15	AO	3	VAL	CA-CB-CG2	8.73	123.99	110.90
26	BB	1392	A	C8-N9-C4	-8.73	102.31	105.80
26	BB	2470	G	N7-C8-N9	8.73	117.46	113.10
26	BB	2545	G	C5-C6-N1	-8.73	107.14	111.50
1	AA	89	U	C2-N3-C4	-8.72	121.77	127.00
1	AA	1304	G	N1-C2-N3	-8.72	118.67	123.90
40	BP	64	ARG	NE-CZ-NH2	8.72	124.66	120.30
2	AB	61	C	C5-C6-N1	-8.72	116.64	121.00
3	AC	53	G	C5-C6-N1	8.72	115.86	111.50
24	AX	1	PRO	CA-N-CD	-8.72	99.29	111.50
26	BB	425	G	N9-C4-C5	8.72	108.89	105.40
26	BB	2493	U	C5-C6-N1	-8.72	118.34	122.70
26	BB	2758	A	C5-C6-N1	8.72	122.06	117.70
1	AA	143	A	C5-C6-N1	8.72	122.06	117.70
1	AA	410	G	N9-C4-C5	8.72	108.89	105.40
1	AA	711	G	N3-C4-N9	8.72	131.23	126.00
1	AA	1250	A	O4'-C1'-N9	8.72	115.18	108.20
26	BB	860	U	C4'-C3'-C2'	-8.72	93.88	102.60
26	BB	928	A	C6-C5-N7	8.72	138.41	132.30
26	BB	1103	A	N7-C8-N9	-8.72	109.44	113.80
26	BB	1762	A	O4'-C1'-N9	8.72	115.18	108.20
26	BB	2495	G	C6-N1-C2	-8.72	119.87	125.10
1	AA	1197	A	C8-N9-C4	8.72	109.29	105.80
1	AA	835	U	O4'-C1'-N1	8.72	115.17	108.20
26	BB	140	C	O4'-C4'-C3'	8.72	113.08	106.10
26	BB	988	A	N7-C8-N9	8.72	118.16	113.80
26	BB	1906	G	C5-N7-C8	-8.72	99.94	104.30
26	BB	2440	C	N3-C4-C5	-8.72	118.41	121.90
26	BB	2824	C	N1-C2-O2	8.72	124.13	118.90
26	BB	2838	G	C5-N7-C8	-8.72	99.94	104.30
1	AA	257	G	C6-C5-N7	-8.71	125.17	130.40
26	BB	80	G	O5'-P-OP1	-8.72	97.86	105.70
26	BB	2516	A	O4'-C1'-N9	8.72	115.17	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	272	C	C5-C6-N1	-8.71	116.64	121.00
1	AA	1057	G	C5-C6-O6	-8.71	123.37	128.60
1	AA	1081	A	O4'-C1'-N9	8.71	115.17	108.20
26	BB	152	A	N1-C6-N6	8.71	123.83	118.60
26	BB	945	A	C3'-C2'-C1'	8.72	108.47	101.50
26	BB	1565	C	O4'-C1'-C2'	-8.72	97.08	105.80
26	BB	1527	G	C8-N9-C4	-8.71	102.91	106.40
26	BB	2553	G	C2-N3-C4	8.71	116.26	111.90
26	BB	2729	G	C5'-C4'-O4'	8.71	119.56	109.10
26	BB	2852	G	C5-C6-N1	8.72	115.86	111.50
1	AA	1003	G	C8-N9-C4	-8.71	102.92	106.40
2	AB	68	C	N3-C2-O2	-8.71	115.80	121.90
5	AE	22	TRP	CE2-CD2-CG	8.71	114.27	107.30
26	BB	134	G	N3-C2-N2	-8.71	113.80	119.90
26	BB	1897	G	O4'-C1'-N9	8.71	115.17	108.20
25	BA	13	G	C8-N9-C4	-8.71	102.92	106.40
26	BB	2406	A	C4-C5-N7	8.71	115.06	110.70
26	BB	2848	G	C3'-C2'-C1'	-8.71	94.53	101.50
26	BB	2885	G	C5-N7-C8	-8.71	99.94	104.30
1	AA	134	G	N9-C4-C5	8.71	108.88	105.40
1	AA	719	C	C5-C4-N4	8.71	126.30	120.20
26	BB	580	U	O4'-C1'-N1	8.71	115.17	108.20
1	AA	522	C	C2-N3-C4	8.71	124.25	119.90
25	BA	6	G	N3-C4-C5	-8.71	124.25	128.60
25	BA	111	U	N1-C2-N3	8.71	120.12	114.90
26	BB	183	C	C1'-O4'-C4'	-8.71	102.93	109.90
26	BB	1796	U	C4-C5-C6	8.71	124.92	119.70
26	BB	2732	G	N9-C4-C5	8.71	108.88	105.40
1	AA	471	U	N1-C2-N3	8.71	120.12	114.90
1	AA	564	C	N3-C2-O2	-8.71	115.81	121.90
1	AA	1025	U	C6-N1-C2	-8.71	115.78	121.00
1	AA	1161	C	N1-C1'-C2'	-8.71	102.42	112.00
1	AA	1412	C	O4'-C4'-C3'	8.70	113.06	106.10
2	AB	51	G	C8-N9-C4	-8.71	102.92	106.40
26	BB	474	G	N3-C4-N9	8.71	131.22	126.00
26	BB	511	U	N3-C4-O4	8.71	125.49	119.40
26	BB	897	C	C2-N3-C4	-8.71	115.55	119.90
26	BB	950	G	C2-N3-C4	8.71	116.25	111.90
26	BB	1080	A	C2-N3-C4	8.71	114.95	110.60
26	BB	1964	G	C5-C6-O6	-8.70	123.38	128.60
26	BB	601	C	C5'-C4'-O4'	8.70	119.54	109.10
26	BB	861	A	C6-N1-C2	-8.70	113.38	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2315	G	C5-C6-O6	-8.70	123.38	128.60
26	BB	2842	G	C8-N9-C4	-8.70	102.92	106.40
1	AA	416	G	C5'-C4'-O4'	8.70	119.54	109.10
1	AA	712	A	O4'-C1'-N9	8.70	115.16	108.20
1	AA	1171	A	N1-C2-N3	-8.70	124.95	129.30
1	AA	1514	G	C5-C6-N1	8.70	115.85	111.50
25	BA	74	U	C5-C6-N1	-8.70	118.35	122.70
26	BB	1262	A	C5-N7-C8	-8.70	99.55	103.90
26	BB	1555	G	C4-C5-C6	8.70	124.02	118.80
26	BB	1894	C	N1-C2-O2	8.70	124.12	118.90
26	BB	2397	G	N3-C4-C5	-8.70	124.25	128.60
26	BB	2530	A	O4'-C4'-C3'	-8.70	95.30	104.00
1	AA	261	U	C5-C4-O4	-8.70	120.68	125.90
1	AA	1220	G	C8-N9-C4	-8.70	102.92	106.40
26	BB	890	C	C6-N1-C2	-8.70	116.82	120.30
26	BB	1303	G	N9-C4-C5	8.70	108.88	105.40
1	AA	127	G	C6-C5-N7	-8.69	125.18	130.40
2	AB	15	A	C5-C6-N1	8.70	122.05	117.70
3	AC	24	A	C2-N3-C4	-8.69	106.25	110.60
26	BB	251	A	N7-C8-N9	8.69	118.15	113.80
26	BB	538	A	C8-N9-C4	-8.70	102.32	105.80
26	BB	610	C	N1-C2-O2	8.69	124.12	118.90
1	AA	559	A	O4'-C1'-N9	8.69	115.16	108.20
1	AA	675	A	N9-C4-C5	8.69	109.28	105.80
1	AA	768	A	C8-N9-C4	8.69	109.28	105.80
1	AA	1181	G	N3-C2-N2	-8.69	113.81	119.90
26	BB	615	U	O4'-C1'-N1	8.69	115.15	108.20
26	BB	1044	C	N3-C4-N4	8.69	124.08	118.00
26	BB	1059	G	C4'-C3'-C2'	-8.69	93.91	102.60
26	BB	1391	U	C1'-O4'-C4'	-8.69	102.95	109.90
26	BB	1836	C	N3-C2-O2	-8.69	115.82	121.90
45	BU	75	PHE	CB-CG-CD1	8.69	126.88	120.80
1	AA	143	A	C4-C5-C6	-8.69	112.66	117.00
1	AA	524	G	C8-N9-C4	-8.69	102.92	106.40
2	AB	34	C	C6-N1-C2	8.69	123.78	120.30
1	AA	568	G	N3-C2-N2	-8.69	113.82	119.90
1	AA	1108	G	C8-N9-C4	-8.69	102.92	106.40
26	BB	683	U	O4'-C1'-N1	8.69	115.15	108.20
29	BE	45	TYR	CB-CG-CD1	-8.69	115.79	121.00
1	AA	304	U	C5'-C4'-C3'	-8.69	102.10	116.00
26	BB	1284	A	N1-C2-N3	-8.69	124.96	129.30
1	AA	1386	G	N7-C8-N9	8.69	117.44	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	724	U	O4'-C1'-N1	8.69	115.15	108.20
26	BB	1801	A	O4'-C1'-N9	8.69	115.15	108.20
26	BB	2120	G	O4'-C1'-N9	8.69	115.15	108.20
26	BB	1879	C	C6-N1-C2	-8.68	116.83	120.30
40	BP	71	ARG	NE-CZ-NH2	8.68	124.64	120.30
26	BB	16	C	C3'-C2'-C1'	8.68	108.45	101.50
26	BB	2141	G	N3-C2-N2	-8.68	113.82	119.90
26	BB	2782	G	O4'-C1'-N9	8.68	115.15	108.20
1	AA	667	G	C8-N9-C4	-8.68	102.93	106.40
1	AA	1096	C	C5-C6-N1	8.68	125.34	121.00
1	AA	1168	U	O4'-C1'-N1	8.68	115.14	108.20
1	AA	1442	G	O4'-C1'-N9	8.68	115.14	108.20
26	BB	173	A	C5-N7-C8	-8.68	99.56	103.90
26	BB	2243	U	N3-C2-O2	-8.68	116.12	122.20
1	AA	1394	A	N9-C4-C5	8.68	109.27	105.80
1	AA	1417	G	C2-N3-C4	8.68	116.24	111.90
26	BB	798	G	C5'-C4'-C3'	-8.68	102.12	116.00
26	BB	843	G	N3-C4-C5	-8.68	124.26	128.60
26	BB	910	A	N3-C4-C5	-8.68	120.73	126.80
26	BB	1697	G	C4-C5-N7	-8.68	107.33	110.80
26	BB	1821	A	C8-N9-C4	-8.68	102.33	105.80
26	BB	1894	C	C5-C4-N4	-8.68	114.12	120.20
1	AA	174	A	C6-N1-C2	-8.68	113.39	118.60
1	AA	418	C	C5-C4-N4	-8.68	114.13	120.20
1	AA	869	G	N3-C4-C5	-8.68	124.26	128.60
26	BB	195	A	O4'-C1'-N9	8.68	115.14	108.20
26	BB	556	A	C5'-C4'-O4'	8.68	119.51	109.10
26	BB	2694	G	C5-C6-O6	-8.68	123.39	128.60
26	BB	232	G	N1-C2-N3	8.68	129.10	123.90
26	BB	559	G	C5-C6-O6	-8.68	123.39	128.60
26	BB	1404	C	C3'-C2'-C1'	8.68	108.44	101.50
26	BB	1805	A	N7-C8-N9	8.68	118.14	113.80
1	AA	1026	G	C4-C5-C6	8.67	124.00	118.80
26	BB	392	U	C5'-C4'-O4'	8.67	119.51	109.10
26	BB	441	U	N3-C4-C5	-8.67	109.40	114.60
26	BB	990	A	C5'-C4'-C3'	-8.67	102.12	116.00
26	BB	1246	A	N7-C8-N9	8.67	118.14	113.80
26	BB	1739	A	N1-C2-N3	-8.67	124.96	129.30
26	BB	1781	U	O4'-C1'-N1	8.67	115.14	108.20
26	BB	2724	U	O4'-C1'-N1	8.67	115.14	108.20
1	AA	869	G	C4-C5-C6	8.67	124.00	118.80
1	AA	1404	C	C5'-C4'-O4'	8.67	119.50	109.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	53	G	N1-C6-O6	8.67	125.10	119.90
1	AA	1222	G	C5'-C4'-C3'	8.67	129.87	116.00
1	AA	1345	U	N3-C2-O2	-8.67	116.13	122.20
25	BA	80	U	C3'-C2'-C1'	8.67	108.44	101.50
26	BB	48	G	C4-C5-N7	-8.67	107.33	110.80
26	BB	1358	G	C8-N9-C4	-8.67	102.93	106.40
26	BB	2691	C	C6-N1-C2	-8.67	116.83	120.30
1	AA	1386	G	C5-C6-N1	8.67	115.83	111.50
26	BB	598	U	N3-C4-C5	-8.67	109.40	114.60
26	BB	1447	C	C6-N1-C2	-8.67	116.83	120.30
26	BB	2276	G	C4-C5-N7	8.67	114.27	110.80
26	BB	469	G	N9-C4-C5	8.67	108.87	105.40
26	BB	941	A	C2-N3-C4	8.67	114.93	110.60
26	BB	1143	A	O4'-C1'-N9	8.67	115.13	108.20
26	BB	1182	G	C8-N9-C4	-8.67	102.93	106.40
26	BB	1236	G	O4'-C1'-N9	8.67	115.13	108.20
26	BB	2025	C	C5'-C4'-O4'	8.67	119.50	109.10
26	BB	2354	C	N3-C4-N4	8.67	124.07	118.00
26	BB	2553	G	O4'-C1'-N9	8.67	115.13	108.20
26	BB	2589	A	O4'-C1'-C2'	-8.67	97.13	105.80
25	BA	86	G	C5-N7-C8	8.66	108.63	104.30
26	BB	242	G	C8-N9-C4	-8.66	102.93	106.40
26	BB	478	A	C8-N9-C4	-8.66	102.33	105.80
26	BB	238	C	N3-C4-C5	8.66	125.36	121.90
26	BB	440	C	C5-C4-N4	8.66	126.26	120.20
26	BB	1922	G	C5'-C4'-O4'	8.66	119.50	109.10
26	BB	1984	G	O4'-C1'-N9	8.66	115.13	108.20
42	BR	52	ARG	NE-CZ-NH2	-8.66	115.97	120.30
1	AA	1143	G	N7-C8-N9	8.66	117.43	113.10
1	AA	1536	C	N3-C2-O2	-8.66	115.84	121.90
26	BB	1572	A	C4'-C3'-C2'	-8.66	93.94	102.60
26	BB	1709	U	N1-C2-O2	-8.66	116.74	122.80
56	B5	35	ARG	NE-CZ-NH1	8.66	124.63	120.30
1	AA	1001	C	N3-C4-N4	8.66	124.06	118.00
1	AA	1029	U	P-O3'-C3'	8.66	130.09	119.70
25	BA	30	C	C6-N1-C2	-8.66	116.84	120.30
26	BB	579	G	C5-N7-C8	8.66	108.63	104.30
26	BB	941	A	C1'-O4'-C4'	-8.66	102.97	109.90
26	BB	2252	G	O4'-C1'-N9	8.66	115.13	108.20
26	BB	2671	G	C5-N7-C8	8.66	108.63	104.30
26	BB	2789	C	C5'-C4'-O4'	8.66	119.49	109.10
26	BB	66	C	C6-N1-C2	-8.65	116.84	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	402	A	N9-C1'-C2'	-8.65	102.48	112.00
42	BR	102	ARG	NH1-CZ-NH2	-8.65	109.88	119.40
1	AA	604	G	C8-N9-C4	-8.65	102.94	106.40
1	AA	908	A	N1-C6-N6	8.65	123.79	118.60
4	AD	25	U	C2-N3-C4	8.65	132.19	127.00
26	BB	263	G	N9-C4-C5	8.65	108.86	105.40
26	BB	409	G	O4'-C1'-N9	8.65	115.12	108.20
26	BB	925	A	N1-C6-N6	-8.65	113.41	118.60
26	BB	974	G	C5-C6-O6	-8.65	123.41	128.60
26	BB	1290	C	N1-C2-O2	8.65	124.09	118.90
26	BB	2533	U	N3-C4-O4	8.65	125.46	119.40
26	BB	2253	G	C5-C6-O6	-8.65	123.41	128.60
1	AA	91	U	O4'-C1'-N1	8.65	115.12	108.20
1	AA	833	G	C4-C5-N7	-8.65	107.34	110.80
1	AA	1288	A	C4-C5-N7	-8.65	106.38	110.70
26	BB	95	A	N9-C4-C5	-8.65	102.34	105.80
26	BB	679	C	C5'-C4'-O4'	8.65	119.48	109.10
26	BB	815	C	C3'-C2'-C1'	8.65	108.42	101.50
26	BB	1641	A	N1-C2-N3	-8.65	124.98	129.30
26	BB	1996	C	N3-C4-C5	8.65	125.36	121.90
26	BB	2073	C	N3-C4-C5	8.65	125.36	121.90
26	BB	267	C	C6-N1-C2	8.65	123.76	120.30
26	BB	1768	C	C1'-O4'-C4'	-8.65	102.98	109.90
26	BB	2595	G	C8-N9-C4	-8.65	102.94	106.40
1	AA	391	G	N1-C6-O6	-8.64	114.71	119.90
1	AA	1030	U	N3-C2-O2	-8.64	116.15	122.20
26	BB	2128	G	N1-C2-N3	-8.64	118.71	123.90
26	BB	2815	C	O4'-C1'-N1	8.64	115.12	108.20
26	BB	2487	G	C2-N3-C4	8.64	116.22	111.90
26	BB	2838	G	N7-C8-N9	8.64	117.42	113.10
26	BB	1713	A	C5-C6-N6	-8.64	116.79	123.70
26	BB	1849	G	C5-C6-N1	8.64	115.82	111.50
26	BB	2229	U	N3-C4-O4	8.64	125.45	119.40
26	BB	2782	G	C5-C6-O6	8.64	133.78	128.60
1	AA	330	C	O4'-C1'-N1	8.64	115.11	108.20
1	AA	1025	U	O4'-C1'-N1	8.64	115.11	108.20
26	BB	2389	G	C6-N1-C2	-8.64	119.92	125.10
26	BB	1462	C	C1'-O4'-C4'	-8.64	102.99	109.90
26	BB	2028	U	C2-N3-C4	-8.64	121.82	127.00
26	BB	2788	C	N3-C4-C5	-8.64	118.44	121.90
26	BB	2840	C	C4-C5-C6	-8.64	113.08	117.40
1	AA	80	A	C5-C6-N1	8.63	122.02	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	529	G	O4'-C1'-N9	8.64	115.11	108.20
3	AC	58	C	N3-C2-O2	-8.63	115.86	121.90
18	AR	62	ARG	NE-CZ-NH1	8.63	124.62	120.30
26	BB	1398	C	C2-N3-C4	8.63	124.22	119.90
26	BB	1820	U	O4'-C1'-C2'	-8.63	97.17	105.80
26	BB	2326	C	N3-C4-C5	8.63	125.35	121.90
1	AA	47	C	C5-C4-N4	8.63	126.24	120.20
1	AA	140	U	N3-C2-O2	-8.63	116.16	122.20
1	AA	530	G	N3-C4-N9	8.63	131.18	126.00
1	AA	1228	C	N3-C4-C5	-8.63	118.45	121.90
26	BB	279	A	C5-C6-N1	8.63	122.02	117.70
26	BB	818	G	N9-C4-C5	8.63	108.85	105.40
26	BB	982	C	O4'-C1'-N1	8.63	115.11	108.20
1	AA	868	C	C4-C5-C6	8.63	121.72	117.40
1	AA	1059	C	C2-N3-C4	-8.63	115.58	119.90
26	BB	1111	A	N9-C4-C5	8.63	109.25	105.80
26	BB	26	G	C4-C5-N7	-8.63	107.35	110.80
26	BB	1465	G	O4'-C1'-N9	8.63	115.10	108.20
1	AA	127	G	N1-C6-O6	-8.63	114.72	119.90
1	AA	451	A	C4-C5-N7	-8.63	106.39	110.70
1	AA	1198	G	C5-N7-C8	-8.63	99.99	104.30
1	AA	1279	G	N7-C8-N9	8.63	117.42	113.10
26	BB	1206	G	O4'-C1'-N9	8.63	115.10	108.20
26	BB	1351	C	C2-N3-C4	8.63	124.21	119.90
26	BB	1724	G	C2-N3-C4	8.63	116.21	111.90
26	BB	2139	U	N3-C2-O2	-8.63	116.16	122.20
26	BB	2856	A	C5-N7-C8	8.63	108.21	103.90
4	AD	28	U	C3'-C2'-C1'	8.62	108.40	101.50
26	BB	93	G	C5'-C4'-C3'	8.63	129.80	116.00
26	BB	1052	C	O4'-C1'-N1	8.62	115.10	108.20
26	BB	1265	A	O4'-C1'-N9	8.63	115.10	108.20
26	BB	1739	A	C6-N1-C2	8.63	123.78	118.60
26	BB	2365	G	C5-C6-O6	-8.62	123.42	128.60
1	AA	494	G	N9-C4-C5	-8.62	101.95	105.40
1	AA	1313	U	O4'-C1'-N1	8.62	115.10	108.20
26	BB	185	G	C5-C6-O6	-8.62	123.43	128.60
26	BB	2097	A	C4-C5-N7	-8.62	106.39	110.70
26	BB	2591	C	C6-N1-C2	-8.62	116.85	120.30
26	BB	2610	C	N1-C2-O2	8.62	124.07	118.90
26	BB	2781	A	N7-C8-N9	8.62	118.11	113.80
1	AA	1364	U	N3-C2-O2	-8.62	116.17	122.20
1	AA	1373	G	C8-N9-C4	-8.62	102.95	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1510	C	N3-C4-C5	8.62	125.35	121.90
26	BB	703	U	C5-C4-O4	-8.62	120.73	125.90
26	BB	1329	U	C2-N3-C4	-8.62	121.83	127.00
4	AD	49	C	N1-C2-O2	8.62	124.07	118.90
25	BA	63	C	C1'-O4'-C4'	-8.62	103.01	109.90
26	BB	1347	A	O4'-C1'-N9	8.62	115.09	108.20
26	BB	2516	A	C8-N9-C4	-8.62	102.35	105.80
26	BB	2731	G	C3'-C2'-C1'	8.62	108.39	101.50
1	AA	1371	G	C4-C5-C6	8.62	123.97	118.80
26	BB	2338	C	O4'-C1'-N1	8.62	115.09	108.20
26	BB	157	C	C2-N3-C4	8.61	124.21	119.90
26	BB	1206	G	C5-C6-N1	8.61	115.81	111.50
26	BB	1316	U	N1-C2-O2	8.62	128.83	122.80
26	BB	2732	G	C4-C5-C6	8.62	123.97	118.80
26	BB	1945	G	N3-C2-N2	8.61	125.93	119.90
26	BB	2505	G	C5-N7-C8	8.61	108.61	104.30
1	AA	122	G	N1-C6-O6	-8.61	114.73	119.90
1	AA	238	A	N1-C2-N3	-8.61	124.99	129.30
1	AA	1528	U	C5-C6-N1	-8.61	118.39	122.70
9	AI	49	TYR	CB-CG-CD1	-8.61	115.83	121.00
26	BB	471	A	N9-C4-C5	8.61	109.24	105.80
26	BB	1933	G	N9-C4-C5	8.61	108.84	105.40
26	BB	2003	A	O4'-C1'-N9	8.61	115.09	108.20
26	BB	2088	A	C5-N7-C8	-8.61	99.59	103.90
26	BB	2133	G	N3-C4-C5	-8.61	124.29	128.60
26	BB	2553	G	N3-C4-C5	-8.61	124.29	128.60
1	AA	535	A	N9-C4-C5	8.61	109.24	105.80
26	BB	1622	G	C4-C5-N7	-8.61	107.36	110.80
1	AA	269	C	C2-N3-C4	8.61	124.20	119.90
1	AA	1534	A	O4'-C1'-N9	8.61	115.09	108.20
26	BB	199	A	C2-N3-C4	8.61	114.91	110.60
26	BB	318	C	C6-N1-C2	-8.61	116.86	120.30
26	BB	2099	U	N3-C4-O4	8.61	125.42	119.40
26	BB	2798	U	N3-C2-O2	-8.61	116.17	122.20
1	AA	289	G	O4'-C4'-C3'	8.61	112.98	106.10
1	AA	517	G	C4-C5-N7	-8.61	107.36	110.80
1	AA	1187	G	N3-C2-N2	-8.61	113.88	119.90
22	AV	40	PHE	CB-CG-CD1	-8.61	114.78	120.80
1	AA	1152	A	O4'-C1'-N9	8.61	115.08	108.20
26	BB	593	U	O4'-C1'-N1	8.61	115.08	108.20
26	BB	695	G	O4'-C1'-N9	8.61	115.08	108.20
26	BB	970	U	N1-C2-N3	8.61	120.06	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2507	C	C6-N1-C2	-8.61	116.86	120.30
26	BB	2588	G	N3-C4-C5	-8.61	124.30	128.60
1	AA	81	A	C8-N9-C4	-8.60	102.36	105.80
1	AA	1061	G	N3-C2-N2	-8.60	113.88	119.90
1	AA	372	C	O4'-C1'-N1	-8.60	101.32	108.20
1	AA	715	A	N7-C8-N9	8.60	118.10	113.80
26	BB	142	A	C6-C5-N7	8.60	138.32	132.30
26	BB	1510	G	C8-N9-C4	-8.60	102.96	106.40
26	BB	1987	A	N7-C8-N9	-8.60	109.50	113.80
26	BB	2199	A	C5'-C4'-C3'	-8.60	102.24	116.00
1	AA	984	C	C4-C5-C6	-8.60	113.10	117.40
2	AB	56	C	C5-C6-N1	8.60	125.30	121.00
25	BA	51	G	C6-C5-N7	-8.60	125.24	130.40
26	BB	1791	A	N9-C4-C5	-8.60	102.36	105.80
1	AA	737	C	C5-C4-N4	-8.60	114.18	120.20
26	BB	8	C	C1'-O4'-C4'	-8.60	103.02	109.90
26	BB	2393	U	N1-C2-N3	8.60	120.06	114.90
26	BB	2461	A	N9-C4-C5	8.60	109.24	105.80
1	AA	898	G	N3-C4-C5	-8.60	124.30	128.60
1	AA	1278	G	O4'-C1'-N9	8.60	115.08	108.20
26	BB	371	A	C5-N7-C8	-8.60	99.60	103.90
26	BB	1441	G	C5-C6-N1	8.60	115.80	111.50
26	BB	1757	A	C5-C6-N1	8.60	122.00	117.70
26	BB	2138	G	C5-C6-N1	8.60	115.80	111.50
26	BB	2723	C	N3-C4-C5	-8.60	118.46	121.90
26	BB	592	A	N9-C4-C5	8.59	109.24	105.80
26	BB	1516	G	N9-C4-C5	8.59	108.84	105.40
1	AA	559	A	N9-C4-C5	-8.59	102.36	105.80
2	AB	28	C	N1-C2-O2	8.59	124.06	118.90
26	BB	222	A	C2-N3-C4	8.59	114.90	110.60
26	BB	503	A	N1-C6-N6	8.59	123.76	118.60
26	BB	1020	A	C5-C6-N1	8.59	122.00	117.70
26	BB	1703	G	C5-C6-O6	-8.59	123.44	128.60
26	BB	674	G	O4'-C1'-N9	8.59	115.07	108.20
1	AA	574	A	C8-N9-C4	-8.59	102.36	105.80
1	AA	707	U	C6-N1-C2	-8.59	115.84	121.00
1	AA	1534	A	C2-N3-C4	8.59	114.89	110.60
26	BB	1692	U	O4'-C1'-N1	8.59	115.07	108.20
26	BB	907	G	C2-N3-C4	8.59	116.19	111.90
26	BB	2107	G	C5-C6-O6	-8.59	123.45	128.60
26	BB	2277	G	C4-C5-N7	-8.59	107.36	110.80
1	AA	680	C	C4'-C3'-C2'	-8.59	94.01	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	729	A	N9-C4-C5	8.59	109.23	105.80
4	AD	66	C	C5-C6-N1	-8.59	116.71	121.00
26	BB	189	G	N3-C2-N2	-8.59	113.89	119.90
26	BB	2246	G	N7-C8-N9	8.59	117.39	113.10
26	BB	2729	G	C5-C6-O6	-8.59	123.45	128.60
1	AA	673	A	N3-C4-C5	-8.59	120.79	126.80
1	AA	760	G	C5-C6-O6	8.59	133.75	128.60
1	AA	997	U	C4-C5-C6	-8.59	114.55	119.70
1	AA	1153	G	N3-C2-N2	-8.59	113.89	119.90
1	AA	253	A	C8-N9-C4	-8.58	102.37	105.80
1	AA	563	A	C3'-C2'-C1'	8.58	108.37	101.50
1	AA	887	G	N1-C2-N2	8.58	123.92	116.20
4	AD	66	C	N1-C2-O2	8.58	124.05	118.90
25	BA	2	G	N1-C2-N2	8.58	123.92	116.20
26	BB	834	G	C4-C5-N7	-8.58	107.37	110.80
26	BB	2084	C	N3-C4-C5	8.58	125.33	121.90
26	BB	2797	U	P-O3'-C3'	8.58	130.00	119.70
26	BB	1628	G	N3-C4-C5	-8.58	124.31	128.60
26	BB	2501	C	N3-C4-C5	-8.58	118.47	121.90
1	AA	203	G	N3-C4-C5	-8.58	124.31	128.60
1	AA	671	G	N9-C4-C5	8.58	108.83	105.40
1	AA	667	G	C5-C6-O6	-8.58	123.45	128.60
1	AA	812	G	C2-N3-C4	8.58	116.19	111.90
1	AA	843	U	C2-N3-C4	-8.58	121.85	127.00
26	BB	365	U	C5-C4-O4	-8.58	120.75	125.90
4	AD	14	A	C5-C6-N1	-8.58	113.41	117.70
26	BB	825	A	N7-C8-N9	8.58	118.09	113.80
26	BB	2037	A	C5'-C4'-O4'	8.58	119.39	109.10
1	AA	769	G	N3-C4-N9	8.58	131.15	126.00
1	AA	1280	A	C6-N1-C2	8.58	123.75	118.60
2	AB	74	C	N1-C2-O2	8.58	124.05	118.90
26	BB	501	A	C5-C6-N1	8.58	121.99	117.70
1	AA	1440	U	O4'-C1'-N1	8.58	115.06	108.20
26	BB	497	A	N9-C4-C5	-8.57	102.37	105.80
26	BB	689	A	O4'-C1'-N9	-8.57	101.34	108.20
26	BB	2866	U	C5-C6-N1	8.57	126.99	122.70
26	BB	474	G	N3-C2-N2	-8.57	113.90	119.90
26	BB	706	A	C2-N3-C4	8.57	114.89	110.60
26	BB	1276	A	C5'-C4'-O4'	8.57	119.39	109.10
26	BB	1765	U	C3'-C2'-C1'	-8.57	94.64	101.50
26	BB	135	U	C5-C6-N1	-8.57	118.41	122.70
26	BB	2454	G	N1-C2-N3	-8.57	118.76	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	247	G	N1-C2-N2	-8.57	108.49	116.20
1	AA	602	A	N9-C4-C5	-8.57	102.37	105.80
1	AA	952	U	C6-N1-C2	-8.57	115.86	121.00
26	BB	650	C	C5-C6-N1	8.57	125.29	121.00
26	BB	1925	C	P-O3'-C3'	8.57	129.99	119.70
1	AA	510	A	N3-C4-C5	-8.57	120.80	126.80
26	BB	846	U	C1'-O4'-C4'	-8.57	103.04	109.90
26	BB	896	A	C4-C5-N7	8.57	114.98	110.70
26	BB	1890	A	O4'-C1'-N9	8.57	115.06	108.20
26	BB	2315	G	C5-N7-C8	-8.57	100.02	104.30
1	AA	434	U	P-O3'-C3'	8.57	129.98	119.70
1	AA	472	U	O4'-C4'-C3'	8.57	112.95	106.10
1	AA	882	C	N3-C4-C5	-8.57	118.47	121.90
1	AA	440	C	C5-C4-N4	8.57	126.20	120.20
1	AA	907	A	O4'-C1'-N9	8.57	115.05	108.20
1	AA	917	G	C6-C5-N7	-8.57	125.26	130.40
30	BF	191	ASP	CB-CG-OD2	-8.57	110.59	118.30
26	BB	523	C	N3-C4-C5	8.56	125.33	121.90
26	BB	1395	A	C6-N1-C2	8.56	123.74	118.60
26	BB	1419	A	N9-C1'-C2'	-8.56	102.58	112.00
26	BB	2738	A	C5-N7-C8	-8.56	99.62	103.90
1	AA	289	G	C4'-C3'-C2'	-8.56	94.04	102.60
25	BA	8	C	C6-N1-C2	8.56	123.72	120.30
26	BB	53	A	C5-C6-N1	-8.56	113.42	117.70
26	BB	488	G	N9-C4-C5	8.56	108.83	105.40
26	BB	544	C	O4'-C1'-N1	8.56	115.05	108.20
26	BB	919	U	N3-C2-O2	-8.56	116.20	122.20
26	BB	2127	G	C8-N9-C4	-8.56	102.97	106.40
26	BB	2230	G	C4-C5-N7	8.56	114.22	110.80
26	BB	2390	U	C4'-C3'-C2'	8.56	111.16	102.60
35	BK	102	ARG	NE-CZ-NH2	-8.56	116.02	120.30
1	AA	591	U	N1-C2-N3	8.56	120.04	114.90
1	AA	791	G	C5-C6-N1	8.56	115.78	111.50
1	AA	1140	C	N3-C4-C5	8.56	125.32	121.90
25	BA	100	G	C4-C5-N7	8.56	114.22	110.80
26	BB	516	C	P-O3'-C3'	8.56	129.97	119.70
26	BB	544	C	N3-C4-C5	-8.56	118.48	121.90
26	BB	566	U	N3-C4-O4	8.56	125.39	119.40
26	BB	597	G	N3-C4-N9	8.56	131.14	126.00
26	BB	954	G	C6-C5-N7	-8.56	125.26	130.40
26	BB	1250	G	C6-C5-N7	-8.56	125.26	130.40
26	BB	1495	A	C5-N7-C8	-8.56	99.62	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2095	A	C5-C6-N6	-8.56	116.85	123.70
26	BB	2397	G	N9-C4-C5	8.56	108.83	105.40
26	BB	2425	A	O4'-C1'-N9	8.56	115.05	108.20
40	BP	103	ARG	NE-CZ-NH2	-8.56	116.02	120.30
49	BY	54	ARG	NE-CZ-NH2	-8.56	116.02	120.30
1	AA	353	A	O4'-C1'-N9	8.56	115.05	108.20
1	AA	571	U	O4'-C1'-N1	8.56	115.05	108.20
1	AA	581	G	N3-C4-C5	8.56	132.88	128.60
1	AA	547	A	C8-N9-C4	-8.56	102.38	105.80
1	AA	561	U	C3'-C2'-C1'	8.56	108.34	101.50
1	AA	1376	U	N3-C2-O2	-8.56	116.21	122.20
26	BB	226	A	C8-N9-C4	-8.56	102.38	105.80
26	BB	953	G	C8-N9-C4	-8.56	102.98	106.40
26	BB	1585	C	C5'-C4'-O4'	8.56	119.37	109.10
26	BB	1747	U	N3-C2-O2	-8.56	116.21	122.20
26	BB	2837	A	N1-C6-N6	-8.56	113.47	118.60
1	AA	781	A	C2-N3-C4	8.56	114.88	110.60
26	BB	226	A	O4'-C4'-C3'	8.56	112.94	106.10
26	BB	586	A	C6-N1-C2	8.56	123.73	118.60
26	BB	1365	A	C4-C5-N7	-8.56	106.42	110.70
26	BB	2212	A	C5-C6-N1	-8.55	113.42	117.70
1	AA	487	A	C5-C6-N1	8.55	121.98	117.70
1	AA	1182	G	N1-C6-O6	-8.55	114.77	119.90
4	AD	54	G	C8-N9-C4	-8.55	102.98	106.40
26	BB	751	A	O4'-C1'-N9	8.55	115.04	108.20
26	BB	1640	A	C4-C5-N7	-8.55	106.42	110.70
26	BB	2760	C	C5-C6-N1	8.55	125.28	121.00
26	BB	2895	G	O4'-C1'-N9	8.55	115.04	108.20
26	BB	2902	C	N3-C4-N4	-8.55	112.01	118.00
24	AX	44	ARG	NE-CZ-NH1	8.55	124.58	120.30
26	BB	103	A	C6-C5-N7	8.55	138.29	132.30
26	BB	777	G	C6-N1-C2	-8.55	119.97	125.10
26	BB	744	U	C2-N3-C4	-8.55	121.87	127.00
26	BB	1217	U	C4-C5-C6	8.55	124.83	119.70
26	BB	2880	C	N3-C4-C5	-8.55	118.48	121.90
26	BB	91	A	C8-N9-C4	-8.55	102.38	105.80
26	BB	568	U	O4'-C1'-N1	8.55	115.04	108.20
26	BB	996	A	C5-C6-N1	8.55	121.97	117.70
26	BB	1739	A	C4-C5-N7	-8.55	106.42	110.70
1	AA	807	A	C5-N7-C8	-8.55	99.63	103.90
1	AA	101	A	C8-N9-C4	-8.54	102.38	105.80
1	AA	1411	C	N3-C4-C5	-8.54	118.48	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	404	A	C4-C5-C6	-8.55	112.73	117.00
26	BB	1190	G	N7-C8-N9	-8.55	108.83	113.10
26	BB	1635	A	C5-N7-C8	8.54	108.17	103.90
26	BB	2306	C	C6-N1-C2	-8.54	116.88	120.30
26	BB	2653	U	C2-N3-C4	-8.55	121.87	127.00
26	BB	2676	C	C6-N1-C2	-8.54	116.88	120.30
1	AA	482	A	N9-C4-C5	8.54	109.22	105.80
1	AA	633	G	N3-C4-N9	-8.54	120.87	126.00
1	AA	380	G	N3-C4-N9	8.54	131.12	126.00
1	AA	655	A	N7-C8-N9	8.54	118.07	113.80
1	AA	1067	A	N9-C4-C5	8.54	109.22	105.80
26	BB	194	G	C5-C6-N1	8.54	115.77	111.50
26	BB	1515	A	N3-C4-C5	-8.54	120.82	126.80
26	BB	1559	U	C5-C6-N1	-8.54	118.43	122.70
26	BB	1818	U	C2-N3-C4	-8.54	121.88	127.00
26	BB	2279	G	C2-N3-C4	8.54	116.17	111.90
14	AN	60	PHE	CB-CG-CD1	-8.54	114.82	120.80
1	AA	270	A	C2-N3-C4	8.54	114.87	110.60
1	AA	508	U	C2-N3-C4	-8.54	121.88	127.00
2	AB	35	C	N3-C4-N4	8.54	123.98	118.00
26	BB	1615	C	C5-C6-N1	8.54	125.27	121.00
1	AA	573	A	N1-C2-N3	-8.54	125.03	129.30
1	AA	671	G	N7-C8-N9	8.54	117.37	113.10
1	AA	777	A	C5-C6-N6	-8.54	116.87	123.70
1	AA	1034	G	N1-C6-O6	8.54	125.02	119.90
26	BB	2476	A	C3'-C2'-C1'	-8.54	94.67	101.50
26	BB	1798	U	C5-C4-O4	-8.54	120.78	125.90
26	BB	1179	G	N3-C4-N9	8.54	131.12	126.00
1	AA	530	G	C5-C6-N1	8.53	115.77	111.50
1	AA	1482	G	C8-N9-C4	8.53	109.81	106.40
26	BB	170	U	N3-C2-O2	-8.54	116.23	122.20
26	BB	271	G	C5-N7-C8	-8.54	100.03	104.30
26	BB	1458	U	N1-C2-N3	8.54	120.02	114.90
26	BB	1498	C	N3-C4-N4	8.54	123.98	118.00
1	AA	66	A	C8-N9-C4	-8.53	102.39	105.80
1	AA	451	A	N7-C8-N9	8.53	118.07	113.80
1	AA	737	C	O4'-C1'-N1	8.53	115.03	108.20
1	AA	1417	G	P-O3'-C3'	8.53	129.94	119.70
3	AC	21	U	O4'-C1'-N1	8.53	115.03	108.20
26	BB	1135	C	N1-C2-O2	8.53	124.02	118.90
4	AD	14	A	C4-C5-N7	-8.53	106.43	110.70
26	BB	465	G	C5-C6-O6	-8.53	123.48	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1243	C	O4'-C1'-N1	8.53	115.03	108.20
26	BB	1406	U	O4'-C1'-N1	8.53	115.03	108.20
26	BB	2050	C	N3-C2-O2	-8.53	115.93	121.90
1	AA	597	G	O4'-C1'-N9	8.53	115.02	108.20
1	AA	1147	C	C5-C6-N1	8.53	125.27	121.00
1	AA	1434	A	C5-C6-N6	8.53	130.52	123.70
26	BB	53	A	C6-C5-N7	-8.53	126.33	132.30
26	BB	1241	A	C2-N3-C4	8.53	114.86	110.60
26	BB	2819	G	N3-C4-C5	-8.53	124.34	128.60
1	AA	944	G	P-O3'-C3'	8.53	129.93	119.70
1	AA	1067	A	N1-C6-N6	-8.53	113.48	118.60
26	BB	1808	A	C5-N7-C8	-8.53	99.64	103.90
26	BB	2302	U	N1-C2-O2	8.53	128.77	122.80
26	BB	2515	C	N3-C4-C5	-8.53	118.49	121.90
40	BP	86	ARG	NE-CZ-NH2	-8.53	116.04	120.30
1	AA	777	A	N1-C6-N6	8.53	123.72	118.60
1	AA	829	G	C1'-O4'-C4'	8.53	116.72	109.90
1	AA	1027	C	C6-N1-C2	-8.53	116.89	120.30
26	BB	406	G	C8-N9-C4	-8.53	102.99	106.40
26	BB	717	C	C2-N3-C4	-8.53	115.64	119.90
1	AA	1529	G	N3-C4-C5	-8.52	124.34	128.60
25	BA	88	C	C5-C6-N1	8.52	125.26	121.00
26	BB	1360	G	N1-C6-O6	-8.52	114.79	119.90
1	AA	199	A	C4'-C3'-C2'	-8.52	94.08	102.60
25	BA	45	A	O4'-C1'-N9	8.52	115.02	108.20
26	BB	33	C	C2-N3-C4	-8.52	115.64	119.90
26	BB	1852	U	N3-C2-O2	-8.52	116.23	122.20
26	BB	582	A	C2-N3-C4	-8.52	106.34	110.60
26	BB	1857	G	N1-C2-N3	-8.52	118.79	123.90
1	AA	1159	U	N1-C2-N3	8.52	120.01	114.90
1	AA	1460	C	N1-C1'-C2'	-8.52	102.63	112.00
26	BB	1553	A	C4-C5-C6	-8.52	112.74	117.00
26	BB	1879	C	N3-C2-O2	-8.52	115.94	121.90
26	BB	2646	C	C5-C4-N4	-8.52	114.24	120.20
1	AA	47	C	N3-C4-N4	-8.52	112.04	118.00
1	AA	358	U	O4'-C1'-N1	8.52	115.01	108.20
1	AA	812	G	N7-C8-N9	8.52	117.36	113.10
26	BB	553	G	N1-C2-N3	8.52	129.01	123.90
26	BB	1038	G	C6-C5-N7	-8.52	125.29	130.40
1	AA	1125	U	C3'-C2'-C1'	8.52	108.31	101.50
26	BB	314	C	O4'-C1'-N1	8.52	115.01	108.20
26	BB	1238	G	C4-C5-C6	8.52	123.91	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2521	C	C5-C4-N4	8.52	126.16	120.20
1	AA	148	G	N9-C4-C5	8.51	108.81	105.40
1	AA	1370	G	N3-C4-C5	-8.51	124.34	128.60
1	AA	1493	A	O4'-C1'-N9	8.51	115.01	108.20
1	AA	1507	A	C3'-C2'-C1'	-8.51	94.69	101.50
2	AB	75	C	C4-C5-C6	-8.51	113.14	117.40
4	AD	59	A	C8-N9-C4	-8.51	102.39	105.80
12	AL	6	TYR	CG-CD1-CE1	-8.51	114.49	121.30
26	BB	531	C	N3-C2-O2	-8.51	115.94	121.90
26	BB	1115	G	C8-N9-C4	-8.51	103.00	106.40
26	BB	1706	C	O4'-C1'-N1	8.51	115.01	108.20
26	BB	2633	G	N9-C4-C5	-8.51	102.00	105.40
26	BB	2731	G	C2-N3-C4	8.51	116.16	111.90
26	BB	2739	U	C3'-C2'-C1'	8.51	108.31	101.50
53	B2	25	ARG	NH1-CZ-NH2	-8.51	110.03	119.40
1	AA	20	U	N3-C2-O2	-8.51	116.24	122.20
1	AA	59	A	C2-N3-C4	8.51	114.86	110.60
1	AA	111	G	N9-C4-C5	8.51	108.80	105.40
1	AA	1084	G	N3-C4-C5	-8.51	124.34	128.60
26	BB	1645	G	N9-C4-C5	8.51	108.80	105.40
1	AA	65	A	C5-C6-N1	8.51	121.95	117.70
1	AA	1216	A	O4'-C1'-N9	8.51	115.01	108.20
1	AA	1276	G	C6-C5-N7	-8.51	125.30	130.40
26	BB	2659	G	N9-C4-C5	-8.51	102.00	105.40
26	BB	2840	C	O4'-C1'-N1	8.51	115.01	108.20
1	AA	56	U	N1-C2-O2	-8.51	116.84	122.80
1	AA	947	G	O4'-C1'-N9	8.51	115.00	108.20
1	AA	1409	C	N1-C2-O2	8.51	124.00	118.90
26	BB	1360	G	O4'-C1'-N9	8.51	115.01	108.20
26	BB	2246	G	N3-C4-C5	-8.51	124.35	128.60
26	BB	2391	G	C8-N9-C4	-8.51	103.00	106.40
26	BB	400	G	C4-C5-C6	8.51	123.90	118.80
26	BB	462	C	C6-N1-C2	-8.51	116.90	120.30
26	BB	1554	U	C5-C4-O4	-8.51	120.80	125.90
26	BB	1818	U	N1-C2-N3	8.51	120.00	114.90
26	BB	2047	C	C3'-C2'-C1'	8.51	108.31	101.50
26	BB	2055	C	C4-C5-C6	-8.51	113.15	117.40
1	AA	211	G	C5-C6-N1	8.50	115.75	111.50
25	BA	12	C	N3-C2-O2	-8.50	115.95	121.90
1	AA	617	G	O4'-C1'-N9	8.50	115.00	108.20
26	BB	178	G	N9-C4-C5	8.50	108.80	105.40
26	BB	1037	G	C4-C5-C6	8.50	123.90	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1051	G	C4-C5-N7	-8.50	107.40	110.80
26	BB	1278	C	N3-C4-N4	8.50	123.95	118.00
26	BB	1807	G	C6-N1-C2	-8.50	120.00	125.10
26	BB	1838	C	O4'-C1'-N1	8.50	115.00	108.20
26	BB	2175	C	O4'-C1'-N1	8.50	115.00	108.20
1	AA	16	A	N9-C4-C5	8.50	109.20	105.80
1	AA	1073	U	N3-C4-O4	8.50	125.35	119.40
26	BB	1639	C	C3'-C2'-C1'	8.50	108.30	101.50
26	BB	2216	G	N3-C4-C5	-8.50	124.35	128.60
26	BB	2389	G	C5-N7-C8	-8.50	100.05	104.30
1	AA	1046	A	C2-N3-C4	8.50	114.85	110.60
1	AA	1429	A	C3'-C2'-C1'	-8.50	94.70	101.50
1	AA	1526	G	N1-C6-O6	8.50	125.00	119.90
26	BB	218	A	C4-C5-C6	-8.50	112.75	117.00
26	BB	1098	A	N1-C6-N6	-8.50	113.50	118.60
26	BB	226	A	N1-C2-N3	-8.50	125.05	129.30
26	BB	1448	G	C5'-C4'-O4'	8.50	119.30	109.10
26	BB	1809	A	C8-N9-C4	8.50	109.20	105.80
26	BB	1876	A	N9-C4-C5	8.50	109.20	105.80
26	BB	2673	G	O4'-C1'-N9	8.50	115.00	108.20
1	AA	553	A	N1-C2-N3	-8.49	125.05	129.30
1	AA	959	A	C8-N9-C4	8.49	109.20	105.80
26	BB	22	C	C2-N3-C4	8.49	124.15	119.90
26	BB	1031	G	O4'-C1'-N9	8.49	115.00	108.20
26	BB	1154	G	N3-C2-N2	8.49	125.85	119.90
26	BB	1337	G	C8-N9-C4	-8.49	103.00	106.40
26	BB	1865	U	C2-N3-C4	-8.49	121.90	127.00
2	AB	65	C	C5'-C4'-O4'	8.49	119.29	109.10
26	BB	435	C	O4'-C1'-N1	8.49	114.99	108.20
26	BB	772	C	C5-C4-N4	-8.49	114.25	120.20
26	BB	2146	C	N1-C2-O2	8.49	124.00	118.90
1	AA	373	A	C2-N3-C4	8.49	114.84	110.60
1	AA	384	G	O4'-C1'-N9	8.49	114.99	108.20
26	BB	999	U	N1-C2-O2	-8.49	116.86	122.80
26	BB	2248	C	N3-C2-O2	-8.49	115.96	121.90
26	BB	2780	G	N3-C4-C5	-8.49	124.36	128.60
1	AA	844	G	C8-N9-C4	-8.49	103.00	106.40
2	AB	19	G	C4-C5-N7	-8.49	107.41	110.80
26	BB	579	G	N9-C4-C5	8.49	108.79	105.40
26	BB	612	G	N3-C4-C5	-8.49	124.36	128.60
26	BB	949	G	C6-C5-N7	-8.49	125.31	130.40
26	BB	1300	G	N9-C4-C5	8.49	108.79	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1801	A	N1-C6-N6	8.49	123.69	118.60
26	BB	2506	U	O4'-C1'-N1	8.49	114.99	108.20
26	BB	2543	G	C5-C6-N1	-8.49	107.26	111.50
1	AA	493	A	N7-C8-N9	8.48	118.04	113.80
26	BB	281	C	N3-C4-N4	8.48	123.94	118.00
26	BB	1373	A	N1-C6-N6	-8.48	113.51	118.60
26	BB	2536	G	N9-C4-C5	8.48	108.79	105.40
1	AA	761	G	C5-N7-C8	-8.48	100.06	104.30
1	AA	231	U	C5-C4-O4	-8.48	120.81	125.90
1	AA	280	C	C5-C6-N1	8.48	125.24	121.00
1	AA	626	G	N7-C8-N9	8.48	117.34	113.10
4	AD	43	G	N7-C8-N9	8.48	117.34	113.10
26	BB	38	A	C1'-O4'-C4'	-8.48	103.11	109.90
26	BB	518	G	C1'-O4'-C4'	8.48	116.68	109.90
26	BB	806	C	N3-C4-N4	8.48	123.94	118.00
26	BB	1309	G	N1-C6-O6	-8.48	114.81	119.90
26	BB	1922	G	C5-N7-C8	-8.48	100.06	104.30
26	BB	2127	G	N7-C8-N9	8.48	117.34	113.10
2	AB	39	A	C5-C6-N1	8.48	121.94	117.70
26	BB	1458	U	C6-N1-C2	-8.48	115.91	121.00
26	BB	2360	G	O4'-C1'-N9	8.48	114.98	108.20
26	BB	1281	G	C2-N3-C4	8.48	116.14	111.90
26	BB	1482	G	C6-C5-N7	-8.48	125.31	130.40
26	BB	2125	G	N9-C4-C5	8.48	108.79	105.40
1	AA	554	A	C4-C5-N7	-8.47	106.46	110.70
1	AA	670	G	O4'-C1'-N9	8.47	114.98	108.20
1	AA	1328	C	N3-C2-O2	-8.47	115.97	121.90
10	AJ	118	ARG	NE-CZ-NH2	-8.47	116.06	120.30
26	BB	692	C	C5-C4-N4	-8.47	114.27	120.20
1	AA	1274	A	P-O3'-C3'	8.47	129.87	119.70
26	BB	21	A	N7-C8-N9	8.47	118.04	113.80
26	BB	1749	A	O4'-C1'-N9	8.47	114.98	108.20
26	BB	2120	G	C6-C5-N7	-8.47	125.31	130.40
26	BB	591	U	O4'-C1'-N1	8.47	114.98	108.20
26	BB	989	G	C2-N3-C4	8.47	116.14	111.90
26	BB	1710	G	C1'-O4'-C4'	-8.47	103.12	109.90
26	BB	1858	A	C6-N1-C2	-8.47	113.52	118.60
26	BB	2125	G	O4'-C1'-N9	8.47	114.98	108.20
7	AG	55	ARG	NE-CZ-NH1	8.47	124.54	120.30
26	BB	65	U	O4'-C1'-N1	8.47	114.98	108.20
26	BB	156	A	C5-C6-N1	8.47	121.94	117.70
26	BB	950	G	O4'-C1'-N9	8.47	114.98	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	998	C	N3-C4-C5	-8.47	118.51	121.90
26	BB	1834	U	O4'-C1'-N1	8.47	114.98	108.20
26	BB	2567	G	C8-N9-C4	-8.47	103.01	106.40
26	BB	2638	G	O4'-C1'-N9	8.47	114.98	108.20
1	AA	963	G	N7-C8-N9	8.47	117.33	113.10
1	AA	1181	G	N7-C8-N9	8.47	117.33	113.10
26	BB	2425	A	C1'-O4'-C4'	-8.47	103.12	109.90
1	AA	1006	G	N3-C4-N9	8.47	131.08	126.00
1	AA	1133	G	C2-N3-C4	8.47	116.13	111.90
26	BB	765	C	C3'-C2'-C1'	8.47	108.27	101.50
26	BB	1398	C	C6-N1-C2	-8.47	116.91	120.30
26	BB	1540	G	N3-C2-N2	-8.47	113.97	119.90
26	BB	1656	C	N3-C4-N4	8.47	123.93	118.00
26	BB	1964	G	C5-N7-C8	-8.47	100.07	104.30
1	AA	226	G	C4-C5-N7	-8.47	107.41	110.80
26	BB	1365	A	N1-C2-N3	-8.47	125.07	129.30
26	BB	1444	G	C6-C5-N7	-8.47	125.32	130.40
26	BB	1506	U	N3-C4-O4	8.47	125.33	119.40
1	AA	587	G	N3-C4-C5	-8.46	124.37	128.60
1	AA	805	C	N3-C2-O2	-8.46	115.97	121.90
1	AA	1031	C	N1-C2-N3	-8.46	113.28	119.20
26	BB	2386	A	C4-C5-C6	8.46	121.23	117.00
26	BB	2680	U	C3'-C2'-C1'	8.46	108.27	101.50
1	AA	140	U	N1-C2-N3	8.46	119.98	114.90
26	BB	1054	A	C4'-C3'-C2'	-8.46	94.14	102.60
26	BB	1919	A	N1-C2-N3	-8.46	125.07	129.30
1	AA	101	A	C5-C6-N6	-8.46	116.93	123.70
1	AA	128	G	C8-N9-C4	-8.46	103.02	106.40
1	AA	1044	A	C5'-C4'-O4'	8.46	119.25	109.10
4	AD	37	U	C4-C5-C6	8.46	124.78	119.70
26	BB	670	A	C2-N3-C4	8.46	114.83	110.60
26	BB	2530	A	N1-C2-N3	-8.46	125.07	129.30
1	AA	177	G	C3'-C2'-C1'	8.46	108.27	101.50
1	AA	179	A	C8-N9-C4	-8.46	102.42	105.80
1	AA	695	A	O4'-C1'-N9	8.46	114.97	108.20
1	AA	1318	A	N1-C6-N6	-8.46	113.52	118.60
1	AA	423	G	C2-N3-C4	8.46	116.13	111.90
26	BB	667	U	C4-C5-C6	8.46	124.78	119.70
26	BB	1279	G	C8-N9-C4	-8.46	103.02	106.40
26	BB	1501	G	C2-N3-C4	8.46	116.13	111.90
4	AD	42	C	O4'-C1'-N1	8.46	114.97	108.20
26	BB	888	C	O4'-C1'-N1	8.46	114.97	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2776	A	C1'-O4'-C4'	-8.46	103.13	109.90
1	AA	212	G	N1-C6-O6	8.45	124.97	119.90
1	AA	395	C	O4'-C1'-N1	8.46	114.96	108.20
4	AD	22	A	C4-C5-N7	-8.46	106.47	110.70
4	AD	31	G	N3-C4-N9	8.46	131.07	126.00
26	BB	473	G	C5-C6-O6	-8.46	123.53	128.60
26	BB	1571	A	N3-C4-N9	8.45	134.16	127.40
26	BB	1931	U	N1-C2-O2	8.46	128.72	122.80
26	BB	2064	C	N3-C4-C5	-8.45	118.52	121.90
26	BB	2183	A	C5'-C4'-O4'	8.45	119.25	109.10
26	BB	2412	A	C2-N3-C4	8.46	114.83	110.60
26	BB	2559	C	C4-C5-C6	8.46	121.63	117.40
26	BB	2594	C	N3-C4-N4	8.46	123.92	118.00
26	BB	2651	C	O4'-C1'-N1	8.46	114.96	108.20
26	BB	2871	U	N3-C2-O2	-8.46	116.28	122.20
1	AA	909	A	C4-C5-N7	-8.45	106.47	110.70
1	AA	188	C	C4-C5-C6	8.45	121.63	117.40
26	BB	1698	A	N1-C6-N6	-8.45	113.53	118.60
26	BB	2011	U	C5-C6-N1	-8.45	118.47	122.70
26	BB	2845	U	O4'-C1'-N1	8.45	114.96	108.20
1	AA	3	A	C8-N9-C4	-8.45	102.42	105.80
1	AA	559	A	C5-N7-C8	-8.45	99.68	103.90
1	AA	812	G	C5-C6-O6	-8.45	123.53	128.60
26	BB	577	G	C5-N7-C8	-8.45	100.08	104.30
26	BB	2711	A	C4-C5-C6	-8.45	112.78	117.00
1	AA	614	C	C6-N1-C2	-8.45	116.92	120.30
1	AA	767	A	C8-N9-C4	-8.45	102.42	105.80
26	BB	308	G	C6-C5-N7	8.45	135.47	130.40
1	AA	334	C	O4'-C1'-N1	8.45	114.96	108.20
1	AA	900	A	C5-C6-N1	8.45	121.92	117.70
4	AD	53	G	C6-C5-N7	-8.45	125.33	130.40
26	BB	2238	G	O4'-C4'-C3'	8.45	112.86	106.10
2	AB	6	C	N3-C4-N4	8.45	123.91	118.00
26	BB	91	A	N1-C2-N3	-8.45	125.08	129.30
26	BB	681	G	C4-C5-N7	-8.44	107.42	110.80
26	BB	1517	G	C6-C5-N7	-8.45	125.33	130.40
26	BB	1597	A	N1-C6-N6	8.45	123.67	118.60
26	BB	2394	C	C5-C6-N1	-8.45	116.78	121.00
26	BB	2642	G	C8-N9-C4	-8.45	103.02	106.40
37	BM	30	ARG	NE-CZ-NH2	-8.45	116.08	120.30
26	BB	2751	G	C5-N7-C8	8.44	108.52	104.30
25	BA	34	A	C4-C5-C6	-8.44	112.78	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	151	A	C6-C5-N7	8.44	138.21	132.30
1	AA	649	A	C4-C5-C6	8.44	121.22	117.00
26	BB	979	A	C1'-O4'-C4'	8.44	116.65	109.90
26	BB	1026	G	C8-N9-C4	-8.44	103.02	106.40
26	BB	1101	U	O4'-C1'-N1	8.44	114.95	108.20
26	BB	1603	A	C5-C6-N1	8.44	121.92	117.70
1	AA	1224	U	P-O3'-C3'	8.44	129.83	119.70
1	AA	390	U	N1-C2-N3	8.44	119.96	114.90
1	AA	435	A	N1-C6-N6	-8.44	113.54	118.60
26	BB	1047	G	N3-C4-N9	8.44	131.06	126.00
26	BB	2027	G	C4-C5-N7	-8.44	107.42	110.80
26	BB	2496	C	C3'-C2'-C1'	8.44	108.25	101.50
3	AC	16	A	C6-N1-C2	8.44	123.66	118.60
26	BB	30	G	C5-C6-O6	-8.44	123.54	128.60
26	BB	520	G	C4-C5-C6	8.44	123.86	118.80
26	BB	1044	C	C5-C4-N4	-8.44	114.30	120.20
26	BB	1867	G	C4-C5-N7	8.44	114.17	110.80
26	BB	2382	G	N9-C4-C5	8.44	108.78	105.40
26	BB	2588	G	O4'-C1'-N9	8.44	114.95	108.20
26	BB	2621	G	C5-C6-N1	8.44	115.72	111.50
26	BB	2847	U	O4'-C1'-N1	8.44	114.95	108.20
1	AA	48	C	O4'-C1'-N1	8.43	114.95	108.20
26	BB	564	C	C4'-C3'-C2'	-8.43	94.17	102.60
26	BB	1075	C	C5-C6-N1	8.43	125.22	121.00
26	BB	1222	U	N3-C2-O2	-8.43	116.30	122.20
26	BB	1115	G	N3-C4-C5	-8.43	124.38	128.60
26	BB	2004	G	C2-N3-C4	8.43	116.12	111.90
26	BB	2209	G	C6-N1-C2	-8.43	120.04	125.10
1	AA	375	U	O4'-C1'-N1	8.43	114.94	108.20
24	AX	6	ARG	NE-CZ-NH1	8.43	124.52	120.30
26	BB	2093	G	C5-C6-N1	8.43	115.72	111.50
1	AA	224	U	P-O3'-C3'	8.43	129.81	119.70
1	AA	890	G	N3-C4-N9	8.43	131.06	126.00
6	AF	38	VAL	CA-CB-CG1	8.43	123.54	110.90
25	BA	120	U	C5-C6-N1	-8.43	118.48	122.70
26	BB	77	G	C4-C5-C6	8.43	123.86	118.80
26	BB	135	U	C5-C4-O4	-8.43	120.84	125.90
26	BB	617	G	N1-C2-N3	-8.43	118.84	123.90
26	BB	1903	G	C8-N9-C4	-8.43	103.03	106.40
26	BB	1943	U	N1-C2-N3	8.43	119.96	114.90
26	BB	2534	A	C8-N9-C4	-8.43	102.43	105.80
1	AA	388	G	C8-N9-C4	-8.43	103.03	106.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	54	G	N3-C4-C5	-8.43	124.39	128.60
26	BB	340	A	C4-C5-C6	8.43	121.21	117.00
26	BB	478	A	C4-C5-C6	-8.43	112.79	117.00
26	BB	1514	G	C8-N9-C4	-8.43	103.03	106.40
26	BB	1959	G	O4'-C1'-N9	8.43	114.94	108.20
26	BB	2023	C	N3-C2-O2	-8.43	116.00	121.90
1	AA	267	C	N3-C2-O2	-8.42	116.00	121.90
1	AA	629	A	C5'-C4'-O4'	8.42	119.21	109.10
1	AA	851	G	C5-C6-O6	-8.42	123.55	128.60
26	BB	63	A	C4-C5-C6	8.42	121.21	117.00
26	BB	616	A	C8-N9-C4	-8.42	102.43	105.80
26	BB	1425	G	N3-C2-N2	-8.42	114.00	119.90
1	AA	1013	G	C4-C5-C6	8.42	123.85	118.80
26	BB	549	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	1325	U	N1-C2-N3	8.42	119.95	114.90
26	BB	1449	G	C5-N7-C8	8.42	108.51	104.30
26	BB	2110	G	C5-N7-C8	8.42	108.51	104.30
26	BB	2396	G	C4'-C3'-C2'	-8.42	94.18	102.60
1	AA	437	U	O4'-C1'-N1	8.42	114.94	108.20
1	AA	1424	U	N3-C2-O2	-8.42	116.31	122.20
26	BB	376	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	534	U	C5'-C4'-O4'	8.42	119.20	109.10
26	BB	684	G	C2-N3-C4	8.42	116.11	111.90
26	BB	1238	G	C5-C6-O6	-8.42	123.55	128.60
26	BB	1537	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	2136	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	2699	C	C2-N3-C4	8.42	124.11	119.90
1	AA	132	C	N3-C2-O2	-8.42	116.01	121.90
1	AA	1493	A	C4-C5-C6	-8.42	112.79	117.00
1	AA	1310	G	C5'-C4'-O4'	8.42	119.20	109.10
26	BB	575	A	N7-C8-N9	-8.42	109.59	113.80
26	BB	2382	G	C2-N3-C4	8.42	116.11	111.90
1	AA	453	G	C2-N3-C4	8.41	116.11	111.90
1	AA	524	G	N9-C4-C5	8.41	108.77	105.40
26	BB	54	G	C5-N7-C8	-8.41	100.09	104.30
26	BB	832	U	C2-N3-C4	-8.41	121.95	127.00
1	AA	1138	G	C5-C6-O6	-8.41	123.55	128.60
14	AN	126	ARG	NE-CZ-NH2	-8.41	116.09	120.30
25	BA	31	C	C6-N1-C2	-8.41	116.94	120.30
26	BB	530	G	C6-C5-N7	-8.41	125.35	130.40
26	BB	698	C	N3-C4-N4	-8.41	112.11	118.00
26	BB	1191	G	N9-C4-C5	8.41	108.77	105.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	735	A	C1'-O4'-C4'	-8.41	103.17	109.90
26	BB	957	C	C4-C5-C6	8.41	121.61	117.40
26	BB	2227	A	C5-C6-N1	8.41	121.91	117.70
26	BB	2591	C	C5-C4-N4	-8.41	114.31	120.20
1	AA	481	G	C4-C5-N7	-8.41	107.44	110.80
1	AA	677	U	C2-N3-C4	-8.41	121.95	127.00
26	BB	1705	A	C5-C6-N6	-8.41	116.97	123.70
26	BB	519	U	C6-N1-C2	-8.41	115.95	121.00
26	BB	1266	G	N3-C2-N2	8.41	125.79	119.90
26	BB	1378	A	C5-N7-C8	8.41	108.11	103.90
26	BB	1616	A	C8-N9-C4	-8.41	102.44	105.80
26	BB	2178	C	N3-C2-O2	-8.41	116.01	121.90
26	BB	2466	C	C4-C5-C6	8.41	121.61	117.40
26	BB	2535	G	C5-N7-C8	8.41	108.51	104.30
26	BB	2562	U	C1'-O4'-C4'	8.41	116.63	109.90
1	AA	119	A	C5-N7-C8	8.41	108.10	103.90
1	AA	427	U	N1-C2-O2	8.41	128.68	122.80
1	AA	1412	C	O4'-C1'-N1	8.41	114.93	108.20
1	AA	1413	A	N9-C4-C5	8.41	109.16	105.80
3	AC	13	A	N7-C8-N9	8.41	118.00	113.80
26	BB	317	G	C2-N3-C4	8.41	116.10	111.90
26	BB	1105	U	C5-C6-N1	-8.41	118.50	122.70
26	BB	63	A	C2-N3-C4	-8.41	106.40	110.60
26	BB	361	G	N1-C2-N3	-8.41	118.86	123.90
1	AA	547	A	O4'-C1'-C2'	-8.40	97.39	105.80
1	AA	751	U	N3-C2-O2	-8.40	116.32	122.20
1	AA	1099	G	C4-C5-N7	-8.40	107.44	110.80
26	BB	63	A	N1-C2-N3	8.40	133.50	129.30
26	BB	774	G	O4'-C1'-N9	8.40	114.92	108.20
25	BA	41	G	N9-C1'-C2'	-8.40	102.76	112.00
26	BB	792	A	C2-N3-C4	8.40	114.80	110.60
26	BB	803	U	C5'-C4'-O4'	8.40	119.19	109.10
26	BB	1631	G	C6-C5-N7	-8.40	125.36	130.40
26	BB	2004	G	C4-C5-C6	8.40	123.84	118.80
26	BB	1041	G	N3-C2-N2	8.40	125.78	119.90
1	AA	390	U	C4-C5-C6	8.40	124.74	119.70
1	AA	920	U	C6-N1-C2	-8.40	115.96	121.00
1	AA	101	A	C6-N1-C2	-8.40	113.56	118.60
1	AA	528	C	C5-C6-N1	-8.40	116.80	121.00
1	AA	1449	C	O4'-C1'-N1	8.40	114.92	108.20
2	AB	10	G	N3-C4-C5	-8.40	124.40	128.60
26	BB	119	A	C4'-C3'-C2'	-8.40	94.20	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	944	C	C4'-C3'-C2'	-8.40	94.20	102.60
26	BB	1703	G	C8-N9-C4	-8.40	103.04	106.40
26	BB	1943	U	C2-N3-C4	-8.40	121.96	127.00
1	AA	147	G	N7-C8-N9	8.40	117.30	113.10
1	AA	338	A	C5'-C4'-O4'	8.40	119.18	109.10
1	AA	601	G	C4-C5-C6	-8.40	113.76	118.80
1	AA	625	U	O4'-C1'-N1	8.40	114.92	108.20
1	AA	1080	A	C5-C6-N6	-8.40	116.98	123.70
26	BB	65	U	N3-C2-O2	-8.40	116.32	122.20
26	BB	649	G	C6-N1-C2	-8.40	120.06	125.10
26	BB	1038	G	C2-N3-C4	8.40	116.10	111.90
26	BB	2756	U	C5-C6-N1	-8.40	118.50	122.70
1	AA	355	C	C5-C6-N1	8.39	125.20	121.00
1	AA	388	G	N7-C8-N9	8.39	117.30	113.10
26	BB	2868	A	N1-C2-N3	-8.39	125.10	129.30
1	AA	537	G	C2-N3-C4	8.39	116.10	111.90
1	AA	547	A	C3'-C2'-C1'	8.39	108.21	101.50
26	BB	729	G	C6-C5-N7	-8.39	125.36	130.40
26	BB	2429	G	N3-C4-C5	-8.39	124.40	128.60
1	AA	126	G	C8-N9-C4	-8.39	103.04	106.40
1	AA	223	A	C2-N3-C4	-8.39	106.40	110.60
1	AA	753	A	O4'-C1'-N9	8.39	114.91	108.20
1	AA	829	G	O4'-C1'-N9	8.39	114.91	108.20
1	AA	1009	U	C5-C4-O4	-8.39	120.86	125.90
26	BB	51	G	C4-C5-N7	8.39	114.16	110.80
26	BB	266	G	C2-N3-C4	8.39	116.10	111.90
1	AA	1283	U	C3'-C2'-C1'	8.39	108.21	101.50
26	BB	853	C	N3-C2-O2	-8.39	116.03	121.90
26	BB	2305	U	C6-N1-C2	-8.39	115.97	121.00
26	BB	2537	U	C4'-C3'-C2'	-8.39	94.21	102.60
1	AA	668	G	N1-C6-O6	8.39	124.93	119.90
1	AA	1313	U	C2-N3-C4	-8.39	121.97	127.00
26	BB	384	A	C5-N7-C8	-8.39	99.70	103.90
26	BB	533	G	N9-C1'-C2'	-8.39	102.77	112.00
26	BB	1645	G	C4-C5-N7	-8.39	107.44	110.80
1	AA	898	G	C5-C6-N1	8.39	115.69	111.50
26	BB	2133	G	O4'-C1'-N9	8.39	114.91	108.20
26	BB	2742	G	C6-N1-C2	-8.39	120.07	125.10
26	BB	2889	C	C2-N3-C4	8.39	124.09	119.90
4	AD	71	G	C2-N3-C4	8.38	116.09	111.90
26	BB	12	U	C5-C6-N1	8.38	126.89	122.70
26	BB	86	G	N1-C6-O6	-8.38	114.87	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1099	G	C2-N3-C4	8.38	116.09	111.90
26	BB	1445	G	C4-C5-N7	-8.39	107.44	110.80
26	BB	1124	G	C4'-C3'-C2'	-8.38	94.22	102.60
26	BB	1752	C	C5-C6-N1	8.38	125.19	121.00
26	BB	1814	G	C5-N7-C8	-8.39	100.11	104.30
26	BB	2253	G	C4'-C3'-C2'	-8.38	94.22	102.60
26	BB	2615	U	C5'-C4'-O4'	8.38	119.16	109.10
26	BB	2729	G	O4'-C1'-N9	8.38	114.91	108.20
1	AA	1259	C	N3-C4-C5	-8.38	118.55	121.90
1	AA	1384	C	O4'-C1'-N1	8.38	114.91	108.20
1	AA	452	A	O4'-C1'-N9	8.38	114.91	108.20
1	AA	490	C	C2-N3-C4	8.38	124.09	119.90
1	AA	803	G	N1-C2-N3	8.38	128.93	123.90
25	BA	61	G	N9-C4-C5	8.38	108.75	105.40
26	BB	194	G	C6-N1-C2	-8.38	120.07	125.10
26	BB	241	A	O4'-C1'-N9	8.38	114.91	108.20
26	BB	354	A	C4-C5-N7	-8.38	106.51	110.70
26	BB	748	G	N1-C6-O6	-8.38	114.87	119.90
26	BB	924	G	C5-C6-N1	8.38	115.69	111.50
26	BB	939	G	C2-N3-C4	8.38	116.09	111.90
26	BB	787	C	N3-C4-C5	-8.38	118.55	121.90
26	BB	1003	G	N3-C4-C5	-8.38	124.41	128.60
26	BB	1407	G	C6-N1-C2	-8.38	120.07	125.10
26	BB	2333	A	N7-C8-N9	-8.38	109.61	113.80
37	BM	30	ARG	NE-CZ-NH1	8.38	124.49	120.30
50	BZ	36	ARG	NE-CZ-NH2	-8.38	116.11	120.30
1	AA	556	C	C6-N1-C2	8.38	123.65	120.30
1	AA	1538	C	N3-C2-O2	-8.38	116.03	121.90
4	AD	27	G	N1-C2-N2	-8.38	108.66	116.20
3	AC	52	U	N3-C2-O2	-8.38	116.34	122.20
26	BB	527	C	C5-C4-N4	-8.38	114.33	120.20
26	BB	569	U	P-O3'-C3'	8.38	129.75	119.70
26	BB	861	A	C5-C6-N1	8.38	121.89	117.70
26	BB	2619	C	N1-C2-O2	8.38	123.93	118.90
26	BB	2879	A	C3'-C2'-C1'	8.38	108.20	101.50
1	AA	546	A	N1-C2-N3	8.38	133.49	129.30
1	AA	800	G	N7-C8-N9	8.38	117.29	113.10
1	AA	1144	G	C6-C5-N7	-8.38	125.37	130.40
26	BB	463	G	N7-C8-N9	8.38	117.29	113.10
1	AA	1489	G	C5'-C4'-O4'	8.37	119.15	109.10
26	BB	936	A	N7-C8-N9	8.37	117.99	113.80
26	BB	2236	U	C5-C6-N1	-8.38	118.51	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	388	G	C5-C6-N1	-8.37	107.31	111.50
26	BB	142	A	O4'-C1'-N9	8.37	114.90	108.20
26	BB	1761	C	C3'-C2'-C1'	-8.37	94.80	101.50
26	BB	1478	G	N3-C4-C5	-8.37	124.41	128.60
26	BB	1903	G	C5-C6-O6	-8.37	123.58	128.60
26	BB	2809	A	C5-C6-N1	8.37	121.89	117.70
4	AD	25	U	N1-C2-O2	8.37	128.66	122.80
26	BB	281	C	C6-N1-C2	-8.37	116.95	120.30
26	BB	1443	U	O4'-C1'-N1	8.37	114.89	108.20
26	BB	2352	A	N1-C2-N3	-8.37	125.11	129.30
26	BB	2688	G	C5'-C4'-C3'	-8.37	102.61	116.00
26	BB	1434	A	N1-C2-N3	8.37	133.48	129.30
26	BB	1466	U	N1-C1'-C2'	-8.37	102.80	112.00
26	BB	2018	G	C3'-C2'-C1'	-8.37	94.81	101.50
26	BB	2142	A	C8-N9-C4	-8.37	102.45	105.80
26	BB	2634	A	C4-C5-C6	-8.37	112.82	117.00
26	BB	2872	A	C6-C5-N7	8.37	138.16	132.30
1	AA	247	G	N3-C2-N2	8.37	125.76	119.90
1	AA	399	G	C4-C5-C6	8.37	123.82	118.80
1	AA	406	G	C1'-O4'-C4'	8.37	116.59	109.90
2	AB	68	C	N3-C4-N4	8.37	123.86	118.00
26	BB	1013	C	C5-C4-N4	-8.37	114.34	120.20
26	BB	1191	G	C8-N9-C4	-8.37	103.05	106.40
26	BB	1619	G	N3-C4-N9	8.37	131.02	126.00
26	BB	2141	G	C4-C5-C6	8.37	123.82	118.80
26	BB	2162	G	C2-N3-C4	8.37	116.08	111.90
1	AA	58	C	N3-C2-O2	-8.36	116.05	121.90
1	AA	200	G	N7-C8-N9	8.36	117.28	113.10
1	AA	431	A	N7-C8-N9	8.36	117.98	113.80
1	AA	1529	G	C5-C6-N1	8.36	115.68	111.50
1	AA	1488	G	C8-N9-C4	-8.36	103.06	106.40
26	BB	3	U	O4'-C1'-N1	8.36	114.89	108.20
26	BB	137	U	C5-C4-O4	-8.36	120.88	125.90
26	BB	953	G	C6-N1-C2	-8.36	120.08	125.10
26	BB	530	G	N9-C4-C5	8.36	108.74	105.40
26	BB	803	U	C3'-C2'-C1'	8.36	108.19	101.50
26	BB	2290	G	N3-C4-C5	-8.36	124.42	128.60
26	BB	2883	A	N1-C6-N6	8.36	123.62	118.60
1	AA	573	A	C5'-C4'-O4'	8.36	119.13	109.10
1	AA	913	A	N9-C4-C5	8.36	109.14	105.80
7	AG	13	ARG	NE-CZ-NH1	8.36	124.48	120.30
39	BO	59	ARG	NE-CZ-NH2	8.36	124.48	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	53	A	C6-N1-C2	8.36	123.61	118.60
1	AA	124	C	N3-C4-C5	8.36	125.24	121.90
1	AA	191	G	C5-C6-O6	-8.36	123.59	128.60
1	AA	787	A	C8-N9-C4	-8.36	102.46	105.80
26	BB	77	G	N7-C8-N9	8.36	117.28	113.10
26	BB	109	C	C5-C6-N1	8.36	125.18	121.00
26	BB	254	G	N3-C4-C5	-8.36	124.42	128.60
26	BB	1809	A	C3'-C2'-C1'	8.36	108.19	101.50
26	BB	1622	G	C5-C6-N1	8.36	115.68	111.50
26	BB	1989	G	O4'-C1'-N9	8.36	114.88	108.20
26	BB	2089	C	O4'-C1'-N1	8.36	114.89	108.20
26	BB	2337	G	N3-C4-C5	-8.36	124.42	128.60
26	BB	2803	G	C6-N1-C2	-8.36	120.09	125.10
1	AA	57	G	N3-C4-N9	-8.35	120.99	126.00
1	AA	646	G	C4-C5-N7	8.35	114.14	110.80
4	AD	7	G	C4-C5-C6	8.35	123.81	118.80
1	AA	177	G	O4'-C1'-C2'	-8.35	97.45	105.80
1	AA	228	A	N7-C8-N9	-8.35	109.62	113.80
1	AA	337	G	C8-N9-C4	-8.35	103.06	106.40
1	AA	565	U	N3-C2-O2	-8.35	116.35	122.20
1	AA	1263	C	N3-C2-O2	-8.35	116.05	121.90
26	BB	1015	U	N1-C1'-C2'	-8.35	102.81	112.00
26	BB	1219	U	N3-C2-O2	-8.35	116.35	122.20
26	BB	1735	A	C5-C6-N1	8.35	121.88	117.70
26	BB	1982	U	N3-C4-O4	8.35	125.25	119.40
26	BB	1425	G	C5-C6-N1	8.35	115.67	111.50
1	AA	1349	A	C5'-C4'-C3'	-8.35	102.64	116.00
25	BA	20	G	N7-C8-N9	8.35	117.28	113.10
1	AA	428	G	C5-N7-C8	-8.35	100.13	104.30
26	BB	344	A	N9-C4-C5	8.35	109.14	105.80
26	BB	478	A	O4'-C4'-C3'	8.35	112.78	106.10
26	BB	510	C	C4'-C3'-C2'	-8.35	94.25	102.60
26	BB	831	G	N3-C4-C5	-8.35	124.43	128.60
26	BB	1188	U	C5-C6-N1	-8.35	118.53	122.70
1	AA	194	C	C2-N3-C4	8.35	124.07	119.90
26	BB	719	C	C5'-C4'-O4'	8.35	119.12	109.10
26	BB	809	G	C5-C6-N1	8.35	115.67	111.50
26	BB	2359	C	N3-C4-C5	8.35	125.24	121.90
1	AA	649	A	C3'-C2'-C1'	8.35	108.18	101.50
1	AA	711	G	N3-C4-C5	-8.35	124.43	128.60
1	AA	832	G	C2-N3-C4	8.35	116.07	111.90
22	AV	77	ARG	NE-CZ-NH2	-8.35	116.13	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1310	G	N9-C4-C5	8.35	108.74	105.40
41	BQ	25	ARG	NE-CZ-NH1	8.35	124.47	120.30
26	BB	658	U	N1-C2-O2	-8.34	116.96	122.80
26	BB	1422	G	N3-C2-N2	-8.34	114.06	119.90
1	AA	1223	C	C2-N3-C4	8.34	124.07	119.90
26	BB	1056	G	C6-C5-N7	8.34	135.41	130.40
26	BB	2632	A	C8-N9-C4	-8.34	102.46	105.80
1	AA	418	C	C5-C6-N1	8.34	125.17	121.00
1	AA	646	G	N9-C4-C5	-8.34	102.06	105.40
1	AA	1187	G	C5-C6-N1	8.34	115.67	111.50
4	AD	2	G	O4'-C4'-C3'	8.34	112.77	106.10
26	BB	216	A	O4'-C1'-N9	8.34	114.87	108.20
26	BB	386	G	N3-C2-N2	8.34	125.74	119.90
26	BB	355	U	C5-C6-N1	-8.34	118.53	122.70
26	BB	636	G	N1-C6-O6	8.34	124.90	119.90
26	BB	1701	A	N7-C8-N9	-8.34	109.63	113.80
26	BB	1828	G	N7-C8-N9	8.34	117.27	113.10
26	BB	2093	G	C2-N3-C4	8.34	116.07	111.90
26	BB	2276	G	O4'-C4'-C3'	8.34	112.77	106.10
26	BB	2336	A	O4'-C1'-N9	8.34	114.87	108.20
1	AA	903	G	C6-C5-N7	-8.34	125.40	130.40
26	BB	1765	U	C2-N3-C4	-8.34	122.00	127.00
26	BB	1861	G	C5-C6-N1	8.34	115.67	111.50
26	BB	2484	G	N7-C8-N9	8.34	117.27	113.10
26	BB	2662	A	O4'-C1'-N9	8.34	114.87	108.20
1	AA	87	C	N1-C2-O2	8.34	123.90	118.90
26	BB	2018	G	N7-C8-N9	8.34	117.27	113.10
26	BB	2569	G	C3'-C2'-C1'	8.34	108.17	101.50
26	BB	2591	C	C2-N3-C4	-8.34	115.73	119.90
26	BB	2895	G	C5-N7-C8	-8.34	100.13	104.30
1	AA	1356	G	O4'-C1'-N9	8.33	114.87	108.20
1	AA	980	C	C6-N1-C2	8.33	123.63	120.30
1	AA	1169	A	N1-C6-N6	-8.33	113.60	118.60
2	AB	73	G	C6-N1-C2	-8.33	120.10	125.10
26	BB	467	G	N9-C4-C5	8.33	108.73	105.40
26	BB	1843	C	N3-C4-N4	8.33	123.83	118.00
26	BB	2228	G	C5-C6-N1	8.33	115.67	111.50
1	AA	887	G	N3-C4-N9	8.33	131.00	126.00
1	AA	1206	G	C5-C6-O6	-8.33	123.60	128.60
1	AA	199	A	O4'-C4'-C3'	8.33	112.76	106.10
1	AA	1220	G	N3-C4-C5	-8.33	124.44	128.60
4	AD	59	A	C4-C5-C6	-8.33	112.83	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	AF	87	ARG	NE-CZ-NH1	8.33	124.47	120.30
26	BB	53	A	C4-C5-C6	8.33	121.17	117.00
26	BB	530	G	N3-C4-C5	-8.33	124.44	128.60
26	BB	539	G	O4'-C1'-N9	8.33	114.86	108.20
26	BB	560	C	C6-N1-C2	-8.33	116.97	120.30
26	BB	889	C	C4-C5-C6	-8.33	113.23	117.40
26	BB	1059	G	C6-C5-N7	-8.33	125.40	130.40
26	BB	1160	G	N3-C4-C5	-8.33	124.44	128.60
26	BB	2203	U	N3-C2-O2	-8.33	116.37	122.20
26	BB	2232	C	C4-C5-C6	8.33	121.56	117.40
32	BH	57	TYR	CB-CG-CD2	-8.33	116.00	121.00
1	AA	161	A	C5-N7-C8	-8.33	99.74	103.90
1	AA	399	G	N1-C2-N2	8.33	123.69	116.20
1	AA	491	G	N9-C4-C5	8.33	108.73	105.40
1	AA	663	A	C5'-C4'-C3'	-8.33	102.67	116.00
1	AA	696	A	C6-N1-C2	8.33	123.60	118.60
1	AA	1096	C	N1-C2-N3	8.33	125.03	119.20
26	BB	734	A	C5'-C4'-C3'	-8.33	102.67	116.00
2	AB	45	U	N1-C2-O2	-8.33	116.97	122.80
26	BB	979	A	C2-N3-C4	8.33	114.76	110.60
26	BB	1384	A	N9-C4-C5	8.33	109.13	105.80
28	BD	86	ARG	NE-CZ-NH2	-8.33	116.14	120.30
26	BB	2121	G	N7-C8-N9	8.32	117.26	113.10
2	AB	3	G	C5-N7-C8	-8.32	100.14	104.30
26	BB	1602	U	C2-N3-C4	-8.32	122.01	127.00
26	BB	1955	U	N3-C2-O2	-8.32	116.37	122.20
26	BB	2547	A	O4'-C1'-N9	8.32	114.86	108.20
26	BB	2755	C	N1-C2-O2	8.32	123.89	118.90
42	BR	112	ARG	NE-CZ-NH1	8.32	124.46	120.30
1	AA	1525	G	N3-C4-C5	-8.32	124.44	128.60
26	BB	449	A	C5-N7-C8	8.32	108.06	103.90
26	BB	1148	U	C2-N3-C4	-8.32	122.01	127.00
1	AA	978	A	N7-C8-N9	8.32	117.96	113.80
26	BB	859	G	C3'-C2'-C1'	-8.32	94.84	101.50
26	BB	1311	G	C5-C6-O6	-8.32	123.61	128.60
26	BB	1505	A	N1-C2-N3	-8.32	125.14	129.30
26	BB	1782	U	C5-C4-O4	8.32	130.89	125.90
1	AA	283	U	N3-C4-C5	-8.32	109.61	114.60
1	AA	807	A	C3'-C2'-C1'	-8.32	94.85	101.50
1	AA	1347	G	C5-C6-O6	8.32	133.59	128.60
26	BB	500	G	N3-C4-C5	-8.32	124.44	128.60
26	BB	1087	G	N3-C2-N2	-8.32	114.08	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1919	A	C2-N3-C4	8.32	114.76	110.60
26	BB	1961	C	O4'-C1'-N1	-8.32	101.55	108.20
26	BB	2584	U	C5-C6-N1	-8.32	118.54	122.70
39	BO	6	ARG	NE-CZ-NH1	8.32	124.46	120.30
1	AA	347	G	O4'-C1'-N9	8.31	114.85	108.20
1	AA	1295	U	O4'-C1'-N1	8.31	114.85	108.20
25	BA	97	C	C2-N3-C4	-8.31	115.74	119.90
26	BB	176	A	N1-C2-N3	-8.31	125.14	129.30
26	BB	1128	G	C1'-O4'-C4'	-8.31	103.25	109.90
27	BC	60	ARG	CD-NE-CZ	8.31	135.24	123.60
1	AA	390	U	N1-C2-O2	-8.31	116.98	122.80
1	AA	869	G	C5-C6-O6	8.31	133.59	128.60
1	AA	1399	C	N1-C2-O2	8.31	123.89	118.90
1	AA	1520	C	C2-N3-C4	8.31	124.06	119.90
26	BB	2107	G	O4'-C1'-N9	8.31	114.85	108.20
26	BB	2259	U	N3-C2-O2	-8.31	116.38	122.20
2	AB	61	C	N1-C2-O2	8.31	123.89	118.90
26	BB	250	G	C1'-O4'-C4'	-8.31	103.25	109.90
26	BB	1210	G	C4-C5-N7	8.31	114.12	110.80
26	BB	979	A	O4'-C1'-N9	8.31	114.85	108.20
26	BB	2596	U	O4'-C1'-N1	8.31	114.85	108.20
26	BB	2631	G	O4'-C1'-N9	8.31	114.85	108.20
1	AA	130	A	C8-N9-C4	-8.31	102.48	105.80
26	BB	1587	G	N3-C4-C5	-8.31	124.45	128.60
1	AA	303	A	N9-C4-C5	-8.30	102.48	105.80
1	AA	420	U	N3-C4-C5	-8.30	109.62	114.60
4	AD	59	A	N1-C6-N6	-8.31	113.62	118.60
32	BH	111	PRO	N-CA-CB	8.31	113.27	103.30
1	AA	505	G	N3-C4-C5	-8.30	124.45	128.60
26	BB	304	U	C5-C4-O4	-8.30	120.92	125.90
26	BB	687	C	N3-C4-N4	-8.31	112.19	118.00
26	BB	816	C	C6-N1-C2	-8.30	116.98	120.30
26	BB	822	G	C2-N3-C4	8.30	116.05	111.90
26	BB	2301	C	C5-C4-N4	-8.31	114.39	120.20
1	AA	712	A	C8-N9-C4	-8.30	102.48	105.80
1	AA	721	G	C4-C5-N7	-8.30	107.48	110.80
4	AD	77	A	O4'-C1'-C2'	-8.30	97.50	105.80
26	BB	232	G	C2-N3-C4	-8.30	107.75	111.90
26	BB	1814	G	C4-C5-N7	8.30	114.12	110.80
26	BB	431	U	N3-C4-O4	8.30	125.21	119.40
26	BB	704	G	N3-C4-C5	-8.30	124.45	128.60
26	BB	1297	C	C5-C4-N4	-8.30	114.39	120.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1944	U	C4-C5-C6	-8.30	114.72	119.70
4	AD	66	C	O4'-C1'-N1	8.30	114.84	108.20
25	BA	115	A	C4-C5-N7	-8.30	106.55	110.70
26	BB	555	G	N3-C4-C5	-8.30	124.45	128.60
26	BB	1980	G	C4-C5-C6	8.30	123.78	118.80
26	BB	580	U	C5'-C4'-O4'	8.30	119.06	109.10
39	BO	18	ARG	NE-CZ-NH1	-8.30	116.15	120.30
1	AA	3	A	N1-C2-N3	-8.30	125.15	129.30
26	BB	1359	A	C4-C5-N7	-8.30	106.55	110.70
26	BB	1497	U	C5-C6-N1	-8.30	118.55	122.70
26	BB	1559	U	N1-C2-N3	8.30	119.88	114.90
26	BB	2176	A	C5-C6-N6	-8.30	117.06	123.70
26	BB	2903	U	N1-C2-N3	8.30	119.88	114.90
26	BB	861	A	C6-C5-N7	8.30	138.11	132.30
26	BB	877	A	C4-C5-N7	-8.30	106.55	110.70
26	BB	2303	G	C1'-O4'-C4'	8.30	116.54	109.90
31	BG	101	ARG	NE-CZ-NH2	8.30	124.45	120.30
23	AW	9	ARG	NE-CZ-NH1	8.29	124.45	120.30
26	BB	763	G	C6-N1-C2	-8.29	120.12	125.10
26	BB	879	G	C4'-C3'-C2'	-8.29	94.31	102.60
26	BB	1421	G	C4'-C3'-C2'	-8.29	94.31	102.60
26	BB	2180	U	O4'-C4'-C3'	8.30	112.74	106.10
26	BB	2434	A	N7-C8-N9	8.29	117.95	113.80
26	BB	2637	U	C5-C6-N1	-8.29	118.55	122.70
1	AA	18	C	C6-N1-C2	-8.29	116.98	120.30
26	BB	1884	G	O4'-C1'-N9	8.29	114.83	108.20
1	AA	422	C	C6-N1-C2	-8.29	116.98	120.30
1	AA	1152	A	C5-N7-C8	8.29	108.05	103.90
1	AA	1453	G	C6-C5-N7	-8.29	125.43	130.40
26	BB	611	C	C2-N3-C4	-8.29	115.75	119.90
26	BB	2287	A	N9-C4-C5	8.29	109.12	105.80
1	AA	279	A	C5-C6-N1	8.29	121.84	117.70
1	AA	620	C	O4'-C1'-N1	8.29	114.83	108.20
1	AA	1200	C	C5-C6-N1	8.29	125.14	121.00
26	BB	455	C	C6-N1-C2	8.29	123.62	120.30
26	BB	560	C	C2-N3-C4	8.29	124.05	119.90
26	BB	2895	G	N9-C4-C5	8.29	108.72	105.40
26	BB	343	C	N1-C1'-C2'	-8.29	102.88	112.00
26	BB	2750	A	C5-N7-C8	8.29	108.04	103.90
1	AA	346	G	O4'-C1'-N9	8.29	114.83	108.20
1	AA	462	G	C4-C5-N7	-8.29	107.49	110.80
1	AA	704	A	C8-N9-C4	8.29	109.11	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	AM	44	THR	CA-CB-CG2	8.29	124.00	112.40
1	AA	820	U	N3-C2-O2	-8.28	116.40	122.20
1	AA	963	G	C1'-O4'-C4'	-8.28	103.27	109.90
3	AC	32	U	P-O3'-C3'	8.29	129.64	119.70
25	BA	79	G	C6-C5-N7	-8.29	125.43	130.40
26	BB	178	G	C5-N7-C8	-8.29	100.16	104.30
26	BB	384	A	O4'-C1'-N9	8.29	114.83	108.20
26	BB	1604	C	C3'-C2'-C1'	8.29	108.13	101.50
26	BB	1693	U	N1-C2-N3	8.29	119.87	114.90
26	BB	669	G	N9-C4-C5	8.28	108.71	105.40
26	BB	863	A	C4-C5-C6	-8.29	112.86	117.00
26	BB	1198	U	N1-C2-N3	8.29	119.87	114.90
26	BB	1891	G	C5-C6-N1	8.29	115.64	111.50
1	AA	1140	C	C2-N3-C4	-8.28	115.76	119.90
25	BA	13	G	N7-C8-N9	8.28	117.24	113.10
26	BB	588	U	C2-N3-C4	-8.28	122.03	127.00
26	BB	940	G	C2-N3-C4	8.28	116.04	111.90
26	BB	1527	G	N9-C4-C5	8.28	108.71	105.40
26	BB	2005	A	N7-C8-N9	8.28	117.94	113.80
26	BB	2709	G	C6-N1-C2	-8.28	120.13	125.10
1	AA	99	C	N3-C2-O2	-8.28	116.11	121.90
1	AA	607	A	C4-C5-N7	-8.28	106.56	110.70
1	AA	714	G	N3-C2-N2	-8.28	114.10	119.90
1	AA	1168	U	C1'-O4'-C4'	8.28	116.52	109.90
26	BB	2586	U	N3-C4-O4	8.28	125.19	119.40
1	AA	90	C	N3-C4-N4	8.28	123.79	118.00
26	BB	493	G	N7-C8-N9	8.28	117.24	113.10
26	BB	1706	C	C2-N3-C4	-8.28	115.76	119.90
26	BB	2541	A	C8-N9-C4	8.28	109.11	105.80
30	BF	69	ARG	NH1-CZ-NH2	-8.28	110.30	119.40
1	AA	840	C	N3-C2-O2	-8.28	116.11	121.90
25	BA	3	C	O4'-C1'-N1	8.28	114.82	108.20
26	BB	89	A	N1-C2-N3	-8.28	125.16	129.30
26	BB	1252	G	C4-C5-N7	-8.28	107.49	110.80
26	BB	1386	C	N1-C2-O2	8.28	123.86	118.90
1	AA	1480	A	C8-N9-C4	-8.27	102.49	105.80
26	BB	112	U	O4'-C1'-C2'	8.27	115.05	107.60
26	BB	2837	A	C5-N7-C8	-8.27	99.76	103.90
1	AA	637	C	N1-C2-O2	8.27	123.86	118.90
1	AA	1525	G	C4-C5-C6	8.27	123.76	118.80
25	BA	99	A	N1-C2-N3	-8.27	125.16	129.30
26	BB	2259	U	N1-C2-O2	8.27	128.59	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	489	G	N1-C6-O6	-8.27	114.94	119.90
26	BB	1176	U	N3-C2-O2	-8.27	116.41	122.20
26	BB	2120	G	C8-N9-C4	-8.27	103.09	106.40
26	BB	2485	G	C6-N1-C2	-8.27	120.14	125.10
26	BB	2696	U	O4'-C1'-N1	8.27	114.82	108.20
26	BB	2709	G	N3-C2-N2	-8.27	114.11	119.90
26	BB	1721	G	N3-C4-C5	-8.27	124.46	128.60
26	BB	1746	A	N1-C2-N3	8.27	133.44	129.30
1	AA	740	U	N3-C2-O2	-8.27	116.41	122.20
1	AA	1072	G	C2-N3-C4	8.27	116.03	111.90
26	BB	224	U	N3-C4-C5	-8.27	109.64	114.60
26	BB	2207	C	O4'-C1'-N1	8.27	114.81	108.20
1	AA	284	C	N3-C4-C5	-8.27	118.59	121.90
1	AA	995	C	C2-N3-C4	8.27	124.03	119.90
26	BB	327	G	C5-C6-N1	8.27	115.63	111.50
26	BB	2164	C	C6-N1-C2	8.27	123.61	120.30
3	AC	45	G	N1-C2-N3	-8.27	118.94	123.90
26	BB	722	A	C1'-O4'-C4'	8.27	116.51	109.90
26	BB	821	A	C4'-C3'-C2'	-8.27	94.33	102.60
26	BB	768	G	C8-N9-C4	-8.27	103.09	106.40
26	BB	1288	G	O4'-C1'-N9	8.27	114.81	108.20
26	BB	2056	G	N1-C6-O6	-8.27	114.94	119.90
26	BB	2480	C	C6-N1-C2	8.27	123.61	120.30
2	AB	68	C	N1-C2-O2	8.26	123.86	118.90
50	BZ	10	ARG	NE-CZ-NH1	-8.26	116.17	120.30
1	AA	561	U	C4-C5-C6	8.26	124.66	119.70
1	AA	691	G	C6-N1-C2	-8.26	120.14	125.10
1	AA	1345	U	C4-C5-C6	8.26	124.66	119.70
26	BB	2800	A	C2-N3-C4	8.26	114.73	110.60
25	BA	3	C	N1-C2-O2	8.26	123.86	118.90
26	BB	631	A	C2-N3-C4	8.26	114.73	110.60
26	BB	829	A	C5-N7-C8	-8.26	99.77	103.90
26	BB	2256	G	C4-C5-N7	-8.26	107.50	110.80
32	BH	9	VAL	CA-CB-CG1	8.26	123.29	110.90
1	AA	151	A	C5-N7-C8	8.26	108.03	103.90
1	AA	675	A	C5-C6-N6	8.26	130.31	123.70
26	BB	2220	U	N1-C1'-C2'	-8.26	102.91	112.00
1	AA	1192	C	N3-C2-O2	-8.26	116.12	121.90
1	AA	1264	U	C5-C4-O4	-8.26	120.94	125.90
26	BB	44	A	O4'-C1'-N9	8.26	114.81	108.20
26	BB	96	C	O4'-C1'-N1	8.26	114.81	108.20
26	BB	982	C	N3-C2-O2	-8.26	116.12	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2126	A	N3-C4-C5	-8.26	121.02	126.80
26	BB	2746	U	O4'-C4'-C3'	8.26	112.71	106.10
1	AA	506	G	C6-N1-C2	-8.26	120.14	125.10
1	AA	383	A	C5-C6-N6	-8.26	117.09	123.70
1	AA	529	G	C5-C6-N1	-8.26	107.37	111.50
1	AA	1294	G	C6-C5-N7	-8.26	125.44	130.40
1	AA	1442	G	C2-N3-C4	8.26	116.03	111.90
25	BA	36	C	C2-N3-C4	8.26	124.03	119.90
26	BB	475	C	O4'-C1'-N1	8.26	114.81	108.20
26	BB	1470	A	C5-N7-C8	-8.26	99.77	103.90
26	BB	2438	U	O4'-C1'-N1	8.26	114.81	108.20
1	AA	807	A	C4-C5-C6	-8.26	112.87	117.00
1	AA	1143	G	N1-C2-N3	-8.26	118.95	123.90
26	BB	2682	A	N1-C2-N3	-8.26	125.17	129.30
1	AA	1382	C	N3-C4-C5	8.26	125.20	121.90
26	BB	1011	G	C8-N9-C4	-8.26	103.10	106.40
26	BB	2394	C	C4-C5-C6	8.26	121.53	117.40
26	BB	2608	G	N9-C4-C5	8.26	108.70	105.40
26	BB	2780	G	N9-C4-C5	8.26	108.70	105.40
1	AA	530	G	P-O3'-C3'	8.25	129.60	119.70
1	AA	694	A	C5-C6-N1	8.25	121.83	117.70
26	BB	2108	A	C2-N3-C4	8.25	114.73	110.60
1	AA	723	U	C4-C5-C6	8.25	124.65	119.70
1	AA	1206	G	N1-C6-O6	8.25	124.85	119.90
26	BB	1227	G	N9-C4-C5	8.25	108.70	105.40
26	BB	1648	U	O4'-C1'-N1	8.25	114.80	108.20
26	BB	1824	G	C4-N9-C1'	-8.25	115.77	126.50
1	AA	76	G	N7-C8-N9	8.25	117.22	113.10
1	AA	240	G	N1-C2-N2	8.25	123.63	116.20
1	AA	247	G	N3-C4-C5	-8.25	124.47	128.60
1	AA	1006	G	C4-C5-C6	8.25	123.75	118.80
1	AA	1276	G	C5-C6-O6	-8.25	123.65	128.60
1	AA	1423	G	O4'-C1'-N9	8.25	114.80	108.20
2	AB	57	G	C6-N1-C2	-8.25	120.15	125.10
26	BB	552	U	N1-C2-O2	8.25	128.58	122.80
26	BB	1262	A	N7-C8-N9	8.25	117.93	113.80
26	BB	1830	C	O4'-C1'-N1	8.25	114.80	108.20
26	BB	1966	A	O4'-C1'-N9	8.25	114.80	108.20
26	BB	2186	G	N3-C2-N2	-8.25	114.12	119.90
26	BB	2552	OMU	P-O3'-C3'	8.25	129.60	119.70
1	AA	575	G	C5-C6-O6	-8.25	123.65	128.60
1	AA	1040	U	C6-N1-C2	-8.25	116.05	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	10	G	C5-N7-C8	8.25	108.42	104.30
26	BB	1229	C	C5'-C4'-O4'	8.25	119.00	109.10
26	BB	1364	G	C6-C5-N7	-8.25	125.45	130.40
26	BB	1588	G	N9-C4-C5	8.25	108.70	105.40
26	BB	1869	G	C4-C5-N7	-8.25	107.50	110.80
26	BB	1922	G	O4'-C1'-N9	8.25	114.80	108.20
26	BB	2104	C	C6-N1-C2	-8.25	117.00	120.30
26	BB	2298	A	C1'-O4'-C4'	8.25	116.50	109.90
26	BB	2686	G	N3-C4-C5	-8.25	124.48	128.60
1	AA	275	G	C6-C5-N7	-8.24	125.45	130.40
1	AA	1364	U	C4-C5-C6	8.24	124.65	119.70
26	BB	313	G	N7-C8-N9	8.24	117.22	113.10
1	AA	62	U	C3'-C2'-C1'	-8.24	94.91	101.50
1	AA	400	C	N3-C4-C5	8.24	125.20	121.90
25	BA	17	C	N3-C4-N4	-8.24	112.23	118.00
26	BB	1540	G	N1-C6-O6	-8.24	114.95	119.90
26	BB	1853	A	N3-C4-N9	8.24	134.00	127.40
26	BB	25	U	N3-C4-C5	-8.24	109.66	114.60
26	BB	270	A	C6-N1-C2	8.24	123.55	118.60
26	BB	947	A	O4'-C1'-N9	8.24	114.79	108.20
26	BB	1125	G	N3-C2-N2	8.24	125.67	119.90
26	BB	2497	A	C2-N3-C4	-8.24	106.48	110.60
26	BB	2786	U	N1-C1'-C2'	-8.24	102.93	112.00
1	AA	793	U	O4'-C1'-N1	8.24	114.79	108.20
1	AA	1030	U	O4'-C1'-N1	8.24	114.79	108.20
26	BB	67	U	N3-C4-O4	-8.24	113.63	119.40
26	BB	219	A	N1-C6-N6	8.24	123.54	118.60
26	BB	733	G	C5-C6-O6	-8.24	123.66	128.60
26	BB	2536	G	O4'-C1'-N9	8.24	114.79	108.20
26	BB	2886	A	O4'-C1'-N9	8.24	114.79	108.20
36	BL	27	ARG	NE-CZ-NH1	8.24	124.42	120.30
1	AA	1400	C	N3-C2-O2	-8.24	116.13	121.90
25	BA	49	C	N1-C2-O2	8.24	123.84	118.90
26	BB	228	C	O4'-C1'-N1	8.24	114.79	108.20
26	BB	1157	G	C5-N7-C8	-8.24	100.18	104.30
1	AA	437	U	C5-C6-N1	-8.24	118.58	122.70
26	BB	451	U	N3-C2-O2	-8.24	116.44	122.20
26	BB	818	G	N1-C6-O6	-8.24	114.96	119.90
26	BB	928	A	C5-C6-N1	8.24	121.82	117.70
26	BB	1821	A	O4'-C1'-N9	8.24	114.79	108.20
26	BB	1018	U	O4'-C1'-N1	8.24	114.79	108.20
26	BB	1986	C	C5-C4-N4	-8.24	114.43	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2770	G	C1'-O4'-C4'	8.24	116.49	109.90
26	BB	2885	G	O4'-C1'-N9	8.24	114.79	108.20
1	AA	1206	G	O4'-C1'-N9	8.23	114.79	108.20
1	AA	7	A	C3'-C2'-C1'	8.23	108.09	101.50
1	AA	1270	G	N3-C2-N2	-8.23	114.14	119.90
1	AA	1394	A	C4-C5-C6	8.23	121.12	117.00
26	BB	434	U	N3-C2-O2	-8.23	116.44	122.20
26	BB	838	C	C4-C5-C6	8.23	121.52	117.40
26	BB	893	C	N1-C2-O2	8.23	123.84	118.90
26	BB	1157	G	C4-C5-N7	8.23	114.09	110.80
26	BB	1205	A	C4-C5-N7	8.23	114.82	110.70
26	BB	1424	G	C8-N9-C4	-8.23	103.11	106.40
26	BB	1433	A	C2-N3-C4	8.23	114.72	110.60
26	BB	1529	G	N7-C8-N9	-8.23	108.98	113.10
26	BB	1824	G	P-O3'-C3'	8.23	129.58	119.70
1	AA	458	U	N3-C4-O4	8.23	125.16	119.40
26	BB	38	A	C4-C5-N7	-8.23	106.58	110.70
26	BB	66	C	N3-C4-C5	-8.23	118.61	121.90
26	BB	443	A	O4'-C1'-N9	8.23	114.78	108.20
26	BB	711	G	C8-N9-C4	8.23	109.69	106.40
26	BB	1616	A	N1-C2-N3	8.23	133.41	129.30
26	BB	2772	C	N3-C2-O2	-8.23	116.14	121.90
45	BU	92	ARG	NE-CZ-NH1	8.23	124.42	120.30
2	AB	70	C	N3-C2-O2	-8.23	116.14	121.90
1	AA	112	G	C2-N3-C4	8.23	116.01	111.90
25	BA	79	G	N3-C4-N9	8.23	130.94	126.00
26	BB	1682	G	C2-N3-C4	8.23	116.02	111.90
1	AA	351	G	N1-C2-N3	-8.23	118.96	123.90
26	BB	1344	U	C5-C4-O4	-8.23	120.96	125.90
26	BB	2614	A	C4-C5-C6	8.23	121.11	117.00
26	BB	336	C	C5-C6-N1	8.22	125.11	121.00
26	BB	1790	C	N3-C4-C5	-8.22	118.61	121.90
26	BB	2169	A	C6-N1-C2	8.22	123.53	118.60
1	AA	675	A	N7-C8-N9	8.22	117.91	113.80
26	BB	26	G	N3-C4-C5	-8.22	124.49	128.60
26	BB	1221	C	C6-N1-C2	-8.22	117.01	120.30
1	AA	350	G	O4'-C1'-N9	8.22	114.78	108.20
1	AA	1088	G	C4-C5-N7	-8.22	107.51	110.80
26	BB	530	G	N7-C8-N9	8.22	117.21	113.10
26	BB	1229	C	C6-N1-C2	8.22	123.59	120.30
26	BB	1983	G	C1'-O4'-C4'	-8.22	103.32	109.90
26	BB	936	A	N1-C2-N3	-8.22	125.19	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1723	G	N9-C4-C5	8.22	108.69	105.40
1	AA	375	U	C5-C6-N1	-8.22	118.59	122.70
1	AA	436	C	C4-C5-C6	-8.22	113.29	117.40
1	AA	741	G	C3'-C2'-C1'	8.22	108.07	101.50
26	BB	370	G	N9-C4-C5	8.22	108.69	105.40
26	BB	1236	G	N3-C2-N2	8.22	125.65	119.90
26	BB	1673	G	C5-C6-N1	-8.22	107.39	111.50
26	BB	2126	A	N1-C2-N3	-8.22	125.19	129.30
26	BB	2642	G	C4-C5-N7	-8.22	107.51	110.80
1	AA	957	U	C5-C6-N1	-8.22	118.59	122.70
1	AA	1475	G	C5-C6-O6	-8.21	123.67	128.60
26	BB	1308	A	N7-C8-N9	8.22	117.91	113.80
26	BB	543	G	C6-N1-C2	-8.21	120.17	125.10
26	BB	666	A	C1'-O4'-C4'	-8.21	103.33	109.90
26	BB	1776	G	C5-N7-C8	-8.21	100.19	104.30
26	BB	2278	A	O4'-C1'-N9	8.21	114.77	108.20
26	BB	2856	A	N7-C8-N9	-8.22	109.69	113.80
26	BB	2755	C	N3-C2-O2	-8.21	116.15	121.90
1	AA	601	G	C8-N9-C4	-8.21	103.11	106.40
1	AA	760	G	N1-C6-O6	-8.21	114.97	119.90
1	AA	806	C	O4'-C1'-N1	8.21	114.77	108.20
12	AL	63	TYR	CB-CG-CD2	8.21	125.93	121.00
26	BB	1182	G	N3-C4-C5	-8.21	124.49	128.60
26	BB	1359	A	N1-C2-N3	-8.21	125.19	129.30
26	BB	1393	A	C6-C5-N7	8.21	138.05	132.30
26	BB	1598	A	N1-C2-N3	-8.21	125.19	129.30
26	BB	2446	G	C6-C5-N7	-8.21	125.47	130.40
25	BA	5	U	C2-N3-C4	-8.21	122.07	127.00
26	BB	99	U	N1-C2-N3	8.21	119.83	114.90
26	BB	1387	A	C5-C6-N1	8.21	121.81	117.70
26	BB	2540	C	N1-C2-O2	8.21	123.83	118.90
1	AA	124	C	O4'-C1'-N1	8.21	114.77	108.20
1	AA	292	G	C4-C5-N7	-8.21	107.52	110.80
1	AA	431	A	O4'-C1'-N9	8.21	114.77	108.20
1	AA	486	U	C5-C4-O4	-8.21	120.97	125.90
1	AA	1075	U	O4'-C1'-N1	8.21	114.77	108.20
1	AA	1092	A	O4'-C1'-N9	8.21	114.77	108.20
2	AB	14	A	C8-N9-C4	-8.21	102.52	105.80
1	AA	196	A	O4'-C4'-C3'	8.21	112.67	106.10
26	BB	4	U	C5-C4-O4	-8.21	120.98	125.90
26	BB	2055	C	C5-C6-N1	8.21	125.10	121.00
1	AA	1059	C	O4'-C1'-N1	8.20	114.76	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1134	G	C5-C6-N1	-8.21	107.40	111.50
26	BB	2834	G	C5-N7-C8	-8.21	100.20	104.30
48	BX	93	ARG	NE-CZ-NH1	8.21	124.40	120.30
1	AA	1246	A	C1'-O4'-C4'	-8.20	103.34	109.90
26	BB	49	A	O5'-P-OP2	-8.20	98.32	105.70
26	BB	408	G	C2-N3-C4	8.20	116.00	111.90
26	BB	1245	G	N9-C4-C5	8.21	108.68	105.40
26	BB	2728	U	N1-C2-N3	8.21	119.82	114.90
31	BG	124	ARG	NE-CZ-NH1	8.21	124.40	120.30
1	AA	1025	U	C3'-C2'-C1'	8.20	108.06	101.50
1	AA	1234	C	C5-C6-N1	8.20	125.10	121.00
2	AB	34	C	P-O3'-C3'	8.20	129.54	119.70
26	BB	286	U	C4-C5-C6	8.20	124.62	119.70
26	BB	1154	G	C5-N7-C8	-8.20	100.20	104.30
26	BB	1541	C	C6-N1-C2	-8.20	117.02	120.30
26	BB	1585	C	C4-C5-C6	-8.20	113.30	117.40
26	BB	2505	G	C4-C5-C6	8.20	123.72	118.80
26	BB	2820	A	O4'-C1'-C2'	-8.20	97.60	105.80
1	AA	808	C	N1-C2-O2	8.20	123.82	118.90
1	AA	819	A	P-O3'-C3'	8.20	129.54	119.70
26	BB	1142	A	N9-C4-C5	8.20	109.08	105.80
1	AA	834	U	N1-C2-N3	8.20	119.82	114.90
9	AI	45	ARG	NE-CZ-NH1	8.20	124.40	120.30
26	BB	2750	A	C1'-O4'-C4'	-8.20	103.34	109.90
26	BB	144	A	N1-C6-N6	8.20	123.52	118.60
1	AA	938	A	C6-N1-C2	-8.20	113.68	118.60
25	BA	82	U	C2-N3-C4	-8.20	122.08	127.00
26	BB	669	G	O4'-C4'-C3'	8.20	112.66	106.10
26	BB	805	G	C3'-C2'-C1'	-8.20	94.94	101.50
26	BB	2226	C	O4'-C1'-N1	8.20	114.76	108.20
26	BB	2765	A	C5-C6-N1	8.20	121.80	117.70
1	AA	1032	G	C5-N7-C8	-8.19	100.20	104.30
1	AA	1146	A	N9-C4-C5	8.19	109.08	105.80
1	AA	1152	A	C6-C5-N7	8.19	138.04	132.30
1	AA	1192	C	N1-C2-O2	8.20	123.82	118.90
26	BB	196	A	O4'-C4'-C3'	8.19	112.66	106.10
26	BB	2426	A	N7-C8-N9	8.19	117.90	113.80
26	BB	2824	C	C4-C5-C6	-8.19	113.30	117.40
1	AA	180	U	O4'-C1'-N1	8.19	114.75	108.20
26	BB	928	A	O4'-C1'-N9	8.19	114.75	108.20
26	BB	1854	A	C4-C5-N7	-8.19	106.60	110.70
26	BB	1896	G	N3-C4-C5	-8.19	124.50	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	638	U	N1-C2-N3	8.19	119.81	114.90
26	BB	496	G	C6-N1-C2	-8.19	120.19	125.10
26	BB	2852	G	N3-C4-C5	-8.19	124.50	128.60
1	AA	585	G	N1-C6-O6	8.19	124.81	119.90
1	AA	963	G	C2-N3-C4	8.19	116.00	111.90
1	AA	1112	C	C5-C4-N4	-8.19	114.47	120.20
10	AJ	108	ARG	NE-CZ-NH2	-8.19	116.21	120.30
26	BB	380	G	C5-N7-C8	-8.19	100.21	104.30
26	BB	485	C	N3-C4-N4	8.19	123.73	118.00
26	BB	2893	A	C4-C5-C6	-8.19	112.91	117.00
1	AA	1342	C	C5-C4-N4	8.19	125.93	120.20
26	BB	84	A	O4'-C1'-C2'	-8.19	97.61	105.80
26	BB	315	G	N9-C4-C5	8.19	108.67	105.40
26	BB	1747	U	N1-C2-N3	8.19	119.81	114.90
26	BB	2341	G	C5-C6-N1	8.19	115.59	111.50
1	AA	2	A	C5'-C4'-O4'	8.19	118.92	109.10
2	AB	10	G	C6-N1-C2	-8.19	120.19	125.10
26	BB	673	C	O4'-C4'-C3'	-8.19	95.81	104.00
26	BB	1209	U	C6-N1-C2	-8.19	116.09	121.00
26	BB	2485	G	N7-C8-N9	8.19	117.19	113.10
1	AA	314	C	N3-C4-C5	-8.18	118.63	121.90
26	BB	677	A	C5'-C4'-O4'	8.18	118.92	109.10
26	BB	1156	A	C5-N7-C8	-8.18	99.81	103.90
26	BB	912	C	O4'-C1'-N1	8.18	114.75	108.20
26	BB	1323	C	C5-C6-N1	8.18	125.09	121.00
26	BB	2813	A	C5-N7-C8	8.18	107.99	103.90
1	AA	586	C	N3-C4-C5	-8.18	118.63	121.90
1	AA	30	U	N3-C4-C5	8.18	119.51	114.60
26	BB	39	G	C2-N3-C4	8.18	115.99	111.90
26	BB	1019	U	N3-C2-O2	-8.18	116.47	122.20
26	BB	1021	A	C4-C5-N7	-8.18	106.61	110.70
26	BB	1544	A	C5'-C4'-C3'	-8.18	102.91	116.00
26	BB	1584	U	N1-C2-N3	8.18	119.81	114.90
26	BB	1860	G	O4'-C1'-N9	8.18	114.74	108.20
26	BB	1988	G	N3-C4-C5	-8.18	124.51	128.60
26	BB	2571	U	C3'-C2'-C1'	-8.18	94.96	101.50
1	AA	406	G	C5-C6-O6	-8.18	123.69	128.60
1	AA	848	C	C5-C6-N1	8.18	125.09	121.00
1	AA	385	C	N3-C4-C5	-8.18	118.63	121.90
1	AA	867	G	C2-N3-C4	8.18	115.99	111.90
26	BB	320	A	O4'-C1'-N9	8.18	114.74	108.20
26	BB	761	A	N1-C2-N3	-8.18	125.21	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	956	G	C4-C5-C6	8.18	123.70	118.80
26	BB	1053	C	N1-C2-O2	8.18	123.81	118.90
26	BB	2823	A	C5-C6-N6	-8.18	117.16	123.70
1	AA	1008	U	N1-C2-N3	8.17	119.80	114.90
1	AA	1248	A	C1'-O4'-C4'	-8.17	103.36	109.90
1	AA	1459	G	C4-C5-C6	8.17	123.70	118.80
26	BB	738	G	N3-C4-C5	-8.17	124.51	128.60
26	BB	954	G	C5-N7-C8	-8.17	100.21	104.30
26	BB	979	A	N1-C6-N6	-8.17	113.69	118.60
26	BB	1401	G	C5-C6-O6	-8.17	123.70	128.60
26	BB	1430	G	N7-C8-N9	8.17	117.19	113.10
26	BB	2524	G	C5-C6-O6	-8.17	123.70	128.60
1	AA	632	U	C5-C6-N1	-8.17	118.61	122.70
1	AA	599	C	O4'-C1'-N1	8.17	114.73	108.20
1	AA	744	C	C5'-C4'-O4'	8.17	118.90	109.10
1	AA	952	U	N1-C2-N3	8.17	119.80	114.90
1	AA	1129	C	O4'-C1'-N1	8.17	114.74	108.20
3	AC	14	G	C4-C5-N7	-8.17	107.53	110.80
26	BB	599	A	C5-C6-N1	8.17	121.78	117.70
26	BB	1858	A	N7-C8-N9	8.17	117.89	113.80
26	BB	1863	G	N7-C8-N9	8.17	117.19	113.10
26	BB	1865	U	N1-C2-N3	8.17	119.80	114.90
26	BB	2741	A	C5-N7-C8	8.17	107.98	103.90
26	BB	2772	C	N3-C4-N4	8.17	123.72	118.00
1	AA	193	C	N3-C4-N4	8.17	123.72	118.00
1	AA	1000	A	C4'-C3'-C2'	8.17	110.77	102.60
1	AA	1193	G	C6-N1-C2	-8.17	120.20	125.10
1	AA	1414	U	O4'-C1'-N1	8.17	114.73	108.20
26	BB	2198	A	C2-N3-C4	8.17	114.68	110.60
1	AA	1514	G	N1-C6-O6	-8.16	115.00	119.90
1	AA	636	U	N1-C2-O2	-8.16	117.09	122.80
1	AA	1054	C	C3'-C2'-C1'	-8.16	94.97	101.50
1	AA	1334	G	N3-C4-N9	8.16	130.90	126.00
1	AA	1353	G	C5-C6-O6	8.16	133.50	128.60
26	BB	343	C	N3-C4-N4	8.16	123.72	118.00
26	BB	439	A	C8-N9-C4	-8.16	102.53	105.80
26	BB	1596	A	O4'-C1'-N9	8.16	114.73	108.20
1	AA	1472	U	O4'-C1'-N1	8.16	114.73	108.20
26	BB	946	C	C5'-C4'-C3'	-8.16	102.94	116.00
26	BB	2189	U	N3-C2-O2	-8.16	116.49	122.20
26	BB	2192	U	C2-N3-C4	-8.16	122.10	127.00
26	BB	2206	C	N3-C4-C5	-8.16	118.64	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	253	A	N7-C8-N9	8.16	117.88	113.80
1	AA	778	G	C8-N9-C4	-8.16	103.14	106.40
1	AA	1331	G	C1'-O4'-C4'	8.16	116.43	109.90
25	BA	15	A	C4-C5-C6	8.16	121.08	117.00
26	BB	188	G	C3'-C2'-C1'	8.16	108.03	101.50
26	BB	327	G	C5-C6-O6	-8.16	123.70	128.60
26	BB	600	G	N7-C8-N9	8.16	117.18	113.10
26	BB	2794	C	O4'-C4'-C3'	-8.16	95.84	104.00
26	BB	379	G	C4-C5-N7	-8.16	107.54	110.80
26	BB	1460	U	P-O3'-C3'	8.16	129.49	119.70
1	AA	864	A	C5-C6-N1	-8.16	113.62	117.70
1	AA	1106	G	C8-N9-C4	-8.16	103.14	106.40
1	AA	352	C	C3'-C2'-C1'	8.16	108.03	101.50
1	AA	481	G	N3-C4-N9	8.16	130.89	126.00
26	BB	1139	G	C4-C5-N7	-8.16	107.54	110.80
26	BB	2293	G	C6-N1-C2	-8.16	120.20	125.10
26	BB	1206	G	C6-N1-C2	-8.16	120.21	125.10
26	BB	2087	G	N3-C4-C5	-8.16	124.52	128.60
26	BB	2695	U	C4'-C3'-C2'	-8.16	94.44	102.60
1	AA	460	A	P-O3'-C3'	8.15	129.49	119.70
26	BB	352	A	O4'-C1'-N9	8.15	114.72	108.20
26	BB	2836	U	O4'-C1'-C2'	8.15	114.94	107.60
1	AA	582	C	P-O3'-C3'	8.15	129.48	119.70
1	AA	1260	G	C5'-C4'-O4'	8.15	118.88	109.10
2	AB	4	G	N1-C6-O6	-8.15	115.01	119.90
26	BB	251	A	C2-N3-C4	8.15	114.68	110.60
26	BB	819	A	O4'-C1'-N9	8.15	114.72	108.20
26	BB	308	G	C5-C6-N1	8.15	115.58	111.50
26	BB	752	A	O4'-C1'-N9	8.15	114.72	108.20
26	BB	819	A	C8-N9-C4	-8.15	102.54	105.80
26	BB	1257	C	C5-C6-N1	8.15	125.08	121.00
26	BB	2640	G	O4'-C1'-N9	8.15	114.72	108.20
26	BB	2808	G	C5-C6-N1	-8.15	107.42	111.50
26	BB	2839	G	O4'-C1'-N9	8.15	114.72	108.20
1	AA	97	G	N3-C4-C5	-8.15	124.52	128.60
1	AA	624	C	N3-C4-C5	-8.15	118.64	121.90
1	AA	1294	G	C4-C5-N7	8.15	114.06	110.80
1	AA	1486	G	C4-C5-C6	8.15	123.69	118.80
26	BB	183	C	C6-N1-C2	-8.15	117.04	120.30
26	BB	821	A	C3'-C2'-C1'	8.15	108.02	101.50
26	BB	1088	A	O4'-C1'-N9	8.15	114.72	108.20
26	BB	1277	G	C4-C5-N7	-8.15	107.54	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2688	G	C2-N3-C4	8.15	115.98	111.90
26	BB	1673	G	C6-C5-N7	-8.15	125.51	130.40
26	BB	1867	G	N3-C4-N9	8.15	130.89	126.00
1	AA	537	G	N9-C4-C5	8.15	108.66	105.40
1	AA	779	C	O4'-C4'-C3'	8.15	112.62	106.10
1	AA	1436	U	O4'-C1'-N1	8.15	114.72	108.20
26	BB	972	A	C2-N3-C4	8.15	114.67	110.60
26	BB	1903	G	C5'-C4'-O4'	8.15	118.88	109.10
26	BB	2169	A	N9-C4-C5	-8.15	102.54	105.80
1	AA	1488	G	O4'-C1'-N9	8.15	114.72	108.20
2	AB	75	C	O4'-C1'-N1	8.15	114.72	108.20
26	BB	1701	A	C3'-C2'-C1'	8.15	108.02	101.50
1	AA	537	G	C8-N9-C4	-8.14	103.14	106.40
1	AA	1524	C	C4'-C3'-C2'	-8.14	94.45	102.60
2	AB	40	C	C5-C4-N4	-8.14	114.50	120.20
26	BB	41	C	O4'-C1'-N1	8.14	114.72	108.20
26	BB	2707	U	C5-C6-N1	-8.14	118.63	122.70
26	BB	828	U	C5-C4-O4	8.14	130.79	125.90
26	BB	1075	C	C4-C5-C6	-8.14	113.33	117.40
26	BB	1132	U	O4'-C1'-N1	8.14	114.72	108.20
1	AA	301	G	C8-N9-C4	-8.14	103.14	106.40
26	BB	1384	A	C8-N9-C4	-8.14	102.54	105.80
1	AA	505	G	C2-N3-C4	8.14	115.97	111.90
1	AA	804	U	O4'-C1'-N1	8.14	114.71	108.20
1	AA	887	G	O4'-C1'-N9	8.14	114.71	108.20
1	AA	1320	C	C5-C6-N1	8.14	125.07	121.00
26	BB	2183	A	C4-C5-N7	8.14	114.77	110.70
26	BB	2819	G	N9-C4-C5	-8.14	102.14	105.40
1	AA	1122	U	N3-C2-O2	-8.14	116.50	122.20
1	AA	1123	U	C5'-C4'-O4'	8.14	118.87	109.10
26	BB	2717	C	C5-C4-N4	-8.14	114.50	120.20
26	BB	810	U	C3'-C2'-C1'	8.14	108.01	101.50
26	BB	903	C	C2-N3-C4	8.14	123.97	119.90
26	BB	1137	G	O4'-C1'-N9	8.14	114.71	108.20
1	AA	10	A	C6-C5-N7	-8.14	126.60	132.30
26	BB	98	G	C8-N9-C4	-8.14	103.15	106.40
26	BB	543	G	N3-C2-N2	-8.14	114.20	119.90
26	BB	1353	A	C5-N7-C8	-8.14	99.83	103.90
26	BB	1989	G	N3-C4-C5	-8.14	124.53	128.60
26	BB	2558	C	N1-C2-O2	8.14	123.78	118.90
1	AA	7	A	C1'-O4'-C4'	-8.13	103.39	109.90
26	BB	890	C	C5-C6-N1	8.13	125.07	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	688	G	C8-N9-C4	-8.13	103.15	106.40
1	AA	917	G	C5-N7-C8	-8.13	100.23	104.30
1	AA	1144	G	C5-N7-C8	-8.13	100.23	104.30
1	AA	1183	U	C5-C4-O4	-8.13	121.02	125.90
1	AA	1227	A	P-O3'-C3'	8.13	129.46	119.70
26	BB	1561	C	N3-C4-C5	-8.13	118.65	121.90
26	BB	2846	G	N3-C2-N2	-8.13	114.21	119.90
26	BB	189	G	N1-C6-O6	-8.13	115.02	119.90
26	BB	1304	A	N3-C4-C5	8.13	132.49	126.80
26	BB	1525	A	C2-N3-C4	-8.13	106.53	110.60
26	BB	2523	G	C2-N3-C4	8.13	115.97	111.90
26	BB	2526	G	C4-C5-N7	-8.13	107.55	110.80
54	B3	9	ARG	NE-CZ-NH2	8.13	124.36	120.30
26	BB	2762	C	C4'-C3'-C2'	-8.13	94.47	102.60
1	AA	212	G	C5'-C4'-C3'	-8.13	103.00	116.00
1	AA	338	A	C4-C5-N7	-8.13	106.64	110.70
1	AA	509	A	N1-C2-N3	-8.13	125.24	129.30
26	BB	392	U	C3'-C2'-C1'	-8.13	95.00	101.50
1	AA	691	G	N7-C8-N9	8.13	117.16	113.10
1	AA	1059	C	C5-C4-N4	-8.13	114.51	120.20
26	BB	60	G	O4'-C1'-N9	8.13	114.70	108.20
1	AA	65	A	N7-C8-N9	-8.13	109.74	113.80
26	BB	2170	A	N1-C2-N3	-8.13	125.24	129.30
1	AA	188	C	N3-C4-C5	-8.12	118.65	121.90
1	AA	349	A	N1-C6-N6	-8.12	113.72	118.60
1	AA	360	G	C8-N9-C4	-8.12	103.15	106.40
1	AA	769	G	C4-C5-N7	-8.12	107.55	110.80
1	AA	785	G	N1-C6-O6	-8.12	115.03	119.90
1	AA	995	C	O4'-C1'-N1	8.12	114.70	108.20
26	BB	929	U	O4'-C1'-N1	8.12	114.70	108.20
26	BB	1534	U	N3-C2-O2	-8.12	116.51	122.20
26	BB	2218	G	O4'-C1'-N9	8.12	114.70	108.20
1	AA	87	C	C4'-C3'-C2'	-8.12	94.48	102.60
25	BA	47	C	N1-C1'-C2'	-8.12	103.06	112.00
26	BB	342	A	C6-N1-C2	8.12	123.47	118.60
26	BB	1704	C	C1'-O4'-C4'	-8.12	103.40	109.90
3	AC	58	C	C4'-C3'-C2'	-8.12	94.48	102.60
4	AD	20	G	C5-C6-N1	-8.12	107.44	111.50
26	BB	917	A	C6-N1-C2	8.12	123.47	118.60
26	BB	931	U	N3-C2-O2	-8.12	116.51	122.20
26	BB	1271	G	N3-C4-C5	-8.12	124.54	128.60
26	BB	1957	C	N3-C4-C5	-8.12	118.65	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2298	A	O4'-C1'-N9	8.12	114.70	108.20
26	BB	2135	A	N9-C4-C5	8.12	109.05	105.80
26	BB	2193	G	O4'-C1'-N9	8.12	114.70	108.20
33	BI	123	ARG	NE-CZ-NH1	8.12	124.36	120.30
1	AA	89	U	C5-C4-O4	8.12	130.77	125.90
1	AA	332	G	N7-C8-N9	8.12	117.16	113.10
1	AA	479	U	N3-C4-C5	-8.12	109.73	114.60
1	AA	636	U	N1-C2-N3	8.12	119.77	114.90
1	AA	1216	A	C6-N1-C2	8.12	123.47	118.60
1	AA	1379	G	C6-C5-N7	8.12	135.27	130.40
2	AB	19	G	C6-C5-N7	8.12	135.27	130.40
26	BB	729	G	N3-C4-N9	8.12	130.87	126.00
26	BB	1170	C	C5-C6-N1	8.12	125.06	121.00
26	BB	1636	U	O4'-C1'-N1	8.12	114.70	108.20
26	BB	2374	C	O4'-C1'-N1	8.12	114.69	108.20
1	AA	682	G	N3-C2-N2	-8.12	114.22	119.90
14	AN	64	VAL	CA-CB-CG2	8.12	123.08	110.90
26	BB	1061	U	C5'-C4'-O4'	8.12	118.84	109.10
26	BB	1447	C	N1-C2-O2	8.12	123.77	118.90
26	BB	1568	G	C5'-C4'-O4'	8.12	118.84	109.10
26	BB	1666	G	C5-N7-C8	8.12	108.36	104.30
26	BB	2378	A	C1'-O4'-C4'	-8.12	103.41	109.90
1	AA	522	C	O4'-C1'-N1	8.12	114.69	108.20
26	BB	155	A	C2-N3-C4	8.12	114.66	110.60
26	BB	1372	U	O4'-C1'-N1	8.12	114.69	108.20
26	BB	2488	G	N7-C8-N9	8.12	117.16	113.10
25	BA	43	C	C2-N3-C4	8.11	123.96	119.90
26	BB	1056	G	C4-C5-C6	-8.11	113.93	118.80
26	BB	1857	G	C5-C6-N1	8.11	115.56	111.50
26	BB	2225	A	C2-N3-C4	8.12	114.66	110.60
26	BB	2666	C	C5-C6-N1	8.11	125.06	121.00
26	BB	2817	U	N3-C2-O2	-8.11	116.52	122.20
1	AA	1237	C	C5-C6-N1	8.11	125.06	121.00
1	AA	396	C	N3-C2-O2	-8.11	116.22	121.90
1	AA	1487	G	C8-N9-C4	-8.11	103.16	106.40
25	BA	58	A	C8-N9-C4	-8.11	102.56	105.80
26	BB	379	G	O4'-C1'-N9	8.11	114.69	108.20
26	BB	1102	C	N3-C4-C5	-8.11	118.66	121.90
26	BB	2332	C	O4'-C1'-N1	8.11	114.69	108.20
26	BB	1357	C	O4'-C1'-N1	8.11	114.69	108.20
26	BB	1935	G	C6-C5-N7	-8.11	125.53	130.40
1	AA	159	G	N3-C4-C5	-8.11	124.55	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	180	U	C5-C4-O4	-8.11	121.03	125.90
1	AA	666	G	C2-N3-C4	8.11	115.95	111.90
1	AA	1008	U	C6-N1-C2	-8.11	116.14	121.00
1	AA	1453	G	C8-N9-C4	-8.11	103.16	106.40
2	AB	36	A	C5-C6-N1	8.11	121.75	117.70
26	BB	1392	A	N9-C4-C5	8.11	109.04	105.80
26	BB	1776	G	C8-N9-C4	-8.11	103.16	106.40
26	BB	240	C	N3-C2-O2	-8.11	116.22	121.90
1	AA	378	G	C6-C5-N7	-8.11	125.54	130.40
1	AA	663	A	C2-N3-C4	8.11	114.65	110.60
1	AA	1033	G	N3-C4-C5	-8.11	124.55	128.60
1	AA	1471	U	N3-C2-O2	-8.11	116.53	122.20
26	BB	1062	G	C5-C6-N1	8.11	115.55	111.50
26	BB	1653	G	N9-C4-C5	8.11	108.64	105.40
26	BB	1868	C	N3-C2-O2	-8.11	116.23	121.90
1	AA	1302	C	P-O3'-C3'	8.10	129.43	119.70
2	AB	74	C	C2-N3-C4	8.10	123.95	119.90
26	BB	2411	A	N7-C8-N9	8.10	117.85	113.80
26	BB	2496	C	C6-N1-C2	8.10	123.54	120.30
1	AA	1390	U	O4'-C1'-N1	8.10	114.68	108.20
26	BB	2237	G	N1-C6-O6	-8.10	115.04	119.90
26	BB	2842	G	N1-C6-O6	-8.10	115.04	119.90
26	BB	2112	G	C4-C5-N7	-8.10	107.56	110.80
26	BB	2835	A	O4'-C1'-N9	-8.10	101.72	108.20
1	AA	895	G	N3-C4-C5	-8.10	124.55	128.60
1	AA	1439	G	N3-C4-N9	8.10	130.86	126.00
26	BB	1712	U	O4'-C1'-N1	8.10	114.68	108.20
26	BB	119	A	C4-C5-C6	8.10	121.05	117.00
26	BB	248	G	N1-C6-O6	-8.10	115.04	119.90
26	BB	424	G	N9-C4-C5	-8.10	102.16	105.40
26	BB	1836	C	C3'-C2'-C1'	8.10	107.98	101.50
26	BB	1900	A	O4'-C1'-N9	8.10	114.68	108.20
26	BB	2876	G	N9-C4-C5	8.10	108.64	105.40
1	AA	401	C	O4'-C1'-N1	8.10	114.68	108.20
1	AA	223	A	C4'-C3'-C2'	-8.10	94.50	102.60
1	AA	879	C	C1'-O4'-C4'	-8.10	103.42	109.90
1	AA	1026	G	C6-C5-N7	-8.10	125.54	130.40
3	AC	27	A	C8-N9-C4	-8.10	102.56	105.80
1	AA	902	G	C4'-C3'-C2'	8.10	110.69	102.60
1	AA	1092	A	N1-C2-N3	-8.10	125.25	129.30
1	AA	1256	A	C3'-C2'-C1'	8.10	107.98	101.50
25	BA	23	G	C5'-C4'-O4'	8.10	118.81	109.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	61	G	O4'-C1'-N9	8.10	114.68	108.20
26	BB	234	U	O4'-C1'-N1	8.10	114.68	108.20
26	BB	2095	A	N1-C6-N6	8.10	123.46	118.60
26	BB	970	U	C5-C6-N1	-8.09	118.65	122.70
26	BB	2201	G	C8-N9-C4	-8.09	103.16	106.40
26	BB	2546	U	N3-C4-O4	8.09	125.07	119.40
26	BB	2660	A	N7-C8-N9	-8.09	109.75	113.80
26	BB	102	U	C3'-C2'-C1'	8.09	107.97	101.50
26	BB	2643	G	O4'-C1'-N9	8.09	114.67	108.20
1	AA	346	G	N1-C2-N3	-8.09	119.05	123.90
1	AA	714	G	N9-C1'-C2'	-8.09	103.10	112.00
25	BA	41	G	C2-N3-C4	8.09	115.94	111.90
26	BB	1783	A	O4'-C1'-N9	8.09	114.67	108.20
26	BB	2487	G	C4-C5-N7	-8.09	107.56	110.80
1	AA	145	G	C6-N1-C2	-8.09	120.25	125.10
1	AA	1440	U	C4-C5-C6	8.09	124.55	119.70
26	BB	1377	G	C4-C5-C6	8.09	123.65	118.80
26	BB	1380	G	C2-N3-C4	8.09	115.94	111.90
26	BB	2472	G	C2-N3-C4	-8.09	107.86	111.90
26	BB	2472	G	C6-C5-N7	-8.09	125.55	130.40
1	AA	232	G	N1-C6-O6	8.09	124.75	119.90
1	AA	737	C	N3-C4-C5	8.09	125.14	121.90
26	BB	200	U	C4'-C3'-C2'	-8.09	94.51	102.60
26	BB	296	U	C4-C5-C6	8.09	124.55	119.70
26	BB	569	U	C1'-O4'-C4'	-8.09	103.43	109.90
26	BB	874	G	N3-C4-N9	-8.09	121.15	126.00
26	BB	1801	A	C2-N3-C4	8.09	114.64	110.60
26	BB	2029	G	C5-C6-N1	8.09	115.54	111.50
26	BB	2436	G	N1-C2-N3	-8.09	119.05	123.90
1	AA	39	G	C6-N1-C2	-8.09	120.25	125.10
1	AA	117	G	O4'-C1'-N9	8.09	114.67	108.20
1	AA	161	A	N1-C2-N3	-8.09	125.26	129.30
26	BB	760	G	C4-C5-C6	8.09	123.65	118.80
26	BB	1934	C	O4'-C1'-N1	8.09	114.67	108.20
26	BB	2091	C	N3-C4-C5	-8.09	118.67	121.90
1	AA	156	C	N3-C2-O2	-8.08	116.24	121.90
26	BB	2110	G	O4'-C1'-N9	8.08	114.67	108.20
26	BB	135	U	N1-C2-N3	-8.08	110.05	114.90
26	BB	2651	C	N3-C4-N4	8.08	123.66	118.00
28	BD	51	ARG	NE-CZ-NH1	8.08	124.34	120.30
1	AA	848	C	N3-C2-O2	-8.08	116.24	121.90
1	AA	773	G	N1-C2-N3	8.08	128.75	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1021	A	C5-C6-N6	-8.08	117.24	123.70
26	BB	253	C	C5'-C4'-O4'	8.08	118.80	109.10
16	AP	85	TYR	CB-CG-CD2	8.08	125.85	121.00
26	BB	524	G	C2-N3-C4	8.08	115.94	111.90
26	BB	1563	U	O4'-C1'-N1	8.08	114.66	108.20
26	BB	1579	A	N9-C1'-C2'	-8.08	103.11	112.00
26	BB	1867	G	N7-C8-N9	8.08	117.14	113.10
26	BB	2280	G	C2-N3-C4	8.08	115.94	111.90
26	BB	2789	C	O4'-C1'-N1	8.08	114.66	108.20
1	AA	38	G	C4-C5-N7	-8.08	107.57	110.80
1	AA	1355	G	C8-N9-C4	-8.08	103.17	106.40
26	BB	141	G	C8-N9-C4	-8.08	103.17	106.40
26	BB	295	G	C8-N9-C4	-8.08	103.17	106.40
26	BB	385	C	C4'-C3'-C2'	-8.08	94.52	102.60
26	BB	1694	C	O4'-C1'-N1	8.08	114.66	108.20
26	BB	1763	G	C4'-C3'-C2'	-8.08	94.52	102.60
1	AA	1217	C	C3'-C2'-C1'	8.08	107.96	101.50
1	AA	1473	G	C4'-C3'-C2'	-8.08	94.52	102.60
26	BB	81	G	N9-C4-C5	8.08	108.63	105.40
26	BB	969	G	C5'-C4'-O4'	8.08	118.79	109.10
26	BB	1277	G	C2-N3-C4	8.08	115.94	111.90
26	BB	1711	A	C5'-C4'-O4'	8.08	118.79	109.10
26	BB	2677	G	N1-C2-N2	8.08	123.47	116.20
39	BO	50	ARG	NE-CZ-NH2	-8.08	116.26	120.30
1	AA	87	C	C6-N1-C2	-8.07	117.07	120.30
1	AA	255	G	N1-C6-O6	8.07	124.75	119.90
1	AA	359	G	N3-C2-N2	-8.07	114.25	119.90
1	AA	695	A	N1-C6-N6	-8.07	113.75	118.60
26	BB	300	A	C3'-C2'-C1'	-8.07	95.04	101.50
1	AA	267	C	C2-N3-C4	-8.07	115.86	119.90
26	BB	506	G	O4'-C4'-C3'	8.07	112.56	106.10
26	BB	522	A	C4-C5-C6	8.07	121.04	117.00
26	BB	541	A	N7-C8-N9	8.07	117.84	113.80
28	BD	261	ARG	NE-CZ-NH2	-8.07	116.26	120.30
1	AA	5	U	C3'-C2'-C1'	-8.07	95.04	101.50
1	AA	1505	G	C5-C6-N1	8.07	115.54	111.50
26	BB	939	G	N1-C2-N3	-8.07	119.06	123.90
26	BB	2486	C	O4'-C1'-N1	8.07	114.66	108.20
26	BB	2866	U	C5'-C4'-O4'	8.07	118.79	109.10
1	AA	1506	U	N3-C4-C5	-8.07	109.76	114.60
9	AI	59	TYR	CB-CG-CD2	-8.07	116.16	121.00
26	BB	1860	G	C8-N9-C4	-8.07	103.17	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2152	G	C2-N3-C4	8.07	115.94	111.90
34	BJ	60	ARG	NE-CZ-NH2	-8.07	116.27	120.30
1	AA	1201	A	C5'-C4'-O4'	8.07	118.78	109.10
4	AD	22	A	N1-C6-N6	8.07	123.44	118.60
26	BB	130	C	C6-N1-C2	8.07	123.53	120.30
26	BB	1728	C	N1-C2-O2	8.07	123.74	118.90
1	AA	1213	A	C8-N9-C4	-8.07	102.57	105.80
1	AA	1358	U	C5-C4-O4	-8.07	121.06	125.90
3	AC	46	C	O4'-C1'-C2'	8.07	114.86	107.60
5	AE	197	PHE	CB-CG-CD2	-8.07	115.15	120.80
26	BB	306	U	N3-C4-C5	-8.07	109.76	114.60
26	BB	567	U	C4-C5-C6	8.07	124.54	119.70
1	AA	469	C	N1-C2-O2	8.06	123.74	118.90
1	AA	1142	G	N9-C4-C5	8.06	108.62	105.40
4	AD	40	C	O4'-C1'-N1	8.06	114.65	108.20
26	BB	98	G	C5'-C4'-O4'	8.06	118.78	109.10
26	BB	247	G	C8-N9-C4	-8.06	103.17	106.40
26	BB	1304	A	O4'-C1'-N9	8.06	114.65	108.20
26	BB	1646	C	C4-C5-C6	-8.06	113.37	117.40
26	BB	1607	C	N3-C2-O2	-8.06	116.26	121.90
1	AA	139	A	N9-C4-C5	8.06	109.02	105.80
26	BB	623	C	O4'-C1'-N1	8.06	114.65	108.20
1	AA	1147	C	N1-C2-O2	8.06	123.74	118.90
26	BB	1361	G	O4'-C1'-N9	8.06	114.65	108.20
26	BB	2543	G	N3-C2-N2	8.06	125.54	119.90
26	BB	2559	C	C2-N3-C4	8.06	123.93	119.90
26	BB	2618	G	C5-C6-O6	-8.06	123.76	128.60
26	BB	2870	C	O4'-C1'-N1	8.06	114.65	108.20
1	AA	213	G	C4-C5-C6	8.06	123.64	118.80
1	AA	270	A	O4'-C1'-N9	8.06	114.65	108.20
26	BB	95	A	C4-C5-N7	8.06	114.73	110.70
26	BB	669	G	N7-C8-N9	8.06	117.13	113.10
26	BB	674	G	N3-C4-N9	8.06	130.83	126.00
26	BB	1267	U	C5-C4-O4	-8.06	121.06	125.90
26	BB	1543	G	C8-N9-C4	-8.06	103.18	106.40
36	BL	14	ASP	CB-CG-OD2	-8.06	111.05	118.30
1	AA	627	G	N3-C2-N2	-8.06	114.26	119.90
1	AA	936	C	O4'-C1'-N1	8.06	114.64	108.20
26	BB	2304	G	C6-N1-C2	-8.06	120.27	125.10
1	AA	1256	A	C5'-C4'-C3'	-8.05	103.11	116.00
26	BB	214	G	O4'-C1'-N9	8.05	114.64	108.20
26	BB	772	C	N1-C2-O2	8.05	123.73	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1390	U	N3-C2-O2	-8.05	116.56	122.20
26	BB	1659	G	N9-C4-C5	8.05	108.62	105.40
1	AA	717	U	O4'-C1'-N1	8.05	114.64	108.20
26	BB	620	G	C5-C6-N1	-8.05	107.47	111.50
1	AA	92	U	N3-C2-O2	-8.05	116.56	122.20
1	AA	419	C	O4'-C1'-N1	8.05	114.64	108.20
1	AA	677	U	N1-C2-O2	-8.05	117.17	122.80
1	AA	1016	A	C2-N3-C4	8.05	114.62	110.60
1	AA	1386	G	N3-C4-C5	-8.05	124.58	128.60
4	AD	53	G	N9-C4-C5	-8.05	102.18	105.40
26	BB	247	G	N1-C6-O6	-8.05	115.07	119.90
26	BB	1908	C	N3-C4-C5	-8.05	118.68	121.90
26	BB	1916	A	C2-N3-C4	8.05	114.63	110.60
26	BB	2124	G	N3-C4-N9	-8.05	121.17	126.00
26	BB	2827	C	N1-C2-O2	8.05	123.73	118.90
41	BQ	13	ARG	NE-CZ-NH1	8.05	124.33	120.30
2	AB	66	C	N3-C2-O2	-8.05	116.27	121.90
26	BB	898	C	N1-C2-O2	8.05	123.73	118.90
26	BB	1675	C	N1-C2-O2	8.05	123.73	118.90
1	AA	981	U	C1'-O4'-C4'	-8.05	103.46	109.90
2	AB	29	G	C4-C5-N7	8.05	114.02	110.80
25	BA	35	C	C1'-O4'-C4'	-8.05	103.46	109.90
26	BB	814	C	C4-C5-C6	-8.05	113.38	117.40
26	BB	1295	C	N1-C2-O2	8.05	123.73	118.90
26	BB	2435	A	O4'-C1'-N9	8.05	114.64	108.20
26	BB	2729	G	C6-N1-C2	-8.05	120.27	125.10
4	AD	54	G	N1-C6-O6	-8.05	115.07	119.90
26	BB	2740	A	N9-C4-C5	8.05	109.02	105.80
1	AA	609	A	C1'-O4'-C4'	-8.04	103.47	109.90
1	AA	918	A	N7-C8-N9	8.04	117.82	113.80
1	AA	1101	A	N1-C2-N3	8.04	133.32	129.30
23	AW	28	ARG	NE-CZ-NH1	8.04	124.32	120.30
26	BB	121	G	C3'-C2'-C1'	-8.04	95.06	101.50
26	BB	586	A	N1-C2-N3	-8.05	125.28	129.30
26	BB	1623	G	N3-C2-N2	-8.04	114.27	119.90
26	BB	2182	U	N3-C4-C5	8.04	119.43	114.60
26	BB	2227	A	O4'-C1'-N9	8.05	114.64	108.20
26	BB	2885	G	C3'-C2'-C1'	-8.04	95.06	101.50
31	BG	29	ARG	NE-CZ-NH2	-8.04	116.28	120.30
1	AA	279	A	C4-C5-N7	8.04	114.72	110.70
25	BA	102	G	C4-C5-N7	-8.04	107.58	110.80
26	BB	794	A	C4-C5-C6	-8.04	112.98	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2825	G	N1-C6-O6	-8.04	115.07	119.90
26	BB	373	U	C6-N1-C2	-8.04	116.18	121.00
26	BB	2621	G	O4'-C1'-N9	8.04	114.63	108.20
37	BM	18	ARG	NE-CZ-NH2	-8.04	116.28	120.30
1	AA	18	C	C5-C4-N4	-8.04	114.57	120.20
1	AA	240	G	N3-C2-N2	-8.04	114.27	119.90
1	AA	366	A	N7-C8-N9	8.04	117.82	113.80
21	AU	34	GLU	OE1-CD-OE2	8.04	132.95	123.30
26	BB	328	U	O4'-C1'-N1	8.04	114.63	108.20
26	BB	354	A	O4'-C1'-N9	8.04	114.63	108.20
26	BB	192	C	C2-N3-C4	8.04	123.92	119.90
26	BB	474	G	O4'-C1'-N9	8.04	114.63	108.20
26	BB	523	C	N1-C2-O2	8.04	123.72	118.90
26	BB	864	G	N3-C4-C5	-8.04	124.58	128.60
26	BB	1924	C	C4-C5-C6	-8.04	113.38	117.40
26	BB	2496	C	C5-C6-N1	-8.04	116.98	121.00
1	AA	502	A	C3'-C2'-C1'	-8.04	95.07	101.50
1	AA	1112	C	C2-N3-C4	8.04	123.92	119.90
1	AA	1264	U	C6-N1-C2	-8.04	116.18	121.00
3	AC	47	C	C1'-O4'-C4'	-8.04	103.47	109.90
26	BB	1046	A	O4'-C1'-N9	8.04	114.63	108.20
26	BB	1294	U	C3'-C2'-C1'	-8.04	95.07	101.50
26	BB	1772	A	C5-C6-N6	-8.03	117.27	123.70
26	BB	1896	G	C5-C6-O6	-8.03	123.78	128.60
26	BB	2780	G	C6-C5-N7	-8.03	125.58	130.40
1	AA	464	U	C4-C5-C6	8.03	124.52	119.70
1	AA	634	C	C5-C6-N1	8.03	125.02	121.00
26	BB	88	G	C5-C6-O6	-8.03	123.78	128.60
26	BB	498	G	C4'-C3'-C2'	-8.03	94.57	102.60
26	BB	1757	A	C6-C5-N7	8.03	137.92	132.30
26	BB	2630	G	N3-C2-N2	-8.03	114.28	119.90
26	BB	1307	A	C5-N7-C8	8.03	107.92	103.90
26	BB	1567	G	C6-C5-N7	-8.03	125.58	130.40
26	BB	2027	G	N9-C4-C5	8.03	108.61	105.40
26	BB	2590	A	O4'-C1'-N9	8.03	114.62	108.20
1	AA	1501	C	O4'-C1'-N1	8.03	114.62	108.20
4	AD	23	G	C2-N3-C4	8.03	115.91	111.90
26	BB	125	A	C5-C6-N1	8.03	121.71	117.70
26	BB	314	C	C4-C5-C6	-8.03	113.39	117.40
26	BB	453	A	N9-C4-C5	8.03	109.01	105.80
26	BB	833	A	C4-C5-C6	-8.03	112.99	117.00
26	BB	1008	A	N1-C2-N3	8.03	133.31	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2460	U	N1-C2-N3	8.03	119.72	114.90
26	BB	2726	A	C2-N3-C4	8.03	114.61	110.60
1	AA	761	G	N3-C4-C5	-8.03	124.59	128.60
1	AA	767	A	N9-C1'-C2'	-8.03	103.17	112.00
26	BB	946	C	C5-C6-N1	8.03	125.01	121.00
26	BB	2061	G	N1-C2-N2	8.03	123.42	116.20
26	BB	1056	G	O4'-C1'-N9	8.03	114.62	108.20
26	BB	1360	G	C5-C6-N1	8.03	115.51	111.50
1	AA	795	C	C6-N1-C2	-8.02	117.09	120.30
26	BB	345	A	C8-N9-C4	8.02	109.01	105.80
1	AA	799	G	N3-C4-C5	-8.02	124.59	128.60
1	AA	888	G	C2-N3-C4	8.02	115.91	111.90
4	AD	71	G	N3-C4-N9	8.02	130.81	126.00
26	BB	363	G	N3-C4-C5	-8.02	124.59	128.60
26	BB	1642	G	N9-C4-C5	8.02	108.61	105.40
26	BB	2178	C	C1'-O4'-C4'	8.02	116.32	109.90
26	BB	2655	G	C8-N9-C4	-8.02	103.19	106.40
1	AA	1471	U	C5-C6-N1	-8.02	118.69	122.70
26	BB	119	A	N3-C4-C5	-8.02	121.19	126.80
26	BB	696	G	O4'-C1'-N9	8.02	114.62	108.20
26	BB	708	G	C6-C5-N7	-8.02	125.59	130.40
26	BB	775	G	C6-C5-N7	-8.02	125.59	130.40
26	BB	1771	C	N3-C4-C5	-8.02	118.69	121.90
26	BB	2282	G	C4-C5-N7	-8.02	107.59	110.80
26	BB	2722	G	C4-C5-N7	8.02	114.01	110.80
26	BB	2529	G	N1-C6-O6	-8.02	115.09	119.90
1	AA	1107	C	N3-C2-O2	-8.02	116.29	121.90
25	BA	47	C	N3-C2-O2	-8.02	116.29	121.90
26	BB	393	C	N3-C4-C5	-8.02	118.69	121.90
26	BB	458	G	C5'-C4'-C3'	-8.02	103.17	116.00
26	BB	491	G	C5'-C4'-O4'	8.02	118.72	109.10
26	BB	1202	G	C8-N9-C4	-8.02	103.19	106.40
26	BB	2025	C	N3-C4-N4	8.02	123.61	118.00
26	BB	2378	A	O4'-C4'-C3'	8.02	112.52	106.10
26	BB	2763	G	C8-N9-C4	-8.02	103.19	106.40
26	BB	2847	U	O4'-C4'-C3'	8.02	112.51	106.10
26	BB	2859	G	O4'-C1'-N9	8.02	114.61	108.20
1	AA	515	G	N1-C6-O6	8.02	124.71	119.90
1	AA	617	G	N3-C4-C5	-8.02	124.59	128.60
1	AA	984	C	N1-C2-O2	8.02	123.71	118.90
1	AA	1016	A	N3-C4-C5	-8.02	121.19	126.80
1	AA	1046	A	O4'-C1'-N9	8.02	114.61	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	247	G	N7-C8-N9	8.02	117.11	113.10
26	BB	1373	A	C6-C5-N7	8.02	137.91	132.30
1	AA	1438	G	C5-C6-O6	8.02	133.41	128.60
26	BB	249	C	N3-C2-O2	-8.02	116.29	121.90
26	BB	343	C	N3-C4-C5	-8.02	118.69	121.90
26	BB	693	A	N9-C4-C5	8.02	109.01	105.80
26	BB	841	G	N7-C8-N9	8.02	117.11	113.10
26	BB	1284	A	N1-C6-N6	8.02	123.41	118.60
26	BB	1792	G	O4'-C1'-N9	8.02	114.61	108.20
26	BB	1881	C	C5-C6-N1	8.02	125.01	121.00
26	BB	2895	G	C2-N3-C4	8.02	115.91	111.90
1	AA	23	C	N3-C2-O2	-8.01	116.29	121.90
1	AA	206	C	C5'-C4'-O4'	8.01	118.72	109.10
1	AA	599	C	N1-C2-O2	8.01	123.71	118.90
26	BB	1694	C	C2-N3-C4	8.01	123.91	119.90
26	BB	1700	A	C5-C6-N1	8.01	121.71	117.70
26	BB	2279	G	N1-C6-O6	8.01	124.71	119.90
1	AA	730	G	N3-C4-C5	-8.01	124.59	128.60
19	AS	14	ARG	NE-CZ-NH1	8.01	124.31	120.30
26	BB	444	C	N3-C4-N4	8.01	123.61	118.00
26	BB	663	G	C5-N7-C8	-8.01	100.29	104.30
26	BB	985	C	O4'-C1'-N1	8.01	114.61	108.20
26	BB	1963	U	O4'-C1'-N1	8.01	114.61	108.20
26	BB	667	U	C5-C6-N1	-8.01	118.69	122.70
26	BB	2310	C	C5'-C4'-O4'	8.01	118.71	109.10
26	BB	2749	A	N9-C4-C5	8.01	109.00	105.80
1	AA	41	G	C8-N9-C4	-8.01	103.20	106.40
1	AA	898	G	N9-C4-C5	8.01	108.60	105.40
1	AA	1154	G	C6-N1-C2	-8.01	120.30	125.10
26	BB	727	A	O4'-C1'-N9	8.01	114.61	108.20
26	BB	777	G	N7-C8-N9	8.01	117.10	113.10
26	BB	1307	A	C1'-O4'-C4'	-8.01	103.49	109.90
26	BB	1805	A	C5-N7-C8	-8.01	99.89	103.90
26	BB	1955	U	C1'-O4'-C4'	-8.01	103.49	109.90
1	AA	161	A	N9-C4-C5	-8.01	102.60	105.80
1	AA	355	C	C4-C5-C6	-8.01	113.40	117.40
2	AB	10	G	N9-C4-C5	8.01	108.60	105.40
26	BB	1695	G	C5-C6-N1	-8.01	107.50	111.50
26	BB	2018	G	C4-C5-C6	8.01	123.60	118.80
26	BB	2295	C	C5-C6-N1	8.01	125.00	121.00
1	AA	772	U	C2-N3-C4	-8.01	122.20	127.00
26	BB	54	G	N7-C8-N9	8.01	117.10	113.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	609	A	C3'-C2'-C1'	8.01	107.90	101.50
26	BB	1292	G	N9-C1'-C2'	-8.01	103.19	112.00
26	BB	2757	A	C3'-C2'-C1'	8.01	107.91	101.50
26	BB	2884	U	N3-C2-O2	-8.01	116.60	122.20
1	AA	1334	G	N9-C4-C5	-8.00	102.20	105.40
2	AB	44	G	N3-C4-N9	8.00	130.80	126.00
26	BB	37	C	P-O3'-C3'	8.00	129.30	119.70
26	BB	1158	C	C2-N3-C4	8.00	123.90	119.90
26	BB	1248	G	C4-C5-N7	8.00	114.00	110.80
26	BB	1305	C	C2-N3-C4	8.00	123.90	119.90
26	BB	1936	A	N3-C4-C5	-8.00	121.20	126.80
26	BB	2029	G	N3-C4-C5	-8.00	124.60	128.60
26	BB	2057	G	C5-C6-O6	8.00	133.40	128.60
26	BB	2591	C	N3-C4-N4	8.00	123.60	118.00
1	AA	419	C	C2-N3-C4	8.00	123.90	119.90
26	BB	25	U	C1'-O4'-C4'	-8.00	103.50	109.90
26	BB	273	G	N3-C4-C5	-8.00	124.60	128.60
26	BB	467	G	C5-N7-C8	8.00	108.30	104.30
26	BB	469	G	N1-C2-N2	-8.00	109.00	116.20
1	AA	208	U	C4-C5-C6	8.00	124.50	119.70
1	AA	1120	C	N1-C1'-C2'	-8.00	103.20	112.00
1	AA	1154	G	C5-C6-N1	8.00	115.50	111.50
1	AA	1488	G	C4-C5-C6	8.00	123.60	118.80
1	AA	1533	C	N3-C4-C5	-8.00	118.70	121.90
26	BB	1300	G	C1'-O4'-C4'	8.00	116.30	109.90
26	BB	1622	G	N3-C4-C5	-8.00	124.60	128.60
26	BB	1936	A	C8-N9-C4	-8.00	102.60	105.80
26	BB	2146	C	O4'-C1'-N1	8.00	114.60	108.20
1	AA	379	C	C4'-C3'-C2'	-8.00	94.60	102.60
26	BB	204	A	N1-C6-N6	-8.00	113.80	118.60
26	BB	719	C	C1'-O4'-C4'	8.00	116.30	109.90
26	BB	1634	A	O4'-C4'-C3'	8.00	112.50	106.10
26	BB	2115	G	C4'-C3'-C2'	-8.00	94.60	102.60
28	BD	167	ASP	CB-CG-OD1	-8.00	111.10	118.30
1	AA	1011	C	N3-C4-N4	8.00	123.60	118.00
26	BB	185	G	N7-C8-N9	8.00	117.10	113.10
26	BB	822	G	C5-N7-C8	8.00	108.30	104.30
26	BB	1452	G	C5-N7-C8	-8.00	100.30	104.30
1	AA	489	C	N3-C4-C5	-7.99	118.70	121.90
26	BB	1121	C	N3-C4-C5	-7.99	118.70	121.90
26	BB	1134	A	C6-N1-C2	7.99	123.40	118.60
26	BB	1376	C	N1-C2-N3	-7.99	113.61	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	BY	19	ARG	NE-CZ-NH2	-7.99	116.30	120.30
25	BA	43	C	C6-N1-C2	7.99	123.50	120.30
26	BB	1364	G	N3-C4-N9	7.99	130.79	126.00
58	B7	24	ARG	NE-CZ-NH2	7.99	124.30	120.30
26	BB	331	C	C6-N1-C2	-7.99	117.10	120.30
26	BB	527	C	N1-C2-O2	7.99	123.69	118.90
26	BB	2639	A	C4-C5-C6	-7.99	113.00	117.00
26	BB	759	G	C5'-C4'-O4'	7.99	118.69	109.10
26	BB	1037	G	N9-C1'-C2'	-7.99	103.21	112.00
26	BB	1766	G	N3-C2-N2	-7.99	114.31	119.90
1	AA	64	G	N3-C4-C5	-7.99	124.61	128.60
1	AA	330	C	C4'-C3'-C2'	-7.99	94.61	102.60
1	AA	860	A	C2-N3-C4	7.99	114.59	110.60
26	BB	251	A	C1'-O4'-C4'	-7.99	103.51	109.90
26	BB	1933	G	N1-C2-N2	7.99	123.39	116.20
26	BB	2569	G	N7-C8-N9	7.99	117.09	113.10
26	BB	179	C	C6-N1-C2	-7.99	117.11	120.30
26	BB	509	C	C6-N1-C2	7.99	123.49	120.30
26	BB	774	G	C5-N7-C8	-7.99	100.31	104.30
26	BB	960	A	C5-N7-C8	-7.99	99.91	103.90
26	BB	1352	U	C3'-C2'-C1'	-7.99	95.11	101.50
26	BB	2012	G	N3-C4-C5	-7.99	124.61	128.60
26	BB	2485	G	C4'-C3'-C2'	-7.99	94.61	102.60
26	BB	976	G	N1-C6-O6	7.98	124.69	119.90
26	BB	1882	U	C5'-C4'-O4'	7.98	118.68	109.10
1	AA	325	A	C1'-O4'-C4'	-7.98	103.51	109.90
1	AA	503	C	C2-N3-C4	7.98	123.89	119.90
1	AA	616	G	N1-C2-N2	7.98	123.38	116.20
1	AA	973	G	C4-C5-C6	-7.98	114.01	118.80
1	AA	1385	G	N1-C6-O6	7.98	124.69	119.90
4	AD	28	U	C1'-O4'-C4'	7.98	116.29	109.90
26	BB	1487	U	O4'-C4'-C3'	7.98	112.49	106.10
26	BB	1723	G	P-O3'-C3'	7.98	129.28	119.70
26	BB	1997	C	C3'-C2'-C1'	7.98	107.89	101.50
26	BB	2126	A	C2-N3-C4	7.98	114.59	110.60
26	BB	2332	C	C3'-C2'-C1'	7.98	107.89	101.50
55	B4	27	ARG	NH1-CZ-NH2	-7.98	110.62	119.40
26	BB	810	U	C6-N1-C2	-7.98	116.21	121.00
26	BB	1034	G	N7-C8-N9	7.98	117.09	113.10
26	BB	2137	U	C5-C6-N1	-7.98	118.71	122.70
26	BB	2868	A	N7-C8-N9	7.98	117.79	113.80
1	AA	497	G	C5-C6-O6	-7.98	123.81	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	786	G	C2-N3-C4	7.98	115.89	111.90
1	AA	963	G	C8-N9-C4	-7.98	103.21	106.40
1	AA	1378	C	C4-C5-C6	-7.98	113.41	117.40
26	BB	276	U	O4'-C1'-N1	7.98	114.58	108.20
26	BB	986	C	O4'-C1'-N1	7.98	114.58	108.20
26	BB	2081	U	O4'-C1'-N1	7.98	114.58	108.20
1	AA	100	G	N7-C8-N9	7.98	117.09	113.10
26	BB	219	A	C3'-C2'-C1'	7.98	107.88	101.50
26	BB	1157	G	N3-C4-N9	7.98	130.79	126.00
26	BB	2638	G	N1-C2-N3	-7.98	119.11	123.90
1	AA	207	C	C5-C4-N4	-7.97	114.62	120.20
1	AA	378	G	N3-C4-C5	-7.97	124.61	128.60
1	AA	944	G	N3-C4-N9	7.97	130.78	126.00
1	AA	1187	G	O4'-C1'-N9	7.97	114.58	108.20
7	AG	145	ARG	NE-CZ-NH2	7.97	124.29	120.30
11	AK	83	ARG	NE-CZ-NH1	-7.97	116.31	120.30
25	BA	115	A	C5-N7-C8	7.97	107.89	103.90
26	BB	322	A	N7-C8-N9	-7.97	109.81	113.80
26	BB	466	A	C5-C6-N6	-7.97	117.32	123.70
26	BB	1630	A	N9-C1'-C2'	-7.97	103.23	112.00
26	BB	2263	C	N1-C1'-C2'	-7.97	103.23	112.00
43	BS	27	ARG	NE-CZ-NH1	7.97	124.29	120.30
1	AA	458	U	O4'-C1'-N1	7.97	114.58	108.20
1	AA	819	A	C6-C5-N7	-7.97	126.72	132.30
2	AB	2	G	N3-C4-C5	-7.97	124.61	128.60
26	BB	170	U	C5-C6-N1	-7.97	118.71	122.70
26	BB	1324	G	C8-N9-C4	-7.97	103.21	106.40
26	BB	1377	G	C2-N3-C4	7.97	115.89	111.90
26	BB	1788	C	C2-N3-C4	7.97	123.89	119.90
26	BB	325	G	C2-N3-C4	7.97	115.89	111.90
26	BB	968	C	O4'-C1'-N1	7.97	114.58	108.20
26	BB	1011	G	C5-C6-N1	7.97	115.48	111.50
26	BB	1282	U	C4-C5-C6	7.97	124.48	119.70
26	BB	2535	G	C4-C5-C6	7.97	123.58	118.80
1	AA	382	A	O4'-C1'-N9	7.97	114.58	108.20
1	AA	428	G	N7-C8-N9	7.97	117.08	113.10
1	AA	430	A	C4-C5-N7	-7.97	106.72	110.70
25	BA	72	G	N9-C4-C5	7.97	108.59	105.40
26	BB	4	U	C5-C6-N1	-7.97	118.72	122.70
26	BB	309	A	C4-C5-N7	-7.97	106.72	110.70
26	BB	382	A	C1'-O4'-C4'	7.97	116.28	109.90
26	BB	1007	C	N1-C2-O2	7.97	123.68	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1017	G	C6-N1-C2	-7.97	120.32	125.10
26	BB	1137	G	C6-C5-N7	-7.97	125.62	130.40
26	BB	2128	G	N9-C4-C5	-7.97	102.21	105.40
26	BB	2238	G	N9-C4-C5	7.97	108.59	105.40
26	BB	2332	C	N1-C2-O2	7.97	123.68	118.90
1	AA	669	G	N9-C4-C5	7.97	108.59	105.40
4	AD	73	A	N1-C2-N3	-7.97	125.32	129.30
26	BB	1984	G	C4-C5-N7	-7.97	107.61	110.80
26	BB	2779	U	C4-C5-C6	7.97	124.48	119.70
1	AA	39	G	C5-C6-O6	7.97	133.38	128.60
1	AA	1027	C	O4'-C1'-N1	7.97	114.57	108.20
26	BB	49	A	C4-C5-N7	-7.97	106.72	110.70
26	BB	1390	U	C5-C4-O4	-7.97	121.12	125.90
26	BB	1578	U	C5-C6-N1	-7.97	118.72	122.70
26	BB	1713	A	N9-C4-C5	7.97	108.99	105.80
26	BB	2150	C	C5-C4-N4	-7.97	114.62	120.20
26	BB	2638	G	N7-C8-N9	7.97	117.08	113.10
1	AA	266	G	C5-C6-N1	7.96	115.48	111.50
1	AA	1046	A	N1-C2-N3	-7.96	125.32	129.30
1	AA	1157	A	C1'-O4'-C4'	7.96	116.27	109.90
1	AA	1301	U	C5-C6-N1	7.96	126.68	122.70
1	AA	1474	U	C5-C4-O4	-7.96	121.12	125.90
26	BB	763	G	C5-C6-N1	7.96	115.48	111.50
26	BB	1036	G	N7-C8-N9	7.96	117.08	113.10
26	BB	1141	U	N1-C2-O2	-7.96	117.22	122.80
26	BB	2576	G	C6-N1-C2	-7.96	120.32	125.10
1	AA	52	C	O4'-C1'-N1	7.96	114.57	108.20
26	BB	1072	C	C4'-C3'-C2'	-7.96	94.64	102.60
26	BB	1300	G	C6-C5-N7	7.96	135.18	130.40
26	BB	1602	U	C5-C4-O4	-7.96	121.12	125.90
26	BB	1850	G	C5'-C4'-C3'	-7.96	103.26	116.00
26	BB	1884	G	C8-N9-C4	-7.96	103.22	106.40
26	BB	2396	G	C3'-C2'-C1'	7.96	107.87	101.50
1	AA	282	A	C8-N9-C4	-7.96	102.61	105.80
1	AA	1303	C	C6-N1-C2	-7.96	117.11	120.30
1	AA	1314	C	N3-C4-C5	7.96	125.08	121.90
1	AA	1530	G	N1-C6-O6	-7.96	115.12	119.90
3	AC	40	G	C1'-O4'-C4'	-7.96	103.53	109.90
26	BB	401	A	N9-C4-C5	7.96	108.98	105.80
26	BB	1449	G	C6-C5-N7	7.96	135.18	130.40
26	BB	2025	C	N3-C4-C5	-7.96	118.72	121.90
26	BB	2882	A	C6-N1-C2	-7.96	113.82	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	78	A	N7-C8-N9	7.96	117.78	113.80
1	AA	1073	U	C4-C5-C6	7.96	124.48	119.70
4	AD	74	A	N7-C8-N9	7.96	117.78	113.80
26	BB	964	C	C1'-O4'-C4'	-7.96	103.53	109.90
26	BB	2064	C	N3-C4-N4	7.96	123.57	118.00
26	BB	2125	G	C8-N9-C4	-7.96	103.22	106.40
26	BB	2381	A	O4'-C1'-N9	7.96	114.57	108.20
1	AA	187	G	C6-N1-C2	7.96	129.88	125.10
1	AA	970	C	O4'-C1'-N1	7.96	114.57	108.20
26	BB	324	A	N3-C4-C5	-7.96	121.23	126.80
26	BB	428	A	C3'-C2'-C1'	7.96	107.87	101.50
26	BB	985	C	C6-N1-C2	-7.96	117.12	120.30
26	BB	1948	G	N3-C4-C5	-7.96	124.62	128.60
26	BB	2182	U	C2-N3-C4	-7.96	122.22	127.00
1	AA	742	G	N3-C2-N2	-7.96	114.33	119.90
2	AB	52	A	N7-C8-N9	7.96	117.78	113.80
26	BB	630	G	C8-N9-C4	-7.96	103.22	106.40
26	BB	2395	C	O4'-C1'-N1	7.96	114.56	108.20
1	AA	664	G	C5'-C4'-O4'	7.96	118.65	109.10
2	AB	56	C	C4'-C3'-C2'	-7.96	94.64	102.60
7	AG	71	PHE	CB-CG-CD1	7.96	126.37	120.80
26	BB	9	G	N1-C6-O6	-7.96	115.13	119.90
26	BB	2002	G	C5-C6-N1	7.96	115.48	111.50
1	AA	17	U	P-O3'-C3'	7.95	129.24	119.70
1	AA	45	G	N1-C6-O6	-7.95	115.13	119.90
1	AA	889	A	C4-C5-C6	-7.95	113.02	117.00
1	AA	946	A	N1-C2-N3	7.95	133.28	129.30
1	AA	965	U	C1'-O4'-C4'	-7.95	103.54	109.90
25	BA	7	G	O4'-C1'-N9	7.95	114.56	108.20
26	BB	1831	G	C4-C5-C6	7.95	123.57	118.80
26	BB	2664	G	O4'-C1'-N9	7.95	114.56	108.20
1	AA	674	G	C6-N1-C2	-7.95	120.33	125.10
1	AA	1174	G	N9-C4-C5	-7.95	102.22	105.40
26	BB	750	A	N1-C2-N3	-7.95	125.32	129.30
26	BB	1680	U	O4'-C1'-N1	7.95	114.56	108.20
1	AA	322	C	O4'-C1'-N1	7.95	114.56	108.20
1	AA	926	G	C8-N9-C4	-7.95	103.22	106.40
1	AA	1157	A	C8-N9-C4	-7.95	102.62	105.80
1	AA	1187	G	C6-N1-C2	-7.95	120.33	125.10
1	AA	1327	C	C3'-C2'-C1'	7.95	107.86	101.50
26	BB	1103	A	C5-N7-C8	7.95	107.88	103.90
26	BB	2141	G	C8-N9-C1'	7.95	137.34	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2758	A	C6-C5-N7	7.95	137.87	132.30
1	AA	211	G	C5-C6-O6	-7.95	123.83	128.60
1	AA	1272	G	O4'-C1'-N9	7.95	114.56	108.20
26	BB	534	U	C4-C5-C6	7.95	124.47	119.70
26	BB	2387	U	N3-C4-C5	7.95	119.37	114.60
27	BC	7	ARG	NE-CZ-NH1	7.95	124.27	120.30
26	BB	490	C	C6-N1-C2	-7.95	117.12	120.30
26	BB	1331	G	N9-C4-C5	7.95	108.58	105.40
26	BB	1882	U	N1-C2-N3	7.95	119.67	114.90
26	BB	2367	G	N3-C2-N2	-7.95	114.34	119.90
26	BB	2721	A	C8-N9-C4	7.95	108.98	105.80
1	AA	275	G	C4-C5-N7	7.95	113.98	110.80
26	BB	1098	A	C5'-C4'-C3'	-7.95	103.29	116.00
26	BB	1310	G	C6-N1-C2	-7.95	120.33	125.10
26	BB	2300	C	C1'-O4'-C4'	7.95	116.26	109.90
26	BB	2673	G	N7-C8-N9	7.95	117.07	113.10
25	BA	112	G	C6-N1-C2	-7.94	120.33	125.10
26	BB	1574	C	C6-N1-C2	-7.94	117.12	120.30
42	BR	38	ARG	NE-CZ-NH2	7.94	124.27	120.30
1	AA	354	G	N7-C8-N9	7.94	117.07	113.10
26	BB	432	A	C4'-C3'-C2'	-7.94	94.66	102.60
26	BB	571	U	C5-C4-O4	-7.94	121.14	125.90
26	BB	734	A	C5-C6-N6	-7.94	117.35	123.70
26	BB	1137	G	N9-C4-C5	-7.94	102.22	105.40
1	AA	663	A	N9-C4-C5	7.94	108.98	105.80
1	AA	1371	G	O4'-C1'-N9	7.94	114.55	108.20
26	BB	283	G	C8-N9-C4	-7.94	103.22	106.40
26	BB	1611	C	C4-C5-C6	-7.94	113.43	117.40
26	BB	2824	C	N3-C2-O2	-7.94	116.34	121.90
38	BN	117	THR	CA-CB-CG2	-7.94	101.28	112.40
26	BB	2165	C	C5-C6-N1	7.94	124.97	121.00
31	BG	91	ARG	NE-CZ-NH1	-7.94	116.33	120.30
1	AA	80	A	O4'-C1'-N9	7.94	114.55	108.20
1	AA	411	A	C8-N9-C4	-7.94	102.62	105.80
25	BA	47	C	C5-C6-N1	-7.94	117.03	121.00
26	BB	195	A	C8-N9-C4	-7.94	102.62	105.80
26	BB	469	G	C6-N1-C2	-7.94	120.34	125.10
26	BB	524	G	O4'-C1'-N9	7.94	114.55	108.20
26	BB	587	C	O4'-C1'-N1	7.94	114.55	108.20
26	BB	833	A	C5'-C4'-O4'	7.94	118.62	109.10
26	BB	1453	A	O4'-C1'-N9	7.94	114.55	108.20
26	BB	2299	U	O4'-C1'-C2'	7.94	114.74	107.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2302	U	C4'-C3'-C2'	-7.94	94.66	102.60
26	BB	2577	A	N1-C6-N6	-7.94	113.84	118.60
28	BD	220	ARG	NE-CZ-NH2	-7.94	116.33	120.30
1	AA	520	A	C8-N9-C4	-7.94	102.63	105.80
26	BB	1113	U	N3-C4-C5	-7.94	109.84	114.60
26	BB	2065	C	C1'-O4'-C4'	7.94	116.25	109.90
26	BB	586	A	N1-C6-N6	-7.93	113.84	118.60
26	BB	872	U	C1'-O4'-C4'	-7.93	103.55	109.90
26	BB	872	U	O4'-C4'-C3'	7.93	112.45	106.10
26	BB	1027	A	C4'-C3'-C2'	-7.93	94.67	102.60
26	BB	1598	A	N1-C6-N6	7.93	123.36	118.60
26	BB	1739	A	N7-C8-N9	7.93	117.77	113.80
26	BB	1908	C	C2-N3-C4	7.93	123.87	119.90
1	AA	237	G	O4'-C1'-N9	7.93	114.55	108.20
26	BB	34	U	O4'-C1'-N1	7.93	114.55	108.20
26	BB	560	C	O4'-C1'-N1	7.93	114.55	108.20
26	BB	779	U	N1-C2-O2	-7.93	117.25	122.80
26	BB	964	C	N3-C4-N4	7.93	123.55	118.00
26	BB	1576	U	N1-C1'-C2'	-7.93	103.27	112.00
26	BB	2232	C	C5-C6-N1	-7.93	117.03	121.00
26	BB	2412	A	N7-C8-N9	-7.93	109.83	113.80
1	AA	200	G	C6-N1-C2	-7.93	120.34	125.10
1	AA	251	G	N3-C4-C5	-7.93	124.64	128.60
1	AA	564	C	O4'-C1'-N1	7.93	114.55	108.20
1	AA	806	C	C6-N1-C2	-7.93	117.13	120.30
26	BB	45	G	C2-N3-C4	7.93	115.87	111.90
26	BB	916	G	C8-N9-C4	-7.93	103.23	106.40
1	AA	59	A	C8-N9-C4	-7.93	102.63	105.80
1	AA	687	A	C2-N3-C4	7.93	114.56	110.60
26	BB	966	G	O4'-C1'-N9	7.93	114.54	108.20
26	BB	1318	U	C5-C4-O4	-7.93	121.14	125.90
26	BB	1705	A	O4'-C1'-N9	7.93	114.54	108.20
26	BB	1974	C	N1-C2-O2	7.93	123.66	118.90
26	BB	2834	G	O4'-C1'-N9	-7.93	101.86	108.20
1	AA	576	C	C6-N1-C1'	7.93	130.31	120.80
1	AA	1314	C	C3'-C2'-C1'	7.93	107.84	101.50
26	BB	454	A	C5-C6-N6	7.93	130.04	123.70
26	BB	2377	A	C6-N1-C2	-7.93	113.84	118.60
1	AA	56	U	O4'-C1'-N1	7.93	114.54	108.20
1	AA	420	U	C5-C6-N1	7.93	126.66	122.70
1	AA	565	U	N1-C2-N3	7.93	119.66	114.90
26	BB	1846	G	C5-C6-N1	7.93	115.46	111.50

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1471	U	C5-C4-O4	-7.92	121.15	125.90
7	AG	46	ARG	NE-CZ-NH2	-7.92	116.34	120.30
16	AP	100	ARG	NE-CZ-NH1	7.92	124.26	120.30
26	BB	422	A	C6-C5-N7	-7.92	126.75	132.30
26	BB	642	U	C2-N3-C4	-7.92	122.25	127.00
26	BB	1015	U	O4'-C1'-N1	7.92	114.54	108.20
26	BB	1589	U	N3-C2-O2	-7.92	116.65	122.20
26	BB	2616	C	N3-C4-C5	-7.92	118.73	121.90
1	AA	848	C	C6-N1-C2	-7.92	117.13	120.30
1	AA	1205	U	N3-C2-O2	-7.92	116.65	122.20
26	BB	1554	U	N1-C2-N3	7.92	119.65	114.90
26	BB	1946	U	N3-C2-O2	-7.92	116.65	122.20
1	AA	1490	U	O4'-C1'-N1	7.92	114.54	108.20
2	AB	66	C	N1-C2-O2	7.92	123.65	118.90
26	BB	719	C	C6-N1-C2	-7.92	117.13	120.30
26	BB	1546	G	C6-N1-C2	-7.92	120.35	125.10
26	BB	1609	A	C5-C6-N6	7.92	130.04	123.70
26	BB	2100	G	N3-C4-C5	-7.92	124.64	128.60
26	BB	2453	A	O4'-C1'-N9	7.92	114.54	108.20
26	BB	670	A	C5-N7-C8	7.92	107.86	103.90
26	BB	966	G	N3-C4-C5	-7.92	124.64	128.60
26	BB	1914	C	N3-C4-C5	7.92	125.07	121.90
1	AA	581	G	C8-N9-C4	7.92	109.57	106.40
1	AA	1063	C	C2-N3-C4	7.92	123.86	119.90
1	AA	1190	G	C6-N1-C2	-7.92	120.35	125.10
3	AC	20	G	N3-C2-N2	-7.92	114.36	119.90
26	BB	259	G	C1'-O4'-C4'	7.92	116.23	109.90
26	BB	1193	G	N3-C2-N2	-7.92	114.36	119.90
26	BB	2553	G	C3'-C2'-C1'	7.92	107.83	101.50
26	BB	2561	U	C5'-C4'-O4'	7.92	118.60	109.10
26	BB	2572	A	C1'-O4'-C4'	7.92	116.23	109.90
1	AA	442	G	C5-C6-O6	-7.92	123.85	128.60
1	AA	1190	G	C8-N9-C4	-7.92	103.23	106.40
1	AA	1538	C	C4'-C3'-C2'	-7.92	94.68	102.60
26	BB	263	G	C6-C5-N7	7.92	135.15	130.40
26	BB	1193	G	C6-C5-N7	-7.92	125.65	130.40
26	BB	1445	G	C2-N3-C4	7.92	115.86	111.90
26	BB	1981	A	C5-N7-C8	7.92	107.86	103.90
1	AA	595	A	N7-C8-N9	7.91	117.76	113.80
1	AA	1018	G	C6-C5-N7	-7.91	125.65	130.40
4	AD	65	G	N9-C4-C5	7.91	108.57	105.40
25	BA	54	G	N9-C4-C5	7.91	108.57	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	726	G	C4-C5-N7	-7.91	107.63	110.80
26	BB	1197	G	O4'-C4'-C3'	7.91	112.43	106.10
26	BB	1210	G	N7-C8-N9	7.91	117.06	113.10
26	BB	2719	G	N1-C2-N3	7.91	128.65	123.90
1	AA	433	G	C4-C5-N7	-7.91	107.64	110.80
1	AA	1176	A	C3'-C2'-C1'	7.91	107.83	101.50
1	AA	1208	C	N3-C4-N4	-7.91	112.46	118.00
1	AA	462	G	C3'-C2'-C1'	-7.91	95.17	101.50
1	AA	1471	U	C2-N3-C4	-7.91	122.25	127.00
26	BB	312	G	C6-N1-C2	-7.91	120.35	125.10
26	BB	1889	A	C4-C5-N7	-7.91	106.75	110.70
26	BB	2540	C	C2-N3-C4	7.91	123.86	119.90
26	BB	2759	G	C2-N3-C4	7.91	115.86	111.90
1	AA	503	C	O4'-C1'-N1	7.91	114.53	108.20
1	AA	661	G	N3-C2-N2	-7.91	114.36	119.90
1	AA	1374	A	C4'-C3'-C2'	-7.91	94.69	102.60
26	BB	980	A	N1-C2-N3	-7.91	125.34	129.30
26	BB	1679	A	O4'-C1'-N9	7.91	114.53	108.20
26	BB	2523	G	C5-C6-O6	-7.91	123.86	128.60
1	AA	478	A	C5-C6-N1	7.91	121.65	117.70
26	BB	665	U	C4-C5-C6	7.91	124.44	119.70
26	BB	1997	C	N3-C4-C5	-7.91	118.74	121.90
26	BB	2074	U	C5'-C4'-O4'	7.91	118.59	109.10
1	AA	830	G	C5-C6-N1	7.91	115.45	111.50
26	BB	102	U	O3'-P-O5'	-7.91	88.98	104.00
26	BB	473	G	O4'-C1'-N9	7.91	114.52	108.20
26	BB	2223	G	N3-C4-C5	-7.91	124.65	128.60
1	AA	988	G	N1-C6-O6	-7.90	115.16	119.90
1	AA	521	G	C5'-C4'-O4'	7.90	118.58	109.10
1	AA	723	U	C4'-C3'-C2'	7.90	110.50	102.60
1	AA	887	G	C4-C5-N7	7.90	113.96	110.80
1	AA	1306	A	C4-C5-C6	7.90	120.95	117.00
26	BB	699	A	C8-N9-C4	-7.90	102.64	105.80
26	BB	997	G	C3'-C2'-C1'	-7.90	95.18	101.50
26	BB	1016	G	C4'-C3'-C2'	-7.90	94.70	102.60
26	BB	1713	A	N3-C4-N9	-7.90	121.08	127.40
1	AA	987	G	C6-N1-C2	-7.90	120.36	125.10
1	AA	1177	G	N1-C6-O6	-7.90	115.16	119.90
1	AA	1421	G	C5-C6-N1	7.90	115.45	111.50
26	BB	199	A	N1-C2-N3	-7.90	125.35	129.30
26	BB	2863	C	C1'-O4'-C4'	7.90	116.22	109.90
26	BB	803	U	O4'-C1'-N1	7.90	114.52	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	804	U	C5-C4-O4	-7.90	121.16	125.90
1	AA	1417	G	N1-C2-N3	-7.90	119.16	123.90
1	AA	1444	U	C5-C4-O4	-7.90	121.16	125.90
26	BB	228	C	N1-C2-O2	7.90	123.64	118.90
26	BB	521	U	C5-C6-N1	-7.90	118.75	122.70
26	BB	896	A	C3'-C2'-C1'	-7.90	95.18	101.50
26	BB	1259	G	N3-C4-C5	-7.90	124.65	128.60
26	BB	2359	C	N3-C2-O2	-7.90	116.37	121.90
40	BP	96	ARG	NE-CZ-NH2	-7.90	116.35	120.30
25	BA	27	C	C5'-C4'-C3'	-7.90	103.37	116.00
26	BB	66	C	C3'-C2'-C1'	7.90	107.82	101.50
26	BB	794	A	C4-C5-N7	7.90	114.65	110.70
1	AA	483	C	N3-C4-C5	-7.89	118.74	121.90
1	AA	563	A	O4'-C1'-N9	7.89	114.52	108.20
1	AA	929	G	N9-C4-C5	7.89	108.56	105.40
1	AA	1491	G	C4'-C3'-C2'	-7.89	94.70	102.60
26	BB	796	C	O4'-C1'-N1	7.89	114.52	108.20
26	BB	920	A	C5-C6-N6	-7.89	117.39	123.70
26	BB	2830	C	N3-C4-C5	-7.89	118.74	121.90
4	AD	15	G	C5-N7-C8	-7.89	100.35	104.30
26	BB	93	G	N7-C8-N9	7.89	117.05	113.10
26	BB	377	G	C5-C6-O6	-7.89	123.86	128.60
26	BB	648	G	C2-N3-C4	7.89	115.85	111.90
26	BB	2205	A	C3'-C2'-C1'	-7.89	95.19	101.50
1	AA	371	A	N1-C2-N3	-7.89	125.35	129.30
26	BB	794	A	N3-C4-C5	7.89	132.32	126.80
26	BB	2606	C	O4'-C1'-N1	7.89	114.51	108.20
26	BB	2656	U	N3-C4-C5	-7.89	109.86	114.60
29	BE	176	ASP	CB-CG-OD1	7.89	125.40	118.30
1	AA	188	C	N3-C4-N4	7.89	123.52	118.00
1	AA	622	A	C5-N7-C8	-7.89	99.95	103.90
2	AB	58	A	C5-C6-N1	7.89	121.64	117.70
25	BA	7	G	N3-C2-N2	-7.89	114.38	119.90
26	BB	1118	C	O4'-C1'-N1	7.89	114.51	108.20
1	AA	669	G	C5-C6-O6	-7.89	123.87	128.60
26	BB	2748	A	C3'-C2'-C1'	7.89	107.81	101.50
25	BA	11	C	C6-N1-C2	-7.89	117.15	120.30
26	BB	410	G	P-O3'-C3'	7.89	129.16	119.70
26	BB	1163	G	N1-C2-N2	7.89	123.30	116.20
26	BB	1355	G	O4'-C1'-N9	7.89	114.51	108.20
26	BB	1858	A	N1-C2-N3	7.89	133.24	129.30
26	BB	2054	A	N9-C1'-C2'	-7.89	103.32	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	791	G	C4-C5-N7	7.88	113.95	110.80
1	AA	1452	C	C2-N3-C4	7.88	123.84	119.90
2	AB	36	A	O4'-C1'-N9	7.88	114.51	108.20
26	BB	217	A	N3-C4-C5	-7.88	121.28	126.80
26	BB	711	G	N7-C8-N9	-7.88	109.16	113.10
26	BB	830	G	C5-C6-O6	7.88	133.33	128.60
26	BB	1225	G	C8-N9-C4	-7.88	103.25	106.40
26	BB	1887	C	C6-N1-C2	7.88	123.45	120.30
26	BB	2081	U	O4'-C4'-C3'	7.88	112.41	106.10
26	BB	2735	G	C5-N7-C8	-7.88	100.36	104.30
26	BB	2787	C	C5'-C4'-O4'	7.88	118.56	109.10
26	BB	2823	A	C5-N7-C8	-7.88	99.96	103.90
50	BZ	37	PHE	CB-CG-CD1	-7.88	115.28	120.80
26	BB	290	U	C3'-C2'-C1'	7.88	107.81	101.50
26	BB	1595	C	C4-C5-C6	-7.88	113.46	117.40
26	BB	1597	A	C5-C6-N6	-7.88	117.39	123.70
43	BS	2	ARG	NE-CZ-NH1	-7.88	116.36	120.30
1	AA	909	A	C5-N7-C8	7.88	107.84	103.90
4	AD	4	G	N3-C4-C5	-7.88	124.66	128.60
26	BB	446	G	C4-C5-C6	7.88	123.53	118.80
26	BB	2484	G	P-O3'-C3'	7.88	129.16	119.70
1	AA	1542	A	O4'-C4'-C3'	7.88	112.40	106.10
26	BB	424	G	N3-C4-N9	7.88	130.73	126.00
26	BB	443	A	N3-C4-N9	7.88	133.70	127.40
26	BB	261	G	C4-C5-N7	-7.88	107.65	110.80
26	BB	445	C	C2-N3-C4	7.88	123.84	119.90
26	BB	900	A	C5-N7-C8	7.88	107.84	103.90
26	BB	1635	A	N3-C4-C5	-7.88	121.29	126.80
26	BB	1670	C	C4'-C3'-C2'	-7.88	94.72	102.60
26	BB	2447	G	C6-C5-N7	-7.88	125.67	130.40
26	BB	2832	U	N1-C2-N3	7.88	119.63	114.90
40	BP	80	PHE	CB-CG-CD2	7.88	126.31	120.80
1	AA	388	G	C4-C5-C6	7.88	123.53	118.80
1	AA	433	G	N3-C4-C5	-7.88	124.66	128.60
1	AA	556	C	N1-C2-O2	7.88	123.63	118.90
1	AA	1267	C	C5'-C4'-O4'	7.88	118.55	109.10
2	AB	21	A	N1-C2-N3	-7.88	125.36	129.30
26	BB	1503	A	C4-C5-N7	7.88	114.64	110.70
26	BB	2623	G	C5-N7-C8	-7.88	100.36	104.30
32	BH	148	ARG	NE-CZ-NH2	7.88	124.24	120.30
1	AA	987	G	N1-C2-N3	7.88	128.62	123.90
26	BB	1131	G	N3-C4-C5	-7.88	124.66	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1361	G	N1-C6-O6	7.88	124.62	119.90
1	AA	87	C	C4-C5-C6	-7.87	113.46	117.40
1	AA	374	A	N7-C8-N9	7.87	117.74	113.80
1	AA	1196	A	N1-C2-N3	-7.87	125.36	129.30
6	AF	64	ARG	NE-CZ-NH2	7.87	124.24	120.30
18	AR	17	ASP	CB-CG-OD2	-7.87	111.21	118.30
25	BA	87	U	C4-C5-C6	-7.87	114.97	119.70
26	BB	579	G	N3-C4-C5	-7.87	124.66	128.60
26	BB	1091	G	N1-C2-N2	7.87	123.29	116.20
26	BB	1855	U	C1'-O4'-C4'	-7.87	103.60	109.90
26	BB	1868	C	C3'-C2'-C1'	7.87	107.80	101.50
26	BB	1661	G	C5'-C4'-O4'	7.87	118.55	109.10
26	BB	1827	U	N3-C4-C5	7.87	119.32	114.60
26	BB	2799	A	C4-C5-C6	-7.87	113.06	117.00
1	AA	669	G	C2-N3-C4	7.87	115.83	111.90
1	AA	1530	G	C8-N9-C4	-7.87	103.25	106.40
26	BB	1916	A	C3'-C2'-C1'	7.87	107.80	101.50
26	BB	1956	U	O4'-C1'-N1	7.87	114.50	108.20
1	AA	639	G	C2-N3-C4	7.87	115.83	111.90
1	AA	813	U	C5-C6-N1	-7.87	118.77	122.70
1	AA	1175	G	C6-N1-C2	7.87	129.82	125.10
1	AA	1538	C	O4'-C1'-N1	7.87	114.50	108.20
26	BB	258	G	N7-C8-N9	7.87	117.03	113.10
26	BB	551	G	C8-N9-C4	-7.87	103.25	106.40
26	BB	558	U	C6-N1-C2	-7.87	116.28	121.00
26	BB	752	A	C2-N3-C4	7.87	114.53	110.60
26	BB	1732	C	C4-C5-C6	-7.87	113.47	117.40
26	BB	2541	A	C4-C5-C6	-7.87	113.07	117.00
1	AA	533	A	C5-C6-N1	7.87	121.63	117.70
26	BB	47	C	N3-C4-N4	7.87	123.51	118.00
26	BB	2433	A	C4'-C3'-C2'	-7.87	94.73	102.60
26	BB	2441	U	C2-N3-C4	7.87	131.72	127.00
26	BB	2581	G	C6-N1-C2	-7.87	120.38	125.10
26	BB	2587	A	C3'-C2'-C1'	7.87	107.79	101.50
1	AA	86	G	O3'-P-O5'	-7.87	89.06	104.00
1	AA	474	G	C1'-O4'-C4'	7.87	116.19	109.90
1	AA	1222	G	N3-C2-N2	-7.87	114.39	119.90
1	AA	1275	A	C5-C6-N1	7.87	121.63	117.70
2	AB	43	G	C4-C5-C6	7.87	123.52	118.80
26	BB	733	G	C4-C5-N7	-7.87	107.65	110.80
26	BB	1337	G	C2-N3-C4	7.87	115.83	111.90
26	BB	1582	C	N3-C4-N4	-7.87	112.49	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2766	A	N1-C2-N3	7.87	133.23	129.30
1	AA	1279	G	P-O3'-C3'	7.86	129.13	119.70
1	AA	1438	G	N9-C4-C5	7.86	108.55	105.40
26	BB	299	A	C5-C6-N6	7.86	129.99	123.70
26	BB	2444	G	C2-N3-C4	-7.86	107.97	111.90
26	BB	2806	C	N3-C4-N4	-7.86	112.50	118.00
26	BB	1000	A	C8-N9-C4	7.86	108.94	105.80
26	BB	1087	G	C4-C5-N7	-7.86	107.66	110.80
26	BB	1362	C	C2-N3-C4	7.86	123.83	119.90
26	BB	1843	C	C5-C4-N4	-7.86	114.70	120.20
26	BB	2409	G	N1-C2-N3	-7.86	119.18	123.90
26	BB	2751	G	N7-C8-N9	-7.86	109.17	113.10
1	AA	384	G	C6-N1-C2	-7.86	120.38	125.10
1	AA	837	U	N1-C2-N3	7.86	119.62	114.90
26	BB	1682	G	N1-C2-N2	7.86	123.27	116.20
28	BD	155	ARG	NE-CZ-NH1	7.86	124.23	120.30
1	AA	131	A	N9-C4-C5	7.86	108.94	105.80
1	AA	806	C	C1'-O4'-C4'	7.86	116.19	109.90
1	AA	894	G	C5'-C4'-O4'	7.86	118.53	109.10
1	AA	1193	G	C5-C6-N1	7.86	115.43	111.50
26	BB	1473	G	C5-C6-N1	7.86	115.43	111.50
1	AA	39	G	N3-C4-N9	7.86	130.71	126.00
1	AA	1318	A	N1-C2-N3	-7.86	125.37	129.30
26	BB	414	C	C6-N1-C2	7.86	123.44	120.30
26	BB	1008	A	C6-N1-C2	-7.86	113.89	118.60
26	BB	2287	A	N7-C8-N9	7.86	117.73	113.80
26	BB	2644	G	N1-C6-O6	-7.86	115.19	119.90
54	B3	9	ARG	NE-CZ-NH1	-7.86	116.37	120.30
1	AA	264	C	C5-C4-N4	7.86	125.70	120.20
1	AA	790	A	O4'-C1'-N9	7.86	114.48	108.20
1	AA	793	U	C2-N3-C4	-7.86	122.29	127.00
1	AA	1111	A	C2-N3-C4	-7.86	106.67	110.60
1	AA	1534	A	C6-N1-C2	7.86	123.31	118.60
26	BB	773	U	C3'-C2'-C1'	7.86	107.78	101.50
26	BB	804	A	N1-C2-N3	7.86	133.23	129.30
26	BB	1026	G	C2-N3-C4	7.86	115.83	111.90
26	BB	1412	U	O4'-C1'-N1	7.86	114.48	108.20
26	BB	1752	C	O4'-C1'-N1	7.86	114.48	108.20
26	BB	1959	G	N3-C2-N2	-7.86	114.40	119.90
1	AA	843	U	C5-C4-O4	-7.85	121.19	125.90
1	AA	1178	G	N3-C4-C5	-7.85	124.67	128.60
2	AB	42	G	C5'-C4'-O4'	7.85	118.53	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	BX	9	ARG	NE-CZ-NH1	7.85	124.23	120.30
1	AA	152	A	C6-C5-N7	7.85	137.80	132.30
1	AA	193	C	C5-C4-N4	-7.85	114.70	120.20
1	AA	1087	G	C6-C5-N7	7.85	135.11	130.40
1	AA	1248	A	C6-N1-C2	7.85	123.31	118.60
2	AB	18	G	P-O3'-C3'	7.85	129.12	119.70
10	AJ	4	ARG	NE-CZ-NH1	7.85	124.23	120.30
26	BB	1101	U	C2-N3-C4	-7.85	122.29	127.00
26	BB	1816	C	P-O3'-C3'	7.85	129.12	119.70
26	BB	2089	C	C5-C4-N4	7.85	125.70	120.20
26	BB	2277	G	C5-C6-O6	-7.85	123.89	128.60
26	BB	2592	G	O4'-C1'-N9	7.85	114.48	108.20
1	AA	344	A	P-O3'-C3'	7.85	129.12	119.70
1	AA	690	G	C4-C5-N7	-7.85	107.66	110.80
1	AA	778	G	C5-C6-N1	7.85	115.42	111.50
26	BB	1877	A	N9-C4-C5	-7.85	102.66	105.80
1	AA	75	G	C6-N1-C2	-7.85	120.39	125.10
1	AA	663	A	C4-C5-N7	-7.85	106.78	110.70
1	AA	833	G	N3-C4-C5	-7.85	124.68	128.60
1	AA	1523	G	O4'-C1'-N9	7.85	114.48	108.20
3	AC	19	A	N7-C8-N9	7.85	117.72	113.80
26	BB	1878	G	N9-C4-C5	7.85	108.54	105.40
26	BB	2685	G	C6-C5-N7	-7.85	125.69	130.40
30	BF	21	ARG	NE-CZ-NH2	7.85	124.22	120.30
1	AA	139	A	N1-C6-N6	7.85	123.31	118.60
1	AA	937	A	N1-C6-N6	7.85	123.31	118.60
26	BB	217	A	C4'-C3'-C2'	-7.85	94.75	102.60
26	BB	1134	A	N1-C2-N3	-7.85	125.38	129.30
26	BB	1248	G	N1-C6-O6	-7.85	115.19	119.90
26	BB	1638	C	C2-N3-C4	7.85	123.82	119.90
26	BB	1938	A	C8-N9-C4	-7.85	102.66	105.80
1	AA	440	C	C6-N1-C2	7.85	123.44	120.30
1	AA	815	A	C5-C6-N6	7.85	129.98	123.70
8	AH	67	ARG	NH1-CZ-NH2	-7.85	110.77	119.40
26	BB	159	G	C8-N9-C4	-7.85	103.26	106.40
26	BB	2660	A	C1'-O4'-C4'	-7.85	103.62	109.90
1	AA	1001	C	C5-C4-N4	-7.84	114.71	120.20
26	BB	523	C	C5-C4-N4	-7.84	114.71	120.20
26	BB	1531	C	C5-C6-N1	-7.84	117.08	121.00
1	AA	1000	A	C5'-C4'-C3'	-7.84	103.45	116.00
1	AA	1277	C	C5-C6-N1	7.84	124.92	121.00
2	AB	26	A	N9-C4-C5	7.84	108.94	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	666	A	O4'-C1'-C2'	7.84	114.66	107.60
26	BB	899	A	O4'-C1'-N9	7.84	114.47	108.20
26	BB	1178	C	C6-N1-C2	7.84	123.44	120.30
26	BB	1178	C	N1-C2-O2	7.84	123.61	118.90
26	BB	1464	G	C2-N3-C4	7.84	115.82	111.90
26	BB	1651	G	C8-N9-C4	-7.84	103.26	106.40
26	BB	1662	U	N3-C2-O2	-7.84	116.71	122.20
26	BB	2023	C	N1-C2-O2	7.84	123.61	118.90
1	AA	314	C	C3'-C2'-C1'	7.84	107.77	101.50
1	AA	824	G	C8-N9-C4	-7.84	103.26	106.40
1	AA	1015	G	N3-C4-N9	7.84	130.70	126.00
1	AA	1162	C	C1'-O4'-C4'	-7.84	103.63	109.90
26	BB	1265	A	C3'-C2'-C1'	7.84	107.77	101.50
26	BB	1503	A	C6-C5-N7	-7.84	126.81	132.30
26	BB	1928	A	N7-C8-N9	7.84	117.72	113.80
26	BB	2607	G	C8-N9-C4	-7.84	103.26	106.40
32	BH	156	TYR	CG-CD2-CE2	-7.84	115.03	121.30
52	B1	40	THR	CA-CB-CG2	-7.84	101.42	112.40
26	BB	1981	A	C6-C5-N7	7.84	137.79	132.30
1	AA	194	C	O4'-C1'-N1	7.84	114.47	108.20
1	AA	201	G	N9-C1'-C2'	-7.84	103.38	112.00
1	AA	803	G	C2-N3-C4	-7.84	107.98	111.90
1	AA	885	G	N3-C4-N9	-7.84	121.30	126.00
1	AA	1112	C	N3-C4-N4	7.84	123.48	118.00
26	BB	349	U	O4'-C1'-N1	7.84	114.47	108.20
26	BB	613	A	C5-N7-C8	7.84	107.82	103.90
26	BB	901	C	C5-C4-N4	7.84	125.69	120.20
26	BB	2290	G	C6-N1-C2	-7.84	120.40	125.10
26	BB	2759	G	C4-C5-N7	-7.84	107.67	110.80
1	AA	121	U	C5'-C4'-O4'	7.83	118.50	109.10
1	AA	1043	G	C5'-C4'-O4'	7.83	118.50	109.10
24	AX	44	ARG	NE-CZ-NH2	-7.83	116.38	120.30
26	BB	711	G	C4-C5-N7	-7.83	107.67	110.80
26	BB	1337	G	N9-C4-C5	7.83	108.53	105.40
26	BB	2518	A	C4-C5-C6	7.83	120.92	117.00
1	AA	372	C	P-O3'-C3'	7.83	129.10	119.70
25	BA	75	G	N3-C4-C5	-7.83	124.68	128.60
25	BA	80	U	C5-C6-N1	-7.83	118.78	122.70
26	BB	863	A	N9-C4-C5	-7.83	102.67	105.80
26	BB	1034	G	C5-C6-O6	-7.83	123.90	128.60
26	BB	1666	G	N1-C2-N3	7.83	128.60	123.90
26	BB	1805	A	C5-C6-N1	7.83	121.62	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2304	G	C2-N3-C4	7.83	115.82	111.90
26	BB	2548	U	C3'-C2'-C1'	7.83	107.77	101.50
26	BB	2823	A	C4-C5-N7	7.83	114.62	110.70
1	AA	259	G	N3-C4-C5	7.83	132.52	128.60
1	AA	529	G	C5'-C4'-O4'	7.83	118.50	109.10
1	AA	867	G	C5-C6-O6	-7.83	123.90	128.60
26	BB	565	C	C5-C6-N1	-7.83	117.08	121.00
26	BB	605	G	C5-C6-O6	7.83	133.30	128.60
26	BB	894	U	O4'-C1'-N1	7.83	114.46	108.20
26	BB	930	G	N3-C4-C5	-7.83	124.68	128.60
26	BB	1307	A	C6-N1-C2	7.83	123.30	118.60
26	BB	1889	A	C8-N9-C4	-7.83	102.67	105.80
26	BB	2472	G	C4-C5-N7	7.83	113.93	110.80
26	BB	2081	U	C3'-C2'-C1'	7.83	107.76	101.50
26	BB	2210	U	N1-C2-O2	7.83	128.28	122.80
1	AA	4	U	O4'-C1'-C2'	-7.83	97.97	105.80
1	AA	457	G	N9-C4-C5	-7.83	102.27	105.40
1	AA	817	C	P-O3'-C3'	7.83	129.09	119.70
26	BB	77	G	C2-N3-C4	7.83	115.81	111.90
26	BB	550	C	C1'-O4'-C4'	7.83	116.16	109.90
26	BB	612	G	C8-N9-C4	-7.83	103.27	106.40
26	BB	1222	U	C5-C4-O4	-7.83	121.20	125.90
26	BB	1259	G	C4-C5-C6	7.83	123.50	118.80
26	BB	1743	G	N1-C6-O6	7.83	124.60	119.90
26	BB	1989	G	C4-C5-C6	7.83	123.50	118.80
26	BB	2238	G	C4-C5-C6	7.83	123.50	118.80
1	AA	409	U	O4'-C1'-N1	7.83	114.46	108.20
1	AA	1028	C	C1'-O4'-C4'	-7.83	103.64	109.90
1	AA	1225	A	C4-C5-N7	-7.83	106.79	110.70
1	AA	384	G	N1-C2-N2	-7.83	109.16	116.20
1	AA	428	G	C8-N9-C4	-7.83	103.27	106.40
1	AA	773	G	C4-C5-N7	-7.83	107.67	110.80
1	AA	957	U	N3-C4-C5	-7.83	109.91	114.60
26	BB	176	A	C4-C5-C6	-7.83	113.09	117.00
26	BB	1127	A	C8-N9-C4	-7.83	102.67	105.80
1	AA	668	G	C5-C6-O6	-7.82	123.91	128.60
1	AA	1523	G	C5'-C4'-O4'	7.82	118.49	109.10
26	BB	404	A	N7-C8-N9	7.82	117.71	113.80
26	BB	740	C	O4'-C1'-N1	7.82	114.46	108.20
26	BB	887	U	C3'-C2'-C1'	7.82	107.76	101.50
26	BB	1651	G	C5-C6-N1	7.82	115.41	111.50
26	BB	1689	A	N7-C8-N9	7.82	117.71	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1723	G	C8-N9-C4	-7.82	103.27	106.40
26	BB	1813	G	C5'-C4'-O4'	7.82	118.49	109.10
40	BP	103	ARG	NE-CZ-NH1	7.82	124.21	120.30
12	AL	17	ARG	NE-CZ-NH2	-7.82	116.39	120.30
26	BB	117	G	N3-C4-C5	-7.82	124.69	128.60
26	BB	2717	C	C4-C5-C6	-7.82	113.49	117.40
1	AA	1063	C	C6-N1-C2	-7.82	117.17	120.30
26	BB	1492	G	C4-C5-N7	-7.82	107.67	110.80
26	BB	1609	A	N1-C2-N3	7.82	133.21	129.30
26	BB	2757	A	C5'-C4'-O4'	7.82	118.48	109.10
26	BB	800	A	C5-N7-C8	7.82	107.81	103.90
26	BB	2749	A	C4'-C3'-C2'	-7.82	94.78	102.60
1	AA	96	U	O4'-C1'-N1	7.82	114.45	108.20
11	AK	85	TYR	CG-CD1-CE1	-7.82	115.05	121.30
26	BB	338	G	C4-C5-N7	7.82	113.93	110.80
26	BB	2232	C	O4'-C1'-N1	7.82	114.45	108.20
26	BB	2563	U	C5-C4-O4	7.82	130.59	125.90
1	AA	469	C	N3-C4-C5	-7.82	118.77	121.90
1	AA	1067	A	C8-N9-C4	-7.82	102.67	105.80
26	BB	1182	G	N9-C4-C5	7.82	108.53	105.40
1	AA	368	U	C1'-O4'-C4'	-7.81	103.65	109.90
1	AA	534	U	N3-C4-O4	7.81	124.87	119.40
26	BB	1271	G	N3-C2-N2	7.81	125.37	119.90
26	BB	1952	A	C5-N7-C8	-7.81	99.99	103.90
26	BB	2279	G	C5-C6-O6	-7.81	123.91	128.60
1	AA	3	A	C6-C5-N7	7.81	137.77	132.30
1	AA	364	A	O4'-C1'-N9	7.81	114.45	108.20
1	AA	440	C	P-O3'-C3'	7.81	129.07	119.70
1	AA	1106	G	N1-C2-N2	7.81	123.23	116.20
6	AF	29	ALA	N-CA-CB	-7.81	99.16	110.10
26	BB	322	A	N1-C6-N6	-7.81	113.91	118.60
26	BB	908	C	N3-C2-O2	-7.81	116.43	121.90
26	BB	1239	G	C2-N3-C4	7.81	115.81	111.90
26	BB	2040	G	N9-C4-C5	-7.81	102.28	105.40
26	BB	2644	G	O4'-C1'-N9	7.81	114.45	108.20
1	AA	1161	C	C4-C5-C6	-7.81	113.50	117.40
26	BB	262	A	N3-C4-C5	-7.81	121.33	126.80
1	AA	1092	A	C5'-C4'-O4'	7.81	118.47	109.10
1	AA	1367	C	N1-C2-O2	7.81	123.59	118.90
1	AA	1494	G	C5'-C4'-O4'	7.81	118.47	109.10
12	AL	90	ASP	CB-CG-OD2	-7.81	111.27	118.30
26	BB	336	C	C5'-C4'-O4'	7.81	118.47	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1561	C	C5-C4-N4	-7.81	114.73	120.20
26	BB	2574	G	C1'-O4'-C4'	7.81	116.15	109.90
1	AA	383	A	N9-C4-C5	-7.81	102.68	105.80
1	AA	634	C	C5'-C4'-O4'	7.81	118.47	109.10
26	BB	1959	G	C6-N1-C2	-7.81	120.42	125.10
1	AA	326	G	N9-C1'-C2'	-7.80	103.41	112.00
1	AA	565	U	C6-N1-C2	-7.80	116.32	121.00
1	AA	1327	C	N1-C2-O2	7.80	123.58	118.90
26	BB	218	A	C1'-O4'-C4'	-7.80	103.66	109.90
26	BB	521	U	O4'-C1'-N1	7.80	114.44	108.20
26	BB	933	A	N7-C8-N9	-7.80	109.90	113.80
26	BB	1041	G	O4'-C1'-N9	7.80	114.44	108.20
26	BB	2236	U	C4'-C3'-C2'	-7.80	94.80	102.60
36	BL	53	TYR	CB-CG-CD1	-7.80	116.32	121.00
1	AA	1522	U	N3-C2-O2	7.80	127.66	122.20
26	BB	792	A	C4-C5-N7	-7.80	106.80	110.70
26	BB	1274	A	C6-N1-C2	7.80	123.28	118.60
26	BB	1386	C	N3-C2-O2	-7.80	116.44	121.90
26	BB	1903	G	C6-N1-C2	-7.80	120.42	125.10
26	BB	1274	A	N9-C4-C5	-7.80	102.68	105.80
26	BB	1338	G	C4-C5-N7	7.80	113.92	110.80
26	BB	1602	U	N3-C4-C5	7.80	119.28	114.60
26	BB	1620	G	O4'-C1'-N9	7.80	114.44	108.20
26	BB	1965	C	C6-N1-C2	-7.80	117.18	120.30
1	AA	169	C	N1-C2-N3	-7.80	113.74	119.20
1	AA	479	U	C5'-C4'-O4'	7.80	118.46	109.10
1	AA	588	G	C5-C6-O6	-7.80	123.92	128.60
26	BB	372	G	O4'-C1'-C2'	-7.80	98.00	105.80
26	BB	1404	C	C4'-C3'-C2'	-7.80	94.80	102.60
26	BB	1465	G	N1-C2-N2	-7.80	109.18	116.20
26	BB	1941	C	C1'-O4'-C4'	7.80	116.14	109.90
26	BB	2011	U	N3-C4-C5	7.80	119.28	114.60
27	BC	21	TYR	CG-CD2-CE2	-7.80	115.06	121.30
1	AA	554	A	N9-C4-C5	7.80	108.92	105.80
1	AA	672	U	C5'-C4'-O4'	7.80	118.46	109.10
1	AA	721	G	C2-N3-C4	7.80	115.80	111.90
3	AC	22	G	C3'-C2'-C1'	7.80	107.74	101.50
26	BB	35	G	O4'-C4'-C3'	-7.80	96.20	104.00
26	BB	484	C	N3-C4-C5	7.80	125.02	121.90
26	BB	957	C	O4'-C1'-N1	7.80	114.44	108.20
26	BB	2319	G	O4'-C1'-N9	7.80	114.44	108.20
1	AA	227	G	O4'-C1'-N9	7.79	114.44	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	261	U	N3-C4-O4	7.79	124.86	119.40
1	AA	1199	U	O4'-C1'-N1	7.79	114.44	108.20
26	BB	1240	U	C5-C6-N1	-7.79	118.80	122.70
1	AA	1483	A	N7-C8-N9	7.79	117.70	113.80
6	AF	22	PHE	CB-CG-CD2	-7.79	115.34	120.80
25	BA	90	C	O4'-C1'-N1	7.79	114.44	108.20
26	BB	973	A	C6-N1-C2	7.79	123.28	118.60
26	BB	1365	A	C5-C6-N6	-7.79	117.47	123.70
26	BB	1601	G	N3-C2-N2	7.79	125.36	119.90
26	BB	1641	A	N1-C6-N6	7.79	123.28	118.60
26	BB	2017	U	C5'-C4'-O4'	7.79	118.45	109.10
1	AA	805	C	N1-C2-O2	7.79	123.58	118.90
26	BB	1877	A	C6-N1-C2	-7.79	113.93	118.60
26	BB	2010	G	C5-C6-N1	7.79	115.40	111.50
26	BB	2577	A	N7-C8-N9	7.79	117.70	113.80
1	AA	75	G	N1-C6-O6	-7.79	115.23	119.90
1	AA	942	G	N9-C4-C5	7.79	108.52	105.40
26	BB	165	A	C2-N3-C4	7.79	114.50	110.60
26	BB	1530	G	C8-N9-C4	-7.79	103.28	106.40
26	BB	1719	G	C5'-C4'-O4'	7.79	118.45	109.10
26	BB	1877	A	C5-C6-N1	7.79	121.59	117.70
26	BB	2592	G	C4-C5-N7	-7.79	107.68	110.80
26	BB	2827	C	N3-C2-O2	-7.79	116.45	121.90
37	BM	71	ARG	NE-CZ-NH2	-7.79	116.41	120.30
1	AA	694	A	C4'-C3'-C2'	-7.79	94.81	102.60
1	AA	985	C	C4'-C3'-C2'	-7.79	94.81	102.60
1	AA	1049	U	C2-N3-C4	-7.79	122.33	127.00
4	AD	68	C	N1-C1'-C2'	-7.79	103.43	112.00
5	AE	6	ARG	NE-CZ-NH2	-7.79	116.41	120.30
26	BB	36	G	N9-C4-C5	7.79	108.52	105.40
26	BB	123	G	C8-N9-C4	-7.79	103.28	106.40
26	BB	2365	G	C2-N3-C4	7.79	115.79	111.90
1	AA	1094	G	N3-C4-N9	7.79	130.67	126.00
1	AA	1476	A	N9-C4-C5	7.79	108.92	105.80
26	BB	2400	G	C1'-O4'-C4'	7.79	116.13	109.90
1	AA	36	C	C5-C4-N4	-7.79	114.75	120.20
1	AA	839	C	N1-C2-N3	7.79	124.65	119.20
26	BB	180	G	C5-N7-C8	-7.79	100.41	104.30
26	BB	356	G	O4'-C1'-N9	7.79	114.43	108.20
26	BB	614	A	P-O3'-C3'	7.79	129.04	119.70
26	BB	777	G	N3-C4-C5	-7.79	124.71	128.60
26	BB	1654	A	C4-C5-N7	-7.79	106.81	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2000	C	O4'-C1'-N1	7.79	114.43	108.20
26	BB	2051	A	C3'-C2'-C1'	7.79	107.73	101.50
26	BB	2516	A	N9-C4-C5	7.79	108.91	105.80
26	BB	2688	G	N1-C2-N3	-7.79	119.23	123.90
25	BA	28	C	C3'-C2'-C1'	7.78	107.73	101.50
26	BB	339	U	N3-C4-C5	7.78	119.27	114.60
26	BB	1330	C	N3-C4-C5	7.78	125.01	121.90
26	BB	1731	G	N9-C4-C5	7.78	108.51	105.40
26	BB	2567	G	N1-C6-O6	-7.78	115.23	119.90
26	BB	2765	A	C2-N3-C4	7.78	114.49	110.60
2	AB	39	A	O4'-C1'-N9	7.78	114.42	108.20
1	AA	222	C	C6-N1-C2	-7.78	117.19	120.30
1	AA	748	G	C4-C5-N7	-7.78	107.69	110.80
16	AP	91	ARG	NE-CZ-NH2	-7.78	116.41	120.30
26	BB	142	A	C4-C5-N7	-7.78	106.81	110.70
26	BB	813	U	O4'-C1'-N1	7.78	114.42	108.20
26	BB	1683	U	C3'-C2'-C1'	7.78	107.72	101.50
26	BB	1824	G	N1-C6-O6	-7.78	115.23	119.90
28	BD	269	ARG	NE-CZ-NH2	-7.78	116.41	120.30
48	BX	43	ASP	CB-CG-OD2	-7.78	111.30	118.30
1	AA	58	C	C4-C5-C6	7.78	121.29	117.40
26	BB	906	U	O4'-C1'-N1	7.78	114.42	108.20
46	BV	77	ARG	NE-CZ-NH2	7.78	124.19	120.30
26	BB	1511	G	N3-C4-N9	-7.78	121.33	126.00
26	BB	2833	U	N1-C2-O2	7.78	128.24	122.80
1	AA	71	A	N1-C2-N3	7.78	133.19	129.30
1	AA	770	C	O4'-C1'-N1	7.78	114.42	108.20
7	AG	153	ARG	NH1-CZ-NH2	-7.78	110.85	119.40
8	AH	137	ARG	NE-CZ-NH1	-7.78	116.41	120.30
26	BB	1210	G	N3-C2-N2	-7.78	114.46	119.90
26	BB	1212	G	C2-N3-C4	7.78	115.79	111.90
26	BB	1658	C	C4'-C3'-C2'	-7.78	94.82	102.60
26	BB	1960	A	C5-N7-C8	7.78	107.79	103.90
26	BB	2381	A	C1'-O4'-C4'	7.78	116.12	109.90
26	BB	2502	G	N3-C4-C5	-7.78	124.71	128.60
26	BB	26	G	N3-C2-N2	7.77	125.34	119.90
26	BB	659	G	C4-C5-C6	-7.77	114.14	118.80
26	BB	2205	A	N9-C4-C5	7.77	108.91	105.80
1	AA	20	U	O4'-C1'-N1	7.77	114.42	108.20
3	AC	32	U	N3-C2-O2	7.77	127.64	122.20
26	BB	91	A	N7-C8-N9	7.77	117.69	113.80
26	BB	602	A	C3'-C2'-C1'	7.77	107.72	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2840	C	N3-C4-C5	7.77	125.01	121.90
1	AA	143	A	N1-C6-N6	-7.77	113.94	118.60
1	AA	1415	G	N3-C4-C5	-7.77	124.72	128.60
26	BB	2370	G	P-O3'-C3'	7.77	129.02	119.70
26	BB	2617	U	C5-C4-O4	-7.77	121.24	125.90
26	BB	2646	C	C1'-O4'-C4'	7.77	116.12	109.90
26	BB	2673	G	C5-C6-O6	-7.77	123.94	128.60
26	BB	2843	G	C4'-C3'-C2'	-7.77	94.83	102.60
1	AA	568	G	N7-C8-N9	7.77	116.98	113.10
1	AA	575	G	N1-C6-O6	7.77	124.56	119.90
1	AA	635	A	N9-C1'-C2'	-7.77	103.45	112.00
1	AA	745	G	N3-C2-N2	-7.77	114.46	119.90
1	AA	809	G	N9-C4-C5	-7.77	102.29	105.40
26	BB	234	U	C3'-C2'-C1'	7.77	107.71	101.50
26	BB	725	G	N9-C4-C5	7.77	108.51	105.40
26	BB	881	G	C4-C5-N7	7.77	113.91	110.80
26	BB	882	G	N9-C4-C5	7.77	108.51	105.40
26	BB	2105	U	N3-C2-O2	-7.77	116.76	122.20
26	BB	2267	A	N9-C1'-C2'	7.77	124.10	114.00
1	AA	632	U	C1'-O4'-C4'	-7.77	103.69	109.90
1	AA	697	U	C2-N3-C4	-7.77	122.34	127.00
1	AA	1270	G	C4'-C3'-C2'	-7.77	94.83	102.60
26	BB	85	G	N3-C4-C5	-7.77	124.72	128.60
26	BB	651	G	C5-C6-O6	-7.77	123.94	128.60
26	BB	818	G	P-O3'-C3'	7.77	129.02	119.70
26	BB	2568	U	N3-C2-O2	-7.77	116.76	122.20
1	AA	236	A	C5-N7-C8	-7.76	100.02	103.90
1	AA	340	U	C6-N1-C2	-7.76	116.34	121.00
1	AA	356	A	N7-C8-N9	-7.76	109.92	113.80
1	AA	425	G	N3-C4-N9	7.76	130.66	126.00
1	AA	454	G	C8-N9-C4	-7.76	103.29	106.40
1	AA	671	G	C4-C5-N7	-7.76	107.69	110.80
26	BB	457	A	C8-N9-C4	-7.76	102.69	105.80
26	BB	908	C	C1'-O4'-C4'	-7.76	103.69	109.90
1	AA	440	C	N3-C4-N4	-7.76	112.57	118.00
26	BB	883	G	C8-N9-C4	-7.76	103.30	106.40
26	BB	2157	G	N3-C4-N9	-7.76	121.34	126.00
1	AA	78	A	N1-C6-N6	7.76	123.26	118.60
1	AA	122	G	N9-C4-C5	7.76	108.50	105.40
1	AA	332	G	N1-C2-N3	-7.76	119.24	123.90
1	AA	374	A	C8-N9-C4	-7.76	102.69	105.80
1	AA	1043	G	O4'-C1'-N9	7.76	114.41	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	496	G	C2-N3-C4	7.76	115.78	111.90
26	BB	1010	A	C4'-C3'-C2'	7.76	110.36	102.60
26	BB	1284	A	N9-C4-C5	7.76	108.91	105.80
26	BB	1498	C	C1'-O4'-C4'	7.76	116.11	109.90
26	BB	1587	G	N9-C4-C5	7.76	108.50	105.40
1	AA	730	G	C6-N1-C2	-7.76	120.44	125.10
1	AA	873	A	C2-N3-C4	7.76	114.48	110.60
1	AA	1425	U	C5'-C4'-O4'	7.76	118.41	109.10
4	AD	65	G	O4'-C1'-N9	7.76	114.41	108.20
24	AX	6	ARG	NE-CZ-NH2	-7.76	116.42	120.30
26	BB	835	C	C6-N1-C2	-7.76	117.20	120.30
26	BB	980	A	C3'-C2'-C1'	7.76	107.71	101.50
26	BB	2071	A	O4'-C1'-N9	-7.76	101.99	108.20
26	BB	2131	U	C5-C4-O4	-7.76	121.25	125.90
26	BB	2532	G	O4'-C1'-N9	7.76	114.41	108.20
1	AA	626	G	C8-N9-C4	-7.76	103.30	106.40
1	AA	741	G	O4'-C1'-N9	7.76	114.41	108.20
1	AA	1310	G	N3-C4-C5	-7.76	124.72	128.60
26	BB	916	G	C6-C5-N7	-7.76	125.75	130.40
26	BB	1289	C	O4'-C4'-C3'	7.76	112.31	106.10
26	BB	1485	U	N3-C2-O2	-7.76	116.77	122.20
26	BB	2140	G	C6-C5-N7	7.76	135.06	130.40
26	BB	2184	A	O4'-C1'-N9	7.76	114.41	108.20
1	AA	64	G	N9-C4-C5	7.76	108.50	105.40
1	AA	155	A	N1-C2-N3	-7.76	125.42	129.30
1	AA	367	U	N3-C2-O2	-7.76	116.77	122.20
1	AA	460	A	C5-N7-C8	-7.76	100.02	103.90
26	BB	911	A	C1'-O4'-C4'	7.76	116.11	109.90
26	BB	2277	G	C2-N3-C4	7.76	115.78	111.90
26	BB	2626	C	C2-N3-C4	7.76	123.78	119.90
26	BB	2886	A	N1-C2-N3	7.76	133.18	129.30
1	AA	1428	A	P-O3'-C3'	7.75	129.01	119.70
26	BB	666	A	N1-C6-N6	-7.75	113.95	118.60
26	BB	1191	G	N3-C4-C5	-7.75	124.72	128.60
26	BB	2649	C	N1-C2-O2	7.75	123.55	118.90
26	BB	2819	G	C6-N1-C2	-7.75	120.45	125.10
1	AA	111	G	N1-C2-N2	-7.75	109.22	116.20
1	AA	1180	A	C3'-C2'-C1'	7.75	107.70	101.50
1	AA	1417	G	C4-C5-N7	7.75	113.90	110.80
3	AC	24	A	C3'-C2'-C1'	7.75	107.70	101.50
4	AD	30	G	N9-C4-C5	-7.75	102.30	105.40
4	AD	51	U	N3-C4-O4	7.75	124.83	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	361	G	C8-N9-C4	-7.75	103.30	106.40
26	BB	570	G	O4'-C1'-N9	-7.75	102.00	108.20
26	BB	855	G	C4-C5-N7	-7.75	107.70	110.80
26	BB	978	G	C5-C6-O6	-7.75	123.95	128.60
26	BB	1155	A	C1'-O4'-C4'	-7.75	103.70	109.90
26	BB	2315	G	C4-C5-N7	7.75	113.90	110.80
26	BB	2802	G	C3'-C2'-C1'	-7.75	95.30	101.50
1	AA	398	U	C4'-C3'-C2'	-7.75	94.85	102.60
1	AA	1216	A	C5-C6-N1	-7.75	113.82	117.70
3	AC	23	C	N1-C2-O2	7.75	123.55	118.90
26	BB	143	C	C6-N1-C2	-7.75	117.20	120.30
26	BB	552	U	N1-C1'-C2'	-7.75	103.47	112.00
26	BB	2014	A	O4'-C1'-C2'	7.75	114.58	107.60
26	BB	2215	C	C5'-C4'-O4'	7.75	118.40	109.10
26	BB	2724	U	N1-C1'-C2'	-7.75	103.47	112.00
1	AA	926	G	C6-N1-C2	-7.75	120.45	125.10
7	AG	75	TYR	CD1-CE1-CZ	7.75	126.78	119.80
26	BB	1151	A	O4'-C1'-N9	7.75	114.40	108.20
1	AA	29	U	C6-N1-C2	7.75	125.65	121.00
26	BB	333	G	C8-N9-C4	-7.75	103.30	106.40
26	BB	1207	C	N1-C2-O2	7.75	123.55	118.90
26	BB	2576	G	C8-N9-C1'	-7.75	116.93	127.00
1	AA	425	G	N3-C2-N2	-7.75	114.48	119.90
1	AA	1315	U	N1-C2-N3	7.75	119.55	114.90
1	AA	1387	G	N3-C4-N9	7.75	130.65	126.00
26	BB	625	G	C6-N1-C2	-7.75	120.45	125.10
26	BB	784	G	N3-C2-N2	7.75	125.32	119.90
26	BB	796	C	C6-N1-C2	-7.75	117.20	120.30
26	BB	1181	U	C5-C6-N1	-7.75	118.83	122.70
26	BB	1208	C	C5-C6-N1	-7.75	117.13	121.00
26	BB	1212	G	N9-C4-C5	7.75	108.50	105.40
26	BB	2007	U	C5-C4-O4	-7.75	121.25	125.90
1	AA	142	G	C5-C6-O6	-7.75	123.95	128.60
1	AA	1215	G	N9-C4-C5	7.75	108.50	105.40
25	BA	107	G	N1-C6-O6	7.75	124.55	119.90
26	BB	408	G	N1-C2-N3	-7.75	119.25	123.90
26	BB	495	G	N3-C4-C5	-7.75	124.73	128.60
26	BB	1617	C	N1-C2-O2	7.75	123.55	118.90
26	BB	1884	G	P-O3'-C3'	7.75	128.99	119.70
1	AA	39	G	C4-C5-N7	7.74	113.90	110.80
1	AA	149	A	C3'-C2'-C1'	7.74	107.69	101.50
1	AA	182	A	O4'-C1'-N9	7.74	114.39	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	491	G	O4'-C4'-C3'	7.74	112.29	106.10
26	BB	1764	C	N3-C2-O2	-7.74	116.48	121.90
26	BB	2002	G	N3-C4-C5	-7.74	124.73	128.60
26	BB	2080	A	N1-C6-N6	7.74	123.25	118.60
26	BB	2300	C	C5'-C4'-C3'	-7.74	103.61	116.00
26	BB	2621	G	N3-C2-N2	-7.74	114.48	119.90
26	BB	2792	A	N9-C1'-C2'	-7.74	103.48	112.00
1	AA	172	A	N7-C8-N9	7.74	117.67	113.80
2	AB	25	C	N3-C4-C5	-7.74	118.80	121.90
1	AA	559	A	N7-C8-N9	7.74	117.67	113.80
1	AA	746	A	C1'-O4'-C4'	-7.74	103.71	109.90
1	AA	1323	G	N3-C4-C5	-7.74	124.73	128.60
26	BB	370	G	C4-C5-N7	-7.74	107.70	110.80
26	BB	1051	G	N9-C4-C5	7.74	108.50	105.40
26	BB	1449	G	O4'-C1'-N9	7.74	114.39	108.20
26	BB	2426	A	C6-N1-C2	7.74	123.24	118.60
26	BB	2590	A	C2-N3-C4	-7.74	106.73	110.60
26	BB	2747	G	O4'-C1'-N9	7.74	114.39	108.20
1	AA	650	G	C5-C6-O6	7.74	133.24	128.60
1	AA	867	G	C8-N9-C4	-7.74	103.31	106.40
1	AA	1138	G	N7-C8-N9	-7.74	109.23	113.10
1	AA	1414	U	N3-C2-O2	-7.74	116.78	122.20
25	BA	18	G	C4-C5-N7	-7.74	107.70	110.80
26	BB	684	G	N7-C8-N9	7.74	116.97	113.10
26	BB	975	A	N1-C2-N3	-7.74	125.43	129.30
26	BB	1902	C	C6-N1-C2	-7.74	117.20	120.30
26	BB	2223	G	C5-N7-C8	-7.74	100.43	104.30
26	BB	2292	U	C5-C4-O4	-7.74	121.26	125.90
34	BJ	41	ARG	NE-CZ-NH2	-7.74	116.43	120.30
1	AA	298	A	C8-N9-C4	-7.74	102.70	105.80
26	BB	292	U	N3-C2-O2	-7.74	116.78	122.20
26	BB	620	G	C5'-C4'-O4'	-7.74	99.81	109.10
26	BB	1366	A	C5-N7-C8	-7.74	100.03	103.90
26	BB	2812	G	C5-C6-N1	7.74	115.37	111.50
26	BB	2849	U	P-O3'-C3'	7.74	128.98	119.70
1	AA	376	G	C1'-O4'-C4'	-7.74	103.71	109.90
1	AA	1042	A	C5-N7-C8	-7.74	100.03	103.90
1	AA	1255	G	N3-C2-N2	-7.74	114.49	119.90
3	AC	50	U	C5-C6-N1	-7.74	118.83	122.70
26	BB	340	A	C5-N7-C8	7.74	107.77	103.90
26	BB	1069	A	N1-C2-N3	7.74	133.17	129.30
25	BA	10	G	N9-C1'-C2'	-7.73	103.49	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	775	G	C8-N9-C4	-7.73	103.31	106.40
26	BB	1055	G	O4'-C1'-N9	7.73	114.39	108.20
26	BB	1421	G	N1-C2-N3	-7.73	119.26	123.90
26	BB	2370	G	O4'-C1'-N9	7.73	114.39	108.20
1	AA	1270	G	N1-C2-N2	7.73	123.16	116.20
26	BB	384	A	N1-C2-N3	-7.73	125.43	129.30
26	BB	1540	G	N7-C8-N9	-7.73	109.23	113.10
1	AA	1432	G	C5-C6-N1	7.73	115.36	111.50
26	BB	767	U	C2-N3-C4	-7.73	122.36	127.00
26	BB	1387	A	N9-C4-C5	-7.73	102.71	105.80
26	BB	2407	A	C8-N9-C4	-7.73	102.71	105.80
1	AA	599	C	N3-C2-O2	-7.73	116.49	121.90
1	AA	728	A	C8-N9-C4	-7.73	102.71	105.80
1	AA	1312	G	C4-C5-C6	7.73	123.44	118.80
26	BB	183	C	O4'-C4'-C3'	7.73	112.28	106.10
26	BB	1266	G	C8-N9-C4	-7.73	103.31	106.40
1	AA	230	G	C5-C6-O6	7.73	133.24	128.60
1	AA	268	U	O4'-C1'-N1	7.73	114.38	108.20
1	AA	633	G	N1-C6-O6	-7.73	115.26	119.90
1	AA	1358	U	C5-C6-N1	-7.73	118.84	122.70
8	AH	68	ARG	NE-CZ-NH1	7.73	124.16	120.30
26	BB	262	A	C2-N3-C4	7.73	114.46	110.60
26	BB	769	U	C2-N3-C4	-7.73	122.36	127.00
26	BB	931	U	N1-C2-N3	7.73	119.54	114.90
26	BB	1613	G	N7-C8-N9	-7.73	109.24	113.10
26	BB	493	G	O4'-C1'-N9	7.73	114.38	108.20
26	BB	555	G	C2-N3-C4	7.73	115.76	111.90
26	BB	1522	A	O4'-C4'-C3'	7.73	112.28	106.10
26	BB	1882	U	N3-C4-O4	7.73	124.81	119.40
26	BB	2137	U	C2-N3-C4	-7.73	122.36	127.00
1	AA	372	C	C1'-O4'-C4'	-7.72	103.72	109.90
1	AA	903	G	C2-N3-C4	7.72	115.76	111.90
26	BB	134	G	N7-C8-N9	7.72	116.96	113.10
26	BB	705	A	C5-N7-C8	7.72	107.76	103.90
26	BB	1215	G	O4'-C1'-N9	7.72	114.38	108.20
26	BB	1216	G	C2-N3-C4	7.72	115.76	111.90
26	BB	1651	G	N1-C6-O6	-7.72	115.27	119.90
26	BB	1815	A	C8-N9-C4	-7.72	102.71	105.80
26	BB	2607	G	C5-C6-N1	7.72	115.36	111.50
1	AA	1	A	C5-N7-C8	7.72	107.76	103.90
1	AA	61	G	C5-C6-N1	7.72	115.36	111.50
1	AA	897	C	O4'-C1'-N1	7.72	114.38	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	39	U	N1-C2-N3	7.72	119.53	114.90
26	BB	660	C	O4'-C1'-N1	7.72	114.38	108.20
26	BB	803	U	N3-C4-O4	-7.72	114.00	119.40
26	BB	843	G	C3'-C2'-C1'	7.72	107.68	101.50
26	BB	2644	G	N9-C1'-C2'	-7.72	103.50	112.00
26	BB	34	U	C5-C4-O4	7.72	130.53	125.90
26	BB	874	G	C8-N9-C4	-7.72	103.31	106.40
1	AA	843	U	C5'-C4'-O4'	7.72	118.36	109.10
1	AA	921	U	C5-C4-O4	-7.72	121.27	125.90
3	AC	47	C	N3-C4-C5	7.72	124.99	121.90
26	BB	628	G	N1-C6-O6	7.72	124.53	119.90
26	BB	775	G	N3-C4-N9	7.72	130.63	126.00
26	BB	946	C	N3-C4-N4	7.72	123.40	118.00
26	BB	1026	G	N7-C8-N9	7.72	116.96	113.10
26	BB	1300	G	P-O3'-C3'	7.72	128.96	119.70
26	BB	1477	A	N7-C8-N9	7.72	117.66	113.80
26	BB	1532	A	C4-C5-C6	-7.72	113.14	117.00
26	BB	1968	G	C4-C5-N7	7.72	113.89	110.80
1	AA	91	U	N1-C2-O2	7.72	128.20	122.80
26	BB	346	A	C5-N7-C8	-7.72	100.04	103.90
26	BB	2376	A	N9-C4-C5	7.72	108.89	105.80
1	AA	1006	G	N3-C4-C5	-7.72	124.74	128.60
1	AA	1234	C	C5-C4-N4	-7.72	114.80	120.20
1	AA	1303	C	C4-C5-C6	-7.72	113.54	117.40
26	BB	189	G	C3'-C2'-C1'	-7.72	95.33	101.50
26	BB	1926	U	N3-C2-O2	-7.72	116.80	122.20
26	BB	2383	G	C5-N7-C8	-7.72	100.44	104.30
28	BD	170	TYR	CB-CG-CD1	-7.72	116.37	121.00
1	AA	85	U	O4'-C1'-N1	7.71	114.37	108.20
1	AA	1106	G	N7-C8-N9	7.71	116.96	113.10
1	AA	1347	G	N9-C4-C5	7.71	108.49	105.40
26	BB	119	A	C6-C5-N7	-7.71	126.90	132.30
26	BB	442	G	O4'-C1'-N9	7.71	114.37	108.20
26	BB	982	C	N1-C2-O2	7.71	123.53	118.90
49	BY	25	PHE	CB-CG-CD2	-7.71	115.40	120.80
26	BB	265	A	C4-C5-N7	-7.71	106.84	110.70
1	AA	80	A	C5-N7-C8	7.71	107.75	103.90
1	AA	744	C	C4-C5-C6	7.71	121.26	117.40
2	AB	48	U	C1'-O4'-C4'	-7.71	103.73	109.90
26	BB	362	A	C5'-C4'-O4'	7.71	118.36	109.10
26	BB	730	A	C3'-C2'-C1'	-7.71	95.33	101.50
26	BB	970	U	C4-C5-C6	7.71	124.33	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1238	G	N1-C2-N2	-7.71	109.26	116.20
26	BB	1420	A	N1-C6-N6	7.71	123.23	118.60
26	BB	1735	A	C5-C6-N6	-7.71	117.53	123.70
26	BB	1850	G	N3-C4-N9	7.71	130.63	126.00
26	BB	2315	G	C5'-C4'-O4'	7.71	118.35	109.10
26	BB	2811	G	C4'-C3'-C2'	-7.71	94.89	102.60
1	AA	455	G	O4'-C4'-C3'	7.71	112.27	106.10
1	AA	1403	C	C4-C5-C6	-7.71	113.55	117.40
26	BB	1811	G	C5-C6-N1	7.71	115.36	111.50
26	BB	2006	C	C6-N1-C2	-7.71	117.22	120.30
26	BB	2316	G	C5-N7-C8	-7.71	100.44	104.30
32	BH	163	TYR	CB-CG-CD1	-7.71	116.37	121.00
1	AA	264	C	C2-N3-C4	7.71	123.75	119.90
1	AA	893	C	O4'-C1'-N1	7.71	114.37	108.20
1	AA	1190	G	N9-C4-C5	7.71	108.48	105.40
1	AA	1486	G	N9-C4-C5	-7.71	102.32	105.40
26	BB	53	A	C5-C6-N6	7.71	129.87	123.70
26	BB	580	U	N3-C4-O4	-7.71	114.00	119.40
26	BB	650	C	C2-N3-C4	7.71	123.75	119.90
26	BB	920	A	C5-C6-N1	7.71	121.56	117.70
26	BB	1487	U	C5-C4-O4	-7.71	121.28	125.90
26	BB	2062	A	N3-C4-C5	-7.71	121.40	126.80
26	BB	2586	U	C3'-C2'-C1'	7.71	107.67	101.50
26	BB	2801	G	C5-C6-N1	-7.71	107.65	111.50
1	AA	236	A	C2-N3-C4	7.71	114.45	110.60
1	AA	973	G	C4-C5-N7	7.71	113.88	110.80
26	BB	213	A	N1-C2-N3	-7.71	125.45	129.30
26	BB	470	A	C5-N7-C8	7.71	107.75	103.90
26	BB	1518	C	N1-C2-O2	7.71	123.52	118.90
26	BB	1926	U	C5-C4-O4	7.71	130.52	125.90
1	AA	869	G	C8-N9-C4	-7.71	103.32	106.40
26	BB	535	G	C8-N9-C4	-7.71	103.32	106.40
26	BB	2112	G	N7-C8-N9	-7.71	109.25	113.10
1	AA	719	C	C5'-C4'-O4'	-7.70	99.86	109.10
1	AA	1104	G	C4-C5-C6	7.70	123.42	118.80
26	BB	54	G	C4-C5-N7	7.70	113.88	110.80
26	BB	449	A	O4'-C1'-N9	7.70	114.36	108.20
26	BB	476	G	C4-C5-N7	-7.70	107.72	110.80
26	BB	719	C	O4'-C1'-N1	7.70	114.36	108.20
26	BB	1824	G	C8-N9-C1'	7.70	137.01	127.00
26	BB	2412	A	C5-N7-C8	7.70	107.75	103.90
26	BB	2688	G	C8-N9-C4	-7.70	103.32	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	456	A	C2-N3-C4	-7.70	106.75	110.60
1	AA	985	C	N1-C2-O2	7.70	123.52	118.90
26	BB	496	G	C5-C6-N1	7.70	115.35	111.50
26	BB	1567	G	C5-C6-O6	-7.70	123.98	128.60
26	BB	1846	G	C5'-C4'-O4'	7.70	118.34	109.10
26	BB	2723	C	C6-N1-C2	-7.70	117.22	120.30
1	AA	155	A	N7-C8-N9	7.70	117.65	113.80
1	AA	665	A	C8-N9-C4	7.70	108.88	105.80
1	AA	1247	U	N3-C4-C5	7.70	119.22	114.60
1	AA	1368	A	N1-C6-N6	-7.70	113.98	118.60
3	AC	24	A	C5-C6-N1	-7.70	113.85	117.70
7	AG	61	ARG	NE-CZ-NH1	7.70	124.15	120.30
25	BA	76	G	N1-C2-N3	7.70	128.52	123.90
25	BA	117	G	C5-C6-N1	7.70	115.35	111.50
26	BB	533	G	C2-N3-C4	7.70	115.75	111.90
26	BB	869	G	C5-C6-O6	7.70	133.22	128.60
26	BB	1232	G	N7-C8-N9	7.70	116.95	113.10
26	BB	1546	G	O4'-C1'-N9	7.70	114.36	108.20
26	BB	1997	C	O4'-C1'-N1	7.70	114.36	108.20
1	AA	115	G	N1-C6-O6	-7.70	115.28	119.90
1	AA	248	C	C5-C6-N1	-7.70	117.15	121.00
1	AA	1171	A	C4'-C3'-C2'	7.70	110.30	102.60
1	AA	1176	A	C8-N9-C4	-7.70	102.72	105.80
26	BB	424	G	C4-N9-C1'	-7.70	116.49	126.50
26	BB	1182	G	N1-C2-N3	7.70	128.52	123.90
26	BB	1452	G	C5-C6-N1	7.70	115.35	111.50
26	BB	2637	U	C4-C5-C6	7.70	124.32	119.70
1	AA	41	G	C4-C5-N7	-7.70	107.72	110.80
26	BB	931	U	C2-N3-C4	-7.70	122.38	127.00
26	BB	2018	G	N3-C4-N9	7.70	130.62	126.00
1	AA	1529	G	C2-N3-C4	7.70	115.75	111.90
26	BB	86	G	C1'-O4'-C4'	-7.70	103.74	109.90
26	BB	1128	G	N1-C6-O6	-7.70	115.28	119.90
26	BB	2173	A	C4-C5-C6	-7.70	113.15	117.00
26	BB	2825	G	C6-N1-C2	-7.70	120.48	125.10
1	AA	873	A	C5-N7-C8	7.69	107.75	103.90
26	BB	713	G	O4'-C1'-N9	7.69	114.36	108.20
26	BB	1002	G	C5-C6-O6	-7.69	123.98	128.60
1	AA	619	U	C2-N3-C4	-7.69	122.38	127.00
1	AA	1070	U	C5'-C4'-C3'	-7.69	103.69	116.00
1	AA	1086	U	O4'-C1'-N1	7.69	114.35	108.20
1	AA	1502	A	N7-C8-N9	7.69	117.65	113.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	48	C	N1-C2-O2	7.69	123.52	118.90
26	BB	525	U	N3-C4-O4	7.69	124.78	119.40
26	BB	1896	G	C8-N9-C4	-7.69	103.32	106.40
1	AA	936	C	O4'-C4'-C3'	7.69	112.25	106.10
26	BB	553	G	C6-N1-C2	-7.69	120.48	125.10
26	BB	1203	U	C5-C6-N1	-7.69	118.85	122.70
1	AA	291	U	C5-C6-N1	-7.69	118.86	122.70
26	BB	130	C	C5-C4-N4	-7.69	114.82	120.20
26	BB	821	A	C5-C6-N1	-7.69	113.86	117.70
26	BB	1417	C	C4-C5-C6	7.69	121.24	117.40
26	BB	2087	G	C1'-O4'-C4'	-7.69	103.75	109.90
1	AA	3	A	C4-C5-N7	-7.69	106.86	110.70
1	AA	411	A	C6-C5-N7	7.69	137.68	132.30
1	AA	1330	U	N3-C4-O4	7.69	124.78	119.40
25	BA	25	U	N3-C2-O2	-7.69	116.82	122.20
26	BB	1	G	O4'-C4'-C3'	7.69	112.25	106.10
26	BB	838	C	N3-C4-C5	-7.69	118.83	121.90
26	BB	872	U	C4'-C3'-C2'	-7.69	94.91	102.60
26	BB	1847	A	N7-C8-N9	7.69	117.64	113.80
26	BB	1971	U	N3-C2-O2	-7.69	116.82	122.20
1	AA	704	A	N7-C8-N9	-7.69	109.96	113.80
1	AA	740	U	C4'-C3'-C2'	-7.69	94.91	102.60
1	AA	860	A	N1-C2-N3	-7.69	125.46	129.30
4	AD	50	G	N1-C2-N3	-7.69	119.29	123.90
26	BB	495	G	C2-N3-C4	7.69	115.74	111.90
26	BB	565	C	C2-N3-C4	-7.69	116.06	119.90
26	BB	1192	G	C5-C6-N1	-7.69	107.66	111.50
1	AA	1366	C	O4'-C1'-N1	7.68	114.35	108.20
26	BB	206	U	C4'-C3'-C2'	-7.68	94.92	102.60
26	BB	254	G	C6-C5-N7	7.68	135.01	130.40
26	BB	448	U	C3'-C2'-C1'	7.68	107.65	101.50
26	BB	2737	G	C1'-O4'-C4'	-7.68	103.75	109.90
1	AA	143	A	O4'-C1'-N9	7.68	114.35	108.20
1	AA	1209	C	O4'-C1'-N1	7.68	114.34	108.20
10	AJ	2	ARG	NE-CZ-NH2	-7.68	116.46	120.30
26	BB	877	A	N1-C2-N3	-7.68	125.46	129.30
26	BB	1477	A	C5-N7-C8	-7.68	100.06	103.90
26	BB	2103	C	N1-C2-O2	7.68	123.51	118.90
26	BB	2249	U	C1'-O4'-C4'	7.68	116.05	109.90
26	BB	2274	A	C1'-O4'-C4'	7.68	116.05	109.90
1	AA	575	G	O4'-C1'-N9	7.68	114.34	108.20
2	AB	33	U	P-O3'-C3'	7.68	128.92	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	BT	54	VAL	CG1-CB-CG2	-7.68	98.61	110.90
1	AA	526	C	C4'-C3'-C2'	-7.68	94.92	102.60
1	AA	1298	U	O4'-C1'-N1	7.68	114.34	108.20
26	BB	863	A	N1-C6-N6	7.68	123.21	118.60
26	BB	940	G	C4'-C3'-C2'	-7.68	94.92	102.60
26	BB	999	U	N1-C2-N3	7.68	119.51	114.90
26	BB	2724	U	N1-C2-N3	-7.68	110.29	114.90
26	BB	2876	G	C5-N7-C8	7.68	108.14	104.30
26	BB	441	U	C4-C5-C6	7.68	124.31	119.70
26	BB	525	U	N1-C2-O2	-7.68	117.42	122.80
1	AA	310	G	C5-N7-C8	-7.68	100.46	104.30
1	AA	382	A	N9-C4-C5	7.68	108.87	105.80
26	BB	390	U	C4-C5-C6	7.68	124.31	119.70
26	BB	1381	G	N3-C4-C5	-7.68	124.76	128.60
26	BB	1465	G	C4-C5-C6	7.68	123.41	118.80
26	BB	1595	C	C6-N1-C2	7.68	123.37	120.30
26	BB	1634	A	N3-C4-C5	-7.68	121.43	126.80
26	BB	2845	U	N1-C2-N3	7.68	119.51	114.90
1	AA	197	A	C5-C6-N1	7.67	121.54	117.70
1	AA	353	A	C2-N3-C4	7.67	114.44	110.60
1	AA	630	A	C5-N7-C8	-7.67	100.06	103.90
26	BB	361	G	C2-N3-C4	7.67	115.74	111.90
26	BB	1259	G	N1-C2-N3	7.67	128.50	123.90
1	AA	364	A	C4-C5-C6	-7.67	113.16	117.00
26	BB	1140	C	C5'-C4'-O4'	7.67	118.31	109.10
1	AA	486	U	N3-C4-O4	7.67	124.77	119.40
1	AA	1102	A	O4'-C1'-N9	7.67	114.34	108.20
19	AS	51	ARG	NE-CZ-NH2	-7.67	116.46	120.30
25	BA	119	A	N7-C8-N9	-7.67	109.96	113.80
26	BB	27	G	C8-N9-C4	-7.67	103.33	106.40
26	BB	654	A	C5-C6-N1	-7.67	113.86	117.70
26	BB	669	G	C5-C6-O6	7.67	133.20	128.60
26	BB	1282	U	C6-N1-C2	7.67	125.60	121.00
26	BB	1392	A	C4-C5-C6	-7.67	113.16	117.00
26	BB	1839	G	C8-N9-C4	-7.67	103.33	106.40
30	BF	102	ARG	NE-CZ-NH2	7.67	124.14	120.30
1	AA	404	G	N3-C4-C5	-7.67	124.77	128.60
1	AA	1257	A	C2-N3-C4	7.67	114.44	110.60
1	AA	1342	C	C5-C6-N1	-7.67	117.17	121.00
1	AA	1419	G	C6-C5-N7	7.67	135.00	130.40
26	BB	373	U	C5-C4-O4	7.67	130.50	125.90
26	BB	409	G	C4-C5-C6	7.67	123.40	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1863	G	N3-C4-N9	7.67	130.60	126.00
26	BB	1952	A	C3'-C2'-C1'	7.67	107.64	101.50
1	AA	585	G	C4-C5-C6	7.67	123.40	118.80
26	BB	179	C	C1'-O4'-C4'	7.67	116.03	109.90
26	BB	235	U	O4'-C4'-C3'	7.67	112.23	106.10
26	BB	1963	U	P-O3'-C3'	7.67	128.90	119.70
26	BB	1993	U	C2-N3-C4	-7.67	122.40	127.00
26	BB	2433	A	O4'-C4'-C3'	7.67	112.23	106.10
1	AA	1133	G	N3-C4-C5	-7.67	124.77	128.60
26	BB	1455	G	C5-C6-N1	7.67	115.33	111.50
26	BB	2358	A	C4'-C3'-C2'	-7.67	94.93	102.60
26	BB	2745	C	N3-C4-N4	7.67	123.37	118.00
26	BB	910	A	C5-C6-N1	7.67	121.53	117.70
26	BB	1418	G	C8-N9-C4	-7.67	103.33	106.40
32	BH	156	TYR	CB-CG-CD1	-7.67	116.40	121.00
1	AA	76	G	C6-C5-N7	7.66	135.00	130.40
1	AA	1057	G	C2-N3-C4	7.66	115.73	111.90
4	AD	28	U	O4'-C1'-C2'	-7.66	98.14	105.80
26	BB	228	C	C6-N1-C2	-7.66	117.23	120.30
26	BB	1428	C	O3'-P-O5'	-7.66	89.44	104.00
26	BB	2235	G	C5-C6-N1	7.66	115.33	111.50
26	BB	2785	C	C2-N3-C4	-7.66	116.07	119.90
1	AA	862	C	C4'-C3'-C2'	-7.66	94.94	102.60
1	AA	1449	C	C2-N3-C4	-7.66	116.07	119.90
26	BB	203	A	N1-C2-N3	7.66	133.13	129.30
26	BB	1890	A	C2-N3-C4	7.66	114.43	110.60
1	AA	752	G	O4'-C1'-N9	7.66	114.33	108.20
25	BA	47	C	C5'-C4'-O4'	7.66	118.29	109.10
26	BB	832	U	O4'-C1'-N1	7.66	114.33	108.20
1	AA	113	G	N3-C2-N2	-7.66	114.54	119.90
1	AA	615	G	C4-C5-N7	-7.66	107.74	110.80
1	AA	772	U	N1-C2-N3	7.66	119.50	114.90
1	AA	877	G	N9-C1'-C2'	-7.66	103.58	112.00
1	AA	1214	C	O4'-C1'-N1	-7.66	102.07	108.20
26	BB	155	A	N9-C1'-C2'	-7.66	103.58	112.00
26	BB	228	C	N1-C1'-C2'	-7.66	103.58	112.00
26	BB	655	A	C6-N1-C2	7.66	123.19	118.60
26	BB	874	G	C4-C5-C6	-7.66	114.20	118.80
26	BB	2120	G	C6-N1-C2	-7.66	120.50	125.10
26	BB	2509	G	C5-C6-O6	7.66	133.20	128.60
48	BX	82	TYR	CD1-CG-CD2	7.66	126.33	117.90
1	AA	579	A	C1'-O4'-C4'	-7.66	103.77	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2313	C	C4-C5-C6	-7.66	113.57	117.40
26	BB	2314	A	C4'-C3'-C2'	-7.66	94.94	102.60
26	BB	2316	G	C6-C5-N7	-7.66	125.81	130.40
1	AA	81	A	C3'-C2'-C1'	7.66	107.62	101.50
16	AP	97	ARG	NE-CZ-NH1	7.66	124.13	120.30
26	BB	1084	A	N1-C2-N3	7.66	133.13	129.30
26	BB	2394	C	N3-C4-C5	-7.66	118.84	121.90
34	BJ	60	ARG	NE-CZ-NH1	7.66	124.13	120.30
1	AA	1043	G	C5-C6-O6	7.65	133.19	128.60
26	BB	843	G	N7-C8-N9	7.65	116.93	113.10
26	BB	1649	G	N9-C1'-C2'	-7.65	103.58	112.00
26	BB	1799	G	P-O3'-C3'	7.65	128.88	119.70
26	BB	2118	U	P-O3'-C3'	7.65	128.88	119.70
26	BB	2206	C	N3-C2-O2	-7.65	116.54	121.90
26	BB	2368	C	N3-C2-O2	-7.65	116.54	121.90
50	BZ	49	ARG	NE-CZ-NH2	7.65	124.13	120.30
1	AA	800	G	C1'-O4'-C4'	-7.65	103.78	109.90
1	AA	1097	C	C5-C4-N4	-7.65	114.84	120.20
26	BB	887	U	N3-C2-O2	-7.65	116.84	122.20
26	BB	998	C	N3-C2-O2	-7.65	116.54	121.90
26	BB	1772	A	C8-N9-C4	7.65	108.86	105.80
26	BB	2229	U	N1-C2-N3	7.65	119.49	114.90
26	BB	2518	A	N7-C8-N9	7.65	117.63	113.80
1	AA	14	U	C5-C4-O4	-7.65	121.31	125.90
1	AA	446	G	C4-C5-N7	-7.65	107.74	110.80
1	AA	1162	C	C5-C6-N1	-7.65	117.17	121.00
1	AA	1279	G	C8-N9-C4	-7.65	103.34	106.40
26	BB	571	U	C4-C5-C6	-7.65	115.11	119.70
26	BB	619	G	C5-C6-O6	-7.65	124.01	128.60
26	BB	662	G	C2-N3-C4	7.65	115.72	111.90
26	BB	1080	A	C5-N7-C8	-7.65	100.08	103.90
26	BB	1394	U	C2-N3-C4	-7.65	122.41	127.00
26	BB	1510	G	N7-C8-N9	7.65	116.92	113.10
26	BB	1924	C	O4'-C4'-C3'	7.65	112.22	106.10
26	BB	2304	G	C5-C6-N1	7.65	115.33	111.50
3	AC	31	U	N3-C4-O4	7.65	124.75	119.40
1	AA	834	U	C2-N3-C4	-7.65	122.41	127.00
1	AA	1195	C	O4'-C4'-C3'	7.65	112.22	106.10
2	AB	63	C	O4'-C1'-N1	7.65	114.32	108.20
26	BB	783	A	C3'-C2'-C1'	-7.65	95.38	101.50
26	BB	1144	A	O4'-C1'-N9	7.65	114.32	108.20
26	BB	1375	U	C5-C6-N1	-7.65	118.88	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2556	C	C2-N3-C4	7.65	123.72	119.90
28	BD	216	ARG	NE-CZ-NH1	7.65	124.12	120.30
1	AA	21	G	C4-C5-N7	-7.65	107.74	110.80
1	AA	661	G	N3-C4-N9	7.65	130.59	126.00
26	BB	2210	U	C5'-C4'-O4'	7.65	118.28	109.10
48	BX	93	ARG	NE-CZ-NH2	-7.65	116.48	120.30
1	AA	437	U	N3-C4-C5	-7.64	110.01	114.60
1	AA	499	A	C5-N7-C8	7.64	107.72	103.90
1	AA	1011	C	C6-N1-C2	7.64	123.36	120.30
1	AA	1491	G	P-O3'-C3'	7.64	128.87	119.70
26	BB	373	U	N1-C2-N3	7.64	119.49	114.90
26	BB	1022	G	C4-C5-N7	-7.64	107.74	110.80
26	BB	1696	G	N9-C4-C5	7.64	108.46	105.40
26	BB	1889	A	C2-N3-C4	7.64	114.42	110.60
1	AA	710	G	C1'-O4'-C4'	-7.64	103.78	109.90
1	AA	835	U	N1-C2-N3	7.64	119.49	114.90
1	AA	1198	G	N7-C8-N9	7.64	116.92	113.10
2	AB	3	G	N9-C4-C5	7.64	108.46	105.40
26	BB	578	G	O3'-P-O5'	-7.64	89.48	104.00
26	BB	1275	A	C2-N3-C4	7.64	114.42	110.60
26	BB	2009	A	C5-C6-N6	-7.64	117.59	123.70
26	BB	2195	U	C5-C6-N1	-7.64	118.88	122.70
26	BB	2352	A	C6-N1-C2	7.64	123.19	118.60
1	AA	781	A	C5'-C4'-O4'	7.64	118.27	109.10
1	AA	1391	U	N3-C2-O2	-7.64	116.85	122.20
26	BB	841	G	N1-C2-N3	-7.64	119.32	123.90
1	AA	1061	G	O4'-C1'-N9	7.64	114.31	108.20
25	BA	65	U	C4'-C3'-C2'	-7.64	94.96	102.60
26	BB	1085	A	N9-C4-C5	7.64	108.86	105.80
26	BB	1510	G	C6-N1-C2	7.64	129.68	125.10
26	BB	1874	C	N1-C2-O2	7.64	123.48	118.90
26	BB	1887	C	N1-C2-O2	7.64	123.48	118.90
1	AA	1087	G	C5-N7-C8	7.64	108.12	104.30
1	AA	1191	A	C5-C6-N1	-7.64	113.88	117.70
26	BB	376	G	O4'-C1'-N9	7.64	114.31	108.20
26	BB	436	C	N3-C4-C5	7.64	124.95	121.90
26	BB	504	A	O4'-C1'-N9	7.64	114.31	108.20
26	BB	875	G	N7-C8-N9	7.64	116.92	113.10
26	BB	2334	U	C5-C4-O4	-7.64	121.32	125.90
1	AA	894	G	N1-C2-N2	-7.64	109.33	116.20
3	AC	24	A	C6-N1-C2	7.64	123.18	118.60
26	BB	420	C	C5-C6-N1	-7.64	117.18	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1120	G	C6-C5-N7	-7.64	125.82	130.40
26	BB	1699	G	C8-N9-C4	-7.64	103.34	106.40
26	BB	1753	G	C8-N9-C4	-7.64	103.35	106.40
26	BB	1875	G	N9-C4-C5	7.64	108.45	105.40
26	BB	2208	C	N3-C2-O2	-7.64	116.55	121.90
48	BX	70	ILE	CA-CB-CG1	7.64	125.51	111.00
1	AA	428	G	O4'-C1'-N9	7.63	114.31	108.20
26	BB	628	G	C6-N1-C2	7.63	129.68	125.10
26	BB	655	A	N7-C8-N9	7.63	117.62	113.80
1	AA	105	G	C4'-C3'-C2'	-7.63	94.97	102.60
1	AA	1173	U	N3-C2-O2	-7.63	116.86	122.20
25	BA	59	A	O4'-C1'-N9	7.63	114.31	108.20
26	BB	1636	U	C2-N3-C4	-7.63	122.42	127.00
26	BB	1819	A	O5'-P-OP2	-7.63	98.83	105.70
26	BB	2600	A	N1-C6-N6	7.63	123.18	118.60
26	BB	2874	C	N1-C2-O2	7.63	123.48	118.90
1	AA	399	G	N3-C2-N2	-7.63	114.56	119.90
1	AA	719	C	C5-C6-N1	7.63	124.82	121.00
1	AA	720	C	C1'-O4'-C4'	-7.63	103.80	109.90
1	AA	1374	A	O4'-C1'-N9	7.63	114.30	108.20
26	BB	639	U	O4'-C4'-C3'	7.63	112.20	106.10
26	BB	1113	U	C5-C4-O4	7.63	130.48	125.90
26	BB	1871	A	N9-C4-C5	-7.63	102.75	105.80
26	BB	2556	C	C5-C6-N1	-7.63	117.18	121.00
1	AA	993	G	C4-C5-N7	-7.63	107.75	110.80
1	AA	1345	U	O4'-C4'-C3'	7.63	112.20	106.10
26	BB	2289	G	C4'-C3'-C2'	-7.63	94.97	102.60
1	AA	159	G	C5-C6-N1	7.63	115.31	111.50
25	BA	88	C	C6-N1-C2	-7.63	117.25	120.30
26	BB	171	U	C4'-C3'-C2'	-7.63	94.97	102.60
26	BB	427	U	O4'-C1'-N1	7.63	114.30	108.20
26	BB	768	G	N7-C8-N9	7.63	116.91	113.10
26	BB	823	C	N3-C4-C5	-7.63	118.85	121.90
26	BB	1883	U	O4'-C4'-C3'	7.63	112.20	106.10
26	BB	1974	C	C2-N3-C4	7.63	123.71	119.90
1	AA	249	U	C5-C6-N1	-7.63	118.89	122.70
23	AW	42	ASP	CB-CG-OD2	-7.63	111.44	118.30
26	BB	1454	C	C5'-C4'-O4'	7.63	118.25	109.10
26	BB	2517	C	O4'-C1'-N1	7.63	114.30	108.20
26	BB	2559	C	C5'-C4'-O4'	7.63	118.25	109.10
26	BB	1284	A	C4-C5-N7	-7.62	106.89	110.70
1	AA	98	A	N7-C8-N9	-7.62	109.99	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	226	G	C5-N7-C8	7.62	108.11	104.30
1	AA	741	G	N9-C4-C5	-7.62	102.35	105.40
2	AB	56	C	C6-N1-C2	-7.62	117.25	120.30
26	BB	66	C	O4'-C1'-N1	7.62	114.30	108.20
26	BB	1526	C	N3-C4-C5	-7.62	118.85	121.90
26	BB	1978	A	C5-C6-N1	7.62	121.51	117.70
26	BB	2238	G	C1'-O4'-C4'	-7.62	103.80	109.90
26	BB	2365	G	N7-C8-N9	7.62	116.91	113.10
26	BB	2392	A	C8-N9-C4	-7.62	102.75	105.80
1	AA	855	U	C5-C4-O4	-7.62	121.33	125.90
1	AA	1184	G	C8-N9-C4	-7.62	103.35	106.40
1	AA	1452	C	N1-C2-O2	7.62	123.47	118.90
1	AA	1499	A	N1-C6-N6	7.62	123.17	118.60
4	AD	46	G	C8-N9-C4	-7.62	103.35	106.40
26	BB	536	G	O4'-C1'-N9	7.62	114.30	108.20
26	BB	787	C	N1-C1'-C2'	-7.62	103.62	112.00
26	BB	1516	G	N1-C2-N3	-7.62	119.33	123.90
26	BB	1654	A	N9-C4-C5	7.62	108.85	105.80
26	BB	1717	A	N1-C2-N3	7.62	133.11	129.30
1	AA	364	A	C2-N3-C4	-7.62	106.79	110.60
1	AA	866	C	C1'-O4'-C4'	7.62	116.00	109.90
1	AA	1061	G	C5-C6-O6	-7.62	124.03	128.60
25	BA	97	C	C6-N1-C2	7.62	123.35	120.30
26	BB	723	C	P-O3'-C3'	7.62	128.84	119.70
26	BB	1418	G	N3-C4-N9	-7.62	121.43	126.00
26	BB	1525	A	O4'-C1'-N9	7.62	114.30	108.20
26	BB	1571	A	P-O3'-C3'	7.62	128.84	119.70
1	AA	399	G	C2-N3-C4	7.62	115.71	111.90
1	AA	1120	C	O4'-C1'-N1	7.62	114.30	108.20
26	BB	201	C	N1-C2-O2	7.62	123.47	118.90
26	BB	389	G	N3-C4-C5	-7.62	124.79	128.60
26	BB	1082	U	N3-C4-O4	7.62	124.73	119.40
26	BB	1346	G	N3-C4-C5	-7.62	124.79	128.60
26	BB	2791	G	C6-N1-C2	-7.62	120.53	125.10
1	AA	86	G	O4'-C1'-N9	7.62	114.29	108.20
26	BB	526	A	N7-C8-N9	-7.62	109.99	113.80
26	BB	578	G	N3-C4-C5	-7.62	124.79	128.60
26	BB	2803	G	N9-C1'-C2'	-7.62	103.62	112.00
1	AA	364	A	C5-C6-N6	-7.62	117.61	123.70
1	AA	583	A	C6-N1-C2	-7.62	114.03	118.60
2	AB	41	C	N3-C2-O2	-7.62	116.57	121.90
5	AE	207	ARG	NH1-CZ-NH2	-7.62	111.02	119.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	63	C	N3-C4-C5	-7.62	118.85	121.90
26	BB	89	A	C5'-C4'-C3'	-7.62	103.82	116.00
26	BB	377	G	N3-C2-N2	-7.62	114.57	119.90
26	BB	2269	G	C8-N9-C4	-7.62	103.35	106.40
1	AA	965	U	C5-C4-O4	-7.61	121.33	125.90
26	BB	201	C	N3-C2-O2	-7.61	116.57	121.90
26	BB	363	G	N7-C8-N9	7.61	116.91	113.10
26	BB	1316	U	C1'-O4'-C4'	-7.61	103.81	109.90
26	BB	2218	G	N9-C4-C5	7.61	108.44	105.40
26	BB	2263	C	C6-N1-C2	7.61	123.35	120.30
26	BB	2483	C	N3-C2-O2	-7.61	116.57	121.90
1	AA	547	A	C1'-O4'-C4'	7.61	115.99	109.90
2	AB	71	C	N1-C1'-C2'	-7.61	103.63	112.00
26	BB	1479	G	C4-C5-N7	-7.61	107.75	110.80
2	AB	65	C	C4-C5-C6	-7.61	113.59	117.40
25	BA	77	U	C2-N3-C4	-7.61	122.43	127.00
26	BB	190	A	C5-C6-N1	7.61	121.50	117.70
26	BB	669	G	C2-N3-C4	7.61	115.70	111.90
26	BB	726	G	C5-N7-C8	7.61	108.11	104.30
26	BB	1169	A	O4'-C1'-N9	7.61	114.29	108.20
1	AA	184	G	C5'-C4'-O4'	7.61	118.23	109.10
26	BB	1491	G	N9-C1'-C2'	-7.61	103.63	112.00
26	BB	2397	G	C5-C6-O6	7.61	133.17	128.60
1	AA	645	G	C5-N7-C8	-7.61	100.50	104.30
1	AA	858	G	O4'-C1'-N9	7.61	114.28	108.20
1	AA	989	U	C4-C5-C6	7.61	124.27	119.70
26	BB	1331	G	C8-N9-C4	-7.61	103.36	106.40
26	BB	1940	U	C6-N1-C2	7.61	125.56	121.00
26	BB	2199	A	N1-C6-N6	-7.61	114.03	118.60
26	BB	2219	U	N3-C4-O4	7.61	124.72	119.40
26	BB	2780	G	C5-N7-C8	-7.61	100.50	104.30
26	BB	2860	A	N7-C8-N9	7.61	117.60	113.80
1	AA	191	G	N7-C8-N9	7.61	116.90	113.10
1	AA	257	G	N3-C4-N9	7.61	130.56	126.00
1	AA	781	A	C4-C5-C6	-7.61	113.20	117.00
1	AA	1529	G	N9-C4-C5	7.61	108.44	105.40
24	AX	33	ARG	NE-CZ-NH2	-7.61	116.50	120.30
25	BA	91	C	O4'-C1'-C2'	-7.61	98.19	105.80
26	BB	42	A	O4'-C1'-N9	7.61	114.28	108.20
26	BB	1227	G	N1-C2-N3	-7.61	119.34	123.90
26	BB	1550	C	C3'-C2'-C1'	7.61	107.58	101.50
26	BB	1649	G	C4-C5-N7	-7.61	107.76	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1689	A	C8-N9-C4	-7.61	102.76	105.80
26	BB	1870	C	O4'-C1'-N1	7.61	114.28	108.20
26	BB	1976	U	C3'-C2'-C1'	7.61	107.58	101.50
26	BB	2183	A	C8-N9-C4	-7.61	102.76	105.80
1	AA	534	U	O4'-C1'-N1	7.60	114.28	108.20
26	BB	80	G	C4'-C3'-C2'	-7.60	95.00	102.60
26	BB	1045	C	O4'-C1'-N1	7.60	114.28	108.20
26	BB	1509	A	C5-C6-N6	-7.60	117.62	123.70
1	AA	218	U	C5-C6-N1	-7.60	118.90	122.70
1	AA	343	U	C3'-C2'-C1'	7.60	107.58	101.50
1	AA	635	A	N1-C2-N3	7.60	133.10	129.30
1	AA	1227	A	C5-C6-N6	7.60	129.78	123.70
2	AB	58	A	N9-C4-C5	-7.60	102.76	105.80
4	AD	22	A	N1-C2-N3	-7.60	125.50	129.30
26	BB	1184	U	N1-C2-O2	-7.60	117.48	122.80
26	BB	1407	G	C4-C5-C6	7.60	123.36	118.80
26	BB	1473	G	N3-C2-N2	7.60	125.22	119.90
26	BB	2128	G	C5-C6-N1	7.60	115.30	111.50
26	BB	2135	A	O4'-C1'-N9	7.60	114.28	108.20
1	AA	400	C	C6-N1-C2	7.60	123.34	120.30
1	AA	1416	G	O4'-C1'-N9	7.60	114.28	108.20
26	BB	1231	U	C4-C5-C6	7.60	124.26	119.70
26	BB	2357	G	C5-N7-C8	7.60	108.10	104.30
1	AA	49	U	C5-C6-N1	-7.60	118.90	122.70
1	AA	1447	A	N7-C8-N9	7.60	117.60	113.80
26	BB	997	G	P-O3'-C3'	7.60	128.82	119.70
26	BB	2750	A	C4-C5-N7	-7.60	106.90	110.70
1	AA	1045	C	O4'-C1'-N1	7.60	114.28	108.20
1	AA	1489	G	C2-N3-C4	7.60	115.70	111.90
7	AG	103	ARG	NE-CZ-NH1	7.60	124.10	120.30
26	BB	98	G	C4-C5-C6	7.60	123.36	118.80
2	AB	33	U	O4'-C1'-N1	7.60	114.28	108.20
26	BB	756	A	C5-C6-N1	7.60	121.50	117.70
26	BB	1242	U	C3'-C2'-C1'	7.60	107.58	101.50
26	BB	2461	A	N3-C4-N9	-7.60	121.32	127.40
1	AA	1072	G	C6-N1-C2	-7.59	120.54	125.10
1	AA	1259	C	O4'-C1'-N1	7.59	114.28	108.20
26	BB	430	A	C2-N3-C4	7.59	114.40	110.60
26	BB	704	G	C2-N3-C4	7.59	115.70	111.90
26	BB	1072	C	O4'-C1'-N1	7.59	114.28	108.20
26	BB	1735	A	C2-N3-C4	7.59	114.40	110.60
26	BB	2035	G	C5-C6-O6	-7.59	124.04	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2859	G	C2-N3-C4	7.59	115.70	111.90
1	AA	378	G	N1-C2-N2	7.59	123.03	116.20
1	AA	1400	C	C4-C5-C6	7.59	121.20	117.40
1	AA	227	G	N3-C2-N2	7.59	125.21	119.90
1	AA	458	U	C5'-C4'-O4'	7.59	118.21	109.10
1	AA	478	A	O4'-C1'-N9	7.59	114.27	108.20
1	AA	1080	A	N1-C6-N6	7.59	123.16	118.60
25	BA	87	U	P-O3'-C3'	7.59	128.81	119.70
26	BB	233	A	C3'-C2'-C1'	7.59	107.57	101.50
26	BB	815	C	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	1219	U	N1-C2-O2	7.59	128.12	122.80
26	BB	1395	A	N1-C2-N3	-7.59	125.50	129.30
1	AA	936	C	C5-C4-N4	-7.59	114.89	120.20
1	AA	1012	A	N1-C2-N3	-7.59	125.50	129.30
1	AA	1236	A	C4-C5-C6	-7.59	113.21	117.00
1	AA	1373	G	N9-C4-C5	7.59	108.44	105.40
2	AB	9	A	C5-C6-N1	7.59	121.50	117.70
26	BB	624	C	C3'-C2'-C1'	7.59	107.57	101.50
26	BB	2060	A	C4-C5-N7	-7.59	106.91	110.70
26	BB	2511	U	N1-C1'-C2'	-7.59	103.65	112.00
26	BB	2565	A	C5-C6-N1	7.59	121.50	117.70
1	AA	96	U	N1-C2-N3	7.59	119.45	114.90
1	AA	825	A	C4'-C3'-C2'	-7.59	95.01	102.60
1	AA	878	A	O4'-C1'-N9	7.59	114.27	108.20
26	BB	527	C	O4'-C1'-N1	7.59	114.27	108.20
26	BB	1776	G	C5'-C4'-O4'	7.59	118.20	109.10
26	BB	1838	C	C5-C6-N1	7.59	124.79	121.00
26	BB	1980	G	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	2699	C	N1-C1'-C2'	-7.59	103.65	112.00
31	BG	177	ARG	NE-CZ-NH1	7.59	124.09	120.30
1	AA	260	G	C8-N9-C4	-7.59	103.36	106.40
1	AA	910	C	C4-C5-C6	7.59	121.19	117.40
20	AT	61	ARG	NE-CZ-NH1	7.59	124.09	120.30
26	BB	1461	C	N1-C2-O2	7.59	123.45	118.90
26	BB	1682	G	N3-C4-C5	-7.59	124.81	128.60
26	BB	1740	G	N3-C4-C5	-7.59	124.81	128.60
26	BB	1959	G	N3-C4-N9	7.59	130.55	126.00
26	BB	2228	G	N3-C2-N2	7.59	125.21	119.90
26	BB	2862	G	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	438	G	C2-N3-C4	7.58	115.69	111.90
26	BB	506	G	C4-C5-C6	7.58	123.35	118.80
26	BB	1233	C	N1-C2-O2	7.58	123.45	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2213	U	N1-C2-N3	7.58	119.45	114.90
1	AA	384	G	N3-C4-N9	7.58	130.55	126.00
1	AA	459	A	C5-C6-N1	-7.58	113.91	117.70
1	AA	511	C	O4'-C1'-N1	7.58	114.27	108.20
1	AA	818	G	C8-N9-C4	-7.58	103.37	106.40
26	BB	65	U	N1-C2-N3	7.58	119.45	114.90
26	BB	98	G	O4'-C4'-C3'	-7.58	96.42	104.00
1	AA	864	A	C6-N1-C2	7.58	123.15	118.60
1	AA	1346	A	C5-C6-N1	7.58	121.49	117.70
25	BA	16	G	N1-C6-O6	7.58	124.45	119.90
26	BB	1115	G	C6-C5-N7	-7.58	125.85	130.40
26	BB	1671	U	N1-C2-O2	7.58	128.11	122.80
26	BB	2376	A	N1-C6-N6	-7.58	114.05	118.60
26	BB	2541	A	N7-C8-N9	-7.58	110.01	113.80
40	BP	46	ARG	NH1-CZ-NH2	-7.58	111.06	119.40
1	AA	670	G	C2-N3-C4	7.58	115.69	111.90
26	BB	25	U	O4'-C1'-C2'	7.58	114.42	107.60
26	BB	1300	G	C3'-C2'-C1'	7.58	107.56	101.50
26	BB	1537	G	O4'-C1'-N9	7.58	114.26	108.20
26	BB	1833	C	C5'-C4'-O4'	7.58	118.20	109.10
1	AA	1063	C	P-O3'-C3'	7.58	128.79	119.70
2	AB	72	U	C5-C6-N1	-7.58	118.91	122.70
2	AB	73	G	N3-C4-C5	-7.58	124.81	128.60
26	BB	372	G	C4-C5-C6	7.58	123.35	118.80
26	BB	885	C	C2-N3-C4	-7.58	116.11	119.90
26	BB	1250	G	O4'-C1'-N9	7.58	114.26	108.20
26	BB	1281	G	N9-C4-C5	7.58	108.43	105.40
26	BB	1652	A	C8-N9-C4	-7.58	102.77	105.80
26	BB	2180	U	C4'-C3'-C2'	-7.58	95.02	102.60
1	AA	1110	A	C8-N9-C4	-7.58	102.77	105.80
26	BB	1532	A	C5'-C4'-O4'	7.58	118.19	109.10
26	BB	1885	A	C5-N7-C8	-7.58	100.11	103.90
1	AA	235	C	C6-N1-C2	7.58	123.33	120.30
1	AA	615	G	N3-C4-N9	7.58	130.55	126.00
1	AA	1387	G	C4-C5-N7	-7.58	107.77	110.80
1	AA	1388	C	O4'-C1'-N1	7.58	114.26	108.20
7	AG	153	ARG	NE-CZ-NH1	7.58	124.09	120.30
25	BA	43	C	O4'-C1'-N1	7.58	114.26	108.20
26	BB	134	G	C5-N7-C8	-7.58	100.51	104.30
50	BZ	27	ARG	NE-CZ-NH2	7.58	124.09	120.30
1	AA	2	A	O4'-C1'-N9	7.57	114.26	108.20
1	AA	175	C	N1-C1'-C2'	-7.57	103.67	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	186	C	N1-C2-O2	7.57	123.44	118.90
1	AA	275	G	N3-C4-C5	-7.57	124.81	128.60
26	BB	576	U	C3'-C2'-C1'	7.57	107.56	101.50
26	BB	1764	C	C5-C6-N1	7.57	124.79	121.00
1	AA	424	G	C6-N1-C2	-7.57	120.56	125.10
1	AA	926	G	P-O3'-C3'	7.57	128.79	119.70
1	AA	1154	G	N1-C2-N2	7.57	123.02	116.20
20	AT	39	ARG	NE-CZ-NH1	7.57	124.09	120.30
26	BB	224	U	C4-C5-C6	7.57	124.24	119.70
1	AA	114	U	N3-C2-O2	-7.57	116.90	122.20
1	AA	566	G	O4'-C4'-C3'	7.57	112.16	106.10
26	BB	58	G	N9-C4-C5	7.57	108.43	105.40
26	BB	386	G	N1-C2-N3	-7.57	119.36	123.90
26	BB	1394	U	O4'-C4'-C3'	-7.57	96.43	104.00
1	AA	328	C	C5'-C4'-O4'	7.57	118.18	109.10
26	BB	1718	G	O4'-C1'-N9	7.57	114.25	108.20
26	BB	2230	G	C5-N7-C8	-7.57	100.52	104.30
27	BC	181	ASP	CB-CG-OD1	-7.57	111.49	118.30
1	AA	1105	A	C4-C5-N7	-7.57	106.92	110.70
26	BB	707	G	N9-C1'-C2'	-7.57	103.67	112.00
26	BB	925	A	O4'-C1'-N9	7.57	114.25	108.20
26	BB	1496	A	N7-C8-N9	7.57	117.58	113.80
26	BB	1919	A	C4-C5-C6	-7.57	113.22	117.00
26	BB	1967	C	N3-C4-C5	7.57	124.93	121.90
26	BB	2317	A	N9-C4-C5	7.57	108.83	105.80
1	AA	227	G	N9-C1'-C2'	-7.57	103.68	112.00
1	AA	849	G	N1-C6-O6	7.57	124.44	119.90
1	AA	1229	A	O4'-C1'-N9	7.57	114.25	108.20
26	BB	68	G	C5-C6-N1	7.57	115.28	111.50
26	BB	470	A	N1-C6-N6	-7.57	114.06	118.60
26	BB	1195	G	C8-N9-C4	-7.57	103.37	106.40
26	BB	1342	A	C5-C6-N1	7.57	121.48	117.70
26	BB	1613	G	C5'-C4'-O4'	7.57	118.18	109.10
26	BB	1714	U	N3-C2-O2	-7.57	116.91	122.20
26	BB	1972	G	N9-C4-C5	7.57	108.43	105.40
26	BB	1986	C	N3-C4-N4	7.57	123.30	118.00
1	AA	117	G	C8-N9-C4	-7.56	103.37	106.40
4	AD	63	C	C4-C5-C6	-7.56	113.62	117.40
26	BB	386	G	C8-N9-C4	-7.56	103.37	106.40
26	BB	2111	U	O4'-C4'-C3'	7.56	112.15	106.10
26	BB	2791	G	C5-C6-N1	7.56	115.28	111.50
1	AA	338	A	N3-C4-N9	-7.56	121.35	127.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	413	G	C4-C5-C6	7.56	123.34	118.80
1	AA	731	G	C2-N3-C4	7.56	115.68	111.90
26	BB	370	G	C8-N9-C4	-7.56	103.38	106.40
26	BB	950	G	C6-N1-C2	-7.56	120.56	125.10
26	BB	1474	U	C6-N1-C2	7.56	125.54	121.00
26	BB	1802	A	C6-C5-N7	-7.56	127.01	132.30
1	AA	842	U	C5-C4-O4	-7.56	121.36	125.90
26	BB	73	A	C8-N9-C4	-7.56	102.78	105.80
26	BB	2850	A	C8-N9-C4	-7.56	102.78	105.80
2	AB	48	U	C4-C5-C6	7.56	124.23	119.70
26	BB	1390	U	N3-C4-C5	7.56	119.14	114.60
26	BB	17	G	N1-C6-O6	7.56	124.44	119.90
26	BB	235	U	C4'-C3'-C2'	-7.56	95.04	102.60
26	BB	567	U	N1-C2-N3	7.56	119.44	114.90
26	BB	606	U	N3-C2-O2	-7.56	116.91	122.20
26	BB	646	U	C4-C5-C6	7.56	124.23	119.70
26	BB	1949	G	C5'-C4'-O4'	7.56	118.17	109.10
26	BB	2608	G	C4-C5-N7	-7.56	107.78	110.80
1	AA	30	U	C5-C6-N1	-7.56	118.92	122.70
1	AA	534	U	C2-N1-C1'	7.56	126.77	117.70
1	AA	1405	G	C6-C5-N7	-7.56	125.87	130.40
26	BB	273	G	C8-N9-C4	-7.56	103.38	106.40
44	BT	82	HIS	CB-CA-C	7.56	125.51	110.40
1	AA	1044	A	C6-N1-C2	7.55	123.13	118.60
26	BB	787	C	C5-C6-N1	7.55	124.78	121.00
26	BB	991	C	N1-C2-O2	7.55	123.43	118.90
26	BB	1355	G	N9-C4-C5	7.55	108.42	105.40
26	BB	2470	G	C5-N7-C8	-7.55	100.52	104.30
26	BB	2685	G	C5'-C4'-O4'	7.55	118.17	109.10
28	BD	226	PRO	N-CA-CB	7.55	112.36	103.30
1	AA	102	G	C4-C5-N7	7.55	113.82	110.80
1	AA	291	U	C4-C5-C6	7.55	124.23	119.70
1	AA	718	A	N9-C1'-C2'	-7.55	103.69	112.00
26	BB	2356	U	C5-C6-N1	-7.55	118.92	122.70
1	AA	231	U	C3'-C2'-C1'	7.55	107.54	101.50
1	AA	873	A	N1-C6-N6	-7.55	114.07	118.60
1	AA	1297	G	N1-C6-O6	-7.55	115.37	119.90
26	BB	1715	G	O4'-C1'-N9	7.55	114.24	108.20
35	BK	41	PHE	CB-CG-CD1	7.55	126.08	120.80
1	AA	307	C	C2-N3-C4	7.55	123.67	119.90
4	AD	5	G	N9-C4-C5	-7.55	102.38	105.40
26	BB	1059	G	C1'-O4'-C4'	-7.55	103.86	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1892	C	N3-C4-N4	7.55	123.28	118.00
26	BB	2477	U	C5-C6-N1	-7.55	118.92	122.70
26	BB	2499	C	C2-N3-C4	7.55	123.67	119.90
26	BB	2769	U	O4'-C4'-C3'	7.55	112.14	106.10
31	BG	138	PRO	N-CA-CB	7.55	112.36	103.30
44	BT	2	TYR	CB-CG-CD2	-7.55	116.47	121.00
1	AA	15	G	C4-C5-C6	7.55	123.33	118.80
1	AA	1111	A	C4-C5-N7	7.55	114.47	110.70
1	AA	942	G	C8-N9-C4	-7.55	103.38	106.40
1	AA	1422	G	N1-C6-O6	7.55	124.43	119.90
26	BB	91	A	C2-N3-C4	7.55	114.37	110.60
26	BB	1179	G	C6-C5-N7	-7.55	125.87	130.40
26	BB	2347	C	C5-C6-N1	-7.55	117.23	121.00
26	BB	2757	A	C5'-C4'-C3'	-7.55	103.92	116.00
1	AA	412	A	C5-C6-N1	7.54	121.47	117.70
1	AA	1447	A	C5-C6-N1	7.54	121.47	117.70
25	BA	82	U	C5-C4-O4	-7.54	121.37	125.90
26	BB	1473	G	C5-N7-C8	-7.54	100.53	104.30
1	AA	793	U	C5'-C4'-O4'	7.54	118.15	109.10
1	AA	1393	U	C4-C5-C6	7.54	124.23	119.70
25	BA	64	G	N1-C6-O6	-7.54	115.37	119.90
26	BB	182	A	N7-C8-N9	-7.54	110.03	113.80
26	BB	862	G	N7-C8-N9	7.54	116.87	113.10
26	BB	2582	G	C5-C6-O6	-7.54	124.07	128.60
1	AA	778	G	N9-C4-C5	-7.54	102.38	105.40
1	AA	930	C	C4-C5-C6	-7.54	113.63	117.40
1	AA	1442	G	N3-C4-N9	7.54	130.52	126.00
25	BA	46	A	C2-N3-C4	7.54	114.37	110.60
26	BB	172	A	N1-C2-N3	-7.54	125.53	129.30
26	BB	977	G	N1-C2-N3	7.54	128.43	123.90
26	BB	1879	C	C5-C4-N4	-7.54	114.92	120.20
26	BB	2120	G	C4-C5-C6	7.54	123.33	118.80
26	BB	2148	G	C6-N1-C2	-7.54	120.58	125.10
26	BB	2183	A	N7-C8-N9	7.54	117.57	113.80
26	BB	2205	A	N7-C8-N9	7.54	117.57	113.80
26	BB	188	G	C2-N3-C4	7.54	115.67	111.90
26	BB	801	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	1663	G	N3-C4-C5	-7.54	124.83	128.60
26	BB	1840	G	N3-C4-N9	7.54	130.52	126.00
1	AA	106	C	C5-C4-N4	-7.54	114.92	120.20
1	AA	464	U	C5-C6-N1	-7.54	118.93	122.70
1	AA	1200	C	C4-C5-C6	-7.54	113.63	117.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	34	C	C3'-C2'-C1'	7.54	107.53	101.50
26	BB	80	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	725	G	N9-C1'-C2'	-7.54	103.71	112.00
26	BB	1568	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	2530	A	C2-N3-C4	7.54	114.37	110.60
1	AA	796	C	O4'-C1'-N1	7.54	114.23	108.20
26	BB	1984	G	N9-C1'-C2'	-7.54	103.71	112.00
26	BB	733	G	C8-N9-C4	-7.54	103.39	106.40
26	BB	1560	G	C5-C6-N1	7.54	115.27	111.50
26	BB	2117	A	C5-N7-C8	7.54	107.67	103.90
25	BA	20	G	C5-N7-C8	-7.53	100.53	104.30
26	BB	990	A	C3'-C2'-C1'	7.53	107.53	101.50
26	BB	1321	A	C5-N7-C8	-7.53	100.13	103.90
26	BB	1824	G	C2-N3-C4	7.53	115.67	111.90
26	BB	2067	G	N1-C2-N2	7.53	122.98	116.20
26	BB	2277	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	2635	A	C8-N9-C4	-7.53	102.79	105.80
1	AA	46	G	N3-C4-C5	-7.53	124.83	128.60
1	AA	1186	G	C4-C5-C6	7.53	123.32	118.80
8	AH	67	ARG	NE-CZ-NH1	7.53	124.07	120.30
26	BB	2117	A	C5-C6-N1	-7.53	113.93	117.70
26	BB	2475	C	O4'-C1'-N1	7.53	114.23	108.20
1	AA	89	U	C4'-C3'-C2'	-7.53	95.07	102.60
1	AA	1437	A	O4'-C1'-N9	7.53	114.22	108.20
25	BA	33	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	1154	G	C4-C5-N7	7.53	113.81	110.80
26	BB	1337	G	N3-C4-C5	-7.53	124.83	128.60
26	BB	1624	U	C5-C4-O4	-7.53	121.38	125.90
26	BB	1780	A	N3-C4-C5	-7.53	121.53	126.80
26	BB	1925	C	O4'-C1'-N1	7.53	114.22	108.20
26	BB	1969	A	C5-N7-C8	7.53	107.67	103.90
26	BB	2049	G	N3-C4-C5	-7.53	124.83	128.60
1	AA	566	G	O4'-C1'-N9	7.53	114.22	108.20
1	AA	728	A	C6-N1-C2	-7.53	114.08	118.60
1	AA	1185	G	C2-N3-C4	7.53	115.66	111.90
25	BA	16	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	232	G	C3'-C2'-C1'	-7.53	95.48	101.50
26	BB	638	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	2891	U	C5-C6-N1	7.53	126.46	122.70
56	B5	12	ARG	NE-CZ-NH2	7.53	124.06	120.30
25	BA	53	A	C5-N7-C8	7.53	107.66	103.90
26	BB	98	G	C4'-C3'-C2'	-7.53	95.07	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1010	A	C5'-C4'-O4'	7.53	118.13	109.10
26	BB	1339	G	N9-C4-C5	7.53	108.41	105.40
26	BB	1519	G	C5-C6-N1	7.53	115.26	111.50
26	BB	1960	A	C5-C6-N6	-7.53	117.68	123.70
2	AB	58	A	C1'-O4'-C4'	-7.53	103.88	109.90
26	BB	320	A	C3'-C2'-C1'	-7.53	95.48	101.50
26	BB	1145	C	N3-C4-C5	-7.53	118.89	121.90
33	BI	51	ARG	NE-CZ-NH1	7.53	124.06	120.30
1	AA	1169	A	C5-N7-C8	7.52	107.66	103.90
26	BB	64	A	C4-C5-N7	-7.52	106.94	110.70
26	BB	392	U	O4'-C4'-C3'	-7.52	96.48	104.00
26	BB	432	A	N9-C4-C5	-7.52	102.79	105.80
26	BB	957	C	O4'-C4'-C3'	7.52	112.12	106.10
26	BB	2059	A	C5-C6-N1	-7.52	113.94	117.70
45	BU	88	ARG	NE-CZ-NH2	7.52	124.06	120.30
1	AA	98	A	N1-C6-N6	7.52	123.11	118.60
1	AA	431	A	N9-C1'-C2'	-7.52	103.72	112.00
4	AD	58	A	C8-N9-C4	7.52	108.81	105.80
26	BB	185	G	C4-C5-N7	-7.52	107.79	110.80
26	BB	995	C	N3-C4-N4	-7.52	112.73	118.00
26	BB	1269	A	N9-C4-C5	7.52	108.81	105.80
26	BB	1541	C	N3-C4-C5	-7.52	118.89	121.90
26	BB	1879	C	N1-C2-O2	7.52	123.41	118.90
26	BB	2389	G	N7-C8-N9	7.52	116.86	113.10
26	BB	2412	A	C5'-C4'-O4'	7.52	118.13	109.10
26	BB	2741	A	N1-C6-N6	-7.52	114.09	118.60
26	BB	2781	A	C5'-C4'-O4'	7.52	118.13	109.10
26	BB	2813	A	C5-C6-N6	7.52	129.72	123.70
1	AA	74	A	C6-N1-C2	7.52	123.11	118.60
1	AA	320	A	N1-C6-N6	7.52	123.11	118.60
26	BB	266	G	C5-C6-N1	7.52	115.26	111.50
1	AA	113	G	C6-N1-C2	-7.52	120.59	125.10
1	AA	300	A	O4'-C1'-N9	7.52	114.22	108.20
1	AA	472	U	C3'-C2'-C1'	7.52	107.52	101.50
1	AA	566	G	C2-N3-C4	7.52	115.66	111.90
1	AA	1336	C	O4'-C1'-N1	7.52	114.22	108.20
26	BB	222	A	C5-N7-C8	7.52	107.66	103.90
26	BB	623	C	C6-N1-C2	-7.52	117.29	120.30
26	BB	2616	C	N3-C2-O2	-7.52	116.64	121.90
35	BK	68	PHE	CB-CG-CD2	-7.52	115.54	120.80
1	AA	2	A	N1-C6-N6	7.52	123.11	118.60
1	AA	559	A	C6-C5-N7	-7.52	127.04	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	579	A	O4'-C4'-C3'	7.52	112.11	106.10
1	AA	627	G	N1-C2-N2	7.52	122.97	116.20
1	AA	1224	U	C5-C6-N1	-7.52	118.94	122.70
4	AD	46	G	N9-C4-C5	7.52	108.41	105.40
26	BB	1222	U	N3-C4-O4	7.52	124.66	119.40
26	BB	1273	U	O4'-C1'-N1	-7.52	102.19	108.20
26	BB	1626	A	C6-C5-N7	7.52	137.56	132.30
26	BB	1821	A	N7-C8-N9	7.52	117.56	113.80
26	BB	2009	A	N3-C4-C5	-7.52	121.54	126.80
26	BB	2515	C	O4'-C1'-N1	7.52	114.21	108.20
26	BB	2687	U	N3-C4-C5	7.52	119.11	114.60
1	AA	894	G	C5-N7-C8	-7.52	100.54	104.30
1	AA	1447	A	C6-C5-N7	7.52	137.56	132.30
2	AB	6	C	C5-C6-N1	7.52	124.76	121.00
26	BB	75	G	C4-C5-N7	7.52	113.81	110.80
26	BB	1771	C	C2-N3-C4	7.52	123.66	119.90
26	BB	2254	C	N1-C2-O2	7.52	123.41	118.90
26	BB	2274	A	N9-C4-C5	-7.52	102.79	105.80
1	AA	181	A	C4-C5-C6	-7.51	113.24	117.00
1	AA	258	G	C2-N3-C4	7.51	115.66	111.90
1	AA	859	G	N1-C2-N2	7.51	122.96	116.20
1	AA	1306	A	C6-C5-N7	-7.51	127.04	132.30
26	BB	126	A	N7-C8-N9	7.51	117.56	113.80
26	BB	148	U	O4'-C1'-N1	7.51	114.21	108.20
26	BB	604	G	C3'-C2'-C1'	-7.51	95.49	101.50
26	BB	735	A	C5-C6-N6	-7.51	117.69	123.70
26	BB	2269	G	P-O3'-C3'	7.51	128.72	119.70
26	BB	2394	C	C4'-C3'-C2'	-7.51	95.09	102.60
26	BB	70	G	C8-N9-C4	-7.51	103.39	106.40
26	BB	2195	U	O4'-C1'-N1	7.51	114.21	108.20
1	AA	42	G	C4'-C3'-C2'	-7.51	95.09	102.60
1	AA	101	A	C5-C6-N1	7.51	121.46	117.70
1	AA	351	G	C4-C5-N7	-7.51	107.80	110.80
1	AA	433	G	C4-C5-C6	7.51	123.31	118.80
1	AA	1399	C	O4'-C1'-N1	7.51	114.21	108.20
26	BB	640	C	N1-C2-O2	7.51	123.41	118.90
26	BB	1055	G	C5'-C4'-O4'	7.51	118.11	109.10
26	BB	1577	C	C4'-C3'-C2'	-7.51	95.09	102.60
26	BB	2209	G	C3'-C2'-C1'	7.51	107.51	101.50
26	BB	2687	U	O4'-C1'-N1	7.51	114.21	108.20
26	BB	2832	U	N3-C2-O2	-7.51	116.94	122.20
1	AA	294	U	C4-C5-C6	7.51	124.21	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	840	C	N3-C4-C5	-7.51	118.90	121.90
1	AA	868	C	N1-C1'-C2'	-7.51	103.74	112.00
1	AA	971	G	C5-C6-N1	7.51	115.25	111.50
1	AA	1153	G	N1-C2-N2	7.51	122.96	116.20
1	AA	1497	G	C5-N7-C8	-7.51	100.55	104.30
25	BA	107	G	N3-C4-C5	-7.51	124.84	128.60
26	BB	874	G	N3-C4-C5	7.51	132.35	128.60
26	BB	1874	C	C4-C5-C6	-7.51	113.64	117.40
1	AA	1063	C	N3-C4-C5	-7.51	118.90	121.90
26	BB	144	A	C8-N9-C4	-7.51	102.80	105.80
26	BB	185	G	C5'-C4'-O4'	7.51	118.11	109.10
26	BB	2005	A	N1-C2-N3	-7.51	125.55	129.30
26	BB	2105	U	C5-C6-N1	-7.51	118.95	122.70
1	AA	241	G	N1-C6-O6	-7.51	115.40	119.90
1	AA	453	G	N7-C8-N9	-7.51	109.35	113.10
1	AA	556	C	N1-C2-N3	-7.51	113.95	119.20
1	AA	886	G	C4'-C3'-C2'	-7.51	95.09	102.60
1	AA	968	A	O4'-C1'-N9	7.51	114.20	108.20
1	AA	1000	A	O4'-C1'-C2'	7.51	114.36	107.60
1	AA	1002	G	C6-N1-C2	-7.51	120.60	125.10
25	BA	74	U	O4'-C1'-N1	7.51	114.20	108.20
26	BB	63	A	C5-C6-N1	-7.51	113.95	117.70
26	BB	441	U	N3-C4-O4	7.51	124.65	119.40
26	BB	1232	G	C6-C5-N7	-7.51	125.90	130.40
26	BB	1319	C	N3-C4-N4	7.51	123.25	118.00
1	AA	903	G	N3-C4-N9	7.50	130.50	126.00
1	AA	1327	C	C6-N1-C2	7.50	123.30	120.30
1	AA	1421	G	C6-N1-C2	-7.50	120.60	125.10
1	AA	836	G	C6-C5-N7	-7.50	125.90	130.40
1	AA	1080	A	N9-C1'-C2'	-7.50	103.75	112.00
1	AA	1382	C	N3-C4-N4	-7.50	112.75	118.00
26	BB	113	U	C6-N1-C2	-7.50	116.50	121.00
26	BB	287	G	C4'-C3'-C2'	-7.50	95.10	102.60
26	BB	2055	C	C3'-C2'-C1'	7.50	107.50	101.50
26	BB	2151	U	C5-C6-N1	-7.50	118.95	122.70
26	BB	2663	G	C6-N1-C2	-7.50	120.60	125.10
1	AA	437	U	C4-C5-C6	7.50	124.20	119.70
1	AA	630	A	C4-C5-N7	7.50	114.45	110.70
1	AA	663	A	C8-N9-C4	-7.50	102.80	105.80
1	AA	1237	C	C6-N1-C2	-7.50	117.30	120.30
4	AD	44	A	N9-C1'-C2'	-7.50	103.75	112.00
25	BA	104	A	N1-C6-N6	-7.50	114.10	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	583	G	C2-N3-C4	7.50	115.65	111.90
26	BB	2009	A	N9-C1'-C2'	-7.50	103.75	112.00
26	BB	2164	C	O4'-C4'-C3'	-7.50	96.50	104.00
26	BB	2333	A	C6-C5-N7	7.50	137.55	132.30
26	BB	2568	U	C4-C5-C6	-7.50	115.20	119.70
26	BB	2790	U	N3-C2-O2	-7.50	116.95	122.20
1	AA	759	A	C8-N9-C4	7.50	108.80	105.80
1	AA	1110	A	N9-C1'-C2'	-7.50	103.75	112.00
26	BB	518	G	C5-C6-N1	7.50	115.25	111.50
1	AA	634	C	C3'-C2'-C1'	7.50	107.50	101.50
1	AA	1323	G	N7-C8-N9	7.50	116.85	113.10
26	BB	988	A	C2-N3-C4	7.50	114.35	110.60
26	BB	1073	A	C8-N9-C4	-7.50	102.80	105.80
26	BB	1714	U	O4'-C4'-C3'	7.50	112.10	106.10
26	BB	1853	A	N9-C4-C5	-7.50	102.80	105.80
26	BB	1973	G	N9-C1'-C2'	-7.50	103.75	112.00
26	BB	2346	A	N1-C6-N6	7.50	123.10	118.60
26	BB	2779	U	O4'-C1'-N1	7.50	114.20	108.20
26	BB	2842	G	C6-C5-N7	-7.50	125.90	130.40
1	AA	94	G	C3'-C2'-C1'	-7.50	95.50	101.50
1	AA	610	U	C6-N1-C2	-7.50	116.50	121.00
4	AD	7	G	C5'-C4'-C3'	-7.50	104.00	116.00
26	BB	258	G	C5-N7-C8	-7.50	100.55	104.30
26	BB	569	U	N3-C2-O2	-7.50	116.95	122.20
26	BB	1613	G	C5-N7-C8	7.50	108.05	104.30
4	AD	5	G	N3-C4-N9	7.50	130.50	126.00
4	AD	25	U	N1-C2-N3	-7.50	110.40	114.90
25	BA	97	C	C4-C5-C6	7.50	121.15	117.40
25	BA	120	U	C6-N1-C1'	-7.50	110.71	121.20
26	BB	43	G	C5-N7-C8	-7.50	100.55	104.30
26	BB	735	A	N9-C4-C5	7.50	108.80	105.80
26	BB	1882	U	C5-C4-O4	-7.50	121.40	125.90
26	BB	2350	C	C5-C6-N1	-7.50	117.25	121.00
1	AA	426	U	C4-C5-C6	-7.49	115.20	119.70
1	AA	915	A	C5-C6-N6	-7.49	117.71	123.70
1	AA	1150	A	O4'-C4'-C3'	7.49	112.09	106.10
25	BA	114	C	N1-C2-N3	7.49	124.44	119.20
26	BB	468	G	C5-C6-O6	-7.49	124.10	128.60
26	BB	1175	A	N9-C4-C5	-7.49	102.80	105.80
26	BB	1755	A	C8-N9-C4	-7.49	102.80	105.80
1	AA	189	A	C8-N9-C4	-7.49	102.80	105.80
1	AA	332	G	C8-N9-C4	-7.49	103.40	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1849	G	N1-C6-O6	-7.49	115.41	119.90
1	AA	711	G	N7-C8-N9	7.49	116.84	113.10
1	AA	1408	A	C8-N9-C4	7.49	108.80	105.80
1	AA	1513	A	N9-C1'-C2'	-7.49	103.76	112.00
3	AC	55	A	N1-C6-N6	7.49	123.09	118.60
25	BA	104	A	C8-N9-C4	-7.49	102.80	105.80
26	BB	591	U	N1-C2-N3	7.49	119.39	114.90
26	BB	1948	G	C5-N7-C8	-7.49	100.56	104.30
26	BB	2438	U	C5-C6-N1	-7.49	118.95	122.70
1	AA	47	C	C2-N3-C4	7.49	123.64	119.90
1	AA	168	G	N9-C1'-C2'	-7.49	103.76	112.00
1	AA	725	G	N7-C8-N9	7.49	116.84	113.10
1	AA	1368	A	N9-C1'-C2'	-7.49	103.76	112.00
1	AA	1461	G	C5'-C4'-O4'	7.49	118.09	109.10
26	BB	46	G	C2-N3-C4	7.49	115.64	111.90
26	BB	390	U	C2-N3-C4	-7.49	122.51	127.00
26	BB	440	C	C3'-C2'-C1'	-7.49	95.51	101.50
26	BB	490	C	N1-C2-O2	7.49	123.39	118.90
26	BB	603	A	P-O3'-C3'	7.49	128.69	119.70
26	BB	1490	A	C2-N3-C4	7.49	114.34	110.60
26	BB	1863	G	C3'-C2'-C1'	-7.49	95.51	101.50
26	BB	2045	C	C4'-C3'-C2'	-7.49	95.11	102.60
26	BB	2432	A	C2'-C3'-O3'	7.49	125.98	109.50
26	BB	518	G	C5-C6-O6	-7.49	124.11	128.60
26	BB	842	U	N3-C2-O2	-7.49	116.96	122.20
26	BB	2648	G	N3-C2-N2	7.49	125.14	119.90
31	BG	121	PHE	CD1-CE1-CZ	7.49	129.08	120.10
4	AD	46	G	C4-C5-N7	-7.49	107.81	110.80
26	BB	718	A	O4'-C1'-N9	7.49	114.19	108.20
26	BB	1242	U	C4-C5-C6	7.49	124.19	119.70
26	BB	2053	G	C6-N1-C2	-7.49	120.61	125.10
26	BB	2411	A	C8-N9-C4	-7.49	102.81	105.80
26	BB	2616	C	N1-C2-O2	7.49	123.39	118.90
1	AA	852	G	C4-C5-C6	7.48	123.29	118.80
1	AA	859	G	C8-N9-C4	-7.48	103.41	106.40
25	BA	4	C	N3-C4-C5	-7.48	118.91	121.90
1	AA	213	G	O4'-C1'-N9	7.48	114.19	108.20
1	AA	553	A	C5-C6-N1	7.48	121.44	117.70
1	AA	561	U	C4'-C3'-C2'	-7.48	95.12	102.60
17	AQ	62	ARG	NE-CZ-NH1	7.48	124.04	120.30
26	BB	150	U	O4'-C1'-N1	7.48	114.19	108.20
26	BB	1848	A	C1'-O4'-C4'	7.48	115.89	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1968	G	C3'-C2'-C1'	7.48	107.49	101.50
44	BT	77	PHE	CB-CG-CD2	-7.48	115.56	120.80
1	AA	311	C	N1-C1'-C2'	-7.48	103.77	112.00
1	AA	799	G	N1-C6-O6	7.48	124.39	119.90
2	AB	12	U	N3-C2-O2	-7.48	116.96	122.20
26	BB	541	A	N9-C4-C5	7.48	108.79	105.80
26	BB	1116	G	C6-C5-N7	7.48	134.89	130.40
26	BB	1590	A	C1'-O4'-C4'	-7.48	103.92	109.90
26	BB	1654	A	C5-N7-C8	7.48	107.64	103.90
26	BB	2242	G	C4-C5-N7	7.48	113.79	110.80
26	BB	2461	A	C6-C5-N7	7.48	137.54	132.30
26	BB	2870	C	C6-N1-C2	-7.48	117.31	120.30
1	AA	873	A	P-O3'-C3'	7.48	128.68	119.70
25	BA	43	C	P-O3'-C3'	7.48	128.68	119.70
26	BB	1491	G	N3-C4-C5	-7.48	124.86	128.60
26	BB	1593	A	C5-C6-N6	-7.48	117.72	123.70
26	BB	2585	U	C4-C5-C6	7.48	124.19	119.70
26	BB	2797	U	C5'-C4'-O4'	7.48	118.08	109.10
1	AA	300	A	C5-C6-N6	-7.48	117.72	123.70
1	AA	1003	G	C5-C6-O6	-7.48	124.11	128.60
1	AA	1186	G	C8-N9-C4	-7.48	103.41	106.40
25	BA	41	G	C6-N1-C2	7.48	129.59	125.10
26	BB	1737	G	C2-N3-C4	7.48	115.64	111.90
26	BB	2776	A	C4'-C3'-C2'	-7.48	95.12	102.60
49	BY	40	ARG	CD-NE-CZ	7.48	134.07	123.60
1	AA	1251	A	N9-C4-C5	7.48	108.79	105.80
18	AR	77	TYR	CB-CG-CD1	-7.48	116.52	121.00
19	AS	8	ARG	NE-CZ-NH2	-7.48	116.56	120.30
1	AA	1239	A	N3-C4-C5	-7.47	121.57	126.80
26	BB	330	A	C5-C6-N1	-7.47	113.96	117.70
26	BB	1043	C	C2-N3-C4	-7.47	116.16	119.90
26	BB	1731	G	C4-C5-N7	-7.47	107.81	110.80
26	BB	1738	G	N7-C8-N9	7.47	116.84	113.10
26	BB	2237	G	C6-N1-C2	7.47	129.59	125.10
26	BB	323	C	N1-C2-O2	7.47	123.38	118.90
26	BB	348	A	N1-C6-N6	7.47	123.08	118.60
26	BB	527	C	N3-C2-O2	-7.47	116.67	121.90
26	BB	1202	G	O4'-C1'-N9	7.47	114.18	108.20
26	BB	1246	A	C4-C5-C6	-7.47	113.26	117.00
26	BB	1941	C	N1-C2-N3	-7.47	113.97	119.20
2	AB	58	A	C4-C5-C6	-7.47	113.27	117.00
13	AM	68	ARG	NE-CZ-NH1	7.47	124.04	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2156	G	N3-C2-N2	-7.47	114.67	119.90
26	BB	2728	U	C6-N1-C2	-7.47	116.52	121.00
1	AA	531	U	C6-N1-C2	-7.47	116.52	121.00
2	AB	29	G	N1-C6-O6	-7.47	115.42	119.90
26	BB	804	A	C2-N3-C4	-7.47	106.86	110.60
26	BB	816	C	C2-N3-C4	7.47	123.64	119.90
26	BB	2357	G	O4'-C1'-N9	7.47	114.18	108.20
1	AA	1479	C	O4'-C1'-N1	7.47	114.17	108.20
26	BB	447	A	N3-C4-C5	7.47	132.03	126.80
26	BB	1347	A	C4-C5-N7	-7.47	106.97	110.70
26	BB	1954	G	N9-C4-C5	-7.47	102.41	105.40
26	BB	2355	G	N3-C4-N9	7.47	130.48	126.00
1	AA	171	A	C4-C5-C6	-7.47	113.27	117.00
3	AC	13	A	O4'-C1'-N9	7.47	114.17	108.20
26	BB	13	A	C1'-O4'-C4'	-7.47	103.93	109.90
26	BB	807	U	N1-C2-O2	7.47	128.03	122.80
26	BB	883	G	C6-N1-C2	-7.47	120.62	125.10
26	BB	1116	G	C5-N7-C8	7.47	108.03	104.30
26	BB	1280	G	C2-N3-C4	7.47	115.63	111.90
26	BB	1506	U	C5-C4-O4	-7.47	121.42	125.90
26	BB	1731	G	C5-C6-O6	-7.47	124.12	128.60
26	BB	1782	U	N3-C4-C5	-7.47	110.12	114.60
1	AA	37	U	C5'-C4'-O4'	7.46	118.06	109.10
1	AA	785	G	C8-N9-C4	-7.46	103.41	106.40
1	AA	927	G	N3-C4-C5	-7.46	124.87	128.60
1	AA	928	G	N3-C4-N9	7.46	130.48	126.00
1	AA	1465	A	P-O3'-C3'	7.46	128.66	119.70
13	AM	65	TYR	CB-CG-CD2	-7.46	116.52	121.00
25	BA	61	G	N7-C8-N9	7.46	116.83	113.10
26	BB	779	U	C5-C4-O4	-7.46	121.42	125.90
26	BB	1019	U	O5'-P-OP1	-7.46	98.98	105.70
26	BB	1081	U	O4'-C1'-N1	7.46	114.17	108.20
26	BB	1802	A	C4-C5-N7	7.46	114.43	110.70
26	BB	1854	A	C8-N9-C4	-7.46	102.81	105.80
26	BB	2533	U	C5-C4-O4	-7.46	121.42	125.90
26	BB	2760	C	C6-N1-C2	-7.46	117.31	120.30
1	AA	368	U	C5-C6-N1	-7.46	118.97	122.70
1	AA	1309	G	C6-C5-N7	-7.46	125.92	130.40
26	BB	2190	G	N1-C6-O6	7.46	124.38	119.90
26	BB	897	C	N3-C2-O2	-7.46	116.68	121.90
26	BB	2211	A	C4'-C3'-C2'	-7.46	95.14	102.60
26	BB	2804	U	O4'-C1'-N1	7.46	114.17	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	BG	146	ASP	CB-CG-OD1	-7.46	111.58	118.30
34	BJ	62	ALA	CB-CA-C	7.46	121.29	110.10
1	AA	711	G	C6-C5-N7	-7.46	125.92	130.40
1	AA	1014	A	P-O3'-C3'	7.46	128.65	119.70
1	AA	1456	A	C8-N9-C4	-7.46	102.82	105.80
26	BB	114	U	C2'-C3'-O3'	7.46	125.91	109.50
26	BB	624	C	N3-C4-C5	7.46	124.88	121.90
26	BB	1935	G	C5-C6-O6	7.46	133.08	128.60
26	BB	2297	A	C5-C6-N1	7.46	121.43	117.70
26	BB	2438	U	C2-N3-C4	-7.46	122.53	127.00
26	BB	2571	U	N3-C4-O4	7.46	124.62	119.40
1	AA	483	C	C5-C4-N4	-7.46	114.98	120.20
6	AF	142	ARG	NE-CZ-NH2	-7.46	116.57	120.30
26	BB	324	A	N7-C8-N9	7.46	117.53	113.80
26	BB	420	C	N1-C2-O2	7.46	123.37	118.90
26	BB	938	G	C5'-C4'-O4'	7.46	118.05	109.10
26	BB	1170	C	C6-N1-C2	-7.46	117.32	120.30
26	BB	1323	C	O4'-C4'-C3'	7.46	112.06	106.10
26	BB	1577	C	C4-C5-C6	-7.46	113.67	117.40
26	BB	2039	U	C5'-C4'-O4'	7.46	118.05	109.10
26	BB	2419	U	N1-C1'-C2'	-7.46	103.80	112.00
26	BB	2583	G	C5-C6-O6	-7.46	124.13	128.60
26	BB	2719	G	N1-C2-N2	-7.46	109.49	116.20
26	BB	2851	A	O4'-C1'-N9	7.46	114.17	108.20
26	BB	268	C	C4'-C3'-C2'	-7.46	95.14	102.60
26	BB	1759	A	C6-N1-C2	7.46	123.07	118.60
26	BB	2216	G	N3-C4-N9	7.46	130.47	126.00
1	AA	366	A	N3-C4-N9	-7.45	121.44	127.40
4	AD	6	G	C2-N3-C4	7.45	115.63	111.90
26	BB	912	C	N3-C4-C5	-7.45	118.92	121.90
26	BB	1104	C	C4'-C3'-C2'	-7.45	95.15	102.60
26	BB	1134	A	C8-N9-C4	-7.45	102.82	105.80
26	BB	2318	G	C5-N7-C8	-7.45	100.57	104.30
1	AA	856	C	N1-C1'-C2'	-7.45	103.80	112.00
1	AA	720	C	C5'-C4'-C3'	-7.45	104.08	116.00
2	AB	34	C	C5'-C4'-C3'	-7.45	104.08	116.00
26	BB	1291	C	C6-N1-C2	-7.45	117.32	120.30
26	BB	1303	G	C6-C5-N7	-7.45	125.93	130.40
26	BB	1827	U	N1-C2-N3	7.45	119.37	114.90
26	BB	2454	G	N7-C8-N9	7.45	116.83	113.10
1	AA	1177	G	N7-C8-N9	7.45	116.82	113.10
26	BB	372	G	C4-C5-N7	-7.45	107.82	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	887	U	C4'-C3'-C2'	-7.45	95.15	102.60
26	BB	931	U	O4'-C1'-N1	7.45	114.16	108.20
26	BB	1617	C	O4'-C1'-N1	7.45	114.16	108.20
26	BB	1630	A	N7-C8-N9	-7.45	110.08	113.80
26	BB	2763	G	O4'-C1'-N9	7.45	114.16	108.20
26	BB	2867	G	C1'-O4'-C4'	7.45	115.86	109.90
26	BB	2900	A	N1-C6-N6	7.45	123.07	118.60
26	BB	2606	C	C2-N3-C4	7.45	123.62	119.90
1	AA	1078	U	O4'-C1'-N1	7.45	114.16	108.20
1	AA	1277	C	O4'-C1'-N1	7.45	114.16	108.20
1	AA	1285	A	C5'-C4'-O4'	7.45	118.04	109.10
25	BA	25	U	P-O3'-C3'	7.45	128.63	119.70
26	BB	455	C	N1-C1'-C2'	7.45	123.68	114.00
26	BB	835	C	C4'-C3'-C2'	-7.45	95.16	102.60
26	BB	1026	G	N1-C6-O6	-7.45	115.43	119.90
26	BB	1388	G	N9-C1'-C2'	-7.45	103.81	112.00
1	AA	590	U	C4-C5-C6	7.44	124.17	119.70
4	AD	61	U	N3-C2-O2	7.44	127.41	122.20
6	AF	130	ARG	CD-NE-CZ	7.44	134.02	123.60
26	BB	254	G	C8-N9-C4	7.44	109.38	106.40
26	BB	873	C	N3-C4-C5	7.44	124.88	121.90
1	AA	22	G	C8-N9-C4	-7.44	103.42	106.40
1	AA	25	C	C2-N3-C4	7.44	123.62	119.90
26	BB	1902	C	N3-C2-O2	-7.44	116.69	121.90
26	BB	1968	G	N7-C8-N9	7.44	116.82	113.10
1	AA	1024	G	C2-N3-C4	7.44	115.62	111.90
1	AA	1109	C	C4-C5-C6	-7.44	113.68	117.40
1	AA	1296	C	N1-C2-N3	-7.44	113.99	119.20
1	AA	1339	A	N1-C2-N3	-7.44	125.58	129.30
26	BB	1708	C	C2-N3-C4	7.44	123.62	119.90
26	BB	1749	A	C5-N7-C8	-7.44	100.18	103.90
26	BB	1755	A	O5'-P-OP2	7.44	119.63	110.70
26	BB	1893	C	N1-C1'-C2'	-7.44	103.81	112.00
26	BB	1932	A	C8-N9-C4	-7.44	102.82	105.80
26	BB	2213	U	C5'-C4'-O4'	7.44	118.03	109.10
26	BB	2346	A	C5-C6-N1	-7.44	113.98	117.70
26	BB	2628	C	N1-C2-O2	7.44	123.36	118.90
1	AA	531	U	C3'-C2'-C1'	7.44	107.45	101.50
26	BB	40	U	C4-C5-C6	7.44	124.16	119.70
26	BB	1910	G	C5-C6-O6	-7.44	124.14	128.60
26	BB	2845	U	N1-C1'-C2'	-7.44	103.82	112.00
26	BB	2846	G	C1'-O4'-C4'	-7.44	103.95	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	309	A	N7-C8-N9	7.44	117.52	113.80
1	AA	821	G	C2-N3-C4	7.44	115.62	111.90
1	AA	985	C	C6-N1-C2	7.44	123.28	120.30
26	BB	717	C	N3-C4-C5	7.44	124.88	121.90
26	BB	1302	A	C8-N9-C4	7.44	108.78	105.80
26	BB	1742	U	P-O3'-C3'	7.44	128.62	119.70
26	BB	1853	A	C2-N3-C4	7.44	114.32	110.60
26	BB	2280	G	O4'-C1'-N9	7.44	114.15	108.20
25	BA	8	C	C2-N3-C4	-7.44	116.18	119.90
26	BB	361	G	C1'-O4'-C4'	7.44	115.85	109.90
1	AA	347	G	C5-C6-N1	7.43	115.22	111.50
1	AA	977	A	C1'-O4'-C4'	-7.43	103.95	109.90
26	BB	326	G	N7-C8-N9	7.43	116.82	113.10
26	BB	1172	C	O4'-C1'-N1	7.43	114.15	108.20
26	BB	1565	C	C5-C6-N1	-7.43	117.28	121.00
26	BB	1721	G	C5-N7-C8	-7.43	100.58	104.30
26	BB	1843	C	O4'-C1'-N1	7.43	114.15	108.20
26	BB	1868	C	N3-C4-C5	-7.43	118.93	121.90
26	BB	2153	C	C5'-C4'-O4'	-7.43	100.18	109.10
26	BB	2742	G	N1-C6-O6	-7.43	115.44	119.90
1	AA	219	U	O4'-C1'-N1	7.43	114.15	108.20
1	AA	416	G	O4'-C1'-N9	7.43	114.15	108.20
1	AA	633	G	O4'-C1'-N9	-7.43	102.25	108.20
26	BB	1207	C	N3-C2-O2	-7.43	116.70	121.90
26	BB	1901	A	C5'-C4'-O4'	7.43	118.02	109.10
26	BB	2013	A	C8-N9-C4	-7.43	102.83	105.80
26	BB	2739	U	C5'-C4'-O4'	7.43	118.02	109.10
1	AA	266	G	N9-C4-C5	7.43	108.37	105.40
26	BB	1295	C	C2-N3-C4	-7.43	116.19	119.90
26	BB	2167	U	C2-N3-C4	-7.43	122.54	127.00
26	BB	2318	G	C6-N1-C2	-7.43	120.64	125.10
26	BB	2467	C	O4'-C1'-N1	7.43	114.14	108.20
26	BB	2708	G	C2-N3-C4	7.43	115.61	111.90
1	AA	945	G	C8-N9-C4	-7.43	103.43	106.40
26	BB	20	C	C2-N3-C4	-7.43	116.19	119.90
26	BB	1102	C	C2-N3-C4	7.43	123.61	119.90
26	BB	1538	G	N3-C2-N2	-7.43	114.70	119.90
26	BB	2029	G	C2-N3-C4	7.43	115.61	111.90
26	BB	2230	G	N7-C8-N9	7.43	116.81	113.10
26	BB	2307	G	N3-C4-C5	-7.43	124.89	128.60
26	BB	622	G	C4-C5-N7	-7.43	107.83	110.80
26	BB	775	G	C5-N7-C8	-7.43	100.59	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1163	G	N9-C4-C5	7.43	108.37	105.40
26	BB	1341	G	N9-C1'-C2'	-7.43	103.83	112.00
1	AA	60	A	C8-N9-C4	7.43	108.77	105.80
1	AA	472	U	C4'-C3'-C2'	-7.43	95.17	102.60
1	AA	812	G	N9-C4-C5	-7.43	102.43	105.40
1	AA	1177	G	C2-N3-C4	7.43	115.61	111.90
26	BB	33	C	N3-C2-O2	-7.43	116.70	121.90
26	BB	2036	C	C1'-O4'-C4'	7.43	115.84	109.90
26	BB	2478	A	C1'-O4'-C4'	-7.43	103.96	109.90
26	BB	2567	G	C6-N1-C2	-7.43	120.64	125.10
1	AA	641	U	O4'-C1'-N1	7.42	114.14	108.20
26	BB	208	C	O4'-C1'-N1	7.42	114.14	108.20
26	BB	236	C	O4'-C1'-N1	7.42	114.14	108.20
26	BB	451	U	P-O3'-C3'	7.42	128.61	119.70
26	BB	837	C	C4-C5-C6	-7.42	113.69	117.40
26	BB	1206	G	N7-C8-N9	-7.42	109.39	113.10
26	BB	1773	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	2080	A	C1'-O4'-C4'	-7.42	103.96	109.90
26	BB	2409	G	C8-N9-C4	-7.42	103.43	106.40
1	AA	96	U	C6-N1-C2	-7.42	116.55	121.00
1	AA	631	C	O4'-C1'-N1	7.42	114.14	108.20
1	AA	964	A	C4-C5-N7	-7.42	106.99	110.70
1	AA	1044	A	C2-N3-C4	7.42	114.31	110.60
1	AA	1111	A	C3'-C2'-C1'	7.42	107.44	101.50
1	AA	1319	A	C5-C6-N1	7.42	121.41	117.70
4	AD	2	G	C8-N9-C4	-7.42	103.43	106.40
26	BB	160	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	1244	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	1649	G	N3-C4-C5	-7.42	124.89	128.60
26	BB	1785	A	N1-C2-N3	7.42	133.01	129.30
26	BB	1981	A	C4-C5-C6	-7.42	113.29	117.00
1	AA	1387	G	C3'-C2'-C1'	-7.42	95.56	101.50
1	AA	1491	G	O4'-C4'-C3'	7.42	112.04	106.10
26	BB	1176	U	O4'-C1'-N1	7.42	114.14	108.20
1	AA	264	C	N3-C4-N4	-7.42	112.81	118.00
1	AA	309	A	N1-C6-N6	-7.42	114.15	118.60
1	AA	769	G	N7-C8-N9	-7.42	109.39	113.10
1	AA	1502	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	548	G	N7-C8-N9	7.42	116.81	113.10
26	BB	1869	G	N7-C8-N9	-7.42	109.39	113.10
26	BB	2085	U	N3-C4-O4	7.42	124.59	119.40
1	AA	183	C	O4'-C1'-C2'	-7.42	98.38	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	922	G	N3-C4-C5	-7.42	124.89	128.60
1	AA	1323	G	N3-C4-N9	-7.42	121.55	126.00
25	BA	68	C	N3-C2-O2	-7.42	116.71	121.90
26	BB	39	G	O4'-C1'-N9	7.42	114.13	108.20
26	BB	328	U	O4'-C4'-C3'	7.42	112.03	106.10
26	BB	1371	G	N3-C4-C5	-7.42	124.89	128.60
26	BB	1873	G	N3-C2-N2	-7.42	114.71	119.90
26	BB	2178	C	N1-C2-O2	7.42	123.35	118.90
31	BG	137	PHE	CB-CG-CD1	-7.42	115.61	120.80
1	AA	537	G	N9-C1'-C2'	-7.42	103.84	112.00
1	AA	585	G	N9-C4-C5	7.42	108.37	105.40
26	BB	2601	C	N3-C2-O2	-7.42	116.71	121.90
26	BB	2754	U	N3-C2-O2	-7.42	117.01	122.20
1	AA	756	C	C5'-C4'-O4'	7.41	118.00	109.10
1	AA	886	G	O4'-C4'-C3'	7.41	112.03	106.10
26	BB	233	A	C5-N7-C8	-7.41	100.19	103.90
26	BB	2316	G	C8-N9-C4	-7.41	103.44	106.40
26	BB	2540	C	N3-C4-N4	7.41	123.19	118.00
1	AA	615	G	C5-N7-C8	7.41	108.01	104.30
26	BB	380	G	N9-C4-C5	7.41	108.36	105.40
26	BB	2745	C	C3'-C2'-C1'	7.41	107.43	101.50
26	BB	2811	G	C5-C6-O6	7.41	133.05	128.60
1	AA	6	G	N9-C4-C5	7.41	108.36	105.40
1	AA	847	G	C8-N9-C4	-7.41	103.44	106.40
1	AA	907	A	C8-N9-C4	-7.41	102.83	105.80
26	BB	247	G	C2-N3-C4	7.41	115.61	111.90
26	BB	1954	G	N3-C4-N9	7.41	130.45	126.00
26	BB	2651	C	C6-N1-C2	-7.41	117.34	120.30
26	BB	2731	G	O5'-P-OP2	-7.41	99.03	105.70
25	BA	61	G	C8-N9-C4	-7.41	103.44	106.40
26	BB	158	U	C1'-O4'-C4'	7.41	115.83	109.90
26	BB	529	A	C5'-C4'-O4'	7.41	117.99	109.10
26	BB	583	G	C5-C6-N1	7.41	115.20	111.50
26	BB	1367	A	P-O3'-C3'	7.41	128.59	119.70
26	BB	1723	G	N9-C1'-C2'	-7.41	103.85	112.00
26	BB	2018	G	C8-N9-C4	-7.41	103.44	106.40
26	BB	2175	C	C6-N1-C2	7.41	123.26	120.30
26	BB	2716	C	O4'-C4'-C3'	-7.41	96.59	104.00
28	BD	83	ASP	CB-CG-OD1	7.41	124.97	118.30
1	AA	178	C	N3-C2-O2	-7.41	116.72	121.90
26	BB	45	G	C3'-C2'-C1'	7.41	107.43	101.50
26	BB	87	U	C5-C6-N1	-7.41	119.00	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1907	G	N3-C4-C5	-7.41	124.90	128.60
26	BB	2478	A	O4'-C1'-N9	7.41	114.13	108.20
1	AA	536	C	O4'-C1'-N1	7.41	114.12	108.20
26	BB	1692	U	C4-C5-C6	7.41	124.14	119.70
26	BB	1790	C	N3-C4-N4	7.41	123.18	118.00
26	BB	1975	G	O4'-C1'-C2'	7.41	114.27	107.60
26	BB	1978	A	O4'-C1'-N9	7.41	114.12	108.20
1	AA	1466	C	P-O3'-C3'	7.40	128.59	119.70
36	BL	15	TRP	CG-CD1-NE1	-7.40	102.70	110.10
1	AA	99	C	N3-C4-C5	-7.40	118.94	121.90
1	AA	1470	U	O4'-C1'-N1	-7.40	102.28	108.20
26	BB	355	U	O4'-C1'-N1	7.40	114.12	108.20
26	BB	1037	G	C5-N7-C8	7.40	108.00	104.30
26	BB	1662	U	C2-N3-C4	-7.40	122.56	127.00
26	BB	1857	G	C3'-C2'-C1'	-7.40	95.58	101.50
26	BB	2411	A	N3-C4-C5	-7.40	121.62	126.80
1	AA	482	A	N7-C8-N9	7.40	117.50	113.80
26	BB	98	G	N3-C2-N2	-7.40	114.72	119.90
26	BB	980	A	C2-N3-C4	7.40	114.30	110.60
26	BB	991	C	O4'-C1'-N1	7.40	114.12	108.20
26	BB	1620	G	C5-C6-N1	7.40	115.20	111.50
26	BB	1892	C	N3-C2-O2	-7.40	116.72	121.90
26	BB	2675	A	N1-C6-N6	7.40	123.04	118.60
1	AA	977	A	N7-C8-N9	-7.40	110.10	113.80
26	BB	550	C	C5'-C4'-C3'	7.40	127.84	116.00
26	BB	2568	U	C5-C6-N1	7.40	126.40	122.70
1	AA	289	G	C2-N3-C4	7.40	115.60	111.90
1	AA	362	G	C1'-O4'-C4'	7.40	115.82	109.90
1	AA	1452	C	C3'-C2'-C1'	-7.40	95.58	101.50
1	AA	1526	G	N7-C8-N9	7.40	116.80	113.10
3	AC	58	C	C3'-C2'-C1'	7.40	107.42	101.50
26	BB	355	U	N3-C4-C5	-7.40	110.16	114.60
26	BB	422	A	C2-N3-C4	-7.40	106.90	110.60
26	BB	500	G	N7-C8-N9	7.40	116.80	113.10
26	BB	670	A	N3-C4-C5	-7.40	121.62	126.80
26	BB	1943	U	C4-C5-C6	7.40	124.14	119.70
26	BB	2468	A	C4-C5-N7	7.40	114.40	110.70
26	BB	2756	U	C2-N3-C4	-7.40	122.56	127.00
1	AA	1125	U	O4'-C1'-N1	7.40	114.12	108.20
26	BB	101	A	C4-C5-N7	-7.40	107.00	110.70
26	BB	841	G	N1-C2-N2	7.40	122.86	116.20
26	BB	1097	U	C3'-C2'-C1'	7.40	107.42	101.50

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1555	G	N3-C4-C5	-7.40	124.90	128.60
1	AA	12	U	N3-C2-O2	-7.39	117.02	122.20
1	AA	1030	U	N3-C4-O4	7.39	124.58	119.40
1	AA	1307	U	N3-C2-O2	-7.39	117.02	122.20
26	BB	962	G	C1'-O4'-C4'	7.39	115.82	109.90
26	BB	1284	A	N3-C4-C5	-7.39	121.62	126.80
26	BB	1304	A	N3-C4-N9	-7.39	121.48	127.40
26	BB	1337	G	O4'-C1'-N9	7.39	114.12	108.20
26	BB	1476	U	C3'-C2'-C1'	-7.39	95.58	101.50
26	BB	1641	A	C6-N1-C2	7.39	123.04	118.60
26	BB	2487	G	C4-C5-C6	7.39	123.24	118.80
27	BC	9	ARG	CD-NE-CZ	7.39	133.95	123.60
26	BB	380	G	C5'-C4'-O4'	7.39	117.97	109.10
26	BB	1527	G	C2-N3-C4	7.39	115.60	111.90
26	BB	1998	A	C2-N3-C4	7.39	114.30	110.60
26	BB	2184	A	C2-N3-C4	7.39	114.30	110.60
26	BB	2357	G	C4-C5-C6	7.39	123.23	118.80
1	AA	1140	C	C1'-O4'-C4'	7.39	115.81	109.90
26	BB	825	A	C5-C6-N1	7.39	121.39	117.70
26	BB	837	C	N1-C2-O2	7.39	123.33	118.90
26	BB	1587	G	C3'-C2'-C1'	7.39	107.41	101.50
1	AA	1121	U	N1-C2-N3	7.39	119.33	114.90
2	AB	45	U	C5-C4-O4	-7.39	121.47	125.90
4	AD	9	G	N3-C2-N2	-7.39	114.73	119.90
26	BB	309	A	C5'-C4'-C3'	-7.39	104.17	116.00
26	BB	1941	C	C5-C4-N4	7.39	125.37	120.20
26	BB	2008	C	O4'-C1'-N1	7.39	114.11	108.20
26	BB	714	U	N3-C2-O2	-7.39	117.03	122.20
1	AA	819	A	C4-C5-C6	7.39	120.69	117.00
26	BB	1043	C	N3-C4-C5	7.39	124.86	121.90
26	BB	1612	C	N3-C4-C5	7.39	124.85	121.90
26	BB	2595	G	C4-C5-C6	7.39	123.23	118.80
1	AA	1505	G	C6-N1-C2	-7.38	120.67	125.10
26	BB	1072	C	C2-N3-C4	7.38	123.59	119.90
26	BB	1143	A	O3'-P-O5'	-7.38	89.97	104.00
4	AD	69	C	N3-C4-N4	7.38	123.17	118.00
26	BB	2052	A	O4'-C1'-N9	7.38	114.11	108.20
1	AA	155	A	C4-C5-C6	-7.38	113.31	117.00
1	AA	599	C	C6-N1-C2	7.38	123.25	120.30
26	BB	583	G	C6-N1-C2	-7.38	120.67	125.10
26	BB	619	G	N7-C8-N9	-7.38	109.41	113.10
26	BB	705	A	C1'-O4'-C4'	-7.38	104.00	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	713	G	C4-C5-C6	7.38	123.23	118.80
26	BB	1648	U	C5-C4-O4	-7.38	121.47	125.90
26	BB	2626	C	C6-N1-C2	-7.38	117.35	120.30
41	BQ	99	TYR	CB-CG-CD1	7.38	125.43	121.00
1	AA	1200	C	C6-N1-C2	-7.38	117.35	120.30
1	AA	1473	G	C6-C5-N7	-7.38	125.97	130.40
3	AC	44	U	C3'-C2'-C1'	7.38	107.40	101.50
26	BB	1040	A	N1-C6-N6	7.38	123.03	118.60
26	BB	1418	G	N1-C2-N2	-7.38	109.56	116.20
26	BB	2496	C	N1-C2-O2	7.38	123.33	118.90
26	BB	2788	C	N3-C4-N4	7.38	123.17	118.00
57	B6	41	ARG	NE-CZ-NH2	7.38	123.99	120.30
1	AA	783	C	C5-C6-N1	7.38	124.69	121.00
4	AD	18	U	N3-C4-C5	-7.38	110.17	114.60
1	AA	608	A	C8-N9-C4	-7.38	102.85	105.80
1	AA	681	A	C2-N3-C4	-7.38	106.91	110.60
1	AA	816	A	N1-C2-N3	-7.38	125.61	129.30
26	BB	604	G	C5'-C4'-O4'	7.38	117.95	109.10
26	BB	2319	G	N7-C8-N9	7.38	116.79	113.10
1	AA	53	A	C5'-C4'-O4'	7.38	117.95	109.10
1	AA	122	G	C8-N9-C4	-7.38	103.45	106.40
1	AA	438	U	O4'-C4'-C3'	7.38	112.00	106.10
4	AD	53	G	O4'-C1'-N9	7.38	114.10	108.20
26	BB	583	G	N3-C2-N2	-7.38	114.74	119.90
26	BB	1464	G	N3-C4-N9	7.38	130.43	126.00
26	BB	2539	C	C2-N3-C4	7.38	123.59	119.90
26	BB	2697	G	N3-C4-N9	7.38	130.43	126.00
1	AA	228	A	C5-N7-C8	7.37	107.59	103.90
1	AA	1332	A	N9-C1'-C2'	-7.37	103.89	112.00
1	AA	1456	A	O4'-C1'-N9	7.37	114.10	108.20
26	BB	735	A	C2-N3-C4	7.37	114.29	110.60
26	BB	1853	A	C3'-C2'-C1'	7.37	107.40	101.50
1	AA	673	A	N3-C4-N9	7.37	133.30	127.40
1	AA	1180	A	C4'-C3'-C2'	-7.37	95.23	102.60
26	BB	199	A	C3'-C2'-C1'	-7.37	95.60	101.50
26	BB	1963	U	C5-C4-O4	-7.37	121.48	125.90
26	BB	2471	A	C2'-C3'-O3'	7.37	125.72	109.50
1	AA	784	A	N9-C4-C5	7.37	108.75	105.80
2	AB	5	G	C5-C6-N1	7.37	115.18	111.50
25	BA	108	A	C1'-O4'-C4'	-7.37	104.00	109.90
26	BB	317	G	N9-C4-C5	7.37	108.35	105.40
26	BB	1121	C	O4'-C1'-N1	7.37	114.09	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2193	G	C1'-O4'-C4'	-7.37	104.00	109.90
1	AA	181	A	C8-N9-C4	-7.37	102.85	105.80
4	AD	6	G	N1-C2-N3	-7.37	119.48	123.90
26	BB	1303	G	C4-C5-C6	7.37	123.22	118.80
1	AA	971	G	C8-N9-C4	-7.37	103.45	106.40
1	AA	1072	G	N3-C4-C5	-7.37	124.92	128.60
26	BB	131	A	O4'-C1'-N9	7.37	114.09	108.20
26	BB	210	C	C5'-C4'-O4'	7.37	117.94	109.10
26	BB	348	A	C6-C5-N7	-7.37	127.14	132.30
26	BB	385	C	C2-N3-C4	7.37	123.58	119.90
26	BB	586	A	N9-C4-C5	7.37	108.75	105.80
26	BB	848	C	C5'-C4'-O4'	7.37	117.94	109.10
26	BB	1636	U	C4-C5-C6	7.37	124.12	119.70
26	BB	2641	G	C8-N9-C4	-7.37	103.45	106.40
1	AA	44	A	O4'-C1'-N9	7.36	114.09	108.20
1	AA	151	A	O4'-C1'-N9	7.36	114.09	108.20
1	AA	955	U	O4'-C1'-N1	7.36	114.09	108.20
1	AA	999	C	C5-C4-N4	7.36	125.35	120.20
1	AA	1282	C	C3'-C2'-C1'	7.36	107.39	101.50
16	AP	97	ARG	NE-CZ-NH2	-7.36	116.62	120.30
26	BB	281	C	O4'-C1'-N1	7.36	114.09	108.20
26	BB	372	G	C5-C6-N1	-7.36	107.82	111.50
26	BB	924	G	N1-C2-N3	-7.36	119.48	123.90
26	BB	1526	C	O4'-C1'-N1	7.36	114.09	108.20
26	BB	2236	U	N3-C2-O2	-7.36	117.05	122.20
26	BB	2851	A	C6-N1-C2	-7.36	114.18	118.60
46	BV	51	PHE	CB-CG-CD2	7.36	125.95	120.80
26	BB	483	A	N7-C8-N9	-7.36	110.12	113.80
1	AA	53	A	O4'-C1'-N9	7.36	114.09	108.20
1	AA	497	G	C4-C5-N7	7.36	113.74	110.80
1	AA	687	A	C6-C5-N7	7.36	137.45	132.30
1	AA	893	C	N3-C2-O2	-7.36	116.75	121.90
23	AW	35	TYR	CB-CG-CD1	-7.36	116.58	121.00
26	BB	168	G	C4-C5-N7	-7.36	107.86	110.80
26	BB	487	C	O4'-C1'-N1	7.36	114.09	108.20
26	BB	1132	U	O4'-C4'-C3'	7.36	111.99	106.10
26	BB	1627	G	C5'-C4'-O4'	7.36	117.93	109.10
26	BB	2050	C	O4'-C1'-N1	7.36	114.09	108.20
26	BB	2145	C	C2-N3-C4	7.36	123.58	119.90
26	BB	2231	U	O4'-C1'-N1	7.36	114.09	108.20
1	AA	1456	A	C2-N3-C4	-7.36	106.92	110.60
26	BB	614	A	C8-N9-C4	-7.36	102.86	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	624	C	C4-C5-C6	-7.36	113.72	117.40
26	BB	1228	G	C4-C5-N7	7.36	113.74	110.80
1	AA	283	U	C4'-C3'-C2'	-7.36	95.24	102.60
1	AA	504	C	C3'-C2'-C1'	7.36	107.39	101.50
25	BA	49	C	C6-N1-C2	-7.36	117.36	120.30
25	BA	53	A	N9-C1'-C2'	-7.36	103.91	112.00
26	BB	264	C	N3-C4-C5	-7.36	118.96	121.90
26	BB	270	A	N1-C2-N3	-7.36	125.62	129.30
26	BB	668	A	C5-C6-N1	7.36	121.38	117.70
1	AA	822	U	O4'-C1'-N1	7.36	114.08	108.20
1	AA	1154	G	O4'-C1'-N9	7.36	114.08	108.20
1	AA	1181	G	N1-C2-N3	7.36	128.31	123.90
25	BA	86	G	P-O3'-C3'	7.36	128.53	119.70
26	BB	233	A	O4'-C4'-C3'	7.36	111.98	106.10
26	BB	988	A	N1-C6-N6	7.36	123.01	118.60
26	BB	2594	C	N3-C4-C5	-7.36	118.96	121.90
1	AA	746	A	O4'-C1'-N9	7.35	114.08	108.20
26	BB	682	G	O4'-C4'-C3'	7.35	111.98	106.10
26	BB	974	G	C3'-C2'-C1'	-7.35	95.62	101.50
26	BB	1576	U	C6-N1-C2	-7.35	116.59	121.00
26	BB	2224	G	N3-C2-N2	7.35	125.05	119.90
26	BB	2422	C	P-O3'-C3'	7.35	128.52	119.70
1	AA	1511	G	C8-N9-C4	-7.35	103.46	106.40
26	BB	218	A	C5-C6-N6	-7.35	117.82	123.70
26	BB	599	A	P-O3'-C3'	7.35	128.52	119.70
26	BB	781	A	P-O3'-C3'	7.35	128.52	119.70
26	BB	999	U	N3-C4-O4	7.35	124.55	119.40
26	BB	2216	G	N1-C2-N2	-7.35	109.58	116.20
26	BB	2872	A	C5-C6-N6	-7.35	117.82	123.70
1	AA	599	C	C5-C6-N1	-7.35	117.32	121.00
4	AD	54	G	O4'-C1'-N9	7.35	114.08	108.20
1	AA	219	U	C3'-C2'-C1'	7.35	107.38	101.50
1	AA	494	G	C5-C6-O6	-7.35	124.19	128.60
26	BB	70	G	N7-C8-N9	7.35	116.78	113.10
26	BB	730	A	N1-C2-N3	-7.35	125.63	129.30
26	BB	1040	A	C5-C6-N6	-7.35	117.82	123.70
26	BB	1327	A	C4-C5-C6	-7.35	113.33	117.00
26	BB	1355	G	C5'-C4'-O4'	7.35	117.92	109.10
28	BD	79	ARG	NE-CZ-NH1	-7.35	116.62	120.30
1	AA	264	C	O4'-C1'-N1	7.35	114.08	108.20
1	AA	711	G	C5-N7-C8	-7.35	100.63	104.30
1	AA	885	G	C5-C6-O6	-7.35	124.19	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	125	A	C1'-O4'-C4'	7.35	115.78	109.90
26	BB	1052	C	C5-C6-N1	-7.35	117.33	121.00
1	AA	130	A	O4'-C1'-C2'	7.35	114.21	107.60
1	AA	1130	A	C3'-C2'-C1'	-7.35	95.62	101.50
1	AA	1234	C	N3-C4-C5	7.35	124.84	121.90
26	BB	191	A	N7-C8-N9	7.35	117.47	113.80
26	BB	1466	U	O4'-C1'-N1	7.35	114.08	108.20
26	BB	1896	G	C2-N3-C4	7.35	115.57	111.90
26	BB	2629	U	C5'-C4'-C3'	-7.35	104.25	116.00
1	AA	61	G	C6-N1-C2	-7.34	120.69	125.10
1	AA	491	G	N3-C4-C5	-7.34	124.93	128.60
1	AA	709	U	O4'-C1'-N1	7.34	114.08	108.20
1	AA	740	U	C3'-C2'-C1'	7.34	107.38	101.50
1	AA	1322	C	C6-N1-C1'	-7.34	111.99	120.80
4	AD	57	C	C6-N1-C2	7.34	123.24	120.30
26	BB	506	G	C6-C5-N7	-7.34	125.99	130.40
26	BB	1283	G	C4-C5-N7	-7.34	107.86	110.80
26	BB	1452	G	C6-N1-C2	-7.34	120.69	125.10
26	BB	1553	A	N1-C6-N6	-7.34	114.19	118.60
26	BB	2353	G	C2-N3-C4	7.34	115.57	111.90
26	BB	2482	A	N1-C6-N6	7.34	123.01	118.60
45	BU	38	TYR	CB-CG-CD1	-7.34	116.59	121.00
1	AA	271	C	O4'-C1'-N1	7.34	114.07	108.20
1	AA	397	A	C2-N3-C4	7.34	114.27	110.60
1	AA	1296	C	C2-N3-C4	7.34	123.57	119.90
1	AA	1408	A	N9-C1'-C2'	-7.34	103.92	112.00
26	BB	167	A	C5-N7-C8	7.34	107.57	103.90
26	BB	1297	C	O4'-C1'-N1	7.34	114.08	108.20
26	BB	2584	U	O4'-C1'-N1	7.34	114.08	108.20
1	AA	203	G	N3-C4-N9	7.34	130.40	126.00
1	AA	1520	C	N3-C4-N4	7.34	123.14	118.00
11	AK	58	LEU	CB-CG-CD2	7.34	123.48	111.00
26	BB	604	G	N7-C8-N9	7.34	116.77	113.10
26	BB	725	G	N1-C2-N2	-7.34	109.59	116.20
26	BB	774	G	N1-C6-O6	-7.34	115.50	119.90
26	BB	1299	G	C5-C6-N1	7.34	115.17	111.50
26	BB	1502	A	C5-N7-C8	-7.34	100.23	103.90
1	AA	100	G	C5-C6-O6	7.34	133.00	128.60
1	AA	1048	G	N3-C2-N2	-7.34	114.76	119.90
1	AA	1304	G	N1-C2-N2	7.34	122.81	116.20
26	BB	315	G	N3-C4-N9	-7.34	121.60	126.00
26	BB	1518	C	C5-C4-N4	7.34	125.34	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1255	G	N1-C6-O6	7.34	124.30	119.90
2	AB	15	A	C8-N9-C4	-7.34	102.86	105.80
26	BB	83	A	C8-N9-C4	-7.34	102.86	105.80
26	BB	1881	C	C6-N1-C2	-7.34	117.36	120.30
1	AA	207	C	C5-C6-N1	7.34	124.67	121.00
1	AA	652	U	O4'-C1'-N1	7.34	114.07	108.20
26	BB	224	U	C5'-C4'-C3'	-7.34	104.26	116.00
26	BB	1045	C	N1-C2-N3	-7.34	114.06	119.20
26	BB	1554	U	C6-N1-C2	-7.34	116.60	121.00
26	BB	2281	A	O4'-C1'-N9	7.34	114.07	108.20
26	BB	2393	U	C4-C5-C6	7.34	124.10	119.70
26	BB	2482	A	N9-C4-C5	7.34	108.73	105.80
26	BB	2602	A	O4'-C4'-C3'	7.34	111.97	106.10
26	BB	2640	G	C5'-C4'-O4'	7.34	117.90	109.10
1	AA	1381	U	N3-C4-O4	7.33	124.53	119.40
26	BB	377	G	C5-C6-N1	7.33	115.17	111.50
26	BB	1288	G	C8-N9-C4	-7.33	103.47	106.40
1	AA	643	C	C5-C6-N1	7.33	124.67	121.00
1	AA	1317	C	N3-C2-O2	-7.33	116.77	121.90
1	AA	1439	G	C4-C5-C6	7.33	123.20	118.80
4	AD	41	C	P-O3'-C3'	7.33	128.50	119.70
26	BB	446	G	N3-C2-N2	7.33	125.03	119.90
26	BB	529	A	C6-N1-C2	-7.33	114.20	118.60
26	BB	567	U	P-O3'-C3'	7.33	128.50	119.70
26	BB	1661	G	C6-N1-C2	-7.33	120.70	125.10
26	BB	1897	G	C5-C6-O6	-7.33	124.20	128.60
26	BB	2680	U	N1-C2-N3	7.33	119.30	114.90
1	AA	839	C	N3-C2-O2	-7.33	116.77	121.90
1	AA	1455	G	C5-C6-O6	-7.33	124.20	128.60
26	BB	446	G	C2-N3-C4	7.33	115.56	111.90
26	BB	476	G	C5-N7-C8	7.33	107.97	104.30
26	BB	2235	G	O4'-C1'-N9	7.33	114.06	108.20
26	BB	2283	C	O5'-P-OP1	-7.33	99.10	105.70
1	AA	460	A	C5-C6-N6	-7.33	117.84	123.70
1	AA	490	C	C5-C6-N1	7.33	124.67	121.00
26	BB	739	A	C5-C6-N6	-7.33	117.84	123.70
26	BB	804	A	C8-N9-C4	7.33	108.73	105.80
26	BB	1504	A	C5-C6-N1	7.33	121.36	117.70
1	AA	31	G	N1-C6-O6	7.33	124.30	119.90
1	AA	828	U	P-O3'-C3'	7.33	128.49	119.70
1	AA	1323	G	C4-C5-C6	7.33	123.20	118.80
4	AD	3	C	C2-N3-C4	7.33	123.56	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	51	U	N3-C4-C5	-7.33	110.20	114.60
25	BA	66	A	C2-N3-C4	7.33	114.26	110.60
26	BB	1521	G	N3-C2-N2	7.33	125.03	119.90
26	BB	1712	U	C5-C6-N1	-7.33	119.04	122.70
26	BB	2037	A	C4-C5-C6	7.33	120.66	117.00
26	BB	2062	A	N3-C4-N9	7.33	133.26	127.40
26	BB	2301	C	P-O3'-C3'	7.33	128.50	119.70
26	BB	2558	C	C5'-C4'-O4'	7.33	117.89	109.10
26	BB	2648	G	N1-C2-N3	-7.33	119.50	123.90
1	AA	482	A	N3-C4-C5	-7.33	121.67	126.80
26	BB	51	G	O4'-C1'-N9	7.33	114.06	108.20
26	BB	432	A	N7-C8-N9	-7.33	110.14	113.80
26	BB	1431	A	C6-N1-C2	7.33	123.00	118.60
26	BB	2110	G	C4-C5-N7	-7.33	107.87	110.80
26	BB	2415	G	C5-N7-C8	-7.33	100.64	104.30
26	BB	2885	G	N7-C8-N9	7.33	116.76	113.10
1	AA	702	A	C1'-O4'-C4'	7.33	115.76	109.90
25	BA	34	A	C6-C5-N7	7.33	137.43	132.30
26	BB	456	C	O4'-C1'-N1	7.33	114.06	108.20
26	BB	2230	G	N3-C2-N2	-7.33	114.77	119.90
26	BB	2397	G	N3-C2-N2	7.33	125.03	119.90
26	BB	2711	A	C5-N7-C8	-7.33	100.24	103.90
1	AA	635	A	O4'-C1'-N9	7.32	114.06	108.20
1	AA	1349	A	O4'-C1'-N9	7.32	114.06	108.20
1	AA	1369	C	N3-C4-N4	7.32	123.13	118.00
25	BA	100	G	C6-C5-N7	-7.32	126.01	130.40
26	BB	17	G	N3-C4-C5	-7.32	124.94	128.60
26	BB	194	G	N3-C4-C5	-7.32	124.94	128.60
26	BB	257	C	N3-C2-O2	-7.32	116.77	121.90
26	BB	630	G	C5-C6-N1	7.32	115.16	111.50
26	BB	2502	G	C5'-C4'-O4'	7.32	117.89	109.10
26	BB	2537	U	N3-C2-O2	-7.32	117.07	122.20
1	AA	863	U	N1-C1'-C2'	-7.32	103.95	112.00
1	AA	867	G	N9-C4-C5	7.32	108.33	105.40
1	AA	918	A	C8-N9-C4	-7.32	102.87	105.80
26	BB	966	G	C1'-O4'-C4'	7.32	115.76	109.90
26	BB	1344	U	O4'-C1'-N1	7.32	114.06	108.20
26	BB	2220	U	C5-C4-O4	7.32	130.29	125.90
26	BB	2823	A	C6-C5-N7	-7.32	127.17	132.30
1	AA	171	A	N9-C4-C5	-7.32	102.87	105.80
1	AA	436	C	C5-C4-N4	-7.32	115.08	120.20
1	AA	617	G	C6-N1-C2	-7.32	120.71	125.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	791	G	N7-C8-N9	7.32	116.76	113.10
1	AA	874	G	C2-N3-C4	7.32	115.56	111.90
1	AA	889	A	O4'-C1'-C2'	-7.32	98.48	105.80
1	AA	1370	G	C6-N1-C2	-7.32	120.71	125.10
4	AD	52	C	N3-C2-O2	-7.32	116.78	121.90
26	BB	82	U	C5'-C4'-C3'	-7.32	104.29	116.00
26	BB	2846	G	N7-C8-N9	7.32	116.76	113.10
1	AA	319	G	N3-C2-N2	-7.32	114.78	119.90
1	AA	739	C	C5-C6-N1	7.32	124.66	121.00
26	BB	775	G	N3-C2-N2	-7.32	114.78	119.90
26	BB	992	C	C5'-C4'-O4'	7.32	117.88	109.10
26	BB	1689	A	N1-C6-N6	-7.32	114.21	118.60
26	BB	915	C	P-O3'-C3'	7.32	128.48	119.70
26	BB	2008	C	C2-N3-C4	7.32	123.56	119.90
26	BB	2663	G	C5-C6-O6	-7.32	124.21	128.60
1	AA	1368	A	C4'-C3'-C2'	-7.32	95.28	102.60
26	BB	1969	A	O4'-C1'-N9	7.32	114.05	108.20
26	BB	2245	U	C5-C4-O4	7.32	130.29	125.90
31	BG	176	PHE	CB-CG-CD2	7.32	125.92	120.80
1	AA	1061	G	C5-C6-N1	7.31	115.16	111.50
26	BB	30	G	N9-C1'-C2'	-7.31	103.95	112.00
26	BB	355	U	N1-C1'-C2'	-7.31	103.95	112.00
26	BB	2643	G	C5'-C4'-O4'	7.31	117.88	109.10
1	AA	1058	G	C8-N9-C4	-7.31	103.47	106.40
25	BA	43	C	N3-C4-N4	7.31	123.12	118.00
26	BB	107	G	N7-C8-N9	7.31	116.76	113.10
26	BB	363	G	N3-C2-N2	-7.31	114.78	119.90
26	BB	436	C	C1'-O4'-C4'	7.31	115.75	109.90
26	BB	2143	C	N1-C2-N3	-7.31	114.08	119.20
4	AD	47	A	C4'-C3'-C2'	-7.31	95.29	102.60
25	BA	94	A	C1'-O4'-C4'	-7.31	104.05	109.90
26	BB	817	C	N3-C4-C5	-7.31	118.98	121.90
1	AA	731	G	N7-C8-N9	7.31	116.75	113.10
1	AA	838	G	C6-C5-N7	7.31	134.79	130.40
1	AA	889	A	C8-N9-C4	-7.31	102.88	105.80
4	AD	52	C	C6-N1-C2	-7.31	117.38	120.30
25	BA	18	G	C5-N7-C8	7.31	107.95	104.30
26	BB	1207	C	C5-C6-N1	7.31	124.65	121.00
26	BB	1248	G	N3-C4-N9	7.31	130.39	126.00
26	BB	1914	C	C3'-C2'-C1'	-7.31	95.65	101.50
26	BB	2241	A	O4'-C1'-C2'	7.31	114.18	107.60
26	BB	2294	G	N7-C8-N9	7.31	116.75	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	802	A	C5-N7-C8	-7.31	100.25	103.90
1	AA	867	G	C6-N1-C2	-7.31	120.72	125.10
1	AA	1309	G	N3-C2-N2	-7.31	114.78	119.90
26	BB	297	G	C8-N9-C4	-7.31	103.48	106.40
26	BB	718	A	C2-N3-C4	7.31	114.25	110.60
26	BB	760	G	C6-C5-N7	-7.31	126.02	130.40
26	BB	1183	U	O4'-C1'-N1	7.31	114.05	108.20
26	BB	1235	G	C5-N7-C8	7.31	107.95	104.30
26	BB	1647	U	N1-C1'-C2'	7.31	123.50	114.00
26	BB	1894	C	P-O3'-C3'	7.31	128.47	119.70
1	AA	130	A	N1-C6-N6	7.31	122.98	118.60
1	AA	278	G	C2-N3-C4	-7.31	108.25	111.90
26	BB	91	A	O4'-C4'-C3'	7.31	111.94	106.10
26	BB	1979	U	C5-C6-N1	7.31	126.35	122.70
26	BB	2472	G	C5-N7-C8	-7.31	100.65	104.30
1	AA	52	C	N3-C4-C5	-7.30	118.98	121.90
1	AA	81	A	C6-C5-N7	7.30	137.41	132.30
1	AA	696	A	C4-C5-C6	7.30	120.65	117.00
1	AA	947	G	C3'-C2'-C1'	7.30	107.34	101.50
1	AA	1124	G	N7-C8-N9	7.30	116.75	113.10
4	AD	67	C	N1-C2-O2	7.30	123.28	118.90
26	BB	604	G	C8-N9-C4	-7.30	103.48	106.40
26	BB	1112	G	N1-C2-N3	-7.30	119.52	123.90
26	BB	1491	G	C2-N3-C4	7.30	115.55	111.90
26	BB	1762	A	C4'-C3'-C2'	-7.30	95.30	102.60
26	BB	2238	G	N7-C8-N9	7.30	116.75	113.10
26	BB	2246	G	C6-C5-N7	-7.30	126.02	130.40
26	BB	2660	A	N1-C2-N3	-7.30	125.65	129.30
52	B1	46	MET	CA-CB-CG	-7.30	100.88	113.30
1	AA	199	A	N1-C2-N3	-7.30	125.65	129.30
4	AD	17	C	N1-C2-O2	7.30	123.28	118.90
26	BB	308	G	C4-C5-N7	-7.30	107.88	110.80
26	BB	1627	G	N3-C4-C5	-7.30	124.95	128.60
1	AA	306	A	N9-C4-C5	7.30	108.72	105.80
1	AA	738	C	O4'-C1'-N1	7.30	114.04	108.20
1	AA	758	C	O4'-C1'-N1	7.30	114.04	108.20
1	AA	795	C	C2-N3-C4	-7.30	116.25	119.90
1	AA	1119	C	N3-C4-N4	7.30	123.11	118.00
1	AA	1206	G	C5'-C4'-C3'	-7.30	104.32	116.00
26	BB	463	G	C6-N1-C2	-7.30	120.72	125.10
26	BB	2282	G	C4-C5-C6	7.30	123.18	118.80
1	AA	638	U	C2-N3-C4	-7.30	122.62	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	791	G	C6-N1-C2	-7.30	120.72	125.10
1	AA	689	C	N1-C2-O2	7.30	123.28	118.90
26	BB	452	G	N1-C6-O6	-7.30	115.52	119.90
26	BB	509	C	N3-C4-C5	7.30	124.82	121.90
26	BB	512	G	C5-C6-N1	7.30	115.15	111.50
26	BB	681	G	C8-N9-C4	-7.30	103.48	106.40
1	AA	616	G	C4'-C3'-C2'	-7.30	95.30	102.60
1	AA	888	G	N3-C4-C5	-7.30	124.95	128.60
1	AA	1277	C	N1-C2-O2	7.30	123.28	118.90
1	AA	1463	U	O4'-C1'-N1	7.30	114.04	108.20
26	BB	109	C	C1'-O4'-C4'	-7.30	104.06	109.90
26	BB	528	A	N9-C4-C5	-7.30	102.88	105.80
26	BB	646	U	C3'-C2'-C1'	7.30	107.34	101.50
26	BB	923	G	N3-C2-N2	7.30	125.01	119.90
26	BB	1942	C	C3'-C2'-C1'	7.30	107.34	101.50
26	BB	2322	A	C2-N3-C4	7.30	114.25	110.60
1	AA	1334	G	C6-C5-N7	-7.29	126.02	130.40
25	BA	81	G	C5-C6-O6	-7.29	124.22	128.60
26	BB	809	G	C6-N1-C2	-7.29	120.72	125.10
26	BB	844	A	C4-C5-N7	-7.29	107.05	110.70
26	BB	1298	C	O4'-C1'-N1	7.29	114.04	108.20
1	AA	202	G	C1'-O4'-C4'	-7.29	104.06	109.90
1	AA	380	G	N1-C2-N3	7.29	128.28	123.90
1	AA	866	C	O4'-C1'-N1	7.29	114.04	108.20
1	AA	917	G	N3-C2-N2	-7.29	114.80	119.90
2	AB	72	U	N3-C2-O2	-7.29	117.09	122.20
17	AQ	37	ASP	CB-CG-OD2	-7.29	111.74	118.30
26	BB	6	A	N9-C4-C5	7.29	108.72	105.80
26	BB	1091	G	N3-C2-N2	-7.29	114.80	119.90
26	BB	2225	A	N1-C6-N6	-7.29	114.22	118.60
26	BB	2551	C	C5-C6-N1	7.29	124.65	121.00
26	BB	2844	G	C3'-C2'-C1'	7.29	107.33	101.50
1	AA	875	U	N3-C2-O2	-7.29	117.10	122.20
1	AA	900	A	O4'-C4'-C3'	7.29	111.93	106.10
1	AA	1352	C	C5'-C4'-O4'	7.29	117.85	109.10
4	AD	33	OMC	P-O3'-C3'	7.29	128.45	119.70
25	BA	75	G	C5-C6-N1	7.29	115.15	111.50
26	BB	146	A	N1-C2-N3	-7.29	125.66	129.30
26	BB	245	G	C2-N3-C4	7.29	115.55	111.90
26	BB	407	G	N9-C4-C5	7.29	108.32	105.40
26	BB	474	G	C5-C6-O6	-7.29	124.23	128.60
26	BB	948	C	N3-C2-O2	-7.29	116.80	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1157	G	N7-C8-N9	7.29	116.75	113.10
26	BB	1651	G	C4'-C3'-C2'	-7.29	95.31	102.60
26	BB	2339	C	O4'-C1'-N1	7.29	114.03	108.20
26	BB	2871	U	P-O3'-C3'	7.29	128.45	119.70
1	AA	664	G	N7-C8-N9	7.29	116.75	113.10
1	AA	894	G	C4-C5-N7	7.29	113.72	110.80
26	BB	243	U	O4'-C4'-C3'	7.29	111.93	106.10
26	BB	806	C	C2-N3-C4	7.29	123.55	119.90
26	BB	2002	G	N3-C2-N2	-7.29	114.80	119.90
26	BB	2424	C	P-O3'-C3'	7.29	128.45	119.70
26	BB	2537	U	C4-C5-C6	7.29	124.07	119.70
26	BB	2819	G	C2-N3-C4	7.29	115.55	111.90
1	AA	1355	G	N9-C4-C5	7.29	108.31	105.40
4	AD	31	G	C5-C6-O6	-7.29	124.23	128.60
26	BB	335	C	C5-C6-N1	-7.29	117.36	121.00
26	BB	462	C	C2-N3-C4	-7.29	116.26	119.90
26	BB	642	U	N3-C2-O2	-7.29	117.10	122.20
26	BB	1003	G	N1-C2-N2	-7.29	109.64	116.20
26	BB	2312	U	C2-N3-C4	-7.29	122.63	127.00
26	BB	2446	G	P-O3'-C3'	7.29	128.45	119.70
26	BB	2879	A	O4'-C1'-N9	7.29	114.03	108.20
26	BB	659	G	N3-C2-N2	-7.29	114.80	119.90
26	BB	1038	G	C8-N9-C4	-7.29	103.48	106.40
26	BB	2697	G	C8-N9-C4	-7.29	103.48	106.40
1	AA	9	G	N9-C4-C5	7.29	108.31	105.40
1	AA	1434	A	O4'-C1'-N9	7.29	114.03	108.20
26	BB	1145	C	C6-N1-C2	-7.29	117.39	120.30
26	BB	1221	C	N3-C4-C5	-7.29	118.99	121.90
26	BB	1239	G	C4'-C3'-C2'	-7.29	95.31	102.60
26	BB	1704	C	N3-C4-C5	7.29	124.81	121.90
26	BB	2749	A	C3'-C2'-C1'	7.29	107.33	101.50
45	BU	75	PHE	CB-CG-CD2	-7.29	115.70	120.80
1	AA	324	G	C6-C5-N7	-7.28	126.03	130.40
25	BA	2	G	N1-C6-O6	7.28	124.27	119.90
25	BA	92	C	C5'-C4'-O4'	7.28	117.84	109.10
26	BB	339	U	C5-C4-O4	-7.28	121.53	125.90
26	BB	1983	G	N9-C1'-C2'	-7.28	103.99	112.00
26	BB	2044	C	C6-N1-C2	7.28	123.21	120.30
26	BB	2268	A	N3-C4-N9	7.28	133.23	127.40
1	AA	751	U	O4'-C1'-N1	7.28	114.03	108.20
1	AA	1308	U	O4'-C1'-N1	7.28	114.03	108.20
1	AA	1416	G	O4'-C4'-C3'	7.28	111.92	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	10	G	C8-N9-C4	-7.28	103.49	106.40
26	BB	904	G	C4-N9-C1'	-7.28	117.03	126.50
1	AA	883	C	N1-C2-O2	7.28	123.27	118.90
1	AA	932	C	C3'-C2'-C1'	7.28	107.32	101.50
1	AA	1103	C	C5'-C4'-C3'	-7.28	104.35	116.00
3	AC	48	C	N3-C2-O2	-7.28	116.80	121.90
26	BB	248	G	N9-C4-C5	-7.28	102.49	105.40
26	BB	322	A	C8-N9-C4	7.28	108.71	105.80
26	BB	1147	A	C6-N1-C2	-7.28	114.23	118.60
26	BB	1302	A	C5-C6-N1	-7.28	114.06	117.70
26	BB	1622	G	O4'-C1'-N9	7.28	114.02	108.20
26	BB	2136	G	C5-C6-O6	7.28	132.97	128.60
26	BB	2289	G	C2-N3-C4	-7.28	108.26	111.90
26	BB	2574	G	C5-C6-N1	7.28	115.14	111.50
26	BB	2800	A	C5-C6-N1	7.28	121.34	117.70
1	AA	1250	A	N1-C6-N6	7.28	122.97	118.60
2	AB	7	G	C1'-O4'-C4'	7.28	115.72	109.90
26	BB	703	U	C3'-C2'-C1'	-7.28	95.68	101.50
26	BB	1317	G	N7-C8-N9	7.28	116.74	113.10
1	AA	98	A	N3-C4-C5	-7.28	121.70	126.80
1	AA	530	G	C2-N3-C4	7.28	115.54	111.90
1	AA	1182	G	P-O3'-C3'	7.28	128.43	119.70
25	BA	60	C	O4'-C1'-N1	7.28	114.02	108.20
26	BB	357	C	N1-C2-O2	7.28	123.27	118.90
26	BB	637	A	C5'-C4'-C3'	-7.28	104.36	116.00
26	BB	1059	G	C4-C5-N7	7.28	113.71	110.80
26	BB	1460	U	C3'-C2'-C1'	7.28	107.32	101.50
26	BB	1864	U	C3'-C2'-C1'	7.28	107.32	101.50
53	B2	63	ARG	NH1-CZ-NH2	-7.28	111.39	119.40
1	AA	68	G	N9-C4-C5	7.28	108.31	105.40
1	AA	145	G	C5-C6-N1	7.28	115.14	111.50
1	AA	269	C	C4'-C3'-C2'	-7.28	95.33	102.60
1	AA	307	C	C4-C5-C6	7.28	121.04	117.40
26	BB	420	C	C6-N1-C2	7.28	123.21	120.30
26	BB	1105	U	C4-C5-C6	7.28	124.06	119.70
26	BB	434	U	N1-C2-O2	7.27	127.89	122.80
26	BB	1369	G	N3-C4-C5	-7.27	124.96	128.60
26	BB	1523	U	C4-C5-C6	7.27	124.06	119.70
26	BB	2677	G	N1-C2-N3	-7.27	119.54	123.90
4	AD	42	C	C6-N1-C2	-7.27	117.39	120.30
25	BA	103	U	C4'-C3'-C2'	-7.27	95.33	102.60
25	BA	113	C	N1-C2-O2	7.27	123.26	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	64	A	C3'-C2'-C1'	-7.27	95.68	101.50
26	BB	670	A	C3'-C2'-C1'	7.27	107.32	101.50
26	BB	1783	A	N7-C8-N9	-7.27	110.16	113.80
26	BB	1968	G	C5-N7-C8	-7.27	100.66	104.30
26	BB	2088	A	C5-C6-N1	7.27	121.34	117.70
26	BB	2316	G	C4-C5-N7	7.27	113.71	110.80
26	BB	2762	C	C5-C6-N1	7.27	124.64	121.00
26	BB	2823	A	N1-C6-N6	7.27	122.96	118.60
26	BB	784	G	N7-C8-N9	7.27	116.74	113.10
26	BB	1459	G	C4'-C3'-C2'	-7.27	95.33	102.60
26	BB	1630	A	C5-N7-C8	7.27	107.53	103.90
1	AA	308	C	P-O3'-C3'	7.27	128.42	119.70
1	AA	1081	A	C4-C5-C6	-7.27	113.37	117.00
1	AA	1487	G	N1-C2-N3	-7.27	119.54	123.90
4	AD	22	A	C1'-O4'-C4'	-7.27	104.08	109.90
26	BB	189	G	C6-N1-C2	-7.27	120.74	125.10
26	BB	431	U	C4'-C3'-C2'	-7.27	95.33	102.60
26	BB	916	G	N3-C4-C5	-7.27	124.97	128.60
26	BB	1193	G	C2-N3-C4	-7.27	108.27	111.90
26	BB	1678	A	C5'-C4'-O4'	7.27	117.82	109.10
26	BB	2267	A	O4'-C1'-N9	-7.27	102.39	108.20
26	BB	2352	A	P-O3'-C3'	7.27	128.42	119.70
26	BB	2531	A	P-O3'-C3'	7.27	128.42	119.70
26	BB	2534	A	C2-N3-C4	7.27	114.23	110.60
1	AA	427	U	N3-C4-O4	7.27	124.49	119.40
1	AA	532	A	N9-C4-C5	-7.27	102.89	105.80
1	AA	1113	C	N3-C4-C5	-7.27	118.99	121.90
1	AA	1141	C	O4'-C1'-N1	7.27	114.01	108.20
26	BB	250	G	N7-C8-N9	7.27	116.73	113.10
26	BB	1099	G	N1-C6-O6	7.27	124.26	119.90
26	BB	1149	G	N9-C4-C5	7.27	108.31	105.40
26	BB	1702	G	C5-C6-O6	-7.27	124.24	128.60
26	BB	2170	A	N7-C8-N9	7.27	117.43	113.80
26	BB	2182	U	C5-C4-O4	-7.27	121.54	125.90
26	BB	2197	U	C1'-O4'-C4'	7.27	115.71	109.90
26	BB	2414	G	N1-C2-N3	-7.27	119.54	123.90
26	BB	2781	A	C5-C6-N6	-7.27	117.89	123.70
26	BB	2889	C	C5-C6-N1	7.27	124.63	121.00
26	BB	1342	A	C4-C5-C6	-7.27	113.37	117.00
1	AA	21	G	N3-C4-N9	7.26	130.36	126.00
1	AA	634	C	C4-C5-C6	-7.26	113.77	117.40
1	AA	858	G	C5-N7-C8	-7.26	100.67	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	62	U	C5-C6-N1	-7.26	119.07	122.70
26	BB	682	G	N9-C4-C5	7.26	108.31	105.40
26	BB	860	U	C5-C6-N1	-7.26	119.07	122.70
26	BB	882	G	N7-C8-N9	7.26	116.73	113.10
26	BB	958	U	N3-C2-O2	-7.26	117.11	122.20
26	BB	1143	A	N1-C6-N6	-7.26	114.24	118.60
26	BB	1537	G	N1-C6-O6	-7.26	115.54	119.90
26	BB	1770	G	N7-C8-N9	-7.26	109.47	113.10
26	BB	2075	U	C5-C6-N1	-7.26	119.07	122.70
26	BB	2543	G	C5-C6-O6	7.26	132.96	128.60
1	AA	67	C	P-O3'-C3'	7.26	128.42	119.70
1	AA	741	G	C4'-C3'-C2'	-7.26	95.34	102.60
1	AA	1371	G	C4-C5-N7	-7.26	107.89	110.80
4	AD	3	C	N3-C2-O2	-7.26	116.82	121.90
38	BN	66	PHE	CB-CG-CD1	-7.26	115.72	120.80
1	AA	662	U	C5-C6-N1	-7.26	119.07	122.70
1	AA	684	U	N1-C2-N3	7.26	119.26	114.90
1	AA	732	C	C5-C6-N1	7.26	124.63	121.00
1	AA	1008	U	N3-C2-O2	-7.26	117.12	122.20
1	AA	1009	U	C5-C6-N1	-7.26	119.07	122.70
2	AB	30	G	N7-C8-N9	-7.26	109.47	113.10
25	BA	10	G	C5'-C4'-C3'	-7.26	104.38	116.00
26	BB	1474	U	C2-N3-C4	-7.26	122.64	127.00
26	BB	1545	A	N9-C4-C5	7.26	108.70	105.80
26	BB	1842	G	C4-C5-C6	7.26	123.16	118.80
26	BB	1969	A	C4'-C3'-C2'	-7.26	95.34	102.60
26	BB	2555	U	C3'-C2'-C1'	7.26	107.31	101.50
26	BB	2734	A	C6-N1-C2	-7.26	114.24	118.60
45	BU	99	ARG	NE-CZ-NH2	-7.26	116.67	120.30
1	AA	155	A	C2-N3-C4	7.26	114.23	110.60
1	AA	457	G	C5-N7-C8	7.26	107.93	104.30
1	AA	894	G	C5-C6-O6	-7.26	124.24	128.60
1	AA	1374	A	N3-C4-N9	-7.26	121.59	127.40
25	BA	29	A	C8-N9-C4	-7.26	102.90	105.80
26	BB	1067	A	C4'-C3'-C2'	7.26	109.86	102.60
26	BB	1139	G	N1-C6-O6	-7.26	115.55	119.90
26	BB	1308	A	C5'-C4'-O4'	7.26	117.81	109.10
26	BB	1379	U	N3-C4-C5	-7.26	110.24	114.60
26	BB	1601	G	C5-C6-O6	-7.26	124.24	128.60
26	BB	1649	G	C5-C6-O6	7.26	132.96	128.60
26	BB	1707	G	C5'-C4'-C3'	-7.26	104.38	116.00
26	BB	2195	U	C4'-C3'-C2'	-7.26	95.34	102.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	BN	51	GLU	OE1-CD-OE2	7.26	132.01	123.30
1	AA	158	G	N7-C8-N9	7.26	116.73	113.10
1	AA	1217	C	C4-C5-C6	-7.26	113.77	117.40
1	AA	1435	G	C5-N7-C8	7.26	107.93	104.30
26	BB	536	G	N9-C1'-C2'	-7.26	104.02	112.00
26	BB	751	A	C6-C5-N7	7.26	137.38	132.30
26	BB	1964	G	N1-C2-N3	-7.26	119.55	123.90
6	AF	131	ARG	CD-NE-CZ	7.26	133.76	123.60
26	BB	305	C	N3-C2-O2	-7.26	116.82	121.90
26	BB	544	C	P-O3'-C3'	7.26	128.41	119.70
26	BB	1811	G	N9-C4-C5	-7.26	102.50	105.40
26	BB	2826	A	P-O3'-C3'	7.26	128.41	119.70
1	AA	411	A	O4'-C1'-N9	7.25	114.00	108.20
1	AA	2	A	C5-C6-N1	7.25	121.33	117.70
1	AA	277	C	C5-C6-N1	7.25	124.63	121.00
1	AA	915	A	C6-N1-C2	-7.25	114.25	118.60
26	BB	86	G	O4'-C1'-C2'	7.25	114.13	107.60
26	BB	620	G	N7-C8-N9	7.25	116.73	113.10
26	BB	664	G	O4'-C1'-N9	7.25	114.00	108.20
26	BB	1266	G	C4'-C3'-C2'	-7.25	95.35	102.60
26	BB	1476	U	C5-C6-N1	-7.25	119.07	122.70
39	BO	64	TRP	NE1-CE2-CZ2	7.25	138.38	130.40
1	AA	764	C	C4-C5-C6	7.25	121.03	117.40
1	AA	895	G	C5-C6-O6	-7.25	124.25	128.60
1	AA	1530	G	N1-C2-N3	-7.25	119.55	123.90
26	BB	306	U	C5'-C4'-O4'	7.25	117.80	109.10
26	BB	914	G	O4'-C1'-N9	7.25	114.00	108.20
26	BB	1280	G	C4-C5-N7	-7.25	107.90	110.80
26	BB	1959	G	C5-N7-C8	-7.25	100.67	104.30
26	BB	2660	A	C4'-C3'-C2'	-7.25	95.35	102.60
26	BB	122	G	N7-C8-N9	7.25	116.72	113.10
26	BB	2170	A	C8-N9-C4	-7.25	102.90	105.80
26	BB	2368	C	N3-C4-N4	7.25	123.08	118.00
26	BB	2497	A	O4'-C1'-N9	7.25	114.00	108.20
1	AA	310	G	C4-C5-N7	7.25	113.70	110.80
1	AA	959	A	N3-C4-N9	7.25	133.20	127.40
1	AA	1536	C	C4-C5-C6	7.25	121.02	117.40
16	AP	92	ARG	NE-CZ-NH2	7.25	123.92	120.30
25	BA	85	G	C6-C5-N7	-7.25	126.05	130.40
25	BA	97	C	C5-C4-N4	-7.25	115.13	120.20
26	BB	132	G	N7-C8-N9	-7.25	109.48	113.10
26	BB	934	U	C3'-C2'-C1'	-7.25	95.70	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1360	G	N9-C1'-C2'	-7.25	104.03	112.00
26	BB	1787	A	N1-C6-N6	7.25	122.95	118.60
26	BB	1948	G	N3-C4-N9	7.25	130.35	126.00
26	BB	2054	A	C4-C5-N7	7.25	114.32	110.70
1	AA	80	A	N7-C8-N9	-7.25	110.18	113.80
1	AA	922	G	P-O3'-C3'	7.25	128.40	119.70
4	AD	57	C	C5-C4-N4	7.25	125.27	120.20
26	BB	830	G	C1'-O4'-C4'	7.25	115.70	109.90
26	BB	1292	G	N3-C4-C5	-7.25	124.98	128.60
26	BB	1543	G	C5-N7-C8	7.25	107.92	104.30
26	BB	1692	U	P-O3'-C3'	7.25	128.40	119.70
26	BB	2290	G	N1-C6-O6	-7.25	115.55	119.90
26	BB	2333	A	O4'-C4'-C3'	7.25	111.90	106.10
26	BB	2789	C	N1-C1'-C2'	-7.25	104.03	112.00
1	AA	173	U	O4'-C1'-N1	7.25	114.00	108.20
1	AA	726	C	N1-C2-N3	-7.25	114.13	119.20
26	BB	539	G	C6-N1-C2	-7.25	120.75	125.10
26	BB	1388	G	C8-N9-C4	-7.25	103.50	106.40
26	BB	1966	A	N1-C2-N3	-7.25	125.68	129.30
1	AA	369	G	C4-C5-N7	-7.24	107.90	110.80
26	BB	73	A	N7-C8-N9	7.24	117.42	113.80
26	BB	319	G	N1-C6-O6	7.24	124.25	119.90
26	BB	562	U	O4'-C1'-N1	-7.24	102.41	108.20
26	BB	677	A	C2-N3-C4	7.24	114.22	110.60
26	BB	1068	G	C5-N7-C8	-7.24	100.68	104.30
26	BB	1935	G	C5-C6-N1	-7.24	107.88	111.50
26	BB	2280	G	N3-C4-N9	7.24	130.35	126.00
1	AA	108	G	C2-N3-C4	7.24	115.52	111.90
1	AA	939	G	C8-N9-C4	-7.24	103.50	106.40
26	BB	406	G	C5-C6-N1	7.24	115.12	111.50
26	BB	817	C	C2-N3-C4	7.24	123.52	119.90
26	BB	2123	G	N1-C2-N2	7.24	122.72	116.20
26	BB	2693	G	C4'-C3'-C2'	-7.24	95.36	102.60
26	BB	2745	C	C1'-O4'-C4'	7.24	115.69	109.90
1	AA	554	A	C6-C5-N7	7.24	137.37	132.30
1	AA	1317	C	C3'-C2'-C1'	7.24	107.29	101.50
3	AC	30	U	C3'-C2'-C1'	7.24	107.29	101.50
4	AD	65	G	C3'-C2'-C1'	7.24	107.29	101.50
26	BB	410	G	C5-C6-N1	7.24	115.12	111.50
26	BB	637	A	C2-N3-C4	-7.24	106.98	110.60
26	BB	1701	A	N1-C6-N6	7.24	122.94	118.60
1	AA	74	A	C6-C5-N7	7.24	137.37	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	174	A	N1-C2-N3	7.24	132.92	129.30
1	AA	290	C	C3'-C2'-C1'	-7.24	95.71	101.50
1	AA	418	C	N3-C4-N4	7.24	123.07	118.00
1	AA	656	G	C5-C6-N1	7.24	115.12	111.50
1	AA	724	G	C5-C6-O6	-7.24	124.26	128.60
1	AA	1525	G	C6-C5-N7	-7.24	126.06	130.40
26	BB	720	U	C3'-C2'-C1'	7.24	107.29	101.50
26	BB	939	G	N7-C8-N9	-7.24	109.48	113.10
26	BB	1889	A	N9-C4-C5	7.24	108.70	105.80
26	BB	1937	A	C4-C5-C6	7.24	120.62	117.00
26	BB	2827	C	N3-C4-N4	7.24	123.07	118.00
1	AA	1108	G	C2-N3-C4	7.24	115.52	111.90
1	AA	1456	A	C4-C5-N7	-7.24	107.08	110.70
26	BB	92	U	C2-N3-C4	-7.24	122.66	127.00
26	BB	421	C	O3'-P-O5'	-7.24	90.25	104.00
26	BB	981	A	C8-N9-C4	-7.24	102.91	105.80
26	BB	1383	A	C3'-C2'-C1'	7.24	107.29	101.50
1	AA	72	A	N7-C8-N9	-7.24	110.18	113.80
1	AA	344	A	C5-C6-N1	7.24	121.32	117.70
1	AA	515	G	N1-C2-N2	7.24	122.71	116.20
1	AA	1344	C	O4'-C1'-N1	7.24	113.99	108.20
26	BB	1794	A	C2-N3-C4	-7.24	106.98	110.60
26	BB	2156	G	C8-N9-C4	-7.24	103.51	106.40
26	BB	2473	U	N1-C2-N3	7.24	119.24	114.90
57	B6	31	ILE	CB-CA-C	7.24	126.07	111.60
2	AB	24	G	C5'-C4'-O4'	7.23	117.78	109.10
26	BB	335	C	N3-C2-O2	-7.23	116.84	121.90
26	BB	1974	C	N1-C1'-C2'	-7.23	104.04	112.00
1	AA	320	A	O4'-C1'-N9	7.23	113.99	108.20
26	BB	103	A	C5-N7-C8	7.23	107.52	103.90
26	BB	1434	A	C1'-O4'-C4'	-7.23	104.11	109.90
26	BB	2400	G	O4'-C1'-N9	7.23	113.99	108.20
26	BB	2406	A	C6-C5-N7	-7.23	127.24	132.30
26	BB	2797	U	O4'-C1'-N1	7.23	113.99	108.20
1	AA	111	G	N3-C2-N2	7.23	124.96	119.90
1	AA	903	G	O4'-C1'-N9	7.23	113.98	108.20
1	AA	1293	C	C5-C4-N4	-7.23	115.14	120.20
1	AA	1529	G	N1-C6-O6	-7.23	115.56	119.90
2	AB	73	G	N3-C2-N2	-7.23	114.84	119.90
20	AT	72	TRP	CB-CG-CD1	-7.23	117.60	127.00
26	BB	174	U	C1'-O4'-C4'	-7.23	104.12	109.90
26	BB	1047	G	C2-N3-C4	7.23	115.52	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1061	U	C4'-C3'-C2'	-7.23	95.37	102.60
26	BB	1290	C	C5-C4-N4	-7.23	115.14	120.20
26	BB	1459	G	C3'-C2'-C1'	7.23	107.28	101.50
26	BB	1867	G	C4-N9-C1'	-7.23	117.10	126.50
26	BB	2617	U	C3'-C2'-C1'	7.23	107.28	101.50
36	BL	116	ARG	NE-CZ-NH2	-7.23	116.68	120.30
1	AA	211	G	N1-C2-N2	7.23	122.71	116.20
1	AA	944	G	C3'-C2'-C1'	-7.23	95.72	101.50
26	BB	863	A	N7-C8-N9	-7.23	110.19	113.80
26	BB	1235	G	C4-C5-N7	-7.23	107.91	110.80
26	BB	1547	C	N3-C2-O2	-7.23	116.84	121.90
26	BB	1548	A	C5-C6-N6	-7.23	117.92	123.70
26	BB	1740	G	O4'-C1'-N9	7.23	113.98	108.20
26	BB	1836	C	C4'-C3'-C2'	-7.23	95.37	102.60
26	BB	2325	G	C5-N7-C8	7.23	107.92	104.30
26	BB	2400	G	C2-N3-C4	7.23	115.52	111.90
1	AA	363	A	N9-C4-C5	-7.23	102.91	105.80
4	AD	15	G	N7-C8-N9	7.23	116.71	113.10
26	BB	611	C	C4'-C3'-C2'	-7.23	95.37	102.60
26	BB	1468	U	O4'-C1'-N1	7.23	113.98	108.20
1	AA	600	A	N1-C2-N3	-7.23	125.69	129.30
1	AA	1024	G	N3-C4-C5	-7.23	124.99	128.60
1	AA	1216	A	N1-C6-N6	7.23	122.94	118.60
2	AB	5	G	O4'-C1'-N9	7.23	113.98	108.20
26	BB	2451	A	C3'-C2'-C1'	7.23	107.28	101.50
1	AA	139	A	N9-C1'-C2'	-7.22	104.05	112.00
1	AA	556	C	C5'-C4'-C3'	7.22	127.56	116.00
1	AA	645	G	C2-N3-C4	7.22	115.51	111.90
1	AA	1424	U	C5-C4-O4	-7.22	121.57	125.90
1	AA	1446	A	C1'-O4'-C4'	-7.22	104.12	109.90
26	BB	330	A	C4-C5-C6	7.22	120.61	117.00
26	BB	998	C	N1-C2-O2	7.22	123.23	118.90
26	BB	1302	A	N7-C8-N9	-7.22	110.19	113.80
26	BB	1885	A	C5-C6-N1	-7.22	114.09	117.70
1	AA	126	G	C5-C6-N1	-7.22	107.89	111.50
1	AA	262	A	C8-N9-C4	7.22	108.69	105.80
1	AA	496	A	C1'-O4'-C4'	-7.22	104.12	109.90
1	AA	499	A	C5-C6-N1	-7.22	114.09	117.70
1	AA	540	G	N3-C4-N9	-7.22	121.67	126.00
1	AA	1320	C	C5-C4-N4	-7.22	115.14	120.20
2	AB	27	C	C5-C6-N1	7.22	124.61	121.00
25	BA	28	C	C4'-C3'-C2'	-7.22	95.38	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	136	G	N9-C4-C5	7.22	108.29	105.40
26	BB	144	A	C5-C6-N6	-7.22	117.92	123.70
26	BB	682	G	C4-C5-N7	-7.22	107.91	110.80
26	BB	2468	A	C1'-O4'-C4'	-7.22	104.12	109.90
26	BB	235	U	C5-C4-O4	-7.22	121.57	125.90
26	BB	2708	G	N3-C4-C5	-7.22	124.99	128.60
1	AA	188	C	C6-N1-C2	-7.22	117.41	120.30
1	AA	377	G	C8-N9-C4	-7.22	103.51	106.40
26	BB	935	C	C4-C5-C6	7.22	121.01	117.40
26	BB	1651	G	N9-C4-C5	7.22	108.29	105.40
26	BB	1864	U	N3-C4-C5	7.22	118.93	114.60
26	BB	1933	G	O4'-C1'-N9	7.22	113.98	108.20
26	BB	1980	G	C4-C5-N7	-7.22	107.91	110.80
26	BB	2053	G	N3-C4-C5	-7.22	124.99	128.60
26	BB	2756	U	C5-C4-O4	-7.22	121.57	125.90
1	AA	1315	U	O4'-C1'-N1	7.22	113.97	108.20
1	AA	165	G	C8-N9-C4	-7.22	103.51	106.40
1	AA	681	A	N1-C2-N3	7.22	132.91	129.30
1	AA	1323	G	C5-C6-O6	-7.22	124.27	128.60
1	AA	1423	G	C5-C6-N1	7.22	115.11	111.50
2	AB	1	A	C2-N3-C4	7.22	114.21	110.60
26	BB	1688	U	N1-C1'-C2'	-7.22	104.06	112.00
26	BB	2177	C	C3'-C2'-C1'	-7.22	95.73	101.50
26	BB	2816	G	O3'-P-O5'	7.22	117.71	104.00
26	BB	2829	A	O4'-C1'-N9	7.22	113.97	108.20
1	AA	2	A	C5-N7-C8	-7.21	100.29	103.90
1	AA	86	G	N3-C4-C5	-7.21	124.99	128.60
1	AA	1310	G	C5-C6-N1	7.21	115.11	111.50
8	AH	111	ARG	NE-CZ-NH1	7.21	123.91	120.30
26	BB	157	C	N1-C2-N3	-7.21	114.15	119.20
26	BB	1980	G	N7-C8-N9	7.21	116.71	113.10
26	BB	1990	C	N3-C2-O2	-7.21	116.85	121.90
26	BB	1996	C	N1-C2-O2	7.21	123.23	118.90
26	BB	2858	C	N1-C2-N3	-7.21	114.15	119.20
1	AA	394	G	C3'-C2'-C1'	7.21	107.27	101.50
1	AA	851	G	C5-N7-C8	7.21	107.91	104.30
4	AD	29	C	N3-C4-C5	7.21	124.78	121.90
26	BB	242	G	N9-C4-C5	7.21	108.28	105.40
26	BB	627	A	C3'-C2'-C1'	-7.21	95.73	101.50
26	BB	659	G	N1-C2-N2	7.21	122.69	116.20
26	BB	729	G	C4-C5-N7	7.21	113.69	110.80
26	BB	877	A	C2-N3-C4	7.21	114.21	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1419	A	C1'-O4'-C4'	-7.21	104.13	109.90
26	BB	2029	G	C8-N9-C4	-7.21	103.52	106.40
1	AA	738	C	N3-C4-N4	7.21	123.05	118.00
1	AA	1395	C	C5-C4-N4	-7.21	115.15	120.20
26	BB	185	G	N3-C4-N9	7.21	130.33	126.00
26	BB	738	G	C5-C6-N1	7.21	115.11	111.50
26	BB	1521	G	C1'-O4'-C4'	7.21	115.67	109.90
26	BB	1534	U	C1'-O4'-C4'	-7.21	104.13	109.90
26	BB	1557	C	C6-N1-C2	7.21	123.18	120.30
26	BB	1799	G	C8-N9-C4	-7.21	103.52	106.40
26	BB	1887	C	O4'-C1'-C2'	7.21	114.09	107.60
26	BB	1916	A	P-O5'-C5'	7.21	132.44	120.90
26	BB	1957	C	C6-N1-C2	-7.21	117.42	120.30
1	AA	705	G	C2-N3-C4	7.21	115.50	111.90
26	BB	186	G	N1-C2-N3	7.21	128.23	123.90
26	BB	1839	G	C4'-C3'-C2'	-7.21	95.39	102.60
1	AA	792	A	O4'-C1'-N9	7.21	113.97	108.20
1	AA	820	U	O4'-C1'-N1	7.21	113.97	108.20
26	BB	190	A	C6-N1-C2	-7.21	114.28	118.60
26	BB	443	A	C1'-O4'-C4'	-7.21	104.13	109.90
26	BB	978	G	N7-C8-N9	7.21	116.70	113.10
26	BB	1964	G	N1-C6-O6	7.21	124.22	119.90
1	AA	288	A	C4-C5-C6	-7.21	113.40	117.00
1	AA	1294	G	C5-N7-C8	-7.21	100.70	104.30
3	AC	46	C	C5'-C4'-O4'	7.21	117.75	109.10
26	BB	1365	A	C5-C6-N1	7.21	121.30	117.70
26	BB	1143	A	C5-C6-N1	7.21	121.30	117.70
26	BB	2160	C	C3'-C2'-C1'	7.21	107.26	101.50
1	AA	278	G	N1-C2-N3	7.20	128.22	123.90
26	BB	316	C	C5-C6-N1	7.20	124.60	121.00
26	BB	1840	G	P-O3'-C3'	7.20	128.34	119.70
1	AA	181	A	C3'-C2'-C1'	-7.20	95.74	101.50
1	AA	1330	U	O4'-C1'-N1	7.20	113.96	108.20
26	BB	233	A	N1-C2-N3	-7.20	125.70	129.30
1	AA	100	G	N1-C6-O6	-7.20	115.58	119.90
1	AA	309	A	C5-N7-C8	-7.20	100.30	103.90
1	AA	345	C	C4'-C3'-C2'	-7.20	95.40	102.60
1	AA	995	C	N1-C2-O2	7.20	123.22	118.90
1	AA	1129	C	N1-C1'-C2'	-7.20	104.08	112.00
1	AA	1131	G	N3-C2-N2	7.20	124.94	119.90
1	AA	1147	C	N3-C2-O2	-7.20	116.86	121.90
4	AD	50	G	C8-N9-C4	-7.20	103.52	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1375	U	N1-C2-N3	7.20	119.22	114.90
26	BB	2722	G	C5-C6-N1	7.20	115.10	111.50
1	AA	1127	G	N3-C2-N2	7.20	124.94	119.90
25	BA	48	U	C5'-C4'-C3'	-7.20	104.48	116.00
26	BB	743	A	C4'-C3'-C2'	-7.20	95.40	102.60
26	BB	2513	A	C2-N3-C4	7.20	114.20	110.60
26	BB	710	U	O4'-C1'-N1	7.20	113.96	108.20
26	BB	1154	G	N3-C4-N9	7.20	130.32	126.00
26	BB	1460	U	C5-C4-O4	7.20	130.22	125.90
26	BB	2628	C	C5-C4-N4	-7.20	115.16	120.20
1	AA	1171	A	C3'-C2'-C1'	-7.20	95.74	101.50
1	AA	1185	G	O4'-C1'-N9	7.20	113.96	108.20
1	AA	1491	G	C6-N1-C2	-7.20	120.78	125.10
4	AD	71	G	C5-C6-N1	7.20	115.10	111.50
26	BB	137	U	N1-C2-O2	7.20	127.84	122.80
26	BB	285	G	O4'-C1'-N9	7.20	113.96	108.20
26	BB	519	U	N3-C4-C5	-7.20	110.28	114.60
26	BB	735	A	N7-C8-N9	7.20	117.40	113.80
26	BB	867	C	O4'-C1'-N1	7.20	113.96	108.20
26	BB	1271	G	N3-C4-N9	7.20	130.32	126.00
26	BB	1965	C	O4'-C1'-N1	7.20	113.96	108.20
1	AA	97	G	C4-C5-N7	-7.19	107.92	110.80
1	AA	755	G	N9-C4-C5	7.19	108.28	105.40
1	AA	1354	U	O4'-C4'-C3'	7.19	111.86	106.10
26	BB	1213	A	N1-C2-N3	-7.19	125.70	129.30
2	AB	40	C	C2-N3-C4	7.19	123.50	119.90
26	BB	455	C	C5-C4-N4	-7.19	115.17	120.20
26	BB	881	G	C3'-C2'-C1'	7.19	107.25	101.50
26	BB	956	G	C6-C5-N7	-7.19	126.08	130.40
26	BB	2173	A	C5-N7-C8	-7.19	100.30	103.90
26	BB	2174	C	C5-C6-N1	7.19	124.60	121.00
26	BB	2847	U	C3'-C2'-C1'	7.19	107.25	101.50
1	AA	937	A	C5-C6-N6	-7.19	117.95	123.70
26	BB	500	G	C5'-C4'-O4'	7.19	117.73	109.10
26	BB	578	G	C6-C5-N7	-7.19	126.09	130.40
26	BB	1912	A	C4-C5-N7	-7.19	107.10	110.70
26	BB	1991	U	N1-C2-N3	7.19	119.22	114.90
1	AA	366	A	C6-N1-C2	-7.19	114.29	118.60
1	AA	1455	G	C4-C5-N7	7.19	113.67	110.80
26	BB	2614	A	C6-C5-N7	-7.19	127.27	132.30
1	AA	1194	U	C4-C5-C6	7.19	124.01	119.70
25	BA	13	G	C2-N3-C4	7.19	115.49	111.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	26	C	C3'-C2'-C1'	-7.19	95.75	101.50
25	BA	59	A	N9-C1'-C2'	-7.19	104.09	112.00
26	BB	650	C	N3-C4-N4	7.19	123.03	118.00
26	BB	2058	A	N9-C4-C5	7.19	108.67	105.80
26	BB	2670	A	C5'-C4'-O4'	7.19	117.73	109.10
1	AA	776	G	N3-C2-N2	-7.19	114.87	119.90
1	AA	816	A	C2-N3-C4	7.19	114.19	110.60
1	AA	1085	U	C5-C6-N1	-7.19	119.11	122.70
1	AA	1502	A	C5'-C4'-O4'	-7.19	100.48	109.10
26	BB	2403	C	N3-C4-C5	7.19	124.77	121.90
26	BB	2881	U	C5'-C4'-O4'	7.19	117.72	109.10
1	AA	515	G	C5'-C4'-O4'	7.18	117.72	109.10
1	AA	528	C	C5'-C4'-O4'	7.18	117.72	109.10
26	BB	261	G	N3-C4-C5	-7.18	125.01	128.60
26	BB	674	G	C1'-O4'-C4'	-7.18	104.15	109.90
26	BB	1218	G	C8-N9-C4	7.18	109.27	106.40
1	AA	465	A	C8-N9-C4	-7.18	102.93	105.80
1	AA	683	G	C8-N9-C4	7.18	109.27	106.40
25	BA	39	A	O4'-C1'-N9	7.18	113.95	108.20
26	BB	158	U	O4'-C1'-N1	7.18	113.95	108.20
26	BB	540	C	N3-C4-C5	-7.18	119.03	121.90
26	BB	2505	G	C6-C5-N7	-7.18	126.09	130.40
26	BB	2630	G	N1-C2-N2	7.18	122.67	116.20
51	B0	52	ARG	NE-CZ-NH2	7.18	123.89	120.30
1	AA	11	G	C5-C6-O6	-7.18	124.29	128.60
1	AA	1166	G	N3-C4-C5	-7.18	125.01	128.60
26	BB	1810	A	O4'-C1'-N9	7.18	113.94	108.20
1	AA	254	G	C6-N1-C2	-7.18	120.79	125.10
1	AA	812	G	C3'-C2'-C1'	7.18	107.24	101.50
1	AA	1154	G	N1-C6-O6	-7.18	115.59	119.90
26	BB	1610	A	O4'-C1'-N9	7.18	113.94	108.20
26	BB	2131	U	N3-C4-O4	7.18	124.43	119.40
1	AA	649	A	C5-C6-N1	-7.18	114.11	117.70
26	BB	100	U	O4'-C1'-C2'	7.18	114.06	107.60
26	BB	1570	A	N1-C2-N3	-7.18	125.71	129.30
37	BM	98	ARG	NE-CZ-NH1	7.18	123.89	120.30
1	AA	152	A	C8-N9-C4	-7.18	102.93	105.80
1	AA	788	U	C2-N3-C4	-7.18	122.69	127.00
25	BA	78	A	N7-C8-N9	7.18	117.39	113.80
26	BB	503	A	C1'-O4'-C4'	-7.18	104.16	109.90
26	BB	901	C	O4'-C1'-N1	7.18	113.94	108.20
26	BB	1160	G	C4'-C3'-C2'	-7.18	95.42	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1949	G	O4'-C1'-N9	7.18	113.94	108.20
26	BB	2358	A	N1-C2-N3	7.18	132.89	129.30
26	BB	2784	U	C5-C6-N1	-7.18	119.11	122.70
1	AA	201	G	C5-C6-N1	7.17	115.09	111.50
1	AA	669	G	N1-C6-O6	7.17	124.20	119.90
1	AA	774	G	C4'-C3'-C2'	-7.17	95.42	102.60
26	BB	66	C	C2-N3-C4	7.17	123.49	119.90
26	BB	737	C	N3-C2-O2	-7.17	116.88	121.90
26	BB	757	G	N3-C4-C5	-7.17	125.01	128.60
26	BB	1305	C	N1-C2-N3	-7.17	114.18	119.20
26	BB	1743	G	N3-C4-C5	-7.17	125.01	128.60
26	BB	2355	G	C4-C5-C6	7.17	123.10	118.80
26	BB	2536	G	N1-C2-N2	7.17	122.66	116.20
1	AA	865	A	C4-C5-N7	7.17	114.29	110.70
1	AA	926	G	N1-C2-N3	7.17	128.20	123.90
26	BB	201	C	N3-C4-N4	7.17	123.02	118.00
26	BB	1346	G	N9-C4-C5	7.17	108.27	105.40
26	BB	1838	C	N1-C1'-C2'	-7.17	104.11	112.00
26	BB	2012	G	C5-N7-C8	-7.17	100.71	104.30
1	AA	277	C	C4-C5-C6	-7.17	113.81	117.40
1	AA	1217	C	C5-C6-N1	7.17	124.58	121.00
26	BB	1936	A	O4'-C1'-N9	7.17	113.94	108.20
26	BB	2617	U	O4'-C1'-N1	7.17	113.94	108.20
28	BD	247	TRP	NE1-CE2-CZ2	7.17	138.29	130.40
1	AA	390	U	C5-C6-N1	-7.17	119.11	122.70
6	AF	163	ARG	NE-CZ-NH1	7.17	123.89	120.30
9	AI	114	ASP	CB-CG-OD1	-7.17	111.85	118.30
25	BA	1	U	N1-C1'-C2'	-7.17	104.11	112.00
1	AA	453	G	N3-C4-C5	-7.17	125.02	128.60
26	BB	912	C	C5'-C4'-O4'	7.17	117.70	109.10
26	BB	1571	A	N7-C8-N9	7.17	117.39	113.80
26	BB	1578	U	C4'-C3'-C2'	-7.17	95.43	102.60
26	BB	2883	A	C5-C6-N6	-7.17	117.96	123.70
1	AA	316	C	N3-C4-C5	-7.17	119.03	121.90
1	AA	536	C	C5-C6-N1	7.17	124.58	121.00
1	AA	942	G	C5-C6-O6	-7.17	124.30	128.60
26	BB	633	A	C6-N1-C2	7.17	122.90	118.60
26	BB	715	A	C6-N1-C2	7.17	122.90	118.60
26	BB	868	U	O4'-C1'-N1	7.17	113.93	108.20
26	BB	1522	A	C8-N9-C4	-7.17	102.93	105.80
26	BB	1548	A	N7-C8-N9	7.17	117.38	113.80
26	BB	2071	A	C4-C5-C6	-7.17	113.42	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2480	C	C5-C6-N1	-7.17	117.42	121.00
1	AA	555	U	C4-C5-C6	7.17	124.00	119.70
1	AA	640	A	N1-C2-N3	-7.17	125.72	129.30
1	AA	823	C	N1-C2-O2	7.17	123.20	118.90
26	BB	1021	A	C3'-C2'-C1'	-7.17	95.77	101.50
26	BB	1777	U	N3-C2-O2	-7.17	117.19	122.20
26	BB	2647	U	O4'-C1'-N1	7.17	113.93	108.20
1	AA	435	A	N9-C1'-C2'	-7.16	104.12	112.00
1	AA	550	G	N3-C4-C5	-7.16	125.02	128.60
26	BB	333	G	N1-C6-O6	7.16	124.20	119.90
26	BB	365	U	C3'-C2'-C1'	7.16	107.23	101.50
26	BB	693	A	C5-C6-N6	-7.16	117.97	123.70
26	BB	1975	G	C1'-O4'-C4'	-7.16	104.17	109.90
26	BB	2021	C	C3'-C2'-C1'	7.16	107.23	101.50
26	BB	2072	C	N1-C2-O2	7.16	123.20	118.90
1	AA	968	A	C2'-C3'-O3'	7.16	125.26	109.50
26	BB	1422	G	O5'-P-OP1	7.16	119.29	110.70
26	BB	2093	G	C6-C5-N7	-7.16	126.10	130.40
1	AA	450	G	N9-C4-C5	-7.16	102.54	105.40
1	AA	650	G	C6-N1-C2	-7.16	120.80	125.10
1	AA	702	A	N7-C8-N9	7.16	117.38	113.80
1	AA	757	U	C4'-C3'-C2'	-7.16	95.44	102.60
1	AA	926	G	C4-C5-N7	-7.16	107.94	110.80
1	AA	939	G	C3'-C2'-C1'	-7.16	95.77	101.50
1	AA	939	G	N1-C2-N3	-7.16	119.60	123.90
1	AA	1353	G	N7-C8-N9	-7.16	109.52	113.10
26	BB	1711	A	N7-C8-N9	-7.16	110.22	113.80
26	BB	2175	C	C5-C4-N4	-7.16	115.19	120.20
26	BB	2387	U	O5'-P-OP2	-7.16	99.26	105.70
26	BB	2591	C	N1-C2-N3	7.16	124.21	119.20
26	BB	2770	G	N9-C4-C5	7.16	108.26	105.40
26	BB	2813	A	C8-N9-C4	-7.16	102.94	105.80
44	BT	16	GLU	OE1-CD-OE2	7.16	131.89	123.30
56	B5	41	ARG	NE-CZ-NH2	7.16	123.88	120.30
1	AA	280	C	N3-C4-C5	-7.16	119.04	121.90
1	AA	588	G	N1-C2-N3	-7.16	119.61	123.90
1	AA	1208	C	C5'-C4'-O4'	7.16	117.69	109.10
2	AB	59	G	C5-C6-O6	-7.16	124.30	128.60
25	BA	20	G	C8-N9-C4	-7.16	103.54	106.40
26	BB	907	G	C5'-C4'-O4'	7.16	117.69	109.10
26	BB	916	G	C4-C5-C6	7.16	123.09	118.80
26	BB	1484	U	N3-C4-O4	7.16	124.41	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2548	U	O4'-C4'-C3'	7.16	111.83	106.10
1	AA	537	G	C6-C5-N7	-7.16	126.11	130.40
1	AA	859	G	O4'-C1'-N9	7.16	113.92	108.20
1	AA	950	U	N3-C2-O2	-7.16	117.19	122.20
6	AF	130	ARG	NH1-CZ-NH2	-7.16	111.53	119.40
26	BB	261	G	C6-N1-C2	-7.16	120.81	125.10
26	BB	1971	U	O4'-C1'-N1	7.16	113.92	108.20
1	AA	543	U	C4-C5-C6	7.16	123.99	119.70
1	AA	592	G	C6-C5-N7	7.16	134.69	130.40
1	AA	782	A	P-O3'-C3'	7.16	128.29	119.70
1	AA	799	G	N3-C4-N9	7.16	130.29	126.00
1	AA	873	A	O4'-C1'-N9	7.16	113.92	108.20
1	AA	1099	G	C5-C6-N1	-7.16	107.92	111.50
4	AD	30	G	O4'-C1'-N9	7.16	113.92	108.20
26	BB	68	G	P-O3'-C3'	7.16	128.29	119.70
26	BB	125	A	N3-C4-N9	7.16	133.12	127.40
26	BB	881	G	C5-N7-C8	-7.16	100.72	104.30
26	BB	1168	G	C2-N3-C4	7.16	115.48	111.90
26	BB	1256	G	P-O3'-C3'	7.16	128.29	119.70
26	BB	1678	A	C5-N7-C8	7.16	107.48	103.90
26	BB	1703	G	N7-C8-N9	7.16	116.68	113.10
26	BB	1763	G	C4-C5-N7	-7.16	107.94	110.80
26	BB	1856	U	N3-C4-O4	7.16	124.41	119.40
26	BB	2054	A	C5-C6-N1	7.16	121.28	117.70
31	BG	137	PHE	CB-CG-CD2	7.16	125.81	120.80
1	AA	1281	C	C5-C4-N4	-7.15	115.19	120.20
3	AC	36	U	O4'-C1'-N1	7.15	113.92	108.20
26	BB	353	C	N1-C2-O2	7.15	123.19	118.90
26	BB	1534	U	C3'-C2'-C1'	7.15	107.22	101.50
56	B5	3	ARG	NE-CZ-NH1	-7.15	116.72	120.30
26	BB	148	U	N1-C2-O2	-7.15	117.79	122.80
26	BB	572	A	N9-C4-C5	7.15	108.66	105.80
26	BB	615	U	P-O3'-C3'	7.15	128.28	119.70
26	BB	728	G	N7-C8-N9	7.15	116.68	113.10
26	BB	1029	A	N1-C2-N3	-7.15	125.72	129.30
26	BB	2730	C	C4'-C3'-C2'	-7.15	95.45	102.60
25	BA	19	C	C4-C5-C6	7.15	120.97	117.40
26	BB	743	A	N1-C6-N6	-7.15	114.31	118.60
26	BB	1258	U	N3-C2-O2	-7.15	117.19	122.20
26	BB	1420	A	O4'-C1'-N9	7.15	113.92	108.20
26	BB	2666	C	O4'-C1'-N1	7.15	113.92	108.20
42	BR	85	VAL	CA-CB-CG1	7.15	121.62	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2633	G	N3-C4-N9	7.15	130.29	126.00
1	AA	714	G	C4-C5-C6	7.15	123.09	118.80
1	AA	1049	U	N3-C2-O2	-7.15	117.20	122.20
26	BB	119	A	O4'-C1'-C2'	-7.15	98.65	105.80
26	BB	476	G	N9-C4-C5	7.15	108.26	105.40
26	BB	1062	G	C2-N3-C4	7.15	115.47	111.90
26	BB	1157	G	N3-C4-C5	-7.15	125.03	128.60
26	BB	1232	G	C5-N7-C8	-7.15	100.73	104.30
26	BB	2059	A	N9-C4-C5	7.15	108.66	105.80
1	AA	453	G	C5-N7-C8	7.15	107.87	104.30
1	AA	1387	G	O4'-C1'-C2'	7.15	114.03	107.60
1	AA	1392	G	C5-C6-O6	-7.15	124.31	128.60
26	BB	283	G	N9-C4-C5	7.15	108.26	105.40
26	BB	883	G	C5-N7-C8	7.15	107.87	104.30
1	AA	421	U	N3-C2-O2	-7.14	117.20	122.20
1	AA	506	G	C5-C6-N1	7.14	115.07	111.50
1	AA	630	A	C6-C5-N7	-7.14	127.30	132.30
1	AA	725	G	C5-N7-C8	-7.14	100.73	104.30
26	BB	598	U	N1-C2-N3	7.14	119.19	114.90
26	BB	877	A	C5-N7-C8	7.14	107.47	103.90
26	BB	2886	A	C3'-C2'-C1'	7.14	107.22	101.50
1	AA	177	G	N3-C4-C5	-7.14	125.03	128.60
1	AA	318	G	C4-C5-N7	-7.14	107.94	110.80
1	AA	534	U	C5-C4-O4	-7.14	121.61	125.90
1	AA	859	G	N3-C4-C5	-7.14	125.03	128.60
1	AA	1345	U	N1-C2-N3	7.14	119.19	114.90
3	AC	27	A	C2-N3-C4	7.14	114.17	110.60
4	AD	5	G	C5'-C4'-O4'	7.14	117.67	109.10
26	BB	342	A	N1-C6-N6	7.14	122.89	118.60
26	BB	387	U	N1-C1'-C2'	-7.14	104.14	112.00
26	BB	780	G	C5'-C4'-O4'	7.14	117.67	109.10
26	BB	1912	A	N3-C4-C5	-7.14	121.80	126.80
1	AA	894	G	C6-C5-N7	-7.14	126.12	130.40
2	AB	10	G	C5'-C4'-O4'	7.14	117.67	109.10
26	BB	2273	A	C3'-C2'-C1'	7.14	107.21	101.50
26	BB	2535	G	N1-C2-N2	-7.14	109.77	116.20
26	BB	2545	G	C5-N7-C8	7.14	107.87	104.30
1	AA	280	C	N3-C4-N4	7.14	123.00	118.00
2	AB	56	C	C2-N3-C4	7.14	123.47	119.90
26	BB	454	A	C3'-C2'-C1'	-7.14	95.79	101.50
26	BB	2796	U	C5-C6-N1	-7.14	119.13	122.70
55	B4	51	ALA	CB-CA-C	7.14	120.81	110.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1268	A	C4-C5-N7	-7.14	107.13	110.70
26	BB	1769	U	C3'-C2'-C1'	7.14	107.21	101.50
26	BB	2119	A	C8-N9-C4	-7.14	102.94	105.80
1	AA	1059	C	P-O3'-C3'	7.14	128.26	119.70
1	AA	1079	G	N9-C4-C5	7.14	108.25	105.40
1	AA	1392	G	N9-C4-C5	7.14	108.25	105.40
26	BB	304	U	C6-N1-C2	-7.14	116.72	121.00
26	BB	694	U	N1-C2-O2	-7.14	117.80	122.80
26	BB	763	G	C5-C6-O6	-7.14	124.32	128.60
26	BB	874	G	N3-C2-N2	-7.14	114.90	119.90
26	BB	1125	G	C2-N3-C4	7.14	115.47	111.90
26	BB	2663	G	N7-C8-N9	7.14	116.67	113.10
26	BB	2812	G	C6-N1-C2	-7.14	120.82	125.10
1	AA	566	G	C5-N7-C8	-7.13	100.73	104.30
1	AA	696	A	C6-C5-N7	-7.13	127.31	132.30
1	AA	1209	C	P-O3'-C3'	7.13	128.26	119.70
26	BB	453	A	N3-C4-C5	-7.13	121.81	126.80
26	BB	822	G	O4'-C1'-N9	7.13	113.91	108.20
26	BB	1032	A	C5-C6-N1	7.13	121.27	117.70
26	BB	1191	G	C4-C5-C6	7.13	123.08	118.80
26	BB	1201	U	N3-C2-O2	-7.13	117.21	122.20
26	BB	1603	A	N1-C2-N3	-7.13	125.73	129.30
26	BB	1648	U	N3-C4-O4	7.13	124.39	119.40
26	BB	1772	A	N1-C6-N6	7.13	122.88	118.60
26	BB	1840	G	N1-C6-O6	-7.13	115.62	119.90
26	BB	1980	G	C3'-C2'-C1'	7.13	107.21	101.50
26	BB	2349	G	C6-N1-C2	-7.13	120.82	125.10
26	BB	2508	G	N3-C4-C5	-7.13	125.03	128.60
1	AA	425	G	C3'-C2'-C1'	-7.13	95.79	101.50
26	BB	2369	A	C5-C6-N1	7.13	121.27	117.70
25	BA	6	G	C6-N1-C2	-7.13	120.82	125.10
26	BB	686	U	C5-C6-N1	-7.13	119.13	122.70
26	BB	959	A	C4-C5-C6	-7.13	113.43	117.00
26	BB	1351	C	O4'-C1'-N1	7.13	113.91	108.20
26	BB	1385	A	C2-N3-C4	7.13	114.17	110.60
26	BB	1672	A	C4-C5-C6	-7.13	113.43	117.00
26	BB	1848	A	C5'-C4'-O4'	7.13	117.66	109.10
26	BB	2020	A	C1'-O4'-C4'	-7.13	104.19	109.90
26	BB	2311	A	C3'-C2'-C1'	7.13	107.21	101.50
26	BB	275	C	C5-C4-N4	7.13	125.19	120.20
26	BB	585	G	C5'-C4'-O4'	7.13	117.66	109.10
26	BB	960	A	N9-C4-C5	7.13	108.65	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1171	G	P-O3'-C3'	7.13	128.26	119.70
26	BB	1787	A	C5-C6-N6	-7.13	118.00	123.70
26	BB	1926	U	C4-C5-C6	7.13	123.98	119.70
26	BB	2807	U	O4'-C1'-N1	7.13	113.90	108.20
1	AA	842	U	N3-C4-C5	7.13	118.88	114.60
1	AA	1018	G	C4-C5-N7	7.13	113.65	110.80
26	BB	729	G	N3-C4-C5	-7.13	125.04	128.60
26	BB	1496	A	C5'-C4'-O4'	7.13	117.66	109.10
26	BB	1710	G	C4-C5-N7	7.13	113.65	110.80
26	BB	2396	G	N7-C8-N9	-7.13	109.54	113.10
1	AA	3	A	C6-N1-C2	7.13	122.88	118.60
1	AA	480	U	C5'-C4'-O4'	7.13	117.65	109.10
1	AA	957	U	N1-C2-O2	7.13	127.79	122.80
1	AA	989	U	C5-C6-N1	-7.13	119.14	122.70
1	AA	1525	G	N9-C4-C5	7.13	108.25	105.40
4	AD	26	C	C1'-O4'-C4'	7.13	115.60	109.90
26	BB	129	C	O4'-C1'-C2'	-7.13	98.67	105.80
26	BB	262	A	N9-C4-C5	7.13	108.65	105.80
26	BB	912	C	N3-C4-N4	7.13	122.99	118.00
26	BB	1841	U	N3-C2-O2	-7.13	117.21	122.20
26	BB	2294	G	N1-C6-O6	-7.13	115.62	119.90
26	BB	97	C	N1-C2-O2	7.12	123.17	118.90
26	BB	558	U	P-O3'-C3'	7.12	128.25	119.70
26	BB	2236	U	C5-C4-O4	-7.12	121.62	125.90
1	AA	696	A	N1-C6-N6	7.12	122.88	118.60
3	AC	59	A	C5-N7-C8	7.12	107.46	103.90
25	BA	25	U	C1'-O4'-C4'	-7.12	104.20	109.90
26	BB	260	G	C4-C5-N7	-7.12	107.95	110.80
26	BB	336	C	C4-C5-C6	-7.12	113.84	117.40
26	BB	607	U	C5'-C4'-O4'	7.12	117.65	109.10
26	BB	760	G	C8-N9-C1'	7.12	136.26	127.00
26	BB	777	G	C5-N7-C8	-7.12	100.74	104.30
26	BB	861	A	C5-C6-N6	-7.12	118.00	123.70
26	BB	1231	U	N3-C2-O2	-7.12	117.21	122.20
26	BB	1985	C	C6-N1-C2	7.12	123.15	120.30
26	BB	2400	G	N1-C2-N2	7.12	122.61	116.20
26	BB	2453	A	C8-N9-C4	-7.12	102.95	105.80
26	BB	2565	A	P-O3'-C3'	7.12	128.25	119.70
26	BB	2781	A	C5'-C4'-C3'	-7.12	104.60	116.00
26	BB	2867	G	N9-C4-C5	7.12	108.25	105.40
1	AA	598	U	N3-C4-O4	7.12	124.39	119.40
1	AA	855	U	N3-C4-O4	7.12	124.39	119.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1115	U	O4'-C1'-N1	7.12	113.90	108.20
1	AA	1144	G	C4-C5-C6	7.12	123.07	118.80
2	AB	68	C	C4-C5-C6	7.12	120.96	117.40
26	BB	485	C	C2-N1-C1'	-7.12	110.97	118.80
26	BB	1038	G	C4-C5-N7	7.12	113.65	110.80
26	BB	1611	C	O4'-C1'-N1	7.12	113.90	108.20
26	BB	2106	U	C2-N3-C4	-7.12	122.73	127.00
30	BF	145	ASP	CB-CG-OD2	-7.12	111.89	118.30
1	AA	13	U	O5'-C5'-C4'	7.12	125.23	111.70
26	BB	66	C	C5-C6-N1	7.12	124.56	121.00
26	BB	368	A	C5'-C4'-O4'	7.12	117.64	109.10
26	BB	1105	U	N1-C2-N3	7.12	119.17	114.90
26	BB	2728	U	P-O3'-C3'	7.12	128.24	119.70
1	AA	119	A	N7-C8-N9	-7.12	110.24	113.80
1	AA	247	G	C4-C5-N7	-7.12	107.95	110.80
1	AA	945	G	N3-C4-C5	-7.12	125.04	128.60
1	AA	1245	C	C5'-C4'-O4'	7.12	117.64	109.10
1	AA	1392	G	C1'-O4'-C4'	-7.12	104.20	109.90
26	BB	89	A	C2-N3-C4	7.12	114.16	110.60
26	BB	234	U	C4'-C3'-C2'	-7.12	95.48	102.60
26	BB	410	G	C4-C5-C6	-7.12	114.53	118.80
26	BB	415	A	C5-C6-N1	7.12	121.26	117.70
26	BB	514	A	N1-C2-N3	7.12	132.86	129.30
26	BB	1412	U	C2-N3-C4	-7.12	122.73	127.00
26	BB	1896	G	C5-C6-N1	7.12	115.06	111.50
26	BB	2028	U	N3-C2-O2	-7.12	117.22	122.20
26	BB	2138	G	C6-N1-C2	-7.12	120.83	125.10
1	AA	1000	A	O4'-C4'-C3'	-7.12	96.88	104.00
1	AA	1215	G	N7-C8-N9	7.12	116.66	113.10
26	BB	446	G	C1'-O4'-C4'	7.12	115.59	109.90
26	BB	853	C	N3-C4-C5	-7.12	119.05	121.90
26	BB	1112	G	C8-N9-C4	-7.12	103.55	106.40
26	BB	2331	G	C2-N3-C4	7.12	115.46	111.90
1	AA	415	A	N9-C1'-C2'	-7.12	104.17	112.00
1	AA	1159	U	C1'-O4'-C4'	-7.12	104.21	109.90
26	BB	1039	A	O4'-C1'-N9	7.12	113.89	108.20
26	BB	1138	G	C5'-C4'-O4'	7.12	117.64	109.10
26	BB	1449	G	C8-N9-C4	7.12	109.25	106.40
26	BB	2406	A	O4'-C1'-N9	7.12	113.89	108.20
1	AA	113	G	N1-C2-N3	7.11	128.17	123.90
1	AA	1431	A	C5-N7-C8	7.11	107.46	103.90
1	AA	1504	G	N9-C4-C5	-7.11	102.56	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1001	A	N1-C6-N6	-7.11	114.33	118.60
26	BB	2062	A	C4-C5-C6	7.11	120.56	117.00
26	BB	2247	A	C5-N7-C8	-7.11	100.34	103.90
28	BD	51	ARG	NE-CZ-NH2	-7.11	116.74	120.30
1	AA	291	U	N3-C4-O4	7.11	124.38	119.40
26	BB	1379	U	C5-C4-O4	-7.11	121.63	125.90
1	AA	1405	G	N9-C4-C5	-7.11	102.56	105.40
3	AC	47	C	C6-N1-C2	-7.11	117.46	120.30
26	BB	372	G	C8-N9-C4	-7.11	103.56	106.40
26	BB	755	U	N1-C2-N3	7.11	119.17	114.90
26	BB	1372	U	N3-C2-O2	-7.11	117.22	122.20
26	BB	2009	A	N7-C8-N9	-7.11	110.25	113.80
26	BB	2462	C	C5-C6-N1	7.11	124.56	121.00
1	AA	475	C	C6-N1-C2	-7.11	117.46	120.30
1	AA	668	G	N3-C4-C5	-7.11	125.05	128.60
1	AA	709	U	N3-C4-C5	-7.11	110.33	114.60
1	AA	868	C	N1-C2-O2	7.11	123.17	118.90
26	BB	861	A	C2-N3-C4	7.11	114.15	110.60
26	BB	1250	G	C4-C5-C6	7.11	123.06	118.80
26	BB	2516	A	C2-N3-C4	7.11	114.15	110.60
1	AA	947	G	C1'-O4'-C4'	-7.11	104.21	109.90
25	BA	86	G	C5-C6-N1	7.11	115.05	111.50
26	BB	374	A	N1-C6-N6	-7.11	114.34	118.60
26	BB	672	C	C6-N1-C2	-7.11	117.46	120.30
26	BB	862	G	C8-N9-C4	-7.11	103.56	106.40
26	BB	924	G	N1-C6-O6	-7.11	115.64	119.90
26	BB	1069	A	O4'-C1'-C2'	-7.11	98.69	105.80
26	BB	2502	G	C2-N3-C4	7.11	115.45	111.90
26	BB	2518	A	C5-C6-N6	7.11	129.39	123.70
26	BB	2588	G	C2-N3-C4	7.11	115.45	111.90
26	BB	2723	C	N1-C1'-C2'	-7.11	104.18	112.00
1	AA	351	G	N3-C4-C5	-7.11	125.05	128.60
1	AA	356	A	O4'-C1'-N9	7.11	113.88	108.20
1	AA	725	G	N1-C6-O6	-7.11	115.64	119.90
1	AA	805	C	C5-C4-N4	7.11	125.17	120.20
1	AA	862	C	O4'-C1'-N1	7.11	113.89	108.20
1	AA	1164	G	N7-C8-N9	7.11	116.65	113.10
1	AA	1389	C	C4-C5-C6	7.11	120.95	117.40
26	BB	334	C	C6-N1-C2	-7.11	117.46	120.30
26	BB	454	A	N1-C6-N6	-7.11	114.34	118.60
26	BB	655	A	P-O3'-C3'	7.11	128.23	119.70
26	BB	899	A	N9-C4-C5	7.11	108.64	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1759	A	C4-C5-N7	-7.11	107.15	110.70
26	BB	2333	A	C5'-C4'-C3'	-7.11	104.63	116.00
32	BH	113	ASP	CB-CG-OD2	-7.11	111.91	118.30
1	AA	306	A	C5-C6-N1	-7.10	114.15	117.70
1	AA	909	A	P-O3'-C3'	7.10	128.22	119.70
25	BA	64	G	C5-N7-C8	-7.10	100.75	104.30
26	BB	117	G	C2-N3-C4	7.10	115.45	111.90
26	BB	202	U	N3-C2-O2	-7.10	117.23	122.20
26	BB	463	G	N9-C4-C5	7.10	108.24	105.40
26	BB	2186	G	N9-C1'-C2'	-7.10	104.19	112.00
26	BB	2383	G	C8-N9-C4	-7.10	103.56	106.40
1	AA	382	A	C5'-C4'-C3'	7.10	127.36	116.00
6	AF	39	ARG	NE-CZ-NH1	7.10	123.85	120.30
25	BA	24	G	C5-N7-C8	7.10	107.85	104.30
25	BA	91	C	C2-N3-C4	7.10	123.45	119.90
26	BB	16	C	C4'-C3'-C2'	-7.10	95.50	102.60
26	BB	160	A	C5'-C4'-O4'	7.10	117.62	109.10
26	BB	580	U	C2-N3-C4	-7.10	122.74	127.00
26	BB	1234	U	C5-C4-O4	7.10	130.16	125.90
26	BB	1441	G	O4'-C1'-N9	7.10	113.88	108.20
26	BB	1560	G	C6-N1-C2	-7.10	120.84	125.10
26	BB	1876	A	N7-C8-N9	7.10	117.35	113.80
1	AA	68	G	C5-C6-O6	-7.10	124.34	128.60
25	BA	17	C	C5-C4-N4	7.10	125.17	120.20
26	BB	82	U	N3-C4-O4	7.10	124.37	119.40
26	BB	1762	A	C5-C6-N1	-7.10	114.15	117.70
1	AA	585	G	C5-C6-N1	-7.10	107.95	111.50
1	AA	759	A	C5'-C4'-O4'	7.10	117.62	109.10
25	BA	58	A	C4'-C3'-C2'	-7.10	95.50	102.60
26	BB	1659	G	N1-C2-N2	7.10	122.59	116.20
26	BB	1829	A	C4-C5-C6	-7.10	113.45	117.00
26	BB	1954	G	C5-N7-C8	-7.10	100.75	104.30
26	BB	2113	U	C1'-O4'-C4'	-7.10	104.22	109.90
26	BB	2268	A	N1-C6-N6	7.10	122.86	118.60
26	BB	2370	G	C4'-C3'-C2'	-7.10	95.50	102.60
26	BB	2518	A	O4'-C1'-C2'	-7.10	98.70	105.80
26	BB	2543	G	C6-N1-C2	7.10	129.36	125.10
30	BF	40	ARG	NE-CZ-NH1	7.10	123.85	120.30
1	AA	1	A	C6-N1-C2	7.10	122.86	118.60
1	AA	115	G	C8-N9-C4	-7.10	103.56	106.40
1	AA	928	G	N9-C4-C5	-7.10	102.56	105.40
1	AA	1345	U	C6-N1-C2	-7.10	116.74	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1396	A	C4-C5-N7	-7.10	107.15	110.70
1	AA	1520	C	O4'-C1'-N1	7.10	113.88	108.20
25	BA	78	A	N1-C6-N6	-7.10	114.34	118.60
26	BB	59	U	N3-C4-C5	-7.10	110.34	114.60
26	BB	157	C	N1-C2-O2	7.10	123.16	118.90
26	BB	464	U	O4'-C4'-C3'	7.10	111.78	106.10
26	BB	711	G	N1-C6-O6	-7.10	115.64	119.90
26	BB	1488	C	N3-C4-C5	7.10	124.74	121.90
26	BB	1992	G	C3'-C2'-C1'	7.10	107.18	101.50
1	AA	655	A	C4-C5-N7	7.10	114.25	110.70
1	AA	724	G	N7-C8-N9	7.10	116.65	113.10
1	AA	1427	C	C6-N1-C2	-7.10	117.46	120.30
26	BB	1863	G	N1-C2-N3	-7.10	119.64	123.90
26	BB	2130	U	C5-C4-O4	7.10	130.16	125.90
26	BB	2496	C	P-O3'-C3'	7.10	128.22	119.70
1	AA	906	A	N9-C4-C5	7.09	108.64	105.80
1	AA	1088	G	C5-C6-O6	-7.09	124.34	128.60
26	BB	213	A	O4'-C1'-N9	7.09	113.88	108.20
26	BB	377	G	C6-N1-C2	-7.09	120.84	125.10
26	BB	738	G	N3-C4-N9	7.09	130.26	126.00
26	BB	1058	U	C4'-C3'-C2'	-7.09	95.50	102.60
26	BB	1978	A	C4-C5-N7	-7.09	107.15	110.70
26	BB	2120	G	N3-C4-C5	-7.09	125.05	128.60
26	BB	2902	C	N1-C1'-C2'	-7.09	104.20	112.00
1	AA	935	A	C2-N3-C4	7.09	114.15	110.60
2	AB	51	G	C5-N7-C8	-7.09	100.75	104.30
26	BB	784	G	O4'-C1'-N9	7.09	113.87	108.20
26	BB	2746	U	O4'-C1'-N1	7.09	113.87	108.20
1	AA	842	U	N3-C2-O2	-7.09	117.24	122.20
4	AD	22	A	C5'-C4'-O4'	7.09	117.61	109.10
26	BB	648	G	C5-N7-C8	-7.09	100.75	104.30
26	BB	1238	G	C3'-C2'-C1'	7.09	107.17	101.50
26	BB	1576	U	N3-C2-O2	-7.09	117.23	122.20
26	BB	2259	U	O4'-C1'-N1	7.09	113.87	108.20
1	AA	116	A	O4'-C1'-N9	7.09	113.87	108.20
1	AA	1043	G	N7-C8-N9	7.09	116.64	113.10
25	BA	34	A	C3'-C2'-C1'	7.09	107.17	101.50
26	BB	797	G	C4'-C3'-C2'	-7.09	95.51	102.60
26	BB	892	A	C8-N9-C4	7.09	108.64	105.80
1	AA	383	A	N1-C6-N6	7.09	122.85	118.60
1	AA	1097	C	C5-C6-N1	7.09	124.54	121.00
1	AA	1439	G	C4-C5-N7	7.09	113.64	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1204	A	N1-C2-N3	-7.09	125.76	129.30
26	BB	1746	A	C6-N1-C2	-7.09	114.35	118.60
1	AA	72	A	O4'-C1'-N9	7.09	113.87	108.20
1	AA	259	G	C5-N7-C8	-7.09	100.76	104.30
1	AA	412	A	C2-N3-C4	-7.09	107.06	110.60
1	AA	573	A	C2-N3-C4	7.09	114.14	110.60
1	AA	606	G	N1-C6-O6	-7.09	115.65	119.90
1	AA	769	G	C5-N7-C8	7.09	107.84	104.30
2	AB	74	C	N3-C2-O2	-7.09	116.94	121.90
4	AD	31	G	N7-C8-N9	7.09	116.64	113.10
25	BA	28	C	O4'-C1'-N1	7.09	113.87	108.20
26	BB	842	U	C5-C6-N1	7.09	126.24	122.70
26	BB	1526	C	N1-C2-O2	-7.09	114.65	118.90
26	BB	1770	G	C4-C5-C6	7.09	123.05	118.80
26	BB	2275	C	C4-C5-C6	7.09	120.94	117.40
26	BB	2419	U	C6-N1-C2	-7.09	116.75	121.00
26	BB	2602	A	N9-C4-C5	7.09	108.64	105.80
26	BB	2726	A	C5-C6-N6	-7.09	118.03	123.70
26	BB	361	G	C5'-C4'-O4'	7.08	117.60	109.10
26	BB	2534	A	N7-C8-N9	7.08	117.34	113.80
26	BB	2657	A	N7-C8-N9	-7.08	110.26	113.80
1	AA	135	C	C5-C6-N1	-7.08	117.46	121.00
1	AA	528	C	N3-C2-O2	-7.08	116.94	121.90
1	AA	533	A	N1-C6-N6	7.08	122.85	118.60
1	AA	1294	G	N9-C1'-C2'	-7.08	104.21	112.00
26	BB	923	G	C5'-C4'-O4'	7.08	117.60	109.10
26	BB	1202	G	N3-C4-N9	-7.08	121.75	126.00
26	BB	2470	G	C5-C6-O6	-7.08	124.35	128.60
26	BB	2790	U	C5-C4-O4	-7.08	121.65	125.90
1	AA	666	G	N7-C8-N9	7.08	116.64	113.10
1	AA	1047	G	C6-C5-N7	-7.08	126.15	130.40
1	AA	1291	U	N1-C2-O2	7.08	127.76	122.80
1	AA	1377	A	C3'-C2'-C1'	7.08	107.17	101.50
1	AA	1430	A	O5'-C5'-C4'	7.08	125.16	111.70
26	BB	382	A	O4'-C4'-C3'	-7.08	96.92	104.00
26	BB	1755	A	N7-C8-N9	7.08	117.34	113.80
26	BB	2690	U	C4-C5-C6	7.08	123.95	119.70
26	BB	1732	C	O4'-C1'-N1	7.08	113.86	108.20
26	BB	1764	C	N3-C4-C5	-7.08	119.07	121.90
27	BC	78	PHE	CB-CG-CD1	-7.08	115.84	120.80
1	AA	419	C	C5-C4-N4	7.08	125.16	120.20
1	AA	1152	A	C5-C6-N6	-7.08	118.04	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	37	U	C3'-C2'-C1'	7.08	107.16	101.50
26	BB	140	C	C3'-C2'-C1'	7.08	107.16	101.50
26	BB	218	A	N9-C4-C5	-7.08	102.97	105.80
26	BB	412	A	C5'-C4'-O4'	7.08	117.59	109.10
26	BB	929	U	C5'-C4'-O4'	7.08	117.59	109.10
26	BB	1511	G	C8-N9-C4	-7.08	103.57	106.40
26	BB	1738	G	C6-N1-C2	-7.08	120.85	125.10
26	BB	1799	G	N1-C6-O6	7.08	124.15	119.90
1	AA	832	G	N3-C2-N2	7.08	124.85	119.90
1	AA	963	G	C4'-C3'-C2'	-7.08	95.52	102.60
1	AA	1084	G	C5'-C4'-O4'	-7.08	100.61	109.10
1	AA	1532	U	N3-C2-O2	-7.08	117.25	122.20
26	BB	2271	G	N9-C4-C5	7.08	108.23	105.40
1	AA	591	U	C5'-C4'-O4'	7.08	117.59	109.10
26	BB	1321	A	N9-C4-C5	7.08	108.63	105.80
26	BB	1514	G	C5-C6-O6	-7.08	124.36	128.60
26	BB	1637	A	C5-C6-N1	7.08	121.24	117.70
26	BB	1731	G	C6-N1-C2	-7.08	120.86	125.10
26	BB	1760	C	N3-C4-C5	-7.08	119.07	121.90
26	BB	2394	C	N1-C1'-C2'	-7.08	104.22	112.00
26	BB	2435	A	C8-N9-C4	-7.08	102.97	105.80
26	BB	2487	G	N7-C8-N9	7.08	116.64	113.10
26	BB	2825	G	C4'-C3'-C2'	-7.08	95.52	102.60
26	BB	2888	C	N3-C4-C5	-7.08	119.07	121.90
26	BB	2901	C	C2-N3-C4	-7.08	116.36	119.90
1	AA	13	U	N1-C1'-C2'	7.07	123.19	114.00
1	AA	374	A	N9-C4-C5	7.07	108.63	105.80
1	AA	863	U	C5'-C4'-O4'	7.07	117.59	109.10
1	AA	1272	G	C5-N7-C8	-7.07	100.76	104.30
2	AB	68	C	C5-C6-N1	-7.07	117.46	121.00
26	BB	238	C	C5-C4-N4	-7.07	115.25	120.20
26	BB	2840	C	C5'-C4'-O4'	7.07	117.59	109.10
1	AA	145	G	C1'-O4'-C4'	-7.07	104.24	109.90
1	AA	499	A	N1-C6-N6	7.07	122.84	118.60
26	BB	57	C	N1-C1'-C2'	-7.07	104.22	112.00
26	BB	354	A	C6-C5-N7	7.07	137.25	132.30
26	BB	985	C	C4-C5-C6	7.07	120.94	117.40
26	BB	2441	U	C5-C6-N1	7.07	126.24	122.70
26	BB	2778	A	N1-C6-N6	7.07	122.84	118.60
1	AA	585	G	N3-C4-C5	-7.07	125.06	128.60
1	AA	1275	A	N1-C6-N6	-7.07	114.36	118.60
1	AA	1378	C	N3-C2-O2	-7.07	116.95	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	271	G	C2-N3-C4	7.07	115.44	111.90
26	BB	415	A	C5-N7-C8	-7.07	100.36	103.90
26	BB	578	G	N9-C4-C5	7.07	108.23	105.40
26	BB	1064	C	N3-C2-O2	-7.07	116.95	121.90
26	BB	1092	C	C5'-C4'-O4'	7.07	117.58	109.10
26	BB	1123	C	O4'-C1'-N1	7.07	113.86	108.20
26	BB	2147	A	C3'-C2'-C1'	-7.07	95.84	101.50
26	BB	2461	A	C6-N1-C2	-7.07	114.36	118.60
26	BB	2876	G	O4'-C1'-N9	7.07	113.86	108.20
1	AA	682	G	N3-C4-C5	-7.07	125.07	128.60
2	AB	40	C	C4-C5-C6	-7.07	113.87	117.40
26	BB	1837	C	N3-C2-O2	-7.07	116.95	121.90
1	AA	691	G	O4'-C1'-N9	7.07	113.86	108.20
1	AA	1181	G	C3'-C2'-C1'	-7.07	95.85	101.50
1	AA	1304	G	N1-C6-O6	7.07	124.14	119.90
26	BB	294	A	C5-C6-N6	-7.07	118.05	123.70
26	BB	1154	G	C6-C5-N7	-7.07	126.16	130.40
26	BB	1298	C	C4-C5-C6	-7.07	113.87	117.40
26	BB	1550	C	N3-C4-C5	7.07	124.73	121.90
26	BB	2746	U	C4'-C3'-C2'	-7.07	95.53	102.60
1	AA	126	G	C6-C5-N7	-7.07	126.16	130.40
1	AA	800	G	C5-C6-N1	7.07	115.03	111.50
9	AI	78	PHE	CB-CG-CD2	-7.07	115.85	120.80
26	BB	775	G	C5-C6-O6	-7.07	124.36	128.60
26	BB	1134	A	O4'-C1'-N9	7.07	113.85	108.20
26	BB	1234	U	C5'-C4'-O4'	7.07	117.58	109.10
26	BB	1678	A	C5-C6-N1	-7.07	114.17	117.70
26	BB	2083	G	N9-C4-C5	-7.07	102.57	105.40
26	BB	2101	A	N9-C4-C5	-7.07	102.97	105.80
26	BB	2674	G	N3-C2-N2	-7.07	114.95	119.90
1	AA	774	G	C3'-C2'-C1'	7.06	107.15	101.50
1	AA	1106	G	C6-C5-N7	-7.06	126.16	130.40
26	BB	420	C	C2-N3-C4	-7.06	116.37	119.90
26	BB	1094	U	C5-C4-O4	7.06	130.14	125.90
26	BB	1519	G	N3-C4-C5	-7.06	125.07	128.60
26	BB	1633	G	N3-C4-N9	7.06	130.24	126.00
26	BB	2056	G	C5-C6-O6	7.06	132.84	128.60
26	BB	2376	A	C5-N7-C8	-7.06	100.37	103.90
26	BB	2693	G	N9-C4-C5	7.06	108.23	105.40
1	AA	165	G	N3-C2-N2	-7.06	114.96	119.90
1	AA	1049	U	C5-C6-N1	-7.06	119.17	122.70
1	AA	1486	G	C1'-O4'-C4'	-7.06	104.25	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	44	G	C2-N3-C4	7.06	115.43	111.90
4	AD	19	G	O4'-C1'-N9	7.06	113.85	108.20
26	BB	472	A	C5'-C4'-O4'	7.06	117.58	109.10
26	BB	536	G	C2-N3-C4	7.06	115.43	111.90
26	BB	1766	G	C5-C6-N1	7.06	115.03	111.50
25	BA	50	A	C3'-C2'-C1'	7.06	107.15	101.50
26	BB	220	G	N7-C8-N9	7.06	116.63	113.10
26	BB	1041	G	C4'-C3'-O3'	7.06	127.12	113.00
26	BB	1356	G	C5-N7-C8	-7.06	100.77	104.30
26	BB	2116	G	C4'-C3'-C2'	-7.06	95.54	102.60
26	BB	2424	C	C5-C6-N1	7.06	124.53	121.00
26	BB	2447	G	C2-N3-C4	7.06	115.43	111.90
26	BB	2603	G	N7-C8-N9	7.06	116.63	113.10
51	B0	23	ARG	NE-CZ-NH1	7.06	123.83	120.30
1	AA	65	A	O4'-C1'-N9	7.06	113.85	108.20
1	AA	122	G	C3'-C2'-C1'	7.06	107.15	101.50
1	AA	435	A	C5-C6-N1	7.06	121.23	117.70
1	AA	452	A	N9-C4-C5	7.06	108.62	105.80
1	AA	1057	G	C1'-O4'-C4'	-7.06	104.25	109.90
25	BA	44	G	C5-C6-N1	7.06	115.03	111.50
26	BB	2182	U	O4'-C1'-N1	7.06	113.85	108.20
26	BB	2820	A	N1-C6-N6	7.06	122.84	118.60
40	BP	4	ARG	NE-CZ-NH1	7.06	123.83	120.30
1	AA	628	G	C2-N3-C4	7.06	115.43	111.90
1	AA	1219	A	N1-C2-N3	-7.06	125.77	129.30
2	AB	33	U	C4'-C3'-C2'	-7.06	95.54	102.60
6	AF	41	TYR	CG-CD1-CE1	7.06	126.95	121.30
26	BB	227	A	P-O3'-C3'	7.06	128.17	119.70
26	BB	577	G	N7-C8-N9	7.06	116.63	113.10
26	BB	758	C	N3-C4-C5	-7.06	119.08	121.90
26	BB	1280	G	C5-C6-N1	7.06	115.03	111.50
26	BB	1635	A	N7-C8-N9	-7.06	110.27	113.80
26	BB	1651	G	O4'-C1'-N9	7.06	113.85	108.20
26	BB	1728	C	C4'-C3'-C2'	-7.06	95.54	102.60
26	BB	2514	U	P-O3'-C3'	7.06	128.17	119.70
26	BB	2639	A	C5'-C4'-C3'	-7.06	104.71	116.00
29	BE	127	PHE	CB-CG-CD1	-7.06	115.86	120.80
1	AA	1484	C	C5'-C4'-O4'	7.06	117.57	109.10
26	BB	480	A	C5'-C4'-O4'	7.06	117.57	109.10
26	BB	762	U	O4'-C1'-C2'	-7.06	98.74	105.80
26	BB	996	A	O4'-C1'-N9	7.06	113.84	108.20
26	BB	1343	G	C4-C5-N7	-7.06	107.98	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1555	G	C5'-C4'-C3'	-7.06	104.71	116.00
26	BB	2124	G	C5'-C4'-O4'	7.06	117.57	109.10
26	BB	2899	A	C5-C6-N6	-7.06	118.06	123.70
1	AA	194	C	C5-C6-N1	7.05	124.53	121.00
1	AA	373	A	C5-C6-N6	-7.05	118.06	123.70
1	AA	578	C	N3-C4-N4	7.05	122.94	118.00
1	AA	679	C	C1'-O4'-C4'	-7.05	104.26	109.90
2	AB	42	G	N3-C4-C5	-7.05	125.07	128.60
26	BB	319	G	C5-C6-O6	-7.05	124.37	128.60
26	BB	858	G	C4-C5-C6	7.05	123.03	118.80
26	BB	1901	A	N9-C4-C5	-7.05	102.98	105.80
26	BB	2305	U	N1-C2-N3	7.05	119.13	114.90
26	BB	2396	G	C8-N9-C4	7.05	109.22	106.40
26	BB	2781	A	C6-C5-N7	-7.05	127.36	132.30
1	AA	387	U	C5-C4-O4	-7.05	121.67	125.90
4	AD	49	C	C5'-C4'-C3'	-7.05	104.72	116.00
26	BB	1113	U	N3-C2-O2	-7.05	117.26	122.20
26	BB	1301	A	C8-N9-C4	-7.05	102.98	105.80
26	BB	1623	G	C5-N7-C8	-7.05	100.78	104.30
26	BB	2273	A	C8-N9-C4	-7.05	102.98	105.80
26	BB	2349	G	N3-C2-N2	7.05	124.84	119.90
26	BB	2812	G	N1-C2-N2	-7.05	109.85	116.20
26	BB	2875	C	C1'-O4'-C4'	-7.05	104.26	109.90
29	BE	24	VAL	CG1-CB-CG2	-7.05	99.62	110.90
1	AA	807	A	N7-C8-N9	7.05	117.33	113.80
1	AA	833	G	N9-C4-C5	7.05	108.22	105.40
4	AD	7	G	O4'-C4'-C3'	7.05	111.74	106.10
26	BB	1085	A	N7-C8-N9	7.05	117.33	113.80
26	BB	1680	U	N3-C2-O2	-7.05	117.27	122.20
26	BB	1851	U	N1-C2-O2	-7.05	117.86	122.80
1	AA	1535	C	O4'-C1'-N1	7.05	113.84	108.20
2	AB	56	C	C1'-O4'-C4'	-7.05	104.26	109.90
26	BB	1626	A	C5-C6-N6	-7.05	118.06	123.70
1	AA	507	C	O4'-C1'-N1	7.05	113.84	108.20
1	AA	562	U	C4-C5-C6	7.05	123.93	119.70
1	AA	615	G	N3-C2-N2	-7.05	114.97	119.90
1	AA	752	G	C4-C5-C6	7.05	123.03	118.80
1	AA	942	G	N3-C4-C5	-7.05	125.08	128.60
26	BB	1006	C	O4'-C1'-N1	7.05	113.84	108.20
26	BB	1444	G	C5-N7-C8	-7.05	100.78	104.30
26	BB	1516	G	N9-C1'-C2'	-7.05	104.25	112.00
26	BB	2749	A	N1-C2-N3	-7.05	125.78	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1198	G	O4'-C1'-N9	7.04	113.84	108.20
26	BB	207	A	C5'-C4'-O4'	7.04	117.55	109.10
26	BB	1022	G	O4'-C1'-N9	7.04	113.84	108.20
26	BB	1696	G	C5'-C4'-C3'	-7.04	104.73	116.00
26	BB	1726	C	N3-C4-C5	-7.04	119.08	121.90
1	AA	268	U	C5-C6-N1	-7.04	119.18	122.70
1	AA	491	G	C4-C5-C6	7.04	123.03	118.80
1	AA	610	U	C4-C5-C6	-7.04	115.47	119.70
9	AI	80	PHE	CB-CG-CD1	-7.04	115.87	120.80
26	BB	1103	A	C3'-C2'-C1'	7.04	107.14	101.50
26	BB	1201	U	C2-N3-C4	-7.04	122.77	127.00
26	BB	1756	G	N9-C4-C5	7.04	108.22	105.40
26	BB	1933	G	N1-C2-N3	-7.04	119.67	123.90
26	BB	2215	C	N3-C4-N4	7.04	122.93	118.00
26	BB	2385	C	N1-C2-O2	7.04	123.13	118.90
26	BB	2618	G	N3-C2-N2	-7.04	114.97	119.90
26	BB	2696	U	C6-N1-C2	-7.04	116.77	121.00
26	BB	2859	G	C4-C5-C6	7.04	123.03	118.80
1	AA	187	G	O4'-C1'-N9	7.04	113.83	108.20
1	AA	397	A	C1'-O4'-C4'	-7.04	104.27	109.90
1	AA	703	G	N9-C4-C5	7.04	108.22	105.40
1	AA	988	G	N9-C4-C5	-7.04	102.58	105.40
1	AA	1451	U	C5-C6-N1	-7.04	119.18	122.70
25	BA	6	G	N3-C4-N9	7.04	130.22	126.00
25	BA	118	C	N3-C2-O2	-7.04	116.97	121.90
26	BB	354	A	N3-C4-N9	-7.04	121.77	127.40
26	BB	374	A	C5-C6-N1	7.04	121.22	117.70
26	BB	1136	G	N7-C8-N9	7.04	116.62	113.10
26	BB	1549	A	O4'-C1'-N9	7.04	113.83	108.20
26	BB	2165	C	N3-C4-N4	7.04	122.93	118.00
26	BB	2834	G	N7-C8-N9	7.04	116.62	113.10
39	BO	64	TRP	CE2-CD2-CG	7.04	112.93	107.30
1	AA	343	U	O4'-C1'-N1	7.04	113.83	108.20
1	AA	957	U	P-O3'-C3'	7.04	128.15	119.70
26	BB	1846	G	N1-C6-O6	-7.04	115.68	119.90
1	AA	299	G	N3-C4-C5	-7.04	125.08	128.60
1	AA	317	U	N3-C4-O4	7.04	124.33	119.40
1	AA	662	U	C4'-C3'-C2'	-7.04	95.56	102.60
26	BB	2804	U	N3-C4-C5	7.04	118.82	114.60
28	BD	113	ASP	CB-CG-OD2	-7.04	111.97	118.30
1	AA	64	G	C4-C5-N7	-7.04	107.98	110.80
1	AA	1410	A	C4-C5-N7	7.04	114.22	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	787	C	O4'-C1'-N1	7.04	113.83	108.20
26	BB	1923	U	N3-C2-O2	7.04	127.13	122.20
1	AA	782	A	C2-N3-C4	7.04	114.12	110.60
1	AA	1029	U	C2-N3-C4	-7.04	122.78	127.00
1	AA	1353	G	C4-C5-C6	7.04	123.02	118.80
1	AA	1426	G	C5-C6-N1	7.04	115.02	111.50
2	AB	75	C	P-O3'-C3'	7.04	128.14	119.70
26	BB	603	A	N9-C1'-C2'	7.04	123.15	114.00
26	BB	756	A	N1-C6-N6	-7.04	114.38	118.60
26	BB	840	C	C5'-C4'-O4'	7.04	117.54	109.10
26	BB	1175	A	N3-C4-N9	7.04	133.03	127.40
26	BB	1306	C	N1-C2-O2	7.04	123.12	118.90
26	BB	1921	G	C6-N1-C2	-7.04	120.88	125.10
26	BB	2258	C	N3-C4-C5	7.04	124.72	121.90
26	BB	2641	G	N9-C4-C5	7.04	108.21	105.40
1	AA	198	G	C6-C5-N7	7.03	134.62	130.40
7	AG	74	TYR	CD1-CG-CD2	7.03	125.64	117.90
25	BA	82	U	N3-C4-C5	7.03	118.82	114.60
26	BB	15	G	C6-C5-N7	-7.03	126.18	130.40
26	BB	266	G	N1-C2-N2	7.03	122.53	116.20
26	BB	649	G	C2-N3-C4	7.03	115.42	111.90
26	BB	750	A	O4'-C4'-C3'	7.03	111.73	106.10
26	BB	1379	U	O4'-C1'-N1	7.03	113.83	108.20
26	BB	2415	G	N1-C2-N3	-7.03	119.68	123.90
26	BB	2673	G	C6-N1-C2	-7.03	120.88	125.10
1	AA	45	G	C5-C6-O6	7.03	132.82	128.60
26	BB	58	G	N1-C6-O6	7.03	124.12	119.90
26	BB	428	A	O4'-C1'-C2'	-7.03	98.77	105.80
26	BB	1316	U	N1-C1'-C2'	-7.03	104.26	112.00
26	BB	1370	C	C5-C6-N1	7.03	124.52	121.00
26	BB	1831	G	C6-C5-N7	-7.03	126.18	130.40
26	BB	2008	C	C4'-C3'-C2'	-7.03	95.57	102.60
26	BB	2601	C	C3'-C2'-C1'	-7.03	95.87	101.50
26	BB	2642	G	C6-C5-N7	7.03	134.62	130.40
1	AA	212	G	C5-N7-C8	7.03	107.82	104.30
1	AA	406	G	N7-C8-N9	-7.03	109.58	113.10
1	AA	949	A	N9-C1'-C2'	-7.03	104.27	112.00
1	AA	1265	C	N1-C1'-C2'	-7.03	104.27	112.00
1	AA	1404	C	C3'-C2'-C1'	-7.03	95.88	101.50
3	AC	56	G	C8-N9-C4	-7.03	103.59	106.40
26	BB	240	C	C6-N1-C2	7.03	123.11	120.30
26	BB	272	A	N7-C8-N9	-7.03	110.28	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	630	G	C3'-C2'-C1'	-7.03	95.88	101.50
26	BB	792	A	N9-C4-C5	7.03	108.61	105.80
26	BB	932	U	C1'-O4'-C4'	7.03	115.53	109.90
26	BB	1791	A	C6-N1-C2	7.03	122.82	118.60
26	BB	1985	C	N1-C2-O2	7.03	123.12	118.90
26	BB	2211	A	C2-N3-C4	7.03	114.11	110.60
57	B6	44	ARG	NE-CZ-NH2	-7.03	116.78	120.30
16	AP	28	ARG	NE-CZ-NH2	7.03	123.81	120.30
26	BB	177	G	C4-C5-N7	-7.03	107.99	110.80
26	BB	334	C	O4'-C1'-N1	7.03	113.82	108.20
26	BB	2531	A	O4'-C1'-N9	7.03	113.82	108.20
1	AA	939	G	C2-N3-C4	7.03	115.41	111.90
1	AA	1095	U	C6-N1-C2	-7.03	116.78	121.00
26	BB	85	G	O4'-C1'-N9	7.03	113.82	108.20
26	BB	181	A	O4'-C4'-C3'	7.03	111.72	106.10
26	BB	1329	U	C6-N1-C2	-7.03	116.78	121.00
26	BB	1469	A	O4'-C1'-N9	7.03	113.82	108.20
26	BB	2087	G	N1-C2-N3	7.03	128.12	123.90
26	BB	2557	G	C5-C6-O6	-7.03	124.38	128.60
1	AA	827	U	C2-N3-C4	-7.03	122.78	127.00
26	BB	1361	G	O4'-C4'-C3'	7.03	111.72	106.10
26	BB	1993	U	C1'-O4'-C4'	7.03	115.52	109.90
37	BM	70	ARG	NE-CZ-NH2	7.03	123.81	120.30
1	AA	478	A	C3'-C2'-C1'	-7.02	95.88	101.50
2	AB	41	C	C4'-C3'-C2'	-7.02	95.58	102.60
26	BB	1482	G	C4'-C3'-C2'	-7.02	95.58	102.60
26	BB	1662	U	N1-C2-N3	7.02	119.11	114.90
1	AA	153	C	C3'-C2'-C1'	7.02	107.12	101.50
1	AA	175	C	C2-N3-C4	-7.02	116.39	119.90
1	AA	675	A	C2-N3-C4	7.02	114.11	110.60
26	BB	48	G	N3-C4-N9	7.02	130.21	126.00
26	BB	733	G	C6-N1-C2	-7.02	120.89	125.10
26	BB	2288	A	N1-C6-N6	-7.02	114.39	118.60
26	BB	2516	A	P-O3'-C3'	7.02	128.13	119.70
26	BB	2762	C	C5'-C4'-O4'	-7.02	100.67	109.10
26	BB	2793	C	C5-C6-N1	7.02	124.51	121.00
1	AA	632	U	C5-C4-O4	-7.02	121.69	125.90
1	AA	678	U	C5-C6-N1	-7.02	119.19	122.70
4	AD	10	G	C5'-C4'-C3'	-7.02	104.77	116.00
26	BB	1594	U	N3-C4-O4	7.02	124.31	119.40
26	BB	2127	G	N3-C2-N2	7.02	124.81	119.90
1	AA	771	G	C4-N9-C1'	-7.02	117.38	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	126	A	C5'-C4'-O4'	7.02	117.52	109.10
26	BB	212	G	C4-C5-N7	-7.02	107.99	110.80
26	BB	265	A	N9-C4-C5	7.02	108.61	105.80
26	BB	620	G	C3'-C2'-C1'	7.02	107.11	101.50
26	BB	1659	G	C5-N7-C8	7.02	107.81	104.30
1	AA	239	U	O4'-C1'-N1	7.02	113.81	108.20
1	AA	257	G	C4'-C3'-C2'	-7.02	95.58	102.60
1	AA	359	G	C8-N9-C4	7.02	109.21	106.40
1	AA	438	U	C5-C6-N1	-7.02	119.19	122.70
1	AA	684	U	N3-C2-O2	-7.02	117.29	122.20
1	AA	980	C	P-O3'-C3'	7.02	128.12	119.70
11	AK	24	VAL	CA-CB-CG2	7.02	121.43	110.90
25	BA	9	G	N9-C4-C5	-7.02	102.59	105.40
26	BB	432	A	N1-C2-N3	-7.02	125.79	129.30
26	BB	730	A	C5-N7-C8	7.02	107.41	103.90
26	BB	952	G	C5-N7-C8	7.02	107.81	104.30
26	BB	1132	U	N1-C2-N3	7.02	119.11	114.90
26	BB	926	G	N1-C2-N2	-7.02	109.89	116.20
26	BB	2357	G	C8-N9-C4	-7.02	103.59	106.40
1	AA	395	C	C6-N1-C2	7.01	123.11	120.30
1	AA	640	A	C1'-O4'-C4'	-7.01	104.29	109.90
1	AA	821	G	C8-N9-C4	-7.01	103.59	106.40
1	AA	1276	G	N9-C4-C5	-7.01	102.59	105.40
1	AA	1352	C	O4'-C4'-C3'	-7.01	96.99	104.00
2	AB	6	C	N1-C1'-C2'	-7.01	104.28	112.00
5	AE	22	TRP	CD1-CG-CD2	-7.01	100.69	106.30
8	AH	160	VAL	CA-CB-CG2	7.01	121.42	110.90
26	BB	411	G	C6-N1-C2	-7.01	120.89	125.10
26	BB	767	U	C5-C4-O4	-7.01	121.69	125.90
26	BB	1522	A	C3'-C2'-C1'	7.01	107.11	101.50
26	BB	2408	U	C1'-O4'-C4'	7.01	115.51	109.90
26	BB	2796	U	C5'-C4'-C3'	-7.01	104.78	116.00
26	BB	2864	G	N9-C4-C5	7.01	108.21	105.40
1	AA	33	A	N1-C6-N6	7.01	122.81	118.60
1	AA	316	C	N3-C2-O2	7.01	126.81	121.90
1	AA	378	G	C4-C5-C6	7.01	123.01	118.80
1	AA	588	G	C6-C5-N7	-7.01	126.19	130.40
4	AD	27	G	N7-C8-N9	7.01	116.61	113.10
25	BA	54	G	N1-C2-N2	7.01	122.51	116.20
26	BB	897	C	N3-C4-C5	7.01	124.70	121.90
26	BB	2234	G	N9-C4-C5	7.01	108.20	105.40
26	BB	2288	A	C5-C6-N6	7.01	129.31	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2362	C	C4-C5-C6	-7.01	113.89	117.40
56	B5	12	ARG	NE-CZ-NH1	-7.01	116.79	120.30
1	AA	719	C	C4-C5-C6	-7.01	113.89	117.40
1	AA	1296	C	O4'-C1'-N1	-7.01	102.59	108.20
25	BA	35	C	C4'-C3'-C2'	-7.01	95.59	102.60
26	BB	91	A	O4'-C1'-N9	7.01	113.81	108.20
26	BB	805	G	N3-C4-N9	-7.01	121.79	126.00
26	BB	879	G	N1-C2-N3	-7.01	119.69	123.90
26	BB	1079	C	C4-C5-C6	-7.01	113.89	117.40
26	BB	1268	A	C3'-C2'-C1'	7.01	107.11	101.50
26	BB	1768	C	C5-C6-N1	-7.01	117.49	121.00
26	BB	1868	C	O4'-C1'-N1	7.01	113.81	108.20
26	BB	2308	G	N7-C8-N9	7.01	116.61	113.10
26	BB	2453	A	C5-N7-C8	-7.01	100.39	103.90
31	BG	45	ASP	CB-CG-OD1	-7.01	111.99	118.30
1	AA	7	A	O4'-C4'-C3'	7.01	111.71	106.10
1	AA	112	G	N3-C4-N9	7.01	130.21	126.00
1	AA	195	A	N7-C8-N9	7.01	117.31	113.80
1	AA	325	A	N1-C6-N6	-7.01	114.39	118.60
1	AA	663	A	C5-C6-N6	7.01	129.31	123.70
1	AA	1426	G	O4'-C1'-N9	7.01	113.81	108.20
26	BB	75	G	C5-N7-C8	-7.01	100.80	104.30
26	BB	820	A	C4-C5-C6	-7.01	113.50	117.00
26	BB	1236	G	N1-C6-O6	7.01	124.11	119.90
26	BB	1737	G	C8-N9-C4	-7.01	103.60	106.40
26	BB	2270	A	N9-C4-C5	7.01	108.60	105.80
26	BB	2637	U	N3-C4-C5	-7.01	110.39	114.60
1	AA	350	G	C5-N7-C8	7.01	107.80	104.30
1	AA	1300	G	O4'-C4'-C3'	7.01	111.71	106.10
26	BB	1545	A	C4-C5-N7	-7.01	107.20	110.70
26	BB	1572	A	C5-C6-N6	-7.01	118.09	123.70
26	BB	1974	C	N3-C4-C5	-7.01	119.10	121.90
1	AA	279	A	O4'-C4'-C3'	7.01	111.70	106.10
1	AA	1303	C	C5-C6-N1	7.01	124.50	121.00
26	BB	278	A	O4'-C4'-C3'	7.01	111.70	106.10
26	BB	508	A	N1-C6-N6	-7.01	114.40	118.60
26	BB	535	G	C6-N1-C2	-7.01	120.90	125.10
26	BB	1099	G	N1-C2-N3	-7.01	119.70	123.90
26	BB	1314	C	N3-C4-C5	-7.01	119.10	121.90
26	BB	1500	G	O4'-C1'-N9	7.01	113.81	108.20
26	BB	1676	A	C6-N1-C2	7.01	122.80	118.60
26	BB	1750	G	C4-C5-N7	-7.01	108.00	110.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1975	G	C5-C6-N1	7.01	115.00	111.50
26	BB	2036	C	O4'-C1'-N1	7.01	113.81	108.20
26	BB	2614	A	C5'-C4'-O4'	7.01	117.51	109.10
30	BF	122	GLU	OE1-CD-OE2	7.01	131.71	123.30
1	AA	141	G	C8-N9-C4	7.00	109.20	106.40
1	AA	319	G	N1-C2-N2	7.00	122.50	116.20
1	AA	396	C	C3'-C2'-C1'	7.00	107.10	101.50
1	AA	847	G	C5-C6-N1	7.00	115.00	111.50
1	AA	859	G	N3-C2-N2	-7.00	115.00	119.90
26	BB	733	G	O4'-C1'-N9	7.00	113.80	108.20
1	AA	71	A	C6-N1-C2	-7.00	114.40	118.60
1	AA	908	A	O4'-C1'-N9	7.00	113.80	108.20
26	BB	115	C	N3-C4-N4	7.00	122.90	118.00
26	BB	126	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	129	C	C4'-C3'-C2'	-7.00	95.60	102.60
26	BB	282	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	785	G	N7-C8-N9	7.00	116.60	113.10
26	BB	1422	G	C4-C5-N7	7.00	113.60	110.80
53	B2	21	VAL	CA-CB-CG2	7.00	121.41	110.90
1	AA	191	G	C8-N9-C4	-7.00	103.60	106.40
1	AA	1030	U	C3'-C2'-C1'	7.00	107.10	101.50
2	AB	27	C	P-O3'-C3'	7.00	128.10	119.70
26	BB	239	C	N1-C2-N3	7.00	124.10	119.20
26	BB	1645	G	C5-C6-N1	7.00	115.00	111.50
1	AA	306	A	C4-C5-C6	7.00	120.50	117.00
26	BB	1888	G	N3-C4-C5	-7.00	125.10	128.60
1	AA	450	G	O4'-C1'-N9	7.00	113.80	108.20
1	AA	1198	G	C4-C5-C6	7.00	123.00	118.80
1	AA	1317	C	C1'-O4'-C4'	7.00	115.50	109.90
26	BB	608	A	C3'-C2'-C1'	7.00	107.10	101.50
26	BB	1006	C	N3-C4-N4	7.00	122.90	118.00
26	BB	2331	G	N3-C4-N9	7.00	130.20	126.00
26	BB	2574	G	C5-C6-O6	-7.00	124.40	128.60
1	AA	243	A	P-O3'-C3'	7.00	128.10	119.70
1	AA	682	G	N9-C4-C5	7.00	108.20	105.40
1	AA	907	A	N9-C4-C5	7.00	108.60	105.80
2	AB	28	C	P-O3'-C3'	7.00	128.10	119.70
4	AD	7	G	C4'-C3'-C2'	-7.00	95.60	102.60
25	BA	83	G	C5-N7-C8	-7.00	100.80	104.30
26	BB	992	C	C6-N1-C2	7.00	123.10	120.30
26	BB	1007	C	N3-C4-C5	-7.00	119.10	121.90
26	BB	1979	U	C5'-C4'-C3'	-7.00	104.81	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2770	G	N3-C2-N2	7.00	124.80	119.90
30	BF	158	PHE	CB-CG-CD1	-7.00	115.90	120.80
1	AA	477	C	C2-N3-C4	7.00	123.40	119.90
1	AA	597	G	C4'-C3'-C2'	-7.00	95.61	102.60
4	AD	57	C	N3-C2-O2	-7.00	117.00	121.90
26	BB	212	G	C3'-C2'-C1'	7.00	107.10	101.50
26	BB	772	C	N3-C2-O2	-7.00	117.00	121.90
26	BB	1851	U	N1-C2-N3	7.00	119.10	114.90
1	AA	155	A	O4'-C1'-N9	6.99	113.80	108.20
1	AA	462	G	C8-N9-C4	-6.99	103.60	106.40
1	AA	576	C	C2-N1-C1'	-6.99	111.11	118.80
26	BB	134	G	C2-N3-C4	-6.99	108.40	111.90
26	BB	326	G	N3-C2-N2	-6.99	115.00	119.90
26	BB	605	G	N9-C1'-C2'	-6.99	104.31	112.00
26	BB	887	U	N1-C2-O2	6.99	127.70	122.80
26	BB	1132	U	N3-C2-O2	-6.99	117.31	122.20
26	BB	1404	C	N3-C2-O2	-6.99	117.00	121.90
26	BB	1423	G	O4'-C1'-N9	6.99	113.79	108.20
26	BB	1952	A	N7-C8-N9	6.99	117.30	113.80
26	BB	2308	G	N1-C6-O6	-6.99	115.70	119.90
26	BB	2521	C	C4-C5-C6	6.99	120.90	117.40
26	BB	2530	A	C8-N9-C4	-6.99	103.00	105.80
26	BB	2734	A	C5-C6-N6	-6.99	118.11	123.70
26	BB	2838	G	C8-N9-C4	-6.99	103.60	106.40
26	BB	249	C	C1'-O4'-C4'	-6.99	104.31	109.90
26	BB	325	G	C4-C5-N7	-6.99	108.00	110.80
26	BB	652	U	O4'-C1'-N1	6.99	113.79	108.20
26	BB	1779	U	N3-C4-O4	6.99	124.29	119.40
1	AA	548	G	N3-C4-C5	-6.99	125.11	128.60
1	AA	875	U	C4'-C3'-C2'	-6.99	95.61	102.60
26	BB	492	A	N3-C4-C5	6.99	131.69	126.80
26	BB	1674	G	C3'-C2'-C1'	-6.99	95.91	101.50
26	BB	1891	G	C5'-C4'-C3'	-6.99	104.82	116.00
26	BB	2148	G	N3-C2-N2	-6.99	115.01	119.90
26	BB	2187	U	C1'-O4'-C4'	6.99	115.49	109.90
54	B3	51	ARG	NE-CZ-NH2	6.99	123.80	120.30
1	AA	1431	A	N9-C4-C5	6.99	108.60	105.80
4	AD	71	G	N3-C2-N2	-6.99	115.01	119.90
25	BA	109	A	C2-N3-C4	-6.99	107.11	110.60
26	BB	448	U	O4'-C4'-C3'	6.99	111.69	106.10
26	BB	1445	G	C1'-O4'-C4'	6.99	115.49	109.90
26	BB	1453	A	N7-C8-N9	-6.99	110.31	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1552	A	C6-C5-N7	-6.99	127.41	132.30
26	BB	2647	U	C5-C6-N1	-6.99	119.20	122.70
26	BB	2864	G	C4-C5-C6	6.99	122.99	118.80
26	BB	2117	A	N3-C4-N9	-6.99	121.81	127.40
45	BU	88	ARG	NE-CZ-NH1	-6.99	116.81	120.30
2	AB	63	C	C6-N1-C2	-6.99	117.51	120.30
17	AQ	89	ARG	NE-CZ-NH1	6.99	123.79	120.30
26	BB	195	A	O4'-C4'-C3'	6.99	111.69	106.10
26	BB	323	C	N3-C2-O2	-6.99	117.01	121.90
26	BB	636	G	O4'-C1'-N9	6.99	113.79	108.20
26	BB	1228	G	O4'-C4'-C3'	6.99	111.69	106.10
26	BB	2003	A	P-O3'-C3'	6.99	128.08	119.70
26	BB	2027	G	N7-C8-N9	6.99	116.59	113.10
1	AA	626	G	C3'-C2'-C1'	6.98	107.09	101.50
26	BB	2590	A	C6-N1-C2	-6.98	114.41	118.60
1	AA	230	G	C5-C6-N1	-6.98	108.01	111.50
26	BB	200	U	C1'-O4'-C4'	-6.98	104.31	109.90
26	BB	275	C	O4'-C1'-N1	6.98	113.78	108.20
26	BB	1137	G	N3-C4-C5	-6.98	125.11	128.60
26	BB	1137	G	N3-C4-N9	6.98	130.19	126.00
26	BB	1237	A	N7-C8-N9	-6.98	110.31	113.80
26	BB	1345	C	O4'-C1'-N1	6.98	113.79	108.20
26	BB	1705	A	C2-N3-C4	-6.98	107.11	110.60
26	BB	2040	G	C2-N3-C4	6.98	115.39	111.90
1	AA	742	G	C2-N3-C4	6.98	115.39	111.90
1	AA	787	A	C2-N3-C4	6.98	114.09	110.60
1	AA	1016	A	C4-C5-N7	-6.98	107.21	110.70
25	BA	85	G	N3-C4-C5	-6.98	125.11	128.60
26	BB	484	C	O4'-C1'-N1	6.98	113.78	108.20
26	BB	632	A	N9-C4-C5	6.98	108.59	105.80
26	BB	1267	U	C6-N1-C2	-6.98	116.81	121.00
26	BB	1311	G	N7-C8-N9	6.98	116.59	113.10
26	BB	1557	C	C2-N3-C4	6.98	123.39	119.90
26	BB	2853	C	N1-C2-O2	6.98	123.09	118.90
1	AA	204	G	C2'-C3'-O3'	6.98	124.87	113.70
1	AA	230	G	N7-C8-N9	6.98	116.59	113.10
1	AA	424	G	C5-N7-C8	-6.98	100.81	104.30
1	AA	1064	G	O4'-C1'-N9	6.98	113.78	108.20
1	AA	1121	U	C5-C6-N1	-6.98	119.21	122.70
1	AA	1230	C	C1'-O4'-C4'	6.98	115.48	109.90
26	BB	615	U	C1'-O4'-C4'	-6.98	104.32	109.90
1	AA	168	G	N3-C2-N2	6.98	124.78	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	252	U	C6-N1-C2	-6.98	116.81	121.00
1	AA	621	A	N7-C8-N9	-6.98	110.31	113.80
1	AA	1104	G	N9-C4-C5	6.98	108.19	105.40
1	AA	1251	A	C2-N3-C4	6.98	114.09	110.60
25	BA	12	C	P-O3'-C3'	6.98	128.07	119.70
26	BB	254	G	N7-C8-N9	-6.98	109.61	113.10
26	BB	897	C	O4'-C1'-N1	6.98	113.78	108.20
26	BB	1387	A	C6-N1-C2	-6.98	114.41	118.60
26	BB	1635	A	C2-N3-C4	6.98	114.09	110.60
1	AA	15	G	C5-C6-N1	-6.98	108.01	111.50
1	AA	1508	A	C3'-C2'-C1'	-6.98	95.92	101.50
26	BB	1444	G	C4'-C3'-C2'	-6.98	95.62	102.60
26	BB	1645	G	C3'-C2'-C1'	6.98	107.08	101.50
26	BB	1903	G	C5-N7-C8	6.98	107.79	104.30
1	AA	131	A	C5-C6-N1	6.97	121.19	117.70
1	AA	767	A	C5-N7-C8	-6.97	100.41	103.90
1	AA	1014	A	C2'-C3'-O3'	6.97	124.86	113.70
1	AA	1397	C	C5'-C4'-C3'	-6.97	104.84	116.00
26	BB	397	U	C5-C4-O4	-6.97	121.72	125.90
26	BB	1073	A	C4-C5-C6	6.97	120.49	117.00
26	BB	1796	U	O4'-C1'-N1	6.97	113.78	108.20
1	AA	444	G	C4-C5-N7	-6.97	108.01	110.80
1	AA	690	G	C4'-C3'-C2'	-6.97	95.63	102.60
1	AA	890	G	C5-N7-C8	-6.97	100.81	104.30
1	AA	1104	G	C5-N7-C8	-6.97	100.81	104.30
1	AA	1470	U	O4'-C1'-C2'	6.97	113.88	107.60
2	AB	49	G	N3-C4-C5	-6.97	125.11	128.60
2	AB	65	C	N1-C2-N3	-6.97	114.32	119.20
26	BB	176	A	C3'-C2'-C1'	6.97	107.08	101.50
26	BB	252	G	C5'-C4'-O4'	6.97	117.47	109.10
26	BB	1035	U	O4'-C1'-N1	6.97	113.78	108.20
26	BB	1304	A	C1'-O4'-C4'	6.97	115.48	109.90
26	BB	1319	C	N3-C2-O2	-6.97	117.02	121.90
26	BB	1386	C	C5'-C4'-O4'	6.97	117.47	109.10
26	BB	1690	A	N9-C4-C5	6.97	108.59	105.80
26	BB	2012	G	O4'-C1'-N9	6.97	113.78	108.20
26	BB	2081	U	C4'-C3'-C2'	-6.97	95.63	102.60
26	BB	2886	A	C4-C5-N7	6.97	114.19	110.70
37	BM	18	ARG	CA-CB-CG	6.97	128.74	113.40
1	AA	1395	C	C4-C5-C6	-6.97	113.92	117.40
26	BB	126	A	C4-C5-C6	-6.97	113.52	117.00
26	BB	1209	U	C5-C6-N1	6.97	126.19	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1904	G	N1-C2-N3	-6.97	119.72	123.90
26	BB	2123	G	C5-N7-C8	6.97	107.79	104.30
26	BB	2308	G	N1-C2-N2	6.97	122.47	116.20
1	AA	925	G	N3-C4-C5	-6.97	125.12	128.60
1	AA	1053	G	N9-C4-C5	6.97	108.19	105.40
2	AB	67	G	C2-N3-C4	6.97	115.39	111.90
26	BB	10	A	C4-C5-C6	-6.97	113.52	117.00
26	BB	621	A	N9-C1'-C2'	-6.97	104.33	112.00
26	BB	1259	G	C5'-C4'-O4'	6.97	117.46	109.10
26	BB	1271	G	N1-C2-N2	-6.97	109.93	116.20
26	BB	1324	G	O4'-C1'-C2'	-6.97	98.83	105.80
26	BB	1407	G	O4'-C1'-N9	6.97	113.78	108.20
26	BB	2653	U	N3-C2-O2	-6.97	117.32	122.20
26	BB	32	C	N1-C2-O2	6.97	123.08	118.90
26	BB	548	G	N1-C2-N3	6.97	128.08	123.90
1	AA	81	A	C5-C6-N1	6.97	121.18	117.70
1	AA	831	A	C5-C6-N1	6.97	121.18	117.70
1	AA	1031	C	C4-C5-C6	-6.97	113.92	117.40
1	AA	1491	G	O3'-P-O5'	-6.97	90.77	104.00
7	AG	114	ARG	NE-CZ-NH1	-6.97	116.82	120.30
26	BB	375	G	O4'-C1'-N9	6.97	113.77	108.20
26	BB	1310	G	C4-C5-N7	-6.97	108.01	110.80
26	BB	1675	C	O4'-C1'-N1	6.97	113.77	108.20
26	BB	2639	A	C5'-C4'-O4'	6.97	117.46	109.10
26	BB	540	C	O4'-C1'-N1	6.96	113.77	108.20
26	BB	674	G	C4-C5-C6	6.96	122.98	118.80
26	BB	893	C	C2-N3-C4	6.96	123.38	119.90
1	AA	848	C	C5'-C4'-O4'	6.96	117.46	109.10
1	AA	1143	G	N1-C2-N2	6.96	122.47	116.20
1	AA	1275	A	C5'-C4'-O4'	6.96	117.45	109.10
1	AA	1310	G	C6-N1-C2	-6.96	120.92	125.10
26	BB	265	A	C2'-C3'-O3'	6.96	124.84	113.70
1	AA	181	A	N1-C2-N3	-6.96	125.82	129.30
1	AA	549	C	N1-C2-O2	6.96	123.08	118.90
1	AA	1080	A	C2-N3-C4	6.96	114.08	110.60
1	AA	1090	U	N1-C2-O2	-6.96	117.93	122.80
2	AB	2	G	C8-N9-C4	-6.96	103.62	106.40
5	AE	183	PHE	CG-CD2-CE2	6.96	128.46	120.80
26	BB	51	G	C2-N3-C4	6.96	115.38	111.90
26	BB	176	A	N7-C8-N9	6.96	117.28	113.80
26	BB	1433	A	C4-C5-N7	-6.96	107.22	110.70
26	BB	1653	G	C6-N1-C2	-6.96	120.92	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1733	G	C6-N1-C2	-6.96	120.92	125.10
26	BB	2264	C	N3-C4-C5	-6.96	119.11	121.90
26	BB	2904	U	C5-C6-N1	-6.96	119.22	122.70
1	AA	1224	U	C4-C5-C6	6.96	123.88	119.70
26	BB	108	G	N3-C4-N9	6.96	130.18	126.00
26	BB	803	U	O4'-C1'-C2'	-6.96	98.84	105.80
26	BB	1149	G	O4'-C1'-N9	6.96	113.77	108.20
26	BB	1616	A	C2-N3-C4	-6.96	107.12	110.60
26	BB	2629	U	C5-C4-O4	6.96	130.08	125.90
1	AA	4	U	C1'-O4'-C4'	6.96	115.47	109.90
1	AA	1280	A	C5-N7-C8	6.96	107.38	103.90
26	BB	439	A	C4'-C3'-C2'	-6.96	95.64	102.60
26	BB	551	G	C5'-C4'-O4'	6.96	117.45	109.10
26	BB	733	G	N1-C6-O6	6.96	124.08	119.90
26	BB	1423	G	N9-C1'-C2'	-6.96	104.35	112.00
26	BB	2469	A	N9-C1'-C2'	-6.96	104.35	112.00
1	AA	45	G	C6-C5-N7	-6.96	126.23	130.40
1	AA	92	U	C4-C5-C6	6.96	123.87	119.70
1	AA	354	G	N3-C4-N9	6.96	130.17	126.00
26	BB	544	C	N1-C2-O2	6.96	123.07	118.90
26	BB	810	U	N1-C2-N3	6.96	119.07	114.90
26	BB	1047	G	C5'-C4'-O4'	6.96	117.45	109.10
26	BB	1192	G	C2-N3-C4	-6.96	108.42	111.90
26	BB	1348	C	C2-N3-C4	6.96	123.38	119.90
26	BB	2230	G	C5-C6-N1	6.96	114.98	111.50
1	AA	248	C	N1-C1'-C2'	-6.96	104.35	112.00
1	AA	464	U	C5-C4-O4	6.96	130.07	125.90
26	BB	98	G	N3-C4-N9	6.96	130.17	126.00
26	BB	2736	A	O4'-C1'-N9	6.96	113.76	108.20
36	BL	13	ARG	NH1-CZ-NH2	6.96	127.05	119.40
1	AA	715	A	N1-C2-N3	6.95	132.78	129.30
26	BB	420	C	C4'-C3'-C2'	-6.95	95.65	102.60
26	BB	1030	C	N1-C1'-C2'	-6.95	104.35	112.00
26	BB	1252	G	N7-C8-N9	6.95	116.58	113.10
26	BB	1259	G	O5'-P-OP2	-6.95	99.44	105.70
26	BB	1717	A	C5-N7-C8	6.95	107.38	103.90
26	BB	1896	G	N9-C4-C5	6.95	108.18	105.40
26	BB	2197	U	N1-C2-N3	6.95	119.07	114.90
26	BB	2567	G	C1'-O4'-C4'	-6.95	104.34	109.90
40	BP	30	ARG	NH1-CZ-NH2	-6.95	111.75	119.40
1	AA	293	G	O4'-C1'-N9	6.95	113.76	108.20
1	AA	1186	G	C2-N3-C4	-6.95	108.42	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	415	A	C5-C6-N6	-6.95	118.14	123.70
26	BB	548	G	C5-C6-N1	6.95	114.98	111.50
35	BK	102	ARG	NE-CZ-NH1	6.95	123.78	120.30
1	AA	1226	C	P-O3'-C3'	6.95	128.04	119.70
1	AA	1368	A	C4-C5-N7	6.95	114.18	110.70
4	AD	20	G	O4'-C1'-N9	6.95	113.76	108.20
10	AJ	91	ARG	NE-CZ-NH1	6.95	123.78	120.30
25	BA	20	G	C3'-C2'-C1'	6.95	107.06	101.50
26	BB	1067	A	N1-C6-N6	-6.95	114.43	118.60
26	BB	1686	C	C5'-C4'-O4'	6.95	117.44	109.10
26	BB	2200	C	O4'-C1'-N1	6.95	113.76	108.20
1	AA	606	G	C3'-C2'-C1'	-6.95	95.94	101.50
1	AA	994	A	O4'-C1'-N9	6.95	113.76	108.20
1	AA	1239	A	C4-C5-N7	-6.95	107.22	110.70
3	AC	46	C	C6-N1-C2	-6.95	117.52	120.30
26	BB	98	G	C4-C5-N7	6.95	113.58	110.80
26	BB	217	A	C6-N1-C2	-6.95	114.43	118.60
26	BB	536	G	N3-C4-C5	-6.95	125.13	128.60
26	BB	1099	G	C5-C6-O6	-6.95	124.43	128.60
26	BB	2133	G	C6-N1-C2	-6.95	120.93	125.10
1	AA	605	U	C1'-O4'-C4'	-6.95	104.34	109.90
1	AA	964	A	C8-N9-C4	-6.95	103.02	105.80
1	AA	1100	C	C2-N3-C4	-6.95	116.43	119.90
26	BB	178	G	N3-C4-N9	-6.95	121.83	126.00
26	BB	1308	A	P-O3'-C3'	6.95	128.04	119.70
26	BB	1878	G	C4'-C3'-C2'	-6.95	95.65	102.60
26	BB	1918	A	C1'-O4'-C4'	6.95	115.46	109.90
26	BB	2517	C	C2-N3-C4	6.95	123.37	119.90
26	BB	2785	C	N3-C4-C5	6.95	124.68	121.90
52	B1	22	THR	CA-CB-CG2	6.95	122.13	112.40
1	AA	757	U	C3'-C2'-C1'	6.95	107.06	101.50
1	AA	1131	G	O4'-C1'-N9	6.95	113.76	108.20
1	AA	1246	A	C4'-C3'-C2'	-6.95	95.65	102.60
11	AK	127	TYR	CB-CG-CD1	6.95	125.17	121.00
26	BB	304	U	O4'-C1'-N1	6.95	113.76	108.20
26	BB	538	A	N3-C4-N9	-6.95	121.84	127.40
26	BB	752	A	O4'-C4'-C3'	6.95	111.66	106.10
26	BB	1450	G	C5-N7-C8	-6.95	100.83	104.30
26	BB	2077	A	C5'-C4'-O4'	6.95	117.44	109.10
26	BB	2440	C	P-O3'-C3'	6.95	128.03	119.70
26	BB	2640	G	N3-C4-C5	-6.95	125.13	128.60
41	BQ	30	ARG	NE-CZ-NH1	6.95	123.77	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	315	A	N1-C6-N6	-6.94	114.43	118.60
1	AA	337	G	N3-C2-N2	-6.94	115.04	119.90
1	AA	362	G	C5'-C4'-O4'	6.94	117.43	109.10
1	AA	407	U	C5-C6-N1	6.94	126.17	122.70
25	BA	111	U	C6-N1-C2	-6.94	116.83	121.00
26	BB	1642	G	C2-N3-C4	6.94	115.37	111.90
26	BB	2648	G	C1'-O4'-C4'	6.94	115.45	109.90
1	AA	97	G	C4-C5-C6	6.94	122.97	118.80
1	AA	509	A	O4'-C1'-N9	6.94	113.75	108.20
1	AA	596	A	C5-C6-N1	6.94	121.17	117.70
1	AA	1383	C	N3-C4-N4	-6.94	113.14	118.00
25	BA	33	G	N3-C2-N2	6.94	124.76	119.90
26	BB	68	G	C4-C5-C6	-6.94	114.63	118.80
26	BB	338	G	N9-C4-C5	-6.94	102.62	105.40
26	BB	431	U	C5-C4-O4	-6.94	121.73	125.90
26	BB	1287	A	O4'-C1'-N9	6.94	113.75	108.20
26	BB	1780	A	C4-C5-N7	-6.94	107.23	110.70
26	BB	1799	G	C4-C5-N7	-6.94	108.02	110.80
26	BB	2697	G	N7-C8-N9	6.94	116.57	113.10
26	BB	2705	A	N7-C8-N9	-6.94	110.33	113.80
26	BB	2845	U	C2-N3-C4	-6.94	122.83	127.00
1	AA	1341	U	N1-C2-O2	6.94	127.66	122.80
1	AA	1416	G	C1'-O4'-C4'	-6.94	104.35	109.90
4	AD	73	A	N9-C4-C5	6.94	108.58	105.80
25	BA	107	G	C2-N3-C4	6.94	115.37	111.90
26	BB	1486	U	C6-N1-C2	6.94	125.16	121.00
26	BB	1540	G	N1-C2-N2	6.94	122.45	116.20
26	BB	2326	C	N1-C2-O2	6.94	123.06	118.90
26	BB	832	U	C4-C5-C6	6.94	123.86	119.70
26	BB	1025	G	N9-C4-C5	6.94	108.17	105.40
26	BB	1918	A	C5-C6-N6	-6.94	118.15	123.70
26	BB	2055	C	P-O3'-C3'	6.94	128.03	119.70
46	BV	69	ARG	NE-CZ-NH2	6.94	123.77	120.30
1	AA	180	U	C5'-C4'-O4'	6.94	117.42	109.10
1	AA	755	G	C4-C5-N7	-6.94	108.03	110.80
1	AA	1328	C	N1-C2-O2	6.94	123.06	118.90
1	AA	1380	U	N1-C2-N3	6.94	119.06	114.90
3	AC	45	G	O4'-C1'-N9	6.94	113.75	108.20
26	BB	162	U	C5-C6-N1	-6.94	119.23	122.70
26	BB	687	C	N3-C4-C5	-6.94	119.12	121.90
26	BB	1577	C	C5-C6-N1	6.94	124.47	121.00
26	BB	2438	U	C1'-O4'-C4'	-6.94	104.35	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2493	U	O4'-C1'-N1	6.94	113.75	108.20
26	BB	2534	A	N1-C2-N3	-6.94	125.83	129.30
26	BB	2757	A	N7-C8-N9	6.94	117.27	113.80
2	AB	67	G	C5-C6-N1	6.94	114.97	111.50
26	BB	84	A	N7-C8-N9	6.94	117.27	113.80
26	BB	862	G	N1-C2-N2	-6.94	109.96	116.20
26	BB	1582	C	N1-C2-O2	6.94	123.06	118.90
26	BB	2145	C	N3-C4-N4	6.94	122.86	118.00
39	BO	64	TRP	NE1-CE2-CD2	-6.94	100.36	107.30
1	AA	495	A	N1-C6-N6	-6.93	114.44	118.60
1	AA	760	G	C3'-C2'-C1'	-6.93	95.95	101.50
1	AA	1491	G	N1-C2-N3	6.93	128.06	123.90
17	AQ	93	PRO	N-CA-CB	6.93	111.62	103.30
26	BB	372	G	N9-C4-C5	6.93	108.17	105.40
26	BB	407	G	C5-C6-N1	6.93	114.97	111.50
26	BB	538	A	N1-C2-N3	6.93	132.77	129.30
26	BB	1101	U	N1-C2-N3	6.93	119.06	114.90
26	BB	2216	G	P-O3'-C3'	6.93	128.02	119.70
26	BB	2284	A	C2-N3-C4	6.93	114.07	110.60
26	BB	2332	C	C2-N3-C4	6.93	123.37	119.90
26	BB	2594	C	C1'-O4'-C4'	-6.93	104.35	109.90
26	BB	2714	G	N1-C2-N3	6.93	128.06	123.90
26	BB	2730	C	C4-C5-C6	6.93	120.87	117.40
26	BB	2857	G	N3-C4-C5	-6.93	125.13	128.60
1	AA	278	G	C4-C5-C6	6.93	122.96	118.80
1	AA	688	G	N1-C6-O6	6.93	124.06	119.90
1	AA	838	G	C6-N1-C2	-6.93	120.94	125.10
1	AA	892	A	C5'-C4'-O4'	6.93	117.42	109.10
26	BB	1036	G	O4'-C1'-N9	6.93	113.75	108.20
26	BB	1177	G	C2-N3-C4	6.93	115.37	111.90
26	BB	1416	G	C8-N9-C4	-6.93	103.63	106.40
26	BB	2486	C	N3-C4-N4	6.93	122.85	118.00
26	BB	2730	C	C5-C6-N1	-6.93	117.53	121.00
1	AA	776	G	N1-C6-O6	-6.93	115.74	119.90
1	AA	1466	C	C1'-O4'-C4'	6.93	115.44	109.90
26	BB	497	A	C2-N3-C4	-6.93	107.13	110.60
26	BB	1419	A	N1-C6-N6	6.93	122.76	118.60
26	BB	1510	G	C5-C6-O6	6.93	132.76	128.60
26	BB	1850	G	N3-C4-C5	-6.93	125.14	128.60
30	BF	35	TYR	CG-CD1-CE1	-6.93	115.75	121.30
1	AA	514	C	C5-C4-N4	-6.93	115.35	120.20
1	AA	889	A	N9-C1'-C2'	-6.93	104.38	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1004	A	C8-N9-C4	-6.93	103.03	105.80
1	AA	1167	A	C4-C5-N7	-6.93	107.23	110.70
18	AR	62	ARG	NE-CZ-NH2	-6.93	116.83	120.30
26	BB	1025	G	C8-N9-C4	-6.93	103.63	106.40
26	BB	2735	G	N3-C2-N2	6.93	124.75	119.90
26	BB	2892	G	C5-C6-O6	-6.93	124.44	128.60
29	BE	46	ARG	NE-CZ-NH2	-6.93	116.83	120.30
50	BZ	45	PHE	CB-CG-CD2	-6.93	115.95	120.80
1	AA	146	G	O4'-C1'-N9	6.93	113.74	108.20
1	AA	1262	C	C6-N1-C2	-6.93	117.53	120.30
26	BB	764	A	C6-N1-C2	6.93	122.76	118.60
26	BB	1107	G	N7-C8-N9	6.93	116.56	113.10
26	BB	1451	C	C5'-C4'-O4'	6.93	117.41	109.10
26	BB	1587	G	C4'-C3'-C2'	-6.93	95.67	102.60
26	BB	2053	G	C4-C5-C6	6.93	122.96	118.80
26	BB	2085	U	N3-C4-C5	-6.93	110.44	114.60
26	BB	2541	A	N1-C6-N6	-6.93	114.44	118.60
26	BB	2740	A	C4-C5-N7	-6.93	107.24	110.70
1	AA	186	C	C5-C6-N1	6.93	124.46	121.00
1	AA	395	C	C5'-C4'-C3'	-6.93	104.92	116.00
1	AA	551	U	C5-C6-N1	6.93	126.16	122.70
1	AA	969	A	C5'-C4'-C3'	-6.93	104.92	116.00
26	BB	297	G	N1-C6-O6	6.93	124.06	119.90
26	BB	319	G	C2-N3-C4	6.93	115.36	111.90
26	BB	1646	C	O4'-C4'-C3'	6.93	111.64	106.10
26	BB	1895	C	C6-N1-C2	-6.93	117.53	120.30
26	BB	2566	A	N9-C4-C5	6.93	108.57	105.80
1	AA	537	G	C5-C6-O6	-6.92	124.44	128.60
1	AA	832	G	O4'-C1'-N9	6.92	113.74	108.20
1	AA	1032	G	N3-C4-N9	6.92	130.16	126.00
1	AA	1040	U	N3-C4-O4	-6.92	114.55	119.40
1	AA	1068	G	C8-N9-C4	-6.92	103.63	106.40
1	AA	1439	G	N3-C4-C5	-6.92	125.14	128.60
12	AL	89	TYR	CG-CD1-CE1	-6.92	115.76	121.30
25	BA	52	A	O4'-C1'-N9	6.92	113.74	108.20
25	BA	90	C	C2-N3-C4	-6.92	116.44	119.90
25	BA	103	U	C1'-O4'-C4'	-6.92	104.36	109.90
26	BB	291	G	C1'-O4'-C4'	6.92	115.44	109.90
26	BB	2321	U	C5-C4-O4	-6.92	121.75	125.90
1	AA	889	A	C4-C5-N7	6.92	114.16	110.70
1	AA	1049	U	N1-C2-N3	6.92	119.05	114.90
1	AA	1170	A	O4'-C1'-N9	6.92	113.74	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1249	U	N1-C2-O2	-6.92	117.95	122.80
26	BB	1386	C	C4-C5-C6	-6.92	113.94	117.40
26	BB	1919	A	C1'-O4'-C4'	-6.92	104.36	109.90
1	AA	352	C	C1'-O4'-C4'	6.92	115.44	109.90
1	AA	449	G	O4'-C1'-N9	-6.92	102.66	108.20
1	AA	537	G	C1'-O4'-C4'	-6.92	104.36	109.90
5	AE	112	ARG	NE-CZ-NH1	6.92	123.76	120.30
26	BB	286	U	N3-C4-C5	-6.92	110.45	114.60
26	BB	831	G	C8-N9-C4	-6.92	103.63	106.40
26	BB	1201	U	C5'-C4'-O4'	6.92	117.41	109.10
26	BB	1242	U	N3-C4-C5	-6.92	110.45	114.60
26	BB	1744	A	C5'-C4'-O4'	6.92	117.41	109.10
26	BB	2335	A	O4'-C1'-N9	6.92	113.74	108.20
26	BB	2816	G	N9-C4-C5	6.92	108.17	105.40
1	AA	519	C	C5'-C4'-C3'	-6.92	104.93	116.00
26	BB	69	C	C6-N1-C2	-6.92	117.53	120.30
26	BB	663	G	N3-C4-N9	6.92	130.15	126.00
26	BB	1854	A	N1-C6-N6	6.92	122.75	118.60
1	AA	239	U	N3-C2-O2	-6.92	117.36	122.20
1	AA	1174	G	O4'-C1'-N9	6.92	113.73	108.20
25	BA	67	G	O4'-C1'-N9	6.92	113.73	108.20
26	BB	123	G	C5-C6-O6	-6.92	124.45	128.60
26	BB	1954	G	C6-N1-C2	-6.92	120.95	125.10
26	BB	2334	U	N3-C4-O4	6.92	124.24	119.40
26	BB	2797	U	C4-C5-C6	6.92	123.85	119.70
26	BB	2871	U	C6-N1-C2	-6.92	116.85	121.00
1	AA	1217	C	C2-N3-C4	-6.92	116.44	119.90
1	AA	1245	C	N3-C4-C5	-6.92	119.13	121.90
1	AA	1512	U	O4'-C1'-N1	6.92	113.73	108.20
26	BB	73	A	C5-C6-N1	6.92	121.16	117.70
26	BB	142	A	C5-C6-N6	-6.92	118.17	123.70
26	BB	410	G	C3'-C2'-C1'	-6.92	95.97	101.50
26	BB	544	C	C5-C6-N1	-6.92	117.54	121.00
26	BB	804	A	C4-C5-N7	-6.92	107.24	110.70
26	BB	857	G	N1-C2-N2	6.92	122.42	116.20
26	BB	1519	G	C2-N3-C4	6.92	115.36	111.90
26	BB	2438	U	O4'-C4'-C3'	6.92	111.63	106.10
26	BB	2889	C	C6-N1-C1'	6.92	129.10	120.80
1	AA	1074	G	N9-C4-C5	-6.92	102.63	105.40
26	BB	125	A	N9-C4-C5	-6.92	103.03	105.80
26	BB	947	A	C4-C5-C6	6.92	120.46	117.00
26	BB	1840	G	C2-N3-C4	6.92	115.36	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	933	G	C2-N3-C4	-6.91	108.44	111.90
1	AA	1310	G	C5-N7-C8	6.91	107.76	104.30
26	BB	286	U	N3-C2-O2	-6.91	117.36	122.20
26	BB	612	G	C6-N1-C2	-6.91	120.95	125.10
26	BB	1128	G	N3-C4-N9	-6.91	121.85	126.00
26	BB	1142	A	N1-C6-N6	6.91	122.75	118.60
26	BB	2004	G	N3-C4-N9	6.91	130.15	126.00
26	BB	2423	U	N3-C4-O4	6.91	124.24	119.40
26	BB	2507	C	C5-C6-N1	6.91	124.46	121.00
1	AA	81	A	N9-C1'-C2'	-6.91	104.40	112.00
1	AA	320	A	C5-C6-N6	-6.91	118.17	123.70
1	AA	1066	C	C4'-C3'-C2'	6.91	109.51	102.60
26	BB	738	G	N1-C2-N3	6.91	128.05	123.90
26	BB	1193	G	C8-N9-C4	-6.91	103.64	106.40
42	BR	41	ALA	CB-CA-C	6.91	120.47	110.10
1	AA	1068	G	C4-C5-C6	6.91	122.95	118.80
1	AA	1418	A	N9-C4-C5	6.91	108.56	105.80
25	BA	57	A	C3'-C2'-C1'	-6.91	95.97	101.50
26	BB	210	C	N3-C4-C5	-6.91	119.14	121.90
26	BB	667	U	O4'-C1'-N1	6.91	113.73	108.20
26	BB	1110	G	O4'-C1'-N9	6.91	113.73	108.20
26	BB	1788	C	C4'-C3'-C2'	-6.91	95.69	102.60
26	BB	2193	G	N3-C4-C5	-6.91	125.14	128.60
26	BB	2363	G	N1-C2-N3	-6.91	119.75	123.90
26	BB	2726	A	C6-C5-N7	6.91	137.14	132.30
1	AA	321	A	C5-N7-C8	-6.91	100.45	103.90
1	AA	584	G	N1-C2-N3	6.91	128.04	123.90
26	BB	254	G	C2-N3-C4	6.91	115.36	111.90
26	BB	431	U	O4'-C1'-N1	6.91	113.73	108.20
26	BB	1524	G	N3-C4-C5	-6.91	125.15	128.60
26	BB	1906	G	C4'-C3'-C2'	-6.91	95.69	102.60
26	BB	2477	U	C3'-C2'-C1'	6.91	107.03	101.50
26	BB	2537	U	O4'-C4'-C3'	6.91	111.63	106.10
1	AA	255	G	C1'-O4'-C4'	-6.91	104.38	109.90
1	AA	1062	U	N1-C2-N3	6.91	119.04	114.90
26	BB	1097	U	N1-C2-O2	6.91	127.64	122.80
26	BB	1134	A	C5-C6-N1	-6.91	114.25	117.70
26	BB	2228	G	N7-C8-N9	6.91	116.55	113.10
26	BB	2673	G	C2-N3-C4	6.91	115.35	111.90
1	AA	812	G	C5'-C4'-C3'	-6.91	104.95	116.00
2	AB	75	C	N3-C4-C5	6.91	124.66	121.90
26	BB	308	G	N3-C4-N9	-6.91	121.86	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	308	G	N9-C1'-C2'	6.91	122.98	114.00
26	BB	1767	G	C5-C6-N1	6.91	114.95	111.50
26	BB	2217	G	C5-N7-C8	-6.91	100.85	104.30
26	BB	2493	U	N3-C2-O2	-6.91	117.37	122.20
34	BJ	95	PHE	CB-CG-CD1	-6.91	115.97	120.80
1	AA	298	A	C2-N3-C4	6.90	114.05	110.60
1	AA	312	C	C6-N1-C2	6.90	123.06	120.30
18	AR	52	ARG	NE-CZ-NH2	-6.90	116.85	120.30
26	BB	1225	G	C2-N3-C4	6.90	115.35	111.90
26	BB	2539	C	O4'-C4'-C3'	6.90	111.62	106.10
1	AA	139	A	C5-C6-N6	-6.90	118.18	123.70
1	AA	1206	G	N3-C2-N2	6.90	124.73	119.90
1	AA	1210	C	O4'-C1'-N1	6.90	113.72	108.20
1	AA	1483	A	C5-N7-C8	-6.90	100.45	103.90
1	AA	1521	C	O4'-C1'-N1	6.90	113.72	108.20
1	AA	1535	C	N3-C2-O2	-6.90	117.07	121.90
4	AD	58	A	N1-C2-N3	6.90	132.75	129.30
26	BB	278	A	P-O3'-C3'	6.90	127.98	119.70
26	BB	1046	A	N7-C8-N9	6.90	117.25	113.80
26	BB	1048	A	C4-C5-C6	6.90	120.45	117.00
26	BB	1456	G	N3-C4-C5	6.90	132.05	128.60
26	BB	1519	G	C3'-C2'-C1'	6.90	107.02	101.50
30	BF	35	TYR	CB-CG-CD1	-6.90	116.86	121.00
1	AA	7	A	C6-N1-C2	-6.90	114.46	118.60
12	AL	63	TYR	CB-CG-CD1	-6.90	116.86	121.00
26	BB	703	U	O4'-C4'-C3'	-6.90	97.10	104.00
26	BB	2068	U	O4'-C1'-C2'	6.90	113.81	107.60
1	AA	806	C	C2-N3-C4	6.90	123.35	119.90
26	BB	798	G	C8-N9-C1'	6.90	135.97	127.00
26	BB	1722	A	N1-C6-N6	-6.90	114.46	118.60
26	BB	2113	U	C2-N3-C4	6.90	131.14	127.00
1	AA	102	G	C5-C6-O6	-6.90	124.46	128.60
1	AA	843	U	N3-C2-O2	-6.90	117.37	122.20
1	AA	947	G	O4'-C4'-C3'	6.90	111.62	106.10
1	AA	1021	A	N1-C6-N6	6.90	122.74	118.60
1	AA	1440	U	N3-C4-O4	6.90	124.23	119.40
26	BB	1169	A	C4-C5-N7	-6.90	107.25	110.70
26	BB	1696	G	C6-N1-C2	-6.90	120.96	125.10
26	BB	1882	U	N1-C1'-C2'	-6.90	104.41	112.00
26	BB	2443	C	C5'-C4'-O4'	6.90	117.38	109.10
1	AA	1388	C	C6-N1-C2	6.90	123.06	120.30
26	BB	2476	A	C6-N1-C2	6.90	122.74	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2897	U	N1-C2-N3	6.90	119.04	114.90
1	AA	644	U	C4-C5-C6	6.89	123.84	119.70
1	AA	666	G	C1'-O4'-C4'	6.89	115.42	109.90
1	AA	964	A	N1-C6-N6	-6.89	114.46	118.60
1	AA	1031	C	C2-N3-C4	6.89	123.35	119.90
1	AA	1311	A	C4'-C3'-C2'	-6.89	95.70	102.60
26	BB	28	A	N1-C2-N3	-6.89	125.85	129.30
26	BB	450	G	O4'-C1'-N9	6.89	113.72	108.20
26	BB	818	G	O4'-C1'-N9	6.89	113.72	108.20
26	BB	1695	G	C4-C5-C6	6.89	122.94	118.80
26	BB	2189	U	C1'-O4'-C4'	-6.89	104.38	109.90
26	BB	2752	C	C4-C5-C6	-6.89	113.95	117.40
33	BI	17	ASP	CB-CG-OD1	-6.89	112.09	118.30
1	AA	545	C	N3-C4-N4	6.89	122.83	118.00
1	AA	1030	U	C1'-O4'-C4'	6.89	115.41	109.90
25	BA	92	C	N1-C1'-C2'	-6.89	104.42	112.00
25	BA	95	U	C3'-C2'-C1'	6.89	107.02	101.50
26	BB	61	C	C3'-C2'-C1'	6.89	107.01	101.50
26	BB	1902	C	N1-C2-O2	6.89	123.04	118.90
26	BB	2844	G	C8-N9-C1'	6.89	135.96	127.00
1	AA	55	A	N1-C6-N6	-6.89	114.47	118.60
2	AB	3	G	C6-N1-C2	-6.89	120.97	125.10
26	BB	971	G	C6-N1-C2	-6.89	120.97	125.10
26	BB	1291	C	C1'-O4'-C4'	-6.89	104.39	109.90
26	BB	2089	C	C2-N3-C4	6.89	123.34	119.90
26	BB	2559	C	P-O3'-C3'	6.89	127.97	119.70
26	BB	2802	G	N7-C8-N9	6.89	116.55	113.10
1	AA	631	C	C4-C5-C6	-6.89	113.95	117.40
1	AA	692	U	N3-C2-O2	-6.89	117.38	122.20
12	AL	112	ARG	NE-CZ-NH1	-6.89	116.86	120.30
26	BB	1156	A	C2-N3-C4	-6.89	107.16	110.60
26	BB	1649	G	N7-C8-N9	6.89	116.55	113.10
26	BB	2105	U	O4'-C1'-N1	6.89	113.71	108.20
1	AA	308	C	C5'-C4'-O4'	6.89	117.37	109.10
4	AD	31	G	C2-N3-C4	6.89	115.34	111.90
25	BA	112	G	C5-C6-O6	-6.89	124.47	128.60
26	BB	1867	G	N3-C4-C5	-6.89	125.16	128.60
26	BB	2339	C	C4-C5-C6	-6.89	113.96	117.40
48	BX	79	ARG	NE-CZ-NH2	-6.89	116.86	120.30
1	AA	28	A	C3'-C2'-C1'	-6.89	95.99	101.50
1	AA	815	A	N7-C8-N9	6.89	117.24	113.80
1	AA	906	A	C4'-C3'-C2'	-6.89	95.71	102.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1422	G	O4'-C1'-N9	6.89	113.71	108.20
26	BB	74	A	N3-C4-C5	-6.89	121.98	126.80
26	BB	111	A	P-O3'-C3'	6.89	127.96	119.70
26	BB	415	A	O4'-C1'-N9	6.89	113.71	108.20
26	BB	768	G	C2-N3-C4	-6.89	108.46	111.90
26	BB	1010	A	C5-N7-C8	6.89	107.34	103.90
26	BB	1165	A	N3-C4-N9	-6.89	121.89	127.40
26	BB	1989	G	N9-C1'-C2'	-6.89	104.43	112.00
26	BB	2348	U	C6-N1-C2	-6.89	116.87	121.00
31	BG	172	PHE	CB-CG-CD1	-6.89	115.98	120.80
1	AA	358	U	C2'-C3'-O3'	6.88	124.71	113.70
26	BB	2207	C	C4'-C3'-C2'	-6.88	95.72	102.60
26	BB	2385	C	C4-C5-C6	-6.88	113.96	117.40
26	BB	2415	G	N3-C2-N2	6.88	124.72	119.90
1	AA	334	C	N1-C2-O2	6.88	123.03	118.90
1	AA	458	U	C2-N3-C4	6.88	131.13	127.00
1	AA	593	U	O4'-C1'-N1	6.88	113.71	108.20
1	AA	368	U	C4-C5-C6	6.88	123.83	119.70
1	AA	499	A	N7-C8-N9	-6.88	110.36	113.80
3	AC	45	G	N3-C2-N2	6.88	124.72	119.90
26	BB	4	U	N3-C4-O4	6.88	124.22	119.40
26	BB	172	A	C4-C5-N7	-6.88	107.26	110.70
26	BB	565	C	C1'-O4'-C4'	-6.88	104.39	109.90
26	BB	577	G	N3-C4-C5	-6.88	125.16	128.60
26	BB	1009	A	P-O3'-C3'	6.88	127.96	119.70
26	BB	1160	G	C2-N3-C4	6.88	115.34	111.90
26	BB	1172	C	N1-C1'-C2'	-6.88	104.43	112.00
26	BB	1291	C	N1-C2-O2	6.88	123.03	118.90
26	BB	1395	A	C1'-O4'-C4'	-6.88	104.40	109.90
26	BB	1599	U	N3-C4-C5	6.88	118.73	114.60
26	BB	1862	G	C4-C5-N7	-6.88	108.05	110.80
26	BB	2271	G	C5'-C4'-O4'	6.88	117.36	109.10
26	BB	2463	C	N3-C4-C5	-6.88	119.15	121.90
26	BB	2581	G	N3-C2-N2	-6.88	115.08	119.90
1	AA	203	G	C5-N7-C8	-6.88	100.86	104.30
2	AB	42	G	O4'-C1'-N9	6.88	113.70	108.20
2	AB	73	G	O4'-C4'-C3'	6.88	111.60	106.10
26	BB	358	U	N3-C2-O2	-6.88	117.38	122.20
26	BB	802	A	N3-C4-C5	-6.88	121.98	126.80
26	BB	1603	A	C5-N7-C8	6.88	107.34	103.90
26	BB	1869	G	N9-C4-C5	6.88	108.15	105.40
26	BB	2185	U	N3-C4-O4	-6.88	114.58	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2433	A	O5'-P-OP1	6.88	118.96	110.70
26	BB	2606	C	P-O3'-C3'	6.88	127.96	119.70
26	BB	2627	G	P-O3'-C3'	6.88	127.96	119.70
1	AA	106	C	N1-C1'-C2'	-6.88	104.43	112.00
1	AA	1174	G	C1'-O4'-C4'	6.88	115.40	109.90
2	AB	52	A	C5-C6-N1	6.88	121.14	117.70
4	AD	30	G	C4-C5-N7	6.88	113.55	110.80
7	AG	154	VAL	CA-CB-CG1	6.88	121.22	110.90
26	BB	185	G	N1-C6-O6	6.88	124.03	119.90
26	BB	1132	U	C2-N3-C4	-6.88	122.87	127.00
26	BB	2137	U	N1-C2-N3	6.88	119.03	114.90
57	B6	12	ARG	NE-CZ-NH2	6.88	123.74	120.30
1	AA	434	U	C6-N1-C2	-6.88	116.87	121.00
1	AA	445	G	N9-C4-C5	6.88	108.15	105.40
1	AA	1344	C	N1-C2-N3	-6.88	114.39	119.20
26	BB	44	A	N1-C6-N6	-6.88	114.47	118.60
26	BB	276	U	C4-C5-C6	6.88	123.83	119.70
26	BB	1521	G	N1-C6-O6	-6.88	115.77	119.90
26	BB	1637	A	N1-C2-N3	6.88	132.74	129.30
26	BB	1753	G	N7-C8-N9	6.88	116.54	113.10
26	BB	1997	C	N3-C2-O2	-6.88	117.09	121.90
26	BB	2706	A	C1'-O4'-C4'	6.88	115.40	109.90
26	BB	2880	C	C3'-C2'-C1'	-6.88	96.00	101.50
28	BD	170	TYR	CG-CD2-CE2	-6.88	115.80	121.30
1	AA	644	U	N3-C4-C5	-6.88	110.47	114.60
26	BB	149	A	C4-C5-N7	6.88	114.14	110.70
26	BB	186	G	N3-C2-N2	-6.88	115.09	119.90
26	BB	706	A	N1-C2-N3	-6.88	125.86	129.30
26	BB	2314	A	N7-C8-N9	6.88	117.24	113.80
1	AA	72	A	C5'-C4'-O4'	6.87	117.35	109.10
1	AA	118	U	N3-C2-O2	-6.87	117.39	122.20
2	AB	44	G	C5'-C4'-O4'	6.87	117.35	109.10
26	BB	204	A	C6-C5-N7	6.87	137.11	132.30
26	BB	1142	A	C8-N9-C4	-6.87	103.05	105.80
43	BS	87	VAL	CG1-CB-CG2	-6.87	99.90	110.90
53	B2	56	ARG	NE-CZ-NH2	-6.87	116.86	120.30
1	AA	1294	G	C2-N3-C4	6.87	115.34	111.90
1	AA	1492	A	N9-C1'-C2'	6.87	122.93	114.00
25	BA	91	C	C3'-C2'-C1'	6.87	107.00	101.50
26	BB	161	A	C5-C6-N6	-6.87	118.20	123.70
26	BB	1625	C	N3-C2-O2	-6.87	117.09	121.90
26	BB	2321	U	C4'-C3'-C2'	6.87	109.47	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2602	A	C6-N1-C2	6.87	122.72	118.60
26	BB	2871	U	C3'-C2'-C1'	6.87	107.00	101.50
26	BB	1303	G	N3-C4-N9	6.87	130.12	126.00
26	BB	2466	C	N3-C2-O2	-6.87	117.09	121.90
26	BB	2597	G	N3-C4-C5	-6.87	125.17	128.60
1	AA	1007	U	C6-N1-C2	-6.87	116.88	121.00
1	AA	1347	G	N3-C4-C5	-6.87	125.17	128.60
26	BB	141	G	N3-C4-C5	-6.87	125.17	128.60
26	BB	149	A	N7-C8-N9	6.87	117.23	113.80
26	BB	205	G	C5-C6-O6	-6.87	124.48	128.60
26	BB	398	C	O4'-C1'-N1	6.87	113.69	108.20
26	BB	523	C	N3-C2-O2	-6.87	117.09	121.90
26	BB	559	G	C2-N3-C4	6.87	115.33	111.90
26	BB	914	G	N1-C2-N3	6.87	128.02	123.90
26	BB	976	G	C5'-C4'-O4'	6.87	117.34	109.10
26	BB	1073	A	O4'-C4'-C3'	6.87	111.59	106.10
26	BB	2817	U	C5-C4-O4	-6.87	121.78	125.90
26	BB	327	G	C4-C5-N7	6.87	113.55	110.80
26	BB	627	A	N9-C4-C5	6.87	108.55	105.80
26	BB	1378	A	N7-C8-N9	-6.87	110.37	113.80
1	AA	146	G	C8-N9-C4	-6.87	103.65	106.40
1	AA	541	G	C8-N9-C4	-6.87	103.65	106.40
1	AA	1272	G	C6-C5-N7	-6.87	126.28	130.40
26	BB	178	G	N9-C1'-C2'	-6.87	104.45	112.00
26	BB	291	G	C2-N3-C4	6.87	115.33	111.90
26	BB	440	C	N3-C4-N4	-6.87	113.19	118.00
26	BB	632	A	N1-C2-N3	6.87	132.73	129.30
26	BB	650	C	N3-C4-C5	-6.87	119.15	121.90
26	BB	651	G	C5-N7-C8	-6.87	100.87	104.30
26	BB	1034	G	C5-N7-C8	-6.87	100.87	104.30
26	BB	1166	G	C4-C5-N7	6.87	113.55	110.80
26	BB	1635	A	N1-C2-N3	-6.87	125.87	129.30
26	BB	2327	A	C4'-C3'-C2'	-6.87	95.73	102.60
26	BB	2439	A	O4'-C1'-N9	6.87	113.69	108.20
1	AA	714	G	C4-C5-N7	-6.86	108.06	110.80
26	BB	431	U	N1-C2-O2	-6.86	118.00	122.80
26	BB	468	G	C6-C5-N7	-6.86	126.28	130.40
26	BB	959	A	C3'-C2'-C1'	6.86	106.99	101.50
26	BB	1465	G	C5-N7-C8	6.86	107.73	104.30
26	BB	1632	A	O4'-C4'-C3'	6.86	111.59	106.10
26	BB	1916	A	C4-C5-N7	-6.86	107.27	110.70
26	BB	2492	U	N3-C2-O2	-6.86	117.40	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2534	A	P-O3'-C3'	6.86	127.94	119.70
26	BB	2608	G	C8-N9-C4	-6.86	103.66	106.40
1	AA	178	C	N3-C4-C5	-6.86	119.16	121.90
1	AA	806	C	C5-C6-N1	6.86	124.43	121.00
26	BB	1145	C	N1-C1'-C2'	-6.86	104.45	112.00
26	BB	1672	A	C5-C6-N1	6.86	121.13	117.70
26	BB	2322	A	C3'-C2'-C1'	6.86	106.99	101.50
26	BB	2519	U	C5-C6-N1	-6.86	119.27	122.70
1	AA	404	G	C5-N7-C8	6.86	107.73	104.30
1	AA	709	U	C1'-O4'-C4'	6.86	115.39	109.90
1	AA	873	A	C4-C5-N7	-6.86	107.27	110.70
1	AA	1417	G	C5'-C4'-O4'	6.86	117.33	109.10
3	AC	27	A	N1-C2-N3	-6.86	125.87	129.30
25	BA	105	G	C5-C6-O6	6.86	132.72	128.60
26	BB	428	A	C2-N3-C4	6.86	114.03	110.60
26	BB	2208	C	C6-N1-C2	-6.86	117.56	120.30
26	BB	2252	G	C1'-O4'-C4'	-6.86	104.41	109.90
26	BB	2802	G	C5'-C4'-O4'	6.86	117.33	109.10
1	AA	14	U	N3-C2-O2	-6.86	117.40	122.20
1	AA	735	C	N3-C2-O2	-6.86	117.10	121.90
1	AA	1078	U	N3-C2-O2	-6.86	117.40	122.20
1	AA	1167	A	C6-C5-N7	6.86	137.10	132.30
26	BB	629	G	C8-N9-C1'	6.86	135.92	127.00
26	BB	2586	U	C5-C4-O4	-6.86	121.78	125.90
26	BB	2639	A	N7-C8-N9	6.86	117.23	113.80
1	AA	196	A	C3'-C2'-C1'	6.86	106.99	101.50
1	AA	642	A	N1-C6-N6	6.86	122.72	118.60
1	AA	755	G	O4'-C1'-N9	6.86	113.69	108.20
1	AA	1336	C	N3-C4-N4	-6.86	113.20	118.00
4	AD	62	C	C6-N1-C2	-6.86	117.56	120.30
26	BB	1368	G	N3-C4-N9	-6.86	121.89	126.00
26	BB	1530	G	N7-C8-N9	6.86	116.53	113.10
26	BB	1622	G	N9-C4-C5	6.86	108.14	105.40
26	BB	1978	A	C6-C5-N7	6.86	137.10	132.30
26	BB	2473	U	C6-N1-C2	-6.86	116.89	121.00
31	BG	76	PHE	CB-CG-CD2	6.86	125.60	120.80
46	BV	95	PHE	CB-CG-CD1	-6.86	116.00	120.80
1	AA	540	G	C6-N1-C2	-6.86	120.99	125.10
1	AA	636	U	C2-N3-C4	-6.86	122.89	127.00
1	AA	1011	C	O4'-C1'-N1	6.86	113.69	108.20
26	BB	992	C	O4'-C1'-N1	6.86	113.69	108.20
26	BB	1601	G	C5-C6-N1	6.86	114.93	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2196	C	C1'-O4'-C4'	-6.86	104.42	109.90
26	BB	2490	G	C5-N7-C8	-6.86	100.87	104.30
26	BB	2775	G	C5-N7-C8	-6.86	100.87	104.30
1	AA	1291	U	N3-C2-O2	-6.85	117.40	122.20
1	AA	1324	A	C4-C5-N7	-6.85	107.27	110.70
2	AB	13	C	C6-N1-C2	6.85	123.04	120.30
2	AB	35	C	N1-C1'-C2'	6.85	122.91	114.00
26	BB	478	A	C5-C6-N1	6.85	121.13	117.70
26	BB	1360	G	N3-C4-N9	-6.85	121.89	126.00
26	BB	1390	U	O4'-C1'-N1	6.85	113.68	108.20
26	BB	1429	G	C8-N9-C4	-6.85	103.66	106.40
26	BB	1870	C	C2-N3-C4	6.85	123.33	119.90
26	BB	2165	C	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	2414	G	N3-C2-N2	6.85	124.70	119.90
28	BD	95	TYR	CB-CG-CD1	-6.85	116.89	121.00
1	AA	111	G	C5-C6-O6	-6.85	124.49	128.60
1	AA	396	C	N1-C2-O2	6.85	123.01	118.90
1	AA	1061	G	C8-N9-C4	-6.85	103.66	106.40
1	AA	1474	U	N3-C4-C5	6.85	118.71	114.60
26	BB	170	U	N3-C4-O4	6.85	124.20	119.40
26	BB	800	A	O4'-C1'-N9	6.85	113.68	108.20
26	BB	1504	A	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	1918	A	C2-N3-C4	6.85	114.03	110.60
26	BB	2708	G	N1-C2-N2	6.85	122.37	116.20
26	BB	2747	G	C5'-C4'-C3'	-6.85	105.04	116.00
1	AA	152	A	C5'-C4'-O4'	6.85	117.32	109.10
1	AA	682	G	N1-C2-N2	6.85	122.37	116.20
1	AA	882	C	N1-C2-N3	6.85	124.00	119.20
25	BA	58	A	N1-C6-N6	-6.85	114.49	118.60
26	BB	243	U	C6-N1-C2	-6.85	116.89	121.00
26	BB	903	C	O4'-C1'-N1	6.85	113.68	108.20
26	BB	1309	G	N9-C4-C5	6.85	108.14	105.40
26	BB	1392	A	C1'-O4'-C4'	-6.85	104.42	109.90
1	AA	48	C	N3-C4-N4	6.85	122.79	118.00
1	AA	100	G	C2-N3-C4	6.85	115.33	111.90
1	AA	334	C	N3-C2-O2	-6.85	117.11	121.90
1	AA	695	A	P-O3'-C3'	6.85	127.92	119.70
1	AA	1158	C	C1'-O4'-C4'	-6.85	104.42	109.90
1	AA	1501	C	C5-C6-N1	-6.85	117.58	121.00
26	BB	445	C	C5-C4-N4	6.85	125.00	120.20
26	BB	1209	U	N1-C1'-C2'	-6.85	104.47	112.00
26	BB	1590	A	C8-N9-C4	-6.85	103.06	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1705	A	C5-C6-N1	6.85	121.12	117.70
26	BB	1975	G	C2-N3-C4	6.85	115.33	111.90
50	BZ	36	ARG	NE-CZ-NH1	6.85	123.72	120.30
1	AA	1059	C	C4'-C3'-C2'	-6.85	95.75	102.60
1	AA	1296	C	N3-C2-O2	6.85	126.69	121.90
2	AB	18	G	C8-N9-C4	-6.85	103.66	106.40
26	BB	162	U	C5'-C4'-O4'	6.85	117.32	109.10
26	BB	213	A	N9-C1'-C2'	-6.85	104.47	112.00
26	BB	476	G	C5'-C4'-O4'	6.85	117.32	109.10
26	BB	653	U	C5-C4-O4	-6.85	121.79	125.90
26	BB	1425	G	N9-C1'-C2'	-6.85	104.47	112.00
26	BB	186	G	C6-N1-C2	-6.85	120.99	125.10
26	BB	1415	U	C5-C6-N1	-6.85	119.28	122.70
26	BB	1913	A	O3'-P-O5'	6.85	117.01	104.00
26	BB	330	A	N9-C1'-C2'	6.84	122.90	114.00
26	BB	780	G	C4-C5-N7	-6.84	108.06	110.80
26	BB	1205	A	O4'-C1'-N9	6.84	113.67	108.20
26	BB	1268	A	C5'-C4'-C3'	-6.84	105.05	116.00
26	BB	1834	U	N1-C2-N3	6.84	119.01	114.90
26	BB	1838	C	N3-C4-C5	-6.84	119.16	121.90
26	BB	1882	U	C2-N3-C4	-6.84	122.89	127.00
26	BB	2550	G	N7-C8-N9	6.84	116.52	113.10
26	BB	2733	A	C6-C5-N7	-6.84	127.51	132.30
26	BB	2836	U	C3'-C2'-C1'	-6.84	96.02	101.50
29	BE	33	ARG	NH1-CZ-NH2	-6.84	111.87	119.40
1	AA	912	C	N1-C2-O2	-6.84	114.79	118.90
1	AA	1071	C	C6-N1-C2	-6.84	117.56	120.30
26	BB	1046	A	P-O3'-C3'	6.84	127.91	119.70
26	BB	1104	C	N1-C2-N3	-6.84	114.41	119.20
26	BB	2117	A	C4'-C3'-C2'	-6.84	95.76	102.60
1	AA	899	C	N3-C4-C5	-6.84	119.16	121.90
1	AA	1047	G	C4-C5-C6	6.84	122.91	118.80
1	AA	1215	G	C3'-C2'-C1'	-6.84	96.03	101.50
1	AA	1334	G	C4-C5-N7	6.84	113.54	110.80
26	BB	77	G	C6-C5-N7	-6.84	126.30	130.40
26	BB	589	U	C4'-C3'-C2'	-6.84	95.76	102.60
26	BB	617	G	C5-C6-O6	-6.84	124.50	128.60
26	BB	855	G	C2-N3-C4	6.84	115.32	111.90
26	BB	1287	A	C5'-C4'-O4'	6.84	117.31	109.10
26	BB	1440	U	N1-C2-O2	6.84	127.59	122.80
26	BB	1697	G	N3-C2-N2	-6.84	115.11	119.90
26	BB	1905	C	N1-C2-O2	6.84	123.00	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1997	C	C4-C5-C6	6.84	120.82	117.40
26	BB	2246	G	N1-C6-O6	6.84	124.00	119.90
1	AA	846	G	O4'-C1'-N9	6.84	113.67	108.20
1	AA	929	G	C4'-C3'-C2'	-6.84	95.76	102.60
1	AA	969	A	C5-N7-C8	6.84	107.32	103.90
1	AA	1349	A	C2-N3-C4	-6.84	107.18	110.60
1	AA	1532	U	C2-N3-C4	-6.84	122.90	127.00
2	AB	34	C	N3-C2-O2	-6.84	117.11	121.90
25	BA	93	C	C2-N3-C4	-6.84	116.48	119.90
26	BB	59	U	O4'-C1'-N1	6.84	113.67	108.20
26	BB	1792	G	P-O3'-C3'	6.84	127.91	119.70
26	BB	1914	C	C6-N1-C2	-6.84	117.56	120.30
1	AA	122	G	C5'-C4'-O4'	6.84	117.31	109.10
26	BB	389	G	C5-N7-C8	6.84	107.72	104.30
1	AA	236	A	C5-C6-N1	6.84	121.12	117.70
1	AA	284	C	C4-C5-C6	6.84	120.82	117.40
1	AA	367	U	C2-N3-C4	-6.84	122.90	127.00
1	AA	1340	A	C5-N7-C8	-6.84	100.48	103.90
1	AA	1495	U	O4'-C1'-N1	6.84	113.67	108.20
26	BB	289	G	N1-C6-O6	-6.84	115.80	119.90
26	BB	391	A	C5'-C4'-O4'	6.84	117.30	109.10
26	BB	436	C	N3-C2-O2	-6.84	117.11	121.90
26	BB	1030	C	C4-C5-C6	-6.84	113.98	117.40
26	BB	2355	G	C4-C5-N7	-6.84	108.07	110.80
1	AA	427	U	N3-C4-C5	-6.83	110.50	114.60
1	AA	451	A	C5-C6-N1	-6.83	114.28	117.70
1	AA	564	C	C4-C5-C6	-6.83	113.98	117.40
26	BB	603	A	C4-C5-N7	-6.83	107.28	110.70
26	BB	1649	G	C4-C5-C6	6.83	122.90	118.80
26	BB	2709	G	C8-N9-C4	-6.83	103.67	106.40
1	AA	218	U	C4-C5-C6	6.83	123.80	119.70
26	BB	408	G	O4'-C4'-C3'	6.83	111.57	106.10
26	BB	2087	G	O4'-C1'-N9	-6.83	102.73	108.20
26	BB	2214	C	N3-C4-C5	-6.83	119.17	121.90
26	BB	2816	G	C4-C5-N7	-6.83	108.07	110.80
1	AA	117	G	N3-C4-N9	6.83	130.10	126.00
1	AA	383	A	P-O3'-C3'	6.83	127.90	119.70
1	AA	907	A	C1'-O4'-C4'	-6.83	104.44	109.90
1	AA	1417	G	C1'-O4'-C4'	-6.83	104.44	109.90
3	AC	30	U	N3-C2-O2	-6.83	117.42	122.20
4	AD	7	G	C6-C5-N7	-6.83	126.30	130.40
7	AG	61	ARG	CD-NE-CZ	6.83	133.16	123.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	31	C	C1'-O4'-C4'	-6.83	104.43	109.90
26	BB	294	A	N1-C6-N6	6.83	122.70	118.60
26	BB	324	A	N1-C6-N6	6.83	122.70	118.60
26	BB	1773	A	N1-C6-N6	6.83	122.70	118.60
26	BB	1776	G	N3-C4-C5	-6.83	125.19	128.60
26	BB	2087	G	C6-N1-C2	-6.83	121.00	125.10
26	BB	2152	G	C8-N9-C4	-6.83	103.67	106.40
1	AA	619	U	C3'-C2'-C1'	6.83	106.96	101.50
1	AA	690	G	C5'-C4'-O4'	6.83	117.30	109.10
26	BB	2557	G	C3'-C2'-C1'	-6.83	96.04	101.50
1	AA	10	A	O4'-C1'-N9	6.83	113.66	108.20
1	AA	206	C	C4-C5-C6	6.83	120.81	117.40
1	AA	949	A	C4-C5-C6	-6.83	113.59	117.00
1	AA	1422	G	C5-C6-O6	-6.83	124.50	128.60
26	BB	6	A	C5'-C4'-O4'	6.83	117.29	109.10
26	BB	429	A	N1-C6-N6	6.83	122.70	118.60
26	BB	600	G	N1-C2-N3	-6.83	119.80	123.90
26	BB	1027	A	C3'-C2'-C1'	6.83	106.96	101.50
26	BB	1228	G	N3-C2-N2	-6.83	115.12	119.90
26	BB	1776	G	C6-N1-C2	-6.83	121.00	125.10
26	BB	2107	G	C3'-C2'-C1'	6.83	106.96	101.50
26	BB	2363	G	C2-N3-C4	6.83	115.31	111.90
26	BB	243	U	C5'-C4'-O4'	6.83	117.29	109.10
26	BB	297	G	O4'-C4'-C3'	6.83	111.56	106.10
26	BB	1109	C	N1-C2-O2	6.83	123.00	118.90
26	BB	1265	A	C6-N1-C2	-6.83	114.50	118.60
26	BB	2345	G	C2-N3-C4	6.83	115.31	111.90
26	BB	2441	U	N3-C4-O4	6.83	124.18	119.40
1	AA	1033	G	C8-N9-C4	-6.83	103.67	106.40
1	AA	1119	C	C6-N1-C2	-6.83	117.57	120.30
2	AB	45	U	N1-C2-N3	6.83	119.00	114.90
17	AQ	100	TRP	CZ3-CH2-CZ2	-6.83	113.41	121.60
26	BB	260	G	N9-C4-C5	6.83	108.13	105.40
26	BB	1581	G	C6-N1-C2	-6.83	121.00	125.10
26	BB	1596	A	C2-N3-C4	6.83	114.01	110.60
26	BB	1615	C	P-O3'-C3'	6.83	127.89	119.70
26	BB	2319	G	N3-C2-N2	6.83	124.68	119.90
26	BB	2514	U	O3'-P-O5'	6.83	116.97	104.00
26	BB	2660	A	C2-N3-C4	6.83	114.01	110.60
1	AA	1442	G	N3-C4-C5	-6.82	125.19	128.60
26	BB	251	A	C3'-C2'-C1'	-6.82	96.04	101.50
26	BB	1566	A	N3-C4-N9	6.82	132.86	127.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1755	A	N1-C2-N3	-6.82	125.89	129.30
26	BB	2213	U	N3-C4-O4	6.82	124.18	119.40
1	AA	149	A	N9-C4-C5	6.82	108.53	105.80
26	BB	837	C	N3-C2-O2	-6.82	117.12	121.90
1	AA	998	C	N1-C2-O2	6.82	122.99	118.90
26	BB	212	G	N9-C4-C5	6.82	108.13	105.40
26	BB	1009	A	N1-C2-N3	-6.82	125.89	129.30
26	BB	1060	U	C4-C5-C6	6.82	123.79	119.70
26	BB	1103	A	C4-C5-C6	-6.82	113.59	117.00
26	BB	1190	G	C5-N7-C8	6.82	107.71	104.30
26	BB	1205	A	N9-C4-C5	-6.82	103.07	105.80
1	AA	225	C	C4-C5-C6	-6.82	113.99	117.40
1	AA	299	G	C8-N9-C4	-6.82	103.67	106.40
1	AA	879	C	O4'-C1'-N1	6.82	113.66	108.20
26	BB	1634	A	C2-N3-C4	6.82	114.01	110.60
26	BB	1706	C	N3-C2-O2	-6.82	117.13	121.90
25	BA	92	C	C6-N1-C2	6.82	123.03	120.30
26	BB	722	A	N1-C6-N6	-6.82	114.51	118.60
26	BB	871	U	O4'-C1'-N1	6.82	113.65	108.20
26	BB	1511	G	C5-N7-C8	6.82	107.71	104.30
26	BB	1761	C	O4'-C1'-N1	6.82	113.65	108.20
26	BB	1867	G	C1'-O4'-C4'	-6.82	104.45	109.90
28	BD	213	ARG	NE-CZ-NH1	6.82	123.71	120.30
1	AA	899	C	C2-N1-C1'	6.82	126.30	118.80
1	AA	1475	G	C5-C6-N1	-6.82	108.09	111.50
5	AE	212	TYR	CB-CG-CD2	-6.82	116.91	121.00
13	AM	48	ARG	NE-CZ-NH1	6.82	123.71	120.30
26	BB	470	A	C5-C6-N6	6.82	129.15	123.70
26	BB	1846	G	N3-C4-C5	-6.82	125.19	128.60
26	BB	1904	G	C8-N9-C1'	6.82	135.86	127.00
26	BB	2169	A	N1-C6-N6	6.82	122.69	118.60
1	AA	187	G	O4'-C4'-C3'	6.81	111.55	106.10
1	AA	627	G	C5-C6-O6	-6.81	124.51	128.60
1	AA	831	A	C8-N9-C4	-6.81	103.07	105.80
1	AA	1144	G	C2-N3-C4	-6.81	108.49	111.90
26	BB	61	C	N3-C2-O2	-6.81	117.13	121.90
26	BB	907	G	C8-N9-C4	-6.81	103.67	106.40
26	BB	1416	G	C6-C5-N7	-6.81	126.31	130.40
26	BB	1422	G	N9-C4-C5	6.81	108.12	105.40
1	AA	363	A	C4-C5-C6	-6.81	113.59	117.00
1	AA	608	A	N1-C2-N3	-6.81	125.89	129.30
1	AA	1469	C	O4'-C1'-N1	6.81	113.65	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1475	G	C5'-C4'-O4'	6.81	117.27	109.10
25	BA	73	A	N1-C2-N3	6.81	132.71	129.30
26	BB	6	A	C8-N9-C4	-6.81	103.08	105.80
26	BB	343	C	C4-C5-C6	6.81	120.81	117.40
26	BB	508	A	C5'-C4'-O4'	6.81	117.28	109.10
26	BB	895	U	O4'-C1'-N1	6.81	113.65	108.20
1	AA	1166	G	C6-C5-N7	-6.81	126.31	130.40
2	AB	74	C	N3-C4-C5	-6.81	119.17	121.90
3	AC	42	U	N3-C4-O4	-6.81	114.63	119.40
4	AD	22	A	C2-N3-C4	6.81	114.01	110.60
26	BB	514	A	C2-N3-C4	-6.81	107.19	110.60
26	BB	521	U	N3-C4-O4	6.81	124.17	119.40
26	BB	769	U	C4-C5-C6	6.81	123.79	119.70
26	BB	1291	C	C2-N3-C4	6.81	123.31	119.90
26	BB	1393	A	C5-N7-C8	6.81	107.31	103.90
26	BB	2064	C	C2-N3-C4	6.81	123.31	119.90
1	AA	765	G	N9-C4-C5	6.81	108.12	105.40
26	BB	528	A	O4'-C1'-N9	6.81	113.65	108.20
26	BB	557	C	O4'-C1'-N1	6.81	113.65	108.20
26	BB	571	U	N3-C2-O2	-6.81	117.43	122.20
26	BB	814	C	C5-C6-N1	6.81	124.41	121.00
26	BB	1116	G	C6-N1-C2	-6.81	121.01	125.10
26	BB	1479	G	N9-C4-C5	6.81	108.12	105.40
26	BB	2059	A	C4'-C3'-C2'	-6.81	95.79	102.60
26	BB	2867	G	N1-C2-N3	-6.81	119.81	123.90
1	AA	687	A	C4-C5-N7	-6.81	107.30	110.70
1	AA	1418	A	C4-C5-N7	-6.81	107.30	110.70
25	BA	91	C	N1-C2-O2	6.81	122.98	118.90
26	BB	1071	G	C5-N7-C8	-6.81	100.90	104.30
26	BB	1770	G	N3-C4-C5	-6.81	125.20	128.60
26	BB	1777	U	C5-C6-N1	-6.81	119.30	122.70
26	BB	2078	C	O4'-C1'-N1	6.81	113.65	108.20
1	AA	7	A	C4-C5-N7	-6.81	107.30	110.70
1	AA	549	C	N1-C2-N3	-6.81	114.44	119.20
15	AO	30	ARG	NE-CZ-NH2	-6.81	116.90	120.30
26	BB	406	G	N3-C4-N9	6.81	130.08	126.00
26	BB	997	G	N3-C4-C5	6.81	132.00	128.60
26	BB	1623	G	C5-C6-O6	-6.81	124.52	128.60
1	AA	529	G	P-O3'-C3'	6.80	127.87	119.70
1	AA	1280	A	C5-C6-N6	6.80	129.14	123.70
1	AA	1542	A	C1'-O4'-C4'	-6.80	104.46	109.90
4	AD	18	U	C5-C4-O4	6.80	129.98	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	719	C	C5-C6-N1	6.80	124.40	121.00
26	BB	1113	U	C4-C5-C6	6.80	123.78	119.70
26	BB	1190	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	1904	G	C4-N9-C1'	-6.80	117.66	126.50
26	BB	2203	U	C5'-C4'-O4'	6.80	117.27	109.10
26	BB	2555	U	P-O5'-C5'	6.80	131.79	120.90
1	AA	74	A	N9-C1'-C2'	-6.80	104.52	112.00
1	AA	944	G	C8-N9-C4	-6.80	103.68	106.40
1	AA	1124	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	94	A	C5-N7-C8	-6.80	100.50	103.90
26	BB	697	G	C8-N9-C4	-6.80	103.68	106.40
26	BB	1667	G	N3-C4-N9	6.80	130.08	126.00
26	BB	2271	G	C5-C6-O6	-6.80	124.52	128.60
26	BB	2333	A	C4-C5-N7	-6.80	107.30	110.70
1	AA	517	G	C2-N3-C4	6.80	115.30	111.90
1	AA	1198	G	C8-N9-C4	-6.80	103.68	106.40
1	AA	1257	A	N3-C4-C5	-6.80	122.04	126.80
1	AA	1385	G	O4'-C1'-N9	6.80	113.64	108.20
1	AA	1410	A	C8-N9-C4	-6.80	103.08	105.80
1	AA	1514	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	323	C	N1-C1'-C2'	-6.80	104.52	112.00
26	BB	1275	A	C4-C5-C6	6.80	120.40	117.00
26	BB	1570	A	N1-C6-N6	6.80	122.68	118.60
26	BB	1811	G	C5-N7-C8	-6.80	100.90	104.30
26	BB	1952	A	N1-C6-N6	-6.80	114.52	118.60
26	BB	2197	U	N3-C2-O2	-6.80	117.44	122.20
1	AA	779	C	N3-C2-O2	-6.80	117.14	121.90
1	AA	1349	A	C5'-C4'-O4'	6.80	117.26	109.10
1	AA	1368	A	C2-N3-C4	6.80	114.00	110.60
26	BB	583	G	N1-C2-N2	6.80	122.32	116.20
26	BB	1757	A	C4-C5-C6	-6.80	113.60	117.00
26	BB	1837	C	O4'-C1'-N1	6.80	113.64	108.20
26	BB	1935	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	1936	A	N7-C8-N9	6.80	117.20	113.80
26	BB	2039	U	N1-C2-N3	6.80	118.98	114.90
26	BB	2092	U	C6-N1-C2	6.80	125.08	121.00
26	BB	323	C	N3-C4-N4	6.80	122.76	118.00
1	AA	11	G	N3-C4-C5	-6.80	125.20	128.60
1	AA	1154	G	C8-N9-C4	-6.80	103.68	106.40
3	AC	25	U	N1-C1'-C2'	-6.80	104.52	112.00
26	BB	254	G	C5-C6-O6	-6.80	124.52	128.60
26	BB	273	G	C2-N3-C4	6.80	115.30	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	446	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	1139	G	N3-C4-N9	6.80	130.08	126.00
26	BB	1279	G	N7-C8-N9	6.80	116.50	113.10
26	BB	1940	U	C6-N1-C1'	-6.80	111.69	121.20
26	BB	2281	A	C3'-C2'-C1'	-6.80	96.06	101.50
1	AA	1	A	N7-C8-N9	-6.79	110.40	113.80
1	AA	414	A	C5'-C4'-O4'	6.79	117.25	109.10
1	AA	885	G	N9-C4-C5	6.79	108.12	105.40
1	AA	957	U	N3-C2-O2	-6.79	117.44	122.20
1	AA	1144	G	N3-C2-N2	-6.79	115.14	119.90
1	AA	1215	G	C2-N3-C4	6.79	115.30	111.90
25	BA	118	C	C3'-C2'-C1'	6.79	106.94	101.50
26	BB	41	C	N1-C2-O2	6.79	122.98	118.90
26	BB	1665	A	C4-C5-N7	-6.79	107.30	110.70
26	BB	2488	G	C5-C6-O6	-6.79	124.52	128.60
26	BB	2573	C	C2-N3-C4	6.79	123.30	119.90
26	BB	2657	A	C8-N9-C4	-6.79	103.08	105.80
1	AA	186	C	C2'-C3'-O3'	6.79	124.57	113.70
1	AA	714	G	C5-C6-O6	-6.79	124.52	128.60
3	AC	51	C	C5-C6-N1	-6.79	117.60	121.00
26	BB	156	A	C1'-O4'-C4'	-6.79	104.47	109.90
26	BB	217	A	N9-C4-C5	6.79	108.52	105.80
26	BB	335	C	P-O3'-C3'	6.79	127.85	119.70
26	BB	1704	C	C4-C5-C6	-6.79	114.00	117.40
26	BB	2122	U	C5'-C4'-O4'	6.79	117.25	109.10
26	BB	2314	A	N9-C4-C5	6.79	108.52	105.80
26	BB	2890	G	N9-C4-C5	6.79	108.12	105.40
42	BR	24	THR	CA-CB-CG2	-6.79	102.89	112.40
1	AA	510	A	O4'-C1'-N9	6.79	113.63	108.20
1	AA	1044	A	C4-C5-C6	6.79	120.40	117.00
26	BB	17	G	N9-C1'-C2'	-6.79	104.53	112.00
26	BB	1498	C	O4'-C1'-C2'	-6.79	99.01	105.80
26	BB	2857	G	N3-C2-N2	-6.79	115.15	119.90
1	AA	294	U	C2-N3-C4	-6.79	122.93	127.00
1	AA	502	A	N9-C4-C5	6.79	108.52	105.80
1	AA	1377	A	C5-C6-N6	-6.79	118.27	123.70
26	BB	1610	A	N1-C2-N3	-6.79	125.91	129.30
1	AA	1111	A	N9-C4-C5	-6.79	103.08	105.80
1	AA	1420	U	O4'-C1'-N1	6.79	113.63	108.20
1	AA	1432	G	N3-C4-C5	-6.79	125.21	128.60
1	AA	1470	U	N1-C2-O2	-6.79	118.05	122.80
2	AB	49	G	N9-C1'-C2'	-6.79	104.53	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	AT	72	TRP	CB-CG-CD2	6.79	135.42	126.60
26	BB	63	A	N1-C6-N6	6.79	122.67	118.60
26	BB	620	G	O4'-C4'-C3'	6.79	111.53	106.10
26	BB	1055	G	C6-C5-N7	-6.79	126.33	130.40
1	AA	213	G	N9-C4-C5	6.79	108.11	105.40
1	AA	820	U	C1'-O4'-C4'	6.79	115.33	109.90
1	AA	1068	G	O4'-C4'-C3'	6.79	111.53	106.10
26	BB	1410	G	N3-C4-N9	6.79	130.07	126.00
26	BB	1498	C	O4'-C1'-N1	6.79	113.63	108.20
26	BB	2755	C	O4'-C1'-N1	6.79	113.63	108.20
28	BD	257	ARG	NE-CZ-NH1	6.79	123.69	120.30
1	AA	852	G	C5-C6-O6	6.79	132.67	128.60
2	AB	33	U	C5-C4-O4	6.79	129.97	125.90
1	AA	104	G	C5'-C4'-O4'	6.78	117.24	109.10
1	AA	232	G	O4'-C1'-N9	6.78	113.63	108.20
1	AA	461	A	C5'-C4'-C3'	-6.78	105.15	116.00
1	AA	530	G	C6-N1-C2	-6.78	121.03	125.10
1	AA	932	C	C4'-C3'-C2'	-6.78	95.82	102.60
1	AA	1138	G	C4-C5-N7	-6.78	108.09	110.80
26	BB	177	G	C8-N9-C4	-6.78	103.69	106.40
26	BB	467	G	N9-C1'-C2'	-6.78	104.54	112.00
26	BB	898	C	C5-C6-N1	6.78	124.39	121.00
26	BB	1154	G	N3-C4-C5	-6.78	125.21	128.60
26	BB	1609	A	O4'-C1'-N9	-6.78	102.77	108.20
1	AA	71	A	N7-C8-N9	-6.78	110.41	113.80
1	AA	753	A	C5-N7-C8	-6.78	100.51	103.90
26	BB	1039	A	N9-C1'-C2'	-6.78	104.54	112.00
1	AA	106	C	O4'-C1'-N1	6.78	113.62	108.20
1	AA	208	U	C2-N3-C4	-6.78	122.93	127.00
26	BB	109	C	N1-C2-O2	6.78	122.97	118.90
26	BB	278	A	C2-N3-C4	-6.78	107.21	110.60
26	BB	1112	G	C2-N3-C4	6.78	115.29	111.90
26	BB	1232	G	N3-C4-C5	-6.78	125.21	128.60
26	BB	1378	A	C4-C5-N7	-6.78	107.31	110.70
26	BB	1619	G	C4-C5-C6	6.78	122.87	118.80
26	BB	2151	U	C2-N3-C4	-6.78	122.93	127.00
26	BB	2619	C	C5-C4-N4	6.78	124.95	120.20
26	BB	99	U	O4'-C1'-N1	6.78	113.62	108.20
26	BB	794	A	C5-C6-N6	-6.78	118.28	123.70
26	BB	947	A	N9-C4-C5	6.78	108.51	105.80
1	AA	1004	A	C4-C5-C6	6.78	120.39	117.00
4	AD	3	C	C1'-O4'-C4'	6.78	115.32	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	83	G	C5-C6-N1	6.78	114.89	111.50
26	BB	1235	G	N3-C4-C5	-6.78	125.21	128.60
26	BB	1914	C	N3-C2-O2	-6.78	117.16	121.90
26	BB	2002	G	C2-N3-C4	6.78	115.29	111.90
26	BB	2400	G	N1-C2-N3	-6.78	119.83	123.90
1	AA	144	G	N1-C2-N3	6.78	127.97	123.90
1	AA	632	U	N1-C2-O2	-6.78	118.06	122.80
1	AA	773	G	C6-N1-C2	-6.78	121.03	125.10
26	BB	22	C	N1-C2-N3	-6.78	114.46	119.20
26	BB	679	C	C5-C4-N4	-6.78	115.46	120.20
26	BB	987	C	N3-C4-N4	6.78	122.74	118.00
26	BB	1272	A	P-O3'-C3'	6.78	127.83	119.70
26	BB	2353	G	N1-C2-N2	6.78	122.30	116.20
26	BB	2447	G	C4-C5-C6	6.78	122.86	118.80
1	AA	1199	U	C5-C6-N1	-6.77	119.31	122.70
8	AH	120	HIS	CA-CB-CG	6.77	125.11	113.60
26	BB	73	A	C5-N7-C8	-6.77	100.51	103.90
26	BB	166	U	C4'-C3'-C2'	-6.77	95.83	102.60
26	BB	1370	C	N1-C2-O2	6.77	122.97	118.90
26	BB	2260	C	N1-C2-O2	6.77	122.96	118.90
26	BB	2603	G	N9-C4-C5	6.77	108.11	105.40
1	AA	103	U	N1-C2-N3	6.77	118.96	114.90
1	AA	559	A	N1-C2-N3	-6.77	125.91	129.30
1	AA	728	A	N1-C2-N3	6.77	132.69	129.30
1	AA	857	C	C4'-C3'-C2'	-6.77	95.83	102.60
1	AA	1178	G	C5-N7-C8	6.77	107.69	104.30
1	AA	1305	G	C6-N1-C2	-6.77	121.04	125.10
1	AA	1372	U	C6-N1-C2	6.77	125.06	121.00
26	BB	404	A	C5-N7-C8	-6.77	100.51	103.90
26	BB	1161	C	C5'-C4'-O4'	6.77	117.23	109.10
26	BB	1239	G	O4'-C1'-N9	6.77	113.62	108.20
26	BB	1323	C	N3-C4-C5	-6.77	119.19	121.90
26	BB	1663	G	C2-N3-C4	6.77	115.29	111.90
26	BB	2468	A	N1-C2-N3	-6.77	125.91	129.30
1	AA	1116	U	C5'-C4'-C3'	-6.77	105.17	116.00
1	AA	1333	A	C6-C5-N7	6.77	137.04	132.30
26	BB	629	G	C5-N7-C8	-6.77	100.91	104.30
26	BB	1115	G	C5-N7-C8	-6.77	100.91	104.30
26	BB	1428	C	C6-N1-C2	-6.77	117.59	120.30
26	BB	1450	G	C1'-O4'-C4'	-6.77	104.48	109.90
26	BB	422	A	C5-C6-N1	-6.77	114.31	117.70
26	BB	942	G	N1-C6-O6	-6.77	115.84	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1038	G	N3-C4-C5	-6.77	125.22	128.60
26	BB	1330	C	C5'-C4'-C3'	6.77	126.83	116.00
26	BB	1499	C	C5-C4-N4	6.77	124.94	120.20
26	BB	1729	U	C5-C6-N1	-6.77	119.31	122.70
26	BB	1954	G	C6-C5-N7	-6.77	126.34	130.40
26	BB	2170	A	C6-N1-C2	6.77	122.66	118.60
26	BB	2398	U	N1-C2-O2	6.77	127.54	122.80
26	BB	2620	C	N3-C2-O2	-6.77	117.16	121.90
1	AA	887	G	N9-C4-C5	-6.77	102.69	105.40
1	AA	893	C	C2-N3-C4	-6.77	116.52	119.90
1	AA	1060	U	C3'-C2'-C1'	6.77	106.91	101.50
1	AA	1406	U	C6-N1-C2	-6.77	116.94	121.00
1	AA	1446	A	N1-C6-N6	6.77	122.66	118.60
1	AA	1517	G	N7-C8-N9	6.77	116.48	113.10
1	AA	1524	C	O4'-C1'-N1	6.77	113.61	108.20
26	BB	132	G	C4-C5-N7	-6.77	108.09	110.80
26	BB	512	G	N1-C6-O6	-6.77	115.84	119.90
26	BB	892	A	C6-N1-C2	6.77	122.66	118.60
26	BB	1124	G	C1'-O4'-C4'	-6.77	104.49	109.90
26	BB	1238	G	C5-C6-N1	6.77	114.88	111.50
26	BB	1960	A	C4-C5-N7	-6.77	107.32	110.70
26	BB	2821	A	C2-N3-C4	6.77	113.98	110.60
1	AA	7	A	C5-C6-N1	6.77	121.08	117.70
1	AA	1308	U	C4'-C3'-C2'	-6.77	95.83	102.60
26	BB	12	U	N1-C2-O2	6.77	127.54	122.80
26	BB	1290	C	C4-C5-C6	-6.77	114.02	117.40
26	BB	1491	G	N1-C6-O6	6.77	123.96	119.90
26	BB	1993	U	O4'-C1'-N1	6.77	113.61	108.20
1	AA	139	A	C8-N9-C4	-6.76	103.09	105.80
1	AA	172	A	N1-C6-N6	6.76	122.66	118.60
4	AD	60	A	C6-N1-C2	6.76	122.66	118.60
26	BB	136	G	N3-C4-C5	-6.76	125.22	128.60
26	BB	280	U	N3-C4-O4	6.76	124.14	119.40
26	BB	389	G	C6-N1-C2	-6.76	121.04	125.10
26	BB	1743	G	C5'-C4'-O4'	6.76	117.22	109.10
26	BB	2545	G	C8-N9-C4	-6.76	103.69	106.40
26	BB	2561	U	C3'-C2'-C1'	-6.76	96.09	101.50
26	BB	2660	A	N1-C6-N6	-6.76	114.54	118.60
1	AA	1092	A	N9-C4-C5	-6.76	103.09	105.80
1	AA	1151	A	C5-N7-C8	6.76	107.28	103.90
26	BB	1251	C	C6-N1-C2	6.76	123.00	120.30
26	BB	2093	G	C6-N1-C2	-6.76	121.04	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	392	C	C5-C6-N1	6.76	124.38	121.00
1	AA	610	U	C5-C4-O4	6.76	129.96	125.90
1	AA	666	G	C5-C6-O6	-6.76	124.54	128.60
1	AA	1523	G	C4-C5-C6	-6.76	114.74	118.80
26	BB	74	A	C5-N7-C8	-6.76	100.52	103.90
26	BB	623	C	P-O3'-C3'	6.76	127.81	119.70
26	BB	1765	U	O4'-C4'-C3'	-6.76	97.24	104.00
26	BB	1987	A	O4'-C1'-N9	6.76	113.61	108.20
26	BB	2190	G	C4-C5-C6	6.76	122.86	118.80
26	BB	2255	G	C4-C5-N7	-6.76	108.10	110.80
26	BB	2276	G	N3-C2-N2	6.76	124.63	119.90
26	BB	2448	A	C6-N1-C2	6.76	122.66	118.60
26	BB	2465	C	C3'-C2'-C1'	-6.76	96.09	101.50
1	AA	238	A	C8-N9-C4	-6.76	103.10	105.80
4	AD	57	C	O4'-C1'-N1	6.76	113.61	108.20
26	BB	228	C	C2-N3-C4	6.76	123.28	119.90
26	BB	1179	G	N1-C2-N2	6.76	122.28	116.20
26	BB	1393	A	C8-N9-C4	-6.76	103.10	105.80
26	BB	1508	A	C2-N3-C4	-6.76	107.22	110.60
26	BB	1550	C	N3-C4-N4	-6.76	113.27	118.00
26	BB	2031	A	N7-C8-N9	6.76	117.18	113.80
26	BB	2038	G	C4'-C3'-C2'	-6.76	95.84	102.60
1	AA	33	A	C5'-C4'-O4'	6.76	117.21	109.10
1	AA	1442	G	N7-C8-N9	6.76	116.48	113.10
26	BB	436	C	O4'-C4'-C3'	-6.76	97.24	104.00
26	BB	768	G	N3-C2-N2	-6.76	115.17	119.90
26	BB	2476	A	N9-C1'-C2'	-6.76	104.57	112.00
1	AA	726	C	N3-C4-C5	-6.76	119.20	121.90
26	BB	87	U	C1'-O4'-C4'	6.76	115.31	109.90
26	BB	591	U	N3-C2-O2	-6.76	117.47	122.20
26	BB	831	G	O4'-C1'-N9	6.76	113.61	108.20
26	BB	904	G	C2-N3-C4	-6.76	108.52	111.90
26	BB	1021	A	N3-C4-C5	-6.76	122.07	126.80
26	BB	1421	G	N3-C4-C5	-6.76	125.22	128.60
26	BB	1528	A	C4'-C3'-C2'	-6.76	95.84	102.60
26	BB	1733	G	N3-C2-N2	-6.76	115.17	119.90
26	BB	1767	G	P-O3'-C3'	-6.76	111.59	119.70
26	BB	2168	G	C5-C6-N1	6.76	114.88	111.50
26	BB	2452	C	C6-N1-C2	-6.76	117.60	120.30
26	BB	2676	C	N3-C2-O2	-6.76	117.17	121.90
26	BB	2715	C	C4-C5-C6	6.76	120.78	117.40
26	BB	2811	G	C5-N7-C8	6.76	107.68	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	335	C	C3'-C2'-C1'	6.75	106.90	101.50
26	BB	1029	A	C8-N9-C4	-6.75	103.10	105.80
26	BB	1549	A	N1-C6-N6	6.75	122.65	118.60
26	BB	2049	G	C5-N7-C8	6.75	107.68	104.30
1	AA	147	G	C5-C6-O6	-6.75	124.55	128.60
1	AA	1417	G	O4'-C4'-C3'	6.75	111.50	106.10
1	AA	1429	A	O4'-C1'-N9	6.75	113.60	108.20
25	BA	24	G	N7-C8-N9	-6.75	109.72	113.10
26	BB	393	C	O4'-C1'-N1	6.75	113.60	108.20
26	BB	785	G	C8-N9-C4	-6.75	103.70	106.40
26	BB	1178	C	C2-N1-C1'	-6.75	111.37	118.80
26	BB	1867	G	N1-C6-O6	6.75	123.95	119.90
26	BB	1924	C	C5-C4-N4	6.75	124.93	120.20
26	BB	2035	G	C4-C5-N7	-6.75	108.10	110.80
26	BB	2181	U	C4'-C3'-C2'	-6.75	95.85	102.60
26	BB	2217	G	N1-C2-N3	-6.75	119.85	123.90
26	BB	2415	G	N3-C4-C5	-6.75	125.22	128.60
26	BB	2465	C	N1-C2-N3	-6.75	114.47	119.20
1	AA	279	A	N9-C4-C5	-6.75	103.10	105.80
1	AA	374	A	N3-C4-N9	-6.75	122.00	127.40
1	AA	689	C	C2-N3-C4	6.75	123.28	119.90
1	AA	1222	G	C3'-C2'-C1'	6.75	106.90	101.50
2	AB	60	U	O4'-C1'-N1	6.75	113.60	108.20
2	AB	69	C	N3-C4-N4	6.75	122.73	118.00
26	BB	26	G	N1-C2-N2	-6.75	110.12	116.20
26	BB	160	A	N9-C4-C5	-6.75	103.10	105.80
26	BB	857	G	N9-C1'-C2'	-6.75	104.57	112.00
26	BB	1807	G	P-O3'-C3'	6.75	127.80	119.70
26	BB	1929	G	N1-C6-O6	-6.75	115.85	119.90
26	BB	2405	G	C3'-C2'-C1'	6.75	106.90	101.50
1	AA	542	G	C6-C5-N7	-6.75	126.35	130.40
1	AA	1309	G	N1-C2-N3	6.75	127.95	123.90
26	BB	876	C	O4'-C1'-N1	6.75	113.60	108.20
1	AA	592	G	C5-N7-C8	6.75	107.67	104.30
1	AA	1201	A	P-O3'-C3'	6.75	127.80	119.70
1	AA	1309	G	C8-N9-C4	-6.75	103.70	106.40
3	AC	32	U	N3-C4-O4	6.75	124.12	119.40
4	AD	64	G	N9-C4-C5	6.75	108.10	105.40
26	BB	329	G	C6-C5-N7	-6.75	126.35	130.40
26	BB	581	C	N3-C2-O2	-6.75	117.18	121.90
26	BB	860	U	O4'-C1'-N1	6.75	113.60	108.20
26	BB	891	G	C5-C6-N1	6.75	114.87	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1035	U	N3-C2-O2	-6.75	117.48	122.20
26	BB	1947	C	C5-C6-N1	-6.75	117.63	121.00
26	BB	2604	U	C4-C5-C6	6.75	123.75	119.70
26	BB	2801	G	C4-C5-N7	6.75	113.50	110.80
1	AA	38	G	O4'-C1'-C2'	-6.75	99.05	105.80
1	AA	329	A	C3'-C2'-C1'	-6.75	96.10	101.50
1	AA	730	G	C5-N7-C8	6.75	107.67	104.30
25	BA	105	G	C2-N3-C4	6.75	115.27	111.90
26	BB	145	C	N3-C4-C5	-6.75	119.20	121.90
26	BB	248	G	C5-C6-O6	6.75	132.65	128.60
26	BB	362	A	N1-C6-N6	6.75	122.65	118.60
26	BB	1133	A	C2-N3-C4	6.75	113.97	110.60
26	BB	1988	G	C6-C5-N7	-6.75	126.35	130.40
26	BB	2039	U	C6-N1-C2	-6.75	116.95	121.00
26	BB	2516	A	C4-C5-N7	-6.75	107.33	110.70
26	BB	2769	U	N3-C4-C5	-6.75	110.55	114.60
26	BB	2812	G	N3-C2-N2	6.75	124.62	119.90
1	AA	261	U	C4'-C3'-C2'	-6.75	95.86	102.60
1	AA	468	A	C4'-C3'-C2'	-6.75	95.86	102.60
1	AA	983	A	N1-C6-N6	-6.75	114.55	118.60
26	BB	552	U	P-O3'-C3'	6.75	127.79	119.70
26	BB	670	A	N9-C4-C5	6.75	108.50	105.80
26	BB	1938	A	C6-C5-N7	6.75	137.02	132.30
26	BB	169	G	C1'-O4'-C4'	6.74	115.30	109.90
26	BB	736	C	N1-C2-N3	-6.74	114.48	119.20
26	BB	809	G	N9-C1'-C2'	-6.74	104.58	112.00
26	BB	1150	C	N1-C2-O2	6.74	122.95	118.90
26	BB	1965	C	C2-N3-C4	6.74	123.27	119.90
1	AA	699	C	N3-C4-C5	6.74	124.60	121.90
1	AA	850	U	N3-C4-O4	6.74	124.12	119.40
1	AA	1139	G	O4'-C4'-C3'	6.74	111.49	106.10
1	AA	1520	C	N1-C2-O2	6.74	122.94	118.90
25	BA	52	A	C6-C5-N7	6.74	137.02	132.30
1	AA	222	C	N3-C2-O2	-6.74	117.18	121.90
1	AA	483	C	O4'-C1'-N1	6.74	113.59	108.20
1	AA	661	G	C8-N9-C4	6.74	109.10	106.40
1	AA	912	C	C5-C4-N4	6.74	124.92	120.20
1	AA	947	G	C4'-C3'-C2'	-6.74	95.86	102.60
25	BA	115	A	C6-C5-N7	6.74	137.02	132.30
26	BB	172	A	N9-C4-C5	6.74	108.50	105.80
26	BB	252	G	C5-N7-C8	-6.74	100.93	104.30
26	BB	562	U	N3-C2-O2	-6.74	117.48	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	565	C	C5-C4-N4	-6.74	115.48	120.20
26	BB	907	G	N3-C4-C5	-6.74	125.23	128.60
26	BB	1311	G	C8-N9-C4	-6.74	103.70	106.40
1	AA	21	G	C6-N1-C2	-6.74	121.06	125.10
1	AA	241	G	O4'-C1'-N9	6.74	113.59	108.20
1	AA	243	A	N7-C8-N9	6.74	117.17	113.80
1	AA	705	G	N1-C2-N3	-6.74	119.86	123.90
1	AA	1454	G	C4-C5-N7	6.74	113.50	110.80
2	AB	33	U	C3'-C2'-C1'	6.74	106.89	101.50
26	BB	721	A	P-O3'-C3'	6.74	127.78	119.70
26	BB	752	A	C1'-O4'-C4'	-6.74	104.51	109.90
26	BB	1178	C	P-O3'-C3'	6.74	127.79	119.70
26	BB	1409	U	N3-C2-O2	-6.74	117.48	122.20
26	BB	1471	G	N3-C4-N9	6.74	130.04	126.00
26	BB	1720	U	O4'-C1'-N1	6.74	113.59	108.20
26	BB	1899	A	C4-C5-C6	6.74	120.37	117.00
26	BB	2507	C	O4'-C1'-N1	6.74	113.59	108.20
1	AA	384	G	C3'-C2'-C1'	-6.74	96.11	101.50
1	AA	725	G	C5-C6-O6	6.74	132.64	128.60
4	AD	4	G	N1-C6-O6	6.74	123.94	119.90
26	BB	173	A	C8-N9-C4	-6.74	103.11	105.80
26	BB	1011	G	C4-C5-C6	-6.74	114.76	118.80
26	BB	1749	A	N9-C1'-C2'	-6.74	104.59	112.00
26	BB	1858	A	N3-C4-C5	-6.74	122.08	126.80
1	AA	396	C	C6-N1-C2	-6.74	117.61	120.30
1	AA	610	U	C3'-C2'-C1'	6.74	106.89	101.50
1	AA	941	G	N3-C4-C5	6.74	131.97	128.60
1	AA	980	C	N1-C2-N3	-6.74	114.48	119.20
1	AA	1104	G	C1'-O4'-C4'	-6.74	104.51	109.90
2	AB	23	A	C5-C6-N1	-6.74	114.33	117.70
25	BA	34	A	P-O3'-C3'	6.74	127.78	119.70
26	BB	44	A	C4-C5-N7	-6.74	107.33	110.70
26	BB	496	G	C8-N9-C4	-6.74	103.71	106.40
26	BB	1035	U	N1-C2-O2	6.74	127.52	122.80
26	BB	1439	A	N9-C4-C5	6.74	108.49	105.80
26	BB	1447	C	C5'-C4'-O4'	6.74	117.18	109.10
26	BB	2320	U	O4'-C1'-C2'	-6.74	99.06	105.80
26	BB	2346	A	O4'-C4'-C3'	6.74	111.49	106.10
26	BB	2400	G	N7-C8-N9	6.74	116.47	113.10
1	AA	702	A	N1-C6-N6	6.73	122.64	118.60
1	AA	1421	G	C4'-C3'-C2'	-6.73	95.87	102.60
1	AA	1525	G	C4'-C3'-C2'	-6.73	95.87	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	305	C	P-O3'-C3'	6.73	127.78	119.70
26	BB	919	U	O4'-C1'-N1	6.73	113.59	108.20
26	BB	2501	C	N3-C4-N4	6.73	122.71	118.00
1	AA	198	G	C4-C5-N7	-6.73	108.11	110.80
1	AA	268	U	N3-C4-C5	-6.73	110.56	114.60
1	AA	346	G	C3'-C2'-C1'	6.73	106.89	101.50
26	BB	219	A	C4-C5-N7	-6.73	107.33	110.70
26	BB	443	A	N9-C4-C5	-6.73	103.11	105.80
26	BB	1601	G	C2-N3-C4	6.73	115.27	111.90
26	BB	2280	G	C4'-C3'-C2'	-6.73	95.87	102.60
26	BB	2520	C	C4-C5-C6	6.73	120.77	117.40
26	BB	2606	C	N3-C4-C5	-6.73	119.21	121.90
26	BB	2685	G	N1-C2-N3	-6.73	119.86	123.90
1	AA	1469	C	N1-C2-N3	-6.73	114.49	119.20
26	BB	191	A	C4-C5-C6	-6.73	113.64	117.00
26	BB	473	G	N3-C2-N2	-6.73	115.19	119.90
26	BB	636	G	C5-N7-C8	6.73	107.67	104.30
26	BB	890	C	N3-C4-C5	6.73	124.59	121.90
26	BB	1239	G	C5-C6-O6	-6.73	124.56	128.60
26	BB	2115	G	N1-C6-O6	-6.73	115.86	119.90
26	BB	2299	U	N3-C4-C5	-6.73	110.56	114.60
1	AA	1070	U	C5'-C4'-O4'	6.73	117.17	109.10
26	BB	451	U	C5-C6-N1	-6.73	119.33	122.70
26	BB	848	C	N1-C2-O2	6.73	122.94	118.90
26	BB	1756	G	C4-C5-N7	-6.73	108.11	110.80
26	BB	2055	C	N1-C2-N3	-6.73	114.49	119.20
1	AA	83	C	C2-N3-C4	6.73	123.26	119.90
1	AA	239	U	C2-N3-C4	-6.73	122.96	127.00
1	AA	955	U	N1-C2-O2	6.73	127.51	122.80
26	BB	490	C	C5'-C4'-O4'	6.73	117.17	109.10
26	BB	1414	C	C4'-C3'-C2'	-6.73	95.87	102.60
26	BB	1668	A	C5-C6-N6	-6.73	118.32	123.70
26	BB	2675	A	P-O3'-C3'	6.73	127.77	119.70
1	AA	777	A	C8-N9-C4	-6.73	103.11	105.80
1	AA	1428	A	O4'-C1'-N9	6.73	113.58	108.20
26	BB	777	G	N9-C4-C5	6.73	108.09	105.40
26	BB	941	A	N7-C8-N9	-6.73	110.44	113.80
26	BB	1610	A	N3-C4-C5	-6.73	122.09	126.80
26	BB	2351	G	C4-C5-N7	-6.73	108.11	110.80
26	BB	2436	G	N3-C4-N9	6.73	130.03	126.00
1	AA	625	U	C4'-C3'-C2'	-6.72	95.88	102.60
1	AA	628	G	C1'-O4'-C4'	-6.72	104.52	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	972	C	N1-C2-O2	6.72	122.93	118.90
1	AA	1026	G	C5-C6-N1	-6.72	108.14	111.50
1	AA	1145	A	N3-C4-C5	-6.72	122.09	126.80
1	AA	1227	A	C4'-C3'-C2'	-6.72	95.88	102.60
4	AD	25	U	O4'-C1'-N1	6.72	113.58	108.20
26	BB	417	C	C2-N3-C4	-6.72	116.54	119.90
26	BB	650	C	C5'-C4'-O4'	6.72	117.17	109.10
26	BB	1530	G	N9-C4-C5	6.72	108.09	105.40
26	BB	1576	U	N3-C4-O4	-6.72	114.69	119.40
26	BB	1682	G	C4'-C3'-C2'	-6.72	95.88	102.60
26	BB	1901	A	C5-C6-N1	-6.72	114.34	117.70
26	BB	1979	U	C5'-C4'-O4'	6.72	117.17	109.10
1	AA	635	A	N1-C6-N6	6.72	122.63	118.60
1	AA	922	G	C4-C5-N7	-6.72	108.11	110.80
2	AB	26	A	C5-C6-N6	6.72	129.08	123.70
26	BB	430	A	C5-C6-N1	6.72	121.06	117.70
26	BB	1277	G	N3-C2-N2	-6.72	115.19	119.90
26	BB	1496	A	C5-N7-C8	-6.72	100.54	103.90
26	BB	1840	G	C4-C5-N7	-6.72	108.11	110.80
26	BB	2016	U	N1-C1'-C2'	6.72	122.74	114.00
26	BB	2243	U	N1-C1'-C2'	-6.72	104.61	112.00
26	BB	2873	A	C6-C5-N7	-6.72	127.59	132.30
30	BF	22	ASP	CB-CG-OD1	-6.72	112.25	118.30
1	AA	1117	A	C4-C5-C6	-6.72	113.64	117.00
26	BB	305	C	C1'-O4'-C4'	6.72	115.28	109.90
26	BB	218	A	O4'-C4'-C3'	6.72	111.48	106.10
26	BB	734	A	P-O3'-C3'	6.72	127.76	119.70
26	BB	757	G	N9-C4-C5	6.72	108.09	105.40
26	BB	786	C	P-O3'-C3'	6.72	127.76	119.70
26	BB	1068	G	C5-C6-O6	-6.72	124.57	128.60
26	BB	1664	A	C5'-C4'-C3'	-6.72	105.25	116.00
26	BB	1812	U	C6-N1-C2	6.72	125.03	121.00
26	BB	2516	A	N1-C2-N3	-6.72	125.94	129.30
26	BB	2861	U	C2-N3-C4	-6.72	122.97	127.00
1	AA	81	A	C4'-C3'-C2'	-6.72	95.88	102.60
1	AA	200	G	N9-C1'-C2'	-6.72	104.61	112.00
1	AA	869	G	C6-C5-N7	-6.72	126.37	130.40
1	AA	936	C	C5'-C4'-C3'	-6.72	105.25	116.00
26	BB	978	G	C8-N9-C1'	6.72	135.73	127.00
26	BB	2594	C	C6-N1-C2	6.72	122.99	120.30
1	AA	743	A	N7-C8-N9	6.72	117.16	113.80
1	AA	776	G	N9-C4-C5	-6.72	102.71	105.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	334	C	N3-C2-O2	-6.72	117.20	121.90
26	BB	352	A	C5-C6-N6	-6.72	118.33	123.70
26	BB	990	A	N1-C6-N6	-6.72	114.57	118.60
26	BB	1362	C	N3-C4-C5	-6.72	119.21	121.90
26	BB	2232	C	N3-C4-C5	-6.72	119.21	121.90
26	BB	2725	A	N9-C4-C5	6.72	108.49	105.80
26	BB	2731	G	C5-C6-N1	6.72	114.86	111.50
32	BH	54	ARG	NH1-CZ-NH2	6.72	126.79	119.40
39	BO	6	ARG	NE-CZ-NH2	-6.72	116.94	120.30
1	AA	432	A	C5-N7-C8	-6.71	100.54	103.90
1	AA	607	A	C5-N7-C8	6.71	107.26	103.90
1	AA	842	U	C3'-C2'-C1'	6.71	106.87	101.50
2	AB	58	A	C2'-C3'-O3'	6.71	124.44	113.70
7	AG	187	ARG	NE-CZ-NH2	-6.71	116.94	120.30
25	BA	69	G	N1-C6-O6	-6.71	115.87	119.90
26	BB	803	U	C2-N3-C4	6.71	131.03	127.00
26	BB	1491	G	N9-C4-C5	6.71	108.09	105.40
26	BB	2339	C	P-O3'-C3'	6.71	127.76	119.70
26	BB	2665	A	C5-C6-N6	6.71	129.07	123.70
43	BS	96	ASP	CB-CG-OD1	-6.71	112.26	118.30
1	AA	700	G	N1-C6-O6	-6.71	115.87	119.90
1	AA	1323	G	C6-N1-C2	-6.71	121.07	125.10
2	AB	70	C	N1-C2-O2	6.71	122.93	118.90
26	BB	2199	A	C5-C6-N1	6.71	121.06	117.70
1	AA	389	A	C1'-O4'-C4'	-6.71	104.53	109.90
1	AA	715	A	N3-C4-C5	-6.71	122.10	126.80
1	AA	851	G	C4'-C3'-C2'	-6.71	95.89	102.60
1	AA	1205	U	O4'-C1'-N1	6.71	113.57	108.20
4	AD	34	U	C2-N3-C4	-6.71	122.97	127.00
26	BB	231	A	N1-C6-N6	6.71	122.63	118.60
26	BB	926	G	N3-C4-N9	6.71	130.03	126.00
26	BB	1148	U	N3-C4-C5	6.71	118.63	114.60
26	BB	2190	G	C4-C5-N7	-6.71	108.12	110.80
26	BB	2657	A	C1'-O4'-C4'	-6.71	104.53	109.90
26	BB	2726	A	C4-C5-N7	-6.71	107.34	110.70
1	AA	116	A	C3'-C2'-C1'	6.71	106.87	101.50
1	AA	1005	A	C5-N7-C8	6.71	107.25	103.90
2	AB	6	C	C5-C4-N4	-6.71	115.50	120.20
2	AB	9	A	C2-N3-C4	6.71	113.95	110.60
26	BB	2555	U	O4'-C1'-N1	6.71	113.57	108.20
26	BB	2570	G	C5'-C4'-O4'	6.71	117.15	109.10
26	BB	2820	A	C1'-O4'-C4'	6.71	115.27	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	32	A	N1-C2-N3	-6.71	125.94	129.30
1	AA	93	U	C1'-O4'-C4'	6.71	115.27	109.90
1	AA	535	A	N7-C8-N9	6.71	117.15	113.80
1	AA	762	U	N3-C2-O2	-6.71	117.50	122.20
1	AA	846	G	O4'-C1'-C2'	-6.71	99.09	105.80
1	AA	1024	G	N1-C2-N2	6.71	122.24	116.20
1	AA	1188	A	C6-N1-C2	6.71	122.62	118.60
26	BB	48	G	C8-N9-C4	6.71	109.08	106.40
26	BB	447	A	N3-C4-N9	-6.71	122.03	127.40
26	BB	1273	U	N3-C4-O4	6.71	124.10	119.40
26	BB	1721	G	C5-C6-O6	6.71	132.62	128.60
26	BB	2093	G	N3-C4-N9	6.71	130.03	126.00
26	BB	2101	A	C2-N3-C4	-6.71	107.25	110.60
26	BB	2608	G	N7-C8-N9	6.71	116.45	113.10
26	BB	2665	A	N1-C6-N6	-6.71	114.58	118.60
1	AA	31	G	N3-C2-N2	6.71	124.59	119.90
1	AA	420	U	N1-C2-N3	6.71	118.92	114.90
3	AC	59	A	C4'-C3'-C2'	6.71	109.31	102.60
4	AD	28	U	O4'-C1'-N1	6.71	113.56	108.20
26	BB	367	G	O4'-C1'-N9	6.71	113.56	108.20
1	AA	723	U	N3-C2-O2	-6.71	117.51	122.20
1	AA	819	A	C5-N7-C8	-6.71	100.55	103.90
1	AA	1365	G	C5-C6-N1	6.71	114.85	111.50
26	BB	2080	A	C5-C6-N6	-6.71	118.34	123.70
26	BB	2215	C	C5-C6-N1	6.71	124.35	121.00
1	AA	120	A	C4'-C3'-C2'	-6.70	95.90	102.60
1	AA	317	U	P-O5'-C5'	6.70	131.63	120.90
1	AA	586	C	N3-C4-N4	6.70	122.69	118.00
1	AA	665	A	C5-N7-C8	6.70	107.25	103.90
1	AA	851	G	C4-C5-N7	-6.70	108.12	110.80
1	AA	1015	G	N3-C4-C5	-6.70	125.25	128.60
1	AA	1019	A	N9-C4-C5	-6.70	103.12	105.80
1	AA	1301	U	C3'-C2'-C1'	-6.70	96.14	101.50
26	BB	452	G	C2-N3-C4	6.70	115.25	111.90
26	BB	679	C	O4'-C1'-N1	6.70	113.56	108.20
26	BB	884	U	O4'-C1'-N1	6.70	113.56	108.20
26	BB	1525	A	C4-C5-C6	-6.70	113.65	117.00
26	BB	2069	7MG	P-O3'-C3'	6.70	127.74	119.70
26	BB	2249	U	N3-C2-O2	-6.70	117.51	122.20
26	BB	2402	U	O4'-C1'-N1	6.70	113.56	108.20
27	BC	145	VAL	CG1-CB-CG2	-6.70	100.18	110.90
1	AA	303	A	O5'-P-OP2	-6.70	99.67	105.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	531	U	C4-C5-C6	6.70	123.72	119.70
1	AA	915	A	O4'-C1'-N9	6.70	113.56	108.20
1	AA	1450	U	C4-C5-C6	6.70	123.72	119.70
26	BB	313	G	C5-N7-C8	-6.70	100.95	104.30
26	BB	464	U	N3-C2-O2	-6.70	117.51	122.20
26	BB	2461	A	C4-C5-N7	-6.70	107.35	110.70
1	AA	270	A	C4-C5-C6	-6.70	113.65	117.00
1	AA	396	C	N3-C4-C5	-6.70	119.22	121.90
1	AA	454	G	C6-N1-C2	-6.70	121.08	125.10
1	AA	690	G	C3'-C2'-C1'	6.70	106.86	101.50
1	AA	832	G	C3'-C2'-C1'	-6.70	96.14	101.50
1	AA	877	G	C4-C5-N7	-6.70	108.12	110.80
1	AA	1338	G	C3'-C2'-C1'	6.70	106.86	101.50
2	AB	57	G	N7-C8-N9	6.70	116.45	113.10
26	BB	201	C	C4'-C3'-C2'	-6.70	95.90	102.60
26	BB	282	A	C4-C5-C6	6.70	120.35	117.00
26	BB	540	C	C2-N1-C1'	-6.70	111.43	118.80
26	BB	739	A	C8-N9-C4	-6.70	103.12	105.80
26	BB	933	A	C2-N3-C4	6.70	113.95	110.60
26	BB	1441	G	C6-N1-C2	-6.70	121.08	125.10
26	BB	1578	U	C1'-O4'-C4'	-6.70	104.54	109.90
26	BB	1928	A	C5-N7-C8	-6.70	100.55	103.90
26	BB	2352	A	C5'-C4'-C3'	-6.70	105.28	116.00
1	AA	277	C	C1'-O4'-C4'	-6.70	104.54	109.90
1	AA	950	U	O4'-C1'-N1	6.70	113.56	108.20
26	BB	11	C	O4'-C1'-N1	6.70	113.56	108.20
26	BB	224	U	C5-C4-O4	6.70	129.92	125.90
26	BB	1333	G	N9-C4-C5	6.70	108.08	105.40
26	BB	1337	G	N1-C6-O6	6.70	123.92	119.90
26	BB	1666	G	C4-C5-C6	6.70	122.82	118.80
26	BB	2164	C	N1-C2-N3	-6.70	114.51	119.20
26	BB	2267	A	C2-N3-C4	-6.70	107.25	110.60
26	BB	2459	A	O4'-C1'-N9	6.70	113.56	108.20
26	BB	2486	C	C1'-O4'-C4'	-6.70	104.54	109.90
26	BB	2644	G	N3-C2-N2	-6.70	115.21	119.90
26	BB	2702	G	N3-C4-N9	6.70	130.02	126.00
1	AA	558	G	C5-C6-O6	6.70	132.62	128.60
25	BA	44	G	N3-C4-C5	-6.70	125.25	128.60
26	BB	1470	A	N1-C2-N3	-6.70	125.95	129.30
26	BB	2460	U	C6-N1-C2	-6.70	116.98	121.00
1	AA	23	C	C2-N3-C4	-6.70	116.55	119.90
1	AA	406	G	N3-C4-C5	-6.70	125.25	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	638	U	C3'-C2'-C1'	-6.70	96.14	101.50
1	AA	664	G	O4'-C1'-N9	6.70	113.56	108.20
1	AA	1534	A	C5'-C4'-O4'	6.70	117.14	109.10
25	BA	62	C	C6-N1-C2	6.70	122.98	120.30
25	BA	108	A	P-O3'-C3'	6.70	127.73	119.70
26	BB	518	G	C2-N3-C4	6.70	115.25	111.90
26	BB	1536	C	C4-C5-C6	6.70	120.75	117.40
26	BB	2165	C	C3'-C2'-C1'	6.70	106.86	101.50
26	BB	2245	U	O4'-C1'-N1	-6.70	102.84	108.20
26	BB	2754	U	N1-C2-O2	6.70	127.49	122.80
1	AA	122	G	N3-C4-N9	6.69	130.02	126.00
1	AA	1086	U	C5-C4-O4	-6.69	121.88	125.90
26	BB	171	U	N3-C2-O2	-6.69	117.51	122.20
26	BB	985	C	N3-C2-O2	-6.69	117.21	121.90
26	BB	2898	U	N3-C4-O4	6.69	124.09	119.40
1	AA	137	U	C3'-C2'-C1'	6.69	106.85	101.50
26	BB	325	G	C8-N9-C4	-6.69	103.72	106.40
26	BB	579	G	C4-C5-C6	6.69	122.81	118.80
26	BB	790	U	C5-C4-O4	-6.69	121.89	125.90
26	BB	2114	A	O4'-C1'-N9	6.69	113.55	108.20
26	BB	2141	G	N7-C8-N9	6.69	116.45	113.10
1	AA	183	C	O4'-C4'-C3'	-6.69	97.31	104.00
1	AA	863	U	O4'-C1'-N1	6.69	113.55	108.20
1	AA	1033	G	C8-N9-C1'	6.69	135.70	127.00
1	AA	1119	C	C1'-O4'-C4'	-6.69	104.55	109.90
1	AA	1478	U	C4'-C3'-C2'	-6.69	95.91	102.60
7	AG	194	ILE	CA-CB-CG1	6.69	123.71	111.00
26	BB	678	C	N3-C4-N4	6.69	122.68	118.00
26	BB	1963	U	N3-C4-C5	6.69	118.61	114.60
26	BB	2174	C	C4-C5-C6	-6.69	114.05	117.40
26	BB	2271	G	P-O3'-C3'	6.69	127.73	119.70
26	BB	2330	G	N1-C2-N2	6.69	122.22	116.20
26	BB	2811	G	C6-C5-N7	6.69	134.41	130.40
1	AA	510	A	P-O3'-C3'	6.69	127.73	119.70
1	AA	847	G	N7-C8-N9	6.69	116.44	113.10
1	AA	1343	G	N7-C8-N9	6.69	116.44	113.10
25	BA	2	G	N3-C4-C5	-6.69	125.25	128.60
25	BA	52	A	C4-C5-N7	-6.69	107.36	110.70
25	BA	92	C	N3-C4-N4	6.69	122.68	118.00
26	BB	205	G	O4'-C1'-N9	6.69	113.55	108.20
26	BB	469	G	C8-N9-C4	-6.69	103.72	106.40
26	BB	2535	G	N1-C6-O6	6.69	123.91	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2640	G	C2-N3-C4	6.69	115.24	111.90
1	AA	26	A	N1-C2-N3	-6.69	125.96	129.30
25	BA	2	G	O4'-C4'-C3'	6.69	111.45	106.10
25	BA	102	G	N1-C6-O6	6.69	123.91	119.90
26	BB	482	A	C5'-C4'-O4'	6.69	117.13	109.10
26	BB	756	A	N7-C8-N9	-6.69	110.46	113.80
26	BB	1238	G	C4-C5-N7	-6.69	108.12	110.80
26	BB	1704	C	O4'-C1'-N1	6.69	113.55	108.20
38	BN	64	PHE	CB-CG-CD1	-6.69	116.12	120.80
26	BB	82	U	C2-N3-C4	-6.69	122.99	127.00
26	BB	356	G	N1-C2-N3	-6.69	119.89	123.90
26	BB	604	G	C5-N7-C8	-6.69	100.96	104.30
26	BB	669	G	C4-C5-N7	-6.69	108.12	110.80
26	BB	970	U	N3-C4-O4	6.69	124.08	119.40
26	BB	1972	G	C5-C6-N1	-6.69	108.16	111.50
26	BB	2038	G	N1-C2-N2	6.69	122.22	116.20
26	BB	2873	A	O4'-C4'-C3'	6.69	111.45	106.10
1	AA	217	C	C4'-C3'-C2'	-6.68	95.92	102.60
1	AA	276	G	C3'-C2'-C1'	6.68	106.85	101.50
1	AA	297	G	N1-C2-N3	-6.68	119.89	123.90
1	AA	582	C	N3-C4-C5	6.68	124.57	121.90
1	AA	673	A	N1-C2-N3	-6.68	125.96	129.30
1	AA	917	G	N3-C4-N9	6.68	130.01	126.00
1	AA	1072	G	N1-C2-N2	6.68	122.22	116.20
3	AC	24	A	N3-C4-C5	6.68	131.48	126.80
3	AC	46	C	N1-C2-O2	6.68	122.91	118.90
10	AJ	176	TYR	CG-CD2-CE2	-6.68	115.95	121.30
26	BB	278	A	C4-C5-N7	6.68	114.04	110.70
26	BB	279	A	N7-C8-N9	6.68	117.14	113.80
26	BB	315	G	N7-C8-N9	-6.68	109.76	113.10
26	BB	759	G	C6-N1-C2	-6.68	121.09	125.10
26	BB	2162	G	N9-C4-C5	6.68	108.07	105.40
26	BB	2405	G	C4'-C3'-C2'	-6.68	95.92	102.60
26	BB	2468	A	O3'-P-O5'	-6.68	91.30	104.00
26	BB	2554	U	C2-N1-C1'	6.68	125.72	117.70
1	AA	145	G	O4'-C1'-N9	6.68	113.55	108.20
1	AA	535	A	C4-C5-C6	6.68	120.34	117.00
1	AA	845	A	N9-C4-C5	6.68	108.47	105.80
1	AA	998	C	O4'-C1'-N1	6.68	113.55	108.20
1	AA	1068	G	N3-C4-C5	-6.68	125.26	128.60
25	BA	72	G	N9-C1'-C2'	-6.68	104.65	112.00
26	BB	2	G	C2-N3-C4	6.68	115.24	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	667	U	N3-C4-O4	6.68	124.08	119.40
26	BB	1133	A	N1-C2-N3	-6.68	125.96	129.30
26	BB	1184	U	N3-C2-O2	6.68	126.88	122.20
26	BB	1747	U	C4-C5-C6	6.68	123.71	119.70
26	BB	2517	C	N1-C2-O2	6.68	122.91	118.90
26	BB	2699	C	N3-C2-O2	-6.68	117.22	121.90
51	B0	11	VAL	CA-CB-CG2	6.68	120.92	110.90
1	AA	315	A	O4'-C1'-N9	6.68	113.55	108.20
4	AD	72	C	C3'-C2'-C1'	6.68	106.84	101.50
26	BB	241	A	N1-C2-N3	-6.68	125.96	129.30
26	BB	705	A	N7-C8-N9	-6.68	110.46	113.80
26	BB	20	C	C5-C4-N4	-6.68	115.53	120.20
26	BB	1912	A	C2-N3-C4	6.68	113.94	110.60
26	BB	2304	G	N7-C8-N9	6.68	116.44	113.10
40	BP	80	PHE	CB-CG-CD1	-6.68	116.12	120.80
1	AA	345	C	C1'-O4'-C4'	-6.68	104.56	109.90
2	AB	47	U	P-O3'-C3'	6.68	127.71	119.70
4	AD	12	G	N3-C2-N2	-6.68	115.23	119.90
26	BB	679	C	N3-C4-N4	6.68	122.67	118.00
26	BB	1351	C	N3-C4-C5	-6.68	119.23	121.90
26	BB	1747	U	C6-N1-C2	-6.68	116.99	121.00
1	AA	283	U	N1-C2-O2	6.68	127.47	122.80
1	AA	774	G	C4-C5-N7	-6.68	108.13	110.80
1	AA	989	U	N1-C2-N3	6.68	118.91	114.90
1	AA	1184	G	O4'-C1'-N9	-6.68	102.86	108.20
26	BB	170	U	C4-C5-C6	6.68	123.71	119.70
26	BB	920	A	C4-C5-C6	-6.68	113.66	117.00
26	BB	1292	G	N3-C4-N9	6.68	130.00	126.00
26	BB	1544	A	C5-N7-C8	6.68	107.24	103.90
26	BB	1795	C	C2-N3-C4	-6.68	116.56	119.90
26	BB	2410	G	P-O3'-C3'	6.68	127.71	119.70
1	AA	213	G	C4'-C3'-O3'	6.67	126.35	113.00
1	AA	258	G	N1-C2-N2	6.67	122.21	116.20
1	AA	439	U	N3-C2-O2	-6.67	117.53	122.20
1	AA	786	G	C8-N9-C4	-6.67	103.73	106.40
2	AB	68	C	P-O3'-C3'	6.67	127.71	119.70
5	AE	161	PHE	CB-CG-CD1	-6.67	116.13	120.80
26	BB	263	G	N7-C8-N9	6.67	116.44	113.10
26	BB	290	U	C4-C5-C6	6.67	123.70	119.70
26	BB	467	G	C6-C5-N7	6.67	134.40	130.40
26	BB	2076	U	O4'-C4'-C3'	6.67	111.44	106.10
26	BB	2263	C	N3-C2-O2	-6.67	117.23	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	81	A	N1-C2-N3	-6.67	125.96	129.30
1	AA	1387	G	N7-C8-N9	-6.67	109.76	113.10
26	BB	725	G	C8-N9-C4	-6.67	103.73	106.40
26	BB	834	G	C5-C6-O6	-6.67	124.60	128.60
26	BB	933	A	C5'-C4'-O4'	6.67	117.11	109.10
26	BB	2635	A	C3'-C2'-C1'	-6.67	96.16	101.50
26	BB	2824	C	C5-C4-N4	-6.67	115.53	120.20
1	AA	1	A	N9-C4-C5	-6.67	103.13	105.80
1	AA	1117	A	N1-C2-N3	-6.67	125.96	129.30
1	AA	1121	U	O4'-C1'-N1	6.67	113.54	108.20
1	AA	1151	A	N7-C8-N9	-6.67	110.46	113.80
25	BA	110	C	C5-C6-N1	6.67	124.33	121.00
25	BA	115	A	C4'-C3'-C2'	6.67	109.27	102.60
26	BB	217	A	C5-C6-N1	6.67	121.04	117.70
26	BB	304	U	N3-C2-O2	-6.67	117.53	122.20
26	BB	734	A	C5-C6-N1	6.67	121.03	117.70
26	BB	914	G	N3-C4-C5	-6.67	125.26	128.60
26	BB	942	G	N3-C4-C5	-6.67	125.26	128.60
26	BB	1614	A	O4'-C4'-C3'	6.67	111.44	106.10
26	BB	1739	A	C6-C5-N7	6.67	136.97	132.30
26	BB	1839	G	N9-C4-C5	6.67	108.07	105.40
26	BB	2600	A	C5-C6-N6	-6.67	118.36	123.70
26	BB	2886	A	N1-C6-N6	-6.67	114.60	118.60
33	BI	25	TYR	CB-CG-CD2	6.67	125.00	121.00
1	AA	771	G	C5-C6-N1	6.67	114.83	111.50
1	AA	1433	A	N7-C8-N9	6.67	117.14	113.80
26	BB	799	G	C8-N9-C4	-6.67	103.73	106.40
26	BB	1980	G	O4'-C1'-N9	6.67	113.54	108.20
1	AA	734	G	N3-C2-N2	-6.67	115.23	119.90
1	AA	1044	A	N7-C8-N9	6.67	117.13	113.80
1	AA	1346	A	C3'-C2'-C1'	6.67	106.83	101.50
1	AA	1510	C	N3-C2-O2	6.67	126.57	121.90
26	BB	181	A	C8-N9-C4	-6.67	103.13	105.80
26	BB	1507	C	C2-N3-C4	6.67	123.23	119.90
26	BB	1598	A	C6-N1-C2	6.67	122.60	118.60
26	BB	2341	G	C5'-C4'-O4'	6.67	117.10	109.10
1	AA	736	C	O4'-C1'-N1	6.67	113.53	108.20
1	AA	842	U	O5'-P-OP1	-6.67	99.70	105.70
1	AA	1509	C	C3'-C2'-C1'	-6.67	96.17	101.50
26	BB	719	C	C3'-C2'-C1'	6.67	106.83	101.50
26	BB	790	U	O4'-C1'-N1	6.67	113.53	108.20
26	BB	1102	C	C4'-C3'-C2'	-6.67	95.93	102.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1291	C	N3-C2-O2	-6.67	117.23	121.90
26	BB	1376	C	N1-C2-O2	6.67	122.90	118.90
26	BB	1817	G	C6-N1-C2	-6.67	121.10	125.10
26	BB	2216	G	C4'-C3'-C2'	-6.67	95.93	102.60
1	AA	640	A	C6-N1-C2	6.67	122.60	118.60
26	BB	1775	U	N1-C2-N3	6.67	118.90	114.90
34	BJ	83	TYR	CB-CG-CD2	6.67	125.00	121.00
26	BB	66	C	C4'-C3'-C2'	-6.66	95.94	102.60
26	BB	155	A	C5-N7-C8	6.66	107.23	103.90
26	BB	772	C	C2-N3-C4	-6.66	116.57	119.90
26	BB	1382	G	C5-C6-N1	6.66	114.83	111.50
26	BB	1547	C	C5-C6-N1	6.66	124.33	121.00
26	BB	1814	G	C1'-O4'-C4'	6.66	115.23	109.90
26	BB	1937	A	N3-C4-C5	-6.66	122.14	126.80
26	BB	2212	A	N9-C4-C5	-6.66	103.14	105.80
26	BB	2308	G	C5-C6-N1	6.66	114.83	111.50
26	BB	2702	G	C2-N3-C4	6.66	115.23	111.90
1	AA	504	C	C5'-C4'-C3'	-6.66	105.34	116.00
1	AA	1517	G	C4-C5-C6	6.66	122.80	118.80
26	BB	220	G	C5-N7-C8	-6.66	100.97	104.30
26	BB	1404	C	C5'-C4'-C3'	-6.66	105.34	116.00
26	BB	1847	A	C8-N9-C4	-6.66	103.14	105.80
26	BB	2356	U	N1-C1'-C2'	-6.66	104.67	112.00
26	BB	2461	A	O4'-C4'-C3'	6.66	111.43	106.10
1	AA	217	C	O4'-C1'-N1	6.66	113.53	108.20
1	AA	1353	G	C4'-C3'-C2'	-6.66	95.94	102.60
26	BB	805	G	C2-N3-C4	-6.66	108.57	111.90
26	BB	879	G	C8-N9-C4	-6.66	103.74	106.40
26	BB	951	C	O4'-C1'-N1	6.66	113.53	108.20
26	BB	1094	U	N3-C4-C5	-6.66	110.60	114.60
26	BB	1279	G	N1-C6-O6	-6.66	115.90	119.90
26	BB	1661	G	C8-N9-C4	-6.66	103.74	106.40
26	BB	1732	C	N1-C2-N3	-6.66	114.54	119.20
26	BB	2131	U	N1-C2-N3	6.66	118.90	114.90
26	BB	2275	C	N3-C2-O2	-6.66	117.24	121.90
26	BB	2820	A	O4'-C1'-N9	6.66	113.53	108.20
1	AA	429	U	N3-C4-C5	-6.66	110.61	114.60
1	AA	500	G	C1'-O4'-C4'	6.66	115.23	109.90
1	AA	574	A	C5-N7-C8	-6.66	100.57	103.90
1	AA	769	G	C6-N1-C2	-6.66	121.11	125.10
1	AA	1014	A	C8-N9-C4	-6.66	103.14	105.80
1	AA	1063	C	O4'-C1'-N1	6.66	113.53	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1208	C	N1-C2-N3	-6.66	114.54	119.20
26	BB	41	C	O4'-C4'-C3'	-6.66	97.34	104.00
26	BB	51	G	C5-N7-C8	-6.66	100.97	104.30
26	BB	637	A	C5-C6-N1	-6.66	114.37	117.70
26	BB	650	C	C6-N1-C2	-6.66	117.64	120.30
26	BB	800	A	P-O3'-C3'	6.66	127.69	119.70
26	BB	851	C	C3'-C2'-C1'	6.66	106.83	101.50
26	BB	1341	G	N3-C4-C5	-6.66	125.27	128.60
26	BB	2108	A	N1-C2-N3	-6.66	125.97	129.30
26	BB	2315	G	C3'-C2'-C1'	6.66	106.83	101.50
1	AA	577	G	N9-C4-C5	6.66	108.06	105.40
1	AA	1250	A	C2-N3-C4	-6.66	107.27	110.60
1	AA	1384	C	N1-C2-O2	6.66	122.89	118.90
19	AS	28	ARG	NE-CZ-NH2	6.66	123.63	120.30
26	BB	1895	C	N3-C4-C5	-6.66	119.24	121.90
26	BB	2346	A	N7-C8-N9	-6.66	110.47	113.80
56	B5	28	ARG	CD-NE-CZ	6.66	132.92	123.60
1	AA	606	G	C5'-C4'-O4'	6.66	117.09	109.10
1	AA	734	G	C1'-O4'-C4'	6.66	115.22	109.90
1	AA	1390	U	C6-N1-C2	-6.66	117.01	121.00
1	AA	1528	U	C6-N1-C2	-6.66	117.01	121.00
25	BA	57	A	C4-C5-N7	-6.66	107.37	110.70
26	BB	173	A	C1'-O4'-C4'	6.66	115.22	109.90
26	BB	188	G	C8-N9-C4	-6.66	103.74	106.40
26	BB	322	A	O4'-C1'-N9	-6.66	102.88	108.20
26	BB	360	U	C5-C6-N1	-6.66	119.37	122.70
26	BB	542	C	O4'-C1'-N1	6.66	113.53	108.20
26	BB	2808	G	C6-C5-N7	-6.66	126.41	130.40
26	BB	2854	G	C6-N1-C2	-6.66	121.11	125.10
1	AA	647	C	C1'-O4'-C4'	-6.65	104.58	109.90
1	AA	1109	C	N1-C2-O2	6.65	122.89	118.90
26	BB	899	A	C8-N9-C4	-6.65	103.14	105.80
26	BB	1800	C	C6-N1-C2	6.65	122.96	120.30
26	BB	2446	G	N3-C4-N9	6.65	129.99	126.00
1	AA	223	A	O4'-C1'-N9	-6.65	102.88	108.20
1	AA	280	C	C1'-O4'-C4'	6.65	115.22	109.90
1	AA	609	A	O4'-C1'-N9	6.65	113.52	108.20
1	AA	1360	A	C1'-O4'-C4'	-6.65	104.58	109.90
1	AA	1467	C	N3-C4-C5	-6.65	119.24	121.90
3	AC	44	U	N1-C2-N3	-6.65	110.91	114.90
9	AI	109	ARG	NE-CZ-NH2	-6.65	116.97	120.30
25	BA	14	U	C4'-C3'-C2'	-6.65	95.95	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	39	G	N1-C2-N3	-6.65	119.91	123.90
26	BB	115	C	C5-C4-N4	-6.65	115.54	120.20
26	BB	129	C	N3-C4-C5	-6.65	119.24	121.90
26	BB	708	G	C4-C5-N7	6.65	113.46	110.80
26	BB	944	C	N3-C4-N4	6.65	122.66	118.00
26	BB	1469	A	C5-C6-N1	6.65	121.03	117.70
26	BB	1693	U	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	2646	C	C6-N1-C2	6.65	122.96	120.30
1	AA	93	U	C2-N3-C4	-6.65	123.01	127.00
1	AA	127	G	C5-C6-O6	6.65	132.59	128.60
1	AA	425	G	N9-C1'-C2'	-6.65	104.69	112.00
1	AA	538	G	C5-C6-O6	-6.65	124.61	128.60
1	AA	898	G	C5-N7-C8	-6.65	100.97	104.30
4	AD	10	G	O4'-C1'-C2'	6.65	113.58	107.60
4	AD	69	C	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	695	G	N7-C8-N9	6.65	116.42	113.10
26	BB	935	C	N1-C2-O2	-6.65	114.91	118.90
26	BB	1225	G	N7-C8-N9	6.65	116.43	113.10
26	BB	1546	G	C5-C6-N1	6.65	114.83	111.50
26	BB	1586	A	N3-C4-C5	-6.65	122.14	126.80
26	BB	2013	A	C5-C6-N6	-6.65	118.38	123.70
26	BB	2286	G	C3'-C2'-C1'	6.65	106.82	101.50
26	BB	2308	G	C8-N9-C4	-6.65	103.74	106.40
25	BA	37	C	C5-C6-N1	-6.65	117.67	121.00
26	BB	2157	G	C5-C6-O6	-6.65	124.61	128.60
26	BB	2892	G	C4-C5-N7	6.65	113.46	110.80
45	BU	18	ARG	NE-CZ-NH2	6.65	123.62	120.30
1	AA	312	C	O5'-C5'-C4'	6.65	124.33	111.70
1	AA	436	C	C6-N1-C2	6.65	122.96	120.30
1	AA	814	A	O4'-C1'-N9	-6.65	102.88	108.20
1	AA	1044	A	C5-C6-N1	-6.65	114.38	117.70
26	BB	192	C	N3-C4-N4	6.65	122.65	118.00
26	BB	684	G	C6-N1-C2	-6.65	121.11	125.10
26	BB	780	G	C5-C6-N1	6.65	114.82	111.50
26	BB	1244	A	C4-C5-C6	6.65	120.32	117.00
26	BB	1427	A	N1-C6-N6	-6.65	114.61	118.60
26	BB	2032	G	C1'-O4'-C4'	-6.65	104.58	109.90
26	BB	2479	U	N3-C4-C5	-6.65	110.61	114.60
26	BB	2541	A	C2-N3-C4	6.65	113.92	110.60
1	AA	34	C	O4'-C1'-N1	6.65	113.52	108.20
1	AA	949	A	C6-C5-N7	6.65	136.95	132.30
26	BB	1880	U	C5'-C4'-O4'	6.65	117.08	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2555	U	N1-C2-N3	6.65	118.89	114.90
26	BB	2807	U	C4-C5-C6	6.65	123.69	119.70
1	AA	119	A	N9-C4-C5	-6.64	103.14	105.80
1	AA	830	G	C5-N7-C8	-6.64	100.98	104.30
1	AA	1091	U	C3'-C2'-C1'	-6.64	96.18	101.50
25	BA	29	A	N1-C6-N6	-6.64	114.61	118.60
26	BB	436	C	N1-C2-N3	6.64	123.85	119.20
26	BB	1865	U	C5-C6-N1	-6.64	119.38	122.70
26	BB	2319	G	C4-C5-N7	6.64	113.46	110.80
26	BB	2446	G	C8-N9-C4	-6.64	103.74	106.40
26	BB	2780	G	C4-C5-C6	6.64	122.79	118.80
1	AA	303	A	C4-C5-N7	6.64	114.02	110.70
1	AA	511	C	C3'-C2'-C1'	-6.64	96.19	101.50
1	AA	651	C	N3-C2-O2	-6.64	117.25	121.90
25	BA	54	G	N3-C2-N2	-6.64	115.25	119.90
26	BB	771	G	C5-C6-O6	-6.64	124.61	128.60
26	BB	931	U	C6-N1-C2	-6.64	117.01	121.00
26	BB	1306	C	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	1723	G	C5-C6-N1	6.64	114.82	111.50
26	BB	2307	G	C1'-O4'-C4'	6.64	115.21	109.90
26	BB	2749	A	C4-C5-N7	-6.64	107.38	110.70
26	BB	146	A	C2-N3-C4	6.64	113.92	110.60
26	BB	892	A	N1-C2-N3	-6.64	125.98	129.30
26	BB	1395	A	N7-C8-N9	-6.64	110.48	113.80
26	BB	2332	C	N3-C4-C5	-6.64	119.24	121.90
1	AA	1144	G	C8-N9-C4	-6.64	103.74	106.40
1	AA	1260	G	N1-C6-O6	-6.64	115.92	119.90
25	BA	9	G	O4'-C1'-N9	6.64	113.51	108.20
26	BB	1197	G	C4-C5-N7	-6.64	108.14	110.80
26	BB	1277	G	N3-C4-C5	-6.64	125.28	128.60
26	BB	1303	G	C5-C6-O6	-6.64	124.62	128.60
26	BB	1309	G	C6-N1-C2	-6.64	121.12	125.10
26	BB	2096	C	N3-C4-N4	6.64	122.65	118.00
26	BB	2101	A	N1-C2-N3	6.64	132.62	129.30
26	BB	2359	C	N1-C2-O2	6.64	122.88	118.90
26	BB	2382	G	C4-C5-N7	-6.64	108.14	110.80
26	BB	2684	U	C4-C5-C6	6.64	123.68	119.70
1	AA	437	U	N1-C1'-C2'	-6.64	104.70	112.00
1	AA	1149	C	P-O3'-C3'	6.64	127.67	119.70
26	BB	1396	U	C3'-C2'-C1'	-6.64	96.19	101.50
26	BB	2402	U	C2-N1-C1'	6.64	125.67	117.70
1	AA	17	U	C5'-C4'-O4'	6.64	117.06	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	126	G	C5-N7-C8	6.64	107.62	104.30
1	AA	202	G	N1-C6-O6	-6.64	115.92	119.90
1	AA	656	G	N1-C6-O6	-6.64	115.92	119.90
1	AA	774	G	C8-N9-C4	-6.64	103.75	106.40
1	AA	914	A	C5-C6-N1	6.64	121.02	117.70
1	AA	942	G	O4'-C1'-N9	6.64	113.51	108.20
1	AA	1329	A	C8-N9-C4	-6.64	103.14	105.80
1	AA	1504	G	P-O3'-C3'	6.64	127.66	119.70
25	BA	50	A	N9-C4-C5	-6.64	103.14	105.80
26	BB	60	G	N7-C8-N9	6.64	116.42	113.10
26	BB	158	U	N1-C1'-C2'	-6.64	104.70	112.00
26	BB	439	A	N3-C4-C5	6.64	131.45	126.80
26	BB	753	A	C5-C6-N1	-6.64	114.38	117.70
26	BB	1254	A	C1'-O4'-C4'	-6.64	104.59	109.90
50	BZ	6	VAL	CG1-CB-CG2	-6.64	100.28	110.90
1	AA	196	A	N1-C6-N6	6.63	122.58	118.60
1	AA	232	G	C6-N1-C2	-6.63	121.12	125.10
1	AA	1069	C	O4'-C1'-N1	6.63	113.51	108.20
1	AA	1122	U	N3-C4-O4	6.63	124.04	119.40
4	AD	57	C	C4-C5-C6	6.63	120.72	117.40
26	BB	818	G	N3-C2-N2	6.63	124.54	119.90
26	BB	2598	A	N7-C8-N9	-6.63	110.48	113.80
1	AA	360	G	O4'-C1'-N9	6.63	113.51	108.20
1	AA	698	G	N3-C4-N9	6.63	129.98	126.00
1	AA	1080	A	N9-C4-C5	-6.63	103.15	105.80
26	BB	609	A	N1-C2-N3	-6.63	125.98	129.30
26	BB	1351	C	C5-C4-N4	6.63	124.84	120.20
26	BB	2697	G	C1'-O4'-C4'	-6.63	104.59	109.90
1	AA	733	G	N9-C4-C5	-6.63	102.75	105.40
26	BB	198	C	C1'-O4'-C4'	6.63	115.20	109.90
26	BB	640	C	N3-C4-N4	6.63	122.64	118.00
26	BB	959	A	C4-C5-N7	6.63	114.02	110.70
26	BB	1464	G	C5-C6-N1	6.63	114.82	111.50
26	BB	1604	C	C5-C4-N4	-6.63	115.56	120.20
26	BB	1683	U	N1-C2-N3	6.63	118.88	114.90
26	BB	2799	A	C5-C6-N1	6.63	121.02	117.70
1	AA	211	G	C8-N9-C4	-6.63	103.75	106.40
1	AA	422	C	N1-C2-O2	6.63	122.88	118.90
1	AA	779	C	N3-C4-N4	6.63	122.64	118.00
1	AA	1171	A	C6-N1-C2	6.63	122.58	118.60
1	AA	1272	G	C5-C6-N1	-6.63	108.19	111.50
1	AA	1357	A	C5'-C4'-O4'	6.63	117.06	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	116	G	C1'-O4'-C4'	-6.63	104.60	109.90
26	BB	1728	C	O4'-C1'-N1	6.63	113.50	108.20
1	AA	837	U	N1-C2-O2	-6.63	118.16	122.80
1	AA	1183	U	C3'-C2'-C1'	6.63	106.80	101.50
1	AA	1319	A	N7-C8-N9	-6.63	110.48	113.80
2	AB	26	A	N1-C6-N6	-6.63	114.62	118.60
3	AC	37	G	C5-C6-N1	6.63	114.81	111.50
26	BB	1901	A	O4'-C1'-N9	6.63	113.50	108.20
26	BB	2230	G	C1'-O4'-C4'	-6.63	104.60	109.90
1	AA	99	C	C5-C4-N4	6.63	124.84	120.20
1	AA	1169	A	C4-C5-C6	-6.63	113.69	117.00
26	BB	493	G	C5'-C4'-O4'	6.63	117.05	109.10
26	BB	1173	U	N1-C1'-C2'	-6.63	104.71	112.00
26	BB	1277	G	C5-C6-O6	-6.63	124.62	128.60
26	BB	1754	A	C8-N9-C4	-6.63	103.15	105.80
26	BB	2536	G	C8-N9-C4	-6.63	103.75	106.40
26	BB	2843	G	C5-C6-O6	-6.62	124.62	128.60
1	AA	84	U	C5-C4-O4	-6.62	121.93	125.90
1	AA	619	U	N1-C1'-C2'	6.62	122.61	114.00
1	AA	834	U	C4'-C3'-C2'	-6.62	95.98	102.60
26	BB	400	G	N1-C6-O6	6.62	123.87	119.90
26	BB	670	A	C4-C5-N7	-6.62	107.39	110.70
26	BB	800	A	C4-C5-N7	-6.62	107.39	110.70
26	BB	902	C	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	1029	A	C5'-C4'-C3'	-6.62	105.40	116.00
26	BB	1544	A	C4-C5-N7	-6.62	107.39	110.70
26	BB	2534	A	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	2584	U	C6-N1-C2	6.62	124.97	121.00
1	AA	941	G	C4-C5-C6	-6.62	114.83	118.80
1	AA	1350	A	P-O3'-C3'	6.62	127.65	119.70
1	AA	1455	G	N3-C4-N9	6.62	129.97	126.00
4	AD	29	C	N3-C4-N4	6.62	122.64	118.00
7	AG	62	ARG	NE-CZ-NH2	-6.62	116.99	120.30
26	BB	147	C	O4'-C4'-C3'	6.62	111.40	106.10
26	BB	843	G	N1-C2-N3	-6.62	119.93	123.90
26	BB	1244	A	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	2019	A	C2'-C3'-O3'	6.62	124.30	113.70
26	BB	2574	G	C2-N3-C4	6.62	115.21	111.90
26	BB	2775	G	O4'-C1'-N9	6.62	113.50	108.20
1	AA	605	U	N3-C4-O4	6.62	124.03	119.40
3	AC	15	G	N3-C2-N2	6.62	124.53	119.90
26	BB	603	A	C5'-C4'-O4'	-6.62	101.16	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2649	C	C4-C5-C6	6.62	120.71	117.40
28	BD	247	TRP	CE3-CZ3-CH2	-6.62	113.92	121.20
1	AA	641	U	C4'-C3'-C2'	6.62	109.22	102.60
1	AA	657	U	C4-C5-C6	6.62	123.67	119.70
1	AA	1250	A	C5-C6-N6	-6.62	118.41	123.70
1	AA	1401	G	C5'-C4'-C3'	-6.62	105.41	116.00
2	AB	74	C	C3'-C2'-C1'	6.62	106.80	101.50
3	AC	20	G	C4'-C3'-C2'	-6.62	95.98	102.60
26	BB	131	A	N1-C6-N6	6.62	122.57	118.60
26	BB	157	C	C4-C5-C6	-6.62	114.09	117.40
26	BB	795	C	C6-N1-C2	6.62	122.95	120.30
26	BB	1114	C	N1-C2-O2	6.62	122.87	118.90
26	BB	1125	G	C4-C5-C6	6.62	122.77	118.80
26	BB	1148	U	N3-C4-O4	-6.62	114.77	119.40
26	BB	1354	A	C5-C6-N1	6.62	121.01	117.70
43	BS	82	LEU	CB-CG-CD1	6.62	122.25	111.00
1	AA	1073	U	C6-N1-C2	-6.62	117.03	121.00
26	BB	328	U	C5-C6-N1	6.62	126.01	122.70
26	BB	949	G	N7-C8-N9	6.62	116.41	113.10
26	BB	1437	C	C1'-O4'-C4'	6.62	115.19	109.90
26	BB	1654	A	C8-N9-C4	-6.62	103.15	105.80
26	BB	2837	A	C4'-C3'-C2'	-6.62	95.98	102.60
47	BW	85	ARG	NE-CZ-NH1	6.62	123.61	120.30
1	AA	320	A	C5'-C4'-C3'	-6.62	105.42	116.00
26	BB	72	U	C3'-C2'-C1'	-6.62	96.21	101.50
26	BB	777	G	C5-C6-N1	6.62	114.81	111.50
26	BB	1072	C	C4-C5-C6	-6.62	114.09	117.40
1	AA	1070	U	N3-C4-C5	-6.61	110.63	114.60
1	AA	1081	A	C5-C6-N6	-6.61	118.41	123.70
1	AA	1243	C	C5-C6-N1	6.61	124.31	121.00
1	AA	1453	G	C4'-C3'-C2'	-6.61	95.99	102.60
26	BB	1393	A	N1-C2-N3	-6.61	125.99	129.30
26	BB	1645	G	O4'-C1'-N9	6.61	113.49	108.20
26	BB	2058	A	O4'-C1'-N9	6.61	113.49	108.20
32	BH	156	TYR	CD1-CG-CD2	6.61	125.17	117.90
26	BB	146	A	C1'-O4'-C4'	-6.61	104.61	109.90
26	BB	473	G	N9-C4-C5	6.61	108.05	105.40
26	BB	913	U	C5-C6-N1	-6.61	119.39	122.70
26	BB	2286	G	C5-N7-C8	-6.61	100.99	104.30
1	AA	1337	G	C8-N9-C1'	6.61	135.59	127.00
1	AA	1410	A	N1-C6-N6	-6.61	114.63	118.60
4	AD	52	C	C5-C6-N1	6.61	124.31	121.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	28	C	C5-C4-N4	-6.61	115.57	120.20
26	BB	1164	C	C1'-O4'-C4'	-6.61	104.61	109.90
26	BB	1282	U	C6-N1-C1'	-6.61	111.94	121.20
26	BB	1369	G	C5'-C4'-O4'	6.61	117.03	109.10
26	BB	1880	U	C5-C4-O4	-6.61	121.93	125.90
26	BB	2082	A	C5-N7-C8	6.61	107.20	103.90
26	BB	2662	A	C2-N3-C4	-6.61	107.29	110.60
26	BB	2703	C	N3-C2-O2	-6.61	117.27	121.90
1	AA	771	G	C8-N9-C1'	6.61	135.59	127.00
26	BB	1652	A	N9-C4-C5	6.61	108.44	105.80
26	BB	1922	G	N3-C4-N9	6.61	129.97	126.00
42	BR	98	TYR	CB-CG-CD2	-6.61	117.03	121.00
1	AA	481	G	P-O3'-C3'	6.61	127.63	119.70
1	AA	932	C	C6-N1-C2	6.61	122.94	120.30
1	AA	1241	G	O3'-P-O5'	-6.61	91.45	104.00
1	AA	1400	C	O4'-C1'-N1	6.61	113.49	108.20
26	BB	64	A	N9-C1'-C2'	-6.61	104.73	112.00
26	BB	737	C	C4'-C3'-C2'	-6.61	95.99	102.60
26	BB	987	C	N3-C2-O2	-6.61	117.27	121.90
26	BB	2035	G	C5-C6-N1	6.61	114.80	111.50
26	BB	2448	A	C8-N9-C4	-6.61	103.16	105.80
26	BB	2643	G	N1-C6-O6	-6.61	115.94	119.90
28	BD	47	ARG	NE-CZ-NH2	-6.61	117.00	120.30
42	BR	112	ARG	NH1-CZ-NH2	-6.61	112.13	119.40
1	AA	521	G	C4-C5-C6	6.61	122.76	118.80
1	AA	1274	A	O4'-C1'-N9	6.61	113.48	108.20
25	BA	20	G	C6-C5-N7	-6.61	126.44	130.40
26	BB	1688	U	C4-C5-C6	6.61	123.66	119.70
1	AA	250	A	N7-C8-N9	6.60	117.10	113.80
1	AA	462	G	N7-C8-N9	6.60	116.40	113.10
26	BB	790	U	C2-N3-C4	-6.60	123.04	127.00
26	BB	2035	G	N3-C2-N2	-6.60	115.28	119.90
26	BB	2431	U	P-O3'-C3'	6.60	127.62	119.70
26	BB	2517	C	N3-C4-C5	-6.60	119.26	121.90
1	AA	545	C	N3-C2-O2	-6.60	117.28	121.90
1	AA	747	A	C4-C5-C6	6.60	120.30	117.00
1	AA	778	G	C6-N1-C2	-6.60	121.14	125.10
4	AD	4	G	C3'-C2'-C1'	6.60	106.78	101.50
4	AD	42	C	N3-C2-O2	-6.60	117.28	121.90
12	AL	18	VAL	CA-CB-CG2	6.60	120.81	110.90
25	BA	95	U	C6-N1-C2	-6.60	117.04	121.00
26	BB	166	U	C4-C5-C6	6.60	123.66	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	615	U	N1-C2-O2	6.60	127.42	122.80
26	BB	627	A	C4-C5-C6	6.60	120.30	117.00
26	BB	873	C	C2-N3-C4	-6.60	116.60	119.90
26	BB	1139	G	C5-N7-C8	6.60	107.60	104.30
26	BB	1187	G	C6-C5-N7	-6.60	126.44	130.40
26	BB	1663	G	C8-N9-C4	-6.60	103.76	106.40
26	BB	1719	G	C1'-O4'-C4'	-6.60	104.62	109.90
26	BB	2133	G	O4'-C1'-C2'	-6.60	99.20	105.80
26	BB	2560	A	C5'-C4'-O4'	6.60	117.02	109.10
26	BB	2603	G	C2-N3-C4	6.60	115.20	111.90
1	AA	1409	C	C6-N1-C2	-6.60	117.66	120.30
1	AA	1416	G	C8-N9-C4	-6.60	103.76	106.40
1	AA	1431	A	C6-C5-N7	6.60	136.92	132.30
25	BA	111	U	C1'-O4'-C4'	-6.60	104.62	109.90
26	BB	709	U	C5'-C4'-C3'	-6.60	105.44	116.00
26	BB	802	A	C6-N1-C2	-6.60	114.64	118.60
26	BB	1342	A	C5'-C4'-C3'	-6.60	105.44	116.00
26	BB	1945	G	C2-N3-C4	6.60	115.20	111.90
26	BB	2540	C	N1-C2-N3	-6.60	114.58	119.20
1	AA	75	G	N9-C4-C5	6.60	108.04	105.40
1	AA	159	G	N3-C4-N9	6.60	129.96	126.00
1	AA	230	G	C1'-O4'-C4'	-6.60	104.62	109.90
1	AA	852	G	C2-N3-C4	6.60	115.20	111.90
1	AA	1117	A	C6-N1-C2	6.60	122.56	118.60
4	AD	43	G	C2-N3-C4	6.60	115.20	111.90
4	AD	43	G	N9-C4-C5	6.60	108.04	105.40
26	BB	597	G	C4-C5-C6	6.60	122.76	118.80
26	BB	1827	U	N3-C4-O4	-6.60	114.78	119.40
26	BB	2141	G	N1-C2-N3	6.60	127.86	123.90
26	BB	2618	G	C5'-C4'-O4'	6.60	117.02	109.10
28	BD	173	LEU	O-C-N	6.60	133.26	122.70
1	AA	324	G	N1-C2-N3	-6.60	119.94	123.90
1	AA	354	G	C5-N7-C8	-6.60	101.00	104.30
1	AA	400	C	C5-C6-N1	-6.60	117.70	121.00
26	BB	311	A	C6-N1-C2	-6.60	114.64	118.60
26	BB	827	U	C2-N3-C4	-6.60	123.04	127.00
26	BB	1356	G	N3-C4-N9	6.60	129.96	126.00
26	BB	1425	G	C8-N9-C4	-6.60	103.76	106.40
26	BB	1864	U	C5-C4-O4	-6.60	121.94	125.90
26	BB	1987	A	C5'-C4'-O4'	6.60	117.02	109.10
1	AA	199	A	C5'-C4'-O4'	6.60	117.02	109.10
1	AA	1100	C	N1-C2-N3	6.60	123.82	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	51	VAL	CA-CB-CG1	6.60	120.79	110.90
26	BB	1578	U	O4'-C1'-N1	6.60	113.48	108.20
1	AA	414	A	C6-N1-C2	6.59	122.56	118.60
1	AA	629	A	C1'-O4'-C4'	-6.59	104.62	109.90
1	AA	666	G	N3-C4-C5	-6.59	125.30	128.60
1	AA	689	C	N1-C1'-C2'	-6.59	104.75	112.00
1	AA	734	G	C5-C6-N1	-6.59	108.20	111.50
1	AA	1027	C	N1-C2-O2	-6.59	114.94	118.90
1	AA	1219	A	C6-C5-N7	6.59	136.92	132.30
2	AB	36	A	C5-C6-N6	-6.59	118.42	123.70
9	AI	109	ARG	NE-CZ-NH1	6.59	123.60	120.30
26	BB	252	G	C5-C6-O6	-6.59	124.64	128.60
26	BB	1104	C	C6-N1-C2	6.59	122.94	120.30
26	BB	1535	A	P-O3'-C3'	6.59	127.61	119.70
26	BB	2126	A	O5'-P-OP1	-6.59	99.77	105.70
26	BB	2489	U	C5-C4-O4	6.59	129.86	125.90
1	AA	51	A	O4'-C1'-N9	6.59	113.47	108.20
1	AA	523	A	N1-C6-N6	-6.59	114.64	118.60
1	AA	621	A	N9-C4-C5	6.59	108.44	105.80
1	AA	684	U	C5'-C4'-O4'	6.59	117.01	109.10
26	BB	316	C	C3'-C2'-C1'	6.59	106.78	101.50
26	BB	491	G	N7-C8-N9	-6.59	109.80	113.10
26	BB	2751	G	C8-N9-C4	6.59	109.04	106.40
1	AA	17	U	N3-C4-O4	-6.59	114.79	119.40
4	AD	12	G	N7-C8-N9	6.59	116.39	113.10
4	AD	12	G	N9-C1'-C2'	-6.59	104.75	112.00
26	BB	663	G	C6-C5-N7	-6.59	126.44	130.40
1	AA	10	A	C6-N1-C2	6.59	122.55	118.60
1	AA	200	G	C6-C5-N7	-6.59	126.45	130.40
1	AA	432	A	O4'-C1'-N9	6.59	113.47	108.20
1	AA	596	A	C5'-C4'-O4'	6.59	117.01	109.10
1	AA	776	G	C6-C5-N7	-6.59	126.45	130.40
1	AA	1057	G	O4'-C4'-C3'	6.59	111.37	106.10
2	AB	56	C	N3-C4-C5	-6.59	119.26	121.90
26	BB	175	G	O4'-C1'-N9	6.59	113.47	108.20
26	BB	401	A	C4'-C3'-C2'	-6.59	96.01	102.60
26	BB	786	C	C4'-C3'-C2'	-6.59	96.01	102.60
26	BB	869	G	N9-C1'-C2'	-6.59	104.75	112.00
26	BB	1416	G	N1-C6-O6	-6.59	115.95	119.90
26	BB	2435	A	N9-C4-C5	6.59	108.44	105.80
26	BB	2453	A	C3'-C2'-C1'	-6.59	96.23	101.50
1	AA	326	G	C2-N3-C4	6.59	115.19	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1058	G	N7-C8-N9	6.59	116.39	113.10
1	AA	1189	U	N1-C2-O2	6.59	127.41	122.80
1	AA	1374	A	C4-C5-N7	-6.59	107.41	110.70
26	BB	949	G	C4-C5-N7	6.59	113.44	110.80
26	BB	1473	G	C4'-C3'-C2'	-6.59	96.01	102.60
1	AA	688	G	C5-C6-O6	-6.59	124.65	128.60
1	AA	791	G	O5'-C5'-C4'	-6.59	99.19	111.70
1	AA	958	A	C5'-C4'-C3'	-6.59	105.46	116.00
1	AA	1383	C	C4-C5-C6	-6.59	114.11	117.40
26	BB	101	A	N1-C2-N3	-6.59	126.01	129.30
26	BB	215	G	C6-C5-N7	-6.59	126.45	130.40
26	BB	692	C	N1-C2-O2	6.59	122.85	118.90
26	BB	1580	A	C8-N9-C4	-6.59	103.17	105.80
26	BB	1743	G	N7-C8-N9	6.59	116.39	113.10
26	BB	2299	U	C5-C4-O4	6.59	129.85	125.90
26	BB	2401	U	C3'-C2'-C1'	6.59	106.77	101.50
26	BB	2437	G	C5-C6-O6	-6.59	124.65	128.60
1	AA	96	U	C5-C4-O4	6.58	129.85	125.90
1	AA	285	C	C4'-C3'-C2'	-6.58	96.02	102.60
25	BA	73	A	C5'-C4'-O4'	6.58	117.00	109.10
26	BB	348	A	C5-N7-C8	-6.58	100.61	103.90
26	BB	649	G	C1'-O4'-C4'	-6.58	104.63	109.90
26	BB	1891	G	C5'-C4'-O4'	6.58	117.00	109.10
1	AA	744	C	N1-C2-O2	6.58	122.85	118.90
1	AA	1008	U	O4'-C1'-N1	6.58	113.47	108.20
4	AD	63	C	C6-N1-C2	6.58	122.93	120.30
10	AJ	104	VAL	CA-CB-CG1	6.58	120.78	110.90
10	AJ	154	ARG	NE-CZ-NH2	-6.58	117.01	120.30
25	BA	43	C	N1-C2-O2	6.58	122.85	118.90
26	BB	780	G	O4'-C1'-N9	6.58	113.47	108.20
26	BB	2122	U	O5'-P-OP1	-6.58	99.78	105.70
26	BB	2247	A	C4-C5-N7	6.58	113.99	110.70
26	BB	2813	A	C4-C5-C6	6.58	120.29	117.00
1	AA	375	U	C2-N3-C4	-6.58	123.05	127.00
1	AA	686	U	N3-C2-O2	-6.58	117.59	122.20
1	AA	698	G	C5'-C4'-O4'	6.58	117.00	109.10
1	AA	1084	G	C4-C5-C6	6.58	122.75	118.80
3	AC	17	U	N3-C2-O2	-6.58	117.59	122.20
17	AQ	60	ARG	NE-CZ-NH1	6.58	123.59	120.30
26	BB	14	A	C5-N7-C8	-6.58	100.61	103.90
26	BB	760	G	O4'-C4'-C3'	6.58	111.37	106.10
26	BB	1649	G	C5'-C4'-O4'	6.58	117.00	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2884	U	C2-N1-C1'	6.58	125.60	117.70
1	AA	76	G	N1-C2-N3	-6.58	119.95	123.90
1	AA	1136	C	O4'-C1'-N1	6.58	113.46	108.20
14	AN	52	ARG	NE-CZ-NH1	6.58	123.59	120.30
26	BB	1938	A	N1-C6-N6	6.58	122.55	118.60
26	BB	2305	U	N3-C4-C5	-6.58	110.65	114.60
1	AA	505	G	N1-C6-O6	6.58	123.85	119.90
2	AB	26	A	C8-N9-C4	-6.58	103.17	105.80
5	AE	196	ASP	O-C-N	-6.58	112.17	122.70
25	BA	29	A	C5-C6-N6	6.58	128.96	123.70
26	BB	34	U	C5-C6-N1	-6.58	119.41	122.70
26	BB	311	A	O3'-P-O5'	-6.58	91.50	104.00
26	BB	603	A	C5'-C4'-C3'	-6.58	105.47	116.00
26	BB	1825	U	C6-N1-C2	-6.58	117.05	121.00
26	BB	1859	U	C5'-C4'-O4'	6.58	116.99	109.10
26	BB	2559	C	N1-C2-N3	-6.58	114.59	119.20
1	AA	825	A	C3'-C2'-C1'	6.58	106.76	101.50
26	BB	1236	G	C3'-C2'-C1'	6.58	106.76	101.50
26	BB	2515	C	C5-C6-N1	6.58	124.29	121.00
1	AA	1201	A	C4-C5-C6	-6.58	113.71	117.00
25	BA	69	G	N3-C4-C5	-6.58	125.31	128.60
26	BB	855	G	C8-N9-C4	-6.58	103.77	106.40
26	BB	912	C	C2-N3-C4	6.58	123.19	119.90
26	BB	1167	C	N3-C2-O2	-6.58	117.30	121.90
26	BB	1428	C	C5-C6-N1	6.58	124.29	121.00
26	BB	1587	G	C5'-C4'-O4'	6.58	116.99	109.10
26	BB	2599	G	N7-C8-N9	-6.58	109.81	113.10
1	AA	1102	A	C3'-C2'-C1'	6.57	106.76	101.50
1	AA	1533	C	C3'-C2'-C1'	6.57	106.76	101.50
6	AF	35	ASP	CB-CG-OD1	-6.57	112.39	118.30
26	BB	393	C	N1-C2-O2	6.57	122.84	118.90
26	BB	518	G	N1-C2-N3	-6.57	119.96	123.90
26	BB	720	U	C4'-C3'-C2'	-6.57	96.03	102.60
26	BB	1356	G	N9-C4-C5	-6.57	102.77	105.40
26	BB	2513	A	N9-C4-C5	6.57	108.43	105.80
26	BB	2678	C	O4'-C1'-N1	6.57	113.46	108.20
1	AA	1132	C	C2-N3-C4	-6.57	116.61	119.90
4	AD	23	G	O4'-C1'-N9	6.57	113.46	108.20
4	AD	37	U	O4'-C1'-N1	6.57	113.46	108.20
7	AG	153	ARG	NE-CZ-NH2	6.57	123.59	120.30
1	AA	251	G	C5'-C4'-C3'	6.57	126.51	116.00
1	AA	407	U	C6-N1-C2	-6.57	117.06	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	508	U	N1-C2-N3	6.57	118.84	114.90
1	AA	608	A	N3-C4-C5	-6.57	122.20	126.80
1	AA	827	U	N3-C2-O2	-6.57	117.60	122.20
1	AA	875	U	C1'-O4'-C4'	-6.57	104.64	109.90
1	AA	1181	G	P-O3'-C3'	6.57	127.59	119.70
26	BB	728	G	N3-C4-N9	6.57	129.94	126.00
26	BB	755	U	C6-N1-C2	-6.57	117.06	121.00
26	BB	876	C	C5'-C4'-O4'	6.57	116.98	109.10
26	BB	1065	U	N3-C4-O4	6.57	124.00	119.40
26	BB	1488	C	C2-N3-C4	-6.57	116.61	119.90
26	BB	1639	C	C4-C5-C6	6.57	120.69	117.40
26	BB	1928	A	C6-N1-C2	6.57	122.54	118.60
26	BB	2144	G	C6-N1-C2	-6.57	121.16	125.10
1	AA	583	A	C6-C5-N7	6.57	136.90	132.30
1	AA	625	U	N1-C2-N3	-6.57	110.96	114.90
1	AA	1354	U	O4'-C1'-N1	6.57	113.45	108.20
26	BB	397	U	N1-C1'-C2'	-6.57	104.77	112.00
26	BB	443	A	C8-N9-C4	6.57	108.43	105.80
26	BB	1207	C	O4'-C1'-N1	6.57	113.45	108.20
26	BB	2569	G	C8-N9-C4	-6.57	103.77	106.40
1	AA	138	G	C2-N3-C4	6.57	115.18	111.90
1	AA	260	G	N9-C4-C5	6.57	108.03	105.40
1	AA	1257	A	O3'-P-O5'	-6.57	91.52	104.00
1	AA	1329	A	C5-N7-C8	-6.57	100.62	103.90
26	BB	668	A	N7-C8-N9	-6.57	110.52	113.80
26	BB	977	G	N3-C4-N9	6.57	129.94	126.00
26	BB	1191	G	C4-C5-N7	-6.57	108.17	110.80
26	BB	1515	A	N3-C4-N9	6.57	132.65	127.40
26	BB	2203	U	N3-C4-C5	-6.57	110.66	114.60
1	AA	80	A	C5-C6-N6	-6.57	118.45	123.70
1	AA	111	G	C4-C5-C6	6.57	122.74	118.80
1	AA	758	C	N1-C2-O2	6.57	122.84	118.90
1	AA	898	G	N7-C8-N9	6.57	116.38	113.10
1	AA	1018	G	C5'-C4'-O4'	6.57	116.98	109.10
1	AA	1266	G	N3-C4-N9	6.57	129.94	126.00
26	BB	326	G	N1-C2-N2	6.57	122.11	116.20
26	BB	1516	G	C4-C5-N7	-6.57	108.17	110.80
26	BB	2376	A	N7-C8-N9	6.57	117.08	113.80
1	AA	186	C	N1-C1'-C2'	-6.56	104.78	112.00
1	AA	202	G	N3-C4-C5	-6.56	125.32	128.60
1	AA	523	A	C3'-C2'-C1'	6.56	106.75	101.50
1	AA	785	G	C6-N1-C2	-6.56	121.16	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	17	G	N3-C4-N9	6.56	129.94	126.00
26	BB	476	G	N1-C2-N3	-6.56	119.96	123.90
26	BB	2217	G	C5-C6-N1	6.56	114.78	111.50
26	BB	2574	G	O4'-C1'-N9	6.56	113.45	108.20
26	BB	2703	C	C4-C5-C6	-6.56	114.12	117.40
1	AA	593	U	C5-C6-N1	6.56	125.98	122.70
26	BB	375	G	N1-C2-N3	-6.56	119.96	123.90
26	BB	644	A	C8-N9-C4	-6.56	103.17	105.80
26	BB	829	A	N9-C4-C5	-6.56	103.17	105.80
26	BB	1399	C	N3-C4-N4	6.56	122.59	118.00
26	BB	1703	G	C6-N1-C2	-6.56	121.16	125.10
26	BB	2542	A	O4'-C4'-C3'	6.56	111.35	106.10
26	BB	2841	C	O4'-C1'-N1	6.56	113.45	108.20
28	BD	220	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	AA	81	A	O4'-C4'-C3'	6.56	111.35	106.10
1	AA	1433	A	O4'-C1'-N9	6.56	113.45	108.20
26	BB	577	G	C6-C5-N7	-6.56	126.46	130.40
26	BB	1642	G	N3-C4-C5	-6.56	125.32	128.60
26	BB	1926	U	N3-C4-O4	-6.56	114.81	119.40
26	BB	2158	A	N1-C6-N6	-6.56	114.66	118.60
32	BH	57	TYR	CD1-CG-CD2	6.56	125.12	117.90
1	AA	213	G	C5'-C4'-O4'	6.56	116.97	109.10
1	AA	623	C	C6-N1-C2	-6.56	117.68	120.30
1	AA	728	A	N9-C1'-C2'	6.56	122.53	114.00
1	AA	800	G	N3-C2-N2	6.56	124.49	119.90
1	AA	822	U	N3-C2-O2	-6.56	117.61	122.20
2	AB	43	G	N3-C4-N9	6.56	129.94	126.00
4	AD	53	G	N3-C4-N9	6.56	129.94	126.00
26	BB	372	G	C1'-O4'-C4'	6.56	115.15	109.90
26	BB	716	A	O4'-C1'-N9	6.56	113.45	108.20
26	BB	1557	C	N3-C2-O2	6.56	126.49	121.90
26	BB	1812	U	N1-C2-O2	6.56	127.39	122.80
26	BB	2671	G	C1'-O4'-C4'	-6.56	104.65	109.90
26	BB	2882	A	P-O3'-C3'	6.56	127.57	119.70
1	AA	529	G	N9-C4-C5	6.56	108.02	105.40
1	AA	673	A	C1'-O4'-C4'	-6.56	104.65	109.90
1	AA	1418	A	C5-C6-N6	-6.56	118.45	123.70
4	AD	20	G	N7-C8-N9	6.56	116.38	113.10
26	BB	340	A	C5-C6-N1	-6.56	114.42	117.70
26	BB	976	G	C5-C6-O6	-6.56	124.67	128.60
26	BB	1056	G	C5-C6-N1	6.56	114.78	111.50
26	BB	1887	C	N3-C2-O2	-6.56	117.31	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2279	G	C4-C5-C6	6.56	122.73	118.80
26	BB	2718	G	N9-C4-C5	6.56	108.02	105.40
1	AA	320	A	N1-C2-N3	-6.56	126.02	129.30
26	BB	1842	G	N3-C4-C5	-6.56	125.32	128.60
26	BB	2189	U	C5-C4-O4	6.56	129.83	125.90
26	BB	2664	G	C6-C5-N7	-6.56	126.47	130.40
1	AA	128	G	N1-C6-O6	-6.55	115.97	119.90
1	AA	490	C	C5'-C4'-O4'	6.55	116.97	109.10
1	AA	1047	G	O4'-C1'-C2'	6.55	113.50	107.60
1	AA	1097	C	C3'-C2'-C1'	-6.55	96.26	101.50
1	AA	1152	A	N7-C8-N9	-6.55	110.52	113.80
1	AA	1299	A	O4'-C4'-C3'	-6.55	97.44	104.00
26	BB	685	A	N9-C1'-C2'	-6.55	104.79	112.00
26	BB	1588	G	C5-C6-N1	6.55	114.78	111.50
26	BB	2346	A	C5'-C4'-C3'	-6.55	105.51	116.00
26	BB	2663	G	P-O3'-C3'	6.55	127.57	119.70
26	BB	2698	U	P-O3'-C3'	6.55	127.56	119.70
1	AA	251	G	N9-C4-C5	6.55	108.02	105.40
26	BB	1961	C	N1-C2-O2	6.55	122.83	118.90
26	BB	2319	G	C2-N3-C4	6.55	115.18	111.90
26	BB	2357	G	O4'-C4'-C3'	6.55	111.34	106.10
26	BB	2499	C	O4'-C1'-N1	6.55	113.44	108.20
1	AA	461	A	C4-C5-N7	-6.55	107.42	110.70
1	AA	1201	A	C5-N7-C8	6.55	107.18	103.90
1	AA	1244	G	N9-C4-C5	6.55	108.02	105.40
1	AA	1443	C	C1'-O4'-C4'	-6.55	104.66	109.90
1	AA	1513	A	C1'-O4'-C4'	-6.55	104.66	109.90
26	BB	202	U	C2-N3-C4	-6.55	123.07	127.00
26	BB	273	G	N9-C4-C5	6.55	108.02	105.40
26	BB	881	G	C4'-C3'-C2'	-6.55	96.05	102.60
26	BB	1116	G	C2-N3-C4	6.55	115.18	111.90
26	BB	1497	U	N3-C2-O2	-6.55	117.61	122.20
26	BB	1639	C	C4'-C3'-C2'	-6.55	96.05	102.60
26	BB	1936	A	N1-C2-N3	-6.55	126.02	129.30
26	BB	2272	U	P-O3'-C3'	6.55	127.56	119.70
26	BB	2464	G	C6-C5-N7	6.55	134.33	130.40
26	BB	2564	A	C8-N9-C4	-6.55	103.18	105.80
26	BB	2838	G	C3'-C2'-C1'	6.55	106.74	101.50
33	BI	70	GLU	OE1-CD-OE2	-6.55	115.44	123.30
1	AA	478	A	C8-N9-C4	-6.55	103.18	105.80
1	AA	797	C	N3-C4-N4	6.55	122.58	118.00
1	AA	1011	C	C4-C5-C6	6.55	120.67	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1299	A	N1-C6-N6	-6.55	114.67	118.60
1	AA	1368	A	N7-C8-N9	6.55	117.08	113.80
26	BB	1770	G	N9-C4-C5	6.55	108.02	105.40
26	BB	2092	U	N1-C2-O2	6.55	127.39	122.80
26	BB	2335	A	C4'-C3'-C2'	-6.55	96.05	102.60
26	BB	2720	U	N1-C2-O2	6.55	127.39	122.80
28	BD	95	TYR	CB-CG-CD2	6.55	124.93	121.00
1	AA	627	G	C5-C6-N1	6.55	114.77	111.50
26	BB	2417	C	N3-C4-C5	-6.55	119.28	121.90
1	AA	426	U	N3-C2-O2	-6.55	117.62	122.20
1	AA	466	A	C2-N3-C4	6.55	113.87	110.60
1	AA	714	G	N9-C4-C5	6.55	108.02	105.40
1	AA	951	G	N1-C2-N2	6.55	122.09	116.20
1	AA	1378	C	C5-C6-N1	6.55	124.27	121.00
1	AA	1472	U	N3-C4-O4	-6.55	114.82	119.40
2	AB	36	A	C4-C5-C6	-6.55	113.73	117.00
26	BB	828	U	N1-C2-N3	-6.55	110.97	114.90
26	BB	1026	G	C5'-C4'-O4'	6.55	116.95	109.10
26	BB	2694	G	N3-C4-N9	-6.55	122.07	126.00
26	BB	2761	A	C3'-C2'-C1'	-6.55	96.26	101.50
26	BB	2889	C	C6-N1-C2	-6.55	117.68	120.30
1	AA	962	C	C4-C5-C6	6.54	120.67	117.40
1	AA	1208	C	C4-C5-C6	-6.54	114.13	117.40
1	AA	1233	G	C4-C5-N7	6.54	113.42	110.80
25	BA	120	U	C6-N1-C2	6.54	124.93	121.00
26	BB	872	U	N3-C2-O2	-6.54	117.62	122.20
26	BB	2862	G	N7-C8-N9	6.54	116.37	113.10
1	AA	682	G	O4'-C1'-N9	6.54	113.44	108.20
1	AA	693	G	C2-N3-C4	-6.54	108.63	111.90
1	AA	713	G	C5-C6-N1	6.54	114.77	111.50
1	AA	1033	G	C6-N1-C2	-6.54	121.17	125.10
25	BA	71	C	C5-C4-N4	-6.54	115.62	120.20
26	BB	90	U	N1-C2-N3	6.54	118.83	114.90
26	BB	311	A	O4'-C1'-N9	6.54	113.44	108.20
26	BB	329	G	C3'-C2'-C1'	6.54	106.73	101.50
26	BB	1226	A	N1-C2-N3	-6.54	126.03	129.30
26	BB	1276	A	C1'-O4'-C4'	6.54	115.13	109.90
26	BB	1524	G	C5-C6-N1	6.54	114.77	111.50
26	BB	1526	C	C2-N3-C4	6.54	123.17	119.90
26	BB	1710	G	C5-C6-N1	6.54	114.77	111.50
26	BB	1898	U	N1-C2-N3	6.54	118.83	114.90
26	BB	2077	A	P-O3'-C3'	6.54	127.55	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2454	G	N9-C4-C5	6.54	108.02	105.40
26	BB	2627	G	C6-N1-C2	-6.54	121.17	125.10
1	AA	319	G	C5'-C4'-C3'	-6.54	105.53	116.00
1	AA	760	G	C1'-O4'-C4'	-6.54	104.67	109.90
1	AA	800	G	C4-C5-C6	-6.54	114.88	118.80
1	AA	1120	C	C4'-C3'-C2'	-6.54	96.06	102.60
4	AD	16	C	C4-C5-C6	-6.54	114.13	117.40
25	BA	18	G	C6-N1-C2	-6.54	121.17	125.10
26	BB	81	G	N1-C6-O6	-6.54	115.98	119.90
26	BB	718	A	C5-N7-C8	-6.54	100.63	103.90
26	BB	780	G	N3-C4-C5	-6.54	125.33	128.60
26	BB	827	U	C3'-C2'-C1'	-6.54	96.27	101.50
26	BB	1277	G	N1-C2-N2	6.54	122.09	116.20
26	BB	1348	C	N1-C2-O2	6.54	122.83	118.90
26	BB	1574	C	C5-C6-N1	6.54	124.27	121.00
26	BB	2112	G	C5-N7-C8	6.54	107.57	104.30
26	BB	2156	G	C6-N1-C2	-6.54	121.17	125.10
26	BB	2430	A	N9-C1'-C2'	6.54	122.50	114.00
26	BB	2473	U	O4'-C1'-N1	6.54	113.43	108.20
1	AA	153	C	N3-C4-C5	-6.54	119.28	121.90
1	AA	528	C	O4'-C1'-N1	6.54	113.43	108.20
8	AH	56	PRO	N-CD-CG	6.54	113.01	103.20
26	BB	212	G	O4'-C1'-N9	6.54	113.43	108.20
26	BB	1589	U	N3-C4-O4	6.54	123.98	119.40
26	BB	1830	C	C4-C5-C6	-6.54	114.13	117.40
26	BB	1872	A	C4'-C3'-C2'	-6.54	96.06	102.60
26	BB	2122	U	N1-C2-N3	6.54	118.82	114.90
1	AA	911	U	O4'-C1'-N1	6.54	113.43	108.20
1	AA	1067	A	C4-C5-N7	-6.54	107.43	110.70
26	BB	110	G	C5-C6-N1	6.54	114.77	111.50
26	BB	1432	G	O4'-C1'-N9	6.54	113.43	108.20
26	BB	2737	G	C6-N1-C2	-6.54	121.18	125.10
1	AA	737	C	C3'-C2'-C1'	6.54	106.73	101.50
26	BB	715	A	O4'-C1'-C2'	6.54	113.48	107.60
26	BB	984	A	C4'-C3'-C2'	6.54	109.14	102.60
26	BB	2802	G	C2-N3-C4	6.54	115.17	111.90
26	BB	2853	C	C4'-C3'-C2'	-6.54	96.06	102.60
1	AA	55	A	C5-C6-N1	6.54	120.97	117.70
1	AA	1196	A	C3'-C2'-C1'	-6.54	96.27	101.50
2	AB	3	G	O4'-C1'-C2'	-6.54	99.27	105.80
26	BB	155	A	N9-C4-C5	6.54	108.41	105.80
26	BB	226	A	C4-C5-N7	-6.54	107.43	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	227	A	C2-N3-C4	6.54	113.87	110.60
26	BB	652	U	C5'-C4'-O4'	6.54	116.94	109.10
26	BB	1258	U	C4-C5-C6	6.54	123.62	119.70
26	BB	2058	A	C6-N1-C2	-6.54	114.68	118.60
26	BB	2067	G	C2-N3-C4	6.54	115.17	111.90
1	AA	421	U	N1-C2-O2	6.53	127.37	122.80
1	AA	799	G	C5-C6-O6	-6.53	124.68	128.60
1	AA	940	C	C4-C5-C6	6.53	120.67	117.40
1	AA	1069	C	N3-C2-O2	-6.53	117.33	121.90
1	AA	1091	U	C2-N3-C4	-6.53	123.08	127.00
1	AA	1541	U	N3-C2-O2	-6.53	117.63	122.20
25	BA	84	G	C2-N3-C4	6.53	115.17	111.90
26	BB	760	G	O4'-C1'-N9	6.53	113.43	108.20
26	BB	1030	C	C2-N3-C4	-6.53	116.63	119.90
26	BB	1274	A	C5-C6-N1	-6.53	114.43	117.70
26	BB	1343	G	N1-C2-N3	-6.53	119.98	123.90
26	BB	1436	G	O4'-C1'-N9	6.53	113.43	108.20
26	BB	1588	G	C2-N3-C4	6.53	115.17	111.90
26	BB	2748	A	N1-C6-N6	6.53	122.52	118.60
1	AA	7	A	N3-C4-C5	-6.53	122.23	126.80
1	AA	209	U	N1-C2-O2	-6.53	118.23	122.80
1	AA	908	A	N7-C8-N9	-6.53	110.53	113.80
1	AA	1272	G	C4-C5-C6	6.53	122.72	118.80
26	BB	767	U	C5'-C4'-O4'	6.53	116.94	109.10
26	BB	1178	C	N3-C2-O2	-6.53	117.33	121.90
26	BB	2277	G	C5'-C4'-O4'	6.53	116.94	109.10
26	BB	2489	U	C5-C6-N1	-6.53	119.43	122.70
26	BB	311	A	C5-C6-N1	6.53	120.97	117.70
26	BB	462	C	N1-C2-N3	6.53	123.77	119.20
26	BB	684	G	C5-N7-C8	-6.53	101.03	104.30
26	BB	691	C	N3-C4-N4	6.53	122.57	118.00
26	BB	1494	A	C8-N9-C4	-6.53	103.19	105.80
26	BB	1540	G	C5-C6-O6	6.53	132.52	128.60
26	BB	1773	A	C5-N7-C8	-6.53	100.64	103.90
26	BB	2067	G	N3-C2-N2	-6.53	115.33	119.90
26	BB	2242	G	C2-N3-C4	6.53	115.17	111.90
1	AA	920	U	N1-C2-O2	-6.53	118.23	122.80
1	AA	1306	A	P-O3'-C3'	6.53	127.53	119.70
26	BB	2185	U	N3-C4-C5	6.53	118.52	114.60
26	BB	2860	A	N9-C4-C5	6.53	108.41	105.80
1	AA	379	C	O4'-C1'-N1	6.53	113.42	108.20
1	AA	389	A	C8-N9-C4	-6.53	103.19	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	506	G	N3-C2-N2	-6.53	115.33	119.90
1	AA	683	G	N7-C8-N9	-6.53	109.84	113.10
1	AA	1205	U	N1-C2-N3	6.53	118.82	114.90
1	AA	1314	C	N3-C2-O2	-6.53	117.33	121.90
1	AA	1482	G	C6-N1-C2	-6.53	121.18	125.10
3	AC	14	G	N7-C8-N9	-6.53	109.84	113.10
4	AD	68	C	N3-C4-C5	-6.53	119.29	121.90
16	AP	85	TYR	CB-CG-CD1	-6.53	117.08	121.00
26	BB	425	G	C2-N3-C4	6.53	115.16	111.90
26	BB	1036	G	N9-C4-C5	6.53	108.01	105.40
26	BB	2072	C	C6-N1-C2	6.53	122.91	120.30
26	BB	2465	C	C2-N3-C4	6.53	123.16	119.90
26	BB	2598	A	C4-C5-C6	-6.53	113.74	117.00
1	AA	555	U	O4'-C1'-N1	6.53	113.42	108.20
1	AA	695	A	C5-C6-N6	6.53	128.92	123.70
1	AA	735	C	C4-C5-C6	6.53	120.66	117.40
1	AA	1066	C	C1'-O4'-C4'	6.53	115.12	109.90
1	AA	1243	C	N1-C2-O2	6.53	122.82	118.90
1	AA	1326	U	N1-C2-N3	6.53	118.81	114.90
25	BA	98	G	C8-N9-C4	-6.53	103.79	106.40
26	BB	61	C	N3-C4-C5	-6.53	119.29	121.90
26	BB	254	G	C5-C6-N1	6.53	114.76	111.50
26	BB	317	G	C4-C5-N7	-6.53	108.19	110.80
26	BB	478	A	N9-C1'-C2'	6.53	122.48	114.00
26	BB	538	A	C4-C5-N7	-6.53	107.44	110.70
26	BB	542	C	C2-N3-C4	-6.53	116.64	119.90
26	BB	732	C	C6-N1-C2	-6.53	117.69	120.30
26	BB	959	A	N9-C1'-C2'	-6.53	104.82	112.00
26	BB	1032	A	C3'-C2'-C1'	6.53	106.72	101.50
26	BB	1320	C	O4'-C1'-N1	6.53	113.42	108.20
26	BB	1392	A	C6-C5-N7	6.53	136.87	132.30
26	BB	1687	G	C5-N7-C8	6.53	107.56	104.30
26	BB	1824	G	N9-C4-C5	6.53	108.01	105.40
26	BB	1990	C	C5'-C4'-O4'	6.53	116.93	109.10
26	BB	160	A	P-O5'-C5'	6.52	131.34	120.90
26	BB	289	G	C5-C6-O6	6.52	132.51	128.60
26	BB	1055	G	N3-C2-N2	6.52	124.47	119.90
26	BB	1627	G	C4-C5-C6	6.52	122.71	118.80
26	BB	2842	G	P-O5'-C5'	6.52	131.34	120.90
1	AA	917	G	C6-N1-C2	-6.52	121.19	125.10
1	AA	1090	U	N1-C2-N3	6.52	118.81	114.90
1	AA	1454	G	C1'-O4'-C4'	6.52	115.12	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	28	C	N3-C2-O2	-6.52	117.33	121.90
25	BA	110	C	P-O3'-C3'	6.52	127.53	119.70
26	BB	1394	U	C3'-C2'-C1'	-6.52	96.28	101.50
26	BB	1677	A	P-O5'-C5'	6.52	131.34	120.90
26	BB	2052	A	C3'-C2'-C1'	6.52	106.72	101.50
26	BB	2309	A	C8-N9-C4	-6.52	103.19	105.80
26	BB	2499	C	O3'-P-O5'	-6.52	91.61	104.00
1	AA	781	A	O4'-C1'-N9	6.52	113.42	108.20
26	BB	1301	A	N3-C4-C5	-6.52	122.24	126.80
26	BB	2295	C	C4'-C3'-C2'	-6.52	96.08	102.60
26	BB	2386	A	N3-C4-C5	-6.52	122.23	126.80
1	AA	34	C	N3-C4-N4	6.52	122.56	118.00
1	AA	104	G	N3-C4-N9	6.52	129.91	126.00
1	AA	494	G	C6-N1-C2	-6.52	121.19	125.10
1	AA	1122	U	C5'-C4'-O4'	6.52	116.92	109.10
11	AK	127	TYR	CB-CG-CD2	-6.52	117.09	121.00
26	BB	516	C	N3-C2-O2	-6.52	117.34	121.90
26	BB	968	C	N3-C4-C5	-6.52	119.29	121.90
26	BB	1089	A	P-O3'-C3'	6.52	127.52	119.70
26	BB	1365	A	N3-C4-C5	-6.52	122.24	126.80
26	BB	1378	A	O4'-C1'-C2'	-6.52	99.28	105.80
26	BB	1515	A	C4-C5-C6	6.52	120.26	117.00
26	BB	1981	A	C5-C6-N6	-6.52	118.48	123.70
26	BB	1998	A	C5'-C4'-O4'	6.52	116.92	109.10
26	BB	2212	A	C6-N1-C2	6.52	122.51	118.60
26	BB	2806	C	C4'-C3'-C2'	-6.52	96.08	102.60
1	AA	975	A	C5-N7-C8	6.52	107.16	103.90
1	AA	1185	G	C5-N7-C8	-6.52	101.04	104.30
1	AA	1205	U	C2-N3-C4	-6.52	123.09	127.00
26	BB	239	C	N3-C4-N4	6.52	122.56	118.00
26	BB	627	A	C2-N3-C4	-6.52	107.34	110.60
26	BB	1227	G	N3-C4-N9	6.52	129.91	126.00
26	BB	1311	G	C4-C5-N7	-6.52	108.19	110.80
26	BB	1732	C	C2-N3-C4	6.52	123.16	119.90
26	BB	2242	G	C4'-C3'-C2'	-6.52	96.08	102.60
1	AA	784	A	N1-C6-N6	-6.52	114.69	118.60
1	AA	1470	U	C5-C6-N1	-6.52	119.44	122.70
26	BB	324	A	N3-C4-N9	6.52	132.61	127.40
26	BB	1151	A	N1-C2-N3	-6.52	126.04	129.30
28	BD	66	PHE	CB-CG-CD2	-6.52	116.24	120.80
1	AA	132	C	O4'-C1'-N1	6.51	113.41	108.20
1	AA	1272	G	C1'-O4'-C4'	-6.51	104.69	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1379	G	N1-C6-O6	-6.51	115.99	119.90
25	BA	55	U	C5'-C4'-C3'	-6.51	105.58	116.00
26	BB	700	G	N9-C4-C5	6.51	108.01	105.40
26	BB	765	C	C5-C6-N1	6.51	124.26	121.00
26	BB	1099	G	N3-C4-C5	-6.51	125.34	128.60
26	BB	1475	G	C8-N9-C4	-6.51	103.79	106.40
26	BB	2678	C	N1-C2-O2	6.51	122.81	118.90
1	AA	373	A	N1-C6-N6	6.51	122.51	118.60
1	AA	654	G	N1-C6-O6	-6.51	115.99	119.90
26	BB	57	C	C2-N3-C4	6.51	123.16	119.90
26	BB	297	G	N3-C2-N2	-6.51	115.34	119.90
26	BB	987	C	O4'-C1'-N1	6.51	113.41	108.20
1	AA	98	A	C4-C5-N7	-6.51	107.44	110.70
1	AA	115	G	C5-N7-C8	6.51	107.56	104.30
1	AA	479	U	N3-C4-O4	6.51	123.96	119.40
4	AD	12	G	C4'-C3'-C2'	-6.51	96.09	102.60
26	BB	140	C	O4'-C1'-N1	6.51	113.41	108.20
26	BB	1161	C	N1-C2-O2	6.51	122.81	118.90
26	BB	1521	G	O4'-C1'-C2'	-6.51	99.29	105.80
1	AA	890	G	N1-C2-N2	6.51	122.06	116.20
1	AA	922	G	O4'-C1'-N9	6.51	113.41	108.20
1	AA	1231	G	C5-N7-C8	-6.51	101.05	104.30
1	AA	1298	U	C1'-O4'-C4'	-6.51	104.69	109.90
1	AA	1509	C	C5'-C4'-O4'	6.51	116.91	109.10
25	BA	96	G	N3-C4-C5	-6.51	125.35	128.60
26	BB	83	A	C4-C5-N7	-6.51	107.44	110.70
26	BB	373	U	C6-N1-C1'	6.51	130.31	121.20
26	BB	571	U	C5-C6-N1	6.51	125.95	122.70
26	BB	957	C	C5-C6-N1	-6.51	117.75	121.00
26	BB	1031	G	C8-N9-C4	-6.51	103.80	106.40
26	BB	1142	A	C4-C5-N7	-6.51	107.44	110.70
26	BB	1771	C	N3-C4-N4	6.51	122.56	118.00
26	BB	2576	G	N3-C4-C5	-6.51	125.34	128.60
26	BB	2717	C	O4'-C1'-N1	6.51	113.41	108.20
1	AA	1059	C	C3'-C2'-C1'	6.51	106.71	101.50
26	BB	780	G	C2-N3-C4	6.51	115.15	111.90
26	BB	990	A	C4-C5-N7	-6.51	107.45	110.70
26	BB	1087	G	C2-N3-C4	6.51	115.15	111.90
1	AA	338	A	C4'-C3'-C2'	-6.51	96.09	102.60
1	AA	361	G	C5-C6-N1	6.51	114.75	111.50
1	AA	434	U	C3'-C2'-C1'	6.51	106.71	101.50
1	AA	598	U	C5-C4-O4	-6.51	122.00	125.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1048	G	C6-C5-N7	-6.51	126.50	130.40
1	AA	1333	A	C5-C6-N6	6.51	128.91	123.70
26	BB	463	G	C6-C5-N7	-6.51	126.50	130.40
26	BB	1434	A	N9-C4-C5	6.51	108.40	105.80
26	BB	1942	C	C5-C6-N1	-6.51	117.75	121.00
26	BB	2291	U	O4'-C1'-N1	6.51	113.41	108.20
26	BB	2779	U	P-O5'-C5'	6.51	131.31	120.90
1	AA	1011	C	C3'-C2'-C1'	6.50	106.70	101.50
26	BB	476	G	O5'-P-OP2	6.50	118.51	110.70
26	BB	2713	U	N3-C2-O2	-6.50	117.65	122.20
26	BB	2780	G	O4'-C1'-N9	6.50	113.40	108.20
1	AA	534	U	C5'-C4'-O4'	6.50	116.91	109.10
1	AA	1534	A	N1-C6-N6	6.50	122.50	118.60
26	BB	70	G	N3-C4-C5	-6.50	125.35	128.60
26	BB	319	G	N3-C4-C5	-6.50	125.35	128.60
26	BB	1331	G	C5-C6-N1	6.50	114.75	111.50
26	BB	1373	A	N1-C2-N3	-6.50	126.05	129.30
26	BB	1456	G	C2-N3-C4	-6.50	108.65	111.90
26	BB	1935	G	C8-N9-C4	-6.50	103.80	106.40
26	BB	1937	A	C2-N3-C4	6.50	113.85	110.60
26	BB	2044	C	P-O3'-C3'	6.50	127.50	119.70
26	BB	2320	U	N1-C1'-C2'	6.50	122.46	114.00
26	BB	2754	U	P-O3'-C3'	6.50	127.50	119.70
26	BB	2869	G	C4-C5-C6	6.50	122.70	118.80
31	BG	79	ARG	NE-CZ-NH2	-6.50	117.05	120.30
1	AA	50	A	C5-C6-N1	6.50	120.95	117.70
1	AA	53	A	N1-C2-N3	-6.50	126.05	129.30
1	AA	566	G	C4-C5-C6	-6.50	114.90	118.80
1	AA	726	C	N3-C4-N4	6.50	122.55	118.00
1	AA	957	U	C6-N1-C2	6.50	124.90	121.00
26	BB	17	G	C5-N7-C8	6.50	107.55	104.30
26	BB	313	G	C5'-C4'-O4'	6.50	116.90	109.10
26	BB	1173	U	O5'-P-OP2	-6.50	99.85	105.70
26	BB	1311	G	N1-C6-O6	6.50	123.80	119.90
26	BB	1340	U	C5-C6-N1	-6.50	119.45	122.70
26	BB	1589	U	C3'-C2'-C1'	6.50	106.70	101.50
26	BB	2048	G	C5-N7-C8	-6.50	101.05	104.30
26	BB	2146	C	C2-N3-C4	6.50	123.15	119.90
26	BB	2561	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	2768	U	C5'-C4'-O4'	6.50	116.90	109.10
26	BB	2856	A	N9-C4-C5	6.50	108.40	105.80
1	AA	178	C	P-O3'-C3'	6.50	127.50	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	398	U	C3'-C2'-C1'	6.50	106.70	101.50
1	AA	952	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	1457	U	C6-N1-C2	-6.50	117.10	121.00
26	BB	2782	G	N7-C8-N9	6.50	116.35	113.10
47	BW	80	ASP	CB-CG-OD1	-6.50	112.45	118.30
1	AA	295	C	C4-C5-C6	6.50	120.65	117.40
1	AA	473	U	N3-C2-O2	-6.50	117.65	122.20
26	BB	367	G	N1-C6-O6	6.50	123.80	119.90
26	BB	377	G	N3-C4-C5	-6.50	125.35	128.60
26	BB	428	A	N1-C6-N6	6.50	122.50	118.60
26	BB	867	C	N3-C2-O2	-6.50	117.35	121.90
26	BB	1869	G	N3-C2-N2	6.50	124.45	119.90
26	BB	2438	U	N3-C4-C5	6.50	118.50	114.60
33	BI	101	ASP	CB-CG-OD2	-6.50	112.45	118.30
1	AA	39	G	N3-C2-N2	-6.50	115.35	119.90
1	AA	352	C	C4-C5-C6	-6.50	114.15	117.40
1	AA	642	A	C5-C6-N1	-6.50	114.45	117.70
1	AA	781	A	C8-N9-C4	-6.50	103.20	105.80
1	AA	1043	G	C6-C5-N7	-6.50	126.50	130.40
1	AA	1418	A	C3'-C2'-C1'	6.50	106.70	101.50
26	BB	484	C	N1-C1'-C2'	-6.50	104.85	112.00
26	BB	1331	G	C6-C5-N7	6.50	134.30	130.40
26	BB	1526	C	P-O3'-C3'	6.50	127.50	119.70
26	BB	1736	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	1874	C	N3-C4-C5	6.50	124.50	121.90
26	BB	2363	G	N1-C2-N2	6.50	122.05	116.20
1	AA	369	G	N1-C2-N2	-6.50	110.36	116.20
2	AB	73	G	C5-C6-O6	-6.50	124.70	128.60
26	BB	1280	G	C8-N9-C4	-6.50	103.80	106.40
26	BB	2460	U	N3-C2-O2	-6.50	117.65	122.20
26	BB	2482	A	C8-N9-C4	-6.50	103.20	105.80
29	BE	179	ARG	NE-CZ-NH2	-6.50	117.05	120.30
1	AA	577	G	N3-C4-C5	-6.49	125.35	128.60
1	AA	883	C	O4'-C1'-N1	6.49	113.39	108.20
1	AA	1399	C	N3-C2-O2	-6.49	117.35	121.90
3	AC	30	U	C5-C6-N1	-6.49	119.45	122.70
7	AG	74	TYR	CG-CD1-CE1	-6.49	116.11	121.30
26	BB	293	U	N1-C1'-C2'	-6.49	104.86	112.00
26	BB	406	G	C6-N1-C2	-6.49	121.20	125.10
26	BB	471	A	O4'-C1'-N9	6.49	113.40	108.20
26	BB	1780	A	C8-N9-C4	-6.49	103.20	105.80
26	BB	1842	G	C5'-C4'-O4'	6.49	116.89	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1910	G	C8-N9-C4	-6.49	103.80	106.40
26	BB	1980	G	N3-C4-C5	-6.49	125.35	128.60
1	AA	209	U	C6-N1-C2	-6.49	117.11	121.00
1	AA	494	G	C4-C5-C6	-6.49	114.91	118.80
1	AA	749	A	N1-C2-N3	-6.49	126.05	129.30
1	AA	896	C	O4'-C1'-N1	6.49	113.39	108.20
1	AA	1038	C	C6-N1-C2	6.49	122.90	120.30
26	BB	826	U	O4'-C1'-C2'	6.49	113.44	107.60
26	BB	1257	C	N1-C1'-C2'	-6.49	104.86	112.00
26	BB	1519	G	N7-C8-N9	6.49	116.35	113.10
26	BB	1680	U	N1-C2-O2	6.49	127.34	122.80
26	BB	1793	C	O4'-C1'-N1	6.49	113.39	108.20
26	BB	2864	G	C2-N3-C4	6.49	115.15	111.90
1	AA	76	G	C5-N7-C8	-6.49	101.06	104.30
1	AA	178	C	O4'-C1'-N1	-6.49	103.01	108.20
1	AA	436	C	N3-C4-C5	6.49	124.50	121.90
1	AA	985	C	N1-C2-N3	-6.49	114.66	119.20
1	AA	1015	G	C5-C6-O6	6.49	132.49	128.60
1	AA	1146	A	C8-N9-C4	-6.49	103.20	105.80
7	AG	200	VAL	CA-CB-CG2	6.49	120.64	110.90
26	BB	15	G	O4'-C1'-N9	6.49	113.39	108.20
26	BB	301	G	N7-C8-N9	6.49	116.35	113.10
26	BB	1225	G	N3-C4-C5	-6.49	125.36	128.60
26	BB	1780	A	N9-C4-C5	6.49	108.40	105.80
26	BB	1946	U	O4'-C1'-N1	6.49	113.39	108.20
26	BB	2095	A	C8-N9-C4	-6.49	103.20	105.80
26	BB	2548	U	C6-N1-C2	-6.49	117.11	121.00
1	AA	531	U	P-O3'-C3'	6.49	127.49	119.70
1	AA	668	G	C8-N9-C4	-6.49	103.80	106.40
10	AJ	3	ARG	CD-NE-CZ	6.49	132.68	123.60
26	BB	576	U	C5-C6-N1	-6.49	119.45	122.70
26	BB	938	G	C4-C5-C6	6.49	122.69	118.80
26	BB	1784	A	N7-C8-N9	6.49	117.05	113.80
26	BB	1815	A	C5-N7-C8	6.49	107.14	103.90
1	AA	91	U	N3-C2-O2	-6.49	117.66	122.20
1	AA	353	A	N1-C6-N6	-6.49	114.71	118.60
1	AA	1043	G	C5-C6-N1	-6.49	108.26	111.50
26	BB	1133	A	N9-C4-C5	6.49	108.39	105.80
26	BB	1205	A	C6-C5-N7	-6.49	127.76	132.30
26	BB	1510	G	C3'-C2'-C1'	-6.49	96.31	101.50
26	BB	1910	G	N3-C4-N9	6.49	129.89	126.00
26	BB	2858	C	C5-C4-N4	-6.49	115.66	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1113	C	P-O3'-C3'	6.49	127.48	119.70
1	AA	1195	C	N1-C2-O2	6.49	122.79	118.90
3	AC	56	G	C6-N1-C2	-6.49	121.21	125.10
4	AD	24	C	C4-C5-C6	-6.49	114.16	117.40
25	BA	36	C	N1-C2-N3	-6.49	114.66	119.20
26	BB	209	C	N3-C2-O2	-6.49	117.36	121.90
26	BB	498	G	C5-C6-O6	-6.49	124.71	128.60
26	BB	565	C	C5'-C4'-O4'	6.49	116.88	109.10
26	BB	728	G	O4'-C1'-C2'	-6.49	99.31	105.80
26	BB	1586	A	C4-C5-C6	6.49	120.24	117.00
26	BB	1811	G	C4-C5-C6	-6.49	114.91	118.80
26	BB	2083	G	P-O3'-C3'	6.49	127.48	119.70
26	BB	2176	A	C4-C5-N7	-6.49	107.46	110.70
26	BB	2761	A	N7-C8-N9	6.49	117.04	113.80
1	AA	1141	C	C2-N3-C4	6.48	123.14	119.90
1	AA	1216	A	N3-C4-N9	-6.48	122.21	127.40
26	BB	313	G	C4-C5-C6	-6.48	114.91	118.80
26	BB	2322	A	N1-C6-N6	6.48	122.49	118.60
1	AA	107	G	O4'-C1'-C2'	6.48	113.44	107.60
1	AA	1149	C	C4'-C3'-C2'	-6.48	96.12	102.60
1	AA	1282	C	C5'-C4'-O4'	6.48	116.88	109.10
25	BA	65	U	P-O3'-C3'	6.48	127.48	119.70
26	BB	167	A	C4-C5-N7	-6.48	107.46	110.70
26	BB	263	G	C3'-C2'-C1'	-6.48	96.31	101.50
26	BB	881	G	C8-N9-C4	-6.48	103.81	106.40
26	BB	943	A	O4'-C1'-N9	-6.48	103.02	108.20
26	BB	1297	C	C1'-O4'-C4'	6.48	115.09	109.90
26	BB	2173	A	C2-N3-C4	-6.48	107.36	110.60
26	BB	2367	G	N1-C2-N2	6.48	122.03	116.20
26	BB	2594	C	C5-C4-N4	-6.48	115.66	120.20
1	AA	147	G	N9-C4-C5	6.48	107.99	105.40
1	AA	676	A	N1-C6-N6	6.48	122.49	118.60
2	AB	41	C	N3-C4-C5	-6.48	119.31	121.90
4	AD	61	U	N1-C2-O2	-6.48	118.26	122.80
26	BB	147	C	C5-C4-N4	6.48	124.74	120.20
26	BB	212	G	C5'-C4'-O4'	6.48	116.88	109.10
26	BB	1081	U	C4'-C3'-C2'	-6.48	96.12	102.60
26	BB	1407	G	N3-C4-N9	6.48	129.89	126.00
26	BB	1416	G	C4-N9-C1'	-6.48	118.08	126.50
26	BB	1676	A	O4'-C1'-C2'	6.48	113.43	107.60
26	BB	1783	A	N9-C4-C5	-6.48	103.21	105.80
26	BB	2246	G	C4-C5-C6	6.48	122.69	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2513	A	C6-C5-N7	6.48	136.84	132.30
1	AA	31	G	N3-C4-C5	-6.48	125.36	128.60
1	AA	376	G	N9-C1'-C2'	-6.48	104.87	112.00
2	AB	14	A	C3'-C2'-C1'	-6.48	96.32	101.50
26	BB	780	G	C6-N1-C2	-6.48	121.21	125.10
26	BB	809	G	C2-N3-C4	-6.48	108.66	111.90
26	BB	2056	G	N3-C4-C5	-6.48	125.36	128.60
1	AA	1	A	C2-N3-C4	6.48	113.84	110.60
1	AA	38	G	N7-C8-N9	6.48	116.34	113.10
1	AA	294	U	C4'-C3'-C2'	-6.48	96.12	102.60
1	AA	1183	U	C5'-C4'-O4'	6.48	116.87	109.10
1	AA	1324	A	N9-C4-C5	6.48	108.39	105.80
26	BB	422	A	C5-N7-C8	-6.48	100.66	103.90
26	BB	440	C	O4'-C4'-C3'	-6.48	97.52	104.00
26	BB	615	U	O4'-C1'-C2'	6.48	113.43	107.60
26	BB	1388	G	O4'-C4'-C3'	6.48	111.28	106.10
26	BB	2086	U	C4-C5-C6	6.48	123.59	119.70
26	BB	2140	G	C5-N7-C8	6.48	107.54	104.30
26	BB	2209	G	C4-C5-N7	-6.48	108.21	110.80
26	BB	2291	U	C6-N1-C2	-6.48	117.11	121.00
26	BB	2330	G	N1-C6-O6	-6.48	116.01	119.90
26	BB	2426	A	C4-C5-N7	-6.48	107.46	110.70
1	AA	1134	G	C8-N9-C1'	6.48	135.42	127.00
3	AC	45	G	C2-N3-C4	6.48	115.14	111.90
25	BA	115	A	C5-C6-N6	-6.48	118.52	123.70
1	AA	340	U	C5'-C4'-O4'	6.47	116.87	109.10
7	AG	50	TYR	CG-CD2-CE2	-6.47	116.12	121.30
26	BB	439	A	N3-C4-N9	-6.47	122.22	127.40
26	BB	696	G	N3-C4-N9	6.47	129.88	126.00
26	BB	962	G	N9-C4-C5	6.47	107.99	105.40
26	BB	985	C	N3-C4-N4	6.47	122.53	118.00
26	BB	1519	G	C6-N1-C2	-6.47	121.22	125.10
26	BB	2296	U	N3-C4-C5	-6.47	110.72	114.60
1	AA	265	G	C5-N7-C8	-6.47	101.06	104.30
1	AA	279	A	N3-C4-C5	6.47	131.33	126.80
1	AA	375	U	C3'-C2'-C1'	6.47	106.68	101.50
1	AA	380	G	N9-C1'-C2'	-6.47	104.88	112.00
1	AA	1005	A	N9-C4-C5	-6.47	103.21	105.80
1	AA	1011	C	N1-C2-N3	-6.47	114.67	119.20
1	AA	1087	G	C4'-C3'-C2'	-6.47	96.13	102.60
1	AA	1160	G	N3-C4-C5	-6.47	125.36	128.60
26	BB	806	C	C4'-C3'-C2'	-6.47	96.13	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1000	A	C5'-C4'-O4'	6.47	116.87	109.10
26	BB	1026	G	C5-C6-N1	6.47	114.74	111.50
26	BB	1883	U	C1'-O4'-C4'	-6.47	104.72	109.90
26	BB	2185	U	C2-N3-C4	-6.47	123.12	127.00
26	BB	675	A	C6-C5-N7	6.47	136.83	132.30
26	BB	755	U	P-O3'-C3'	6.47	127.47	119.70
26	BB	1050	A	C3'-C2'-C1'	6.47	106.68	101.50
26	BB	1521	G	N3-C4-C5	-6.47	125.36	128.60
26	BB	2002	G	C8-N9-C1'	6.47	135.41	127.00
26	BB	2170	A	N9-C4-C5	6.47	108.39	105.80
26	BB	2689	U	C1'-O4'-C4'	-6.47	104.72	109.90
1	AA	736	C	N1-C2-O2	6.47	122.78	118.90
3	AC	34	U	C5-C6-N1	-6.47	119.47	122.70
26	BB	86	G	N3-C4-C5	-6.47	125.37	128.60
26	BB	89	A	O4'-C1'-N9	6.47	113.38	108.20
26	BB	1268	A	N3-C4-C5	-6.47	122.27	126.80
26	BB	1412	U	N1-C2-N3	6.47	118.78	114.90
26	BB	1595	C	O4'-C1'-N1	6.47	113.38	108.20
26	BB	1949	G	C6-N1-C2	-6.47	121.22	125.10
26	BB	2005	A	C8-N9-C4	-6.47	103.21	105.80
26	BB	2064	C	C6-N1-C2	-6.47	117.71	120.30
26	BB	2289	G	C5-C6-O6	-6.47	124.72	128.60
26	BB	2882	A	N3-C4-C5	-6.47	122.27	126.80
26	BB	1089	A	C3'-C2'-C1'	6.47	106.67	101.50
26	BB	1156	A	C1'-O4'-C4'	6.47	115.08	109.90
26	BB	2852	G	N3-C4-N9	6.47	129.88	126.00
1	AA	256	U	C4'-C3'-C2'	-6.47	96.13	102.60
1	AA	546	A	O4'-C1'-C2'	-6.47	99.33	105.80
1	AA	785	G	C5-C6-N1	6.47	114.73	111.50
1	AA	1193	G	N3-C4-C5	-6.47	125.37	128.60
1	AA	1255	G	C6-C5-N7	-6.47	126.52	130.40
2	AB	57	G	C5'-C4'-O4'	6.47	116.86	109.10
3	AC	17	U	C6-N1-C2	-6.47	117.12	121.00
15	AO	82	ARG	NE-CZ-NH2	-6.47	117.07	120.30
19	AS	29	ASN	N-CA-CB	-6.47	98.96	110.60
25	BA	1	U	C2-N3-C4	-6.47	123.12	127.00
26	BB	410	G	N3-C4-N9	6.47	129.88	126.00
26	BB	924	G	N3-C4-C5	-6.47	125.37	128.60
26	BB	1705	A	C1'-O4'-C4'	-6.47	104.73	109.90
26	BB	2235	G	C1'-O4'-C4'	6.47	115.07	109.90
26	BB	2629	U	C6-N1-C2	6.47	124.88	121.00
1	AA	125	U	C2-N3-C4	-6.46	123.12	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	183	C	N3-C4-N4	-6.46	113.47	118.00
1	AA	213	G	N1-C2-N3	-6.46	120.02	123.90
1	AA	255	G	C4-C5-C6	6.46	122.68	118.80
1	AA	600	A	O4'-C1'-N9	6.46	113.37	108.20
2	AB	2	G	P-O3'-C3'	6.46	127.46	119.70
2	AB	52	A	C8-N9-C4	-6.46	103.21	105.80
26	BB	1205	A	C5-N7-C8	-6.46	100.67	103.90
26	BB	2311	A	O4'-C4'-C3'	6.46	111.27	106.10
26	BB	2742	G	N9-C4-C5	6.46	107.99	105.40
31	BG	109	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	AA	570	G	C5'-C4'-O4'	6.46	116.86	109.10
1	AA	1245	C	C5-C6-N1	6.46	124.23	121.00
25	BA	33	G	N9-C4-C5	6.46	107.98	105.40
26	BB	1907	G	N9-C4-C5	6.46	107.98	105.40
26	BB	2100	G	C2-N3-C4	6.46	115.13	111.90
1	AA	355	C	O4'-C1'-N1	6.46	113.37	108.20
1	AA	577	G	C2-N3-C4	6.46	115.13	111.90
1	AA	661	G	C6-C5-N7	-6.46	126.52	130.40
1	AA	810	C	N3-C2-O2	-6.46	117.38	121.90
1	AA	872	A	N9-C4-C5	6.46	108.38	105.80
1	AA	1528	U	N1-C2-N3	6.46	118.78	114.90
26	BB	270	A	N9-C1'-C2'	-6.46	104.89	112.00
26	BB	592	A	P-O3'-C3'	6.46	127.45	119.70
26	BB	656	G	O4'-C1'-N9	6.46	113.37	108.20
26	BB	1954	G	C5-C6-N1	6.46	114.73	111.50
26	BB	2242	G	C4-C5-C6	6.46	122.68	118.80
26	BB	2587	A	N9-C1'-C2'	-6.46	104.89	112.00
26	BB	2901	C	C4'-C3'-C2'	-6.46	96.14	102.60
39	BO	105	MET	CG-SD-CE	6.46	110.54	100.20
1	AA	567	G	C5-C6-O6	-6.46	124.72	128.60
1	AA	1017	U	C2-N3-C4	-6.46	123.12	127.00
26	BB	2239	G	C8-N9-C1'	6.46	135.40	127.00
1	AA	192	A	P-O5'-C5'	6.46	131.23	120.90
1	AA	486	U	N3-C2-O2	-6.46	117.68	122.20
1	AA	969	A	O5'-C5'-C4'	-6.46	99.43	111.70
1	AA	1078	U	N1-C2-N3	6.46	118.78	114.90
1	AA	1161	C	N1-C2-N3	-6.46	114.68	119.20
1	AA	1219	A	C5'-C4'-C3'	-6.46	105.67	116.00
1	AA	1379	G	O4'-C1'-N9	6.46	113.37	108.20
3	AC	30	U	N3-C4-O4	6.46	123.92	119.40
26	BB	510	C	N3-C4-C5	-6.46	119.32	121.90
26	BB	761	A	C4-C5-N7	-6.46	107.47	110.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	847	U	N1-C1'-C2'	6.46	122.40	114.00
26	BB	1057	A	C3'-C2'-C1'	-6.46	96.33	101.50
26	BB	1491	G	C2'-C3'-O3'	6.46	124.03	113.70
26	BB	2451	A	N9-C1'-C2'	-6.46	104.89	112.00
26	BB	2731	G	C6-N1-C2	-6.46	121.22	125.10
1	AA	303	A	C8-N9-C4	-6.46	103.22	105.80
1	AA	382	A	O4'-C1'-C2'	-6.46	99.34	105.80
1	AA	418	C	C4-C5-C6	-6.46	114.17	117.40
26	BB	77	G	O4'-C1'-C2'	6.46	113.41	107.60
26	BB	87	U	C4-C5-C6	6.46	123.57	119.70
26	BB	1531	C	C4-C5-C6	6.46	120.63	117.40
26	BB	1878	G	O4'-C4'-C3'	6.46	111.27	106.10
26	BB	1985	C	C1'-O4'-C4'	6.46	115.06	109.90
26	BB	2104	C	N1-C2-O2	6.46	122.77	118.90
26	BB	2281	A	C8-N9-C4	-6.46	103.22	105.80
26	BB	2316	G	N7-C8-N9	6.46	116.33	113.10
26	BB	2761	A	C8-N9-C4	-6.46	103.22	105.80
26	BB	2803	G	N1-C6-O6	-6.46	116.03	119.90
1	AA	140	U	C1'-O4'-C4'	-6.46	104.74	109.90
1	AA	1057	G	N3-C4-N9	6.46	129.87	126.00
4	AD	15	G	C3'-C2'-C1'	6.46	106.66	101.50
4	AD	43	G	N3-C4-C5	-6.46	125.37	128.60
26	BB	162	U	C3'-C2'-C1'	-6.46	96.34	101.50
26	BB	761	A	N9-C4-C5	6.46	108.38	105.80
26	BB	933	A	C8-N9-C4	6.46	108.38	105.80
26	BB	1382	G	N3-C2-N2	-6.46	115.38	119.90
26	BB	2351	G	C5-C6-O6	6.46	132.47	128.60
26	BB	2419	U	N1-C2-N3	6.46	118.77	114.90
1	AA	1114	C	N1-C2-O2	6.45	122.77	118.90
2	AB	30	G	C6-C5-N7	-6.45	126.53	130.40
2	AB	67	G	C5-C6-O6	-6.45	124.73	128.60
7	AG	13	ARG	NE-CZ-NH2	-6.45	117.07	120.30
26	BB	25	U	C4-C5-C6	6.45	123.57	119.70
26	BB	40	U	O4'-C4'-C3'	6.45	111.26	106.10
26	BB	513	A	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	530	G	O4'-C1'-N9	6.45	113.36	108.20
26	BB	702	U	C6-N1-C2	-6.45	117.13	121.00
26	BB	1162	G	C2-N3-C4	-6.45	108.67	111.90
26	BB	1391	U	C3'-C2'-C1'	-6.45	96.34	101.50
26	BB	2130	U	N1-C2-N3	6.45	118.77	114.90
26	BB	2184	A	C1'-O4'-C4'	-6.45	104.74	109.90
1	AA	754	C	N3-C4-N4	-6.45	113.48	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1198	G	C5'-C4'-O4'	6.45	116.84	109.10
1	AA	1340	A	N9-C1'-C2'	-6.45	104.90	112.00
4	AD	23	G	N9-C1'-C2'	-6.45	104.90	112.00
26	BB	504	A	N1-C6-N6	6.45	122.47	118.60
26	BB	647	G	C1'-O4'-C4'	6.45	115.06	109.90
26	BB	775	G	C3'-C2'-C1'	-6.45	96.34	101.50
26	BB	1852	U	C6-N1-C2	-6.45	117.13	121.00
26	BB	2798	U	C5-C4-O4	-6.45	122.03	125.90
1	AA	84	U	N3-C2-O2	-6.45	117.69	122.20
1	AA	885	G	C8-N9-C4	-6.45	103.82	106.40
1	AA	916	U	C2-N3-C4	-6.45	123.13	127.00
1	AA	1046	A	C5-N7-C8	-6.45	100.67	103.90
7	AG	136	VAL	CG1-CB-CG2	-6.45	100.58	110.90
26	BB	93	G	N9-C4-C5	6.45	107.98	105.40
26	BB	110	G	N3-C4-C5	-6.45	125.38	128.60
26	BB	414	C	N3-C2-O2	6.45	126.42	121.90
26	BB	416	U	C2-N3-C4	-6.45	123.13	127.00
26	BB	950	G	C5-C6-O6	-6.45	124.73	128.60
26	BB	2177	C	N1-C1'-C2'	-6.45	104.91	112.00
1	AA	671	G	C4-C5-C6	6.45	122.67	118.80
1	AA	1094	G	C3'-C2'-C1'	6.45	106.66	101.50
15	AO	93	ARG	NE-CZ-NH1	6.45	123.52	120.30
26	BB	334	C	N1-C2-O2	6.45	122.77	118.90
26	BB	712	G	P-O3'-C3'	6.45	127.44	119.70
26	BB	733	G	N7-C8-N9	6.45	116.32	113.10
26	BB	1405	U	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	2089	C	C6-N1-C2	-6.45	117.72	120.30
26	BB	2126	A	C6-N1-C2	6.45	122.47	118.60
26	BB	2198	A	C6-C5-N7	6.45	136.81	132.30
1	AA	1302	C	O4'-C1'-C2'	-6.45	99.35	105.80
26	BB	6	A	C4-C5-N7	-6.45	107.48	110.70
26	BB	1382	G	N9-C4-C5	6.45	107.98	105.40
26	BB	1433	A	N9-C1'-C2'	-6.45	104.91	112.00
26	BB	2060	A	C5-N7-C8	6.45	107.12	103.90
1	AA	204	G	C5'-C4'-O4'	6.45	116.83	109.10
1	AA	262	A	N3-C4-C5	6.45	131.31	126.80
1	AA	603	U	C1'-O4'-C4'	-6.45	104.74	109.90
1	AA	971	G	N1-C6-O6	-6.45	116.03	119.90
1	AA	1249	C	N3-C4-C5	-6.45	119.32	121.90
1	AA	1394	A	O4'-C1'-N9	6.45	113.36	108.20
25	BA	104	A	N1-C2-N3	-6.45	126.08	129.30
26	BB	125	A	N1-C6-N6	-6.45	114.73	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	136	G	C8-N9-C4	-6.45	103.82	106.40
26	BB	300	A	N7-C8-N9	6.45	117.02	113.80
26	BB	734	A	C5'-C4'-O4'	6.45	116.83	109.10
26	BB	897	C	C5-C6-N1	-6.45	117.78	121.00
26	BB	1431	A	C4-C5-N7	-6.45	107.48	110.70
26	BB	1842	G	C5-C6-N1	-6.45	108.28	111.50
26	BB	1966	A	C5-N7-C8	6.45	107.12	103.90
26	BB	2317	A	C8-N9-C4	-6.45	103.22	105.80
26	BB	2679	A	C4-C5-N7	-6.45	107.48	110.70
1	AA	68	G	C4-C5-N7	-6.44	108.22	110.80
1	AA	873	A	N3-C4-C5	-6.44	122.29	126.80
5	AE	126	ASP	CB-CG-OD1	6.44	124.10	118.30
25	BA	55	U	C5'-C4'-O4'	6.44	116.83	109.10
26	BB	458	G	C6-C5-N7	6.44	134.27	130.40
26	BB	1598	A	N9-C1'-C2'	-6.44	104.91	112.00
1	AA	417	G	C4-C5-C6	6.44	122.67	118.80
1	AA	1138	G	N3-C4-C5	-6.44	125.38	128.60
2	AB	44	G	C6-C5-N7	-6.44	126.53	130.40
18	AR	57	ARG	NE-CZ-NH1	6.44	123.52	120.30
26	BB	393	C	N3-C2-O2	-6.44	117.39	121.90
26	BB	983	A	C3'-C2'-C1'	-6.44	96.34	101.50
26	BB	1188	U	C4-C5-C6	6.44	123.56	119.70
26	BB	1255	U	C5-C6-N1	-6.44	119.48	122.70
26	BB	1754	A	N3-C4-N9	-6.44	122.25	127.40
26	BB	2143	C	C6-N1-C2	6.44	122.88	120.30
26	BB	2554	U	N3-C2-O2	-6.44	117.69	122.20
26	BB	2597	G	P-O3'-C3'	6.44	127.43	119.70
1	AA	149	A	N3-C4-N9	-6.44	122.25	127.40
1	AA	333	U	C6-N1-C2	-6.44	117.14	121.00
1	AA	485	U	C5-C4-O4	-6.44	122.04	125.90
1	AA	683	G	N1-C6-O6	6.44	123.76	119.90
1	AA	969	A	O4'-C4'-C3'	6.44	111.25	106.10
1	AA	1123	U	O4'-C4'-C3'	6.44	111.25	106.10
2	AB	17	H2U	P-O3'-C3'	6.44	127.43	119.70
20	AT	2	ASP	CB-CG-OD2	-6.44	112.50	118.30
26	BB	231	A	P-O3'-C3'	6.44	127.43	119.70
26	BB	499	U	O4'-C1'-C2'	6.44	113.40	107.60
26	BB	1366	A	C8-N9-C4	-6.44	103.22	105.80
26	BB	1987	A	N1-C2-N3	6.44	132.52	129.30
26	BB	2043	C	C2-N3-C4	6.44	123.12	119.90
26	BB	2051	A	C4-C5-C6	-6.44	113.78	117.00
26	BB	2702	G	C6-C5-N7	-6.44	126.54	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	689	C	C6-N1-C2	6.44	122.88	120.30
1	AA	853	C	C4-C5-C6	-6.44	114.18	117.40
1	AA	1037	C	N3-C2-O2	-6.44	117.39	121.90
26	BB	68	G	O4'-C1'-N9	6.44	113.35	108.20
26	BB	96	C	P-O3'-C3'	6.44	127.43	119.70
26	BB	1341	G	C5-C6-N1	6.44	114.72	111.50
26	BB	1515	A	C2-N3-C4	6.44	113.82	110.60
1	AA	858	G	C3'-C2'-C1'	6.44	106.65	101.50
3	AC	52	U	C5-C4-O4	-6.44	122.04	125.90
4	AD	63	C	O4'-C1'-N1	6.44	113.35	108.20
14	AN	41	LEU	CB-CG-CD2	6.44	121.94	111.00
26	BB	654	A	C2-N3-C4	6.44	113.82	110.60
26	BB	723	C	O4'-C1'-N1	6.44	113.35	108.20
26	BB	1263	U	O4'-C1'-N1	6.44	113.35	108.20
26	BB	1473	G	C8-N9-C4	-6.44	103.83	106.40
26	BB	1595	C	C2-N3-C4	6.44	123.12	119.90
26	BB	1994	C	C2-N3-C4	-6.44	116.68	119.90
26	BB	2539	C	C5-C6-N1	6.44	124.22	121.00
26	BB	2828	G	C1'-O4'-C4'	-6.44	104.75	109.90
1	AA	972	C	O5'-C5'-C4'	-6.44	99.47	111.70
26	BB	973	A	C5-C6-N6	6.44	128.85	123.70
26	BB	1364	G	N3-C4-C5	-6.44	125.38	128.60
26	BB	2268	A	C8-N9-C4	6.44	108.38	105.80
1	AA	325	A	C6-N1-C2	6.43	122.46	118.60
1	AA	640	A	N1-C6-N6	6.43	122.46	118.60
1	AA	685	G	N1-C6-O6	6.43	123.76	119.90
1	AA	706	A	N1-C6-N6	6.43	122.46	118.60
1	AA	995	C	C5-C6-N1	6.43	124.22	121.00
1	AA	1084	G	C4-C5-N7	-6.43	108.23	110.80
22	AV	35	ARG	NH1-CZ-NH2	-6.43	112.32	119.40
25	BA	15	A	C5-C6-N6	-6.43	118.55	123.70
25	BA	48	U	C1'-O4'-C4'	-6.43	104.75	109.90
26	BB	372	G	O4'-C1'-N9	6.43	113.35	108.20
26	BB	1151	A	C4-C5-C6	-6.43	113.78	117.00
26	BB	2187	U	N3-C4-C5	-6.43	110.74	114.60
26	BB	2593	U	O4'-C1'-N1	6.43	113.35	108.20
26	BB	2625	G	N9-C4-C5	-6.43	102.83	105.40
26	BB	2901	C	N1-C2-O2	6.43	122.76	118.90
1	AA	540	G	C5-C6-N1	6.43	114.72	111.50
1	AA	1346	A	N1-C6-N6	6.43	122.46	118.60
1	AA	1422	G	C4-C5-N7	-6.43	108.23	110.80
1	AA	1535	C	N1-C2-O2	6.43	122.76	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	589	U	N3-C2-O2	-6.43	117.70	122.20
26	BB	593	U	N1-C2-N3	6.43	118.76	114.90
26	BB	1873	G	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	2012	G	C2-N3-C4	6.43	115.12	111.90
26	BB	2402	U	C5-C6-N1	-6.43	119.48	122.70
26	BB	2799	A	C6-C5-N7	6.43	136.80	132.30
41	BQ	111	ARG	NE-CZ-NH1	6.43	123.52	120.30
1	AA	888	G	N1-C2-N3	-6.43	120.04	123.90
26	BB	1337	G	C5-C6-O6	-6.43	124.74	128.60
26	BB	1402	U	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	2843	G	O4'-C1'-N9	6.43	113.34	108.20
1	AA	350	G	C6-C5-N7	6.43	134.26	130.40
1	AA	535	A	C5'-C4'-O4'	6.43	116.82	109.10
1	AA	600	A	C4-C5-N7	6.43	113.92	110.70
1	AA	897	C	C4-C5-C6	-6.43	114.19	117.40
1	AA	1185	G	N1-C6-O6	6.43	123.76	119.90
1	AA	1394	A	N3-C4-C5	-6.43	122.30	126.80
1	AA	1482	G	C4-C5-N7	6.43	113.37	110.80
4	AD	49	C	C2-N3-C4	6.43	123.11	119.90
25	BA	119	A	N1-C2-N3	-6.43	126.08	129.30
26	BB	68	G	N3-C4-N9	-6.43	122.14	126.00
26	BB	116	C	N1-C2-O2	-6.43	115.04	118.90
26	BB	182	A	C5-C6-N6	-6.43	118.56	123.70
26	BB	499	U	N1-C1'-C2'	-6.43	104.93	112.00
26	BB	540	C	C3'-C2'-C1'	6.43	106.64	101.50
26	BB	550	C	O4'-C1'-C2'	-6.43	99.37	105.80
26	BB	652	U	C6-N1-C2	-6.43	117.14	121.00
26	BB	825	A	N1-C6-N6	-6.43	114.74	118.60
26	BB	1128	G	O3'-P-O5'	-6.43	91.78	104.00
26	BB	2042	A	N3-C4-C5	-6.43	122.30	126.80
26	BB	2669	G	N7-C8-N9	6.43	116.31	113.10
1	AA	1510	C	C5-C4-N4	-6.43	115.70	120.20
26	BB	292	U	P-O3'-C3'	6.43	127.41	119.70
26	BB	2441	U	N3-C4-C5	-6.43	110.74	114.60
26	BB	2833	U	C5-C4-O4	-6.43	122.04	125.90
1	AA	446	G	C8-N9-C4	-6.43	103.83	106.40
1	AA	1042	A	C2-N3-C4	6.43	113.81	110.60
26	BB	60	G	C5-N7-C8	-6.43	101.09	104.30
26	BB	454	A	N9-C4-C5	6.43	108.37	105.80
26	BB	459	U	O4'-C1'-N1	6.43	113.34	108.20
26	BB	1045	C	C1'-O4'-C4'	6.43	115.04	109.90
26	BB	1256	G	O4'-C1'-N9	6.43	113.34	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1820	U	N1-C2-O2	6.43	127.30	122.80
26	BB	1934	C	C2-N3-C4	-6.43	116.69	119.90
26	BB	2106	U	N3-C4-C5	6.43	118.46	114.60
26	BB	2388	A	C4-C5-C6	-6.43	113.79	117.00
26	BB	2650	U	C2-N3-C4	-6.43	123.14	127.00
26	BB	2720	U	C6-N1-C2	-6.43	117.14	121.00
1	AA	855	U	O4'-C1'-N1	6.42	113.34	108.20
1	AA	1033	G	N3-C2-N2	-6.42	115.40	119.90
8	AH	52	ALA	CB-CA-C	6.42	119.74	110.10
25	BA	44	G	N3-C2-N2	-6.42	115.40	119.90
26	BB	21	A	N9-C1'-C2'	-6.42	104.93	112.00
26	BB	937	C	P-O3'-C3'	6.42	127.41	119.70
26	BB	1004	U	O4'-C1'-N1	6.42	113.34	108.20
1	AA	635	A	C6-C5-N7	-6.42	127.80	132.30
1	AA	1201	A	C6-C5-N7	6.42	136.80	132.30
1	AA	1379	G	C4-C5-N7	-6.42	108.23	110.80
2	AB	24	G	C6-N1-C2	6.42	128.95	125.10
26	BB	65	U	C2-N3-C4	-6.42	123.15	127.00
26	BB	416	U	C4-C5-C6	-6.42	115.85	119.70
26	BB	2009	A	C4-C5-C6	6.42	120.21	117.00
26	BB	2294	G	C3'-C2'-C1'	6.42	106.64	101.50
26	BB	2731	G	C8-N9-C4	-6.42	103.83	106.40
1	AA	579	A	N7-C8-N9	6.42	117.01	113.80
1	AA	584	G	C6-C5-N7	6.42	134.25	130.40
1	AA	774	G	C4-C5-C6	6.42	122.65	118.80
1	AA	980	C	C4-C5-C6	6.42	120.61	117.40
1	AA	1282	C	N1-C2-O2	6.42	122.75	118.90
1	AA	1357	A	C6-N1-C2	6.42	122.45	118.60
26	BB	212	G	C5-C6-O6	6.42	132.45	128.60
26	BB	1365	A	C6-C5-N7	6.42	136.79	132.30
26	BB	2212	A	P-O3'-C3'	6.42	127.41	119.70
26	BB	2582	G	N1-C6-O6	6.42	123.75	119.90
26	BB	2721	A	C5-N7-C8	6.42	107.11	103.90
1	AA	35	G	C6-N1-C2	6.42	128.95	125.10
1	AA	1052	U	N1-C2-N3	6.42	118.75	114.90
25	BA	44	G	C2'-C3'-O3'	6.42	123.97	113.70
25	BA	89	U	C2'-C3'-O3'	6.42	123.97	113.70
26	BB	32	C	N3-C2-O2	-6.42	117.41	121.90
26	BB	722	A	C5-N7-C8	-6.42	100.69	103.90
26	BB	1127	A	O4'-C1'-N9	-6.42	103.06	108.20
1	AA	292	G	C3'-C2'-C1'	6.42	106.64	101.50
1	AA	864	A	C8-N9-C4	-6.42	103.23	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1319	A	C6-N1-C2	-6.42	114.75	118.60
26	BB	263	G	P-O3'-C3'	6.42	127.40	119.70
26	BB	459	U	N1-C2-N3	6.42	118.75	114.90
26	BB	470	A	N1-C2-N3	-6.42	126.09	129.30
26	BB	1077	A	C5-C6-N6	6.42	128.84	123.70
26	BB	1696	G	C2-N3-C4	-6.42	108.69	111.90
26	BB	1898	U	C1'-O4'-C4'	6.42	115.03	109.90
26	BB	2312	U	N1-C2-N3	6.42	118.75	114.90
26	BB	2813	A	C5'-C4'-O4'	6.42	116.80	109.10
1	AA	130	A	N7-C8-N9	6.42	117.01	113.80
1	AA	475	C	C4'-C3'-C2'	-6.42	96.18	102.60
1	AA	983	A	C3'-C2'-C1'	6.42	106.63	101.50
1	AA	1134	G	P-O3'-C3'	6.42	127.40	119.70
1	AA	1248	A	O4'-C1'-C2'	6.42	113.38	107.60
25	BA	99	A	C1'-O4'-C4'	6.42	115.03	109.90
26	BB	144	A	C4'-C3'-C2'	-6.42	96.18	102.60
26	BB	295	G	C1'-O4'-C4'	-6.42	104.77	109.90
26	BB	533	G	N9-C4-C5	6.42	107.97	105.40
26	BB	893	C	N3-C4-C5	6.42	124.47	121.90
26	BB	1394	U	C6-N1-C2	-6.42	117.15	121.00
26	BB	2249	U	C2-N3-C4	-6.42	123.15	127.00
26	BB	2773	C	C3'-C2'-C1'	6.42	106.63	101.50
26	BB	2778	A	C5-C6-N6	-6.42	118.57	123.70
1	AA	461	A	N9-C1'-C2'	6.42	122.34	114.00
1	AA	535	A	N3-C4-C5	-6.42	122.31	126.80
4	AD	4	G	N9-C4-C5	6.42	107.97	105.40
26	BB	232	G	C6-N1-C2	-6.42	121.25	125.10
26	BB	1353	A	C1'-O4'-C4'	-6.42	104.77	109.90
26	BB	1464	G	O4'-C1'-N9	6.42	113.33	108.20
1	AA	145	G	N7-C8-N9	6.41	116.31	113.10
1	AA	303	A	C6-C5-N7	-6.41	127.81	132.30
1	AA	617	G	C6-C5-N7	-6.41	126.55	130.40
1	AA	793	U	N3-C2-O2	-6.41	117.71	122.20
1	AA	1143	G	C5-C6-O6	-6.41	124.75	128.60
1	AA	1388	C	C5'-C4'-C3'	-6.41	105.74	116.00
1	AA	1419	G	C5-C6-O6	-6.41	124.75	128.60
1	AA	1480	A	C5-N7-C8	-6.41	100.69	103.90
26	BB	279	A	N9-C4-C5	-6.41	103.23	105.80
26	BB	803	U	C4'-C3'-C2'	-6.41	96.19	102.60
26	BB	1362	C	N1-C2-N3	-6.41	114.71	119.20
26	BB	1510	G	C4'-C3'-C2'	6.41	109.01	102.60
26	BB	1746	A	N1-C6-N6	-6.41	114.75	118.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1837	C	C6-N1-C2	-6.41	117.73	120.30
26	BB	2670	A	P-O3'-C3'	6.41	127.40	119.70
26	BB	2872	A	C4'-C3'-C2'	-6.41	96.19	102.60
29	BE	77	ARG	NE-CZ-NH1	6.41	123.51	120.30
1	AA	186	C	C6-N1-C2	-6.41	117.73	120.30
1	AA	1208	C	C6-N1-C2	6.41	122.86	120.30
1	AA	1323	G	O4'-C1'-N9	6.41	113.33	108.20
2	AB	21	A	N7-C8-N9	-6.41	110.59	113.80
3	AC	15	G	O4'-C4'-C3'	6.41	111.23	106.10
4	AD	76	C	N3-C4-C5	-6.41	119.33	121.90
10	AJ	95	ARG	NE-CZ-NH2	-6.41	117.09	120.30
26	BB	135	U	N3-C4-O4	6.41	123.89	119.40
26	BB	137	U	C2-N1-C1'	-6.41	110.01	117.70
26	BB	383	C	N3-C4-N4	6.41	122.49	118.00
26	BB	2104	C	N3-C2-O2	-6.41	117.41	121.90
1	AA	179	A	N9-C4-C5	6.41	108.36	105.80
1	AA	228	A	N1-C2-N3	-6.41	126.09	129.30
1	AA	505	G	C5'-C4'-C3'	-6.41	105.74	116.00
1	AA	1015	G	P-O5'-C5'	6.41	131.16	120.90
1	AA	1307	U	C2-N3-C4	-6.41	123.15	127.00
1	AA	1523	G	O4'-C4'-C3'	6.41	111.23	106.10
25	BA	54	G	N7-C8-N9	-6.41	109.89	113.10
26	BB	938	G	C5-N7-C8	-6.41	101.09	104.30
26	BB	962	G	C8-N9-C1'	6.41	135.33	127.00
26	BB	1535	A	O4'-C1'-N9	6.41	113.33	108.20
26	BB	1653	G	C2-N3-C4	6.41	115.11	111.90
26	BB	1826	G	C4-C5-C6	6.41	122.65	118.80
26	BB	2181	U	N1-C2-O2	6.41	127.29	122.80
26	BB	2715	C	O4'-C1'-N1	6.41	113.33	108.20
28	BD	68	ARG	CB-CA-C	6.41	123.22	110.40
36	BL	57	LEU	CB-CG-CD1	6.41	121.90	111.00
1	AA	242	G	C4-C5-N7	-6.41	108.24	110.80
1	AA	323	U	C2-N3-C4	-6.41	123.16	127.00
1	AA	605	U	P-O3'-C3'	6.41	127.39	119.70
1	AA	1036	A	C5-N7-C8	6.41	107.10	103.90
1	AA	1057	G	C8-N9-C4	-6.41	103.84	106.40
1	AA	1129	C	N3-C4-N4	-6.41	113.52	118.00
1	AA	1366	C	C4-C5-C6	-6.41	114.20	117.40
1	AA	1373	G	N3-C4-C5	-6.41	125.40	128.60
1	AA	1379	G	C6-N1-C2	-6.41	121.25	125.10
3	AC	24	A	C1'-O4'-C4'	6.41	115.03	109.90
26	BB	151	C	C3'-C2'-C1'	6.41	106.63	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	909	A	C8-N9-C4	-6.41	103.24	105.80
26	BB	913	U	O4'-C1'-N1	6.41	113.33	108.20
26	BB	1362	C	C5'-C4'-O4'	6.41	116.79	109.10
26	BB	2727	A	C8-N9-C4	-6.41	103.24	105.80
27	BC	71	ARG	NH1-CZ-NH2	-6.41	112.35	119.40
1	AA	1231	G	C8-N9-C4	-6.41	103.84	106.40
1	AA	1454	G	N3-C4-C5	6.41	131.80	128.60
26	BB	780	G	P-O3'-C3'	6.41	127.39	119.70
26	BB	1606	C	O4'-C1'-N1	6.41	113.33	108.20
1	AA	462	G	C1'-O4'-C4'	-6.41	104.78	109.90
1	AA	520	A	P-O3'-C3'	6.41	127.39	119.70
1	AA	741	G	C4-C5-C6	-6.41	114.96	118.80
1	AA	987	G	C8-N9-C1'	6.41	135.33	127.00
1	AA	1164	G	C5'-C4'-O4'	6.41	116.79	109.10
1	AA	1288	A	O4'-C1'-N9	6.41	113.32	108.20
1	AA	1338	G	C5-C6-O6	-6.41	124.76	128.60
2	AB	26	A	N1-C2-N3	6.41	132.50	129.30
3	AC	39	U	C2-N3-C4	-6.41	123.16	127.00
26	BB	212	G	C6-C5-N7	-6.41	126.56	130.40
26	BB	721	A	O4'-C1'-N9	6.41	113.33	108.20
26	BB	1324	G	C2-N3-C4	-6.41	108.70	111.90
26	BB	1608	A	O3'-P-O5'	-6.41	91.83	104.00
26	BB	1682	G	N3-C4-N9	6.41	129.84	126.00
26	BB	1838	C	C6-N1-C2	-6.41	117.74	120.30
1	AA	384	G	C5-C6-O6	-6.40	124.76	128.60
5	AE	195	VAL	CA-CB-CG2	6.40	120.51	110.90
25	BA	80	U	C2-N3-C4	6.40	130.84	127.00
26	BB	473	G	N3-C4-N9	6.40	129.84	126.00
26	BB	2249	U	C5-C6-N1	-6.40	119.50	122.70
1	AA	131	A	N9-C1'-C2'	-6.40	104.96	112.00
1	AA	308	C	C1'-O4'-C4'	6.40	115.02	109.90
1	AA	491	G	O4'-C1'-N9	6.40	113.32	108.20
1	AA	762	U	C4'-C3'-C2'	-6.40	96.20	102.60
1	AA	879	C	C2'-C3'-O3'	6.40	123.94	113.70
4	AD	14	A	C5-C6-N6	6.40	128.82	123.70
25	BA	101	A	C3'-C2'-C1'	6.40	106.62	101.50
26	BB	48	G	C5'-C4'-O4'	6.40	116.78	109.10
26	BB	254	G	C5-N7-C8	6.40	107.50	104.30
26	BB	636	G	C5-C6-O6	-6.40	124.76	128.60
26	BB	725	G	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	990	A	C6-C5-N7	6.40	136.78	132.30
26	BB	1640	A	C8-N9-C4	-6.40	103.24	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1656	C	C5-C6-N1	-6.40	117.80	121.00
26	BB	2110	G	C2-N3-C4	6.40	115.10	111.90
26	BB	2117	A	C3'-C2'-C1'	6.40	106.62	101.50
1	AA	98	A	N3-C4-N9	6.40	132.52	127.40
1	AA	318	G	C1'-O4'-C4'	-6.40	104.78	109.90
1	AA	361	G	N7-C8-N9	-6.40	109.90	113.10
1	AA	478	A	P-O3'-C3'	6.40	127.38	119.70
1	AA	823	C	N3-C2-O2	-6.40	117.42	121.90
1	AA	1467	C	O4'-C1'-N1	6.40	113.32	108.20
1	AA	1539	C	C3'-C2'-C1'	6.40	106.62	101.50
5	AE	236	PHE	CB-CG-CD2	6.40	125.28	120.80
25	BA	64	G	O4'-C1'-C2'	6.40	113.36	107.60
25	BA	90	C	N3-C2-O2	-6.40	117.42	121.90
26	BB	596	U	C5-C6-N1	6.40	125.90	122.70
26	BB	1594	U	C3'-C2'-C1'	6.40	106.62	101.50
26	BB	1667	G	C5-C6-O6	6.40	132.44	128.60
26	BB	1916	A	N9-C4-C5	6.40	108.36	105.80
26	BB	2739	U	C5-C6-N1	-6.40	119.50	122.70
26	BB	2817	U	C1'-O4'-C4'	-6.40	104.78	109.90
1	AA	545	C	C3'-C2'-C1'	-6.40	96.38	101.50
1	AA	1104	G	C6-C5-N7	-6.40	126.56	130.40
1	AA	1298	U	C5'-C4'-O4'	-6.40	101.42	109.10
26	BB	1031	G	C2-N3-C4	6.40	115.10	111.90
26	BB	1888	G	C6-N1-C2	-6.40	121.26	125.10
26	BB	2672	U	C2-N3-C4	-6.40	123.16	127.00
1	AA	98	A	O4'-C1'-N9	6.40	113.32	108.20
1	AA	283	U	N3-C4-O4	6.40	123.88	119.40
1	AA	446	G	N3-C2-N2	-6.40	115.42	119.90
1	AA	505	G	C5'-C4'-O4'	6.40	116.78	109.10
1	AA	1311	A	C3'-C2'-C1'	6.40	106.62	101.50
1	AA	1338	G	C5'-C4'-O4'	6.40	116.78	109.10
2	AB	12	U	N1-C2-N3	6.40	118.74	114.90
26	BB	1039	A	N9-C4-C5	6.40	108.36	105.80
26	BB	1572	A	C4-C5-N7	6.40	113.90	110.70
26	BB	1588	G	N3-C4-C5	-6.40	125.40	128.60
26	BB	1952	A	C4-C5-C6	-6.40	113.80	117.00
26	BB	2125	G	O4'-C4'-C3'	-6.40	97.60	104.00
26	BB	2411	A	C6-N1-C2	6.40	122.44	118.60
26	BB	2700	A	N1-C2-N3	-6.40	126.10	129.30
26	BB	2889	C	N3-C4-C5	-6.40	119.34	121.90
55	B4	43	ARG	NE-CZ-NH2	-6.40	117.10	120.30
1	AA	195	A	N1-C2-N3	-6.40	126.10	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	704	G	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	1260	A	C6-C5-N7	6.40	136.78	132.30
26	BB	1386	C	N1-C1'-C2'	-6.40	104.97	112.00
26	BB	1577	C	C2-N3-C4	6.40	123.10	119.90
26	BB	1903	G	C3'-C2'-C1'	-6.40	96.38	101.50
1	AA	457	G	N1-C2-N3	-6.39	120.06	123.90
1	AA	917	G	C4-C5-C6	6.39	122.64	118.80
1	AA	945	G	N1-C2-N2	-6.39	110.45	116.20
1	AA	1278	G	C5-C6-O6	-6.39	124.76	128.60
2	AB	58	A	P-O3'-C3'	6.39	127.37	119.70
26	BB	53	A	O4'-C4'-C3'	-6.39	97.61	104.00
26	BB	326	G	C1'-O4'-C4'	-6.39	104.78	109.90
26	BB	381	G	O4'-C4'-C3'	6.39	111.22	106.10
26	BB	431	U	C2-N3-C4	-6.39	123.16	127.00
26	BB	656	G	N1-C2-N3	6.39	127.74	123.90
26	BB	1205	A	N7-C8-N9	6.39	117.00	113.80
26	BB	1507	C	N3-C4-N4	6.39	122.48	118.00
26	BB	1669	A	N7-C8-N9	6.39	117.00	113.80
26	BB	1849	G	C2-N3-C4	6.39	115.10	111.90
26	BB	1888	G	C1'-O4'-C4'	6.39	115.02	109.90
26	BB	2021	C	C5-C6-N1	-6.39	117.80	121.00
26	BB	2495	G	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	2585	U	O4'-C1'-N1	6.39	113.31	108.20
1	AA	1065	U	C6-N1-C2	-6.39	117.17	121.00
1	AA	1202	U	O5'-P-OP1	-6.39	99.95	105.70
1	AA	1466	C	O4'-C1'-N1	6.39	113.31	108.20
4	AD	11	A	C6-N1-C2	-6.39	114.76	118.60
26	BB	469	G	N1-C2-N3	6.39	127.74	123.90
26	BB	1102	C	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	1382	G	C6-N1-C2	-6.39	121.27	125.10
26	BB	2025	C	C2-N3-C4	6.39	123.10	119.90
26	BB	2527	C	C5-C6-N1	6.39	124.20	121.00
1	AA	524	G	O4'-C1'-N9	6.39	113.31	108.20
1	AA	1012	A	N9-C1'-C2'	-6.39	104.97	112.00
1	AA	1105	A	N9-C4-C5	6.39	108.36	105.80
26	BB	271	G	N7-C8-N9	6.39	116.30	113.10
1	AA	255	G	N7-C8-N9	-6.39	109.91	113.10
1	AA	408	A	C2-N3-C4	6.39	113.80	110.60
1	AA	633	G	C5-C6-N1	6.39	114.69	111.50
3	AC	22	G	C8-N9-C4	-6.39	103.84	106.40
3	AC	31	U	O4'-C1'-N1	6.39	113.31	108.20
25	BA	10	G	C8-N9-C4	6.39	108.96	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	66	C	N1-C2-O2	-6.39	115.07	118.90
26	BB	390	U	N1-C2-N3	6.39	118.73	114.90
26	BB	442	G	N7-C8-N9	6.39	116.30	113.10
26	BB	469	G	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	489	G	N1-C2-N2	-6.39	110.45	116.20
26	BB	934	U	C4-C5-C6	6.39	123.53	119.70
26	BB	1364	G	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	1500	G	C8-N9-C4	-6.39	103.84	106.40
26	BB	2147	A	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	2234	G	N7-C8-N9	6.39	116.30	113.10
26	BB	2479	U	C6-N1-C2	-6.39	117.17	121.00
26	BB	2828	G	N9-C4-C5	6.39	107.96	105.40
1	AA	145	G	C2-N3-C4	6.39	115.09	111.90
26	BB	831	G	N9-C4-C5	6.39	107.95	105.40
26	BB	858	G	C4-C5-N7	-6.39	108.25	110.80
26	BB	1116	G	C5-C6-O6	-6.39	124.77	128.60
26	BB	1298	C	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	1681	G	C5-C6-O6	-6.39	124.77	128.60
26	BB	2157	G	C4-C5-N7	-6.39	108.25	110.80
26	BB	2846	G	O4'-C4'-C3'	6.39	111.21	106.10
1	AA	108	G	O4'-C1'-C2'	6.39	113.35	107.60
1	AA	789	U	C2-N1-C1'	6.39	125.36	117.70
1	AA	1175	G	N1-C2-N2	6.39	121.95	116.20
1	AA	1216	A	N1-C2-N3	-6.39	126.11	129.30
26	BB	307	G	N3-C4-N9	6.39	129.83	126.00
26	BB	580	U	N1-C2-N3	6.39	118.73	114.90
26	BB	618	G	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	756	A	C5-N7-C8	6.39	107.09	103.90
26	BB	1645	G	O4'-C4'-C3'	6.39	111.21	106.10
26	BB	1659	G	C3'-C2'-C1'	-6.39	96.39	101.50
26	BB	1689	A	N3-C4-C5	-6.39	122.33	126.80
26	BB	1740	G	N3-C4-N9	6.39	129.83	126.00
26	BB	1793	C	C6-N1-C2	6.39	122.86	120.30
26	BB	2622	U	C1'-O4'-C4'	-6.39	104.79	109.90
26	BB	2681	C	N3-C4-C5	6.39	124.45	121.90
1	AA	895	G	N3-C4-N9	6.38	129.83	126.00
1	AA	985	C	C2-N3-C4	6.38	123.09	119.90
1	AA	1055	A	C8-N9-C4	6.38	108.35	105.80
1	AA	1157	A	O4'-C1'-N9	6.38	113.31	108.20
26	BB	197	A	O4'-C1'-N9	6.38	113.31	108.20
26	BB	389	G	O4'-C1'-N9	6.38	113.31	108.20
26	BB	1808	A	C8-N9-C4	-6.38	103.25	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2515	C	C2-N3-C4	6.38	123.09	119.90
26	BB	2822	G	C8-N9-C4	-6.38	103.85	106.40
26	BB	1091	G	C5-C6-O6	-6.38	124.77	128.60
26	BB	1700	A	C6-N1-C2	-6.38	114.77	118.60
26	BB	2556	C	N1-C2-O2	6.38	122.73	118.90
1	AA	765	G	C2-N3-C4	6.38	115.09	111.90
1	AA	769	G	C4-C5-C6	6.38	122.63	118.80
21	AU	65	SER	CB-CA-C	6.38	122.22	110.10
25	BA	51	G	N9-C4-C5	-6.38	102.85	105.40
26	BB	215	G	C8-N9-C4	-6.38	103.85	106.40
26	BB	1145	C	O4'-C1'-N1	6.38	113.31	108.20
26	BB	1825	U	N1-C2-N3	6.38	118.73	114.90
26	BB	2212	A	O4'-C1'-N9	6.38	113.31	108.20
26	BB	2894	G	N3-C4-C5	-6.38	125.41	128.60
1	AA	900	A	N3-C4-C5	-6.38	122.33	126.80
2	AB	11	U	O4'-C1'-N1	6.38	113.30	108.20
4	AD	10	G	C5-C6-N1	6.38	114.69	111.50
26	BB	1159	U	C3'-C2'-C1'	6.38	106.60	101.50
26	BB	1729	U	N1-C2-O2	-6.38	118.33	122.80
26	BB	2210	U	N3-C2-O2	-6.38	117.73	122.20
26	BB	2297	A	N1-C2-N3	-6.38	126.11	129.30
26	BB	2705	A	O4'-C4'-C3'	-6.38	97.62	104.00
29	BE	13	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	AA	14	U	C6-N1-C1'	6.38	130.13	121.20
1	AA	95	C	N3-C4-N4	6.38	122.47	118.00
1	AA	1494	G	C5'-C4'-C3'	-6.38	105.79	116.00
25	BA	51	G	C5-N7-C8	-6.38	101.11	104.30
26	BB	311	A	N1-C6-N6	-6.38	114.77	118.60
26	BB	1528	A	C6-N1-C2	6.38	122.43	118.60
26	BB	1791	A	C5-N7-C8	6.38	107.09	103.90
26	BB	1940	U	C5-C6-N1	-6.38	119.51	122.70
26	BB	1993	U	C3'-C2'-C1'	6.38	106.60	101.50
26	BB	2271	G	C6-C5-N7	-6.38	126.57	130.40
26	BB	2854	G	N1-C6-O6	-6.38	116.07	119.90
27	BC	21	TYR	CZ-CE2-CD2	6.38	125.54	119.80
34	BJ	22	LEU	CB-CG-CD2	6.38	121.84	111.00
1	AA	181	A	C1'-O4'-C4'	-6.38	104.80	109.90
1	AA	283	U	N3-C2-O2	-6.38	117.74	122.20
1	AA	853	C	C2-N1-C1'	6.38	125.81	118.80
1	AA	854	U	N3-C4-O4	6.38	123.86	119.40
1	AA	1450	U	C5'-C4'-O4'	6.38	116.75	109.10
26	BB	357	C	N3-C4-N4	6.38	122.46	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	365	U	C5-C6-N1	-6.38	119.51	122.70
26	BB	714	U	C5'-C4'-O4'	6.38	116.75	109.10
26	BB	1117	C	O4'-C1'-N1	6.38	113.30	108.20
26	BB	1151	A	C5-N7-C8	-6.38	100.71	103.90
26	BB	1599	U	C5-C6-N1	-6.38	119.51	122.70
26	BB	2110	G	N1-C2-N3	-6.38	120.07	123.90
26	BB	2406	A	N9-C4-C5	-6.38	103.25	105.80
26	BB	2426	A	C2-N3-C4	-6.38	107.41	110.60
1	AA	1285	A	O3'-P-O5'	-6.38	91.89	104.00
26	BB	1742	U	C1'-O4'-C4'	-6.38	104.80	109.90
26	BB	1969	A	C4-C5-N7	-6.38	107.51	110.70
26	BB	2066	C	C6-N1-C2	6.38	122.85	120.30
1	AA	499	A	C1'-O4'-C4'	-6.37	104.80	109.90
1	AA	532	A	O4'-C1'-N9	6.37	113.30	108.20
1	AA	674	G	N1-C2-N3	6.37	127.72	123.90
1	AA	745	G	O4'-C1'-N9	-6.37	103.10	108.20
1	AA	1087	G	N3-C4-C5	-6.37	125.41	128.60
15	AO	65	TYR	CB-CG-CD1	-6.37	117.18	121.00
23	AW	59	ARG	CD-NE-CZ	6.37	132.52	123.60
26	BB	497	A	C5-C6-N1	-6.37	114.51	117.70
26	BB	672	C	N3-C4-C5	-6.37	119.35	121.90
26	BB	698	C	C6-N1-C2	6.37	122.85	120.30
26	BB	732	C	C5-C6-N1	6.37	124.19	121.00
26	BB	936	A	N3-C4-C5	-6.37	122.34	126.80
26	BB	1582	C	P-O3'-C3'	6.37	127.35	119.70
26	BB	2091	C	N1-C2-O2	6.37	122.72	118.90
26	BB	2682	A	C2-N3-C4	6.37	113.79	110.60
26	BB	2702	G	N7-C8-N9	6.37	116.29	113.10
1	AA	122	G	C6-N1-C2	-6.37	121.28	125.10
2	AB	45	U	C3'-C2'-C1'	6.37	106.60	101.50
25	BA	1	U	C5-C6-N1	-6.37	119.52	122.70
26	BB	471	A	C1'-O4'-C4'	-6.37	104.80	109.90
26	BB	548	G	O4'-C1'-N9	-6.37	103.10	108.20
26	BB	1248	G	C8-N9-C4	-6.37	103.85	106.40
26	BB	1360	G	C6-C5-N7	6.37	134.22	130.40
26	BB	1383	A	O4'-C1'-C2'	-6.37	99.43	105.80
26	BB	1518	C	N3-C4-C5	-6.37	119.35	121.90
26	BB	2209	G	O4'-C1'-N9	6.37	113.30	108.20
26	BB	2777	G	O4'-C4'-C3'	6.37	111.20	106.10
1	AA	1185	G	N3-C4-C5	-6.37	125.42	128.60
26	BB	288	U	C5-C4-O4	-6.37	122.08	125.90
26	BB	1863	G	C1'-O4'-C4'	-6.37	104.80	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2164	C	O4'-C1'-N1	6.37	113.30	108.20
26	BB	2169	A	P-O3'-C3'	6.37	127.34	119.70
1	AA	107	G	C8-N9-C4	-6.37	103.85	106.40
1	AA	792	A	C4-C5-N7	6.37	113.89	110.70
1	AA	1131	G	C5'-C4'-C3'	-6.37	105.81	116.00
1	AA	1450	U	C5-C4-O4	-6.37	122.08	125.90
2	AB	75	C	O5'-C5'-C4'	-6.37	99.60	111.70
4	AD	65	G	C4-C5-N7	-6.37	108.25	110.80
26	BB	6	A	N3-C4-C5	-6.37	122.34	126.80
26	BB	815	C	N3-C4-N4	6.37	122.46	118.00
26	BB	1299	G	N7-C8-N9	-6.37	109.92	113.10
26	BB	1364	G	C4-C5-C6	6.37	122.62	118.80
26	BB	2003	A	N1-C6-N6	6.37	122.42	118.60
26	BB	2104	C	C2-N3-C4	6.37	123.08	119.90
26	BB	2247	A	C4'-C3'-C2'	-6.37	96.23	102.60
26	BB	2310	C	C5'-C4'-C3'	-6.37	105.81	116.00
26	BB	2557	G	N7-C8-N9	6.37	116.28	113.10
26	BB	165	A	N1-C2-N3	-6.37	126.12	129.30
50	BZ	69	GLU	OE1-CD-OE2	6.37	130.94	123.30
1	AA	204	G	C5-C6-O6	6.37	132.42	128.60
1	AA	1075	U	N1-C2-N3	6.37	118.72	114.90
1	AA	1083	U	O4'-C1'-N1	6.37	113.29	108.20
3	AC	40	G	N3-C4-C5	-6.37	125.42	128.60
26	BB	491	G	C6-C5-N7	-6.37	126.58	130.40
26	BB	1403	A	C5-N7-C8	-6.37	100.72	103.90
26	BB	1579	A	C4-C5-N7	-6.37	107.52	110.70
26	BB	1602	U	N1-C1'-C2'	6.37	122.28	114.00
26	BB	1721	G	N3-C4-N9	6.37	129.82	126.00
26	BB	2226	C	N1-C2-O2	6.37	122.72	118.90
26	BB	2245	U	C6-N1-C2	-6.37	117.18	121.00
1	AA	920	U	C1'-O4'-C4'	6.36	114.99	109.90
1	AA	1276	G	C6-N1-C2	-6.36	121.28	125.10
1	AA	1300	G	C5-N7-C8	-6.36	101.12	104.30
8	AH	49	TYR	CG-CD2-CE2	-6.36	116.21	121.30
26	BB	177	G	C1'-O4'-C4'	-6.36	104.81	109.90
26	BB	1665	A	C6-N1-C2	6.36	122.42	118.60
26	BB	2266	A	C4-C5-N7	-6.36	107.52	110.70
26	BB	2383	G	N1-C6-O6	-6.36	116.08	119.90
1	AA	159	G	C6-N1-C2	-6.36	121.28	125.10
1	AA	436	C	C4'-C3'-C2'	-6.36	96.24	102.60
1	AA	744	C	N3-C4-C5	-6.36	119.36	121.90
1	AA	1202	U	C4'-C3'-C2'	-6.36	96.24	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1235	U	O4'-C1'-N1	6.36	113.29	108.20
3	AC	26	U	O3'-P-O5'	-6.36	91.91	104.00
26	BB	697	G	N1-C2-N3	6.36	127.72	123.90
26	BB	761	A	C8-N9-C4	-6.36	103.25	105.80
26	BB	939	G	C5-N7-C8	6.36	107.48	104.30
26	BB	2288	A	C6-N1-C2	6.36	122.42	118.60
1	AA	15	G	O4'-C1'-N9	6.36	113.29	108.20
1	AA	379	C	C6-N1-C2	-6.36	117.76	120.30
1	AA	391	G	N9-C4-C5	6.36	107.94	105.40
1	AA	649	A	N3-C4-C5	-6.36	122.35	126.80
2	AB	41	C	N1-C2-O2	6.36	122.72	118.90
2	AB	75	C	N1-C1'-C2'	-6.36	105.00	112.00
26	BB	622	G	C5-N7-C8	6.36	107.48	104.30
26	BB	910	A	N7-C8-N9	6.36	116.98	113.80
26	BB	1373	A	O4'-C1'-N9	6.36	113.29	108.20
26	BB	1432	G	C6-C5-N7	-6.36	126.58	130.40
26	BB	2094	A	P-O3'-C3'	6.36	127.33	119.70
26	BB	2311	A	C4'-C3'-C2'	-6.36	96.24	102.60
1	AA	502	A	N7-C8-N9	6.36	116.98	113.80
1	AA	565	U	C2-N3-C4	-6.36	123.19	127.00
1	AA	1156	G	C4-C5-C6	6.36	122.62	118.80
1	AA	1343	G	C3'-C2'-C1'	6.36	106.59	101.50
4	AD	38	A	N9-C4-C5	-6.36	103.26	105.80
25	BA	7	G	C4'-C3'-C2'	-6.36	96.24	102.60
26	BB	878	A	O4'-C1'-N9	6.36	113.29	108.20
26	BB	1967	C	O4'-C1'-N1	6.36	113.29	108.20
26	BB	2620	C	C5'-C4'-O4'	6.36	116.73	109.10
26	BB	2897	U	C4-C5-C6	6.36	123.52	119.70
1	AA	47	C	C1'-O4'-C4'	-6.36	104.81	109.90
1	AA	430	A	C4-C5-C6	6.36	120.18	117.00
1	AA	1272	G	N1-C6-O6	6.36	123.71	119.90
4	AD	43	G	N1-C2-N2	6.36	121.92	116.20
26	BB	286	U	C5-C6-N1	-6.36	119.52	122.70
26	BB	933	A	C5'-C4'-C3'	-6.36	105.83	116.00
26	BB	1286	A	N9-C1'-C2'	6.36	122.26	114.00
26	BB	2617	U	O4'-C1'-C2'	-6.36	99.44	105.80
1	AA	199	A	C3'-C2'-C1'	6.36	106.58	101.50
1	AA	952	U	C4-C5-C6	6.36	123.51	119.70
1	AA	1162	C	N1-C2-N3	6.36	123.65	119.20
1	AA	1369	C	N1-C1'-C2'	-6.36	105.01	112.00
25	BA	95	U	C5-C4-O4	-6.36	122.09	125.90
26	BB	1709	U	C1'-O4'-C4'	6.36	114.98	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2285	C	P-O3'-C3'	6.36	127.33	119.70
26	BB	2441	U	P-O3'-C3'	6.36	127.33	119.70
26	BB	2554	U	N1-C2-O2	6.36	127.25	122.80
1	AA	317	U	C4-C5-C6	6.35	123.51	119.70
1	AA	1201	A	C5-C6-N1	6.35	120.88	117.70
1	AA	1456	A	N1-C6-N6	6.35	122.41	118.60
4	AD	23	G	C5-C6-O6	-6.35	124.79	128.60
26	BB	2448	A	C4-C5-C6	-6.35	113.82	117.00
26	BB	2597	G	N9-C1'-C2'	-6.35	105.01	112.00
1	AA	162	A	C5-C6-N1	-6.35	114.52	117.70
1	AA	509	A	C6-C5-N7	6.35	136.75	132.30
1	AA	649	A	C6-C5-N7	-6.35	127.85	132.30
1	AA	697	U	N3-C4-O4	-6.35	114.95	119.40
1	AA	826	C	O4'-C1'-N1	6.35	113.28	108.20
1	AA	849	G	C5-C6-O6	-6.35	124.79	128.60
2	AB	13	C	C5'-C4'-C3'	-6.35	105.84	116.00
26	BB	111	A	C1'-O4'-C4'	-6.35	104.82	109.90
26	BB	371	A	C8-N9-C4	-6.35	103.26	105.80
26	BB	375	G	C8-N9-C4	-6.35	103.86	106.40
26	BB	588	U	N1-C2-N3	6.35	118.71	114.90
26	BB	943	A	C2-N3-C4	6.35	113.78	110.60
26	BB	1094	U	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	1176	U	N1-C2-O2	6.35	127.25	122.80
26	BB	1380	G	C8-N9-C4	6.35	108.94	106.40
26	BB	1391	U	C5'-C4'-O4'	6.35	116.72	109.10
26	BB	1416	G	C4-C5-C6	6.35	122.61	118.80
26	BB	1693	U	C2-N3-C4	-6.35	123.19	127.00
26	BB	2133	G	C2-N3-C4	6.35	115.08	111.90
26	BB	2507	C	C5'-C4'-O4'	6.35	116.72	109.10
26	BB	2744	G	N3-C4-N9	6.35	129.81	126.00
1	AA	196	A	N9-C4-C5	6.35	108.34	105.80
1	AA	503	C	C5-C6-N1	6.35	124.17	121.00
1	AA	1009	U	N1-C2-O2	-6.35	118.35	122.80
3	AC	21	U	C5-C6-N1	-6.35	119.52	122.70
26	BB	287	G	N1-C2-N3	-6.35	120.09	123.90
26	BB	2248	C	N1-C2-O2	6.35	122.71	118.90
26	BB	2386	A	P-O3'-C3'	6.35	127.32	119.70
1	AA	146	G	C5'-C4'-O4'	6.35	116.72	109.10
1	AA	1289	A	C1'-O4'-C4'	6.35	114.98	109.90
26	BB	31	C	N3-C4-C5	6.35	124.44	121.90
26	BB	368	A	C2-N3-C4	-6.35	107.43	110.60
26	BB	551	G	C4'-C3'-C2'	6.35	108.95	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	673	C	N1-C1'-C2'	-6.35	105.02	112.00
26	BB	809	G	N1-C6-O6	-6.35	116.09	119.90
26	BB	2473	U	N3-C2-O2	-6.35	117.75	122.20
40	BP	12	ARG	C-N-CA	6.35	137.58	121.70
1	AA	300	A	C3'-C2'-C1'	-6.35	96.42	101.50
1	AA	1343	G	N1-C6-O6	6.35	123.71	119.90
26	BB	485	C	N3-C4-C5	-6.35	119.36	121.90
26	BB	656	G	N3-C4-N9	-6.35	122.19	126.00
26	BB	772	C	C6-N1-C2	6.35	122.84	120.30
26	BB	815	C	O4'-C1'-N1	6.35	113.28	108.20
26	BB	1379	U	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	1608	A	C4-C5-N7	-6.35	107.53	110.70
26	BB	1882	U	C4-C5-C6	6.35	123.51	119.70
26	BB	2044	C	N1-C2-O2	6.35	122.71	118.90
1	AA	899	C	C6-N1-C2	-6.35	117.76	120.30
1	AA	1099	G	C4'-C3'-C2'	-6.35	96.25	102.60
1	AA	1224	U	C3'-C2'-C1'	6.35	106.58	101.50
1	AA	1323	G	O4'-C4'-C3'	-6.35	97.65	104.00
26	BB	101	A	N3-C4-C5	-6.35	122.36	126.80
26	BB	1563	U	C1'-O4'-C4'	6.35	114.98	109.90
1	AA	305	G	N3-C4-N9	6.34	129.81	126.00
1	AA	505	G	C5-C6-O6	-6.34	124.79	128.60
1	AA	522	C	C4-C5-C6	-6.34	114.23	117.40
1	AA	712	A	N1-C2-N3	-6.34	126.13	129.30
1	AA	968	A	N9-C4-C5	-6.34	103.26	105.80
1	AA	994	A	C5-N7-C8	6.34	107.07	103.90
1	AA	1219	A	C5'-C4'-O4'	6.34	116.71	109.10
25	BA	22	U	C5-C6-N1	-6.34	119.53	122.70
25	BA	52	A	C5'-C4'-C3'	-6.34	105.85	116.00
26	BB	138	U	O4'-C1'-N1	6.34	113.28	108.20
26	BB	198	C	O4'-C1'-N1	6.34	113.28	108.20
26	BB	325	G	N9-C1'-C2'	-6.34	105.02	112.00
26	BB	2609	U	C5-C6-N1	-6.34	119.53	122.70
1	AA	1131	G	N3-C4-C5	-6.34	125.43	128.60
1	AA	1274	A	C5'-C4'-O4'	6.34	116.71	109.10
1	AA	1535	C	O4'-C1'-C2'	-6.34	99.46	105.80
26	BB	528	A	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	619	G	N1-C6-O6	6.34	123.71	119.90
26	BB	640	C	P-O5'-C5'	6.34	131.05	120.90
26	BB	2466	C	C6-N1-C2	-6.34	117.76	120.30
26	BB	2550	G	C8-N9-C4	-6.34	103.86	106.40
26	BB	2823	A	C4'-C3'-C2'	-6.34	96.26	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1238	A	C5-N7-C8	-6.34	100.73	103.90
2	AB	38	A	C5'-C4'-O4'	6.34	116.71	109.10
26	BB	8	C	O4'-C1'-C2'	6.34	113.31	107.60
26	BB	1072	C	O5'-P-OP1	-6.34	99.99	105.70
26	BB	1380	G	C6-N1-C2	-6.34	121.30	125.10
26	BB	1544	A	N1-C6-N6	6.34	122.41	118.60
26	BB	1951	U	C2-N1-C1'	6.34	125.31	117.70
26	BB	2494	G	O4'-C1'-N9	6.34	113.27	108.20
26	BB	2611	C	C1'-O4'-C4'	6.34	114.97	109.90
26	BB	2725	A	C5-C6-N6	6.34	128.77	123.70
26	BB	2744	G	N3-C4-C5	-6.34	125.43	128.60
34	BJ	30	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	AA	293	G	C4'-C3'-C2'	-6.34	96.26	102.60
1	AA	557	G	N3-C4-N9	6.34	129.80	126.00
1	AA	737	C	C5'-C4'-C3'	-6.34	105.86	116.00
1	AA	899	C	C4'-C3'-C2'	-6.34	96.26	102.60
1	AA	1297	G	C4-C5-C6	-6.34	115.00	118.80
25	BA	66	A	P-O3'-C3'	6.34	127.31	119.70
26	BB	338	G	C5-N7-C8	-6.34	101.13	104.30
26	BB	982	C	C2-N3-C4	-6.34	116.73	119.90
26	BB	995	C	N1-C2-O2	6.34	122.70	118.90
26	BB	1000	A	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	1011	G	C5-N7-C8	-6.34	101.13	104.30
26	BB	1091	G	C2-N3-C4	6.34	115.07	111.90
26	BB	1527	G	C3'-C2'-C1'	6.34	106.57	101.50
26	BB	2010	G	O4'-C1'-N9	6.34	113.27	108.20
26	BB	2155	U	O4'-C1'-N1	6.34	113.27	108.20
26	BB	2227	A	C8-N9-C4	-6.34	103.26	105.80
26	BB	2792	A	C4-C5-C6	-6.34	113.83	117.00
42	BR	61	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	AA	1431	A	O5'-C5'-C4'	6.34	123.74	111.70
26	BB	24	G	O4'-C1'-N9	6.34	113.27	108.20
26	BB	904	G	C5'-C4'-O4'	6.34	116.70	109.10
1	AA	31	G	O4'-C1'-N9	6.34	113.27	108.20
1	AA	367	U	N3-C4-O4	6.34	123.83	119.40
1	AA	659	U	C5'-C4'-O4'	6.34	116.70	109.10
1	AA	736	C	C5-C4-N4	-6.34	115.76	120.20
1	AA	1130	A	N1-C2-N3	-6.34	126.13	129.30
1	AA	1285	A	N3-C4-C5	-6.34	122.36	126.80
1	AA	1330	U	C4-C5-C6	6.34	123.50	119.70
4	AD	9	G	N3-C4-C5	-6.34	125.43	128.60
26	BB	1093	G	N3-C2-N2	-6.34	115.46	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1128	G	C5'-C4'-C3'	-6.34	105.86	116.00
1	AA	345	C	C3'-C2'-C1'	6.33	106.57	101.50
1	AA	902	G	N9-C4-C5	-6.33	102.87	105.40
26	BB	793	A	N9-C4-C5	-6.33	103.27	105.80
26	BB	1766	G	N3-C4-N9	6.33	129.80	126.00
26	BB	1924	C	C6-N1-C2	-6.33	117.77	120.30
26	BB	2186	G	C2-N3-C4	6.33	115.07	111.90
1	AA	782	A	N1-C2-N3	-6.33	126.13	129.30
1	AA	917	G	O4'-C1'-N9	6.33	113.27	108.20
1	AA	1076	U	N1-C2-O2	-6.33	118.37	122.80
26	BB	333	G	C5-C6-O6	-6.33	124.80	128.60
26	BB	641	U	O4'-C1'-N1	6.33	113.27	108.20
26	BB	701	G	N1-C6-O6	-6.33	116.10	119.90
26	BB	1239	G	N3-C2-N2	6.33	124.33	119.90
26	BB	1652	A	C5'-C4'-C3'	-6.33	105.87	116.00
26	BB	2411	A	C2-N3-C4	6.33	113.77	110.60
26	BB	2505	G	P-O3'-C3'	6.33	127.30	119.70
26	BB	2663	G	C1'-O4'-C4'	-6.33	104.83	109.90
26	BB	2803	G	N3-C4-N9	6.33	129.80	126.00
42	BR	113	LEU	CB-CG-CD1	6.33	121.77	111.00
1	AA	84	U	C5-C6-N1	-6.33	119.53	122.70
1	AA	189	A	C4'-C3'-C2'	-6.33	96.27	102.60
1	AA	193	C	C2-N3-C4	6.33	123.06	119.90
1	AA	1127	G	C5-C6-O6	-6.33	124.80	128.60
1	AA	1288	A	C5-N7-C8	6.33	107.07	103.90
26	BB	448	U	P-O3'-C3'	6.33	127.30	119.70
26	BB	1504	A	C2-N3-C4	6.33	113.77	110.60
26	BB	1626	A	O4'-C1'-N9	6.33	113.27	108.20
26	BB	1725	U	N1-C1'-C2'	6.33	122.23	114.00
26	BB	2234	G	P-O3'-C3'	6.33	127.30	119.70
26	BB	2569	G	N9-C4-C5	6.33	107.93	105.40
1	AA	404	G	N9-C1'-C2'	-6.33	105.04	112.00
1	AA	1047	G	C3'-C2'-C1'	-6.33	96.44	101.50
3	AC	31	U	N1-C2-N3	6.33	118.70	114.90
26	BB	71	A	C3'-C2'-C1'	-6.33	96.44	101.50
26	BB	281	C	C5-C4-N4	-6.33	115.77	120.20
26	BB	1585	C	N1-C2-O2	6.33	122.70	118.90
26	BB	1678	A	C5-C6-N6	6.33	128.76	123.70
26	BB	2772	C	C3'-C2'-C1'	-6.33	96.44	101.50
1	AA	70	U	C5-C4-O4	6.33	129.70	125.90
1	AA	245	U	N1-C2-N3	6.33	118.70	114.90
1	AA	610	U	C5-C6-N1	6.33	125.86	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	80	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	497	A	N3-C4-C5	6.33	131.23	126.80
26	BB	782	A	N1-C2-N3	-6.33	126.14	129.30
26	BB	1902	C	N1-C1'-C2'	-6.33	105.04	112.00
26	BB	2113	U	N1-C2-N3	-6.33	111.10	114.90
26	BB	2220	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	2236	U	C2-N3-C4	-6.33	123.20	127.00
26	BB	2353	G	C3'-C2'-C1'	-6.33	96.44	101.50
26	BB	2672	U	P-O3'-C3'	6.33	127.29	119.70
1	AA	688	G	C4'-C3'-C2'	-6.33	96.27	102.60
1	AA	834	U	N3-C2-O2	-6.33	117.77	122.20
17	AQ	12	ARG	NE-CZ-NH2	-6.33	117.14	120.30
26	BB	1265	A	C1'-O4'-C4'	6.33	114.96	109.90
26	BB	1852	U	O4'-C4'-C3'	6.33	111.16	106.10
1	AA	13	U	O4'-C1'-C2'	-6.33	99.47	105.80
1	AA	302	G	N3-C2-N2	-6.33	115.47	119.90
1	AA	351	G	N3-C2-N2	6.33	124.33	119.90
1	AA	506	G	C4-C5-N7	-6.33	108.27	110.80
1	AA	584	G	C5-C6-O6	-6.33	124.81	128.60
1	AA	992	U	O4'-C4'-C3'	6.33	111.16	106.10
26	BB	51	G	N7-C8-N9	6.33	116.26	113.10
26	BB	247	G	O4'-C1'-N9	-6.33	103.14	108.20
26	BB	820	A	O4'-C1'-N9	6.33	113.26	108.20
26	BB	921	C	O4'-C1'-N1	6.33	113.26	108.20
26	BB	1408	G	O4'-C1'-N9	6.33	113.26	108.20
26	BB	1798	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	2320	U	N1-C2-N3	6.33	118.69	114.90
26	BB	2418	A	C6-C5-N7	6.33	136.73	132.30
26	BB	2469	A	C4-C5-N7	6.33	113.86	110.70
26	BB	2750	A	C4'-C3'-C2'	-6.33	96.28	102.60
26	BB	2890	G	N3-C4-C5	-6.33	125.44	128.60
1	AA	41	G	C5-N7-C8	-6.32	101.14	104.30
1	AA	98	A	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	779	C	O4'-C1'-N1	6.32	113.26	108.20
1	AA	1317	C	O4'-C1'-C2'	-6.32	99.48	105.80
26	BB	12	U	N1-C2-N3	-6.32	111.11	114.90
26	BB	104	A	C8-N9-C4	-6.32	103.27	105.80
26	BB	209	C	O4'-C1'-N1	6.32	113.26	108.20
26	BB	403	U	N3-C4-O4	-6.32	114.97	119.40
26	BB	430	A	C5'-C4'-C3'	-6.32	105.88	116.00
26	BB	495	G	N1-C6-O6	-6.32	116.11	119.90
26	BB	523	C	C4-C5-C6	-6.32	114.24	117.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1396	U	N1-C2-O2	-6.32	118.37	122.80
26	BB	1501	G	P-O3'-C3'	6.32	127.29	119.70
26	BB	2830	C	N3-C4-N4	6.32	122.43	118.00
1	AA	113	G	C8-N9-C4	-6.32	103.87	106.40
1	AA	208	U	N1-C2-O2	-6.32	118.38	122.80
1	AA	1079	G	N3-C4-N9	6.32	129.79	126.00
26	BB	618	G	N9-C4-C5	-6.32	102.87	105.40
26	BB	883	G	C4-C5-C6	6.32	122.59	118.80
26	BB	993	G	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	1916	A	C1'-O4'-C4'	6.32	114.96	109.90
26	BB	2285	C	C5'-C4'-O4'	6.32	116.69	109.10
26	BB	2516	A	N7-C8-N9	6.32	116.96	113.80
26	BB	2733	A	C2-N3-C4	6.32	113.76	110.60
1	AA	275	G	N9-C4-C5	-6.32	102.87	105.40
1	AA	643	C	C5'-C4'-O4'	6.32	116.69	109.10
1	AA	935	A	C1'-O4'-C4'	6.32	114.96	109.90
1	AA	1233	G	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	1270	G	C5-C6-N1	6.32	114.66	111.50
4	AD	7	G	C2-N3-C4	6.32	115.06	111.90
26	BB	46	G	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	534	U	O4'-C1'-N1	6.32	113.26	108.20
26	BB	959	A	N9-C4-C5	-6.32	103.27	105.80
26	BB	1285	A	O3'-P-O5'	6.32	116.01	104.00
26	BB	1461	C	C4-C5-C6	-6.32	114.24	117.40
26	BB	1766	G	C3'-C2'-C1'	-6.32	96.44	101.50
26	BB	1919	A	O3'-P-O5'	-6.32	91.99	104.00
26	BB	1942	C	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	2039	U	O4'-C1'-N1	6.32	113.26	108.20
26	BB	2613	U	C4'-C3'-C2'	-6.32	96.28	102.60
51	B0	29	ARG	NE-CZ-NH2	6.32	123.46	120.30
1	AA	59	A	C5-C6-N1	6.32	120.86	117.70
1	AA	78	A	N9-C1'-C2'	-6.32	105.05	112.00
1	AA	1174	G	C4-N9-C1'	-6.32	118.28	126.50
26	BB	26	G	N9-C4-C5	6.32	107.93	105.40
26	BB	1225	G	C6-C5-N7	-6.32	126.61	130.40
26	BB	1323	C	C1'-O4'-C4'	-6.32	104.84	109.90
26	BB	1410	G	C3'-C2'-C1'	-6.32	96.44	101.50
26	BB	2846	G	C6-N1-C2	-6.32	121.31	125.10
26	BB	2900	A	O4'-C1'-N9	6.32	113.25	108.20
1	AA	138	G	O4'-C1'-N9	6.32	113.25	108.20
1	AA	366	A	N1-C2-N3	6.32	132.46	129.30
1	AA	383	A	C4-C5-N7	6.32	113.86	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	654	G	N9-C4-C5	-6.32	102.87	105.40
1	AA	1083	U	C6-N1-C2	6.32	124.79	121.00
26	BB	46	G	N9-C1'-C2'	-6.32	105.05	112.00
26	BB	125	A	N1-C2-N3	-6.32	126.14	129.30
26	BB	141	G	C3'-C2'-C1'	6.32	106.55	101.50
26	BB	227	A	C8-N9-C4	6.32	108.33	105.80
26	BB	382	A	C8-N9-C4	-6.32	103.27	105.80
26	BB	581	C	C5-C6-N1	6.32	124.16	121.00
26	BB	988	A	N9-C4-C5	-6.32	103.27	105.80
26	BB	1303	G	N7-C8-N9	6.32	116.26	113.10
26	BB	1544	A	C6-C5-N7	6.32	136.72	132.30
26	BB	1768	C	C4-C5-C6	6.32	120.56	117.40
26	BB	2458	G	C4-C5-N7	-6.32	108.27	110.80
1	AA	768	A	O4'-C1'-N9	6.32	113.25	108.20
1	AA	877	G	O4'-C1'-N9	6.32	113.25	108.20
1	AA	1090	U	C4-C5-C6	6.32	123.49	119.70
1	AA	1239	A	O4'-C1'-N9	6.32	113.25	108.20
1	AA	1246	A	N9-C4-C5	6.32	108.33	105.80
2	AB	21	A	P-O3'-C3'	6.32	127.28	119.70
2	AB	70	C	O4'-C4'-C3'	-6.32	97.69	104.00
25	BA	98	G	C4-C5-C6	6.32	122.59	118.80
25	BA	104	A	N3-C4-N9	-6.32	122.35	127.40
26	BB	430	A	P-O3'-C3'	6.32	127.28	119.70
26	BB	902	C	O4'-C1'-C2'	6.32	113.28	107.60
26	BB	941	A	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	1674	G	C4-C5-N7	-6.32	108.27	110.80
26	BB	2170	A	C5'-C4'-C3'	-6.32	105.89	116.00
26	BB	2267	A	C5-N7-C8	-6.32	100.74	103.90
26	BB	2396	G	N9-C4-C5	-6.32	102.87	105.40
26	BB	2894	G	O4'-C1'-N9	6.32	113.25	108.20
49	BY	13	ARG	NH1-CZ-NH2	-6.32	112.45	119.40
1	AA	644	U	O4'-C1'-N1	6.31	113.25	108.20
2	AB	29	G	N7-C8-N9	6.31	116.26	113.10
26	BB	2555	U	C5-C6-N1	-6.31	119.54	122.70
26	BB	2556	C	C5-C4-N4	6.31	124.62	120.20
31	BG	96	TRP	CD1-CG-CD2	-6.31	101.25	106.30
1	AA	57	G	C2-N3-C4	6.31	115.06	111.90
1	AA	209	U	N1-C2-N3	6.31	118.69	114.90
1	AA	773	G	C1'-O4'-C4'	6.31	114.95	109.90
26	BB	192	C	C5-C4-N4	-6.31	115.78	120.20
26	BB	313	G	N3-C2-N2	6.31	124.32	119.90
26	BB	926	G	P-O3'-C3'	6.31	127.28	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1898	U	C6-N1-C2	-6.31	117.21	121.00
26	BB	1938	A	C5-N7-C8	6.31	107.06	103.90
26	BB	2015	A	C1'-O4'-C4'	-6.31	104.85	109.90
26	BB	2499	C	C5'-C4'-O4'	6.31	116.67	109.10
1	AA	253	A	O4'-C1'-N9	6.31	113.25	108.20
1	AA	560	A	C4-C5-N7	6.31	113.86	110.70
1	AA	1264	U	N3-C4-O4	6.31	123.82	119.40
26	BB	515	A	C4-C5-C6	-6.31	113.84	117.00
26	BB	1137	G	N1-C6-O6	6.31	123.69	119.90
1	AA	340	U	N1-C1'-C2'	-6.31	105.06	112.00
1	AA	430	A	N7-C8-N9	6.31	116.95	113.80
1	AA	754	C	C5'-C4'-C3'	-6.31	105.91	116.00
1	AA	1410	A	O4'-C1'-N9	6.31	113.25	108.20
1	AA	1536	C	O4'-C1'-N1	-6.31	103.15	108.20
25	BA	6	G	C1'-O4'-C4'	6.31	114.95	109.90
25	BA	88	C	C2-N1-C1'	6.31	125.74	118.80
26	BB	207	A	C4-C5-C6	6.31	120.16	117.00
26	BB	519	U	C4-C5-C6	6.31	123.49	119.70
26	BB	1358	G	N7-C8-N9	6.31	116.25	113.10
26	BB	1397	U	C5-C4-O4	-6.31	122.11	125.90
26	BB	2450	A	C2'-C3'-O3'	6.31	123.80	113.70
26	BB	2538	C	O4'-C1'-N1	6.31	113.25	108.20
26	BB	2642	G	C5-C6-O6	6.31	132.39	128.60
57	B6	39	ARG	NE-CZ-NH2	6.31	123.45	120.30
1	AA	245	U	N1-C2-O2	-6.31	118.39	122.80
1	AA	725	G	C6-C5-N7	-6.31	126.62	130.40
1	AA	1150	A	C6-C5-N7	6.31	136.72	132.30
10	AJ	3	ARG	NE-CZ-NH2	-6.31	117.15	120.30
23	AW	17	ARG	NE-CZ-NH1	-6.31	117.15	120.30
26	BB	400	G	N1-C2-N2	-6.31	110.52	116.20
26	BB	564	C	C3'-C2'-C1'	6.31	106.55	101.50
26	BB	971	G	N3-C4-N9	6.31	129.78	126.00
26	BB	1339	G	C3'-C2'-C1'	-6.31	96.45	101.50
26	BB	1498	C	C4'-C3'-C2'	-6.31	96.29	102.60
26	BB	1971	U	N1-C2-O2	6.31	127.22	122.80
26	BB	2009	A	N1-C2-N3	6.31	132.45	129.30
26	BB	2195	U	C2-N3-C4	-6.31	123.22	127.00
26	BB	2202	U	C5-C6-N1	-6.31	119.55	122.70
26	BB	2859	G	N1-C2-N2	6.31	121.88	116.20
1	AA	307	C	N3-C4-C5	-6.31	119.38	121.90
26	BB	2	G	N3-C4-C5	-6.31	125.45	128.60
26	BB	572	A	O3'-P-O5'	6.31	115.98	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1902	C	O3'-P-O5'	-6.31	92.02	104.00
33	BI	115	VAL	CG1-CB-CG2	-6.31	100.81	110.90
1	AA	14	U	C6-N1-C2	-6.30	117.22	121.00
1	AA	181	A	N9-C4-C5	6.30	108.32	105.80
1	AA	697	U	N1-C2-O2	-6.30	118.39	122.80
1	AA	1048	G	C8-N9-C4	-6.30	103.88	106.40
25	BA	48	U	N3-C2-O2	-6.30	117.79	122.20
26	BB	263	G	N3-C4-C5	-6.30	125.45	128.60
26	BB	266	G	C8-N9-C4	-6.30	103.88	106.40
26	BB	890	C	C2-N3-C4	-6.30	116.75	119.90
26	BB	1189	A	C4-C5-N7	-6.30	107.55	110.70
26	BB	1439	A	C8-N9-C4	-6.30	103.28	105.80
26	BB	1494	A	N1-C6-N6	-6.30	114.82	118.60
26	BB	1566	A	N1-C6-N6	-6.30	114.82	118.60
26	BB	1923	U	O4'-C1'-N1	6.30	113.24	108.20
26	BB	2669	G	C6-N1-C2	-6.30	121.32	125.10
26	BB	2774	C	C6-N1-C2	-6.30	117.78	120.30
27	BC	39	VAL	CG1-CB-CG2	-6.30	100.81	110.90
26	BB	271	G	C4'-C3'-C2'	-6.30	96.30	102.60
26	BB	711	G	O4'-C1'-N9	6.30	113.24	108.20
26	BB	1023	U	C5'-C4'-O4'	-6.30	101.54	109.10
26	BB	2161	C	N3-C2-O2	-6.30	117.49	121.90
1	AA	377	G	N7-C8-N9	6.30	116.25	113.10
1	AA	809	G	C6-C5-N7	-6.30	126.62	130.40
26	BB	169	G	C3'-C2'-C1'	-6.30	96.46	101.50
26	BB	204	A	C4-C5-N7	-6.30	107.55	110.70
26	BB	364	C	N1-C2-N3	-6.30	114.79	119.20
26	BB	577	G	C8-N9-C4	-6.30	103.88	106.40
26	BB	937	C	N3-C2-O2	-6.30	117.49	121.90
26	BB	1130	U	N3-C4-C5	-6.30	110.82	114.60
26	BB	1478	G	C1'-O4'-C4'	-6.30	104.86	109.90
26	BB	1778	U	N3-C2-O2	-6.30	117.79	122.20
26	BB	2173	A	N7-C8-N9	6.30	116.95	113.80
26	BB	2238	G	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	229	U	C1'-O4'-C4'	-6.30	104.86	109.90
1	AA	301	G	N1-C2-N3	-6.30	120.12	123.90
1	AA	1139	G	C3'-C2'-C1'	6.30	106.54	101.50
3	AC	52	U	C2-N1-C1'	6.30	125.26	117.70
26	BB	696	G	C5'-C4'-O4'	6.30	116.66	109.10
26	BB	1297	C	N1-C2-N3	-6.30	114.79	119.20
26	BB	1408	G	C5-N7-C8	6.30	107.45	104.30
26	BB	2038	G	C3'-C2'-C1'	6.30	106.54	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2887	A	C2'-C3'-O3'	6.30	123.78	113.70
1	AA	788	U	C5-C4-O4	-6.30	122.12	125.90
1	AA	872	A	N1-C2-N3	6.30	132.45	129.30
1	AA	1508	A	O4'-C1'-N9	6.30	113.24	108.20
26	BB	1520	U	C5-C6-N1	-6.30	119.55	122.70
26	BB	2261	C	C4'-C3'-C2'	6.30	108.90	102.60
26	BB	2519	U	O3'-P-O5'	-6.30	92.03	104.00
26	BB	2863	C	N1-C2-O2	6.30	122.68	118.90
1	AA	215	C	C6-N1-C2	6.30	122.82	120.30
1	AA	871	U	N1-C2-N3	6.30	118.68	114.90
1	AA	1150	A	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	1204	A	C5'-C4'-O4'	6.30	116.66	109.10
1	AA	1242	G	N3-C2-N2	-6.30	115.49	119.90
1	AA	1255	G	C5-C6-O6	-6.30	124.82	128.60
1	AA	1371	G	N3-C4-C5	-6.30	125.45	128.60
26	BB	175	G	N1-C6-O6	-6.30	116.12	119.90
26	BB	1738	G	P-O3'-C3'	6.30	127.26	119.70
26	BB	2670	A	O4'-C1'-N9	6.30	113.24	108.20
26	BB	2740	A	C5'-C4'-O4'	6.30	116.66	109.10
26	BB	2752	C	C5-C4-N4	-6.30	115.79	120.20
49	BY	19	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	AA	266	G	C2-N3-C4	6.29	115.05	111.90
1	AA	356	A	C4'-C3'-C2'	-6.29	96.31	102.60
1	AA	802	A	O5'-P-OP1	-6.29	100.03	105.70
1	AA	1229	A	N9-C1'-C2'	-6.29	105.08	112.00
26	BB	99	U	C4-C5-C6	6.29	123.48	119.70
26	BB	315	G	C6-N1-C2	-6.29	121.32	125.10
26	BB	1076	C	C4'-C3'-C2'	-6.29	96.31	102.60
26	BB	1136	G	C8-N9-C1'	6.29	135.18	127.00
26	BB	1218	G	N1-C6-O6	-6.29	116.12	119.90
26	BB	1865	U	O4'-C1'-N1	-6.29	103.16	108.20
26	BB	2035	G	C5'-C4'-C3'	6.29	126.07	116.00
26	BB	2040	G	C4'-C3'-C2'	-6.29	96.31	102.60
1	AA	937	A	C2-N3-C4	6.29	113.75	110.60
1	AA	1382	C	N3-C2-O2	-6.29	117.50	121.90
25	BA	91	C	C5'-C4'-C3'	-6.29	105.93	116.00
26	BB	68	G	C3'-C2'-C1'	6.29	106.53	101.50
26	BB	109	C	C4-C5-C6	-6.29	114.25	117.40
26	BB	281	C	C4-C5-C6	6.29	120.55	117.40
26	BB	730	A	N3-C4-C5	-6.29	122.39	126.80
26	BB	1198	U	O4'-C1'-N1	6.29	113.23	108.20
26	BB	2140	G	O4'-C1'-N9	6.29	113.23	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2660	A	C5-N7-C8	6.29	107.05	103.90
26	BB	2798	U	C5'-C4'-O4'	6.29	116.65	109.10
34	BJ	45	ARG	NE-CZ-NH1	6.29	123.45	120.30
1	AA	768	A	C5-N7-C8	6.29	107.05	103.90
1	AA	1069	C	P-O3'-C3'	6.29	127.25	119.70
1	AA	1289	A	N7-C8-N9	6.29	116.95	113.80
26	BB	270	A	O4'-C1'-N9	6.29	113.23	108.20
26	BB	347	A	O4'-C1'-N9	6.29	113.23	108.20
26	BB	810	U	C4'-C3'-C2'	-6.29	96.31	102.60
26	BB	831	G	C6-N1-C2	-6.29	121.33	125.10
26	BB	881	G	N7-C8-N9	6.29	116.25	113.10
26	BB	919	U	C5'-C4'-O4'	6.29	116.65	109.10
26	BB	1177	G	N9-C4-C5	-6.29	102.88	105.40
26	BB	1751	U	N3-C4-O4	-6.29	115.00	119.40
26	BB	2472	G	N7-C8-N9	6.29	116.25	113.10
26	BB	2582	G	C5-N7-C8	-6.29	101.16	104.30
26	BB	2794	C	C1'-O4'-C4'	6.29	114.93	109.90
1	AA	30	U	C2-N3-C4	-6.29	123.23	127.00
1	AA	575	G	N3-C4-C5	-6.29	125.45	128.60
26	BB	194	G	C4-C5-N7	-6.29	108.28	110.80
26	BB	1033	U	N3-C2-O2	-6.29	117.80	122.20
26	BB	1161	C	C5-C6-N1	6.29	124.14	121.00
26	BB	2194	U	O4'-C1'-N1	6.29	113.23	108.20
26	BB	2230	G	O4'-C1'-C2'	6.29	113.26	107.60
26	BB	2606	C	C3'-C2'-C1'	6.29	106.53	101.50
1	AA	241	G	N9-C1'-C2'	-6.29	105.08	112.00
1	AA	467	U	N1-C2-O2	6.29	127.20	122.80
1	AA	698	G	N1-C2-N3	-6.29	120.13	123.90
1	AA	833	G	O4'-C1'-N9	6.29	113.23	108.20
1	AA	1308	U	N3-C2-O2	-6.29	117.80	122.20
6	AF	213	VAL	CG1-CB-CG2	6.29	120.96	110.90
25	BA	72	G	C2-N3-C4	6.29	115.05	111.90
26	BB	119	A	O4'-C4'-C3'	6.29	111.13	106.10
26	BB	267	C	N3-C2-O2	-6.29	117.50	121.90
26	BB	1300	G	C8-N9-C4	-6.29	103.89	106.40
26	BB	1510	G	C5-C6-N1	-6.29	108.36	111.50
26	BB	1799	G	C5-C6-N1	-6.29	108.36	111.50
26	BB	2100	G	N1-C2-N2	-6.29	110.54	116.20
26	BB	2371	G	N1-C2-N3	-6.29	120.13	123.90
26	BB	2380	C	C1'-O4'-C4'	6.29	114.93	109.90
1	AA	299	G	O4'-C1'-N9	6.29	113.23	108.20
1	AA	1261	A	C5'-C4'-O4'	6.29	116.64	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	319	G	N7-C8-N9	6.29	116.24	113.10
26	BB	597	G	C5'-C4'-O4'	6.29	116.64	109.10
26	BB	938	G	N3-C4-N9	6.29	129.77	126.00
26	BB	2061	G	C6-N1-C2	6.29	128.87	125.10
26	BB	2586	U	O4'-C1'-N1	6.29	113.23	108.20
26	BB	2600	A	C3'-C2'-C1'	-6.29	96.47	101.50
1	AA	213	G	C3'-C2'-C1'	6.29	106.53	101.50
1	AA	287	U	O4'-C1'-N1	6.29	113.23	108.20
1	AA	921	U	N3-C2-O2	6.29	126.60	122.20
1	AA	1044	A	N3-C4-C5	-6.29	122.40	126.80
1	AA	1224	U	O4'-C1'-N1	6.29	113.23	108.20
1	AA	1237	C	O4'-C1'-N1	6.29	113.23	108.20
1	AA	1354	U	N1-C2-O2	6.29	127.20	122.80
1	AA	1426	G	N9-C1'-C2'	-6.29	105.09	112.00
7	AG	102	TYR	CZ-CE2-CD2	6.29	125.46	119.80
26	BB	448	U	N1-C2-O2	-6.29	118.40	122.80
26	BB	715	A	O4'-C1'-N9	-6.29	103.17	108.20
26	BB	2761	A	O4'-C1'-N9	6.29	113.23	108.20
1	AA	571	U	C5'-C4'-C3'	-6.28	105.94	116.00
1	AA	812	G	C4-C5-N7	6.28	113.31	110.80
25	BA	27	C	C6-N1-C2	-6.28	117.79	120.30
25	BA	29	A	C5-N7-C8	-6.28	100.76	103.90
26	BB	134	G	C8-N9-C4	-6.28	103.89	106.40
26	BB	267	C	C1'-O4'-C4'	6.28	114.93	109.90
26	BB	1025	G	C3'-C2'-C1'	-6.28	96.47	101.50
26	BB	1259	G	N9-C4-C5	6.28	107.91	105.40
26	BB	2799	A	N1-C2-N3	-6.28	126.16	129.30
1	AA	230	G	C4-C5-N7	6.28	113.31	110.80
1	AA	712	A	N9-C4-C5	6.28	108.31	105.80
25	BA	10	G	N7-C8-N9	-6.28	109.96	113.10
25	BA	33	G	C5-C6-N1	6.28	114.64	111.50
26	BB	967	U	N3-C4-O4	-6.28	115.00	119.40
26	BB	1740	G	N7-C8-N9	6.28	116.24	113.10
26	BB	2369	A	C5-C6-N6	-6.28	118.67	123.70
26	BB	2665	A	N9-C4-C5	6.28	108.31	105.80
1	AA	112	G	C4-C5-N7	-6.28	108.29	110.80
1	AA	1051	C	C5'-C4'-O4'	-6.28	101.56	109.10
1	AA	1323	G	C3'-C2'-C1'	-6.28	96.48	101.50
1	AA	1324	A	C5-C6-N1	6.28	120.84	117.70
1	AA	1333	A	C5'-C4'-O4'	6.28	116.64	109.10
25	BA	28	C	N3-C4-N4	6.28	122.40	118.00
25	BA	43	C	N3-C4-C5	-6.28	119.39	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	236	C	N1-C2-O2	6.28	122.67	118.90
26	BB	1187	G	P-O3'-C3'	6.28	127.24	119.70
26	BB	1251	C	O4'-C1'-N1	6.28	113.22	108.20
26	BB	1283	G	O4'-C1'-N9	6.28	113.22	108.20
26	BB	1614	A	O4'-C1'-N9	6.28	113.22	108.20
26	BB	2002	G	C6-N1-C2	-6.28	121.33	125.10
26	BB	2718	G	N1-C6-O6	6.28	123.67	119.90
1	AA	1026	G	O5'-P-OP2	-6.28	100.05	105.70
1	AA	1074	G	N1-C6-O6	6.28	123.67	119.90
26	BB	324	A	C2-N3-C4	6.28	113.74	110.60
26	BB	1391	U	P-O3'-C3'	6.28	127.23	119.70
1	AA	676	A	C3'-C2'-C1'	6.28	106.52	101.50
1	AA	873	A	N7-C8-N9	-6.28	110.66	113.80
1	AA	960	U	O4'-C1'-N1	6.28	113.22	108.20
8	AH	94	PHE	CG-CD1-CE1	-6.28	113.89	120.80
14	AN	12	ARG	NE-CZ-NH2	6.28	123.44	120.30
26	BB	5	A	N1-C2-N3	-6.28	126.16	129.30
26	BB	180	G	C5-C6-N1	6.28	114.64	111.50
26	BB	243	U	O4'-C1'-N1	6.28	113.22	108.20
26	BB	608	A	N9-C1'-C2'	-6.28	105.09	112.00
26	BB	1063	G	C3'-C2'-C1'	-6.28	96.48	101.50
26	BB	1319	C	C5-C6-N1	6.28	124.14	121.00
26	BB	2257	U	C4'-C3'-C2'	-6.28	96.32	102.60
26	BB	2547	A	C3'-C2'-C1'	6.28	106.52	101.50
26	BB	2771	C	C4'-C3'-C2'	-6.28	96.32	102.60
26	BB	2837	A	C4-C5-N7	6.28	113.84	110.70
1	AA	557	G	O4'-C1'-N9	6.28	113.22	108.20
1	AA	1081	A	O5'-C5'-C4'	-6.28	99.78	111.70
1	AA	1092	A	C1'-O4'-C4'	6.28	114.92	109.90
1	AA	1449	C	N1-C2-N3	6.28	123.59	119.20
26	BB	38	A	O4'-C1'-C2'	6.28	113.25	107.60
26	BB	400	G	N3-C2-N2	6.28	124.29	119.90
26	BB	591	U	C5-C4-O4	-6.28	122.14	125.90
26	BB	930	G	C5-N7-C8	-6.28	101.16	104.30
26	BB	1110	G	N9-C4-C5	6.28	107.91	105.40
26	BB	1505	A	N7-C8-N9	6.28	116.94	113.80
26	BB	1709	U	C6-N1-C2	-6.28	117.23	121.00
26	BB	2582	G	C6-C5-N7	-6.28	126.64	130.40
1	AA	1386	G	N3-C4-N9	6.27	129.76	126.00
1	AA	1504	G	N3-C4-N9	6.27	129.76	126.00
26	BB	1390	U	C3'-C2'-C1'	-6.27	96.48	101.50
26	BB	2252	G	P-O3'-C3'	6.27	127.23	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	523	A	C8-N9-C4	-6.27	103.29	105.80
1	AA	748	G	C6-N1-C2	-6.27	121.34	125.10
1	AA	974	A	P-O3'-C3'	6.27	127.23	119.70
1	AA	1092	A	C5-N7-C8	6.27	107.04	103.90
1	AA	1178	G	C8-N9-C4	-6.27	103.89	106.40
1	AA	1470	U	N1-C2-N3	6.27	118.66	114.90
2	AB	24	G	C8-N9-C4	-6.27	103.89	106.40
15	AO	8	ARG	NH1-CZ-NH2	6.27	126.30	119.40
25	BA	62	C	O4'-C1'-C2'	6.27	113.25	107.60
26	BB	607	U	N3-C4-C5	-6.27	110.84	114.60
26	BB	677	A	C4-C5-N7	6.27	113.84	110.70
26	BB	775	G	C1'-O4'-C4'	6.27	114.92	109.90
26	BB	949	G	N3-C4-C5	-6.27	125.46	128.60
1	AA	91	U	C5-C6-N1	-6.27	119.56	122.70
1	AA	1017	U	C5-C4-O4	-6.27	122.14	125.90
25	BA	35	C	O4'-C1'-N1	6.27	113.22	108.20
26	BB	665	U	N3-C4-O4	6.27	123.79	119.40
26	BB	1274	A	O4'-C4'-C3'	6.27	111.12	106.10
26	BB	1657	U	N3-C2-O2	-6.27	117.81	122.20
28	BD	97	ASP	CB-CG-OD2	-6.27	112.66	118.30
1	AA	538	G	C2-N3-C4	6.27	115.03	111.90
3	AC	26	U	P-O3'-C3'	6.27	127.22	119.70
4	AD	22	A	C2'-C3'-O3'	6.27	123.73	113.70
16	AP	22	TYR	CB-CG-CD1	6.27	124.76	121.00
26	BB	48	G	N7-C8-N9	-6.27	109.97	113.10
26	BB	185	G	C2-N3-C4	6.27	115.03	111.90
26	BB	522	A	C5'-C4'-O4'	6.27	116.62	109.10
26	BB	580	U	C5-C4-O4	6.27	129.66	125.90
26	BB	855	G	C5-N7-C8	6.27	107.44	104.30
26	BB	1055	G	N1-C2-N3	-6.27	120.14	123.90
26	BB	1120	G	C5-N7-C8	-6.27	101.17	104.30
26	BB	1580	A	N1-C6-N6	-6.27	114.84	118.60
26	BB	1780	A	O4'-C1'-N9	6.27	113.22	108.20
26	BB	1921	G	C5-C6-O6	-6.27	124.84	128.60
26	BB	2276	G	P-O3'-C3'	6.27	127.22	119.70
26	BB	2731	G	N7-C8-N9	6.27	116.23	113.10
1	AA	497	G	C4'-C3'-O3'	6.27	125.54	113.00
26	BB	362	A	C5'-C4'-C3'	-6.27	105.97	116.00
26	BB	363	G	C5'-C4'-C3'	-6.27	105.97	116.00
26	BB	620	G	O4'-C1'-C2'	-6.27	99.53	105.80
26	BB	761	A	N3-C4-C5	-6.27	122.41	126.80
26	BB	951	C	C2-N3-C4	-6.27	116.77	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1042	G	O4'-C1'-N9	6.27	113.21	108.20
26	BB	1111	A	O4'-C1'-N9	6.27	113.22	108.20
26	BB	2086	U	C4'-C3'-C2'	-6.27	96.33	102.60
26	BB	2369	A	C6-C5-N7	6.27	136.69	132.30
26	BB	2529	G	C2-N3-C4	6.27	115.03	111.90
26	BB	2572	A	C8-N9-C4	-6.27	103.29	105.80
1	AA	431	A	C5-N7-C8	-6.27	100.77	103.90
1	AA	642	A	C2-N3-C4	6.27	113.73	110.60
1	AA	875	U	C6-N1-C2	-6.27	117.24	121.00
1	AA	1146	A	P-O3'-C3'	6.27	127.22	119.70
26	BB	450	G	C3'-C2'-C1'	6.27	106.51	101.50
26	BB	953	G	C5-C6-N1	6.27	114.63	111.50
26	BB	1283	G	N9-C4-C5	6.27	107.91	105.40
26	BB	1625	C	C5'-C4'-O4'	6.27	116.62	109.10
26	BB	2601	C	C2-N3-C4	-6.27	116.77	119.90
1	AA	1490	U	C1'-O4'-C4'	-6.26	104.89	109.90
1	AA	1503	A	C4-C5-N7	-6.26	107.57	110.70
4	AD	71	G	C4-C5-N7	-6.26	108.29	110.80
26	BB	405	U	N1-C2-O2	6.26	127.19	122.80
26	BB	1239	G	N1-C6-O6	6.26	123.66	119.90
26	BB	1626	A	OP1-P-O3'	6.26	118.98	105.20
26	BB	1844	C	C5-C4-N4	6.26	124.58	120.20
26	BB	2279	G	N9-C1'-C2'	-6.26	105.11	112.00
26	BB	2294	G	N9-C4-C5	6.26	107.91	105.40
26	BB	2516	A	N1-C6-N6	6.26	122.36	118.60
26	BB	2612	C	N3-C4-C5	-6.26	119.39	121.90
26	BB	1201	U	C5-C4-O4	-6.26	122.14	125.90
26	BB	1491	G	C4-C5-N7	-6.26	108.30	110.80
26	BB	1811	G	N3-C4-C5	6.26	131.73	128.60
26	BB	1982	U	C1'-O4'-C4'	6.26	114.91	109.90
26	BB	2364	C	N1-C2-O2	6.26	122.66	118.90
26	BB	2382	G	N1-C2-N3	-6.26	120.14	123.90
26	BB	2771	C	C2-N3-C4	-6.26	116.77	119.90
1	AA	40	C	C4-C5-C6	-6.26	114.27	117.40
1	AA	198	G	C6-N1-C2	-6.26	121.34	125.10
1	AA	1184	G	C4'-C3'-C2'	-6.26	96.34	102.60
26	BB	1	G	C4-C5-C6	6.26	122.56	118.80
26	BB	444	C	P-O3'-C3'	6.26	127.21	119.70
26	BB	727	A	O4'-C4'-C3'	6.26	111.11	106.10
26	BB	962	G	N1-C2-N3	6.26	127.66	123.90
26	BB	1889	A	N7-C8-N9	6.26	116.93	113.80
26	BB	2271	G	C4-C5-C6	6.26	122.56	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2741	A	C5-C6-N1	6.26	120.83	117.70
26	BB	2759	G	C5-N7-C8	6.26	107.43	104.30
43	BS	2	ARG	NE-CZ-NH2	6.26	123.43	120.30
1	AA	11	G	C6-C5-N7	-6.26	126.64	130.40
1	AA	202	G	O4'-C4'-C3'	6.26	111.11	106.10
1	AA	353	A	N3-C4-C5	-6.26	122.42	126.80
26	BB	186	G	O4'-C4'-C3'	6.26	111.11	106.10
26	BB	307	G	N9-C4-C5	-6.26	102.90	105.40
26	BB	361	G	C4-C5-N7	6.26	113.30	110.80
26	BB	617	G	C1'-O4'-C4'	6.26	114.91	109.90
26	BB	1227	G	C8-N9-C4	-6.26	103.90	106.40
26	BB	1476	U	N1-C2-N3	6.26	118.66	114.90
1	AA	942	G	C3'-C2'-C1'	-6.26	96.49	101.50
4	AD	66	C	C6-N1-C2	6.26	122.80	120.30
26	BB	1363	C	N3-C2-O2	-6.26	117.52	121.90
26	BB	2064	C	C5-C6-N1	6.26	124.13	121.00
33	BI	25	TYR	CB-CG-CD1	-6.26	117.25	121.00
1	AA	161	A	N9-C1'-C2'	-6.26	105.12	112.00
1	AA	192	A	N7-C8-N9	-6.26	110.67	113.80
1	AA	472	U	C6-N1-C2	6.26	124.75	121.00
1	AA	596	A	C6-C5-N7	6.26	136.68	132.30
1	AA	760	G	N3-C4-N9	6.26	129.75	126.00
1	AA	1068	G	C5-N7-C8	-6.26	101.17	104.30
1	AA	1111	A	C1'-O4'-C4'	-6.26	104.89	109.90
1	AA	1523	G	N7-C8-N9	6.26	116.23	113.10
21	AU	7	ARG	NE-CZ-NH1	6.26	123.43	120.30
25	BA	75	G	C2-N3-C4	6.26	115.03	111.90
26	BB	43	G	C2-N3-C4	6.26	115.03	111.90
26	BB	70	G	N9-C4-C5	6.26	107.90	105.40
26	BB	702	U	O4'-C1'-N1	6.26	113.20	108.20
26	BB	840	C	N3-C4-C5	6.26	124.40	121.90
26	BB	1632	A	C4'-C3'-C2'	-6.26	96.34	102.60
26	BB	2093	G	C4-C5-N7	6.26	113.30	110.80
26	BB	2224	G	N1-C2-N2	-6.26	110.57	116.20
30	BF	32	VAL	CG1-CB-CG2	-6.26	100.89	110.90
56	B5	39	ARG	NE-CZ-NH1	-6.26	117.17	120.30
1	AA	1111	A	N1-C2-N3	6.25	132.43	129.30
1	AA	1124	G	C8-N9-C4	-6.25	103.90	106.40
26	BB	292	U	C5-C6-N1	-6.25	119.57	122.70
26	BB	677	A	N7-C8-N9	-6.25	110.67	113.80
26	BB	1587	G	C4-C5-C6	6.25	122.55	118.80
26	BB	1616	A	C4-C5-C6	-6.25	113.87	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1946	U	C4-C5-C6	6.25	123.45	119.70
26	BB	2490	G	C5'-C4'-O4'	6.25	116.61	109.10
28	BD	270	ARG	NH1-CZ-NH2	6.25	126.28	119.40
1	AA	71	A	C5-N7-C8	6.25	107.03	103.90
1	AA	482	A	N9-C1'-C2'	-6.25	105.12	112.00
1	AA	576	C	N1-C1'-C2'	-6.25	105.12	112.00
1	AA	586	C	O4'-C1'-N1	6.25	113.20	108.20
1	AA	667	G	N1-C2-N2	6.25	121.83	116.20
1	AA	1113	C	C2-N3-C4	6.25	123.03	119.90
1	AA	1205	U	C4-C5-C6	6.25	123.45	119.70
1	AA	1380	U	C5-C6-N1	-6.25	119.57	122.70
4	AD	41	C	C6-N1-C2	-6.25	117.80	120.30
26	BB	140	C	C6-N1-C1'	-6.25	113.30	120.80
26	BB	1345	C	N3-C4-N4	6.25	122.38	118.00
26	BB	2370	G	N1-C2-N3	-6.25	120.15	123.90
26	BB	2588	G	N1-C2-N3	-6.25	120.15	123.90
1	AA	184	G	C3'-C2'-C1'	6.25	106.50	101.50
1	AA	481	G	C5-C6-N1	-6.25	108.37	111.50
1	AA	745	G	C5-N7-C8	-6.25	101.17	104.30
6	AF	217	GLU	OE1-CD-OE2	6.25	130.80	123.30
26	BB	189	G	O3'-P-O5'	6.25	115.88	104.00
26	BB	464	U	C4'-C3'-C2'	-6.25	96.35	102.60
26	BB	492	A	P-O3'-C3'	6.25	127.20	119.70
26	BB	664	G	O4'-C4'-C3'	6.25	111.10	106.10
26	BB	1016	G	N3-C4-C5	-6.25	125.47	128.60
26	BB	1385	A	C5-N7-C8	-6.25	100.78	103.90
26	BB	2209	G	C5-C6-O6	6.25	132.35	128.60
26	BB	2236	U	P-O3'-C3'	6.25	127.20	119.70
26	BB	2742	G	C5-C6-O6	6.25	132.35	128.60
26	BB	2887	A	C4-C5-C6	-6.25	113.88	117.00
1	AA	1509	C	C6-N1-C2	-6.25	117.80	120.30
25	BA	50	A	C5-N7-C8	6.25	107.03	103.90
26	BB	534	U	C3'-C2'-C1'	-6.25	96.50	101.50
26	BB	703	U	C6-N1-C2	-6.25	117.25	121.00
26	BB	911	A	C8-N9-C4	-6.25	103.30	105.80
26	BB	1486	U	C2-N3-C4	-6.25	123.25	127.00
26	BB	2618	G	C6-N1-C2	-6.25	121.35	125.10
43	BS	69	ARG	NE-CZ-NH2	6.25	123.42	120.30
1	AA	308	C	C2-N3-C4	6.25	123.02	119.90
1	AA	828	U	C1'-O4'-C4'	-6.25	104.90	109.90
1	AA	833	G	C4'-C3'-C2'	-6.25	96.35	102.60
1	AA	1379	G	C4-N9-C1'	-6.25	118.38	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	44	G	C4-C5-C6	6.25	122.55	118.80
26	BB	1182	G	N7-C8-N9	6.25	116.22	113.10
26	BB	1646	C	C3'-C2'-C1'	6.25	106.50	101.50
26	BB	1897	G	N1-C6-O6	6.25	123.65	119.90
26	BB	1949	G	N1-C6-O6	-6.25	116.15	119.90
26	BB	2126	A	O4'-C1'-N9	6.25	113.20	108.20
26	BB	2190	G	O4'-C1'-N9	6.25	113.20	108.20
26	BB	2248	C	N3-C4-N4	6.25	122.37	118.00
26	BB	2284	A	N1-C2-N3	-6.25	126.18	129.30
1	AA	857	C	C2-N3-C4	-6.25	116.78	119.90
1	AA	1144	G	C5-C6-N1	-6.25	108.38	111.50
1	AA	1245	C	O4'-C1'-N1	6.25	113.20	108.20
26	BB	1475	G	N1-C2-N3	6.25	127.65	123.90
1	AA	203	G	C6-C5-N7	-6.25	126.65	130.40
1	AA	844	G	O4'-C1'-C2'	-6.25	99.56	105.80
26	BB	1180	U	P-O3'-C3'	6.25	127.19	119.70
26	BB	1646	C	C1'-O4'-C4'	-6.25	104.90	109.90
26	BB	1987	A	N1-C6-N6	-6.25	114.85	118.60
26	BB	2034	U	N3-C4-C5	6.25	118.35	114.60
26	BB	2867	G	N3-C2-N2	6.25	124.27	119.90
1	AA	414	A	N9-C4-C5	6.24	108.30	105.80
1	AA	964	A	N9-C4-C5	6.24	108.30	105.80
1	AA	989	U	C2-N3-C4	-6.24	123.25	127.00
1	AA	1083	U	C3'-C2'-C1'	6.24	106.50	101.50
1	AA	1408	A	C5-C6-N1	6.24	120.82	117.70
26	BB	580	U	C1'-O4'-C4'	6.24	114.89	109.90
26	BB	674	G	C2-N3-C4	6.24	115.02	111.90
26	BB	881	G	N3-C4-C5	6.24	131.72	128.60
26	BB	1191	G	C5-C6-N1	-6.24	108.38	111.50
26	BB	1394	U	C4'-C3'-C2'	6.24	108.84	102.60
26	BB	2466	C	O4'-C1'-N1	6.24	113.19	108.20
26	BB	2585	U	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	2862	G	C6-N1-C2	-6.24	121.35	125.10
1	AA	651	C	N1-C2-O2	6.24	122.64	118.90
1	AA	1390	U	N3-C4-C5	-6.24	110.86	114.60
2	AB	11	U	C6-N1-C2	6.24	124.75	121.00
6	AF	168	ARG	NE-CZ-NH2	6.24	123.42	120.30
26	BB	443	A	N1-C6-N6	-6.24	114.86	118.60
26	BB	845	A	C2-N3-C4	-6.24	107.48	110.60
26	BB	1458	U	O4'-C4'-C3'	6.24	111.09	106.10
1	AA	180	U	N3-C4-O4	6.24	123.77	119.40
1	AA	327	A	O4'-C4'-C3'	6.24	111.09	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1352	C	C2-N3-C4	6.24	123.02	119.90
1	AA	1395	C	C5'-C4'-C3'	-6.24	106.02	116.00
2	AB	13	C	C4'-C3'-C2'	-6.24	96.36	102.60
16	AP	90	HIS	CA-CB-CG	6.24	124.21	113.60
26	BB	407	G	C5'-C4'-C3'	6.24	125.99	116.00
26	BB	570	G	C5-N7-C8	6.24	107.42	104.30
26	BB	865	C	C3'-C2'-C1'	-6.24	96.51	101.50
26	BB	906	U	C5'-C4'-O4'	6.24	116.59	109.10
26	BB	1888	G	C5'-C4'-O4'	6.24	116.59	109.10
26	BB	1977	A	C2-N3-C4	-6.24	107.48	110.60
26	BB	2315	G	N1-C6-O6	6.24	123.64	119.90
26	BB	2355	G	N7-C8-N9	6.24	116.22	113.10
26	BB	2483	C	C6-N1-C2	-6.24	117.80	120.30
1	AA	107	G	N9-C1'-C2'	-6.24	105.14	112.00
1	AA	262	A	C5-C6-N6	-6.24	118.71	123.70
1	AA	902	G	C2-N3-C4	-6.24	108.78	111.90
1	AA	1246	A	P-O3'-C3'	6.24	127.19	119.70
1	AA	1370	G	C5-C6-N1	6.24	114.62	111.50
26	BB	141	G	N7-C8-N9	6.24	116.22	113.10
26	BB	261	G	N3-C2-N2	-6.24	115.53	119.90
26	BB	729	G	N3-C2-N2	-6.24	115.53	119.90
26	BB	817	C	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	1096	A	C4-C5-C6	6.24	120.12	117.00
26	BB	1115	G	C2-N3-C4	6.24	115.02	111.90
26	BB	1613	G	N1-C6-O6	-6.24	116.16	119.90
26	BB	1984	G	C6-N1-C2	-6.24	121.36	125.10
26	BB	2571	U	N1-C2-O2	6.24	127.17	122.80
26	BB	2796	U	N3-C4-O4	6.24	123.77	119.40
1	AA	543	U	N3-C2-O2	-6.24	117.83	122.20
1	AA	993	G	C2-N3-C4	6.24	115.02	111.90
1	AA	1400	C	N3-C4-C5	-6.24	119.41	121.90
1	AA	158	G	C5-N7-C8	-6.24	101.18	104.30
1	AA	526	C	N3-C2-O2	-6.24	117.53	121.90
1	AA	923	A	C5'-C4'-O4'	6.24	116.58	109.10
1	AA	1228	C	C4'-C3'-C2'	-6.24	96.36	102.60
4	AD	36	A	C5-C6-N1	6.24	120.82	117.70
25	BA	94	A	N1-C2-N3	-6.24	126.18	129.30
26	BB	1103	A	N9-C1'-C2'	-6.24	105.14	112.00
26	BB	1336	A	C4-C5-C6	-6.24	113.88	117.00
26	BB	1514	G	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	1575	C	N3-C2-O2	-6.24	117.53	121.90
26	BB	2700	A	N7-C8-N9	6.24	116.92	113.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	257	G	C4-C5-C6	6.23	122.54	118.80
1	AA	613	C	N1-C2-O2	6.23	122.64	118.90
1	AA	1341	U	C2-N3-C4	-6.23	123.26	127.00
4	AD	24	C	C5-C6-N1	6.23	124.12	121.00
26	BB	4	U	C6-N1-C2	6.23	124.74	121.00
26	BB	1117	C	C6-N1-C2	6.23	122.79	120.30
26	BB	1672	A	N1-C2-N3	-6.23	126.18	129.30
26	BB	2122	U	O4'-C1'-N1	6.23	113.19	108.20
1	AA	9	G	C6-N1-C2	-6.23	121.36	125.10
1	AA	545	C	N1-C2-N3	6.23	123.56	119.20
1	AA	711	G	C4-C5-C6	6.23	122.54	118.80
1	AA	1180	A	O4'-C1'-N9	6.23	113.19	108.20
10	AJ	61	PHE	CB-CG-CD2	6.23	125.16	120.80
25	BA	93	C	N3-C4-N4	6.23	122.36	118.00
26	BB	147	C	C4'-C3'-C2'	-6.23	96.37	102.60
26	BB	378	C	C2-N3-C4	6.23	123.02	119.90
26	BB	462	C	N3-C2-O2	-6.23	117.54	121.90
26	BB	662	G	N9-C1'-C2'	-6.23	105.14	112.00
26	BB	1110	G	C8-N9-C4	-6.23	103.91	106.40
26	BB	1341	G	N1-C6-O6	6.23	123.64	119.90
26	BB	1353	A	C5'-C4'-O4'	6.23	116.58	109.10
26	BB	1408	G	N9-C4-C5	6.23	107.89	105.40
26	BB	1565	C	P-O3'-C3'	6.23	127.18	119.70
26	BB	1842	G	N9-C4-C5	6.23	107.89	105.40
26	BB	1867	G	C8-N9-C1'	6.23	135.10	127.00
26	BB	2868	A	C5-N7-C8	-6.23	100.78	103.90
51	B0	19	LEU	CB-CG-CD1	6.23	121.60	111.00
1	AA	29	U	C5'-C4'-O4'	6.23	116.58	109.10
1	AA	115	G	N3-C4-C5	-6.23	125.48	128.60
1	AA	129	A	O4'-C1'-C2'	-6.23	99.57	105.80
1	AA	155	A	N3-C4-N9	-6.23	122.42	127.40
1	AA	620	C	N1-C1'-C2'	-6.23	105.15	112.00
1	AA	963	G	N1-C6-O6	6.23	123.64	119.90
1	AA	1500	A	O4'-C1'-N9	6.23	113.19	108.20
3	AC	40	G	C4-C5-C6	6.23	122.54	118.80
26	BB	58	G	C5-N7-C8	6.23	107.42	104.30
26	BB	141	G	O4'-C1'-N9	6.23	113.19	108.20
26	BB	276	U	C4'-C3'-C2'	-6.23	96.37	102.60
26	BB	354	A	C8-N9-C4	-6.23	103.31	105.80
26	BB	808	G	C2-N3-C4	6.23	115.02	111.90
26	BB	889	C	O4'-C4'-C3'	-6.23	97.77	104.00
26	BB	1050	A	C6-C5-N7	-6.23	127.94	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1062	G	N7-C8-N9	6.23	116.22	113.10
26	BB	1639	C	O4'-C4'-C3'	6.23	111.08	106.10
26	BB	1661	G	N3-C4-C5	-6.23	125.48	128.60
26	BB	2117	A	C6-C5-N7	6.23	136.66	132.30
26	BB	2272	U	C2-N1-C1'	-6.23	110.22	117.70
26	BB	2692	G	C6-C5-N7	-6.23	126.66	130.40
26	BB	2749	A	O4'-C4'-C3'	6.23	111.08	106.10
1	AA	765	G	N1-C2-N3	-6.23	120.16	123.90
1	AA	1018	G	N7-C8-N9	6.23	116.21	113.10
1	AA	1196	A	C1'-O4'-C4'	-6.23	104.92	109.90
1	AA	1416	G	C4'-C3'-C2'	-6.23	96.37	102.60
1	AA	1418	A	O4'-C4'-C3'	6.23	111.08	106.10
26	BB	75	G	O4'-C1'-N9	6.23	113.18	108.20
26	BB	522	A	C5-C6-N1	-6.23	114.58	117.70
26	BB	625	G	C1'-O4'-C4'	-6.23	104.92	109.90
26	BB	1702	G	N9-C1'-C2'	-6.23	105.15	112.00
1	AA	50	A	O4'-C1'-N9	6.23	113.18	108.20
1	AA	75	G	C4-C5-N7	-6.23	108.31	110.80
1	AA	694	A	N1-C6-N6	-6.23	114.86	118.60
1	AA	759	A	C2-N3-C4	6.23	113.71	110.60
1	AA	1231	G	C4-C5-C6	6.23	122.54	118.80
2	AB	19	G	C5-N7-C8	6.23	107.41	104.30
26	BB	217	A	C8-N9-C4	-6.23	103.31	105.80
26	BB	261	G	N3-C4-N9	6.23	129.74	126.00
26	BB	604	G	C1'-O4'-C4'	-6.23	104.92	109.90
26	BB	714	U	C2'-C3'-O3'	6.23	123.66	113.70
26	BB	923	G	C8-N9-C4	6.23	108.89	106.40
26	BB	1082	U	O4'-C1'-N1	6.23	113.18	108.20
26	BB	1236	G	C4-C5-C6	6.23	122.54	118.80
26	BB	1526	C	C3'-C2'-C1'	6.23	106.48	101.50
26	BB	1553	A	N7-C8-N9	-6.23	110.69	113.80
26	BB	1695	G	C4-C5-N7	-6.23	108.31	110.80
26	BB	2563	U	C1'-O4'-C4'	-6.23	104.92	109.90
26	BB	2702	G	C5'-C4'-O4'	6.23	116.57	109.10
26	BB	2875	C	O4'-C4'-C3'	6.23	111.08	106.10
26	BB	792	A	P-O3'-C3'	6.23	127.17	119.70
26	BB	1136	G	C8-N9-C4	-6.23	103.91	106.40
26	BB	1591	A	N9-C4-C5	-6.23	103.31	105.80
26	BB	2751	G	N9-C1'-C2'	6.23	122.09	114.00
1	AA	84	U	C3'-C2'-C1'	6.22	106.48	101.50
1	AA	402	G	C4-C5-C6	6.22	122.53	118.80
1	AA	886	G	N9-C1'-C2'	-6.22	105.15	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	991	U	N3-C4-C5	-6.22	110.86	114.60
1	AA	1415	G	C4-C5-N7	-6.22	108.31	110.80
1	AA	1432	G	C8-N9-C4	-6.22	103.91	106.40
1	AA	1502	A	C5-N7-C8	-6.22	100.79	103.90
25	BA	42	C	O4'-C1'-N1	6.22	113.18	108.20
26	BB	488	G	N3-C4-N9	-6.22	122.27	126.00
26	BB	1127	A	N1-C2-N3	-6.22	126.19	129.30
26	BB	1410	G	C4-C5-N7	-6.22	108.31	110.80
26	BB	1632	A	C5-N7-C8	-6.22	100.79	103.90
26	BB	1730	C	C5-C4-N4	6.22	124.56	120.20
26	BB	2329	U	C2-N3-C4	-6.22	123.27	127.00
1	AA	644	U	C6-N1-C2	-6.22	117.27	121.00
1	AA	687	A	C5-N7-C8	6.22	107.01	103.90
1	AA	1474	U	N1-C2-O2	-6.22	118.44	122.80
26	BB	36	G	C5'-C4'-O4'	6.22	116.57	109.10
26	BB	199	A	N7-C8-N9	6.22	116.91	113.80
26	BB	734	A	N9-C4-C5	6.22	108.29	105.80
26	BB	760	G	N9-C4-C5	6.22	107.89	105.40
26	BB	841	G	C2-N3-C4	6.22	115.01	111.90
26	BB	1195	G	C4'-C3'-C2'	-6.22	96.38	102.60
26	BB	1220	G	N3-C4-C5	-6.22	125.49	128.60
26	BB	1464	G	C3'-C2'-C1'	-6.22	96.52	101.50
26	BB	2570	G	C1'-O4'-C4'	-6.22	104.92	109.90
26	BB	2898	U	C5'-C4'-C3'	-6.22	106.04	116.00
30	BF	113	VAL	CA-CB-CG1	6.22	120.23	110.90
41	BQ	36	TYR	CG-CD2-CE2	6.22	126.28	121.30
1	AA	357	G	C5'-C4'-O4'	6.22	116.56	109.10
1	AA	498	A	O5'-P-OP2	-6.22	100.10	105.70
1	AA	502	A	C5-C6-N6	-6.22	118.72	123.70
26	BB	1097	U	N3-C2-O2	-6.22	117.85	122.20
26	BB	1450	G	N9-C1'-C2'	-6.22	105.16	112.00
26	BB	1711	A	C5-C6-N1	6.22	120.81	117.70
26	BB	1780	A	C2-N3-C4	6.22	113.71	110.60
44	BT	21	ARG	NE-CZ-NH1	6.22	123.41	120.30
47	BW	21	ARG	NE-CZ-NH2	-6.22	117.19	120.30
1	AA	50	A	C4'-C3'-C2'	-6.22	96.38	102.60
1	AA	1397	C	C5-C4-N4	6.22	124.55	120.20
26	BB	310	A	O4'-C1'-C2'	-6.22	99.58	105.80
26	BB	436	C	C5-C6-N1	6.22	124.11	121.00
26	BB	757	G	N3-C2-N2	-6.22	115.55	119.90
26	BB	1130	U	C5'-C4'-O4'	6.22	116.56	109.10
26	BB	1331	G	P-O3'-C3'	6.22	127.16	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1343	G	N1-C2-N2	6.22	121.80	116.20
26	BB	1529	G	C2-N3-C4	6.22	115.01	111.90
26	BB	1587	G	C4-C5-N7	-6.22	108.31	110.80
26	BB	1934	C	C4'-C3'-C2'	-6.22	96.38	102.60
26	BB	2383	G	N9-C4-C5	6.22	107.89	105.40
26	BB	2886	A	C8-N9-C4	-6.22	103.31	105.80
1	AA	22	G	C1'-O4'-C4'	-6.22	104.92	109.90
26	BB	2216	G	N1-C2-N3	6.22	127.63	123.90
26	BB	2316	G	C5'-C4'-O4'	6.22	116.56	109.10
26	BB	2881	U	C5-C4-O4	6.22	129.63	125.90
1	AA	534	U	C5-C6-N1	6.22	125.81	122.70
4	AD	67	C	C4-C5-C6	6.22	120.51	117.40
26	BB	259	G	C6-N1-C2	-6.22	121.37	125.10
26	BB	629	G	O4'-C1'-N9	6.22	113.17	108.20
26	BB	775	G	C4-C5-C6	6.22	122.53	118.80
26	BB	999	U	C4-C5-C6	6.22	123.43	119.70
26	BB	1007	C	C6-N1-C1'	6.22	128.26	120.80
26	BB	1368	G	C3'-C2'-C1'	6.22	106.47	101.50
26	BB	1555	G	O4'-C4'-C3'	6.22	111.07	106.10
26	BB	2511	U	C3'-C2'-C1'	6.22	106.47	101.50
26	BB	2655	G	N9-C4-C5	6.22	107.89	105.40
26	BB	2820	A	N9-C4-C5	6.22	108.29	105.80
1	AA	894	G	C6-N1-C2	-6.21	121.37	125.10
1	AA	1269	A	O4'-C1'-C2'	6.21	113.19	107.60
1	AA	1273	C	C5-C6-N1	6.21	124.11	121.00
9	AI	18	VAL	CG1-CB-CG2	-6.21	100.96	110.90
26	BB	821	A	N1-C6-N6	-6.21	114.87	118.60
26	BB	1168	G	N9-C4-C5	6.21	107.89	105.40
1	AA	14	U	N3-C4-O4	6.21	123.75	119.40
1	AA	1069	C	N3-C4-C5	6.21	124.39	121.90
26	BB	733	G	C4'-C3'-C2'	-6.21	96.39	102.60
26	BB	2352	A	N9-C4-C5	6.21	108.28	105.80
26	BB	2381	A	N9-C4-C5	-6.21	103.31	105.80
26	BB	2750	A	C4-C5-C6	6.21	120.11	117.00
26	BB	2812	G	N9-C4-C5	6.21	107.89	105.40
1	AA	186	C	N3-C2-O2	-6.21	117.55	121.90
1	AA	221	C	C5-C4-N4	-6.21	115.85	120.20
1	AA	354	G	C8-N9-C4	-6.21	103.92	106.40
1	AA	381	C	N3-C4-C5	-6.21	119.42	121.90
2	AB	4	G	N9-C4-C5	6.21	107.89	105.40
7	AG	71	PHE	CB-CG-CD2	-6.21	116.45	120.80
26	BB	232	G	C4'-C3'-C2'	6.21	108.81	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	916	G	C5-C6-N1	-6.21	108.39	111.50
26	BB	1000	A	C5-N7-C8	-6.21	100.79	103.90
26	BB	1057	A	C5'-C4'-C3'	-6.21	106.06	116.00
26	BB	1369	G	C1'-O4'-C4'	6.21	114.87	109.90
26	BB	1867	G	C4-C5-C6	6.21	122.53	118.80
26	BB	2130	U	N3-C4-C5	-6.21	110.87	114.60
1	AA	260	G	C5-C6-N1	6.21	114.61	111.50
1	AA	1277	C	N3-C2-O2	-6.21	117.55	121.90
26	BB	416	U	N1-C2-N3	6.21	118.63	114.90
26	BB	1422	G	C6-C5-N7	-6.21	126.67	130.40
26	BB	2621	G	C1'-O4'-C4'	-6.21	104.93	109.90
1	AA	402	G	C4'-C3'-C2'	-6.21	96.39	102.60
1	AA	529	G	O4'-C4'-C3'	6.21	111.07	106.10
1	AA	1294	G	N7-C8-N9	6.21	116.20	113.10
1	AA	1523	G	C8-N9-C4	-6.21	103.92	106.40
26	BB	1613	G	C5-C6-N1	6.21	114.60	111.50
26	BB	1884	G	C3'-C2'-C1'	6.21	106.47	101.50
26	BB	2091	C	N3-C2-O2	-6.21	117.55	121.90
26	BB	2164	C	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	2293	G	C4-C5-N7	-6.21	108.32	110.80
26	BB	2722	G	N3-C2-N2	-6.21	115.55	119.90
1	AA	108	G	C6-C5-N7	-6.21	126.68	130.40
1	AA	432	A	C6-C5-N7	6.21	136.64	132.30
1	AA	445	G	C5-N7-C8	-6.21	101.20	104.30
1	AA	726	C	C5-C4-N4	-6.21	115.86	120.20
1	AA	750	C	P-O3'-C3'	6.21	127.15	119.70
1	AA	927	G	O4'-C1'-N9	6.21	113.17	108.20
1	AA	969	A	N1-C2-N3	-6.21	126.20	129.30
1	AA	1031	C	N3-C2-O2	6.21	126.24	121.90
1	AA	1196	A	P-O3'-C3'	6.21	127.15	119.70
1	AA	1537	U	N1-C2-N3	6.21	118.62	114.90
4	AD	37	U	C6-N1-C2	6.21	124.72	121.00
21	AU	11	ARG	NE-CZ-NH2	6.21	123.40	120.30
26	BB	405	U	O4'-C1'-N1	6.21	113.17	108.20
26	BB	512	G	N9-C4-C5	6.21	107.88	105.40
26	BB	662	G	C6-N1-C2	-6.21	121.38	125.10
26	BB	1016	G	C1'-O4'-C4'	-6.21	104.93	109.90
26	BB	1141	U	C5-C4-O4	6.21	129.62	125.90
26	BB	1445	G	N1-C6-O6	-6.21	116.18	119.90
26	BB	1537	G	C6-N1-C2	-6.21	121.38	125.10
26	BB	1786	A	C6-C5-N7	-6.21	127.96	132.30
26	BB	1799	G	N3-C4-N9	-6.21	122.28	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1991	U	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	2323	G	C6-N1-C2	-6.21	121.38	125.10
26	BB	2346	A	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	2722	G	C5'-C4'-C3'	-6.21	106.07	116.00
1	AA	1336	C	N1-C2-O2	6.21	122.62	118.90
26	BB	458	G	O4'-C1'-N9	6.21	113.16	108.20
36	BL	13	ARG	NE-CZ-NH1	-6.21	117.20	120.30
57	B6	48	MET	CB-CA-C	6.21	122.81	110.40
1	AA	325	A	N1-C2-N3	-6.20	126.20	129.30
1	AA	526	C	O4'-C1'-N1	6.20	113.16	108.20
1	AA	733	G	O3'-P-O5'	-6.20	92.21	104.00
1	AA	1255	G	C8-N9-C1'	6.20	135.06	127.00
1	AA	1494	G	N3-C4-C5	-6.20	125.50	128.60
2	AB	26	A	P-O3'-C3'	6.20	127.14	119.70
3	AC	34	U	C4-C5-C6	6.20	123.42	119.70
4	AD	50	G	O4'-C4'-C3'	6.20	111.06	106.10
26	BB	590	A	N1-C6-N6	-6.20	114.88	118.60
26	BB	665	U	N1-C2-N3	6.20	118.62	114.90
26	BB	764	A	C5-C6-N6	6.20	128.66	123.70
26	BB	1066	U	C5'-C4'-C3'	-6.20	106.07	116.00
26	BB	1702	G	C6-N1-C2	-6.20	121.38	125.10
26	BB	1734	G	C5'-C4'-O4'	6.20	116.55	109.10
26	BB	1878	G	N3-C4-N9	-6.20	122.28	126.00
26	BB	1888	G	C4-C5-N7	-6.20	108.32	110.80
26	BB	2320	U	C6-N1-C2	-6.20	117.28	121.00
26	BB	2358	A	N9-C1'-C2'	6.20	122.06	114.00
26	BB	2458	G	N3-C4-C5	-6.20	125.50	128.60
52	B1	36	GLU	OE1-CD-OE2	6.20	130.74	123.30
1	AA	656	G	C6-C5-N7	-6.20	126.68	130.40
1	AA	710	G	C6-N1-C2	-6.20	121.38	125.10
1	AA	753	A	C5-C6-N1	6.20	120.80	117.70
1	AA	829	G	N1-C2-N2	6.20	121.78	116.20
1	AA	1128	C	C2-N3-C4	6.20	123.00	119.90
1	AA	1182	G	C5-C6-N1	6.20	114.60	111.50
26	BB	1658	C	O4'-C1'-C2'	-6.20	99.60	105.80
26	BB	2803	G	C4-C5-N7	6.20	113.28	110.80
26	BB	2858	C	C2-N1-C1'	6.20	125.62	118.80
1	AA	124	C	C6-N1-C2	6.20	122.78	120.30
1	AA	201	G	C1'-O4'-C4'	6.20	114.86	109.90
1	AA	351	G	C5'-C4'-O4'	6.20	116.54	109.10
1	AA	941	G	N1-C2-N3	-6.20	120.18	123.90
1	AA	996	A	N1-C6-N6	-6.20	114.88	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1261	A	C4-C5-N7	-6.20	107.60	110.70
2	AB	13	C	C3'-C2'-C1'	6.20	106.46	101.50
2	AB	47	U	O3'-P-O5'	-6.20	92.22	104.00
26	BB	287	G	C5-C6-O6	-6.20	124.88	128.60
26	BB	798	G	C5-C6-O6	6.20	132.32	128.60
26	BB	1735	A	N7-C8-N9	6.20	116.90	113.80
26	BB	2255	G	C5-C6-O6	6.20	132.32	128.60
26	BB	2711	A	C6-N1-C2	6.20	122.32	118.60
1	AA	54	C	C6-N1-C2	6.20	122.78	120.30
1	AA	562	U	C3'-C2'-C1'	6.20	106.46	101.50
1	AA	759	A	P-O3'-C3'	6.20	127.14	119.70
1	AA	1004	A	O4'-C1'-N9	-6.20	103.24	108.20
1	AA	1396	A	C5'-C4'-C3'	6.20	125.92	116.00
1	AA	1488	G	N1-C2-N3	-6.20	120.18	123.90
3	AC	54	U	C4-C5-C6	6.20	123.42	119.70
26	BB	22	C	O4'-C1'-N1	6.20	113.16	108.20
26	BB	60	G	N9-C4-C5	6.20	107.88	105.40
26	BB	857	G	N1-C2-N3	-6.20	120.18	123.90
26	BB	1662	U	P-O3'-C3'	6.20	127.14	119.70
26	BB	1903	G	C4-C5-C6	6.20	122.52	118.80
26	BB	2027	G	O4'-C1'-N9	6.20	113.16	108.20
26	BB	2305	U	N1-C2-O2	-6.20	118.46	122.80
26	BB	1051	G	C4'-C3'-C2'	-6.20	96.40	102.60
26	BB	1149	G	N3-C4-N9	-6.20	122.28	126.00
26	BB	1756	G	C8-N9-C4	-6.20	103.92	106.40
26	BB	1981	A	N1-C2-N3	-6.20	126.20	129.30
26	BB	2387	U	N1-C2-N3	6.20	118.62	114.90
1	AA	141	G	O4'-C4'-C3'	6.20	111.06	106.10
1	AA	584	G	C4-C5-N7	-6.20	108.32	110.80
1	AA	675	A	C4'-C3'-C2'	-6.20	96.40	102.60
1	AA	982	U	N3-C4-C5	-6.20	110.88	114.60
1	AA	1088	G	C3'-C2'-C1'	6.20	106.46	101.50
1	AA	1092	A	C4-C5-C6	-6.20	113.90	117.00
2	AB	68	C	N3-C4-C5	-6.20	119.42	121.90
3	AC	52	U	N3-C4-O4	6.20	123.74	119.40
4	AD	54	G	C4-C5-N7	6.20	113.28	110.80
26	BB	881	G	N3-C4-N9	-6.20	122.28	126.00
26	BB	1013	C	N3-C4-N4	6.20	122.34	118.00
26	BB	1435	G	C5-C6-O6	-6.20	124.88	128.60
26	BB	2631	G	C4-C5-C6	6.20	122.52	118.80
1	AA	125	U	N1-C1'-C2'	-6.19	105.19	112.00
1	AA	213	G	C4-C5-N7	-6.19	108.32	110.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1303	C	N3-C4-C5	6.19	124.38	121.90
26	BB	1295	C	C5'-C4'-O4'	6.19	116.53	109.10
26	BB	1674	G	C5-C6-O6	6.19	132.32	128.60
26	BB	1697	G	C5-C6-N1	-6.19	108.40	111.50
26	BB	2090	A	C4-C5-C6	6.19	120.10	117.00
30	BF	91	ASP	CB-CG-OD2	-6.19	112.73	118.30
1	AA	353	A	N1-C2-N3	-6.19	126.20	129.30
1	AA	388	G	N3-C4-N9	6.19	129.72	126.00
1	AA	979	C	C3'-C2'-C1'	6.19	106.45	101.50
1	AA	1106	G	C5'-C4'-O4'	6.19	116.53	109.10
1	AA	1267	C	C3'-C2'-C1'	6.19	106.45	101.50
26	BB	175	G	N3-C4-C5	-6.19	125.50	128.60
26	BB	817	C	C4'-C3'-C2'	-6.19	96.41	102.60
26	BB	875	G	N9-C4-C5	6.19	107.88	105.40
26	BB	993	G	C2-N3-C4	6.19	115.00	111.90
26	BB	1603	A	C4-C5-N7	-6.19	107.60	110.70
26	BB	1893	C	C1'-O4'-C4'	6.19	114.85	109.90
26	BB	2598	A	C4-C5-N7	-6.19	107.60	110.70
26	BB	2849	U	N1-C2-O2	6.19	127.14	122.80
45	BU	71	VAL	CA-CB-CG1	6.19	120.19	110.90
1	AA	107	G	C1'-O4'-C4'	-6.19	104.95	109.90
1	AA	131	A	C5'-C4'-O4'	6.19	116.53	109.10
1	AA	661	G	C4-C5-N7	6.19	113.28	110.80
1	AA	680	C	O4'-C4'-C3'	6.19	111.05	106.10
1	AA	1307	U	O4'-C1'-N1	6.19	113.15	108.20
26	BB	84	A	C8-N9-C4	-6.19	103.32	105.80
26	BB	220	G	N3-C4-C5	-6.19	125.50	128.60
26	BB	556	A	C6-C5-N7	-6.19	127.97	132.30
26	BB	923	G	C1'-O4'-C4'	6.19	114.85	109.90
26	BB	2094	A	C8-N9-C4	6.19	108.28	105.80
26	BB	2489	U	O4'-C1'-N1	6.19	113.15	108.20
26	BB	2585	U	O4'-C4'-C3'	6.19	111.05	106.10
1	AA	661	G	N1-C6-O6	6.19	123.61	119.90
1	AA	1099	G	O4'-C1'-N9	6.19	113.15	108.20
26	BB	1786	A	P-O3'-C3'	6.19	127.13	119.70
26	BB	1805	A	C5-C6-N6	-6.19	118.75	123.70
1	AA	244	U	C5-C6-N1	6.19	125.79	122.70
1	AA	496	A	N7-C8-N9	6.19	116.89	113.80
1	AA	931	C	C3'-C2'-C1'	-6.19	96.55	101.50
1	AA	1063	C	N3-C4-N4	6.19	122.33	118.00
1	AA	1344	C	C4-C5-C6	-6.19	114.31	117.40
1	AA	1454	G	C5-N7-C8	-6.19	101.21	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	351	C	C3'-C2'-C1'	6.19	106.45	101.50
26	BB	394	C	O4'-C1'-N1	6.19	113.15	108.20
26	BB	737	C	N1-C2-O2	6.19	122.61	118.90
26	BB	1102	C	C6-N1-C2	-6.19	117.83	120.30
26	BB	1281	G	O4'-C1'-N9	6.19	113.15	108.20
26	BB	2083	G	C3'-C2'-C1'	6.19	106.45	101.50
26	BB	2234	G	N3-C4-C5	-6.19	125.51	128.60
26	BB	2802	G	C5-N7-C8	-6.19	101.21	104.30
1	AA	939	G	C5-C6-O6	6.19	132.31	128.60
1	AA	1300	G	N9-C1'-C2'	6.19	122.04	114.00
26	BB	1438	U	O4'-C1'-N1	6.19	113.15	108.20
26	BB	1700	A	C5'-C4'-C3'	-6.19	106.10	116.00
26	BB	2018	G	C4-C5-N7	-6.19	108.33	110.80
1	AA	51	A	P-O3'-C3'	6.18	127.12	119.70
1	AA	117	G	C4-C5-N7	-6.18	108.33	110.80
1	AA	263	A	N1-C2-N3	-6.18	126.21	129.30
1	AA	674	G	O4'-C1'-N9	6.18	113.15	108.20
1	AA	807	A	O4'-C1'-N9	6.18	113.15	108.20
1	AA	855	U	N3-C2-O2	-6.18	117.87	122.20
1	AA	950	U	N1-C2-N3	6.18	118.61	114.90
1	AA	1102	A	N1-C2-N3	-6.18	126.21	129.30
1	AA	1414	U	C6-N1-C2	-6.18	117.29	121.00
1	AA	1476	A	C5-N7-C8	6.18	106.99	103.90
2	AB	34	C	C5-C4-N4	-6.18	115.87	120.20
7	AG	75	TYR	CG-CD1-CE1	-6.18	116.35	121.30
26	BB	216	A	N1-C6-N6	-6.18	114.89	118.60
26	BB	351	C	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	426	C	C3'-C2'-C1'	6.18	106.45	101.50
26	BB	632	A	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	633	A	C4-C5-C6	-6.18	113.91	117.00
26	BB	1334	G	C4-C5-N7	6.18	113.27	110.80
26	BB	1910	G	N1-C2-N3	-6.18	120.19	123.90
26	BB	2864	G	O4'-C1'-N9	6.18	113.15	108.20
1	AA	299	G	N9-C4-C5	6.18	107.87	105.40
1	AA	465	A	N9-C4-C5	6.18	108.27	105.80
1	AA	1346	A	C6-N1-C2	-6.18	114.89	118.60
2	AB	66	C	C5'-C4'-C3'	-6.18	106.11	116.00
3	AC	35	G	N3-C4-C5	-6.18	125.51	128.60
4	AD	1	C	N3-C2-O2	-6.18	117.57	121.90
4	AD	69	C	C2-N3-C4	6.18	122.99	119.90
7	AG	1	ALA	O-C-N	6.18	132.59	122.70
26	BB	463	G	C4-C5-C6	6.18	122.51	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	738	G	N1-C6-O6	-6.18	116.19	119.90
26	BB	862	G	C5-C6-N1	6.18	114.59	111.50
26	BB	2227	A	N3-C4-C5	-6.18	122.47	126.80
1	AA	419	C	C6-N1-C2	-6.18	117.83	120.30
1	AA	791	G	N1-C6-O6	-6.18	116.19	119.90
5	AE	22	TRP	CD1-NE1-CE2	6.18	114.56	109.00
26	BB	335	C	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	531	C	C6-N1-C2	-6.18	117.83	120.30
26	BB	1477	A	C8-N9-C4	-6.18	103.33	105.80
26	BB	1741	C	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	1836	C	N1-C1'-C2'	-6.18	105.20	112.00
26	BB	2482	A	O5'-P-OP1	-6.18	100.14	105.70
1	AA	779	C	N3-C4-C5	-6.18	119.43	121.90
1	AA	1188	A	P-O5'-C5'	6.18	130.79	120.90
1	AA	1529	G	C4-N9-C1'	6.18	134.53	126.50
26	BB	347	A	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	374	A	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	980	A	C4-C5-N7	-6.18	107.61	110.70
26	BB	1408	G	C4-C5-N7	-6.18	108.33	110.80
26	BB	2133	G	C6-C5-N7	-6.18	126.69	130.40
26	BB	2548	U	C2-N1-C1'	6.18	125.12	117.70
26	BB	2876	G	N1-C6-O6	-6.18	116.19	119.90
1	AA	1397	C	C4-C5-C6	-6.18	114.31	117.40
25	BA	101	A	N7-C8-N9	6.18	116.89	113.80
26	BB	1093	G	N1-C2-N2	6.18	121.76	116.20
26	BB	1415	U	C4-C5-C6	6.18	123.41	119.70
26	BB	1820	U	C5-C6-N1	-6.18	119.61	122.70
26	BB	1885	A	C6-N1-C2	6.18	122.31	118.60
26	BB	2107	G	N9-C4-C5	6.18	107.87	105.40
26	BB	2112	G	C5-C6-O6	6.18	132.31	128.60
26	BB	132	G	N3-C4-N9	6.18	129.71	126.00
26	BB	1003	G	C2-N3-C4	-6.18	108.81	111.90
26	BB	1559	U	N3-C4-C5	-6.18	110.89	114.60
26	BB	1641	A	C3'-C2'-C1'	-6.18	96.56	101.50
26	BB	1736	U	N3-C4-O4	-6.18	115.08	119.40
26	BB	2002	G	N3-C4-N9	6.18	129.71	126.00
26	BB	2198	A	C5-C6-N6	-6.18	118.76	123.70
26	BB	2389	G	C8-N9-C4	-6.18	103.93	106.40
26	BB	2490	G	C6-N1-C2	-6.18	121.39	125.10
29	BE	9	VAL	CA-CB-CG1	6.18	120.16	110.90
1	AA	1369	C	C2-N3-C4	6.17	122.99	119.90
1	AA	1373	G	O4'-C1'-N9	6.17	113.14	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	AI	42	TRP	CH2-CZ2-CE2	6.17	123.57	117.40
26	BB	192	C	N3-C2-O2	-6.17	117.58	121.90
26	BB	520	G	N7-C8-N9	6.17	116.19	113.10
26	BB	640	C	O4'-C1'-C2'	6.17	113.16	107.60
26	BB	1293	C	C2'-C3'-O3'	6.17	123.58	113.70
26	BB	1327	A	C2-N3-C4	6.17	113.69	110.60
26	BB	1484	U	C5-C4-O4	-6.17	122.19	125.90
26	BB	1785	A	O5'-P-OP2	-6.17	100.14	105.70
26	BB	1978	A	C1'-O4'-C4'	-6.17	104.96	109.90
26	BB	2148	G	C5-C6-N1	6.17	114.59	111.50
30	BF	167	VAL	CA-CB-CG1	6.17	120.16	110.90
5	AE	7	ASP	CB-CG-OD1	6.17	123.86	118.30
26	BB	1250	G	C8-N9-C1'	6.17	135.03	127.00
26	BB	2041	U	N3-C4-O4	-6.17	115.08	119.40
40	BP	120	GLU	CA-CB-CG	6.17	126.98	113.40
1	AA	25	C	N3-C4-C5	-6.17	119.43	121.90
1	AA	25	C	O4'-C1'-N1	6.17	113.14	108.20
1	AA	128	G	N7-C8-N9	6.17	116.19	113.10
1	AA	1039	G	N1-C6-O6	6.17	123.60	119.90
1	AA	1122	U	C4'-C3'-C2'	-6.17	96.43	102.60
1	AA	1174	G	N3-C4-C5	6.17	131.69	128.60
1	AA	1405	G	P-O3'-C3'	6.17	127.11	119.70
3	AC	34	U	C5-C4-O4	-6.17	122.20	125.90
26	BB	858	G	N9-C4-C5	6.17	107.87	105.40
26	BB	1906	G	N1-C2-N2	6.17	121.75	116.20
26	BB	2354	C	C5'-C4'-O4'	6.17	116.51	109.10
26	BB	2391	G	O5'-C5'-C4'	-6.17	99.98	111.70
37	BM	17	ARG	NE-CZ-NH2	6.17	123.39	120.30
1	AA	942	G	N1-C2-N2	6.17	121.75	116.20
26	BB	1157	G	N3-C2-N2	-6.17	115.58	119.90
26	BB	1850	G	C2-N3-C4	6.17	114.98	111.90
1	AA	135	C	C5'-C4'-O4'	6.17	116.50	109.10
1	AA	466	A	C5-C6-N6	6.17	128.63	123.70
1	AA	628	G	N7-C8-N9	6.17	116.18	113.10
1	AA	1037	C	P-O5'-C5'	6.17	130.77	120.90
1	AA	1397	C	C2-N3-C4	6.17	122.98	119.90
1	AA	1507	A	C5'-C4'-O4'	6.17	116.50	109.10
26	BB	64	A	C6-C5-N7	6.17	136.62	132.30
26	BB	165	A	C6-C5-N7	6.17	136.62	132.30
26	BB	823	C	C5-C4-N4	-6.17	115.88	120.20
26	BB	868	U	C2-N3-C4	-6.17	123.30	127.00
26	BB	1091	G	C4-C5-N7	-6.17	108.33	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1627	G	C2-N3-C4	6.17	114.98	111.90
26	BB	1885	A	O4'-C1'-N9	6.17	113.14	108.20
26	BB	2412	A	C4-C5-N7	-6.17	107.61	110.70
1	AA	441	A	C5-C6-N1	-6.17	114.62	117.70
1	AA	757	U	O4'-C4'-C3'	6.17	111.03	106.10
1	AA	1294	G	C8-N9-C1'	6.17	135.02	127.00
26	BB	191	A	N9-C4-C5	-6.17	103.33	105.80
26	BB	343	C	N3-C2-O2	-6.17	117.58	121.90
26	BB	541	A	C2-N3-C4	-6.17	107.52	110.60
26	BB	665	U	C5-C6-N1	-6.17	119.62	122.70
26	BB	1450	G	O4'-C1'-C2'	6.17	113.15	107.60
26	BB	1913	A	C5-C6-N1	6.17	120.78	117.70
26	BB	1920	C	N3-C4-N4	6.17	122.32	118.00
26	BB	2118	U	O4'-C4'-C3'	6.17	111.03	106.10
27	BC	164	ARG	NE-CZ-NH1	-6.17	117.22	120.30
26	BB	419	U	N3-C2-O2	6.17	126.52	122.20
1	AA	225	C	P-O3'-C3'	6.16	127.10	119.70
1	AA	643	C	N3-C4-N4	6.16	122.31	118.00
1	AA	1229	A	O3'-P-O5'	-6.16	92.29	104.00
26	BB	1054	A	C5'-C4'-C3'	-6.16	106.14	116.00
26	BB	1243	C	N3-C4-N4	6.16	122.31	118.00
26	BB	1588	G	N7-C8-N9	6.16	116.18	113.10
26	BB	1649	G	C5-C6-N1	-6.16	108.42	111.50
26	BB	1776	G	C5-C6-N1	6.16	114.58	111.50
26	BB	2432	A	O4'-C1'-N9	6.16	113.13	108.20
26	BB	2516	A	C5-C6-N6	-6.16	118.77	123.70
26	BB	2616	C	C3'-C2'-C1'	6.16	106.43	101.50
38	BN	123	ARG	NE-CZ-NH2	-6.16	117.22	120.30
1	AA	206	C	N3-C4-C5	-6.16	119.44	121.90
1	AA	425	G	N1-C2-N2	6.16	121.75	116.20
1	AA	1061	G	C6-C5-N7	6.16	134.10	130.40
1	AA	1097	C	C6-N1-C2	-6.16	117.83	120.30
1	AA	1290	G	N3-C2-N2	6.16	124.21	119.90
26	BB	270	A	C4-C5-C6	-6.16	113.92	117.00
26	BB	1296	G	P-O3'-C3'	6.16	127.09	119.70
27	BC	16	ASP	CB-CG-OD1	-6.16	112.75	118.30
1	AA	117	G	N3-C2-N2	6.16	124.21	119.90
1	AA	289	G	N3-C4-C5	-6.16	125.52	128.60
1	AA	1142	G	C4'-C3'-C2'	-6.16	96.44	102.60
1	AA	1257	A	C4'-C3'-C2'	-6.16	96.44	102.60
1	AA	1475	G	N7-C8-N9	-6.16	110.02	113.10
11	AK	51	GLU	OE1-CD-OE2	6.16	130.69	123.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	36	G	N3-C2-N2	6.16	124.21	119.90
26	BB	252	G	N3-C2-N2	6.16	124.21	119.90
26	BB	397	U	N3-C4-C5	-6.16	110.90	114.60
26	BB	791	C	O4'-C1'-N1	6.16	113.13	108.20
26	BB	1190	G	N1-C6-O6	-6.16	116.20	119.90
26	BB	1681	G	O4'-C1'-N9	6.16	113.13	108.20
26	BB	2423	U	O4'-C1'-N1	6.16	113.13	108.20
26	BB	2662	A	C6-N1-C2	6.16	122.30	118.60
39	BO	64	TRP	CD2-CE3-CZ3	6.16	126.81	118.80
1	AA	182	A	O4'-C1'-C2'	-6.16	99.64	105.80
1	AA	306	A	C8-N9-C4	-6.16	103.34	105.80
1	AA	934	C	C4'-C3'-C2'	-6.16	96.44	102.60
1	AA	1014	A	C6-N1-C2	6.16	122.30	118.60
1	AA	1068	G	N7-C8-N9	6.16	116.18	113.10
1	AA	1405	G	C3'-C2'-C1'	-6.16	96.57	101.50
1	AA	1435	G	C5-C6-N1	6.16	114.58	111.50
25	BA	85	G	C6-N1-C2	-6.16	121.41	125.10
26	BB	194	G	C8-N9-C1'	6.16	135.00	127.00
26	BB	936	A	C5'-C4'-O4'	6.16	116.49	109.10
26	BB	1283	G	N1-C2-N3	-6.16	120.20	123.90
26	BB	2259	U	C4'-C3'-C2'	6.16	108.76	102.60
26	BB	2333	A	C8-N9-C4	6.16	108.26	105.80
26	BB	2380	C	O4'-C1'-C2'	-6.16	99.64	105.80
26	BB	2856	A	C4-C5-N7	-6.16	107.62	110.70
1	AA	954	G	C5-C6-O6	-6.16	124.91	128.60
1	AA	1072	G	N9-C4-C5	6.16	107.86	105.40
26	BB	709	U	O4'-C1'-N1	6.16	113.12	108.20
26	BB	722	A	N7-C8-N9	6.16	116.88	113.80
26	BB	1031	G	C5'-C4'-O4'	6.16	116.49	109.10
26	BB	1197	G	N1-C6-O6	6.16	123.59	119.90
26	BB	1623	G	N9-C4-C5	6.16	107.86	105.40
26	BB	1763	G	C5-N7-C8	6.16	107.38	104.30
26	BB	1964	G	O4'-C1'-N9	6.16	113.12	108.20
26	BB	2346	A	C4-C5-C6	6.16	120.08	117.00
1	AA	145	G	C5-C6-O6	-6.16	124.91	128.60
1	AA	605	U	N3-C2-O2	-6.16	117.89	122.20
1	AA	830	G	C1'-O4'-C4'	6.16	114.82	109.90
1	AA	1413	A	N1-C6-N6	6.16	122.29	118.60
1	AA	1507	A	O4'-C1'-N9	6.16	113.12	108.20
15	AO	108	ASP	CB-CG-OD2	6.16	123.84	118.30
26	BB	663	G	C8-N9-C4	-6.16	103.94	106.40
26	BB	944	C	C4-C5-C6	6.16	120.48	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1170	C	N3-C4-N4	6.16	122.31	118.00
26	BB	1359	A	C6-N1-C2	6.16	122.29	118.60
26	BB	1401	G	C5'-C4'-O4'	6.16	116.49	109.10
26	BB	1425	G	O4'-C1'-N9	6.16	113.12	108.20
26	BB	1948	G	N1-C2-N3	-6.16	120.21	123.90
26	BB	2544	G	C5-N7-C8	-6.16	101.22	104.30
26	BB	2737	G	C5-C6-N1	6.16	114.58	111.50
1	AA	807	A	N9-C4-C5	-6.15	103.34	105.80
26	BB	79	C	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	1222	U	N1-C2-N3	6.15	118.59	114.90
26	BB	1833	C	N1-C1'-C2'	-6.15	105.23	112.00
26	BB	2258	C	C1'-O4'-C4'	6.15	114.82	109.90
26	BB	2397	G	C2-N3-C4	6.15	114.98	111.90
26	BB	2791	G	C5-N7-C8	6.15	107.38	104.30
39	BO	50	ARG	NE-CZ-NH1	6.15	123.38	120.30
1	AA	49	U	C5'-C4'-O4'	6.15	116.48	109.10
1	AA	85	U	P-O3'-C3'	6.15	127.08	119.70
1	AA	359	G	N3-C4-C5	-6.15	125.52	128.60
1	AA	486	U	N1-C2-O2	6.15	127.11	122.80
1	AA	876	C	C5-C4-N4	6.15	124.51	120.20
1	AA	1081	A	C4-C5-N7	6.15	113.78	110.70
2	AB	9	A	C4-C5-C6	-6.15	113.92	117.00
5	AE	237	VAL	CA-CB-CG1	6.15	120.13	110.90
25	BA	79	G	N3-C4-C5	-6.15	125.52	128.60
26	BB	494	G	C5-C6-O6	-6.15	124.91	128.60
26	BB	698	C	C5'-C4'-O4'	6.15	116.48	109.10
26	BB	1234	U	O4'-C1'-N1	6.15	113.12	108.20
26	BB	1608	A	N3-C4-N9	-6.15	122.48	127.40
26	BB	2061	G	N9-C4-C5	6.15	107.86	105.40
26	BB	2362	C	C5'-C4'-O4'	6.15	116.48	109.10
26	BB	2559	C	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	2590	A	N1-C6-N6	-6.15	114.91	118.60
29	BE	169	ARG	NE-CZ-NH2	6.15	123.38	120.30
37	BM	63	VAL	CG1-CB-CG2	6.15	120.75	110.90
1	AA	204	G	N3-C4-C5	-6.15	125.52	128.60
1	AA	529	G	N1-C6-O6	6.15	123.59	119.90
1	AA	912	C	C3'-C2'-C1'	-6.15	96.58	101.50
1	AA	1279	G	C2-N3-C4	6.15	114.97	111.90
1	AA	1385	G	C6-N1-C2	-6.15	121.41	125.10
2	AB	75	C	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	201	C	C5-C4-N4	-6.15	115.89	120.20
26	BB	503	A	C4'-C3'-C2'	-6.15	96.45	102.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	648	G	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	811	U	C6-N1-C2	-6.15	117.31	121.00
26	BB	939	G	N1-C6-O6	-6.15	116.21	119.90
26	BB	1721	G	N1-C6-O6	-6.15	116.21	119.90
26	BB	1972	G	C3'-C2'-C1'	-6.15	96.58	101.50
26	BB	2380	C	N1-C2-O2	6.15	122.59	118.90
26	BB	2485	G	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	2607	G	C5-N7-C8	-6.15	101.22	104.30
26	BB	2708	G	N3-C2-N2	-6.15	115.59	119.90
26	BB	2788	C	O4'-C1'-N1	6.15	113.12	108.20
26	BB	2835	A	C8-N9-C4	6.15	108.26	105.80
1	AA	135	C	C4-C5-C6	6.15	120.47	117.40
1	AA	418	C	N1-C2-O2	6.15	122.59	118.90
1	AA	1132	C	C5-C6-N1	-6.15	117.92	121.00
26	BB	615	U	N3-C2-O2	-6.15	117.90	122.20
26	BB	719	C	O4'-C1'-C2'	-6.15	99.65	105.80
26	BB	949	G	N3-C4-N9	6.15	129.69	126.00
26	BB	1344	U	N1-C2-O2	6.15	127.10	122.80
26	BB	2173	A	C5-C6-N6	-6.15	118.78	123.70
26	BB	2439	A	C3'-C2'-C1'	-6.15	96.58	101.50
26	BB	2704	C	C3'-C2'-C1'	6.15	106.42	101.50
1	AA	145	G	C5-N7-C8	-6.15	101.23	104.30
1	AA	953	G	C5-C6-O6	-6.15	124.91	128.60
1	AA	1120	C	C5-C6-N1	-6.15	117.93	121.00
26	BB	42	A	C5'-C4'-O4'	6.15	116.48	109.10
26	BB	169	G	O4'-C1'-N9	6.15	113.12	108.20
26	BB	411	G	N3-C4-C5	6.15	131.67	128.60
26	BB	779	U	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	864	G	C4-C5-C6	6.15	122.49	118.80
26	BB	877	A	C8-N9-C4	-6.15	103.34	105.80
26	BB	927	A	C5-N7-C8	6.15	106.97	103.90
26	BB	1080	A	C1'-O4'-C4'	6.15	114.82	109.90
26	BB	1339	G	C6-N1-C2	6.15	128.79	125.10
26	BB	1407	G	N9-C4-C5	6.15	107.86	105.40
26	BB	1689	A	C5-N7-C8	-6.15	100.83	103.90
26	BB	1765	U	N1-C2-N3	6.15	118.59	114.90
26	BB	2019	A	N1-C6-N6	6.15	122.29	118.60
26	BB	2155	U	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	2302	U	C5-C6-N1	-6.15	119.63	122.70
26	BB	2322	A	C5-C6-N6	-6.15	118.78	123.70
1	AA	288	A	C5-N7-C8	-6.15	100.83	103.90
1	AA	340	U	C2-N3-C4	-6.15	123.31	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	638	U	C6-N1-C2	-6.15	117.31	121.00
1	AA	699	C	C4-C5-C6	-6.15	114.33	117.40
26	BB	577	G	C2-N3-C4	6.15	114.97	111.90
26	BB	2102	G	C5'-C4'-O4'	6.15	116.47	109.10
26	BB	2668	G	C2-N3-C4	-6.15	108.83	111.90
1	AA	75	G	C5-C6-N1	6.14	114.57	111.50
1	AA	158	G	C6-N1-C2	-6.14	121.41	125.10
3	AC	15	G	C8-N9-C4	-6.14	103.94	106.40
4	AD	64	G	N3-C4-N9	-6.14	122.31	126.00
26	BB	56	A	N1-C2-N3	-6.14	126.23	129.30
26	BB	58	G	C6-N1-C2	-6.14	121.41	125.10
26	BB	647	G	C5-C6-O6	-6.14	124.91	128.60
26	BB	1047	G	P-O3'-C3'	6.14	127.07	119.70
26	BB	1570	A	C3'-C2'-C1'	6.14	106.42	101.50
26	BB	1703	G	C5-C6-N1	6.14	114.57	111.50
26	BB	2048	G	C6-N1-C2	-6.14	121.41	125.10
26	BB	2200	C	C5-C6-N1	6.14	124.07	121.00
26	BB	2434	A	C2-N3-C4	6.14	113.67	110.60
26	BB	2810	A	C8-N9-C4	-6.14	103.34	105.80
28	BD	173	LEU	CB-CG-CD1	6.14	121.45	111.00
1	AA	1395	C	C4'-C3'-C2'	-6.14	96.46	102.60
1	AA	1501	C	C3'-C2'-C1'	6.14	106.41	101.50
26	BB	462	C	N3-C4-C5	6.14	124.36	121.90
26	BB	483	A	N1-C2-N3	6.14	132.37	129.30
26	BB	1802	A	N1-C2-N3	6.14	132.37	129.30
26	BB	2156	G	N9-C1'-C2'	-6.14	105.24	112.00
26	BB	2187	U	P-O3'-C3'	6.14	127.07	119.70
26	BB	2223	G	C5'-C4'-C3'	6.14	125.83	116.00
26	BB	2528	U	P-O3'-C3'	6.14	127.07	119.70
26	BB	2623	G	O5'-C5'-C4'	6.14	123.37	111.70
1	AA	65	A	C4-C5-N7	-6.14	107.63	110.70
1	AA	858	G	N3-C2-N2	6.14	124.20	119.90
1	AA	1124	G	C1'-O4'-C4'	-6.14	104.99	109.90
26	BB	833	A	N1-C6-N6	-6.14	114.92	118.60
26	BB	1705	A	P-O3'-C3'	6.14	127.07	119.70
1	AA	235	C	C3'-C2'-C1'	-6.14	96.59	101.50
1	AA	236	A	C5'-C4'-O4'	6.14	116.47	109.10
4	AD	24	C	O4'-C1'-N1	6.14	113.11	108.20
26	BB	205	G	C1'-O4'-C4'	6.14	114.81	109.90
26	BB	341	C	O4'-C4'-C3'	6.14	111.01	106.10
26	BB	381	G	P-O3'-C3'	6.14	127.07	119.70
26	BB	2004	G	C6-C5-N7	-6.14	126.72	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2685	G	N1-C2-N2	6.14	121.72	116.20
26	BB	2808	G	P-O3'-C3'	6.14	127.07	119.70
1	AA	694	A	C4-C5-N7	-6.14	107.63	110.70
1	AA	1086	U	C2-N3-C4	-6.14	123.32	127.00
4	AD	32	G	C8-N9-C4	6.14	108.86	106.40
26	BB	309	A	C5'-C4'-O4'	6.14	116.47	109.10
26	BB	986	C	N3-C2-O2	-6.14	117.60	121.90
26	BB	1220	G	N3-C4-N9	6.14	129.68	126.00
26	BB	1677	A	C5-C6-N1	-6.14	114.63	117.70
26	BB	1716	U	N3-C4-C5	-6.14	110.92	114.60
26	BB	2225	A	C5'-C4'-O4'	6.14	116.47	109.10
36	BL	75	TYR	CB-CG-CD2	-6.14	117.32	121.00
1	AA	152	A	C4-C5-N7	-6.14	107.63	110.70
1	AA	490	C	N3-C2-O2	6.14	126.19	121.90
1	AA	607	A	N9-C4-C5	6.14	108.25	105.80
26	BB	446	G	C5-C6-N1	-6.14	108.43	111.50
26	BB	698	C	C4-C5-C6	-6.14	114.33	117.40
26	BB	817	C	O4'-C1'-N1	6.14	113.11	108.20
26	BB	1155	A	C5-C6-N1	6.14	120.77	117.70
26	BB	1420	A	C5-C6-N6	-6.14	118.79	123.70
26	BB	1681	G	C8-N9-C4	6.14	108.86	106.40
26	BB	1995	U	N3-C4-O4	6.14	123.69	119.40
26	BB	2114	A	C5-C6-N6	6.14	128.61	123.70
26	BB	2117	A	C2-N3-C4	-6.14	107.53	110.60
1	AA	309	A	C1'-O4'-C4'	-6.13	104.99	109.90
1	AA	893	C	C4-C5-C6	6.13	120.47	117.40
1	AA	1145	A	C2-N3-C4	6.13	113.67	110.60
1	AA	1177	G	O4'-C1'-N9	6.13	113.11	108.20
1	AA	1326	U	N3-C2-O2	-6.13	117.91	122.20
25	BA	13	G	O4'-C1'-N9	6.13	113.11	108.20
26	BB	107	G	C6-C5-N7	-6.13	126.72	130.40
26	BB	819	A	P-O3'-C3'	6.13	127.06	119.70
26	BB	967	U	O4'-C1'-N1	6.13	113.11	108.20
26	BB	1175	A	N9-C1'-C2'	-6.13	105.25	112.00
26	BB	1202	G	C4-C5-N7	-6.13	108.35	110.80
26	BB	1590	A	N1-C2-N3	-6.13	126.23	129.30
26	BB	1665	A	C5-C6-N1	-6.13	114.63	117.70
26	BB	1919	A	N7-C8-N9	-6.13	110.73	113.80
26	BB	2443	C	C6-N1-C2	-6.13	117.85	120.30
26	BB	2664	G	N3-C2-N2	-6.13	115.61	119.90
1	AA	1030	U	N1-C2-O2	6.13	127.09	122.80
26	BB	155	A	O4'-C1'-N9	6.13	113.11	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	679	C	N3-C2-O2	-6.13	117.61	121.90
26	BB	731	C	O4'-C4'-C3'	6.13	111.01	106.10
26	BB	1154	G	O4'-C1'-N9	6.13	113.11	108.20
26	BB	2749	A	C2-N3-C4	6.13	113.67	110.60
37	BM	113	MET	CA-CB-CG	-6.13	102.87	113.30
1	AA	234	C	C5'-C4'-O4'	6.13	116.46	109.10
1	AA	683	G	O4'-C1'-N9	6.13	113.11	108.20
1	AA	1278	G	N7-C8-N9	6.13	116.17	113.10
2	AB	22	G	C5-C6-O6	-6.13	124.92	128.60
3	AC	23	C	C2-N1-C1'	-6.13	112.06	118.80
5	AE	22	TRP	NE1-CE2-CZ2	6.13	137.15	130.40
9	AI	26	THR	CA-CB-CG2	-6.13	103.82	112.40
25	BA	84	G	C5-C6-N1	6.13	114.57	111.50
26	BB	984	A	C5-N7-C8	6.13	106.97	103.90
26	BB	1056	G	N1-C2-N3	-6.13	120.22	123.90
26	BB	1274	A	C5'-C4'-C3'	-6.13	106.19	116.00
26	BB	1584	U	N3-C2-O2	-6.13	117.91	122.20
26	BB	1986	C	C5-C6-N1	6.13	124.07	121.00
26	BB	2456	C	N3-C4-C5	-6.13	119.45	121.90
1	AA	56	U	N3-C2-O2	6.13	126.49	122.20
1	AA	479	U	C2-N3-C4	6.13	130.68	127.00
1	AA	754	C	C5-C4-N4	6.13	124.49	120.20
1	AA	1531	A	N3-C4-C5	-6.13	122.51	126.80
26	BB	612	G	C5-N7-C8	6.13	107.36	104.30
26	BB	835	C	N1-C1'-C2'	-6.13	105.26	112.00
1	AA	172	A	C8-N9-C4	-6.13	103.35	105.80
1	AA	185	U	C5-C4-O4	-6.13	122.22	125.90
1	AA	1325	C	N1-C2-N3	6.13	123.49	119.20
1	AA	1539	C	O4'-C1'-N1	6.13	113.10	108.20
2	AB	3	G	C1'-O4'-C4'	6.13	114.80	109.90
4	AD	68	C	C4-C5-C6	6.13	120.46	117.40
26	BB	844	A	C5-C6-N1	-6.13	114.64	117.70
26	BB	1154	G	C2-N3-C4	6.13	114.96	111.90
26	BB	1495	A	N7-C8-N9	6.13	116.86	113.80
26	BB	1798	U	N3-C4-O4	6.13	123.69	119.40
1	AA	443	C	C6-N1-C2	-6.13	117.85	120.30
1	AA	1040	U	C5'-C4'-O4'	6.13	116.45	109.10
2	AB	48	U	C5-C6-N1	-6.13	119.64	122.70
26	BB	974	G	C1'-O4'-C4'	-6.13	105.00	109.90
26	BB	1322	A	C3'-C2'-C1'	-6.13	96.60	101.50
26	BB	1428	C	N3-C4-N4	6.13	122.29	118.00
26	BB	1944	U	N3-C4-O4	6.13	123.69	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2104	C	P-O3'-C3'	6.13	127.05	119.70
26	BB	2715	C	C5'-C4'-C3'	-6.13	106.20	116.00
1	AA	231	U	C5'-C4'-O4'	6.12	116.45	109.10
1	AA	1272	G	O4'-C4'-C3'	6.12	111.00	106.10
26	BB	1416	G	N9-C4-C5	6.12	107.85	105.40
26	BB	2041	U	P-O5'-C5'	6.12	130.70	120.90
1	AA	182	A	C5-N7-C8	-6.12	100.84	103.90
1	AA	410	G	C8-N9-C4	-6.12	103.95	106.40
1	AA	581	G	C4-N9-C1'	-6.12	118.54	126.50
26	BB	103	A	C4-C5-C6	-6.12	113.94	117.00
26	BB	401	A	C8-N9-C4	-6.12	103.35	105.80
26	BB	489	G	C4-C5-C6	6.12	122.47	118.80
26	BB	500	G	C2-N3-C4	6.12	114.96	111.90
26	BB	689	A	C5'-C4'-O4'	6.12	116.45	109.10
26	BB	776	G	C5'-C4'-O4'	6.12	116.45	109.10
26	BB	990	A	C2-N3-C4	6.12	113.66	110.60
26	BB	1200	C	O4'-C1'-N1	6.12	113.10	108.20
26	BB	1212	G	C5'-C4'-C3'	-6.12	106.20	116.00
26	BB	1220	G	N7-C8-N9	6.12	116.16	113.10
26	BB	1227	G	N1-C6-O6	6.12	123.58	119.90
26	BB	1269	A	C2-N3-C4	6.12	113.66	110.60
26	BB	1355	G	C8-N9-C4	-6.12	103.95	106.40
26	BB	2402	U	C6-N1-C1'	-6.12	112.63	121.20
26	BB	2410	G	C2-N3-C4	6.12	114.96	111.90
26	BB	2508	G	N1-C6-O6	6.12	123.57	119.90
26	BB	2550	G	P-O3'-C3'	6.12	127.05	119.70
26	BB	2579	C	N3-C4-C5	6.12	124.35	121.90
26	BB	2743	U	C5-C4-O4	-6.12	122.23	125.90
6	AF	28	PHE	CB-CG-CD1	-6.12	116.52	120.80
26	BB	121	G	O4'-C1'-C2'	6.12	113.11	107.60
26	BB	858	G	N1-C2-N2	6.12	121.71	116.20
26	BB	971	G	C8-N9-C4	-6.12	103.95	106.40
26	BB	1111	A	N1-C6-N6	-6.12	114.93	118.60
26	BB	1391	U	C5-C6-N1	-6.12	119.64	122.70
26	BB	2245	U	C2-N3-C4	-6.12	123.33	127.00
50	BZ	29	LEU	CB-CG-CD1	-6.12	100.59	111.00
1	AA	468	A	N7-C8-N9	6.12	116.86	113.80
1	AA	1243	C	N3-C2-O2	-6.12	117.62	121.90
26	BB	379	G	N3-C2-N2	-6.12	115.62	119.90
26	BB	1358	G	N9-C4-C5	6.12	107.85	105.40
26	BB	2764	A	C4-C5-C6	-6.12	113.94	117.00
1	AA	497	G	N1-C6-O6	6.12	123.57	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	728	A	P-O3'-C3'	6.12	127.04	119.70
1	AA	796	C	C2-N3-C4	6.12	122.96	119.90
1	AA	887	G	N3-C4-C5	-6.12	125.54	128.60
1	AA	1055	A	C3'-C2'-C1'	-6.12	96.61	101.50
1	AA	1294	G	C5-C6-O6	6.12	132.27	128.60
1	AA	1382	C	C4-C5-C6	-6.12	114.34	117.40
1	AA	1528	U	N3-C4-C5	-6.12	110.93	114.60
26	BB	8	C	C4-C5-C6	-6.12	114.34	117.40
26	BB	164	C	N3-C4-N4	-6.12	113.72	118.00
26	BB	373	U	N3-C2-O2	-6.12	117.92	122.20
26	BB	469	G	C6-C5-N7	-6.12	126.73	130.40
26	BB	495	G	O4'-C1'-N9	6.12	113.09	108.20
26	BB	1490	A	N3-C4-C5	-6.12	122.52	126.80
26	BB	1778	U	O4'-C1'-N1	6.12	113.09	108.20
26	BB	1992	G	C5-C6-N1	6.12	114.56	111.50
26	BB	2850	A	N9-C4-C5	6.12	108.25	105.80
26	BB	2903	U	C4-C5-C6	6.12	123.37	119.70
29	BE	80	TRP	NE1-CE2-CZ2	6.12	137.13	130.40
1	AA	328	C	N1-C2-O2	6.12	122.57	118.90
1	AA	798	U	C1'-O4'-C4'	6.12	114.79	109.90
26	BB	1366	A	C4'-C3'-C2'	-6.12	96.48	102.60
26	BB	2623	G	C5-C6-N1	6.12	114.56	111.50
3	AC	22	G	N3-C2-N2	-6.12	115.62	119.90
26	BB	248	G	C4-C5-N7	6.12	113.25	110.80
26	BB	496	G	N1-C6-O6	-6.12	116.23	119.90
26	BB	733	G	N1-C2-N3	6.12	127.57	123.90
26	BB	1379	U	N3-C2-O2	-6.12	117.92	122.20
26	BB	1454	C	N1-C2-O2	6.12	122.57	118.90
26	BB	1668	A	N1-C6-N6	6.12	122.27	118.60
26	BB	1704	C	C5-C6-N1	6.12	124.06	121.00
26	BB	2038	G	P-O3'-C3'	6.12	127.04	119.70
26	BB	2389	G	C4-C5-N7	6.12	113.25	110.80
26	BB	2451	A	N9-C4-C5	-6.12	103.35	105.80
40	BP	76	VAL	CA-CB-CG2	-6.12	101.73	110.90
41	BQ	90	VAL	CG1-CB-CG2	6.12	120.69	110.90
1	AA	715	A	C6-N1-C2	-6.11	114.93	118.60
1	AA	942	G	C6-N1-C2	-6.11	121.43	125.10
1	AA	1072	G	N9-C1'-C2'	-6.11	105.28	112.00
4	AD	69	C	C5-C6-N1	6.11	124.06	121.00
26	BB	156	A	N7-C8-N9	6.11	116.86	113.80
26	BB	437	U	C5'-C4'-O4'	6.11	116.44	109.10
26	BB	1039	A	C4-C5-C6	6.11	120.06	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1095	A	N1-C6-N6	-6.11	114.93	118.60
26	BB	1131	G	O4'-C1'-N9	6.11	113.09	108.20
26	BB	1368	G	C1'-O4'-C4'	6.11	114.79	109.90
26	BB	2106	U	N3-C2-O2	-6.11	117.92	122.20
26	BB	2200	C	C4-C5-C6	-6.11	114.34	117.40
1	AA	816	A	P-O3'-C3'	6.11	127.03	119.70
3	AC	55	A	N3-C4-C5	-6.11	122.52	126.80
26	BB	325	G	C6-N1-C2	-6.11	121.43	125.10
26	BB	390	U	C3'-C2'-C1'	-6.11	96.61	101.50
26	BB	1359	A	C2-N3-C4	6.11	113.66	110.60
1	AA	10	A	C4'-C3'-C2'	-6.11	96.49	102.60
1	AA	775	G	C6-C5-N7	-6.11	126.73	130.40
1	AA	820	U	C3'-C2'-C1'	6.11	106.39	101.50
1	AA	1111	A	C5-C6-N6	-6.11	118.81	123.70
1	AA	1236	A	C6-C5-N7	6.11	136.58	132.30
9	AI	4	TYR	CG-CD1-CE1	-6.11	116.41	121.30
25	BA	82	U	N1-C1'-C2'	-6.11	105.28	112.00
26	BB	100	U	C3'-C2'-C1'	-6.11	96.61	101.50
26	BB	396	G	N1-C2-N2	-6.11	110.70	116.20
26	BB	429	A	N9-C4-C5	6.11	108.24	105.80
26	BB	494	G	N9-C4-C5	-6.11	102.96	105.40
26	BB	623	C	N3-C4-C5	-6.11	119.45	121.90
26	BB	625	G	N7-C8-N9	6.11	116.16	113.10
26	BB	626	A	C8-N9-C4	-6.11	103.36	105.80
26	BB	809	G	C5'-C4'-C3'	-6.11	106.22	116.00
26	BB	1001	A	C5-C6-N1	6.11	120.76	117.70
26	BB	1107	G	C3'-C2'-C1'	6.11	106.39	101.50
26	BB	1235	G	C4-C5-C6	6.11	122.47	118.80
26	BB	1596	A	C6-N1-C2	6.11	122.27	118.60
26	BB	1601	G	N3-C4-C5	-6.11	125.54	128.60
26	BB	2173	A	N9-C4-C5	-6.11	103.36	105.80
26	BB	2890	G	C8-N9-C4	-6.11	103.96	106.40
34	BJ	79	THR	CA-CB-CG2	6.11	120.95	112.40
35	BK	108	ILE	CB-CA-C	6.11	123.82	111.60
1	AA	77	A	C1'-O4'-C4'	6.11	114.79	109.90
26	BB	80	G	O4'-C4'-C3'	6.11	110.99	106.10
26	BB	242	G	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	295	G	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	1400	U	C6-N1-C2	-6.11	117.33	121.00
26	BB	2310	C	C4-C5-C6	6.11	120.45	117.40
1	AA	172	A	N1-C2-N3	-6.11	126.25	129.30
1	AA	882	C	N3-C2-O2	-6.11	117.62	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	898	G	C5'-C4'-O4'	6.11	116.43	109.10
1	AA	1353	G	C6-N1-C2	6.11	128.76	125.10
9	AI	103	VAL	CA-CB-CG1	6.11	120.06	110.90
26	BB	942	G	N1-C2-N3	-6.11	120.24	123.90
26	BB	1285	A	P-O5'-C5'	6.11	130.67	120.90
26	BB	1858	A	N9-C1'-C2'	-6.11	105.28	112.00
26	BB	1884	G	N3-C2-N2	6.11	124.18	119.90
26	BB	1932	A	N7-C8-N9	6.11	116.85	113.80
26	BB	2397	G	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	2455	G	C5'-C4'-C3'	-6.11	106.23	116.00
26	BB	2755	C	C2'-C3'-O3'	6.11	123.47	113.70
26	BB	2841	C	C5'-C4'-C3'	-6.11	106.23	116.00
30	BF	146	VAL	CA-CB-CG2	6.11	120.06	110.90
1	AA	537	G	N3-C4-C5	-6.11	125.55	128.60
1	AA	678	U	C5'-C4'-O4'	6.11	116.42	109.10
1	AA	724	G	N3-C4-C5	-6.11	125.55	128.60
1	AA	1143	G	C5-N7-C8	-6.11	101.25	104.30
1	AA	1344	C	C6-N1-C2	6.11	122.74	120.30
2	AB	45	U	N3-C4-O4	6.11	123.67	119.40
25	BA	5	U	N3-C2-O2	-6.11	117.93	122.20
26	BB	124	G	N7-C8-N9	-6.11	110.05	113.10
26	BB	464	U	C2-N3-C4	-6.11	123.34	127.00
26	BB	534	U	C2'-C3'-O3'	6.11	123.47	113.70
26	BB	774	G	C4-C5-N7	6.11	113.24	110.80
26	BB	1390	U	N1-C2-N3	6.11	118.56	114.90
26	BB	1783	A	C5-N7-C8	6.11	106.95	103.90
26	BB	2719	G	C2-N3-C4	-6.11	108.85	111.90
26	BB	2781	A	C4-C5-C6	6.11	120.05	117.00
46	BV	12	ARG	NE-CZ-NH1	6.11	123.35	120.30
1	AA	1297	G	C5'-C4'-C3'	-6.10	106.23	116.00
1	AA	1390	U	N3-C4-O4	-6.10	115.13	119.40
3	AC	26	U	C3'-C2'-C1'	6.10	106.38	101.50
14	AN	51	PHE	CG-CD1-CE1	-6.10	114.08	120.80
25	BA	94	A	N7-C8-N9	-6.10	110.75	113.80
26	BB	715	A	C1'-O4'-C4'	-6.10	105.02	109.90
26	BB	1303	G	C6-N1-C2	-6.10	121.44	125.10
26	BB	2764	A	C5'-C4'-O4'	6.10	116.42	109.10
28	BD	188	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	AA	426	U	O4'-C1'-N1	6.10	113.08	108.20
1	AA	746	A	N9-C4-C5	6.10	108.24	105.80
1	AA	757	U	N3-C2-O2	-6.10	117.93	122.20
1	AA	1417	G	N1-C2-N2	6.10	121.69	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	9	G	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	1086	A	N9-C1'-C2'	6.10	121.93	114.00
26	BB	1663	G	N1-C6-O6	-6.10	116.24	119.90
26	BB	1859	U	C5-C4-O4	-6.10	122.24	125.90
26	BB	2286	G	C5-C6-O6	-6.10	124.94	128.60
26	BB	2410	G	C5'-C4'-O4'	6.10	116.42	109.10
1	AA	735	C	N1-C2-O2	6.10	122.56	118.90
1	AA	886	G	C6-C5-N7	-6.10	126.74	130.40
1	AA	1077	G	N3-C4-N9	6.10	129.66	126.00
1	AA	1159	U	C2-N3-C4	-6.10	123.34	127.00
26	BB	405	U	P-O3'-C3'	6.10	127.02	119.70
26	BB	2805	C	N3-C2-O2	-6.10	117.63	121.90
29	BE	59	ARG	CD-NE-CZ	6.10	132.14	123.60
31	BG	50	ASP	CB-CG-OD1	-6.10	112.81	118.30
1	AA	236	A	C3'-C2'-C1'	-6.10	96.62	101.50
1	AA	263	A	N1-C6-N6	-6.10	114.94	118.60
1	AA	462	G	N1-C2-N2	-6.10	110.71	116.20
4	AD	65	G	C8-N9-C4	-6.10	103.96	106.40
25	BA	43	C	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	543	G	N1-C2-N3	6.10	127.56	123.90
26	BB	620	G	C5-N7-C8	-6.10	101.25	104.30
26	BB	913	U	C1'-O4'-C4'	6.10	114.78	109.90
26	BB	1123	C	C1'-O4'-C4'	6.10	114.78	109.90
26	BB	1311	G	N9-C1'-C2'	-6.10	105.29	112.00
26	BB	1737	G	C1'-O4'-C4'	6.10	114.78	109.90
26	BB	2447	G	N3-C4-C5	-6.10	125.55	128.60
26	BB	2490	G	N7-C8-N9	6.10	116.15	113.10
26	BB	2527	C	C5'-C4'-O4'	6.10	116.42	109.10
26	BB	2594	C	C2-N3-C4	6.10	122.95	119.90
26	BB	2850	A	N3-C4-N9	-6.10	122.52	127.40
26	BB	2886	A	N9-C4-C5	-6.10	103.36	105.80
38	BN	59	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	AA	127	G	O4'-C1'-N9	6.10	113.08	108.20
1	AA	137	U	O4'-C1'-N1	6.10	113.08	108.20
1	AA	148	G	N3-C2-N2	6.10	124.17	119.90
1	AA	631	C	C1'-O4'-C4'	-6.10	105.02	109.90
2	AB	41	C	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	489	G	N3-C4-C5	-6.10	125.55	128.60
26	BB	1225	G	N1-C2-N3	-6.10	120.24	123.90
26	BB	2497	A	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	2505	G	N3-C4-C5	-6.10	125.55	128.60
1	AA	290	C	C5'-C4'-O4'	6.10	116.42	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	483	C	N1-C2-O2	6.10	122.56	118.90
1	AA	552	U	N3-C2-O2	6.10	126.47	122.20
1	AA	905	U	C5-C4-O4	-6.10	122.24	125.90
1	AA	942	G	C2-N3-C4	6.10	114.95	111.90
1	AA	1022	A	N1-C6-N6	-6.10	114.94	118.60
26	BB	107	G	C2-N3-C4	6.10	114.95	111.90
26	BB	2390	U	C5-C4-O4	6.10	129.56	125.90
1	AA	154	U	N3-C2-O2	-6.09	117.93	122.20
1	AA	214	C	N3-C2-O2	-6.09	117.63	121.90
1	AA	441	A	O4'-C1'-N9	6.09	113.08	108.20
1	AA	472	U	C4'-C3'-O3'	6.09	125.19	113.00
1	AA	671	G	C4'-C3'-C2'	-6.09	96.50	102.60
1	AA	1312	G	C6-C5-N7	-6.09	126.74	130.40
1	AA	1386	G	O4'-C1'-N9	6.09	113.08	108.20
1	AA	1501	C	O4'-C4'-C3'	6.09	110.98	106.10
18	AR	52	ARG	CD-NE-CZ	6.09	132.13	123.60
26	BB	16	C	N3-C2-O2	-6.09	117.63	121.90
26	BB	127	A	C8-N9-C4	-6.09	103.36	105.80
26	BB	700	G	C4-C5-N7	-6.09	108.36	110.80
26	BB	753	A	C8-N9-C4	-6.09	103.36	105.80
26	BB	799	G	N9-C4-C5	6.09	107.84	105.40
26	BB	1923	U	N3-C4-O4	-6.09	115.13	119.40
26	BB	2050	C	P-O3'-C3'	6.09	127.01	119.70
26	BB	2084	C	C5'-C4'-O4'	6.09	116.41	109.10
35	BK	63	ASP	CB-CG-OD2	-6.09	112.81	118.30
43	BS	24	TYR	CG-CD2-CE2	-6.09	116.42	121.30
1	AA	57	G	P-O3'-C3'	6.09	127.01	119.70
1	AA	1417	G	C3'-C2'-C1'	-6.09	96.63	101.50
1	AA	292	G	O4'-C4'-C3'	6.09	110.97	106.10
1	AA	626	G	N9-C4-C5	6.09	107.84	105.40
1	AA	656	G	C4-C5-C6	-6.09	115.14	118.80
1	AA	1030	U	N3-C4-C5	-6.09	110.94	114.60
2	AB	57	G	C6-C5-N7	6.09	134.06	130.40
26	BB	387	U	C6-N1-C2	-6.09	117.34	121.00
26	BB	964	C	C5-C4-N4	-6.09	115.94	120.20
26	BB	1098	A	C5-C6-N6	6.09	128.57	123.70
26	BB	1144	A	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	1342	A	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	2205	A	C4-C5-C6	6.09	120.05	117.00
26	BB	2335	A	C5-N7-C8	6.09	106.94	103.90
26	BB	2370	G	C6-N1-C2	6.09	128.75	125.10
26	BB	2618	G	N1-C6-O6	6.09	123.56	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BH	86	LEU	CB-CG-CD1	6.09	121.36	111.00
1	AA	840	C	O4'-C1'-N1	6.09	113.07	108.20
1	AA	888	G	N3-C2-N2	6.09	124.16	119.90
1	AA	1166	G	C5-C6-O6	-6.09	124.95	128.60
1	AA	1276	G	N9-C1'-C2'	-6.09	105.30	112.00
1	AA	1283	U	N1-C2-N3	6.09	118.55	114.90
1	AA	1339	A	N7-C8-N9	6.09	116.84	113.80
6	AF	178	ARG	NE-CZ-NH2	6.09	123.34	120.30
25	BA	9	G	C8-N9-C4	6.09	108.84	106.40
26	BB	267	C	N1-C2-N3	-6.09	114.94	119.20
26	BB	1246	A	N3-C4-N9	6.09	132.27	127.40
26	BB	1457	U	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	1959	G	C8-N9-C4	-6.09	103.96	106.40
26	BB	2247	A	C3'-C2'-C1'	6.09	106.37	101.50
26	BB	2352	A	N1-C6-N6	6.09	122.25	118.60
26	BB	2490	G	C8-N9-C4	-6.09	103.96	106.40
26	BB	2763	G	C4-C5-N7	6.09	113.23	110.80
46	BV	84	TYR	CB-CG-CD1	6.09	124.65	121.00
1	AA	330	C	N3-C2-O2	-6.09	117.64	121.90
1	AA	467	U	C2-N3-C4	-6.09	123.35	127.00
1	AA	1192	C	C5-C4-N4	-6.09	115.94	120.20
2	AB	71	C	C1'-O4'-C4'	-6.09	105.03	109.90
26	BB	103	A	C4-C5-N7	-6.09	107.66	110.70
26	BB	262	A	O4'-C4'-C3'	6.09	110.97	106.10
26	BB	301	G	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	413	C	P-O5'-C5'	6.09	130.64	120.90
26	BB	631	A	O4'-C1'-N9	6.09	113.07	108.20
26	BB	885	C	N3-C4-N4	-6.09	113.74	118.00
26	BB	1010	A	O5'-C5'-C4'	-6.09	100.13	111.70
26	BB	1210	G	C6-C5-N7	-6.09	126.75	130.40
26	BB	2213	U	C6-N1-C2	-6.09	117.35	121.00
1	AA	737	C	N1-C2-O2	6.09	122.55	118.90
1	AA	933	G	C5-N7-C8	-6.09	101.26	104.30
1	AA	991	U	N1-C2-N3	6.09	118.55	114.90
25	BA	44	G	C3'-C2'-C1'	6.09	106.37	101.50
26	BB	461	C	C3'-C2'-C1'	-6.09	96.63	101.50
26	BB	1858	A	C5-C6-N1	6.09	120.74	117.70
26	BB	2013	A	N7-C8-N9	6.09	116.84	113.80
26	BB	2152	G	C5-C6-O6	-6.09	124.95	128.60
29	BE	122	VAL	CG1-CB-CG2	-6.09	101.16	110.90
26	BB	271	G	O4'-C1'-C2'	-6.08	99.72	105.80
26	BB	2099	U	C4'-C3'-C2'	-6.08	96.52	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	269	C	N1-C2-N3	-6.08	114.94	119.20
1	AA	562	U	O4'-C1'-N1	6.08	113.07	108.20
1	AA	727	G	C5-C6-O6	-6.08	124.95	128.60
1	AA	764	C	N3-C4-N4	6.08	122.26	118.00
1	AA	1513	A	C5-C6-N6	-6.08	118.83	123.70
26	BB	123	G	C6-C5-N7	6.08	134.05	130.40
26	BB	245	G	C4-N9-C1'	-6.08	118.59	126.50
26	BB	725	G	C2-N3-C4	6.08	114.94	111.90
26	BB	1043	C	N3-C2-O2	-6.08	117.64	121.90
26	BB	2045	C	O5'-C5'-C4'	6.08	123.26	111.70
26	BB	2165	C	C2-N3-C4	6.08	122.94	119.90
26	BB	2627	G	C5'-C4'-C3'	-6.08	106.27	116.00
46	BV	52	GLU	CB-CA-C	6.08	122.57	110.40
1	AA	154	U	C1'-O4'-C4'	-6.08	105.03	109.90
1	AA	470	C	C4-C5-C6	-6.08	114.36	117.40
4	AD	40	C	C6-N1-C2	-6.08	117.87	120.30
4	AD	76	C	C4-C5-C6	-6.08	114.36	117.40
26	BB	36	G	N9-C1'-C2'	-6.08	105.31	112.00
26	BB	80	G	C5-C6-N1	6.08	114.54	111.50
26	BB	136	G	C5-C6-O6	-6.08	124.95	128.60
26	BB	277	G	N1-C2-N3	-6.08	120.25	123.90
26	BB	289	G	C5-N7-C8	6.08	107.34	104.30
26	BB	318	C	P-O3'-C3'	6.08	127.00	119.70
26	BB	381	G	C4'-C3'-C2'	-6.08	96.52	102.60
26	BB	597	G	O5'-P-OP1	-6.08	100.23	105.70
26	BB	764	A	C8-N9-C4	-6.08	103.37	105.80
26	BB	1388	G	C6-N1-C2	-6.08	121.45	125.10
26	BB	1668	A	N9-C4-C5	6.08	108.23	105.80
26	BB	1830	C	C6-N1-C2	6.08	122.73	120.30
26	BB	2126	A	C4-C5-C6	6.08	120.04	117.00
26	BB	2376	A	C4-C5-C6	-6.08	113.96	117.00
26	BB	2588	G	C4'-C3'-C2'	-6.08	96.52	102.60
44	BT	79	ARG	NE-CZ-NH1	6.08	123.34	120.30
1	AA	479	U	P-O3'-C3'	6.08	127.00	119.70
26	BB	143	C	N3-C2-O2	-6.08	117.64	121.90
26	BB	928	A	N7-C8-N9	6.08	116.84	113.80
26	BB	1065	U	O4'-C4'-C3'	-6.08	97.92	104.00
26	BB	1521	G	C5-N7-C8	-6.08	101.26	104.30
1	AA	127	G	C6-N1-C2	-6.08	121.45	125.10
1	AA	393	A	C4-C5-C6	-6.08	113.96	117.00
1	AA	490	C	N3-C4-N4	6.08	122.25	118.00
1	AA	605	U	C5-C4-O4	-6.08	122.25	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1046	A	C4-C5-C6	-6.08	113.96	117.00
25	BA	12	C	N3-C4-N4	6.08	122.25	118.00
26	BB	177	G	N9-C4-C5	6.08	107.83	105.40
26	BB	604	G	O3'-P-O5'	-6.08	92.45	104.00
26	BB	1147	A	C4-C5-N7	6.08	113.74	110.70
26	BB	1319	C	C5'-C4'-C3'	-6.08	106.27	116.00
26	BB	1720	U	N1-C2-O2	6.08	127.06	122.80
26	BB	1843	C	N1-C1'-C2'	-6.08	105.31	112.00
26	BB	2139	U	N3-C4-O4	6.08	123.66	119.40
26	BB	2625	G	N3-C2-N2	-6.08	115.64	119.90
1	AA	924	C	C1'-O4'-C4'	-6.08	105.04	109.90
1	AA	1327	C	C2-N1-C1'	-6.08	112.11	118.80
26	BB	69	C	O4'-C1'-N1	6.08	113.06	108.20
26	BB	794	A	C2-N3-C4	-6.08	107.56	110.60
26	BB	1717	A	C4-C5-N7	-6.08	107.66	110.70
1	AA	22	G	P-O3'-C3'	6.08	126.99	119.70
1	AA	99	C	O4'-C1'-N1	6.08	113.06	108.20
1	AA	182	A	C8-N9-C4	-6.08	103.37	105.80
1	AA	447	G	N3-C4-C5	-6.08	125.56	128.60
1	AA	718	A	N7-C8-N9	6.08	116.84	113.80
1	AA	1319	A	N9-C4-C5	6.08	108.23	105.80
22	AV	18	VAL	CA-CB-CG1	6.08	120.01	110.90
25	BA	4	C	C2-N3-C4	6.08	122.94	119.90
25	BA	62	C	N1-C2-O2	6.08	122.55	118.90
26	BB	173	A	P-O3'-C3'	6.08	126.99	119.70
26	BB	203	A	C4-C5-N7	6.08	113.74	110.70
26	BB	732	C	C4'-C3'-C2'	-6.08	96.53	102.60
26	BB	802	A	C5-C6-N1	6.08	120.74	117.70
26	BB	1527	G	C4-C5-N7	-6.08	108.37	110.80
26	BB	1675	C	C5-C6-N1	6.08	124.04	121.00
26	BB	1855	U	P-O5'-C5'	6.08	130.62	120.90
26	BB	1874	C	N3-C2-O2	-6.08	117.65	121.90
26	BB	1935	G	C4'-C3'-C2'	-6.08	96.53	102.60
26	BB	2732	G	N1-C2-N3	-6.08	120.25	123.90
1	AA	187	G	N1-C6-O6	6.07	123.54	119.90
1	AA	684	U	C6-N1-C2	-6.07	117.36	121.00
1	AA	829	G	C6-N1-C2	-6.07	121.45	125.10
1	AA	843	U	O4'-C4'-C3'	-6.07	97.93	104.00
1	AA	1530	G	N3-C2-N2	6.07	124.15	119.90
7	AG	12	ARG	NE-CZ-NH2	-6.07	117.26	120.30
9	AI	101	PRO	N-CA-CB	6.07	110.59	103.30
26	BB	142	A	N7-C8-N9	6.07	116.84	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	819	A	N9-C1'-C2'	-6.07	105.32	112.00
26	BB	930	G	C8-N9-C4	-6.07	103.97	106.40
26	BB	986	C	C4-C5-C6	-6.07	114.36	117.40
26	BB	1020	A	C4-C5-C6	-6.07	113.96	117.00
26	BB	1068	G	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	1581	G	N9-C4-C5	6.07	107.83	105.40
26	BB	1646	C	O4'-C1'-N1	6.07	113.06	108.20
26	BB	1822	C	O4'-C1'-N1	6.07	113.06	108.20
26	BB	1902	C	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	1979	U	C2-N3-C4	-6.07	123.36	127.00
26	BB	2195	U	N1-C2-N3	6.07	118.55	114.90
38	BN	21	ARG	NE-CZ-NH1	6.07	123.34	120.30
40	BP	29	VAL	CA-CB-CG2	6.07	120.01	110.90
1	AA	711	G	C2-N3-C4	6.07	114.94	111.90
1	AA	821	G	N1-C2-N3	-6.07	120.26	123.90
1	AA	961	U	C5'-C4'-O4'	6.07	116.39	109.10
1	AA	1409	C	P-O3'-C3'	6.07	126.99	119.70
25	BA	81	G	C2-N3-C4	6.07	114.94	111.90
26	BB	1203	U	C5-C4-O4	-6.07	122.26	125.90
26	BB	1326	U	N1-C2-N3	6.07	118.54	114.90
26	BB	1446	C	C5'-C4'-O4'	6.07	116.39	109.10
26	BB	2616	C	C2'-C3'-O3'	6.07	123.42	113.70
26	BB	2735	G	O4'-C1'-N9	6.07	113.06	108.20
1	AA	23	C	C5'-C4'-C3'	6.07	125.71	116.00
1	AA	741	G	O4'-C4'-C3'	6.07	110.96	106.10
1	AA	1332	A	O4'-C1'-N9	6.07	113.06	108.20
4	AD	60	A	O4'-C1'-C2'	6.07	113.06	107.60
13	AM	50	THR	CA-CB-CG2	6.07	120.90	112.40
26	BB	100	U	C1'-O4'-C4'	-6.07	105.04	109.90
26	BB	145	C	C5'-C4'-O4'	6.07	116.39	109.10
26	BB	793	A	C4-C5-N7	6.07	113.74	110.70
26	BB	1667	G	C5-C6-N1	-6.07	108.47	111.50
26	BB	1813	G	C4-C5-C6	6.07	122.44	118.80
26	BB	2019	A	C2-N3-C4	6.07	113.64	110.60
26	BB	2130	U	C4-C5-C6	6.07	123.34	119.70
26	BB	2524	G	N3-C2-N2	6.07	124.15	119.90
26	BB	2844	G	N7-C8-N9	6.07	116.14	113.10
29	BE	18	ASP	CB-CG-OD2	-6.07	112.84	118.30
1	AA	177	G	N3-C2-N2	6.07	124.15	119.90
1	AA	713	G	C6-C5-N7	-6.07	126.76	130.40
1	AA	1499	A	C5-C6-N6	-6.07	118.84	123.70
4	AD	69	C	C5-C4-N4	-6.07	115.95	120.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	458	G	C5'-C4'-O4'	6.07	116.38	109.10
26	BB	765	C	P-O3'-C3'	6.07	126.98	119.70
26	BB	2539	C	N1-C1'-C2'	-6.07	105.32	112.00
26	BB	2803	G	C5'-C4'-O4'	6.07	116.38	109.10
1	AA	627	G	N9-C4-C5	6.07	107.83	105.40
1	AA	927	G	N7-C8-N9	-6.07	110.07	113.10
1	AA	1075	U	C2-N3-C4	-6.07	123.36	127.00
1	AA	1370	G	C4'-C3'-C2'	-6.07	96.53	102.60
6	AF	55	VAL	CG1-CB-CG2	-6.07	101.19	110.90
26	BB	1315	C	C3'-C2'-C1'	-6.07	96.64	101.50
26	BB	1412	U	N3-C4-C5	6.07	118.24	114.60
26	BB	1457	U	O5'-C5'-C4'	-6.07	100.17	111.70
26	BB	2232	C	C3'-C2'-C1'	-6.07	96.65	101.50
26	BB	2570	G	C5-C6-N1	6.07	114.53	111.50
26	BB	2858	C	C6-N1-C1'	-6.07	113.52	120.80
1	AA	186	C	N3-C4-N4	6.07	122.25	118.00
1	AA	945	G	C4-C5-N7	-6.07	108.37	110.80
25	BA	104	A	C4-C5-C6	-6.07	113.97	117.00
26	BB	404	A	N9-C4-C5	-6.07	103.37	105.80
26	BB	1252	G	N3-C4-C5	-6.07	125.57	128.60
26	BB	1984	G	C5'-C4'-O4'	6.07	116.38	109.10
26	BB	2018	G	N9-C4-C5	6.07	107.83	105.40
26	BB	2110	G	C4-C5-C6	6.07	122.44	118.80
26	BB	2711	A	N7-C8-N9	6.07	116.83	113.80
26	BB	2805	C	C6-N1-C2	-6.07	117.87	120.30
42	BR	81	ASP	CB-CG-OD1	-6.07	112.84	118.30
1	AA	655	A	C4-C5-C6	-6.06	113.97	117.00
1	AA	690	G	N3-C4-C5	-6.06	125.57	128.60
5	AE	203	ASP	CB-CG-OD2	-6.06	112.84	118.30
26	BB	251	A	C5'-C4'-O4'	6.06	116.38	109.10
26	BB	400	G	N3-C4-N9	6.06	129.64	126.00
26	BB	948	C	N3-C4-C5	6.06	124.33	121.90
26	BB	1210	G	N1-C2-N3	6.06	127.54	123.90
1	AA	58	C	C4'-C3'-C2'	-6.06	96.54	102.60
1	AA	113	G	C5'-C4'-O4'	6.06	116.38	109.10
1	AA	594	U	C5-C6-N1	6.06	125.73	122.70
1	AA	1306	A	C2-N3-C4	6.06	113.63	110.60
1	AA	1348	U	C1'-O4'-C4'	6.06	114.75	109.90
25	BA	34	A	N3-C4-N9	-6.06	122.55	127.40
25	BA	46	A	N1-C6-N6	-6.06	114.96	118.60
26	BB	103	A	O4'-C1'-N9	6.06	113.05	108.20
26	BB	149	A	N9-C4-C5	-6.06	103.38	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	809	G	O4'-C1'-N9	6.06	113.05	108.20
26	BB	1338	G	C1'-O4'-C4'	-6.06	105.05	109.90
26	BB	1815	A	C5-C6-N1	-6.06	114.67	117.70
26	BB	1910	G	C2-N3-C4	6.06	114.93	111.90
26	BB	2380	C	N3-C2-O2	-6.06	117.66	121.90
26	BB	2495	G	C5-N7-C8	6.06	107.33	104.30
26	BB	2505	G	N3-C2-N2	-6.06	115.66	119.90
1	AA	113	G	O4'-C1'-N9	-6.06	103.35	108.20
15	AO	62	VAL	CG1-CB-CG2	-6.06	101.20	110.90
26	BB	102	U	C5-C6-N1	6.06	125.73	122.70
26	BB	695	G	C2-N3-C4	6.06	114.93	111.90
26	BB	930	G	C4'-C3'-C2'	-6.06	96.54	102.60
1	AA	31	G	C5-C6-O6	-6.06	124.97	128.60
1	AA	937	A	N3-C4-C5	-6.06	122.56	126.80
1	AA	948	C	N3-C4-C5	-6.06	119.48	121.90
1	AA	1015	G	C6-C5-N7	-6.06	126.77	130.40
1	AA	1139	G	C4-C5-N7	6.06	113.22	110.80
1	AA	1184	G	N1-C2-N3	-6.06	120.26	123.90
25	BA	32	U	O4'-C1'-N1	6.06	113.05	108.20
25	BA	83	G	N1-C6-O6	-6.06	116.26	119.90
26	BB	56	A	C1'-O4'-C4'	6.06	114.75	109.90
26	BB	451	U	O4'-C1'-N1	6.06	113.05	108.20
26	BB	828	U	N1-C2-O2	6.06	127.04	122.80
26	BB	978	G	C4'-C3'-C2'	-6.06	96.54	102.60
26	BB	2215	C	C6-N1-C2	-6.06	117.88	120.30
26	BB	2425	A	C4-C5-C6	6.06	120.03	117.00
26	BB	2527	C	O4'-C1'-N1	6.06	113.05	108.20
26	BB	2537	U	C3'-C2'-C1'	6.06	106.35	101.50
26	BB	2715	C	C5-C6-N1	-6.06	117.97	121.00
1	AA	32	A	C4-C5-C6	-6.06	113.97	117.00
1	AA	92	U	C5-C6-N1	-6.06	119.67	122.70
1	AA	564	C	C5-C6-N1	6.06	124.03	121.00
1	AA	750	C	C5-C6-N1	-6.06	117.97	121.00
1	AA	1201	A	N1-C6-N6	-6.06	114.97	118.60
1	AA	1205	U	C5-C4-O4	-6.06	122.27	125.90
1	AA	1368	A	C8-N9-C4	-6.06	103.38	105.80
26	BB	674	G	O4'-C4'-C3'	6.06	110.95	106.10
26	BB	1802	A	P-O3'-C3'	6.06	126.97	119.70
26	BB	1802	A	N9-C4-C5	-6.06	103.38	105.80
26	BB	1826	G	C5'-C4'-O4'	6.06	116.37	109.10
26	BB	1862	G	C5-N7-C8	6.06	107.33	104.30
26	BB	2668	G	C4'-C3'-C2'	-6.06	96.54	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	98	A	C2-N3-C4	6.06	113.63	110.60
1	AA	585	G	C8-N9-C4	-6.06	103.98	106.40
26	BB	345	A	N9-C4-C5	-6.06	103.38	105.80
26	BB	1665	A	C3'-C2'-C1'	-6.06	96.66	101.50
1	AA	945	G	C5'-C4'-C3'	-6.05	106.31	116.00
1	AA	1408	A	N3-C4-N9	6.05	132.24	127.40
3	AC	52	U	N1-C2-N3	6.05	118.53	114.90
26	BB	350	G	O4'-C1'-N9	6.05	113.04	108.20
26	BB	662	G	N9-C4-C5	6.05	107.82	105.40
26	BB	761	A	OP1-P-O3'	6.05	118.52	105.20
26	BB	930	G	C4-C5-N7	6.05	113.22	110.80
26	BB	954	G	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	1230	A	C8-N9-C4	-6.05	103.38	105.80
26	BB	1675	C	C6-N1-C2	-6.05	117.88	120.30
26	BB	2103	C	C6-N1-C2	6.05	122.72	120.30
26	BB	2372	U	C1'-O4'-C4'	6.05	114.74	109.90
26	BB	2448	A	C2-N3-C4	6.05	113.63	110.60
26	BB	2598	A	C8-N9-C4	6.05	108.22	105.80
1	AA	641	U	N1-C2-N3	6.05	118.53	114.90
1	AA	1169	A	N9-C4-C5	6.05	108.22	105.80
26	BB	1280	G	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	1537	G	C5-C6-O6	6.05	132.23	128.60
26	BB	2092	U	N3-C4-O4	6.05	123.64	119.40
26	BB	2876	G	N7-C8-N9	-6.05	110.07	113.10
1	AA	51	A	N7-C8-N9	6.05	116.83	113.80
1	AA	737	C	O4'-C4'-C3'	6.05	110.94	106.10
1	AA	934	C	O4'-C4'-C3'	6.05	110.94	106.10
1	AA	1265	C	N3-C4-C5	-6.05	119.48	121.90
25	BA	77	U	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	409	G	N9-C4-C5	6.05	107.82	105.40
26	BB	822	G	C8-N9-C4	-6.05	103.98	106.40
26	BB	1147	A	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	1381	G	O4'-C1'-N9	6.05	113.04	108.20
26	BB	1921	G	N3-C2-N2	-6.05	115.66	119.90
26	BB	2380	C	O4'-C1'-N1	6.05	113.04	108.20
26	BB	2744	G	C5'-C4'-O4'	6.05	116.36	109.10
36	BL	15	TRP	CD1-CG-CD2	6.05	111.14	106.30
1	AA	148	G	C5'-C4'-O4'	6.05	116.36	109.10
1	AA	666	G	N3-C4-N9	6.05	129.63	126.00
1	AA	783	C	O4'-C1'-N1	6.05	113.04	108.20
1	AA	1104	G	N7-C8-N9	6.05	116.12	113.10
1	AA	1225	A	C2-N3-C4	6.05	113.62	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1282	C	C5'-C4'-C3'	-6.05	106.32	116.00
26	BB	736	C	N3-C4-C5	-6.05	119.48	121.90
26	BB	1159	U	N3-C2-O2	-6.05	117.97	122.20
26	BB	1183	U	N3-C4-C5	6.05	118.23	114.60
26	BB	1315	C	C5-C6-N1	-6.05	117.98	121.00
26	BB	1363	C	C5-C4-N4	6.05	124.43	120.20
26	BB	1431	A	C5-C6-N1	-6.05	114.68	117.70
26	BB	1527	G	C5-C6-O6	6.05	132.23	128.60
26	BB	1559	U	C2-N1-C1'	6.05	124.96	117.70
26	BB	1950	G	O4'-C4'-C3'	6.05	110.94	106.10
26	BB	2057	G	N1-C6-O6	-6.05	116.27	119.90
26	BB	2319	G	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	2601	C	C4-C5-C6	6.05	120.42	117.40
1	AA	856	C	N3-C4-C5	-6.05	119.48	121.90
1	AA	1114	C	O4'-C1'-C2'	6.05	113.04	107.60
21	AU	9	PHE	CB-CG-CD1	-6.05	116.57	120.80
26	BB	19	A	C1'-O4'-C4'	6.05	114.74	109.90
26	BB	140	C	C6-N1-C2	6.05	122.72	120.30
26	BB	1168	G	C1'-O4'-C4'	-6.05	105.06	109.90
26	BB	1866	A	O4'-C1'-N9	6.05	113.04	108.20
26	BB	2249	U	C5-C4-O4	-6.05	122.27	125.90
1	AA	57	G	C5-C6-O6	6.05	132.23	128.60
1	AA	99	C	P-O3'-C3'	6.05	126.96	119.70
1	AA	287	U	N3-C4-O4	-6.05	115.17	119.40
1	AA	557	G	N1-C2-N3	-6.05	120.27	123.90
1	AA	666	G	C8-N9-C4	-6.05	103.98	106.40
1	AA	702	A	N9-C4-C5	6.05	108.22	105.80
1	AA	833	G	C6-N1-C2	-6.05	121.47	125.10
1	AA	844	G	N1-C6-O6	6.05	123.53	119.90
1	AA	858	G	C4'-C3'-C2'	-6.05	96.55	102.60
1	AA	1283	U	C2-N3-C4	-6.05	123.37	127.00
25	BA	44	G	C6-N1-C2	-6.05	121.47	125.10
26	BB	348	A	C4-C5-C6	6.05	120.02	117.00
26	BB	456	C	P-O3'-C3'	6.05	126.96	119.70
26	BB	649	G	N9-C1'-C2'	-6.05	105.35	112.00
26	BB	728	G	N3-C4-C5	-6.05	125.58	128.60
26	BB	903	C	N3-C4-N4	6.05	122.23	118.00
26	BB	1231	U	C5-C6-N1	-6.05	119.68	122.70
26	BB	1619	G	C8-N9-C4	6.05	108.82	106.40
26	BB	1920	C	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	1965	C	N3-C2-O2	-6.05	117.67	121.90
26	BB	2071	A	C5-C6-N1	6.05	120.72	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2569	G	C5-N7-C8	-6.05	101.28	104.30
26	BB	2599	G	N3-C2-N2	-6.05	115.67	119.90
26	BB	2793	C	C3'-C2'-C1'	6.05	106.34	101.50
1	AA	710	G	C4'-C3'-C2'	-6.04	96.56	102.60
1	AA	867	G	O4'-C1'-C2'	-6.04	99.75	105.80
1	AA	877	G	N3-C4-N9	-6.04	122.37	126.00
26	BB	33	C	C4-C5-C6	6.04	120.42	117.40
26	BB	229	C	C3'-C2'-C1'	-6.04	96.66	101.50
26	BB	774	G	C5'-C4'-C3'	-6.04	106.33	116.00
26	BB	1715	G	C5-C6-O6	-6.04	124.97	128.60
36	BL	75	TYR	CG-CD1-CE1	-6.04	116.46	121.30
1	AA	625	U	N1-C2-O2	6.04	127.03	122.80
1	AA	1338	G	C6-C5-N7	-6.04	126.77	130.40
1	AA	1500	A	O5'-C5'-C4'	-6.04	100.22	111.70
5	AE	161	PHE	CB-CG-CD2	6.04	125.03	120.80
26	BB	625	G	C5-C6-N1	6.04	114.52	111.50
26	BB	655	A	N9-C4-C5	6.04	108.22	105.80
26	BB	1225	G	O5'-C5'-C4'	-6.04	100.22	111.70
26	BB	1532	A	O4'-C1'-N9	6.04	113.03	108.20
26	BB	1556	C	C4'-C3'-O3'	6.04	125.09	113.00
26	BB	1651	G	C6-N1-C2	-6.04	121.47	125.10
26	BB	1723	G	N1-C6-O6	-6.04	116.27	119.90
26	BB	2653	U	C6-N1-C2	-6.04	117.37	121.00
38	BN	30	THR	CA-CB-CG2	6.04	120.86	112.40
1	AA	402	G	N7-C8-N9	-6.04	110.08	113.10
1	AA	464	U	C2-N3-C4	-6.04	123.38	127.00
1	AA	963	G	C8-N9-C1'	6.04	134.85	127.00
1	AA	981	U	N3-C2-O2	-6.04	117.97	122.20
1	AA	1342	C	C2-N3-C4	6.04	122.92	119.90
1	AA	1377	A	C4-C5-C6	-6.04	113.98	117.00
1	AA	1389	C	N1-C2-O2	-6.04	115.28	118.90
4	AD	24	C	N3-C2-O2	6.04	126.13	121.90
17	AQ	67	GLY	CA-C-O	-6.04	109.73	120.60
25	BA	2	G	N9-C1'-C2'	-6.04	105.35	112.00
26	BB	266	G	N1-C2-N3	-6.04	120.28	123.90
26	BB	278	A	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	514	A	N9-C4-C5	-6.04	103.38	105.80
26	BB	664	G	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	1756	G	N1-C6-O6	6.04	123.53	119.90
26	BB	2416	C	C4-C5-C6	-6.04	114.38	117.40
26	BB	2574	G	N1-C2-N3	-6.04	120.28	123.90
26	BB	2903	U	C5-C6-N1	-6.04	119.68	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	135	C	O5'-P-OP2	-6.04	100.26	105.70
1	AA	1465	A	N1-C2-N3	6.04	132.32	129.30
26	BB	1143	A	C6-N1-C2	-6.04	114.98	118.60
26	BB	1342	A	C6-C5-N7	6.04	136.53	132.30
26	BB	1505	A	O4'-C1'-N9	6.04	113.03	108.20
26	BB	1734	G	C4'-C3'-C2'	-6.04	96.56	102.60
26	BB	1959	G	C5-C6-O6	-6.04	124.98	128.60
26	BB	2165	C	C6-N1-C2	-6.04	117.88	120.30
26	BB	2801	G	C2-N3-C4	-6.04	108.88	111.90
1	AA	751	U	N1-C2-O2	6.04	127.03	122.80
1	AA	869	G	C3'-C2'-C1'	-6.04	96.67	101.50
1	AA	1204	A	C6-C5-N7	6.04	136.53	132.30
7	AG	192	ALA	N-CA-CB	6.04	118.55	110.10
13	AM	49	PHE	CG-CD2-CE2	6.04	127.44	120.80
23	AW	34	VAL	CG1-CB-CG2	-6.04	101.24	110.90
26	BB	168	G	C6-C5-N7	6.04	134.02	130.40
26	BB	262	A	C1'-O4'-C4'	-6.04	105.07	109.90
26	BB	758	C	C5-C4-N4	-6.04	115.97	120.20
26	BB	1461	C	C4'-C3'-C2'	-6.04	96.56	102.60
26	BB	2006	C	C2-N3-C4	6.04	122.92	119.90
26	BB	2383	G	N3-C4-C5	-6.04	125.58	128.60
26	BB	2759	G	C4-N9-C1'	-6.04	118.65	126.50
1	AA	181	A	C5-C6-N1	6.04	120.72	117.70
3	AC	29	G	N3-C4-C5	-6.04	125.58	128.60
26	BB	235	U	C2-N3-C4	-6.04	123.38	127.00
26	BB	503	A	C5-C6-N6	-6.04	118.87	123.70
26	BB	1120	G	N1-C2-N2	6.04	121.63	116.20
26	BB	1315	C	C6-N1-C2	6.04	122.72	120.30
1	AA	97	G	O4'-C1'-N9	6.04	113.03	108.20
1	AA	645	G	N1-C2-N3	-6.04	120.28	123.90
1	AA	716	A	O4'-C4'-C3'	6.04	110.93	106.10
1	AA	930	C	C6-N1-C2	-6.04	117.89	120.30
26	BB	1206	G	C5-N7-C8	6.04	107.32	104.30
26	BB	1530	G	C4-C5-N7	-6.04	108.39	110.80
26	BB	1730	C	C3'-C2'-C1'	-6.04	96.67	101.50
26	BB	1922	G	C3'-C2'-C1'	-6.04	96.67	101.50
26	BB	2176	A	N1-C2-N3	-6.04	126.28	129.30
26	BB	2215	C	C5-C4-N4	-6.04	115.98	120.20
26	BB	2548	U	C4'-C3'-C2'	-6.04	96.56	102.60
44	BT	83	TYR	CD1-CE1-CZ	6.04	125.23	119.80
46	BV	94	ASP	CB-CG-OD2	-6.04	112.87	118.30
1	AA	1201	A	C2'-C3'-O3'	6.03	123.36	113.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	39	A	C4-C5-C6	-6.03	113.98	117.00
3	AC	35	G	N7-C8-N9	6.03	116.12	113.10
4	AD	69	C	C6-N1-C2	-6.03	117.89	120.30
19	AS	48	GLU	OE1-CD-OE2	6.03	130.54	123.30
26	BB	396	G	C4-C5-C6	6.03	122.42	118.80
26	BB	968	C	C5'-C4'-O4'	6.03	116.34	109.10
26	BB	1980	G	N1-C6-O6	6.03	123.52	119.90
26	BB	2090	A	C4-C5-N7	-6.03	107.68	110.70
26	BB	2105	U	N1-C2-N3	6.03	118.52	114.90
1	AA	406	G	N3-C2-N2	-6.03	115.68	119.90
1	AA	658	C	C4-C5-C6	-6.03	114.38	117.40
1	AA	1134	G	N9-C4-C5	6.03	107.81	105.40
1	AA	1302	C	C2'-C3'-O3'	6.03	123.35	113.70
4	AD	2	G	N3-C4-N9	6.03	129.62	126.00
26	BB	1390	U	C1'-O4'-C4'	-6.03	105.07	109.90
26	BB	2091	C	P-O3'-C3'	-6.03	112.46	119.70
26	BB	2310	C	N3-C4-C5	-6.03	119.49	121.90
26	BB	2355	G	C3'-C2'-C1'	-6.03	96.67	101.50
26	BB	2535	G	C5'-C4'-O4'	6.03	116.34	109.10
26	BB	2541	A	C5-N7-C8	6.03	106.92	103.90
26	BB	2581	G	N1-C2-N3	6.03	127.52	123.90
1	AA	447	G	N7-C8-N9	6.03	116.11	113.10
1	AA	579	A	N3-C4-C5	-6.03	122.58	126.80
1	AA	1013	G	N3-C2-N2	-6.03	115.68	119.90
1	AA	1182	G	C5-N7-C8	-6.03	101.28	104.30
26	BB	149	A	N1-C2-N3	-6.03	126.28	129.30
26	BB	474	G	N9-C4-C5	-6.03	102.99	105.40
26	BB	597	G	C5-C6-N1	6.03	114.52	111.50
26	BB	1319	C	C5-C4-N4	-6.03	115.98	120.20
26	BB	1438	U	C5-C6-N1	-6.03	119.69	122.70
26	BB	1773	A	C2-N3-C4	6.03	113.61	110.60
26	BB	1897	G	C8-N9-C4	-6.03	103.99	106.40
26	BB	2309	A	N7-C8-N9	6.03	116.82	113.80
26	BB	2454	G	C1'-O4'-C4'	-6.03	105.08	109.90
47	BW	21	ARG	NE-CZ-NH1	6.03	123.32	120.30
1	AA	138	G	C8-N9-C4	-6.03	103.99	106.40
1	AA	452	A	C8-N9-C4	-6.03	103.39	105.80
1	AA	720	C	N3-C4-N4	6.03	122.22	118.00
1	AA	1059	C	N1-C2-O2	-6.03	115.28	118.90
1	AA	1251	A	C6-N1-C2	-6.03	114.98	118.60
26	BB	1654	A	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	2146	C	C4'-C3'-C2'	-6.03	96.57	102.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	197	A	C5-C6-N6	6.03	128.52	123.70
1	AA	355	C	C4'-C3'-C2'	-6.03	96.57	102.60
1	AA	708	C	O4'-C1'-N1	6.03	113.02	108.20
1	AA	1400	C	C5-C6-N1	-6.03	117.99	121.00
4	AD	65	G	N1-C2-N2	6.03	121.62	116.20
26	BB	230	G	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	507	A	O4'-C1'-N9	6.03	113.02	108.20
26	BB	781	A	N1-C2-N3	-6.03	126.29	129.30
26	BB	784	G	C6-C5-N7	-6.03	126.78	130.40
26	BB	1996	C	N3-C4-N4	-6.03	113.78	118.00
31	BG	148	VAL	CG1-CB-CG2	-6.03	101.26	110.90
1	AA	171	A	C8-N9-C4	6.03	108.21	105.80
1	AA	289	G	N1-C2-N2	6.03	121.62	116.20
1	AA	935	A	O4'-C1'-N9	6.03	113.02	108.20
1	AA	971	G	C4-C5-N7	6.03	113.21	110.80
1	AA	1033	G	C5-C6-N1	6.03	114.51	111.50
1	AA	1061	G	N1-C2-N2	6.03	121.62	116.20
4	AD	31	G	N3-C4-C5	-6.03	125.59	128.60
18	AR	47	LYS	CA-CB-CG	6.03	126.66	113.40
25	BA	76	G	N9-C1'-C2'	-6.03	105.37	112.00
26	BB	88	G	N1-C2-N2	6.03	121.62	116.20
26	BB	319	G	N1-C2-N3	-6.03	120.28	123.90
26	BB	346	A	C4-C5-N7	6.03	113.71	110.70
26	BB	608	A	C4'-C3'-C2'	-6.03	96.57	102.60
26	BB	608	A	C8-N9-C4	-6.03	103.39	105.80
26	BB	641	U	C2-N3-C4	-6.03	123.38	127.00
26	BB	728	G	C5-C6-N1	6.03	114.51	111.50
26	BB	785	G	N1-C2-N3	-6.03	120.28	123.90
26	BB	799	G	N3-C2-N2	-6.03	115.68	119.90
26	BB	1206	G	C5-C6-O6	-6.03	124.98	128.60
26	BB	2147	A	C6-N1-C2	-6.03	114.98	118.60
26	BB	2269	G	C5'-C4'-C3'	-6.03	106.36	116.00
26	BB	2314	A	N9-C1'-C2'	-6.03	105.37	112.00
1	AA	1213	A	C5-N7-C8	-6.02	100.89	103.90
26	BB	329	G	O4'-C4'-C3'	6.02	110.92	106.10
26	BB	705	A	C5'-C4'-C3'	-6.02	106.36	116.00
26	BB	1040	A	C4'-C3'-C2'	-6.02	96.58	102.60
1	AA	399	G	N3-C4-N9	6.02	129.61	126.00
1	AA	673	A	N1-C6-N6	-6.02	114.99	118.60
1	AA	1113	C	O4'-C1'-N1	6.02	113.02	108.20
1	AA	1262	C	N3-C2-O2	-6.02	117.68	121.90
1	AA	1268	G	O4'-C4'-C3'	6.02	110.92	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1339	A	C4'-C3'-C2'	-6.02	96.58	102.60
3	AC	39	U	N3-C2-O2	-6.02	117.98	122.20
25	BA	48	U	C3'-C2'-C1'	-6.02	96.68	101.50
25	BA	117	G	N1-C6-O6	-6.02	116.29	119.90
26	BB	31	C	N3-C2-O2	-6.02	117.68	121.90
26	BB	285	G	C4-C5-N7	6.02	113.21	110.80
26	BB	320	A	C5-N7-C8	-6.02	100.89	103.90
26	BB	1984	G	C2-N3-C4	6.02	114.91	111.90
26	BB	2380	C	P-O3'-C3'	6.02	126.93	119.70
1	AA	318	G	C4'-C3'-C2'	-6.02	96.58	102.60
26	BB	94	A	C2'-C3'-O3'	6.02	123.33	113.70
26	BB	496	G	N3-C4-N9	6.02	129.61	126.00
26	BB	1329	U	N1-C2-O2	-6.02	118.58	122.80
26	BB	2099	U	C2-N3-C4	6.02	130.61	127.00
26	BB	2235	G	C3'-C2'-C1'	6.02	106.32	101.50
1	AA	75	G	C2-N3-C4	6.02	114.91	111.90
1	AA	756	C	C5'-C4'-C3'	-6.02	106.37	116.00
1	AA	1165	U	N1-C1'-C2'	-6.02	105.38	112.00
2	AB	34	C	O4'-C1'-C2'	-6.02	99.78	105.80
4	AD	22	A	C3'-C2'-C1'	6.02	106.31	101.50
6	AF	76	ILE	C-N-CA	6.02	134.94	122.30
26	BB	185	G	C3'-C2'-C1'	-6.02	96.68	101.50
26	BB	488	G	C4-C5-N7	-6.02	108.39	110.80
26	BB	577	G	N3-C4-N9	6.02	129.61	126.00
26	BB	1794	A	N1-C6-N6	6.02	122.21	118.60
26	BB	1831	G	O4'-C1'-N9	6.02	113.02	108.20
1	AA	5	U	C5-C6-N1	-6.02	119.69	122.70
1	AA	158	G	C5-C6-O6	-6.02	124.99	128.60
1	AA	330	C	O3'-P-O5'	6.02	115.43	104.00
1	AA	932	C	C5-C4-N4	-6.02	115.99	120.20
1	AA	1104	G	C5-C6-N1	-6.02	108.49	111.50
5	AE	90	PHE	CB-CG-CD1	6.02	125.01	120.80
12	AL	42	THR	CA-CB-CG2	-6.02	103.97	112.40
26	BB	161	A	C5'-C4'-O4'	6.02	116.32	109.10
26	BB	1017	G	N3-C4-C5	-6.02	125.59	128.60
26	BB	1301	A	N9-C1'-C2'	6.02	121.82	114.00
26	BB	1477	A	C5'-C4'-O4'	6.02	116.32	109.10
26	BB	1672	A	N7-C8-N9	6.02	116.81	113.80
26	BB	1692	U	N1-C2-O2	-6.02	118.59	122.80
26	BB	1820	U	O4'-C1'-N1	6.02	113.02	108.20
26	BB	2227	A	N7-C8-N9	6.02	116.81	113.80
26	BB	2895	G	N7-C8-N9	6.02	116.11	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	59	A	C6-C5-N7	6.02	136.51	132.30
1	AA	438	U	N3-C2-O2	6.02	126.41	122.20
3	AC	22	G	O4'-C1'-N9	6.02	113.01	108.20
3	AC	42	U	C3'-C2'-C1'	6.02	106.31	101.50
26	BB	818	G	N1-C2-N2	-6.02	110.79	116.20
26	BB	1919	A	N1-C6-N6	-6.02	114.99	118.60
26	BB	2272	U	N3-C2-O2	-6.02	117.99	122.20
26	BB	2376	A	C5'-C4'-O4'	6.02	116.32	109.10
26	BB	2405	G	N1-C6-O6	-6.02	116.29	119.90
1	AA	697	U	C5-C4-O4	6.01	129.51	125.90
1	AA	1092	A	N7-C8-N9	-6.01	110.79	113.80
1	AA	1301	U	C5-C4-O4	-6.01	122.29	125.90
4	AD	19	G	N3-C2-N2	-6.01	115.69	119.90
26	BB	34	U	C2-N3-C4	-6.01	123.39	127.00
26	BB	176	A	C8-N9-C1'	6.01	138.53	127.70
26	BB	361	G	N1-C2-N2	6.01	121.61	116.20
26	BB	537	G	N9-C4-C5	6.01	107.81	105.40
26	BB	561	G	C4-C5-N7	-6.01	108.39	110.80
26	BB	636	G	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	824	U	N1-C2-O2	6.01	127.01	122.80
26	BB	1069	A	C1'-O4'-C4'	-6.01	105.09	109.90
26	BB	1912	A	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	2276	G	N1-C2-N3	-6.01	120.29	123.90
26	BB	2436	G	C4-C5-C6	6.01	122.41	118.80
26	BB	2455	G	C5'-C4'-O4'	6.01	116.32	109.10
26	BB	2807	U	C4'-C3'-C2'	-6.01	96.59	102.60
1	AA	82	G	N9-C4-C5	6.01	107.81	105.40
1	AA	178	C	C4'-C3'-C2'	-6.01	96.59	102.60
6	AF	41	TYR	CD1-CE1-CZ	-6.01	114.39	119.80
26	BB	937	C	N1-C2-O2	6.01	122.51	118.90
26	BB	1853	A	C5-N7-C8	-6.01	100.89	103.90
26	BB	2169	A	N1-C2-N3	-6.01	126.29	129.30
1	AA	126	G	C6-N1-C2	-6.01	121.49	125.10
1	AA	572	A	C2-N3-C4	-6.01	107.59	110.60
1	AA	606	G	O5'-C5'-C4'	6.01	123.12	111.70
1	AA	692	U	C5'-C4'-O4'	6.01	116.31	109.10
1	AA	1118	U	C5-C6-N1	-6.01	119.69	122.70
6	AF	21	TRP	NE1-CE2-CD2	-6.01	101.29	107.30
26	BB	749	A	N1-C6-N6	-6.01	114.99	118.60
26	BB	944	C	C6-N1-C2	6.01	122.70	120.30
26	BB	966	G	C5-C6-O6	-6.01	124.99	128.60
26	BB	1589	U	C5-C4-O4	-6.01	122.29	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1972	G	C2-N3-C4	-6.01	108.89	111.90
26	BB	2239	G	N3-C4-C5	-6.01	125.59	128.60
26	BB	2269	G	C5-C6-N1	-6.01	108.49	111.50
26	BB	2408	U	N3-C2-O2	-6.01	117.99	122.20
26	BB	2586	U	O4'-C1'-C2'	-6.01	99.79	105.80
1	AA	263	A	C8-N9-C4	-6.01	103.40	105.80
1	AA	432	A	N7-C8-N9	6.01	116.80	113.80
1	AA	746	A	C8-N9-C4	-6.01	103.40	105.80
1	AA	1305	G	C5-C6-N1	6.01	114.50	111.50
4	AD	4	G	C4-C5-N7	-6.01	108.40	110.80
4	AD	5	G	C5-N7-C8	-6.01	101.30	104.30
25	BA	8	C	O4'-C1'-N1	6.01	113.01	108.20
26	BB	235	U	C4-C5-C6	6.01	123.31	119.70
26	BB	635	C	C5'-C4'-O4'	6.01	116.31	109.10
26	BB	1228	G	N3-C4-N9	6.01	129.61	126.00
26	BB	2041	U	C4-C5-C6	-6.01	116.09	119.70
26	BB	2249	U	C6-N1-C2	-6.01	117.39	121.00
26	BB	2261	C	O4'-C1'-N1	6.01	113.01	108.20
26	BB	2444	G	N1-C2-N3	6.01	127.50	123.90
26	BB	2466	C	N3-C4-C5	-6.01	119.50	121.90
26	BB	2848	G	N1-C2-N2	6.01	121.61	116.20
1	AA	951	G	N7-C8-N9	6.01	116.10	113.10
1	AA	1531	A	C2-N3-C4	6.01	113.60	110.60
4	AD	47	A	N9-C1'-C2'	-6.01	105.39	112.00
26	BB	618	G	C5-C6-N1	6.01	114.50	111.50
26	BB	763	G	P-O3'-C3'	6.01	126.91	119.70
26	BB	1664	A	C5-C6-N6	-6.01	118.89	123.70
36	BL	4	PHE	CB-CG-CD1	6.01	125.01	120.80
1	AA	182	A	C4'-C3'-C2'	-6.01	96.59	102.60
1	AA	715	A	C4-C5-C6	6.01	120.00	117.00
1	AA	1286	U	C1'-O4'-C4'	6.01	114.70	109.90
4	AD	64	G	N1-C6-O6	-6.01	116.30	119.90
17	AQ	100	TRP	CE2-CD2-CE3	-6.01	111.49	118.70
26	BB	98	G	N3-C4-C5	-6.01	125.60	128.60
26	BB	230	G	C3'-C2'-C1'	-6.01	96.69	101.50
26	BB	236	C	C5-C4-N4	-6.01	116.00	120.20
26	BB	1055	G	C4'-C3'-O3'	6.01	125.01	113.00
26	BB	1515	A	C8-N9-C4	6.01	108.20	105.80
26	BB	2097	A	C5-N7-C8	6.01	106.90	103.90
26	BB	2144	G	C5-N7-C8	-6.01	101.30	104.30
26	BB	2412	A	N1-C2-N3	-6.01	126.30	129.30
26	BB	2434	A	N9-C4-C5	6.01	108.20	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2704	C	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	2870	C	N1-C2-O2	-6.01	115.30	118.90
1	AA	173	U	C3'-C2'-C1'	6.00	106.30	101.50
1	AA	778	G	C1'-O4'-C4'	6.00	114.70	109.90
4	AD	23	G	C3'-C2'-C1'	-6.00	96.70	101.50
4	AD	41	C	C5-C6-N1	6.00	124.00	121.00
26	BB	1295	C	N3-C2-O2	-6.00	117.70	121.90
26	BB	2058	A	C3'-C2'-C1'	6.00	106.30	101.50
26	BB	2181	U	C5-C6-N1	6.00	125.70	122.70
26	BB	2270	A	N9-C1'-C2'	6.00	121.81	114.00
26	BB	2808	G	C4'-C3'-C2'	-6.00	96.59	102.60
1	AA	166	U	O4'-C1'-N1	6.00	113.00	108.20
1	AA	173	U	N3-C2-O2	-6.00	118.00	122.20
1	AA	537	G	C5-N7-C8	-6.00	101.30	104.30
1	AA	713	G	C5-C6-O6	-6.00	125.00	128.60
1	AA	1185	G	N1-C2-N2	6.00	121.60	116.20
1	AA	1438	G	N1-C6-O6	-6.00	116.30	119.90
1	AA	1461	G	N3-C2-N2	6.00	124.10	119.90
1	AA	1536	C	N1-C1'-C2'	6.00	121.80	114.00
26	BB	199	A	C4-C5-C6	-6.00	114.00	117.00
26	BB	820	A	C4'-C3'-C2'	-6.00	96.60	102.60
26	BB	863	A	C5-C6-N1	6.00	120.70	117.70
26	BB	979	A	C5-N7-C8	-6.00	100.90	103.90
26	BB	1023	U	O4'-C1'-N1	6.00	113.00	108.20
26	BB	1464	G	C8-N9-C4	-6.00	104.00	106.40
26	BB	1608	A	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	1813	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	2083	G	N3-C2-N2	-6.00	115.70	119.90
26	BB	2598	A	N1-C2-N3	-6.00	126.30	129.30
1	AA	19	A	O4'-C1'-N9	6.00	113.00	108.20
1	AA	652	U	N1-C2-O2	6.00	127.00	122.80
1	AA	986	U	C5-C4-O4	-6.00	122.30	125.90
1	AA	1027	C	P-O3'-C3'	6.00	126.90	119.70
1	AA	1060	U	C2-N3-C4	-6.00	123.40	127.00
1	AA	1103	C	C6-N1-C2	-6.00	117.90	120.30
1	AA	1194	U	C5'-C4'-C3'	-6.00	106.40	116.00
1	AA	1340	A	O4'-C4'-C3'	6.00	110.90	106.10
1	AA	1497	G	N7-C8-N9	6.00	116.10	113.10
26	BB	891	G	O4'-C1'-N9	6.00	113.00	108.20
26	BB	1248	G	C3'-C2'-C1'	-6.00	96.70	101.50
26	BB	1266	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	1372	U	C5'-C4'-O4'	6.00	116.30	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2091	C	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	2106	U	C2'-C3'-O3'	6.00	123.30	113.70
26	BB	2711	A	N9-C4-C5	-6.00	103.40	105.80
26	BB	2784	U	C4-C5-C6	6.00	123.30	119.70
26	BB	2830	C	N1-C2-O2	6.00	122.50	118.90
4	AD	43	G	N1-C2-N3	-6.00	120.30	123.90
26	BB	1821	A	C4-C5-C6	6.00	120.00	117.00
26	BB	1970	A	C2-N3-C4	6.00	113.60	110.60
26	BB	2789	C	N1-C2-N3	6.00	123.40	119.20
1	AA	32	A	C5-C6-N6	-6.00	118.90	123.70
1	AA	1401	G	C5'-C4'-O4'	6.00	116.30	109.10
25	BA	57	A	N7-C8-N9	6.00	116.80	113.80
26	BB	757	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	891	G	C8-N9-C4	-6.00	104.00	106.40
26	BB	1107	G	C6-N1-C2	-6.00	121.50	125.10
26	BB	2217	G	C4-C5-N7	6.00	113.20	110.80
26	BB	2340	A	C3'-C2'-C1'	6.00	106.30	101.50
41	BQ	36	TYR	CZ-CE2-CD2	-6.00	114.40	119.80
1	AA	171	A	P-O3'-C3'	6.00	126.90	119.70
1	AA	530	G	C8-N9-C4	-6.00	104.00	106.40
1	AA	748	G	C4-C5-C6	6.00	122.40	118.80
17	AQ	97	LYS	O-C-N	-6.00	113.11	122.70
26	BB	46	G	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	329	G	C4-C5-N7	6.00	113.20	110.80
26	BB	1490	A	N3-C4-N9	6.00	132.20	127.40
26	BB	1543	G	P-O3'-C3'	6.00	126.90	119.70
26	BB	2120	G	C3'-C2'-C1'	-6.00	96.70	101.50
26	BB	2223	G	C5-C6-O6	-6.00	125.00	128.60
26	BB	2583	G	C5-N7-C8	-6.00	101.30	104.30
26	BB	2667	C	N3-C4-N4	6.00	122.20	118.00
1	AA	403	C	C4'-C3'-C2'	-6.00	96.61	102.60
1	AA	660	C	N1-C2-O2	6.00	122.50	118.90
1	AA	1088	G	C6-N1-C2	-6.00	121.50	125.10
26	BB	218	A	C5-C6-N1	6.00	120.70	117.70
26	BB	1095	A	O4'-C4'-C3'	6.00	110.90	106.10
26	BB	1211	C	C2-N3-C4	6.00	122.90	119.90
26	BB	1436	G	C4-C5-C6	6.00	122.40	118.80
26	BB	2319	G	N1-C2-N3	-6.00	120.30	123.90
1	AA	142	G	N9-C1'-C2'	-5.99	105.41	112.00
1	AA	203	G	C2-N3-C4	5.99	114.90	111.90
1	AA	334	C	N3-C4-C5	-5.99	119.50	121.90
1	AA	493	A	C5-N7-C8	-5.99	100.90	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	991	U	C6-N1-C2	-5.99	117.40	121.00
1	AA	1458	G	C5'-C4'-C3'	-5.99	106.41	116.00
12	AL	86	LEU	CB-CG-CD1	-5.99	100.81	111.00
25	BA	18	G	C6-C5-N7	5.99	134.00	130.40
26	BB	234	U	N3-C2-O2	5.99	126.39	122.20
26	BB	295	G	C2-N3-C4	5.99	114.90	111.90
26	BB	508	A	N9-C4-C5	-5.99	103.40	105.80
26	BB	546	U	C4-C5-C6	5.99	123.30	119.70
26	BB	644	A	C4'-C3'-C2'	-5.99	96.61	102.60
26	BB	800	A	N1-C6-N6	-5.99	115.00	118.60
26	BB	1577	C	O4'-C4'-C3'	5.99	110.89	106.10
26	BB	1682	G	N7-C8-N9	5.99	116.10	113.10
26	BB	1751	U	O4'-C1'-N1	5.99	112.99	108.20
26	BB	2053	G	O4'-C1'-N9	-5.99	103.41	108.20
26	BB	2054	A	O4'-C1'-N9	5.99	113.00	108.20
26	BB	2367	G	C6-C5-N7	-5.99	126.80	130.40
26	BB	2551	C	N1-C2-N3	5.99	123.39	119.20
26	BB	2566	A	C1'-O4'-C4'	5.99	114.69	109.90
26	BB	2874	C	N3-C2-O2	-5.99	117.70	121.90
1	AA	973	G	N3-C4-C5	-5.99	125.60	128.60
1	AA	1356	G	N9-C4-C5	-5.99	103.00	105.40
26	BB	1667	G	N3-C4-C5	-5.99	125.60	128.60
26	BB	2216	G	C4-C5-C6	5.99	122.39	118.80
26	BB	2253	G	N1-C2-N3	5.99	127.50	123.90
1	AA	459	A	N7-C8-N9	-5.99	110.81	113.80
1	AA	588	G	N3-C4-N9	5.99	129.59	126.00
1	AA	667	G	N1-C6-O6	-5.99	116.31	119.90
1	AA	860	A	N3-C4-C5	-5.99	122.61	126.80
1	AA	901	A	O4'-C1'-N9	5.99	112.99	108.20
15	AO	35	ARG	NE-CZ-NH1	5.99	123.30	120.30
25	BA	94	A	N3-C4-C5	-5.99	122.61	126.80
26	BB	173	A	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	260	G	C4-C5-C6	5.99	122.39	118.80
26	BB	326	G	C5-C6-O6	-5.99	125.01	128.60
26	BB	439	A	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	558	U	N3-C4-O4	5.99	123.59	119.40
26	BB	623	C	C3'-C2'-C1'	-5.99	96.71	101.50
26	BB	630	G	N1-C2-N3	-5.99	120.31	123.90
26	BB	1049	C	C5-C6-N1	-5.99	118.00	121.00
26	BB	1644	C	C5-C4-N4	-5.99	116.01	120.20
26	BB	2644	G	C2-N3-C4	5.99	114.90	111.90
26	BB	2742	G	C3'-C2'-C1'	-5.99	96.71	101.50

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	44	A	C8-N9-C4	-5.99	103.41	105.80
1	AA	654	G	C6-C5-N7	-5.99	126.81	130.40
1	AA	685	G	C5-C6-N1	5.99	114.49	111.50
1	AA	760	G	N9-C4-C5	-5.99	103.00	105.40
1	AA	852	G	C8-N9-C4	-5.99	104.00	106.40
1	AA	994	A	C5'-C4'-C3'	5.99	125.58	116.00
1	AA	1314	C	C2-N3-C4	-5.99	116.91	119.90
1	AA	1330	U	C5-C6-N1	-5.99	119.71	122.70
1	AA	1370	G	N9-C4-C5	5.99	107.80	105.40
26	BB	1088	A	C1'-O4'-C4'	-5.99	105.11	109.90
26	BB	1102	C	C5'-C4'-C3'	-5.99	106.42	116.00
39	BO	64	TRP	CH2-CZ2-CE2	5.99	123.39	117.40
50	BZ	66	VAL	CA-CB-CG2	-5.99	101.92	110.90
1	AA	926	G	N9-C4-C5	5.99	107.80	105.40
26	BB	175	G	P-O3'-C3'	5.99	126.89	119.70
26	BB	226	A	C6-N1-C2	5.99	122.19	118.60
26	BB	2257	U	C4-C5-C6	5.99	123.29	119.70
26	BB	2735	G	N1-C6-O6	-5.99	116.31	119.90
1	AA	343	U	O4'-C4'-C3'	5.99	110.89	106.10
1	AA	466	A	N9-C4-C5	5.99	108.19	105.80
26	BB	27	G	C5'-C4'-O4'	-5.99	101.92	109.10
26	BB	557	C	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	676	A	C4-C5-C6	-5.99	114.01	117.00
26	BB	799	G	N1-C6-O6	5.99	123.49	119.90
26	BB	1190	G	O5'-P-OP2	-5.99	100.31	105.70
26	BB	1575	C	C5-C6-N1	5.99	123.99	121.00
26	BB	1582	C	C6-N1-C2	-5.99	117.91	120.30
26	BB	1739	A	N1-C6-N6	-5.99	115.01	118.60
26	BB	1877	A	N7-C8-N9	-5.99	110.81	113.80
26	BB	2215	C	P-O3'-C3'	5.99	126.88	119.70
26	BB	2423	U	C5-C4-O4	-5.99	122.31	125.90
26	BB	2579	C	N1-C1'-C2'	-5.99	105.42	112.00
26	BB	2602	A	N1-C2-N3	-5.99	126.31	129.30
26	BB	2769	U	P-O3'-C3'	5.99	126.88	119.70
26	BB	2852	G	C2-N3-C4	5.99	114.89	111.90
32	BH	41	GLU	N-CA-CB	-5.99	99.83	110.60
37	BM	56	ASP	CB-CG-OD1	-5.99	112.91	118.30
45	BU	5	ALA	O-C-N	5.99	132.28	122.70
1	AA	578	C	C1'-O4'-C4'	-5.98	105.11	109.90
1	AA	841	C	C5-C4-N4	5.98	124.39	120.20
26	BB	54	G	N9-C4-C5	-5.98	103.01	105.40
26	BB	360	U	C2-N3-C4	-5.98	123.41	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	25	C	N3-C4-N4	5.98	122.19	118.00
26	BB	153	U	C6-N1-C2	5.98	124.59	121.00
26	BB	301	G	C5-C6-O6	-5.98	125.01	128.60
26	BB	406	G	C2-N3-C4	5.98	114.89	111.90
26	BB	713	G	C5'-C4'-O4'	5.98	116.28	109.10
26	BB	892	A	C5-C6-N6	5.98	128.49	123.70
26	BB	1186	G	C5-C6-O6	5.98	132.19	128.60
26	BB	1259	G	O4'-C1'-C2'	-5.98	99.82	105.80
26	BB	1392	A	N7-C8-N9	5.98	116.79	113.80
26	BB	1449	G	N1-C2-N3	-5.98	120.31	123.90
26	BB	1538	G	C8-N9-C4	-5.98	104.01	106.40
26	BB	1645	G	C5-N7-C8	5.98	107.29	104.30
26	BB	2006	C	O4'-C1'-N1	5.98	112.99	108.20
26	BB	2052	A	C5'-C4'-O4'	5.98	116.28	109.10
26	BB	2480	C	N1-C2-O2	5.98	122.49	118.90
1	AA	455	G	C1'-O4'-C4'	-5.98	105.12	109.90
1	AA	492	C	N3-C2-O2	-5.98	117.71	121.90
15	AO	98	ARG	NE-CZ-NH1	5.98	123.29	120.30
26	BB	97	C	C5-C6-N1	5.98	123.99	121.00
26	BB	290	U	C6-N1-C2	5.98	124.59	121.00
26	BB	596	U	C6-N1-C2	-5.98	117.41	121.00
26	BB	1030	C	P-O3'-C3'	5.98	126.88	119.70
26	BB	1231	U	N3-C4-C5	-5.98	111.01	114.60
26	BB	1778	U	C3'-C2'-C1'	5.98	106.28	101.50
26	BB	2547	A	C5'-C4'-O4'	5.98	116.28	109.10
26	BB	2643	G	C4-C5-N7	5.98	113.19	110.80
26	BB	2849	U	N3-C4-O4	5.98	123.59	119.40
28	BD	155	ARG	NE-CZ-NH2	-5.98	117.31	120.30
1	AA	59	A	N9-C4-C5	5.98	108.19	105.80
2	AB	32	OMC	O3'-P-O5'	-5.98	92.64	104.00
4	AD	14	A	N3-C4-C5	-5.98	122.61	126.80
4	AD	15	G	P-O3'-C3'	5.98	126.88	119.70
26	BB	405	U	C6-N1-C2	-5.98	117.41	121.00
26	BB	1053	C	N3-C2-O2	-5.98	117.71	121.90
26	BB	2233	U	C2-N3-C4	-5.98	123.41	127.00
26	BB	2742	G	N3-C4-C5	-5.98	125.61	128.60
1	AA	128	G	C2'-C3'-O3'	5.98	123.27	113.70
1	AA	236	A	N1-C6-N6	5.98	122.19	118.60
1	AA	364	A	C8-N9-C4	-5.98	103.41	105.80
1	AA	424	G	O4'-C1'-N9	5.98	112.98	108.20
1	AA	795	C	C5-C4-N4	-5.98	116.02	120.20
1	AA	1004	A	N3-C4-C5	-5.98	122.62	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1018	G	N3-C2-N2	-5.98	115.72	119.90
2	AB	73	G	C4-C5-N7	-5.98	108.41	110.80
18	AR	83	ARG	NE-CZ-NH2	5.98	123.29	120.30
25	BA	26	C	C5'-C4'-O4'	5.98	116.27	109.10
26	BB	341	C	C6-N1-C2	5.98	122.69	120.30
26	BB	377	G	C3'-C2'-C1'	5.98	106.28	101.50
26	BB	720	U	P-O3'-C3'	5.98	126.87	119.70
26	BB	1389	G	C3'-C2'-C1'	-5.98	96.72	101.50
26	BB	1879	C	P-O3'-C3'	5.98	126.87	119.70
26	BB	2079	U	C5'-C4'-O4'	5.98	116.27	109.10
26	BB	2694	G	C4-C5-N7	-5.98	108.41	110.80
36	BL	8	PRO	N-CA-CB	5.98	110.47	103.30
1	AA	43	C	O4'-C1'-N1	5.98	112.98	108.20
1	AA	424	G	C5-C6-N1	5.98	114.49	111.50
1	AA	903	G	N3-C2-N2	5.98	124.08	119.90
3	AC	31	U	C3'-C2'-C1'	-5.98	96.72	101.50
26	BB	446	G	N1-C2-N2	-5.98	110.82	116.20
26	BB	1620	G	C5'-C4'-O4'	5.98	116.27	109.10
26	BB	1662	U	O4'-C4'-C3'	-5.98	98.02	104.00
1	AA	75	G	N3-C4-N9	5.97	129.59	126.00
1	AA	972	C	P-O3'-C3'	5.97	126.87	119.70
1	AA	1052	U	N3-C2-O2	-5.97	118.02	122.20
19	AS	51	ARG	NE-CZ-NH1	5.97	123.29	120.30
25	BA	54	G	C6-N1-C2	-5.97	121.52	125.10
26	BB	313	G	C6-N1-C2	-5.97	121.52	125.10
26	BB	588	U	O4'-C1'-N1	5.97	112.98	108.20
26	BB	662	G	N3-C2-N2	5.97	124.08	119.90
26	BB	1057	A	C2-N3-C4	5.97	113.59	110.60
26	BB	1205	A	O4'-C1'-C2'	5.97	112.98	107.60
26	BB	1581	G	C2-N3-C4	5.97	114.89	111.90
26	BB	1757	A	C8-N9-C4	-5.97	103.41	105.80
26	BB	2640	G	C5-C6-N1	5.97	114.49	111.50
38	BN	48	ARG	NE-CZ-NH1	-5.97	117.31	120.30
1	AA	1188	A	C1'-O4'-C4'	5.97	114.68	109.90
1	AA	1381	U	O4'-C1'-N1	5.97	112.98	108.20
22	AV	1	PRO	CA-N-CD	-5.97	103.14	111.50
25	BA	49	C	O4'-C1'-N1	5.97	112.98	108.20
25	BA	71	C	C4-C5-C6	-5.97	114.41	117.40
25	BA	88	C	N1-C1'-C2'	-5.97	105.43	112.00
26	BB	316	C	N3-C4-C5	-5.97	119.51	121.90
26	BB	368	A	C5-C6-N1	-5.97	114.71	117.70
26	BB	995	C	O4'-C1'-C2'	-5.97	99.83	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2176	A	P-O3'-C3'	5.97	126.87	119.70
26	BB	2513	A	C4-C5-N7	-5.97	107.71	110.70
26	BB	2514	U	C3'-C2'-C1'	-5.97	96.72	101.50
26	BB	2637	U	O4'-C1'-N1	5.97	112.98	108.20
43	BS	56	PHE	CB-CG-CD1	5.97	124.98	120.80
26	BB	220	G	N1-C2-N3	5.97	127.48	123.90
26	BB	601	C	C5-C4-N4	-5.97	116.02	120.20
26	BB	1025	G	C2-N3-C4	5.97	114.89	111.90
26	BB	1682	G	N3-C2-N2	-5.97	115.72	119.90
26	BB	2155	U	N3-C2-O2	-5.97	118.02	122.20
26	BB	2508	G	C5-N7-C8	5.97	107.29	104.30
1	AA	883	C	C1'-O4'-C4'	5.97	114.67	109.90
1	AA	1449	C	C6-N1-C2	-5.97	117.91	120.30
1	AA	1465	A	C5-C6-N1	5.97	120.69	117.70
2	AB	2	G	C6-C5-N7	-5.97	126.82	130.40
3	AC	29	G	C6-C5-N7	-5.97	126.82	130.40
26	BB	93	G	C4'-C3'-C2'	-5.97	96.63	102.60
26	BB	126	A	N1-C2-N3	-5.97	126.32	129.30
26	BB	708	G	C1'-O4'-C4'	5.97	114.68	109.90
26	BB	759	G	C5-N7-C8	-5.97	101.31	104.30
26	BB	759	G	N3-C4-C5	-5.97	125.61	128.60
26	BB	1197	G	C5-C6-N1	5.97	114.48	111.50
26	BB	2278	A	C5'-C4'-O4'	5.97	116.26	109.10
26	BB	2517	C	N3-C4-N4	5.97	122.18	118.00
26	BB	2559	C	O5'-P-OP2	5.97	117.86	110.70
26	BB	2727	A	N1-C2-N3	5.97	132.28	129.30
1	AA	438	U	N1-C2-O2	-5.97	118.62	122.80
1	AA	580	C	N1-C1'-C2'	-5.97	105.44	112.00
10	AJ	176	TYR	CZ-CE2-CD2	5.97	125.17	119.80
26	BB	1499	C	O5'-C5'-C4'	-5.97	100.36	111.70
26	BB	2477	U	N1-C1'-C2'	-5.97	105.44	112.00
1	AA	15	G	N1-C6-O6	5.97	123.48	119.90
1	AA	331	G	N1-C6-O6	-5.97	116.32	119.90
1	AA	441	A	C5'-C4'-O4'	5.97	116.26	109.10
1	AA	702	A	N1-C2-N3	-5.97	126.32	129.30
1	AA	832	G	C5'-C4'-C3'	-5.97	106.45	116.00
1	AA	1257	A	C5-C6-N1	5.97	120.68	117.70
1	AA	1354	U	C4'-C3'-C2'	-5.97	96.63	102.60
1	AA	1486	G	N3-C2-N2	5.97	124.08	119.90
25	BA	101	A	C6-N1-C2	-5.97	115.02	118.60
26	BB	115	C	C4'-C3'-C2'	-5.97	96.63	102.60
26	BB	485	C	O4'-C1'-N1	5.97	112.97	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	530	G	C4-C5-C6	5.97	122.38	118.80
26	BB	543	G	C8-N9-C1'	5.97	134.76	127.00
26	BB	892	A	N7-C8-N9	-5.97	110.82	113.80
26	BB	930	G	C5-C6-O6	-5.97	125.02	128.60
26	BB	1386	C	C5-C4-N4	-5.97	116.02	120.20
26	BB	1404	C	N3-C4-C5	-5.97	119.51	121.90
26	BB	1504	A	C5-C6-N6	-5.97	118.93	123.70
26	BB	1746	A	C2-N3-C4	-5.97	107.62	110.60
26	BB	2567	G	C4-C5-N7	-5.97	108.41	110.80
26	BB	2659	G	N7-C8-N9	-5.97	110.12	113.10
26	BB	2660	A	C6-C5-N7	5.97	136.48	132.30
44	BT	63	VAL	CA-CB-CG2	5.97	119.85	110.90
1	AA	123	U	N1-C1'-C2'	-5.96	105.44	112.00
1	AA	176	C	N3-C4-C5	-5.96	119.51	121.90
1	AA	381	C	N3-C2-O2	-5.96	117.72	121.90
1	AA	675	A	C4-C5-C6	5.96	119.98	117.00
1	AA	865	A	C4-C5-C6	-5.96	114.02	117.00
1	AA	898	G	N3-C2-N2	-5.96	115.72	119.90
1	AA	950	U	C2-N3-C4	-5.96	123.42	127.00
1	AA	1104	G	C5'-C4'-C3'	-5.96	106.46	116.00
1	AA	1110	A	C5'-C4'-O4'	5.96	116.26	109.10
1	AA	1145	A	N7-C8-N9	-5.96	110.82	113.80
1	AA	1251	A	N7-C8-N9	5.96	116.78	113.80
1	AA	1281	C	N3-C4-N4	5.96	122.17	118.00
25	BA	13	G	N1-C2-N2	5.96	121.57	116.20
26	BB	210	C	C4'-C3'-C2'	-5.96	96.64	102.60
26	BB	328	U	C3'-C2'-C1'	5.96	106.27	101.50
26	BB	1433	A	N3-C4-C5	-5.96	122.62	126.80
26	BB	1681	G	N3-C4-C5	-5.96	125.62	128.60
26	BB	1951	U	O4'-C1'-N1	5.96	112.97	108.20
26	BB	2028	U	C5'-C4'-O4'	5.96	116.26	109.10
26	BB	2348	U	C5-C6-N1	5.96	125.68	122.70
26	BB	2626	C	N1-C2-O2	5.96	122.48	118.90
1	AA	41	G	O4'-C1'-N9	5.96	112.97	108.20
26	BB	293	U	C6-N1-C2	-5.96	117.42	121.00
26	BB	507	A	C5-C6-N1	5.96	120.68	117.70
26	BB	1116	G	N3-C2-N2	-5.96	115.73	119.90
26	BB	1525	A	C6-C5-N7	5.96	136.47	132.30
26	BB	2352	A	O4'-C4'-C3'	5.96	110.87	106.10
1	AA	999	C	O4'-C1'-N1	5.96	112.97	108.20
1	AA	1217	C	N3-C2-O2	-5.96	117.73	121.90
26	BB	513	A	C2-N3-C4	5.96	113.58	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1002	G	O4'-C1'-N9	5.96	112.97	108.20
26	BB	1028	A	C2-N3-C4	5.96	113.58	110.60
26	BB	1545	A	C5-N7-C8	5.96	106.88	103.90
26	BB	1766	G	O4'-C1'-N9	5.96	112.97	108.20
26	BB	2003	A	C4'-C3'-C2'	-5.96	96.64	102.60
26	BB	2110	G	C5-C6-N1	-5.96	108.52	111.50
26	BB	2868	A	C5-C6-N1	5.96	120.68	117.70
26	BB	2903	U	O4'-C1'-C2'	-5.96	99.84	105.80
1	AA	610	U	C4'-C3'-C2'	-5.96	96.64	102.60
1	AA	1088	G	N1-C6-O6	5.96	123.48	119.90
4	AD	9	G	C6-C5-N7	-5.96	126.82	130.40
25	BA	98	G	N9-C4-C5	5.96	107.78	105.40
26	BB	430	A	C4-C5-N7	5.96	113.68	110.70
26	BB	1187	G	C4-C5-C6	5.96	122.38	118.80
26	BB	1781	U	C6-N1-C2	-5.96	117.42	121.00
26	BB	1852	U	C5-C4-O4	-5.96	122.32	125.90
26	BB	2673	G	C6-C5-N7	-5.96	126.82	130.40
1	AA	217	C	N3-C2-O2	-5.96	117.73	121.90
1	AA	485	U	C5-C6-N1	-5.96	119.72	122.70
1	AA	568	G	N9-C4-C5	5.96	107.78	105.40
1	AA	692	U	C5-C6-N1	5.96	125.68	122.70
1	AA	713	G	C4'-C3'-C2'	-5.96	96.64	102.60
1	AA	941	G	N9-C1'-C2'	-5.96	105.45	112.00
1	AA	1079	G	C4'-C3'-C2'	-5.96	96.64	102.60
25	BA	111	U	P-O3'-C3'	5.96	126.85	119.70
26	BB	149	A	C5-N7-C8	-5.96	100.92	103.90
26	BB	231	A	P-O5'-C5'	5.96	130.43	120.90
26	BB	708	G	P-O5'-C5'	5.96	130.43	120.90
26	BB	1350	C	O4'-C1'-N1	5.96	112.97	108.20
26	BB	1355	G	N7-C8-N9	5.96	116.08	113.10
26	BB	2076	U	C2-N1-C1'	5.96	124.85	117.70
26	BB	2240	U	N1-C2-O2	5.96	126.97	122.80
26	BB	2523	G	C8-N9-C4	-5.96	104.02	106.40
1	AA	718	A	C5'-C4'-C3'	-5.96	106.47	116.00
1	AA	1142	G	N9-C1'-C2'	-5.96	105.45	112.00
1	AA	1465	A	C4'-C3'-C2'	-5.96	96.64	102.60
4	AD	35	C	C3'-C2'-C1'	-5.96	96.74	101.50
26	BB	578	G	O4'-C1'-N9	5.96	112.96	108.20
26	BB	829	A	N7-C8-N9	5.96	116.78	113.80
26	BB	1038	G	C5-C6-O6	-5.96	125.03	128.60
26	BB	1056	G	C8-N9-C1'	5.96	134.74	127.00
26	BB	1244	A	C1'-O4'-C4'	5.96	114.67	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1380	G	N3-C4-C5	-5.96	125.62	128.60
26	BB	1564	C	N3-C4-C5	-5.96	119.52	121.90
26	BB	1781	U	P-O3'-C3'	5.96	126.85	119.70
26	BB	2350	C	C5-C4-N4	-5.96	116.03	120.20
26	BB	2762	C	C4-C5-C6	-5.96	114.42	117.40
1	AA	592	G	C5'-C4'-O4'	5.96	116.25	109.10
4	AD	13	C	O4'-C4'-C3'	5.96	110.86	106.10
26	BB	206	U	O4'-C1'-N1	5.96	112.96	108.20
26	BB	912	C	C5-C6-N1	5.96	123.98	121.00
26	BB	998	C	P-O5'-C5'	5.96	130.43	120.90
26	BB	1225	G	C5-C6-O6	-5.96	125.03	128.60
26	BB	1225	G	N3-C2-N2	5.96	124.07	119.90
26	BB	1893	C	C5-C6-N1	5.96	123.98	121.00
26	BB	1950	G	C1'-O4'-C4'	-5.96	105.14	109.90
26	BB	2285	C	O5'-P-OP1	5.96	117.85	110.70
26	BB	2394	C	C3'-C2'-C1'	5.96	106.26	101.50
33	BI	70	GLU	CB-CG-CD	-5.96	98.12	114.20
1	AA	419	C	C4'-C3'-C2'	-5.95	96.65	102.60
1	AA	753	A	N7-C8-N9	5.95	116.78	113.80
1	AA	994	A	C8-N9-C4	-5.95	103.42	105.80
1	AA	1107	C	C4-C5-C6	5.95	120.38	117.40
1	AA	1393	U	C5-C6-N1	-5.95	119.72	122.70
1	AA	1494	G	C5-C6-N1	5.95	114.48	111.50
4	AD	7	G	N1-C2-N2	-5.95	110.84	116.20
4	AD	61	U	C4'-C3'-C2'	5.95	108.55	102.60
5	AE	52	ALA	CB-CA-C	5.95	119.03	110.10
26	BB	29	U	C4-C5-C6	-5.95	116.13	119.70
26	BB	439	A	N1-C6-N6	5.95	122.17	118.60
26	BB	469	G	C4-C5-C6	5.95	122.37	118.80
26	BB	830	G	N7-C8-N9	5.95	116.08	113.10
26	BB	1173	U	P-O3'-C3'	5.95	126.84	119.70
26	BB	1495	A	C5-C6-N6	-5.95	118.94	123.70
26	BB	1504	A	C6-N1-C2	-5.95	115.03	118.60
26	BB	2086	U	C6-N1-C2	5.95	124.57	121.00
26	BB	2209	G	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	2249	U	N1-C2-N3	5.95	118.47	114.90
26	BB	2397	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	2520	C	N3-C2-O2	-5.95	117.73	121.90
1	AA	705	G	N9-C1'-C2'	-5.95	105.45	112.00
1	AA	757	U	C5'-C4'-C3'	-5.95	106.48	116.00
26	BB	110	G	C4'-C3'-C2'	-5.95	96.65	102.60
1	AA	80	A	N9-C4-C5	-5.95	103.42	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	243	A	C5-N7-C8	-5.95	100.92	103.90
1	AA	540	G	C8-N9-C1'	5.95	134.74	127.00
1	AA	654	G	N7-C8-N9	5.95	116.08	113.10
1	AA	1329	A	N7-C8-N9	5.95	116.78	113.80
4	AD	46	G	C5'-C4'-C3'	5.95	125.52	116.00
26	BB	723	C	C6-N1-C2	-5.95	117.92	120.30
26	BB	773	U	N3-C2-O2	-5.95	118.03	122.20
26	BB	868	U	N3-C4-C5	5.95	118.17	114.60
26	BB	1086	A	C6-C5-N7	5.95	136.47	132.30
26	BB	1101	U	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	1786	A	OP1-P-O3'	5.95	118.29	105.20
26	BB	2284	A	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	2360	G	C5'-C4'-O4'	-5.95	101.96	109.10
26	BB	2446	G	C4-C5-C6	5.95	122.37	118.80
1	AA	12	U	N1-C2-O2	5.95	126.96	122.80
1	AA	130	A	O4'-C4'-C3'	5.95	110.86	106.10
1	AA	157	U	C3'-C2'-C1'	-5.95	96.74	101.50
1	AA	495	A	C5-N7-C8	5.95	106.87	103.90
1	AA	1063	C	C3'-C2'-C1'	5.95	106.26	101.50
1	AA	1137	C	C4-C5-C6	5.95	120.37	117.40
1	AA	1330	U	N3-C4-C5	-5.95	111.03	114.60
25	BA	35	C	C5-C6-N1	-5.95	118.03	121.00
26	BB	86	G	C5-C6-N1	5.95	114.47	111.50
26	BB	260	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	414	C	N3-C4-N4	5.95	122.16	118.00
26	BB	950	G	N3-C4-C5	-5.95	125.63	128.60
26	BB	1111	A	N7-C8-N9	5.95	116.78	113.80
26	BB	1165	A	O4'-C1'-N9	5.95	112.96	108.20
26	BB	1375	U	N3-C4-O4	5.95	123.56	119.40
26	BB	1829	A	C6-C5-N7	5.95	136.46	132.30
26	BB	2044	C	N3-C4-C5	5.95	124.28	121.90
26	BB	2107	G	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	2148	G	O4'-C1'-N9	-5.95	103.44	108.20
26	BB	2156	G	N1-C2-N3	5.95	127.47	123.90
26	BB	2600	A	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	2710	C	C4'-C3'-C2'	-5.95	96.65	102.60
29	BE	138	LEU	CB-CG-CD1	-5.95	100.89	111.00
50	BZ	17	ARG	NE-CZ-NH2	5.95	123.28	120.30
1	AA	164	G	C3'-C2'-C1'	-5.95	96.74	101.50
1	AA	539	A	C1'-O4'-C4'	5.95	114.66	109.90
1	AA	1273	C	C6-N1-C2	-5.95	117.92	120.30
2	AB	11	U	N3-C4-C5	5.95	118.17	114.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	910	A	O4'-C1'-C2'	-5.95	99.85	105.80
26	BB	2608	G	N1-C2-N2	5.95	121.55	116.20
26	BB	2861	U	N3-C2-O2	-5.95	118.04	122.20
1	AA	330	C	C5-C6-N1	5.95	123.97	121.00
1	AA	743	A	N3-C4-C5	-5.95	122.64	126.80
1	AA	1364	U	O4'-C1'-C2'	-5.95	99.85	105.80
1	AA	1430	A	P-O3'-C3'	5.95	126.83	119.70
2	AB	38	A	P-O3'-C3'	5.95	126.83	119.70
7	AG	50	TYR	CD1-CG-CD2	5.95	124.44	117.90
25	BA	69	G	C1'-O4'-C4'	5.95	114.66	109.90
26	BB	91	A	C5-N7-C8	-5.95	100.93	103.90
26	BB	343	C	N1-C2-O2	5.95	122.47	118.90
26	BB	2800	A	N9-C1'-C2'	-5.95	105.46	112.00
26	BB	2849	U	N3-C2-O2	-5.95	118.04	122.20
49	BY	78	PHE	CB-CG-CD2	5.95	124.96	120.80
1	AA	69	G	O4'-C1'-N9	5.94	112.95	108.20
1	AA	361	G	N9-C1'-C2'	-5.94	105.46	112.00
1	AA	1037	C	C4-C5-C6	5.94	120.37	117.40
4	AD	47	A	C6-C5-N7	5.94	136.46	132.30
15	AO	84	GLY	N-CA-C	-5.94	98.24	113.10
25	BA	50	A	N1-C2-N3	-5.94	126.33	129.30
26	BB	932	U	C2-N1-C1'	5.94	124.83	117.70
26	BB	2415	G	P-O3'-C3'	5.94	126.83	119.70
26	BB	2834	G	C8-N9-C4	-5.94	104.02	106.40
1	AA	584	G	C2-N3-C4	-5.94	108.93	111.90
1	AA	634	C	N1-C1'-C2'	-5.94	105.46	112.00
1	AA	1021	A	P-O3'-C3'	5.94	126.83	119.70
1	AA	1154	G	C2-N3-C4	5.94	114.87	111.90
1	AA	1418	A	O4'-C1'-N9	5.94	112.95	108.20
26	BB	957	C	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	1696	G	C5'-C4'-O4'	5.94	116.23	109.10
26	BB	2115	G	N7-C8-N9	5.94	116.07	113.10
26	BB	2180	U	N3-C4-O4	5.94	123.56	119.40
26	BB	2336	A	N1-C2-N3	5.94	132.27	129.30
26	BB	2520	C	C2-N3-C4	5.94	122.87	119.90
26	BB	2641	G	C1'-O4'-C4'	5.94	114.65	109.90
26	BB	2735	G	C8-N9-C4	-5.94	104.02	106.40
26	BB	2886	A	C5-N7-C8	-5.94	100.93	103.90
28	BD	80	LEU	CB-CA-C	5.94	121.49	110.20
44	BT	90	ARG	CD-NE-CZ	5.94	131.92	123.60
1	AA	78	A	C4-C5-N7	-5.94	107.73	110.70
1	AA	493	A	O4'-C1'-N9	5.94	112.95	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	559	A	C6-N1-C2	5.94	122.17	118.60
1	AA	1031	C	C6-N1-C2	5.94	122.68	120.30
1	AA	1068	G	C4-C5-N7	5.94	113.18	110.80
1	AA	1135	U	N1-C2-N3	5.94	118.47	114.90
1	AA	1478	U	C3'-C2'-C1'	5.94	106.25	101.50
6	AF	104	GLU	OE1-CD-OE2	5.94	130.43	123.30
25	BA	2	G	C6-C5-N7	-5.94	126.84	130.40
25	BA	79	G	C4-C5-C6	5.94	122.36	118.80
26	BB	764	A	C5-C6-N1	-5.94	114.73	117.70
26	BB	942	G	C6-N1-C2	-5.94	121.54	125.10
26	BB	1454	C	P-O5'-C5'	5.94	130.40	120.90
26	BB	1466	U	C2'-C3'-O3'	5.94	123.21	113.70
26	BB	1472	C	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	1697	G	C4-C5-C6	5.94	122.36	118.80
26	BB	1811	G	C5-C6-O6	-5.94	125.04	128.60
26	BB	1876	A	C3'-C2'-C1'	5.94	106.25	101.50
26	BB	2192	U	N1-C2-O2	-5.94	118.64	122.80
26	BB	2405	G	C4-C5-N7	-5.94	108.42	110.80
26	BB	2616	C	C1'-O4'-C4'	5.94	114.65	109.90
1	AA	176	C	C2-N3-C4	5.94	122.87	119.90
1	AA	789	U	C5'-C4'-C3'	-5.94	106.50	116.00
1	AA	1110	A	C6-C5-N7	-5.94	128.14	132.30
1	AA	1197	A	O4'-C1'-N9	5.94	112.95	108.20
25	BA	18	G	C8-N9-C4	-5.94	104.02	106.40
1	AA	418	C	C2-N3-C4	5.94	122.87	119.90
1	AA	681	A	N9-C1'-C2'	-5.94	105.47	112.00
1	AA	1090	U	C3'-C2'-C1'	5.94	106.25	101.50
1	AA	1141	C	O4'-C4'-C3'	5.94	110.85	106.10
1	AA	1447	A	C4-C5-N7	-5.94	107.73	110.70
2	AB	76	A	C8-N9-C4	-5.94	103.42	105.80
10	AJ	25	PHE	CB-CG-CD2	5.94	124.96	120.80
26	BB	641	U	N1-C2-N3	5.94	118.46	114.90
26	BB	1232	G	C3'-C2'-C1'	-5.94	96.75	101.50
26	BB	1743	G	C4-C5-C6	5.94	122.36	118.80
26	BB	2722	G	N1-C2-N2	5.94	121.54	116.20
26	BB	2858	C	N1-C2-O2	5.94	122.46	118.90
1	AA	380	G	P-O3'-C3'	5.94	126.82	119.70
1	AA	1450	U	O4'-C1'-N1	5.94	112.95	108.20
26	BB	41	C	C2-N1-C1'	-5.94	112.27	118.80
26	BB	416	U	N1-C1'-C2'	-5.94	105.47	112.00
26	BB	546	U	C1'-O4'-C4'	5.94	114.65	109.90
26	BB	792	A	O4'-C1'-N9	-5.94	103.45	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1073	A	N3-C4-C5	-5.94	122.64	126.80
26	BB	2032	G	N1-C2-N3	-5.94	120.34	123.90
40	BP	4	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	AA	278	G	C5-C6-O6	5.93	132.16	128.60
1	AA	1061	G	C1'-O4'-C4'	5.93	114.65	109.90
1	AA	1384	C	C5-C4-N4	-5.93	116.05	120.20
26	BB	24	G	N7-C8-N9	-5.93	110.13	113.10
26	BB	1454	C	C3'-C2'-C1'	-5.93	96.75	101.50
26	BB	1767	G	C6-C5-N7	5.93	133.96	130.40
26	BB	2398	U	C5-C4-O4	5.93	129.46	125.90
26	BB	2656	U	C4-C5-C6	5.93	123.26	119.70
1	AA	741	G	N1-C6-O6	-5.93	116.34	119.90
1	AA	775	G	C5-N7-C8	-5.93	101.33	104.30
2	AB	73	G	N9-C4-C5	5.93	107.77	105.40
10	AJ	154	ARG	NE-CZ-NH1	5.93	123.27	120.30
25	BA	87	U	O4'-C1'-N1	5.93	112.95	108.20
25	BA	106	G	C1'-O4'-C4'	-5.93	105.15	109.90
26	BB	551	G	C5-C6-O6	-5.93	125.04	128.60
1	AA	99	C	C2'-C3'-O3'	5.93	123.19	113.70
1	AA	517	G	O4'-C1'-N9	5.93	112.94	108.20
26	BB	735	A	C6-C5-N7	5.93	136.45	132.30
26	BB	919	U	C2-N3-C4	-5.93	123.44	127.00
26	BB	1394	U	C5'-C4'-C3'	-5.93	106.51	116.00
26	BB	1858	A	C8-N9-C4	-5.93	103.43	105.80
26	BB	2529	G	C4'-C3'-C2'	5.93	108.53	102.60
1	AA	11	G	C4'-C3'-C2'	-5.93	96.67	102.60
1	AA	417	G	C6-C5-N7	-5.93	126.84	130.40
1	AA	546	A	N1-C6-N6	-5.93	115.04	118.60
1	AA	572	A	O4'-C1'-N9	-5.93	103.46	108.20
2	AB	70	C	C5'-C4'-O4'	5.93	116.22	109.10
25	BA	90	C	C1'-O4'-C4'	5.93	114.64	109.90
26	BB	390	U	N3-C2-O2	-5.93	118.05	122.20
26	BB	976	G	N1-C2-N2	-5.93	110.86	116.20
26	BB	1119	U	C6-N1-C2	5.93	124.56	121.00
26	BB	2194	U	N1-C2-N3	5.93	118.46	114.90
26	BB	2276	G	C5-N7-C8	-5.93	101.33	104.30
26	BB	2579	C	C5'-C4'-O4'	5.93	116.22	109.10
1	AA	288	A	C5-C6-N6	-5.93	118.96	123.70
1	AA	334	C	C5-C6-N1	-5.93	118.04	121.00
1	AA	1486	G	N3-C4-C5	-5.93	125.64	128.60
26	BB	423	A	N1-C2-N3	-5.93	126.34	129.30
26	BB	601	C	N3-C4-N4	5.93	122.15	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2550	G	C1'-O4'-C4'	-5.93	105.16	109.90
1	AA	42	G	C2-N3-C4	5.93	114.86	111.90
1	AA	442	G	C5'-C4'-C3'	-5.93	106.52	116.00
1	AA	523	A	C4-C5-C6	-5.93	114.04	117.00
1	AA	1034	G	N3-C2-N2	5.93	124.05	119.90
1	AA	1142	G	C6-N1-C2	-5.93	121.54	125.10
1	AA	1506	U	C3'-C2'-C1'	-5.93	96.76	101.50
4	AD	62	C	N3-C2-O2	-5.93	117.75	121.90
16	AP	108	ARG	NE-CZ-NH2	5.93	123.26	120.30
26	BB	334	C	N3-C4-C5	5.93	124.27	121.90
26	BB	839	U	C2-N3-C4	-5.93	123.44	127.00
26	BB	952	G	C4-C5-N7	-5.93	108.43	110.80
26	BB	1261	C	N3-C2-O2	-5.93	117.75	121.90
26	BB	1409	U	C2-N3-C4	-5.93	123.44	127.00
26	BB	1458	U	N3-C4-O4	5.93	123.55	119.40
26	BB	1669	A	C1'-O4'-C4'	5.93	114.64	109.90
26	BB	1871	A	C4-C5-N7	5.93	113.66	110.70
26	BB	2444	G	N3-C2-N2	-5.93	115.75	119.90
1	AA	297	G	O4'-C1'-N9	5.92	112.94	108.20
1	AA	765	G	C4-N9-C1'	5.92	134.20	126.50
1	AA	792	A	C5-N7-C8	-5.92	100.94	103.90
2	AB	58	A	C4-C5-N7	5.92	113.66	110.70
4	AD	10	G	C5'-C4'-O4'	5.92	116.21	109.10
26	BB	1990	C	C5'-C4'-C3'	-5.92	106.52	116.00
26	BB	2092	U	O4'-C1'-C2'	-5.92	99.88	105.80
26	BB	2471	A	C2-N3-C4	5.92	113.56	110.60
1	AA	62	U	O4'-C4'-C3'	-5.92	98.08	104.00
1	AA	800	G	P-O3'-C3'	5.92	126.81	119.70
2	AB	26	A	N3-C4-C5	-5.92	122.65	126.80
26	BB	506	G	C5'-C4'-O4'	-5.92	101.99	109.10
26	BB	556	A	C3'-C2'-C1'	-5.92	96.76	101.50
26	BB	619	G	N1-C2-N3	-5.92	120.35	123.90
26	BB	1847	A	C5-N7-C8	-5.92	100.94	103.90
26	BB	2322	A	N1-C2-N3	-5.92	126.34	129.30
26	BB	2624	G	O4'-C1'-N9	5.92	112.94	108.20
1	AA	131	A	P-O3'-C3'	5.92	126.81	119.70
1	AA	427	U	O4'-C1'-N1	5.92	112.94	108.20
1	AA	1268	G	C5-N7-C8	-5.92	101.34	104.30
1	AA	1318	A	P-O3'-C3'	5.92	126.81	119.70
5	AE	166	ASP	CB-CG-OD1	-5.92	112.97	118.30
26	BB	137	U	N3-C4-O4	5.92	123.55	119.40
26	BB	1002	G	C1'-O4'-C4'	-5.92	105.16	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1324	G	N7-C8-N9	5.92	116.06	113.10
26	BB	1367	A	C5'-C4'-O4'	5.92	116.21	109.10
26	BB	1952	A	C5-C6-N1	5.92	120.66	117.70
26	BB	2043	C	N3-C4-C5	-5.92	119.53	121.90
26	BB	2056	G	N3-C2-N2	5.92	124.05	119.90
26	BB	2425	A	N3-C4-C5	-5.92	122.66	126.80
26	BB	2621	G	O4'-C1'-C2'	5.92	112.93	107.60
26	BB	2815	C	N3-C4-C5	-5.92	119.53	121.90
44	BT	5	PHE	CB-CG-CD2	-5.92	116.66	120.80
1	AA	1033	G	N1-C2-N2	5.92	121.53	116.20
26	BB	1382	G	C2-N3-C4	5.92	114.86	111.90
26	BB	1804	C	C5-C6-N1	5.92	123.96	121.00
26	BB	2607	G	N7-C8-N9	5.92	116.06	113.10
1	AA	582	C	C5'-C4'-O4'	5.92	116.20	109.10
1	AA	698	G	C3'-C2'-C1'	-5.92	96.77	101.50
1	AA	866	C	C4'-C3'-C2'	-5.92	96.68	102.60
1	AA	899	C	P-O3'-C3'	5.92	126.80	119.70
1	AA	1126	U	O4'-C1'-N1	5.92	112.94	108.20
4	AD	19	G	P-O3'-C3'	5.92	126.80	119.70
26	BB	938	G	C2-N3-C4	5.92	114.86	111.90
26	BB	1200	C	C4-C5-C6	-5.92	114.44	117.40
26	BB	1684	G	C8-N9-C4	-5.92	104.03	106.40
26	BB	2078	C	N3-C4-N4	-5.92	113.86	118.00
26	BB	2700	A	C8-N9-C4	-5.92	103.43	105.80
26	BB	2777	G	C8-N9-C4	-5.92	104.03	106.40
1	AA	193	C	C5'-C4'-O4'	5.92	116.20	109.10
1	AA	1040	U	C5-C4-O4	5.92	129.45	125.90
2	AB	9	A	N7-C8-N9	5.92	116.76	113.80
26	BB	171	U	O4'-C1'-N1	5.92	112.93	108.20
26	BB	489	G	C6-N1-C2	-5.92	121.55	125.10
26	BB	706	A	N7-C8-N9	5.92	116.76	113.80
26	BB	855	G	C5-C6-O6	-5.92	125.05	128.60
26	BB	1387	A	C8-N9-C4	5.92	108.17	105.80
26	BB	1488	C	C5-C4-N4	-5.92	116.06	120.20
26	BB	1545	A	C6-C5-N7	5.92	136.44	132.30
26	BB	2008	C	O4'-C1'-C2'	-5.92	99.88	105.80
26	BB	2603	G	N3-C4-C5	-5.92	125.64	128.60
26	BB	2772	C	C5-C4-N4	-5.92	116.06	120.20
1	AA	363	A	C5-C6-N1	5.92	120.66	117.70
1	AA	903	G	C3'-C2'-C1'	-5.92	96.77	101.50
26	BB	213	A	C6-C5-N7	5.92	136.44	132.30
26	BB	729	G	O5'-C5'-C4'	-5.92	100.46	111.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	782	A	C5-C6-N6	5.92	128.43	123.70
26	BB	1138	G	N7-C8-N9	5.92	116.06	113.10
26	BB	1902	C	C1'-O4'-C4'	5.92	114.63	109.90
26	BB	2482	A	C2-N3-C4	5.92	113.56	110.60
1	AA	601	G	N1-C2-N2	5.91	121.52	116.20
1	AA	957	U	N3-C4-O4	5.91	123.54	119.40
1	AA	1062	U	P-O3'-C3'	5.91	126.80	119.70
2	AB	4	G	C8-N9-C4	-5.91	104.03	106.40
26	BB	1201	U	O5'-C5'-C4'	5.91	122.94	111.70
26	BB	1560	G	C5'-C4'-O4'	5.91	116.20	109.10
26	BB	1598	A	C5-C6-N6	-5.91	118.97	123.70
26	BB	1845	G	C5-C6-N1	5.91	114.46	111.50
26	BB	2162	G	C5-C6-N1	5.91	114.46	111.50
26	BB	2324	U	N1-C2-N3	5.91	118.45	114.90
26	BB	2493	U	C5-C4-O4	5.91	129.45	125.90
26	BB	2769	U	C2-N3-C4	5.91	130.55	127.00
1	AA	775	G	N9-C4-C5	5.91	107.77	105.40
1	AA	1225	A	C5-N7-C8	5.91	106.86	103.90
26	BB	660	C	N1-C2-O2	5.91	122.45	118.90
26	BB	2159	G	C4-C5-N7	-5.91	108.44	110.80
26	BB	2873	A	N9-C4-C5	5.91	108.17	105.80
1	AA	116	A	N9-C1'-C2'	-5.91	105.50	112.00
1	AA	639	G	O4'-C4'-C3'	5.91	110.83	106.10
1	AA	676	A	C4'-C3'-C2'	-5.91	96.69	102.60
1	AA	822	U	C2-N3-C4	-5.91	123.45	127.00
1	AA	1258	G	C4-C5-N7	-5.91	108.44	110.80
1	AA	1465	A	N9-C1'-C2'	-5.91	105.50	112.00
1	AA	1475	G	N3-C2-N2	5.91	124.04	119.90
25	BA	77	U	C5'-C4'-O4'	5.91	116.19	109.10
26	BB	605	G	C6-C5-N7	-5.91	126.85	130.40
26	BB	696	G	C4-C5-C6	5.91	122.35	118.80
26	BB	858	G	O4'-C1'-N9	-5.91	103.47	108.20
26	BB	884	U	N3-C2-O2	-5.91	118.06	122.20
26	BB	1569	A	C8-N9-C4	5.91	108.16	105.80
26	BB	1593	A	O4'-C1'-N9	5.91	112.93	108.20
26	BB	1677	A	C4-C5-N7	5.91	113.66	110.70
26	BB	1685	C	N3-C4-C5	5.91	124.26	121.90
26	BB	2090	A	N9-C4-C5	5.91	108.16	105.80
1	AA	193	C	C4'-C3'-C2'	-5.91	96.69	102.60
1	AA	404	G	O4'-C1'-N9	5.91	112.93	108.20
1	AA	497	G	P-O3'-C3'	5.91	126.79	119.70
1	AA	590	U	C5-C6-N1	-5.91	119.75	122.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	665	A	C5'-C4'-O4'	5.91	116.19	109.10
1	AA	1018	G	O4'-C1'-N9	5.91	112.93	108.20
1	AA	1053	G	N9-C1'-C2'	5.91	121.68	114.00
8	AH	131	ASN	N-CA-CB	-5.91	99.97	110.60
25	BA	25	U	C5-C6-N1	-5.91	119.75	122.70
26	BB	755	U	N3-C2-O2	-5.91	118.06	122.20
26	BB	758	C	C1'-O4'-C4'	-5.91	105.17	109.90
26	BB	986	C	P-O3'-C3'	5.91	126.79	119.70
26	BB	1221	C	C4'-C3'-C2'	-5.91	96.69	102.60
26	BB	1554	U	N3-C4-O4	5.91	123.54	119.40
26	BB	1653	G	C5-N7-C8	-5.91	101.34	104.30
1	AA	173	U	N1-C1'-C2'	5.91	121.68	114.00
1	AA	925	G	O4'-C1'-N9	-5.91	103.47	108.20
1	AA	1331	G	C5-N7-C8	5.91	107.25	104.30
26	BB	2361	G	N3-C2-N2	-5.91	115.77	119.90
1	AA	157	U	C5'-C4'-C3'	5.91	125.45	116.00
1	AA	439	U	C4'-C3'-C2'	-5.91	96.69	102.60
1	AA	634	C	N3-C4-N4	-5.91	113.87	118.00
1	AA	1038	C	C2-N1-C1'	-5.91	112.30	118.80
1	AA	1539	C	C6-N1-C2	5.91	122.66	120.30
4	AD	11	A	N1-C6-N6	-5.91	115.06	118.60
26	BB	65	U	C3'-C2'-C1'	-5.91	96.78	101.50
26	BB	258	G	C4-C5-N7	5.91	113.16	110.80
26	BB	507	A	N1-C2-N3	-5.91	126.35	129.30
26	BB	1417	C	C2-N3-C4	5.91	122.85	119.90
26	BB	2140	G	C4-C5-N7	-5.91	108.44	110.80
26	BB	2349	G	N1-C2-N2	-5.91	110.89	116.20
26	BB	2662	A	C5'-C4'-O4'	5.91	116.19	109.10
1	AA	287	U	C3'-C2'-C1'	5.90	106.22	101.50
1	AA	1009	U	O4'-C1'-N1	5.90	112.92	108.20
3	AC	33	A	O4'-C1'-N9	5.90	112.92	108.20
17	AQ	62	ARG	NE-CZ-NH2	-5.90	117.35	120.30
26	BB	800	A	N9-C4-C5	5.90	108.16	105.80
40	BP	118	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	AA	157	U	C2-N3-C4	-5.90	123.46	127.00
1	AA	241	G	N1-C2-N3	-5.90	120.36	123.90
1	AA	317	U	C5-C4-O4	-5.90	122.36	125.90
1	AA	635	A	C4'-C3'-C2'	-5.90	96.70	102.60
1	AA	1093	A	N7-C8-N9	5.90	116.75	113.80
26	BB	169	G	C8-N9-C4	-5.90	104.04	106.40
26	BB	471	A	C2-N3-C4	-5.90	107.65	110.60
26	BB	697	G	N7-C8-N9	5.90	116.05	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	800	A	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1115	G	C4-C5-N7	5.90	113.16	110.80
26	BB	1286	A	C8-N9-C4	-5.90	103.44	105.80
26	BB	1681	G	N9-C4-C5	-5.90	103.04	105.40
26	BB	1686	C	N3-C4-C5	5.90	124.26	121.90
26	BB	1937	A	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1975	G	N9-C4-C5	5.90	107.76	105.40
26	BB	2146	C	C4-C5-C6	-5.90	114.45	117.40
26	BB	2238	G	C5-C6-O6	-5.90	125.06	128.60
26	BB	2520	C	O4'-C1'-N1	5.90	112.92	108.20
26	BB	2754	U	C2-N3-C4	-5.90	123.46	127.00
1	AA	840	C	C5-C4-N4	5.90	124.33	120.20
1	AA	869	G	N1-C6-O6	-5.90	116.36	119.90
1	AA	973	G	C5-C6-O6	-5.90	125.06	128.60
1	AA	1237	C	C3'-C2'-C1'	5.90	106.22	101.50
1	AA	1474	U	O4'-C1'-N1	5.90	112.92	108.20
25	BA	76	G	N1-C2-N2	-5.90	110.89	116.20
26	BB	831	G	C5-C6-N1	5.90	114.45	111.50
26	BB	1206	G	C6-C5-N7	5.90	133.94	130.40
26	BB	1270	C	C5-C4-N4	5.90	124.33	120.20
26	BB	1530	G	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1548	A	N1-C6-N6	5.90	122.14	118.60
26	BB	1857	G	N1-C6-O6	-5.90	116.36	119.90
26	BB	2542	A	C4'-C3'-C2'	-5.90	96.70	102.60
49	BY	78	PHE	CB-CG-CD1	-5.90	116.67	120.80
1	AA	514	C	N1-C2-O2	5.90	122.44	118.90
26	BB	374	A	C4-C5-C6	-5.90	114.05	117.00
26	BB	1070	A	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1514	G	C2-N3-C4	5.90	114.85	111.90
26	BB	1660	G	N9-C1'-C2'	-5.90	105.51	112.00
26	BB	1891	G	C6-N1-C2	-5.90	121.56	125.10
1	AA	1191	A	C4-C5-N7	-5.90	107.75	110.70
2	AB	6	C	C4-C5-C6	-5.90	114.45	117.40
26	BB	1	G	N1-C6-O6	5.90	123.44	119.90
26	BB	2	G	C5-N7-C8	5.90	107.25	104.30
26	BB	197	A	C2-N3-C4	-5.90	107.65	110.60
26	BB	413	C	N3-C4-C5	-5.90	119.54	121.90
26	BB	717	C	N1-C2-N3	5.90	123.33	119.20
26	BB	1429	G	C4'-C3'-C2'	-5.90	96.70	102.60
26	BB	1608	A	C5-C6-N1	5.90	120.65	117.70
26	BB	1942	C	N3-C4-C5	-5.90	119.54	121.90
26	BB	2224	G	O5'-P-OP1	5.90	117.78	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2297	A	C2-N3-C4	5.90	113.55	110.60
26	BB	2355	G	C6-N1-C2	-5.90	121.56	125.10
26	BB	2528	U	C6-N1-C2	-5.90	117.46	121.00
1	AA	424	G	N9-C4-C5	5.90	107.76	105.40
25	BA	102	G	N3-C4-C5	-5.90	125.65	128.60
26	BB	405	U	C2-N3-C4	-5.90	123.46	127.00
26	BB	417	C	C4'-C3'-C2'	-5.90	96.70	102.60
26	BB	1108	U	P-O3'-C3'	5.90	126.78	119.70
26	BB	2109	U	C5-C6-N1	5.90	125.65	122.70
26	BB	2622	U	N3-C4-O4	-5.90	115.27	119.40
26	BB	2631	G	C8-N9-C1'	5.90	134.66	127.00
1	AA	765	G	O4'-C1'-C2'	-5.89	99.91	105.80
1	AA	832	G	C5-C6-N1	5.89	114.45	111.50
2	AB	15	A	O4'-C1'-N9	5.89	112.92	108.20
26	BB	38	A	C5-N7-C8	5.89	106.85	103.90
26	BB	319	G	C4-C5-C6	5.89	122.34	118.80
26	BB	325	G	N3-C2-N2	-5.89	115.77	119.90
26	BB	531	C	C2-N3-C4	-5.89	116.95	119.90
26	BB	977	G	N3-C2-N2	-5.89	115.77	119.90
26	BB	1032	A	C4-C5-C6	-5.89	114.05	117.00
26	BB	1707	G	C4-C5-C6	5.89	122.34	118.80
26	BB	2490	G	N1-C6-O6	5.89	123.44	119.90
26	BB	2528	U	N1-C2-N3	5.89	118.44	114.90
1	AA	450	G	N1-C2-N3	-5.89	120.36	123.90
1	AA	614	C	C5-C6-N1	5.89	123.95	121.00
1	AA	865	A	C1'-O4'-C4'	5.89	114.61	109.90
1	AA	1370	G	C6-C5-N7	-5.89	126.86	130.40
2	AB	11	U	P-O3'-C3'	5.89	126.77	119.70
2	AB	42	G	C5-C6-O6	-5.89	125.06	128.60
26	BB	1273	U	C5-C4-O4	-5.89	122.36	125.90
26	BB	1342	A	C3'-C2'-C1'	-5.89	96.79	101.50
26	BB	1430	G	C6-N1-C2	-5.89	121.56	125.10
26	BB	1632	A	C1'-O4'-C4'	-5.89	105.19	109.90
26	BB	1654	A	C5-C6-N1	5.89	120.65	117.70
26	BB	2309	A	C5-N7-C8	-5.89	100.95	103.90
26	BB	2895	G	C8-N9-C4	-5.89	104.04	106.40
1	AA	125	U	N3-C4-O4	-5.89	115.28	119.40
1	AA	356	A	C5-C6-N1	5.89	120.65	117.70
1	AA	777	A	P-O3'-C3'	5.89	126.77	119.70
1	AA	1374	A	C5-C6-N1	-5.89	114.75	117.70
2	AB	59	G	N3-C4-N9	5.89	129.53	126.00
5	AE	15	PHE	CB-CG-CD2	5.89	124.92	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	61	C	C4'-C3'-C2'	-5.89	96.71	102.60
26	BB	2734	A	N1-C2-N3	5.89	132.25	129.30
26	BB	2758	A	C4-C5-C6	-5.89	114.06	117.00
1	AA	661	G	C4-N9-C1'	-5.89	118.84	126.50
1	AA	829	G	N7-C8-N9	5.89	116.05	113.10
24	AX	37	TYR	CA-CB-CG	5.89	124.59	113.40
26	BB	65	U	N3-C4-C5	-5.89	111.07	114.60
26	BB	158	U	C3'-C2'-C1'	5.89	106.21	101.50
26	BB	358	U	O4'-C1'-N1	5.89	112.91	108.20
26	BB	502	A	O4'-C1'-N9	5.89	112.91	108.20
26	BB	653	U	P-O3'-C3'	5.89	126.77	119.70
26	BB	1181	U	N1-C2-O2	-5.89	118.68	122.80
26	BB	1306	C	N1-C2-N3	-5.89	115.08	119.20
26	BB	1329	U	C5-C4-O4	5.89	129.43	125.90
26	BB	1387	A	N3-C4-N9	5.89	132.11	127.40
26	BB	1743	G	O3'-P-O5'	-5.89	92.81	104.00
26	BB	1768	C	N3-C4-N4	5.89	122.12	118.00
26	BB	2112	G	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	2854	G	C5-C6-N1	5.89	114.44	111.50
35	BK	89	SER	N-CA-CB	-5.89	101.67	110.50
1	AA	191	G	N1-C6-O6	5.89	123.43	119.90
1	AA	1260	G	O4'-C1'-N9	5.89	112.91	108.20
4	AD	7	G	C6-N1-C2	-5.89	121.57	125.10
26	BB	1061	U	P-O3'-C3'	5.89	126.77	119.70
26	BB	1998	A	C5-C6-N6	-5.89	118.99	123.70
26	BB	2120	G	C2-N3-C4	5.89	114.84	111.90
26	BB	2375	G	C6-C5-N7	5.89	133.93	130.40
43	BS	3	VAL	CA-CB-CG2	5.89	119.73	110.90
1	AA	52	C	C5-C6-N1	-5.89	118.06	121.00
1	AA	541	G	C5-C6-N1	5.89	114.44	111.50
1	AA	739	C	C4'-C3'-C2'	-5.89	96.71	102.60
1	AA	958	A	N9-C4-C5	-5.89	103.45	105.80
1	AA	978	A	C4-C5-N7	5.89	113.64	110.70
1	AA	1360	A	C3'-C2'-C1'	-5.89	96.79	101.50
26	BB	659	G	C4-C5-N7	5.89	113.15	110.80
26	BB	664	G	N3-C4-C5	-5.89	125.66	128.60
26	BB	753	A	C5-N7-C8	-5.89	100.96	103.90
26	BB	930	G	C4-C5-C6	5.89	122.33	118.80
26	BB	1049	C	C4-C5-C6	5.89	120.34	117.40
26	BB	1197	G	C5-N7-C8	-5.89	101.36	104.30
26	BB	1219	U	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	1533	C	O4'-C1'-N1	5.89	112.91	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1555	G	C5-C6-N1	-5.89	108.56	111.50
26	BB	2131	U	C1'-O4'-C4'	-5.89	105.19	109.90
26	BB	2133	G	C4-C5-C6	5.89	122.33	118.80
26	BB	2362	C	OP1-P-OP2	-5.89	110.77	119.60
26	BB	2390	U	O4'-C4'-C3'	-5.89	98.11	104.00
26	BB	2499	C	C5'-C4'-C3'	-5.89	106.58	116.00
26	BB	2808	G	P-O5'-C5'	5.89	130.32	120.90
40	BP	86	ARG	NE-CZ-NH1	5.89	123.24	120.30
1	AA	101	A	C4-C5-N7	-5.88	107.76	110.70
1	AA	406	G	C6-N1-C2	-5.88	121.57	125.10
1	AA	471	U	C6-N1-C2	-5.88	117.47	121.00
1	AA	980	C	C2-N3-C4	5.88	122.84	119.90
1	AA	1121	U	C5-C4-O4	5.88	129.43	125.90
1	AA	1415	G	C5-C6-O6	-5.88	125.07	128.60
7	AG	50	TYR	CG-CD1-CE1	-5.88	116.59	121.30
10	AJ	4	ARG	NE-CZ-NH2	-5.88	117.36	120.30
26	BB	262	A	C8-N9-C4	-5.88	103.45	105.80
26	BB	422	A	O4'-C1'-N9	5.88	112.91	108.20
26	BB	684	G	C8-N9-C4	-5.88	104.05	106.40
26	BB	856	G	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	954	G	N3-C2-N2	5.88	124.02	119.90
26	BB	1651	G	O4'-C1'-C2'	-5.88	99.92	105.80
26	BB	1908	C	C5-C4-N4	5.88	124.32	120.20
26	BB	1928	A	C2-N3-C4	5.88	113.54	110.60
26	BB	2050	C	N3-C4-N4	5.88	122.12	118.00
26	BB	2211	A	P-O3'-C3'	5.88	126.76	119.70
26	BB	2331	G	C8-N9-C4	5.88	108.75	106.40
26	BB	2564	A	N9-C1'-C2'	-5.88	105.53	112.00
26	BB	2628	C	C3'-C2'-C1'	5.88	106.21	101.50
26	BB	2744	G	C4'-C3'-C2'	-5.88	96.72	102.60
39	BO	130	PHE	CB-CG-CD1	-5.88	116.68	120.80
1	AA	547	A	N9-C4-C5	5.88	108.15	105.80
6	AF	202	PHE	CB-CG-CD2	5.88	124.92	120.80
25	BA	105	G	C1'-O4'-C4'	-5.88	105.19	109.90
26	BB	514	A	N7-C8-N9	5.88	116.74	113.80
26	BB	664	G	N7-C8-N9	5.88	116.04	113.10
26	BB	1084	A	N7-C8-N9	5.88	116.74	113.80
26	BB	1173	U	N3-C4-O4	5.88	123.52	119.40
26	BB	1751	U	C2-N3-C4	-5.88	123.47	127.00
26	BB	2314	A	O4'-C1'-N9	5.88	112.91	108.20
31	BG	96	TRP	CG-CD1-NE1	5.88	115.98	110.10
43	BS	69	ARG	NE-CZ-NH1	5.88	123.24	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	156	C	N3-C4-C5	5.88	124.25	121.90
1	AA	238	A	N9-C4-C5	5.88	108.15	105.80
1	AA	252	U	N1-C2-O2	5.88	126.92	122.80
1	AA	900	A	N7-C8-N9	-5.88	110.86	113.80
1	AA	973	G	P-O3'-C3'	5.88	126.76	119.70
1	AA	1061	G	C5-N7-C8	-5.88	101.36	104.30
1	AA	1341	U	C5-C6-N1	-5.88	119.76	122.70
26	BB	54	G	C5-C6-N1	5.88	114.44	111.50
26	BB	660	C	N3-C2-O2	-5.88	117.78	121.90
26	BB	1089	A	C6-C5-N7	5.88	136.42	132.30
26	BB	1373	A	N9-C1'-C2'	-5.88	105.53	112.00
26	BB	1378	A	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	1584	U	O4'-C1'-N1	5.88	112.91	108.20
26	BB	2149	U	O4'-C1'-N1	5.88	112.90	108.20
26	BB	2505	G	C6-N1-C2	-5.88	121.57	125.10
26	BB	2767	C	N3-C4-N4	5.88	122.12	118.00
1	AA	307	C	C5-C6-N1	-5.88	118.06	121.00
1	AA	656	G	O4'-C1'-N9	5.88	112.90	108.20
1	AA	820	U	N3-C4-O4	5.88	123.52	119.40
3	AC	46	C	C3'-C2'-C1'	-5.88	96.80	101.50
26	BB	252	G	C5-C6-N1	5.88	114.44	111.50
26	BB	515	A	C6-C5-N7	5.88	136.42	132.30
26	BB	978	G	C4-C5-N7	-5.88	108.45	110.80
26	BB	1528	A	C3'-C2'-C1'	5.88	106.20	101.50
26	BB	2189	U	N1-C2-O2	5.88	126.92	122.80
26	BB	2209	G	N3-C2-N2	-5.88	115.78	119.90
26	BB	2243	U	C1'-O4'-C4'	5.88	114.60	109.90
26	BB	2884	U	N1-C2-N3	5.88	118.43	114.90
1	AA	132	C	C3'-C2'-C1'	5.88	106.20	101.50
1	AA	164	G	P-O3'-C3'	5.88	126.75	119.70
1	AA	520	A	C5-C6-N1	-5.88	114.76	117.70
1	AA	1341	U	C5-C4-O4	-5.88	122.37	125.90
1	AA	1364	U	C5'-C4'-O4'	5.88	116.15	109.10
26	BB	620	G	C4-C5-N7	5.88	113.15	110.80
26	BB	808	G	N3-C4-C5	-5.88	125.66	128.60
26	BB	889	C	C1'-O4'-C4'	5.88	114.60	109.90
26	BB	1126	A	C1'-O4'-C4'	-5.88	105.20	109.90
26	BB	1147	A	C5-C6-N6	-5.88	119.00	123.70
26	BB	1218	G	C5-C6-O6	5.88	132.13	128.60
26	BB	1259	G	C6-N1-C2	-5.88	121.57	125.10
26	BB	1397	U	C6-N1-C2	-5.88	117.47	121.00
26	BB	1451	C	N3-C4-N4	5.88	122.11	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1473	G	N1-C6-O6	-5.88	116.37	119.90
26	BB	2366	A	C4'-C3'-C2'	5.88	108.48	102.60
26	BB	2724	U	P-O3'-C3'	5.88	126.75	119.70
1	AA	51	A	C8-N9-C4	-5.88	103.45	105.80
1	AA	478	A	C4-C5-C6	-5.88	114.06	117.00
1	AA	1406	U	N3-C4-O4	5.88	123.51	119.40
26	BB	383	C	C5-C6-N1	5.88	123.94	121.00
26	BB	559	G	N3-C4-N9	5.88	129.53	126.00
26	BB	1044	C	C5-C6-N1	5.88	123.94	121.00
26	BB	1110	G	C5-C6-O6	-5.88	125.07	128.60
26	BB	1251	C	O4'-C4'-C3'	5.88	110.80	106.10
26	BB	1737	G	N9-C4-C5	5.88	107.75	105.40
26	BB	1881	C	O4'-C4'-C3'	5.88	110.80	106.10
26	BB	2007	U	C6-N1-C2	5.88	124.53	121.00
26	BB	2226	C	C5'-C4'-O4'	5.88	116.15	109.10
1	AA	818	G	C3'-C2'-C1'	-5.88	96.80	101.50
1	AA	1296	C	P-O3'-C3'	5.88	126.75	119.70
1	AA	1362	A	C5-N7-C8	-5.88	100.96	103.90
12	AL	5	TYR	CB-CG-CD2	-5.88	117.47	121.00
26	BB	809	G	N1-C2-N3	5.88	127.42	123.90
26	BB	963	U	O4'-C1'-N1	5.88	112.90	108.20
26	BB	1685	C	N1-C2-O2	5.88	122.42	118.90
26	BB	1742	U	N3-C2-O2	-5.88	118.09	122.20
1	AA	161	A	C4-C5-N7	5.87	113.64	110.70
1	AA	533	A	C6-N1-C2	-5.87	115.08	118.60
1	AA	853	C	C5-C4-N4	-5.87	116.09	120.20
1	AA	1306	A	C5-N7-C8	-5.87	100.96	103.90
1	AA	1306	A	N9-C4-C5	5.87	108.15	105.80
26	BB	248	G	C4'-C3'-C2'	-5.87	96.73	102.60
26	BB	274	C	C2-N3-C4	-5.87	116.96	119.90
26	BB	736	C	C6-N1-C2	5.87	122.65	120.30
26	BB	1148	U	N1-C2-N3	5.87	118.42	114.90
26	BB	1497	U	N3-C4-O4	5.87	123.51	119.40
26	BB	1849	G	C5-N7-C8	5.87	107.24	104.30
26	BB	2721	A	C4-C5-N7	-5.87	107.76	110.70
1	AA	62	U	N1-C2-N3	5.87	118.42	114.90
1	AA	225	C	N3-C4-C5	5.87	124.25	121.90
1	AA	774	G	N9-C4-C5	5.87	107.75	105.40
1	AA	937	A	C4-C5-N7	-5.87	107.76	110.70
1	AA	1237	C	C5-C4-N4	-5.87	116.09	120.20
1	AA	1371	G	C4'-C3'-C2'	-5.87	96.73	102.60
2	AB	44	G	C6-N1-C2	-5.87	121.58	125.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	51	G	C5-C6-O6	-5.87	125.08	128.60
26	BB	203	A	P-O3'-C3'	5.87	126.75	119.70
26	BB	429	A	C8-N9-C4	-5.87	103.45	105.80
26	BB	1346	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	1595	C	N1-C2-O2	5.87	122.42	118.90
26	BB	1867	G	P-O3'-C3'	5.87	126.75	119.70
26	BB	2252	G	C4'-C3'-C2'	-5.87	96.73	102.60
26	BB	2760	C	C1'-O4'-C4'	-5.87	105.20	109.90
1	AA	630	A	N1-C2-N3	-5.87	126.36	129.30
1	AA	1462	C	C4-C5-C6	-5.87	114.47	117.40
3	AC	19	A	O4'-C1'-N9	5.87	112.90	108.20
25	BA	57	A	C2'-C3'-O3'	5.87	123.09	113.70
26	BB	268	C	C5-C4-N4	5.87	124.31	120.20
26	BB	331	C	N1-C1'-C2'	5.87	121.63	114.00
26	BB	1559	U	N3-C4-O4	5.87	123.51	119.40
26	BB	2040	G	N3-C4-C5	-5.87	125.67	128.60
26	BB	2248	C	C6-N1-C1'	5.87	127.84	120.80
26	BB	2306	C	N3-C2-O2	-5.87	117.79	121.90
26	BB	2401	U	O4'-C1'-N1	5.87	112.90	108.20
1	AA	174	A	C5-C6-N6	-5.87	119.00	123.70
1	AA	522	C	C5-C6-N1	5.87	123.93	121.00
1	AA	880	C	C1'-O4'-C4'	5.87	114.59	109.90
26	BB	89	A	C5'-C4'-O4'	5.87	116.14	109.10
26	BB	707	G	C2-N3-C4	5.87	114.83	111.90
26	BB	941	A	C5-N7-C8	5.87	106.83	103.90
26	BB	988	A	C1'-O4'-C4'	-5.87	105.20	109.90
26	BB	1011	G	N1-C6-O6	-5.87	116.38	119.90
26	BB	1087	G	C8-N9-C1'	5.87	134.63	127.00
26	BB	1968	G	N1-C6-O6	5.87	123.42	119.90
26	BB	1995	U	N1-C2-N3	5.87	118.42	114.90
26	BB	2286	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	2543	G	C5'-C4'-C3'	-5.87	106.61	116.00
26	BB	2639	A	N9-C4-C5	-5.87	103.45	105.80
26	BB	2900	A	C5-C6-N6	-5.87	119.01	123.70
25	BA	57	A	O5'-P-OP2	-5.87	100.42	105.70
26	BB	723	C	N1-C2-O2	-5.87	115.38	118.90
26	BB	761	A	C3'-C2'-C1'	5.87	106.19	101.50
26	BB	1172	C	C2'-C3'-O3'	5.87	123.09	113.70
26	BB	1232	G	C4-C5-N7	5.87	113.15	110.80
26	BB	1430	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	2010	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	2056	G	C4-C5-C6	5.87	122.32	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	253	A	N1-C6-N6	5.87	122.12	118.60
1	AA	388	G	O4'-C1'-N9	5.87	112.89	108.20
1	AA	606	G	C5'-C4'-C3'	-5.87	106.61	116.00
1	AA	677	U	C4-C5-C6	5.87	123.22	119.70
1	AA	822	U	C4-C5-C6	5.87	123.22	119.70
1	AA	1159	U	O4'-C4'-C3'	5.87	110.79	106.10
1	AA	1268	G	C4'-C3'-C2'	-5.87	96.73	102.60
7	AG	64	TYR	CG-CD2-CE2	5.87	125.99	121.30
25	BA	96	G	C5-N7-C8	-5.87	101.37	104.30
26	BB	14	A	C1'-O4'-C4'	-5.87	105.21	109.90
26	BB	380	G	N3-C2-N2	-5.87	115.79	119.90
26	BB	1696	G	N3-C2-N2	-5.87	115.79	119.90
26	BB	1863	G	C4-C5-C6	5.87	122.32	118.80
26	BB	1998	A	N7-C8-N9	-5.87	110.87	113.80
26	BB	2203	U	C5-C6-N1	-5.87	119.77	122.70
26	BB	2388	A	N1-C2-N3	-5.87	126.37	129.30
26	BB	2882	A	C5'-C4'-O4'	5.87	116.14	109.10
1	AA	179	A	C4-C5-N7	-5.86	107.77	110.70
1	AA	286	C	C5-C6-N1	-5.86	118.07	121.00
1	AA	344	A	C5-N7-C8	-5.86	100.97	103.90
1	AA	626	G	C5-N7-C8	-5.86	101.37	104.30
1	AA	762	U	C3'-C2'-C1'	5.86	106.19	101.50
1	AA	1099	G	C5'-C4'-O4'	-5.86	102.06	109.10
1	AA	1121	U	N1-C2-O2	-5.86	118.70	122.80
1	AA	1174	G	C4-C5-C6	-5.86	115.28	118.80
1	AA	1222	G	C5-N7-C8	-5.86	101.37	104.30
26	BB	1356	G	C4-N9-C1'	-5.86	118.88	126.50
26	BB	1666	G	C4-C5-N7	-5.86	108.45	110.80
26	BB	2317	A	N7-C8-N9	5.86	116.73	113.80
26	BB	2402	U	C4-C5-C6	5.86	123.22	119.70
26	BB	2579	C	N1-C2-O2	5.86	122.42	118.90
26	BB	2705	A	O4'-C1'-N9	5.86	112.89	108.20
26	BB	2859	G	O5'-P-OP1	-5.86	100.42	105.70
1	AA	1141	C	N1-C2-N3	-5.86	115.10	119.20
26	BB	2124	G	C5-C6-N1	5.86	114.43	111.50
1	AA	534	U	C6-N1-C2	-5.86	117.48	121.00
1	AA	651	C	C4-C5-C6	-5.86	114.47	117.40
1	AA	660	C	N3-C4-N4	5.86	122.10	118.00
1	AA	824	G	C4-C5-N7	-5.86	108.46	110.80
1	AA	1101	A	C5-N7-C8	-5.86	100.97	103.90
1	AA	1279	G	C5-N7-C8	-5.86	101.37	104.30
1	AA	1488	G	C4-C5-N7	-5.86	108.46	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AK	116	ARG	NE-CZ-NH2	-5.86	117.37	120.30
12	AL	5	TYR	CB-CG-CD1	5.86	124.52	121.00
13	AM	97	ASP	CB-CG-OD2	-5.86	113.03	118.30
26	BB	831	G	N3-C2-N2	-5.86	115.80	119.90
26	BB	1474	U	N3-C4-C5	5.86	118.12	114.60
26	BB	1545	A	N1-C6-N6	-5.86	115.08	118.60
26	BB	1665	A	N1-C6-N6	5.86	122.12	118.60
26	BB	2148	G	C5-C6-O6	-5.86	125.08	128.60
26	BB	2282	G	C4'-C3'-C2'	-5.86	96.74	102.60
26	BB	2526	G	C4'-C3'-C2'	-5.86	96.74	102.60
38	BN	71	ALA	N-CA-CB	-5.86	101.89	110.10
1	AA	7	A	N9-C4-C5	5.86	108.14	105.80
1	AA	1167	A	N7-C8-N9	5.86	116.73	113.80
1	AA	1452	C	N3-C4-C5	5.86	124.24	121.90
1	AA	1539	C	N3-C2-O2	5.86	126.00	121.90
26	BB	973	A	P-O3'-C3'	5.86	126.73	119.70
1	AA	239	U	N3-C4-O4	-5.86	115.30	119.40
1	AA	481	G	C5-N7-C8	5.86	107.23	104.30
1	AA	498	A	C5-C6-N1	5.86	120.63	117.70
1	AA	912	C	O4'-C4'-C3'	-5.86	98.14	104.00
1	AA	1165	U	C6-N1-C2	-5.86	117.48	121.00
1	AA	1313	U	C5-C6-N1	-5.86	119.77	122.70
1	AA	1475	G	C2-N3-C4	5.86	114.83	111.90
24	AX	36	PHE	CB-CG-CD1	5.86	124.90	120.80
26	BB	535	G	O4'-C1'-N9	5.86	112.89	108.20
26	BB	585	G	N3-C4-C5	-5.86	125.67	128.60
26	BB	590	A	N9-C1'-C2'	-5.86	105.56	112.00
26	BB	823	C	C5'-C4'-C3'	-5.86	106.63	116.00
26	BB	840	C	C6-N1-C2	-5.86	117.96	120.30
26	BB	1450	G	C4-C5-N7	5.86	113.14	110.80
26	BB	2755	C	N3-C4-N4	-5.86	113.90	118.00
28	BD	212	TRP	NE1-CE2-CZ2	5.86	136.84	130.40
1	AA	55	A	C8-N9-C4	5.86	108.14	105.80
1	AA	258	G	N1-C2-N3	-5.86	120.39	123.90
1	AA	853	C	C2-N3-C4	-5.86	116.97	119.90
25	BA	6	G	C2-N3-C4	5.86	114.83	111.90
25	BA	44	G	O3'-P-O5'	-5.86	92.87	104.00
25	BA	45	A	C5-N7-C8	-5.86	100.97	103.90
26	BB	85	G	C5'-C4'-O4'	5.86	116.13	109.10
26	BB	657	U	O4'-C1'-N1	5.86	112.89	108.20
26	BB	664	G	N3-C4-N9	-5.86	122.49	126.00
26	BB	1067	A	C8-N9-C4	-5.86	103.46	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1131	G	C5-N7-C8	-5.86	101.37	104.30
26	BB	1160	G	C6-N1-C2	-5.86	121.59	125.10
26	BB	1515	A	N1-C6-N6	-5.86	115.09	118.60
26	BB	1768	C	C4'-C3'-C2'	-5.86	96.74	102.60
26	BB	1849	G	N9-C4-C5	5.86	107.74	105.40
26	BB	2137	U	C5'-C4'-C3'	-5.86	106.63	116.00
26	BB	2765	A	C5'-C4'-O4'	5.86	116.13	109.10
37	BM	76	VAL	CA-CB-CG1	5.86	119.68	110.90
1	AA	77	A	C5-C6-N6	-5.85	119.02	123.70
1	AA	353	A	C2'-C3'-O3'	5.85	123.07	113.70
25	BA	107	G	C8-N9-C4	-5.85	104.06	106.40
26	BB	130	C	C2-N3-C4	-5.85	116.97	119.90
26	BB	182	A	C6-N1-C2	-5.85	115.09	118.60
26	BB	362	A	C1'-O4'-C4'	5.85	114.58	109.90
26	BB	157	C	C5-C6-N1	5.85	123.93	121.00
26	BB	285	G	C6-N1-C2	-5.85	121.59	125.10
26	BB	307	G	N1-C2-N2	-5.85	110.93	116.20
26	BB	463	G	C3'-C2'-C1'	5.85	106.18	101.50
26	BB	825	A	C6-N1-C2	-5.85	115.09	118.60
26	BB	828	U	N3-C4-O4	-5.85	115.30	119.40
26	BB	1309	G	C3'-C2'-C1'	-5.85	96.82	101.50
26	BB	1508	A	C8-N9-C4	5.85	108.14	105.80
26	BB	1553	A	C4-C5-N7	5.85	113.63	110.70
26	BB	2012	G	C4-C5-N7	-5.85	108.46	110.80
1	AA	864	A	P-O3'-C3'	5.85	126.72	119.70
1	AA	1031	C	C5-C6-N1	5.85	123.93	121.00
26	BB	974	G	N3-C4-N9	5.85	129.51	126.00
26	BB	2644	G	C5'-C4'-O4'	-5.85	102.08	109.10
26	BB	2706	A	N9-C1'-C2'	-5.85	105.56	112.00
28	BD	65	ASP	CB-CG-OD2	-5.85	113.03	118.30
40	BP	36	THR	CA-CB-CG2	5.85	120.59	112.40
1	AA	135	C	C5-C4-N4	5.85	124.30	120.20
1	AA	533	A	O4'-C4'-C3'	5.85	110.78	106.10
1	AA	1204	A	C5-C6-N1	5.85	120.62	117.70
26	BB	484	C	C4-C5-C6	-5.85	114.48	117.40
26	BB	1264	A	N9-C4-C5	5.85	108.14	105.80
26	BB	1793	C	O4'-C4'-C3'	-5.85	98.15	104.00
26	BB	2070	A	C6-C5-N7	5.85	136.40	132.30
26	BB	2230	G	N3-C4-C5	-5.85	125.68	128.60
26	BB	2595	G	O4'-C4'-C3'	5.85	110.78	106.10
1	AA	926	G	N3-C4-C5	-5.85	125.68	128.60
1	AA	1162	C	C2-N3-C4	-5.85	116.98	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1217	C	C4'-C3'-C2'	-5.85	96.75	102.60
1	AA	1321	U	O4'-C1'-N1	5.85	112.88	108.20
26	BB	49	A	C8-N9-C4	-5.85	103.46	105.80
26	BB	84	A	O4'-C1'-N9	5.85	112.88	108.20
26	BB	890	C	O4'-C1'-C2'	-5.85	99.95	105.80
26	BB	1041	G	C4'-C3'-C2'	-5.85	96.75	102.60
26	BB	1072	C	C5-C4-N4	-5.85	116.11	120.20
26	BB	1729	U	C4-C5-C6	5.85	123.21	119.70
26	BB	2264	C	P-O3'-C3'	5.85	126.72	119.70
26	BB	2436	G	C8-N9-C1'	5.85	134.60	127.00
1	AA	1213	A	C2'-C3'-O3'	5.85	123.05	113.70
26	BB	177	G	N3-C4-C5	-5.85	125.68	128.60
26	BB	688	U	C2-N3-C4	-5.85	123.49	127.00
26	BB	713	G	C6-C5-N7	-5.85	126.89	130.40
26	BB	987	C	C5-C4-N4	-5.85	116.11	120.20
26	BB	1484	U	C5'-C4'-C3'	-5.85	106.65	116.00
26	BB	1735	A	C4-C5-C6	-5.85	114.08	117.00
1	AA	165	G	N3-C4-C5	-5.84	125.68	128.60
1	AA	229	U	N3-C4-O4	-5.84	115.31	119.40
1	AA	468	A	C6-N1-C2	5.84	122.11	118.60
4	AD	58	A	C4'-C3'-C2'	-5.84	96.76	102.60
26	BB	346	A	N9-C1'-C2'	-5.84	105.57	112.00
26	BB	399	U	N1-C1'-C2'	-5.84	105.57	112.00
26	BB	549	G	O4'-C1'-C2'	5.84	112.86	107.60
26	BB	1251	C	P-O3'-C3'	5.84	126.71	119.70
26	BB	1368	G	C2-N3-C4	-5.84	108.98	111.90
26	BB	1759	A	C5-C6-N1	-5.84	114.78	117.70
26	BB	1828	G	C5-N7-C8	-5.84	101.38	104.30
26	BB	2198	A	N9-C4-C5	5.84	108.14	105.80
26	BB	2621	G	C6-N1-C2	-5.84	121.59	125.10
1	AA	339	C	C6-N1-C2	-5.84	117.96	120.30
1	AA	627	G	C6-C5-N7	5.84	133.91	130.40
21	AU	62	ARG	CD-NE-CZ	5.84	131.78	123.60
26	BB	807	U	N3-C2-O2	-5.84	118.11	122.20
26	BB	1388	G	C5-C6-N1	5.84	114.42	111.50
26	BB	1594	U	C4-C5-C6	5.84	123.21	119.70
26	BB	2071	A	C4'-C3'-C2'	-5.84	96.76	102.60
1	AA	830	G	C8-N9-C4	-5.84	104.06	106.40
1	AA	1106	G	N1-C6-O6	-5.84	116.39	119.90
1	AA	1453	G	C5-N7-C8	-5.84	101.38	104.30
26	BB	137	U	C6-N1-C1'	5.84	129.38	121.20
26	BB	321	U	N3-C2-O2	-5.84	118.11	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1431	A	C3'-C2'-C1'	-5.84	96.83	101.50
26	BB	1434	A	C4-C5-N7	-5.84	107.78	110.70
26	BB	2469	A	N1-C6-N6	-5.84	115.09	118.60
34	BJ	17	VAL	CA-CB-CG1	-5.84	102.14	110.90
1	AA	487	A	C4-C5-N7	5.84	113.62	110.70
1	AA	820	U	C5-C4-O4	-5.84	122.40	125.90
1	AA	885	G	N1-C6-O6	5.84	123.40	119.90
1	AA	1027	C	C4'-C3'-C2'	-5.84	96.76	102.60
2	AB	74	C	O3'-P-O5'	5.84	115.10	104.00
6	AF	135	ARG	NE-CZ-NH1	-5.84	117.38	120.30
25	BA	81	G	C5-C6-N1	5.84	114.42	111.50
26	BB	164	C	C5-C4-N4	5.84	124.29	120.20
26	BB	301	G	C5-N7-C8	-5.84	101.38	104.30
26	BB	391	A	C1'-O4'-C4'	5.84	114.57	109.90
26	BB	507	A	C3'-C2'-C1'	5.84	106.17	101.50
26	BB	575	A	O4'-C1'-N9	5.84	112.87	108.20
26	BB	683	U	C6-N1-C2	-5.84	117.50	121.00
26	BB	1233	C	N3-C2-O2	-5.84	117.81	121.90
26	BB	1297	C	C4-C5-C6	-5.84	114.48	117.40
26	BB	1674	G	C5-C6-N1	-5.84	108.58	111.50
26	BB	1815	A	C4-C5-C6	5.84	119.92	117.00
26	BB	1951	U	P-O5'-C5'	5.84	130.24	120.90
26	BB	2424	C	OP1-P-O3'	5.84	118.05	105.20
26	BB	2486	C	N1-C1'-C2'	-5.84	105.58	112.00
38	BN	78	ARG	NE-CZ-NH1	5.84	123.22	120.30
1	AA	34	C	N3-C4-C5	-5.84	119.56	121.90
1	AA	748	G	C4'-C3'-C2'	-5.84	96.76	102.60
1	AA	974	A	C5-N7-C8	-5.84	100.98	103.90
1	AA	1166	G	N3-C4-N9	5.84	129.50	126.00
1	AA	1333	A	C5-N7-C8	5.84	106.82	103.90
19	AS	35	ARG	CD-NE-CZ	5.84	131.77	123.60
26	BB	809	G	C2'-C3'-O3'	5.84	123.04	113.70
26	BB	1105	U	O4'-C1'-N1	5.84	112.87	108.20
26	BB	1191	G	O4'-C4'-C3'	5.84	110.77	106.10
26	BB	1815	A	O4'-C1'-N9	5.84	112.87	108.20
26	BB	2052	A	C8-N9-C4	5.84	108.14	105.80
26	BB	2092	U	N1-C2-N3	-5.84	111.40	114.90
26	BB	2455	G	O4'-C1'-C2'	-5.84	99.96	105.80
26	BB	2695	U	O4'-C4'-C3'	5.84	110.77	106.10
1	AA	58	C	N1-C2-O2	5.84	122.40	118.90
1	AA	88	U	C4-C5-C6	5.84	123.20	119.70
1	AA	448	A	N9-C4-C5	5.84	108.14	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	563	A	N1-C2-N3	-5.84	126.38	129.30
1	AA	950	U	C5'-C4'-O4'	5.84	116.10	109.10
1	AA	1109	C	N1-C2-N3	-5.84	115.11	119.20
1	AA	1111	A	C5-N7-C8	-5.84	100.98	103.90
1	AA	1301	U	O4'-C1'-N1	5.84	112.87	108.20
26	BB	330	A	O4'-C4'-C3'	5.84	110.77	106.10
26	BB	761	A	C2-N3-C4	5.84	113.52	110.60
26	BB	1738	G	C5'-C4'-C3'	-5.84	106.66	116.00
26	BB	1872	A	N7-C8-N9	5.84	116.72	113.80
26	BB	1922	G	C6-N1-C2	-5.84	121.60	125.10
26	BB	2312	U	N3-C2-O2	-5.84	118.11	122.20
26	BB	2393	U	C4'-C3'-C2'	-5.84	96.76	102.60
26	BB	2539	C	N1-C2-O2	5.84	122.40	118.90
26	BB	2603	G	C5-C6-O6	5.84	132.10	128.60
34	BJ	124	ARG	NE-CZ-NH1	5.84	123.22	120.30
1	AA	24	U	N1-C2-O2	5.83	126.88	122.80
1	AA	105	G	C8-N9-C4	-5.83	104.07	106.40
1	AA	520	A	N1-C2-N3	-5.83	126.38	129.30
1	AA	1266	G	O4'-C1'-C2'	-5.83	99.97	105.80
26	BB	597	G	O4'-C1'-N9	5.83	112.87	108.20
26	BB	654	A	C4-C5-C6	5.83	119.92	117.00
26	BB	730	A	C4-C5-N7	-5.83	107.78	110.70
26	BB	1087	G	C5-C6-O6	-5.83	125.10	128.60
26	BB	1166	G	C8-N9-C4	-5.83	104.07	106.40
26	BB	1929	G	O5'-C5'-C4'	5.83	122.79	111.70
26	BB	2100	G	N9-C4-C5	5.83	107.73	105.40
26	BB	2158	A	C3'-C2'-C1'	5.83	106.17	101.50
26	BB	2286	G	C4-C5-N7	5.83	113.13	110.80
1	AA	90	C	C5-C4-N4	-5.83	116.12	120.20
1	AA	620	C	C1'-O4'-C4'	5.83	114.57	109.90
1	AA	945	G	C6-N1-C2	-5.83	121.60	125.10
1	AA	1347	G	C1'-O4'-C4'	-5.83	105.23	109.90
5	AE	138	ARG	NH1-CZ-NH2	-5.83	112.98	119.40
25	BA	94	A	O4'-C1'-N9	5.83	112.87	108.20
26	BB	52	A	N3-C4-C5	5.83	130.88	126.80
26	BB	249	C	C3'-C2'-C1'	-5.83	96.83	101.50
26	BB	411	G	N3-C4-N9	-5.83	122.50	126.00
26	BB	785	G	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	1682	G	C4-C5-C6	5.83	122.30	118.80
26	BB	2041	U	C5-C6-N1	5.83	125.62	122.70
26	BB	2152	G	N1-C2-N3	-5.83	120.40	123.90
26	BB	2203	U	N1-C2-O2	5.83	126.88	122.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2424	C	C5-C4-N4	-5.83	116.12	120.20
26	BB	2557	G	N9-C1'-C2'	-5.83	105.58	112.00
26	BB	2767	C	C3'-C2'-C1'	5.83	106.17	101.50
1	AA	37	U	C4-C5-C6	-5.83	116.20	119.70
1	AA	165	G	N1-C2-N2	5.83	121.45	116.20
1	AA	553	A	C4'-C3'-C2'	-5.83	96.77	102.60
1	AA	1194	U	O4'-C4'-C3'	5.83	110.77	106.10
1	AA	1418	A	N3-C4-N9	-5.83	122.73	127.40
1	AA	1433	A	C6-N1-C2	5.83	122.10	118.60
1	AA	1470	U	P-O3'-C3'	5.83	126.70	119.70
1	AA	1485	U	C5-C4-O4	5.83	129.40	125.90
2	AB	57	G	P-O3'-C3'	5.83	126.70	119.70
10	AJ	137	ARG	NE-CZ-NH1	5.83	123.22	120.30
26	BB	1	G	N3-C4-N9	5.83	129.50	126.00
26	BB	703	U	P-O3'-C3'	5.83	126.70	119.70
26	BB	761	A	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	831	G	C3'-C2'-C1'	-5.83	96.83	101.50
26	BB	842	U	C4-C5-C6	-5.83	116.20	119.70
26	BB	905	A	C5-N7-C8	-5.83	100.98	103.90
26	BB	907	G	O4'-C1'-N9	5.83	112.86	108.20
26	BB	1509	A	C4-C5-C6	-5.83	114.08	117.00
26	BB	2616	C	C6-N1-C2	-5.83	117.97	120.30
26	BB	2714	G	C2-N3-C4	-5.83	108.98	111.90
26	BB	2742	G	C4-C5-C6	5.83	122.30	118.80
1	AA	1447	A	N3-C4-N9	-5.83	122.74	127.40
26	BB	415	A	N3-C4-C5	-5.83	122.72	126.80
26	BB	774	G	C8-N9-C4	-5.83	104.07	106.40
26	BB	1081	U	C5-C6-N1	-5.83	119.78	122.70
26	BB	2410	G	C8-N9-C4	-5.83	104.07	106.40
38	BN	50	PHE	CB-CG-CD1	5.83	124.88	120.80
1	AA	42	G	N3-C4-C5	-5.83	125.69	128.60
1	AA	471	U	N3-C2-O2	-5.83	118.12	122.20
1	AA	940	C	C1'-O4'-C4'	-5.83	105.24	109.90
1	AA	1319	A	C5'-C4'-C3'	-5.83	106.67	116.00
1	AA	1527	U	P-O3'-C3'	5.83	126.69	119.70
4	AD	34	U	C6-N1-C2	-5.83	117.50	121.00
26	BB	83	A	C5-C6-N6	5.83	128.36	123.70
26	BB	457	A	N9-C4-C5	5.83	108.13	105.80
26	BB	488	G	O4'-C4'-C3'	-5.83	98.17	104.00
26	BB	649	G	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	744	U	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	1217	U	N3-C2-O2	-5.83	118.12	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1262	A	C2-N3-C4	5.83	113.51	110.60
26	BB	1498	C	C2-N3-C4	-5.83	116.99	119.90
26	BB	1827	U	O4'-C1'-N1	5.83	112.86	108.20
26	BB	2028	U	C3'-C2'-C1'	-5.83	96.84	101.50
26	BB	2087	G	C8-N9-C1'	5.83	134.58	127.00
26	BB	2295	C	O4'-C4'-C3'	5.83	110.76	106.10
26	BB	2372	U	O5'-P-OP2	-5.83	100.45	105.70
26	BB	2378	A	C6-N1-C2	5.83	122.10	118.60
26	BB	2473	U	N3-C4-C5	5.83	118.10	114.60
26	BB	2533	U	C5'-C4'-C3'	-5.83	106.67	116.00
1	AA	611	C	N3-C4-N4	-5.83	113.92	118.00
1	AA	1016	A	C5-C6-N1	-5.83	114.79	117.70
1	AA	1099	G	N3-C4-N9	-5.83	122.50	126.00
1	AA	1396	A	N3-C4-C5	-5.83	122.72	126.80
25	BA	53	A	N1-C6-N6	-5.83	115.10	118.60
26	BB	1449	G	C5'-C4'-C3'	-5.83	106.68	116.00
26	BB	1759	A	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	1828	G	C5-C6-N1	-5.83	108.59	111.50
1	AA	402	G	C5-N7-C8	5.83	107.21	104.30
1	AA	570	G	C1'-O4'-C4'	5.83	114.56	109.90
1	AA	734	G	N7-C8-N9	5.83	116.01	113.10
1	AA	1058	G	N1-C2-N2	-5.83	110.96	116.20
1	AA	1235	U	C4'-C3'-C2'	-5.83	96.78	102.60
1	AA	1271	A	P-O3'-C3'	5.83	126.69	119.70
1	AA	1313	U	N1-C2-O2	-5.83	118.72	122.80
1	AA	1401	G	C6-N1-C2	-5.83	121.61	125.10
6	AF	17	TRP	CD1-NE1-CE2	5.83	114.24	109.00
6	AF	96	VAL	CA-CB-CG2	5.83	119.64	110.90
26	BB	458	G	N1-C6-O6	-5.83	116.41	119.90
26	BB	537	G	C4-C5-C6	5.83	122.30	118.80
26	BB	784	G	C5-N7-C8	-5.83	101.39	104.30
26	BB	1130	U	C5-C4-O4	5.83	129.40	125.90
26	BB	1157	G	N1-C2-N2	5.83	121.44	116.20
26	BB	1228	G	C5'-C4'-O4'	5.83	116.09	109.10
26	BB	2315	G	C6-C5-N7	-5.83	126.91	130.40
26	BB	2695	U	C5-C4-O4	-5.83	122.41	125.90
1	AA	551	U	C5'-C4'-C3'	-5.82	106.68	116.00
1	AA	987	G	C5'-C4'-O4'	5.82	116.09	109.10
1	AA	1185	G	N1-C2-N3	-5.82	120.41	123.90
3	AC	16	A	C4-C5-C6	-5.82	114.09	117.00
4	AD	41	C	N3-C4-N4	5.82	122.08	118.00
4	AD	52	C	OP1-P-OP2	-5.82	110.86	119.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AH	28	ARG	CA-CB-CG	5.82	126.21	113.40
26	BB	168	G	N3-C2-N2	-5.82	115.82	119.90
26	BB	190	A	C5'-C4'-O4'	5.82	116.09	109.10
26	BB	1166	G	C3'-C2'-C1'	5.82	106.16	101.50
26	BB	1423	G	C6-C5-N7	5.82	133.89	130.40
26	BB	1527	G	P-O3'-C3'	5.82	126.69	119.70
26	BB	1598	A	N3-C4-N9	5.82	132.06	127.40
26	BB	1930	G	C5'-C4'-C3'	5.82	125.32	116.00
26	BB	2088	A	N7-C8-N9	5.82	116.71	113.80
26	BB	2229	U	O4'-C1'-N1	5.82	112.86	108.20
26	BB	2300	C	C5'-C4'-O4'	5.82	116.09	109.10
26	BB	2325	G	C3'-C2'-C1'	-5.82	96.84	101.50
26	BB	2482	A	C5-C6-N6	-5.82	119.04	123.70
26	BB	2699	C	C5'-C4'-O4'	5.82	116.09	109.10
26	BB	2710	C	C4-C5-C6	-5.82	114.49	117.40
26	BB	2732	G	C5-N7-C8	5.82	107.21	104.30
57	B6	13	PHE	CZ-CE2-CD2	-5.82	113.11	120.10
1	AA	1054	C	N1-C2-N3	5.82	123.28	119.20
2	AB	8	4SU	P-O3'-C3'	5.82	126.69	119.70
26	BB	698	C	C2-N3-C4	-5.82	116.99	119.90
26	BB	2684	U	C3'-C2'-C1'	5.82	106.16	101.50
1	AA	758	C	N1-C2-N3	-5.82	115.12	119.20
1	AA	888	G	N9-C4-C5	5.82	107.73	105.40
1	AA	965	U	O4'-C1'-N1	5.82	112.86	108.20
1	AA	968	A	N7-C8-N9	-5.82	110.89	113.80
1	AA	1306	A	N7-C8-N9	5.82	116.71	113.80
1	AA	1346	A	N9-C1'-C2'	-5.82	105.60	112.00
26	BB	146	A	N3-C4-C5	-5.82	122.72	126.80
26	BB	249	C	P-O3'-C3'	5.82	126.69	119.70
26	BB	403	U	C4-C5-C6	5.82	123.19	119.70
26	BB	538	A	C2-N3-C4	-5.82	107.69	110.60
26	BB	1257	C	C5-C4-N4	-5.82	116.13	120.20
26	BB	1470	A	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	2001	C	N3-C2-O2	-5.82	117.83	121.90
26	BB	2083	G	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	2380	C	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2416	C	C6-N1-C2	5.82	122.63	120.30
26	BB	2576	G	N3-C2-N2	-5.82	115.83	119.90
26	BB	2647	U	N3-C4-C5	5.82	118.09	114.60
26	BB	2670	A	O4'-C4'-C3'	-5.82	98.18	104.00
26	BB	2749	A	C6-C5-N7	5.82	136.37	132.30
1	AA	228	A	C5-C6-N1	-5.82	114.79	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1292	G	N3-C4-N9	5.82	129.49	126.00
26	BB	498	G	O4'-C1'-N9	5.82	112.86	108.20
26	BB	623	C	C4-C5-C6	5.82	120.31	117.40
26	BB	1092	C	C2-N3-C4	5.82	122.81	119.90
26	BB	1257	C	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	1294	U	C2-N3-C4	-5.82	123.51	127.00
26	BB	2138	G	N1-C6-O6	-5.82	116.41	119.90
26	BB	2282	G	N3-C4-N9	5.82	129.49	126.00
1	AA	114	U	N1-C2-N3	5.82	118.39	114.90
1	AA	1038	C	C3'-C2'-C1'	5.82	106.15	101.50
25	BA	116	G	O4'-C1'-C2'	5.82	112.84	107.60
26	BB	92	U	N1-C2-N3	5.82	118.39	114.90
26	BB	106	C	C1'-O4'-C4'	-5.82	105.25	109.90
26	BB	113	U	N1-C2-N3	5.82	118.39	114.90
26	BB	134	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	494	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	529	A	N7-C8-N9	5.82	116.71	113.80
26	BB	540	C	N3-C2-O2	-5.82	117.83	121.90
26	BB	594	U	N3-C4-O4	5.82	123.47	119.40
26	BB	613	A	C8-N9-C4	-5.82	103.47	105.80
26	BB	2505	G	O4'-C1'-C2'	-5.82	99.98	105.80
26	BB	2755	C	C3'-C2'-C1'	5.82	106.15	101.50
1	AA	255	G	O4'-C1'-N9	5.82	112.85	108.20
1	AA	932	C	O4'-C1'-N1	5.82	112.85	108.20
1	AA	1022	A	O4'-C1'-N9	5.82	112.85	108.20
1	AA	1385	G	N9-C4-C5	5.82	107.73	105.40
2	AB	69	C	N3-C4-C5	-5.82	119.57	121.90
3	AC	17	U	N1-C1'-C2'	-5.82	105.60	112.00
4	AD	35	C	C5'-C4'-O4'	5.82	116.08	109.10
4	AD	64	G	C8-N9-C4	-5.82	104.07	106.40
15	AO	93	ARG	NE-CZ-NH2	-5.82	117.39	120.30
26	BB	250	G	P-O5'-C5'	5.82	130.21	120.90
26	BB	882	G	N1-C6-O6	-5.82	116.41	119.90
26	BB	1123	C	N1-C1'-C2'	-5.82	105.60	112.00
26	BB	1228	G	O4'-C1'-N9	5.82	112.85	108.20
26	BB	1878	G	C6-C5-N7	5.82	133.89	130.40
26	BB	2242	G	N3-C4-C5	-5.82	125.69	128.60
26	BB	2274	A	O4'-C1'-N9	5.82	112.85	108.20
31	BG	68	LYS	CA-CB-CG	5.82	126.19	113.40
1	AA	549	C	C4-C5-C6	-5.81	114.49	117.40
4	AD	38	A	C4-C5-N7	5.81	113.61	110.70
26	BB	34	U	C6-N1-C2	-5.81	117.51	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	161	A	N7-C8-N9	-5.81	110.89	113.80
26	BB	923	G	O4'-C4'-C3'	-5.81	98.19	104.00
26	BB	1005	C	P-O3'-C3'	5.81	126.68	119.70
26	BB	1104	C	C5-C4-N4	5.81	124.27	120.20
26	BB	1317	G	C8-N9-C4	-5.81	104.07	106.40
42	BR	50	ARG	NE-CZ-NH1	5.81	123.21	120.30
1	AA	78	A	P-O5'-C5'	5.81	130.20	120.90
1	AA	134	G	C3'-C2'-C1'	-5.81	96.85	101.50
1	AA	584	G	C8-N9-C4	-5.81	104.08	106.40
1	AA	952	U	N3-C4-C5	-5.81	111.11	114.60
1	AA	1119	C	N1-C1'-C2'	-5.81	105.61	112.00
1	AA	1301	U	C4-C5-C6	-5.81	116.21	119.70
1	AA	1397	C	N1-C2-N3	-5.81	115.13	119.20
1	AA	1507	A	C6-C5-N7	-5.81	128.23	132.30
25	BA	72	G	C8-N9-C4	-5.81	104.08	106.40
26	BB	877	A	O4'-C4'-C3'	-5.81	98.19	104.00
26	BB	905	A	N9-C1'-C2'	-5.81	105.61	112.00
26	BB	1333	G	C5-N7-C8	-5.81	101.39	104.30
26	BB	1440	U	N1-C2-N3	-5.81	111.41	114.90
26	BB	1619	G	C2-N3-C4	5.81	114.81	111.90
26	BB	1658	C	C3'-C2'-C1'	5.81	106.15	101.50
26	BB	1855	U	N3-C4-O4	5.81	123.47	119.40
26	BB	1987	A	C6-C5-N7	5.81	136.37	132.30
26	BB	2290	G	C5'-C4'-C3'	-5.81	106.70	116.00
26	BB	2655	G	N7-C8-N9	5.81	116.01	113.10
26	BB	2693	G	C5'-C4'-O4'	5.81	116.08	109.10
1	AA	1037	C	C2-N3-C4	-5.81	117.00	119.90
1	AA	1187	G	N9-C1'-C2'	-5.81	105.61	112.00
1	AA	1487	G	C5'-C4'-O4'	5.81	116.07	109.10
26	BB	346	A	C3'-C2'-C1'	-5.81	96.85	101.50
26	BB	752	A	N3-C4-C5	-5.81	122.73	126.80
26	BB	1017	G	C8-N9-C1'	5.81	134.55	127.00
26	BB	1617	C	O4'-C4'-C3'	5.81	110.75	106.10
1	AA	230	G	N9-C1'-C2'	-5.81	105.61	112.00
1	AA	545	C	N3-C4-C5	-5.81	119.58	121.90
1	AA	1167	A	P-O3'-C3'	5.81	126.67	119.70
1	AA	1215	G	C5-N7-C8	-5.81	101.39	104.30
4	AD	48	U	C5-C4-O4	5.81	129.39	125.90
26	BB	532	A	C4'-C3'-C2'	-5.81	96.79	102.60
26	BB	578	G	C4'-C3'-C2'	-5.81	96.79	102.60
26	BB	983	A	N7-C8-N9	5.81	116.70	113.80
26	BB	1339	G	N1-C2-N3	-5.81	120.41	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1418	G	N3-C4-C5	5.81	131.50	128.60
26	BB	1624	U	N3-C4-O4	5.81	123.47	119.40
26	BB	2049	G	N3-C2-N2	-5.81	115.83	119.90
26	BB	2141	G	C5-C6-O6	5.81	132.09	128.60
41	BQ	64	TYR	CG-CD2-CE2	-5.81	116.65	121.30
1	AA	226	G	N3-C4-N9	-5.81	122.52	126.00
1	AA	582	C	C1'-O4'-C4'	-5.81	105.25	109.90
1	AA	784	A	C5'-C4'-C3'	-5.81	106.71	116.00
1	AA	870	U	C5-C4-O4	5.81	129.38	125.90
1	AA	908	A	C5-C6-N6	-5.81	119.05	123.70
3	AC	24	A	N1-C6-N6	5.81	122.08	118.60
20	AT	47	ASP	CB-CG-OD1	-5.81	113.07	118.30
26	BB	236	C	N1-C1'-C2'	-5.81	105.61	112.00
26	BB	322	A	C5-C6-N1	5.81	120.60	117.70
26	BB	634	C	N3-C4-N4	5.81	122.06	118.00
26	BB	708	G	O4'-C1'-C2'	-5.81	99.99	105.80
26	BB	1540	G	O4'-C1'-N9	5.81	112.85	108.20
26	BB	2684	U	C5-C6-N1	-5.81	119.80	122.70
26	BB	2866	U	N1-C2-O2	5.81	126.87	122.80
1	AA	35	G	C5-N7-C8	5.81	107.20	104.30
1	AA	158	G	C4-C5-C6	-5.81	115.32	118.80
1	AA	365	U	C1'-O4'-C4'	-5.81	105.25	109.90
1	AA	394	G	C1'-O4'-C4'	-5.81	105.25	109.90
1	AA	399	G	C4'-C3'-C2'	-5.81	96.79	102.60
1	AA	460	A	C1'-O4'-C4'	5.81	114.55	109.90
26	BB	302	C	C5'-C4'-C3'	-5.81	106.71	116.00
26	BB	376	G	C6-N1-C2	-5.81	121.62	125.10
26	BB	880	G	O4'-C1'-N9	5.81	112.84	108.20
26	BB	2244	U	C5'-C4'-O4'	5.81	116.07	109.10
1	AA	1320	C	C4-C5-C6	-5.80	114.50	117.40
25	BA	3	C	C6-N1-C2	5.80	122.62	120.30
25	BA	85	G	C5-N7-C8	-5.80	101.40	104.30
26	BB	406	G	C5-C6-O6	-5.80	125.12	128.60
26	BB	561	G	P-O3'-C3'	5.80	126.67	119.70
26	BB	638	G	C1'-O4'-C4'	-5.80	105.26	109.90
26	BB	1445	G	N3-C4-N9	5.80	129.48	126.00
26	BB	1595	C	N1-C2-N3	-5.80	115.14	119.20
26	BB	1652	A	C2-N3-C4	-5.80	107.70	110.60
26	BB	2522	U	C6-N1-C2	5.80	124.48	121.00
1	AA	94	G	N1-C6-O6	5.80	123.38	119.90
1	AA	109	A	C5'-C4'-O4'	5.80	116.06	109.10
26	BB	221	A	O4'-C1'-C2'	-5.80	100.00	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	456	C	N3-C2-O2	-5.80	117.84	121.90
26	BB	1389	G	N3-C4-C5	-5.80	125.70	128.60
26	BB	1703	G	P-O3'-C3'	5.80	126.66	119.70
26	BB	1854	A	C5-C6-N6	-5.80	119.06	123.70
26	BB	2184	A	C4'-C3'-C2'	-5.80	96.80	102.60
26	BB	2822	G	C4'-C3'-C2'	-5.80	96.80	102.60
43	BS	47	ARG	NE-CZ-NH2	5.80	123.20	120.30
1	AA	243	A	C3'-C2'-C1'	5.80	106.14	101.50
1	AA	247	G	C5'-C4'-O4'	5.80	116.06	109.10
1	AA	1342	C	O4'-C1'-N1	5.80	112.84	108.20
4	AD	12	G	C6-C5-N7	5.80	133.88	130.40
19	AS	55	ASP	CB-CG-OD2	5.80	123.52	118.30
26	BB	225	C	P-O3'-C3'	5.80	126.66	119.70
26	BB	239	C	N3-C4-C5	-5.80	119.58	121.90
26	BB	829	A	N9-C1'-C2'	5.80	121.54	114.00
26	BB	1065	U	O4'-C1'-N1	5.80	112.84	108.20
26	BB	1268	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	1681	G	C6-N1-C2	-5.80	121.62	125.10
26	BB	1718	G	N9-C4-C5	5.80	107.72	105.40
26	BB	2031	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	2102	G	N3-C4-C5	-5.80	125.70	128.60
26	BB	2707	U	N3-C4-O4	5.80	123.46	119.40
1	AA	92	U	N1-C2-N3	5.80	118.38	114.90
1	AA	148	G	N1-C6-O6	5.80	123.38	119.90
1	AA	248	C	P-O3'-C3'	5.80	126.66	119.70
1	AA	510	A	C8-N9-C4	-5.80	103.48	105.80
1	AA	1334	G	N1-C6-O6	-5.80	116.42	119.90
4	AD	53	G	C5-N7-C8	-5.80	101.40	104.30
26	BB	24	G	C4-C5-N7	-5.80	108.48	110.80
26	BB	256	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	289	G	C8-N9-C4	-5.80	104.08	106.40
26	BB	308	G	C1'-O4'-C4'	5.80	114.54	109.90
26	BB	345	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	1011	G	O4'-C1'-N9	5.80	112.84	108.20
26	BB	1610	A	C4-C5-C6	5.80	119.90	117.00
26	BB	1616	A	C5'-C4'-O4'	5.80	116.06	109.10
26	BB	1756	G	C5-C6-N1	5.80	114.40	111.50
29	BE	11	MET	CA-CB-CG	5.80	123.16	113.30
1	AA	28	A	C2-N3-C4	5.80	113.50	110.60
1	AA	1319	A	N1-C2-N3	5.80	132.20	129.30
26	BB	1514	G	N3-C4-N9	5.80	129.48	126.00
26	BB	2075	U	C5-C4-O4	-5.80	122.42	125.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	152	A	C3'-C2'-C1'	5.80	106.14	101.50
1	AA	274	A	O4'-C1'-N9	5.80	112.84	108.20
2	AB	7	G	C3'-C2'-C1'	5.80	106.14	101.50
6	AF	25	THR	CA-CB-OG1	5.80	121.17	109.00
25	BA	50	A	C2-N3-C4	5.80	113.50	110.60
26	BB	163	C	C2-N3-C4	5.80	122.80	119.90
26	BB	924	G	N1-C2-N2	5.80	121.42	116.20
26	BB	1092	C	C4-C5-C6	-5.80	114.50	117.40
26	BB	1336	A	C5-C6-N1	5.80	120.60	117.70
26	BB	1435	G	C6-N1-C2	-5.80	121.62	125.10
26	BB	1478	G	N3-C4-N9	5.80	129.48	126.00
26	BB	1517	G	C8-N9-C4	-5.80	104.08	106.40
26	BB	1973	G	N3-C2-N2	5.80	123.96	119.90
26	BB	1995	U	C6-N1-C2	-5.80	117.52	121.00
26	BB	2117	A	N1-C6-N6	5.80	122.08	118.60
26	BB	2185	U	P-O3'-C3'	5.80	126.66	119.70
26	BB	2255	G	C6-N1-C2	-5.80	121.62	125.10
26	BB	2746	U	N1-C1'-C2'	-5.80	105.62	112.00
38	BN	50	PHE	CB-CG-CD2	-5.80	116.74	120.80
1	AA	768	A	N1-C2-N3	-5.79	126.40	129.30
1	AA	1289	A	O4'-C1'-C2'	-5.79	100.00	105.80
1	AA	1483	A	C5-C6-N1	5.79	120.60	117.70
3	AC	33	A	N9-C4-C5	-5.79	103.48	105.80
26	BB	50	U	N1-C2-N3	5.79	118.38	114.90
26	BB	1645	G	C6-C5-N7	5.79	133.88	130.40
26	BB	2743	U	C4'-C3'-O3'	5.79	124.59	113.00
1	AA	714	G	C5'-C4'-O4'	5.79	116.05	109.10
1	AA	742	G	C5'-C4'-O4'	5.79	116.05	109.10
1	AA	1047	G	C1'-O4'-C4'	-5.79	105.27	109.90
1	AA	1340	A	C4'-C3'-C2'	-5.79	96.81	102.60
4	AD	17	C	N3-C2-O2	-5.79	117.84	121.90
26	BB	27	G	O4'-C1'-N9	5.79	112.83	108.20
26	BB	177	G	C3'-C2'-C1'	5.79	106.14	101.50
26	BB	296	U	N3-C4-C5	-5.79	111.12	114.60
26	BB	622	G	C5-C6-O6	-5.79	125.12	128.60
26	BB	875	G	N9-C1'-C2'	-5.79	105.63	112.00
26	BB	1208	C	C4'-C3'-C2'	-5.79	96.81	102.60
26	BB	1482	G	C3'-C2'-C1'	5.79	106.14	101.50
26	BB	1562	U	C5-C6-N1	-5.79	119.80	122.70
26	BB	2760	C	N3-C4-C5	-5.79	119.58	121.90
1	AA	158	G	O4'-C1'-C2'	5.79	112.81	107.60
1	AA	708	C	O4'-C1'-C2'	5.79	112.81	107.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	887	G	C4'-C3'-C2'	5.79	108.39	102.60
1	AA	888	G	N7-C8-N9	5.79	116.00	113.10
1	AA	1525	G	O4'-C1'-N9	5.79	112.83	108.20
9	AI	113	ARG	NE-CZ-NH1	5.79	123.20	120.30
26	BB	567	U	N3-C4-C5	-5.79	111.12	114.60
26	BB	572	A	C5-N7-C8	-5.79	101.00	103.90
26	BB	953	G	N9-C1'-C2'	-5.79	105.63	112.00
26	BB	1245	G	C4-C5-N7	-5.79	108.48	110.80
26	BB	1449	G	N9-C1'-C2'	-5.79	105.63	112.00
26	BB	1875	G	N7-C8-N9	5.79	116.00	113.10
26	BB	1920	C	C3'-C2'-C1'	-5.79	96.87	101.50
26	BB	2149	U	C5'-C4'-O4'	5.79	116.05	109.10
26	BB	2211	A	C6-C5-N7	5.79	136.35	132.30
26	BB	2212	A	N1-C6-N6	5.79	122.08	118.60
26	BB	2275	C	C6-N1-C2	-5.79	117.98	120.30
26	BB	2589	A	C5-C6-N6	5.79	128.33	123.70
1	AA	355	C	C6-N1-C2	-5.79	117.98	120.30
1	AA	536	C	N1-C1'-C2'	-5.79	105.63	112.00
26	BB	1753	G	C5-C6-O6	-5.79	125.13	128.60
26	BB	2530	A	P-O5'-C5'	5.79	130.16	120.90
1	AA	17	U	N3-C4-C5	5.79	118.07	114.60
1	AA	236	A	N1-C2-N3	-5.79	126.41	129.30
1	AA	985	C	C3'-C2'-C1'	5.79	106.13	101.50
1	AA	1244	G	N3-C4-C5	-5.79	125.70	128.60
2	AB	12	U	C2-N3-C4	-5.79	123.53	127.00
26	BB	80	G	N7-C8-N9	5.79	115.99	113.10
26	BB	570	G	N9-C1'-C2'	5.79	121.53	114.00
26	BB	960	A	C3'-C2'-C1'	-5.79	96.87	101.50
26	BB	1203	U	N3-C4-C5	5.79	118.07	114.60
26	BB	1626	A	C6-N1-C2	-5.79	115.13	118.60
26	BB	2115	G	C1'-O4'-C4'	-5.79	105.27	109.90
1	AA	290	C	C5-C4-N4	-5.79	116.15	120.20
26	BB	467	G	C5-C6-N1	5.79	114.39	111.50
26	BB	2801	G	N1-C6-O6	5.79	123.37	119.90
1	AA	163	C	O4'-C1'-N1	5.79	112.83	108.20
1	AA	639	G	N7-C8-N9	5.79	115.99	113.10
1	AA	740	U	C4-C5-C6	5.79	123.17	119.70
1	AA	746	A	N9-C1'-C2'	-5.79	105.64	112.00
1	AA	945	G	O4'-C1'-N9	5.79	112.83	108.20
1	AA	1266	G	N1-C6-O6	-5.79	116.43	119.90
1	AA	1325	C	C6-N1-C1'	5.79	127.74	120.80
1	AA	1350	A	C6-C5-N7	5.79	136.35	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1396	A	O4'-C1'-C2'	5.79	112.81	107.60
2	AB	15	A	N1-C2-N3	-5.79	126.41	129.30
3	AC	47	C	C5'-C4'-O4'	5.79	116.04	109.10
5	AE	34	ARG	NE-CZ-NH2	-5.79	117.41	120.30
25	BA	84	G	C1'-O4'-C4'	-5.79	105.27	109.90
26	BB	25	U	N1-C1'-C2'	-5.79	105.64	112.00
26	BB	44	A	P-O3'-C3'	5.79	126.64	119.70
26	BB	1054	A	C5-C6-N1	5.79	120.59	117.70
26	BB	1275	A	N9-C4-C5	5.79	108.11	105.80
26	BB	1468	U	N1-C2-N3	-5.79	111.43	114.90
26	BB	1568	G	C2-N3-C4	5.79	114.79	111.90
26	BB	1829	A	C4'-C3'-C2'	-5.79	96.81	102.60
26	BB	2252	G	N3-C2-N2	5.79	123.95	119.90
26	BB	2651	C	C2-N3-C4	5.79	122.79	119.90
26	BB	2844	G	C4'-C3'-C2'	-5.79	96.81	102.60
28	BD	166	ARG	NE-CZ-NH2	-5.79	117.41	120.30
1	AA	337	G	C2-N3-C4	-5.78	109.01	111.90
1	AA	603	U	O4'-C1'-C2'	5.78	112.81	107.60
1	AA	1182	G	N9-C4-C5	-5.78	103.09	105.40
26	BB	756	A	C1'-O4'-C4'	-5.78	105.27	109.90
26	BB	910	A	C8-N9-C4	-5.78	103.49	105.80
26	BB	1089	A	C5-N7-C8	5.78	106.79	103.90
26	BB	1190	G	C3'-C2'-C1'	-5.78	96.87	101.50
26	BB	1590	A	C6-N1-C2	5.78	122.07	118.60
26	BB	1678	A	C4-C5-C6	5.78	119.89	117.00
26	BB	1763	G	N1-C2-N2	5.78	121.41	116.20
26	BB	2122	U	C2-N3-C4	-5.78	123.53	127.00
1	AA	875	U	C2-N3-C4	-5.78	123.53	127.00
1	AA	1386	G	C8-N9-C1'	5.78	134.52	127.00
26	BB	134	G	O4'-C1'-C2'	-5.78	100.02	105.80
26	BB	1005	C	N3-C4-N4	-5.78	113.95	118.00
26	BB	1435	G	N9-C4-C5	5.78	107.71	105.40
26	BB	1712	U	P-O3'-C3'	5.78	126.64	119.70
1	AA	212	G	C4-C5-N7	-5.78	108.49	110.80
1	AA	810	C	C3'-C2'-C1'	5.78	106.12	101.50
1	AA	857	C	C5-C6-N1	5.78	123.89	121.00
1	AA	1186	G	N3-C4-N9	-5.78	122.53	126.00
1	AA	1337	G	N7-C8-N9	5.78	115.99	113.10
26	BB	343	C	C5-C6-N1	-5.78	118.11	121.00
26	BB	518	G	P-O3'-C3'	5.78	126.64	119.70
26	BB	818	G	N3-C4-N9	5.78	129.47	126.00
26	BB	921	C	N3-C4-N4	5.78	122.05	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1079	C	C5'-C4'-O4'	5.78	116.04	109.10
26	BB	1272	A	C2-N3-C4	5.78	113.49	110.60
26	BB	1777	U	C3'-C2'-C1'	-5.78	96.88	101.50
26	BB	1852	U	C4'-C3'-C2'	-5.78	96.82	102.60
28	BD	18	VAL	CA-CB-CG1	5.78	119.57	110.90
36	BL	125	TYR	CB-CG-CD1	-5.78	117.53	121.00
9	AI	44	ARG	NE-CZ-NH2	-5.78	117.41	120.30
26	BB	464	U	O4'-C1'-N1	5.78	112.82	108.20
26	BB	1464	G	C5-C6-O6	-5.78	125.13	128.60
26	BB	2523	G	N3-C4-C5	-5.78	125.71	128.60
1	AA	49	U	C2-N3-C4	-5.78	123.53	127.00
1	AA	82	G	O4'-C1'-N9	5.78	112.82	108.20
1	AA	274	A	N3-C4-N9	5.78	132.02	127.40
1	AA	635	A	C4-C5-C6	5.78	119.89	117.00
1	AA	651	C	C5'-C4'-C3'	-5.78	106.76	116.00
1	AA	705	G	C4-C5-C6	5.78	122.27	118.80
1	AA	1041	G	C6-N1-C2	5.78	128.57	125.10
26	BB	193	U	N1-C2-O2	5.78	126.84	122.80
26	BB	233	A	C5-C6-N6	-5.78	119.08	123.70
26	BB	272	A	C5-C6-N1	5.78	120.59	117.70
26	BB	452	G	N7-C8-N9	5.78	115.99	113.10
26	BB	630	G	N9-C1'-C2'	-5.78	105.64	112.00
26	BB	645	C	O4'-C1'-N1	5.78	112.82	108.20
26	BB	936	A	C5'-C4'-C3'	-5.78	106.76	116.00
26	BB	1377	G	C4'-C3'-C2'	-5.78	96.82	102.60
26	BB	1659	G	N9-C1'-C2'	-5.78	105.64	112.00
26	BB	1817	G	C8-N9-C1'	5.78	134.51	127.00
26	BB	1954	G	C8-N9-C4	5.78	108.71	106.40
26	BB	2404	U	O4'-C1'-C2'	-5.78	100.02	105.80
26	BB	2576	G	N7-C8-N9	-5.78	110.21	113.10
26	BB	2588	G	C5'-C4'-O4'	5.78	116.03	109.10
26	BB	2887	A	C5-C6-N1	5.78	120.59	117.70
1	AA	557	G	C4-C5-N7	-5.78	108.49	110.80
1	AA	739	C	O4'-C1'-N1	5.78	112.82	108.20
1	AA	1192	C	C3'-C2'-C1'	-5.78	96.88	101.50
4	AD	42	C	C3'-C2'-C1'	5.78	106.12	101.50
6	AF	83	VAL	CA-CB-CG1	5.78	119.56	110.90
26	BB	102	U	N3-C4-O4	5.78	123.44	119.40
26	BB	292	U	N1-C2-O2	5.78	126.84	122.80
26	BB	775	G	C6-N1-C2	-5.78	121.63	125.10
26	BB	961	C	N1-C1'-C2'	5.78	121.51	114.00
26	BB	1038	G	C5-N7-C8	-5.78	101.41	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1393	A	C2-N3-C4	5.78	113.49	110.60
26	BB	1455	G	C6-N1-C2	-5.78	121.64	125.10
26	BB	1858	A	N3-C4-N9	5.78	132.02	127.40
26	BB	2526	G	C3'-C2'-C1'	5.78	106.12	101.50
26	BB	2665	A	O4'-C4'-C3'	5.78	110.72	106.10
1	AA	362	G	C4-C5-N7	5.77	113.11	110.80
1	AA	628	G	N1-C2-N3	-5.77	120.44	123.90
26	BB	301	G	C5-C6-N1	5.77	114.39	111.50
26	BB	1328	A	C4-C5-N7	-5.77	107.81	110.70
1	AA	149	A	C4-C5-N7	-5.77	107.81	110.70
4	AD	46	G	C4-C5-C6	5.77	122.26	118.80
19	AS	70	ARG	NH1-CZ-NH2	5.77	125.75	119.40
26	BB	15	G	C5'-C4'-C3'	5.77	125.24	116.00
26	BB	34	U	N1-C2-O2	5.77	126.84	122.80
26	BB	357	C	C2-N3-C4	5.77	122.79	119.90
26	BB	889	C	P-O3'-C3'	5.77	126.63	119.70
26	BB	1187	G	N7-C8-N9	5.77	115.99	113.10
26	BB	2027	G	C5-C6-N1	-5.77	108.61	111.50
26	BB	2744	G	N1-C6-O6	-5.77	116.44	119.90
31	BG	124	ARG	NE-CZ-NH2	-5.77	117.41	120.30
1	AA	809	G	N1-C2-N2	-5.77	111.01	116.20
26	BB	108	G	C4-C5-N7	-5.77	108.49	110.80
26	BB	2134	A	C6-N1-C2	-5.77	115.14	118.60
26	BB	2329	U	C5-C4-O4	5.77	129.36	125.90
26	BB	2441	U	C6-N1-C2	-5.77	117.54	121.00
1	AA	130	A	N3-C4-C5	-5.77	122.76	126.80
1	AA	260	G	C3'-C2'-C1'	-5.77	96.88	101.50
1	AA	460	A	N1-C6-N6	5.77	122.06	118.60
1	AA	1074	G	N7-C8-N9	5.77	115.98	113.10
26	BB	31	C	N1-C2-O2	5.77	122.36	118.90
26	BB	68	G	C6-C5-N7	5.77	133.86	130.40
26	BB	117	G	N3-C2-N2	-5.77	115.86	119.90
26	BB	489	G	OP1-P-OP2	5.77	128.25	119.60
26	BB	1352	U	O4'-C4'-C3'	-5.77	98.23	104.00
26	BB	1668	A	C4-C5-N7	-5.77	107.81	110.70
26	BB	1711	A	C4-C5-C6	-5.77	114.12	117.00
26	BB	1880	U	C5-C6-N1	5.77	125.58	122.70
29	BE	46	ARG	NE-CZ-NH1	5.77	123.19	120.30
1	AA	167	A	C3'-C2'-C1'	5.77	106.11	101.50
1	AA	291	U	C5-C4-O4	-5.77	122.44	125.90
1	AA	414	A	N9-C1'-C2'	-5.77	105.66	112.00
1	AA	786	G	C5-C6-O6	-5.77	125.14	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	835	U	C2-N3-C4	-5.77	123.54	127.00
1	AA	843	U	C5'-C4'-C3'	-5.77	106.77	116.00
1	AA	863	U	C3'-C2'-C1'	5.77	106.11	101.50
1	AA	1440	U	C5-C6-N1	-5.77	119.82	122.70
26	BB	534	U	C2-N3-C4	-5.77	123.54	127.00
26	BB	630	G	N1-C6-O6	-5.77	116.44	119.90
26	BB	725	G	C4-C5-N7	-5.77	108.49	110.80
26	BB	901	C	C4-C5-C6	5.77	120.28	117.40
26	BB	984	A	N9-C4-C5	-5.77	103.49	105.80
26	BB	1469	A	N7-C8-N9	-5.77	110.92	113.80
1	AA	288	A	C2-N3-C4	5.77	113.48	110.60
1	AA	497	G	C5-N7-C8	-5.77	101.42	104.30
1	AA	561	U	C2-N3-C4	-5.77	123.54	127.00
1	AA	739	C	C2-N1-C1'	5.77	125.14	118.80
1	AA	834	U	O4'-C1'-N1	5.77	112.81	108.20
26	BB	146	A	C4-C5-N7	-5.77	107.82	110.70
26	BB	838	C	C5-C4-N4	5.77	124.24	120.20
26	BB	2124	G	C6-N1-C2	-5.77	121.64	125.10
26	BB	2429	G	C4-C5-C6	5.77	122.26	118.80
1	AA	316	C	C5'-C4'-C3'	-5.76	106.78	116.00
1	AA	570	G	O4'-C1'-N9	5.76	112.81	108.20
1	AA	678	U	C4-C5-C6	5.76	123.16	119.70
1	AA	868	C	C5'-C4'-O4'	5.76	116.02	109.10
1	AA	1186	G	N1-C6-O6	5.76	123.36	119.90
1	AA	1284	C	C5-C4-N4	-5.76	116.16	120.20
2	AB	48	U	C3'-C2'-C1'	5.76	106.11	101.50
25	BA	95	U	N3-C2-O2	-5.76	118.17	122.20
26	BB	34	U	P-O3'-C3'	5.76	126.62	119.70
26	BB	1345	C	C2-N3-C4	5.76	122.78	119.90
26	BB	1361	G	C4-C5-C6	5.76	122.26	118.80
26	BB	1602	U	C3'-C2'-C1'	5.76	106.11	101.50
26	BB	1640	A	C5-N7-C8	5.76	106.78	103.90
26	BB	1988	G	C4-C5-C6	5.76	122.26	118.80
26	BB	2206	C	C1'-O4'-C4'	5.76	114.51	109.90
26	BB	2491	U	C3'-C2'-C1'	-5.76	96.89	101.50
26	BB	2813	A	C4'-C3'-C2'	-5.76	96.84	102.60
1	AA	903	G	N7-C8-N9	5.76	115.98	113.10
1	AA	1303	C	C2-N1-C1'	5.76	125.14	118.80
22	AV	40	PHE	CB-CG-CD2	5.76	124.83	120.80
26	BB	605	G	C5-C6-N1	-5.76	108.62	111.50
26	BB	1239	G	N3-C4-C5	-5.76	125.72	128.60
26	BB	1280	G	C5-N7-C8	5.76	107.18	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1998	A	N9-C1'-C2'	-5.76	105.66	112.00
26	BB	2335	A	C8-N9-C4	5.76	108.11	105.80
26	BB	2523	G	C5-C6-N1	5.76	114.38	111.50
1	AA	92	U	C5'-C4'-O4'	-5.76	102.19	109.10
1	AA	440	C	C3'-C2'-C1'	5.76	106.11	101.50
1	AA	579	A	N1-C6-N6	-5.76	115.14	118.60
1	AA	772	U	C6-N1-C2	-5.76	117.54	121.00
1	AA	1134	G	C5-C6-O6	5.76	132.06	128.60
1	AA	1247	U	O4'-C1'-N1	5.76	112.81	108.20
1	AA	1449	C	O5'-P-OP2	-5.76	100.52	105.70
1	AA	1528	U	C5-C4-O4	5.76	129.36	125.90
2	AB	68	C	C5'-C4'-O4'	5.76	116.02	109.10
25	BA	110	C	N3-C4-C5	-5.76	119.60	121.90
26	BB	625	G	C5-N7-C8	-5.76	101.42	104.30
26	BB	779	U	C2-N3-C4	-5.76	123.54	127.00
26	BB	1142	A	O4'-C1'-N9	5.76	112.81	108.20
26	BB	1230	A	O4'-C1'-N9	5.76	112.81	108.20
26	BB	1486	U	N1-C2-O2	5.76	126.83	122.80
26	BB	1603	A	N1-C6-N6	-5.76	115.14	118.60
26	BB	1832	C	C5'-C4'-O4'	5.76	116.02	109.10
26	BB	2148	G	C5'-C4'-O4'	5.76	116.01	109.10
26	BB	2283	C	O4'-C1'-N1	5.76	112.81	108.20
26	BB	2319	G	C4-C5-C6	-5.76	115.34	118.80
1	AA	260	G	O4'-C1'-N9	5.76	112.81	108.20
1	AA	424	G	N1-C2-N3	5.76	127.36	123.90
1	AA	591	U	N1-C2-O2	-5.76	118.77	122.80
1	AA	1006	G	C1'-O4'-C4'	-5.76	105.29	109.90
1	AA	1193	G	C5-C6-O6	-5.76	125.14	128.60
1	AA	1202	U	O4'-C1'-N1	5.76	112.81	108.20
5	AE	21	TYR	CB-CG-CD1	-5.76	117.54	121.00
6	AF	183	TYR	CD1-CE1-CZ	5.76	124.98	119.80
26	BB	1249	U	O4'-C1'-N1	5.76	112.81	108.20
26	BB	1435	G	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	1512	C	O4'-C1'-N1	5.76	112.81	108.20
26	BB	1784	A	C4-C5-N7	-5.76	107.82	110.70
26	BB	2238	G	O5'-P-OP1	-5.76	100.52	105.70
26	BB	2469	A	C8-N9-C4	-5.76	103.50	105.80
32	BH	144	ALA	CB-CA-C	5.76	118.74	110.10
36	BL	27	ARG	NH1-CZ-NH2	-5.76	113.06	119.40
56	B5	14	ARG	NH1-CZ-NH2	5.76	125.74	119.40
1	AA	385	C	O4'-C1'-N1	5.76	112.81	108.20
1	AA	411	A	N7-C8-N9	5.76	116.68	113.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1468	A	N1-C6-N6	5.76	122.06	118.60
26	BB	1285	A	N3-C4-N9	5.76	132.01	127.40
26	BB	1659	G	C5-C6-N1	5.76	114.38	111.50
26	BB	2320	U	O4'-C1'-N1	5.76	112.81	108.20
1	AA	71	A	N1-C6-N6	-5.76	115.15	118.60
1	AA	451	A	C5-C6-N6	5.76	128.31	123.70
1	AA	522	C	N1-C2-N3	-5.76	115.17	119.20
1	AA	1194	U	N3-C4-C5	-5.76	111.15	114.60
1	AA	1360	A	N1-C2-N3	-5.76	126.42	129.30
2	AB	44	G	N3-C2-N2	5.76	123.93	119.90
4	AD	64	G	C2'-C3'-O3'	5.76	122.91	113.70
26	BB	402	A	C6-N1-C2	-5.76	115.15	118.60
26	BB	1279	G	C5-N7-C8	-5.76	101.42	104.30
26	BB	2745	C	C5'-C4'-C3'	-5.76	106.79	116.00
26	BB	2745	C	C5-C4-N4	-5.76	116.17	120.20
37	BM	18	ARG	NE-CZ-NH1	5.76	123.18	120.30
1	AA	1493	A	C5'-C4'-C3'	-5.75	106.79	116.00
1	AA	1496	C	N3-C2-O2	-5.75	117.87	121.90
2	AB	9	A	C4'-C3'-O3'	5.75	124.51	113.00
26	BB	453	A	N1-C2-N3	-5.75	126.42	129.30
26	BB	2811	G	N9-C4-C5	5.75	107.70	105.40
1	AA	189	A	C3'-C2'-C1'	5.75	106.10	101.50
1	AA	345	C	N3-C2-O2	-5.75	117.87	121.90
1	AA	862	C	C5-C6-N1	5.75	123.88	121.00
1	AA	1201	A	C1'-O4'-C4'	-5.75	105.30	109.90
1	AA	1278	G	N1-C6-O6	5.75	123.35	119.90
26	BB	56	A	C8-N9-C4	5.75	108.10	105.80
26	BB	200	U	N3-C2-O2	5.75	126.23	122.20
26	BB	202	U	C6-N1-C2	-5.75	117.55	121.00
26	BB	211	C	C2-N3-C4	5.75	122.78	119.90
26	BB	377	G	C8-N9-C4	-5.75	104.10	106.40
26	BB	419	U	N1-C2-O2	-5.75	118.77	122.80
26	BB	683	U	N1-C2-N3	5.75	118.35	114.90
26	BB	1216	G	C5-C6-N1	5.75	114.38	111.50
26	BB	1943	U	C5'-C4'-C3'	5.75	125.20	116.00
26	BB	2147	A	N1-C2-N3	5.75	132.18	129.30
26	BB	2149	U	N1-C2-N3	5.75	118.35	114.90
26	BB	2232	C	O4'-C1'-C2'	5.75	112.78	107.60
26	BB	2393	U	C6-N1-C2	-5.75	117.55	121.00
26	BB	2894	G	C2-N3-C4	5.75	114.78	111.90
30	BF	78	TRP	CH2-CZ2-CE2	5.75	123.15	117.40
40	BP	90	ARG	NE-CZ-NH1	5.75	123.18	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	324	G	C5-C6-O6	-5.75	125.15	128.60
1	AA	1133	G	N3-C4-N9	5.75	129.45	126.00
1	AA	1141	C	N3-C4-N4	-5.75	113.97	118.00
1	AA	1409	C	C5-C4-N4	-5.75	116.17	120.20
2	AB	5	G	C5-C6-O6	-5.75	125.15	128.60
26	BB	130	C	C1'-O4'-C4'	-5.75	105.30	109.90
26	BB	1278	C	C3'-C2'-C1'	5.75	106.10	101.50
26	BB	1289	C	C4'-C3'-C2'	-5.75	96.85	102.60
26	BB	1377	G	C6-C5-N7	-5.75	126.95	130.40
26	BB	2518	A	N1-C6-N6	-5.75	115.15	118.60
26	BB	2611	C	P-O3'-C3'	5.75	126.60	119.70
1	AA	272	C	O4'-C1'-N1	5.75	112.80	108.20
1	AA	376	G	C3'-C2'-C1'	5.75	106.10	101.50
26	BB	646	U	C4'-C3'-C2'	-5.75	96.85	102.60
26	BB	989	G	N3-C4-C5	-5.75	125.72	128.60
1	AA	113	G	N1-C6-O6	5.75	123.35	119.90
1	AA	223	A	N7-C8-N9	5.75	116.67	113.80
1	AA	478	A	C6-N1-C2	-5.75	115.15	118.60
1	AA	674	G	N9-C4-C5	5.75	107.70	105.40
1	AA	792	A	N1-C6-N6	-5.75	115.15	118.60
1	AA	808	C	C6-N1-C2	5.75	122.60	120.30
26	BB	210	C	N3-C4-N4	5.75	122.02	118.00
26	BB	267	C	N3-C4-C5	5.75	124.20	121.90
26	BB	637	A	P-O3'-C3'	5.75	126.60	119.70
26	BB	960	A	C1'-O4'-C4'	-5.75	105.30	109.90
26	BB	1622	G	N1-C6-O6	5.75	123.35	119.90
26	BB	1793	C	C5-C4-N4	5.75	124.22	120.20
26	BB	1886	U	C4-C5-C6	5.75	123.15	119.70
26	BB	2061	G	C2-N3-C4	5.75	114.77	111.90
26	BB	2224	G	O3'-P-O5'	5.75	114.92	104.00
26	BB	2247	A	O4'-C1'-N9	5.75	112.80	108.20
26	BB	2821	A	N1-C2-N3	-5.75	126.43	129.30
1	AA	58	C	N3-C4-N4	5.75	122.02	118.00
1	AA	101	A	C3'-C2'-C1'	-5.75	96.90	101.50
1	AA	308	C	N3-C4-C5	-5.75	119.60	121.90
1	AA	334	C	C4'-C3'-C2'	-5.75	96.85	102.60
1	AA	453	G	C4-C5-N7	-5.75	108.50	110.80
1	AA	1006	G	N1-C2-N2	-5.75	111.03	116.20
3	AC	53	G	C6-N1-C2	-5.75	121.65	125.10
26	BB	81	G	C4'-C3'-C2'	-5.75	96.85	102.60
26	BB	410	G	C5-N7-C8	-5.75	101.43	104.30
26	BB	583	G	C6-C5-N7	-5.75	126.95	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1299	G	C2-N3-C4	5.75	114.77	111.90
26	BB	1637	A	C6-N1-C2	-5.75	115.15	118.60
26	BB	1988	G	C5-N7-C8	-5.75	101.43	104.30
26	BB	2309	A	O4'-C1'-C2'	5.75	112.77	107.60
26	BB	2435	A	N3-C4-N9	-5.75	122.80	127.40
43	BS	50	ARG	CD-NE-CZ	5.75	131.64	123.60
44	BT	72	VAL	CA-CB-CG2	5.75	119.52	110.90
1	AA	57	G	C4-C5-N7	-5.75	108.50	110.80
1	AA	90	C	N1-C2-O2	5.75	122.35	118.90
1	AA	144	G	C6-N1-C2	-5.75	121.65	125.10
1	AA	416	G	N9-C1'-C2'	-5.75	105.68	112.00
26	BB	547	A	P-O3'-C3'	5.75	126.59	119.70
26	BB	882	G	O4'-C1'-N9	5.75	112.80	108.20
26	BB	1168	G	C8-N9-C4	-5.75	104.10	106.40
26	BB	1867	G	C5-C6-O6	-5.75	125.15	128.60
26	BB	1912	A	C5-N7-C8	5.75	106.77	103.90
26	BB	2095	A	C6-N1-C2	-5.75	115.15	118.60
26	BB	2681	C	N3-C2-O2	-5.75	117.88	121.90
26	BB	2752	C	N3-C4-C5	5.75	124.20	121.90
1	AA	240	G	N1-C6-O6	-5.74	116.45	119.90
1	AA	381	C	N1-C1'-C2'	-5.74	105.68	112.00
1	AA	399	G	N1-C6-O6	5.74	123.35	119.90
1	AA	525	C	N3-C2-O2	-5.74	117.88	121.90
1	AA	572	A	N9-C1'-C2'	5.74	121.47	114.00
1	AA	579	A	O4'-C1'-N9	5.74	112.80	108.20
1	AA	580	C	N1-C2-N3	-5.74	115.18	119.20
1	AA	977	A	O4'-C1'-C2'	5.74	112.77	107.60
2	AB	15	A	C4-C5-C6	-5.74	114.13	117.00
26	BB	401	A	N7-C8-N9	-5.74	110.93	113.80
26	BB	572	A	C5-C6-N1	5.74	120.57	117.70
26	BB	734	A	N7-C8-N9	5.74	116.67	113.80
26	BB	1073	A	C1'-O4'-C4'	-5.74	105.31	109.90
26	BB	1193	G	C6-N1-C2	-5.74	121.65	125.10
26	BB	1285	A	N3-C4-C5	-5.74	122.78	126.80
26	BB	1377	G	N3-C4-N9	5.74	129.45	126.00
26	BB	1587	G	C8-N9-C4	-5.74	104.10	106.40
26	BB	1670	C	O5'-P-OP2	-5.74	100.53	105.70
26	BB	2625	G	N1-C2-N3	5.74	127.35	123.90
1	AA	867	G	C4'-C3'-C2'	-5.74	96.86	102.60
1	AA	1511	G	C4-C5-N7	5.74	113.10	110.80
26	BB	31	C	O4'-C1'-N1	5.74	112.79	108.20
26	BB	2197	U	P-O3'-C3'	5.74	126.59	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2667	C	C5'-C4'-O4'	5.74	115.99	109.10
28	BD	29	PHE	CB-CG-CD1	-5.74	116.78	120.80
1	AA	1113	C	C1'-O4'-C4'	-5.74	105.31	109.90
1	AA	1487	G	C6-C5-N7	-5.74	126.96	130.40
1	AA	1488	G	N1-C2-N2	5.74	121.37	116.20
2	AB	4	G	C6-N1-C2	-5.74	121.66	125.10
25	BA	76	G	C2-N3-C4	-5.74	109.03	111.90
25	BA	94	A	C8-N9-C4	5.74	108.10	105.80
26	BB	1268	A	C2-N3-C4	5.74	113.47	110.60
26	BB	1535	A	N7-C8-N9	5.74	116.67	113.80
26	BB	2657	A	C5'-C4'-C3'	-5.74	106.81	116.00
26	BB	2676	C	C4'-C3'-C2'	-5.74	96.86	102.60
50	BZ	27	ARG	NH1-CZ-NH2	-5.74	113.09	119.40
51	B0	48	ARG	CD-NE-CZ	5.74	131.63	123.60
1	AA	776	G	N9-C1'-C2'	-5.74	105.69	112.00
1	AA	1183	U	C2'-C3'-O3'	5.74	122.88	113.70
1	AA	1434	A	C5'-C4'-O4'	5.74	115.98	109.10
2	AB	19	G	C5-C6-N1	5.74	114.37	111.50
18	AR	42	PHE	CZ-CE2-CD2	-5.74	113.21	120.10
19	AS	5	ARG	NE-CZ-NH2	-5.74	117.43	120.30
26	BB	54	G	C5-C6-O6	-5.74	125.16	128.60
26	BB	303	G	C2-N3-C4	-5.74	109.03	111.90
26	BB	731	C	C2-N3-C4	-5.74	117.03	119.90
26	BB	769	U	C5-C4-O4	-5.74	122.46	125.90
26	BB	793	A	N1-C6-N6	-5.74	115.16	118.60
26	BB	987	C	N1-C2-O2	5.74	122.34	118.90
26	BB	989	G	N1-C2-N3	-5.74	120.46	123.90
26	BB	1460	U	C1'-O4'-C4'	5.74	114.49	109.90
26	BB	2125	G	C5'-C4'-O4'	5.74	115.98	109.10
26	BB	2391	G	C5-N7-C8	-5.74	101.43	104.30
26	BB	2872	A	C1'-O4'-C4'	-5.74	105.31	109.90
1	AA	48	C	O4'-C4'-C3'	5.74	110.69	106.10
1	AA	318	G	C5-C6-O6	-5.74	125.16	128.60
1	AA	481	G	C6-C5-N7	-5.74	126.96	130.40
1	AA	548	G	C2-N3-C4	5.74	114.77	111.90
1	AA	768	A	C3'-C2'-C1'	-5.74	96.91	101.50
1	AA	1530	G	C4-C5-N7	-5.74	108.50	110.80
4	AD	52	C	O5'-C5'-C4'	5.74	122.60	111.70
26	BB	1566	A	C1'-O4'-C4'	5.74	114.49	109.90
26	BB	1889	A	N1-C2-N3	-5.74	126.43	129.30
32	BH	164	ALA	CB-CA-C	5.74	118.70	110.10
1	AA	308	C	O4'-C1'-C2'	-5.74	100.06	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	426	U	C1'-O4'-C4'	5.74	114.49	109.90
1	AA	453	G	N1-C6-O6	5.74	123.34	119.90
1	AA	563	A	C4-C5-C6	-5.74	114.13	117.00
1	AA	685	G	C4-C5-C6	-5.74	115.36	118.80
1	AA	723	U	N1-C2-N3	5.74	118.34	114.90
1	AA	750	C	O4'-C1'-C2'	5.74	112.76	107.60
1	AA	863	U	N1-C2-N3	5.74	118.34	114.90
25	BA	96	G	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	390	U	P-O3'-C3'	5.74	126.58	119.70
26	BB	408	G	C3'-C2'-C1'	5.74	106.09	101.50
26	BB	741	U	N1-C2-O2	-5.74	118.78	122.80
26	BB	1183	U	C1'-O4'-C4'	-5.74	105.31	109.90
26	BB	1237	A	O4'-C1'-N9	5.74	112.79	108.20
26	BB	1621	U	P-O3'-C3'	5.74	126.58	119.70
26	BB	1732	C	N3-C4-C5	5.74	124.19	121.90
26	BB	2169	A	C8-N9-C4	5.74	108.09	105.80
26	BB	2352	A	O5'-P-OP2	-5.74	100.54	105.70
26	BB	2441	U	N3-C2-O2	-5.74	118.19	122.20
26	BB	2549	G	C5'-C4'-O4'	5.74	115.98	109.10
1	AA	29	U	C5'-C4'-C3'	-5.73	106.83	116.00
1	AA	148	G	C2-N3-C4	5.73	114.77	111.90
1	AA	1150	A	N1-C6-N6	-5.73	115.16	118.60
2	AB	41	C	O4'-C1'-C2'	-5.73	100.07	105.80
26	BB	668	A	O4'-C1'-N9	5.73	112.79	108.20
26	BB	1189	A	C8-N9-C4	-5.73	103.51	105.80
26	BB	2394	C	C5-C4-N4	5.73	124.21	120.20
1	AA	362	G	P-O5'-C5'	5.73	130.07	120.90
1	AA	1150	A	C6-N1-C2	5.73	122.04	118.60
1	AA	1206	G	C4'-C3'-C2'	-5.73	96.87	102.60
6	AF	14	VAL	CA-CB-CG2	5.73	119.50	110.90
26	BB	568	U	C5'-C4'-O4'	5.73	115.98	109.10
26	BB	2016	U	C5-C4-O4	5.73	129.34	125.90
26	BB	2047	C	C5-C4-N4	-5.73	116.19	120.20
26	BB	2326	C	C5-C4-N4	-5.73	116.19	120.20
26	BB	2872	A	C5-C6-N1	5.73	120.57	117.70
29	BE	43	ASP	CB-CG-OD1	-5.73	113.14	118.30
1	AA	26	A	C5-N7-C8	-5.73	101.03	103.90
1	AA	250	A	C4-C5-C6	5.73	119.86	117.00
1	AA	359	G	C3'-C2'-C1'	5.73	106.08	101.50
1	AA	549	C	C6-N1-C2	5.73	122.59	120.30
1	AA	714	G	C6-N1-C2	-5.73	121.66	125.10
1	AA	1210	C	N3-C2-O2	-5.73	117.89	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	32	U	C5-C4-O4	-5.73	122.46	125.90
26	BB	228	C	N3-C2-O2	-5.73	117.89	121.90
26	BB	384	A	N9-C4-C5	5.73	108.09	105.80
26	BB	500	G	C5-N7-C8	-5.73	101.44	104.30
26	BB	933	A	C1'-O4'-C4'	5.73	114.48	109.90
26	BB	951	C	C5-C4-N4	-5.73	116.19	120.20
26	BB	1003	G	O4'-C1'-N9	5.73	112.78	108.20
26	BB	1020	A	N1-C6-N6	-5.73	115.16	118.60
26	BB	1173	U	O4'-C1'-C2'	5.73	112.76	107.60
26	BB	1512	C	N3-C4-N4	-5.73	113.99	118.00
26	BB	1779	U	C5'-C4'-O4'	5.73	115.98	109.10
26	BB	2103	C	C5-C6-N1	-5.73	118.13	121.00
26	BB	2233	U	N1-C2-O2	-5.73	118.79	122.80
26	BB	2520	C	N1-C2-O2	5.73	122.34	118.90
26	BB	2760	C	C4'-C3'-C2'	-5.73	96.87	102.60
26	BB	2894	G	N9-C4-C5	5.73	107.69	105.40
1	AA	617	G	C5-C6-N1	5.73	114.36	111.50
1	AA	693	G	C5-N7-C8	-5.73	101.44	104.30
1	AA	1085	U	P-O3'-C3'	5.73	126.58	119.70
1	AA	1474	U	C1'-O4'-C4'	5.73	114.48	109.90
25	BA	12	C	N3-C4-C5	-5.73	119.61	121.90
26	BB	1126	A	C2-N3-C4	5.73	113.47	110.60
1	AA	383	A	O4'-C1'-N9	5.73	112.78	108.20
1	AA	1426	G	C3'-C2'-C1'	5.73	106.08	101.50
4	AD	37	U	C2-N1-C1'	-5.73	110.83	117.70
4	AD	54	G	C3'-C2'-C1'	-5.73	96.92	101.50
10	AJ	34	LYS	O-C-N	-5.73	113.53	122.70
21	AU	56	ARG	NE-CZ-NH1	-5.73	117.44	120.30
26	BB	808	G	C4-C5-N7	-5.73	108.51	110.80
26	BB	1394	U	N1-C2-N3	5.73	118.34	114.90
26	BB	1659	G	C8-N9-C1'	5.73	134.45	127.00
26	BB	2026	U	C6-N1-C1'	5.73	129.22	121.20
26	BB	2164	C	C4-C5-C6	-5.73	114.54	117.40
1	AA	1461	G	N1-C2-N2	-5.73	111.05	116.20
25	BA	117	G	C6-N1-C2	-5.73	121.66	125.10
26	BB	1311	G	N3-C4-N9	-5.73	122.56	126.00
26	BB	1355	G	N3-C4-N9	-5.73	122.56	126.00
26	BB	1660	G	C5-C6-N1	5.73	114.36	111.50
26	BB	1995	U	C4-C5-C6	5.73	123.14	119.70
1	AA	39	G	C2-N3-C4	5.72	114.76	111.90
1	AA	423	G	N9-C4-C5	5.72	107.69	105.40
1	AA	1083	U	N1-C1'-C2'	-5.72	105.70	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	AE	31	PHE	CB-CG-CD2	-5.72	116.79	120.80
26	BB	472	A	N7-C8-N9	-5.72	110.94	113.80
26	BB	484	C	P-O5'-C5'	5.72	130.06	120.90
26	BB	606	U	O4'-C1'-N1	5.72	112.78	108.20
26	BB	1162	G	C4'-C3'-C2'	-5.72	96.88	102.60
26	BB	1567	G	N3-C4-C5	-5.72	125.74	128.60
26	BB	2880	C	C6-N1-C2	-5.72	118.01	120.30
43	BS	113	LYS	CB-CA-C	5.72	121.85	110.40
1	AA	437	U	C5'-C4'-O4'	-5.72	102.23	109.10
1	AA	986	U	C4-C5-C6	5.72	123.13	119.70
1	AA	1385	G	N7-C8-N9	5.72	115.96	113.10
7	AG	162	GLU	OE1-CD-OE2	5.72	130.17	123.30
25	BA	83	G	N1-C2-N3	-5.72	120.47	123.90
26	BB	94	A	P-O3'-C3'	5.72	126.57	119.70
26	BB	1546	G	N7-C8-N9	5.72	115.96	113.10
26	BB	1787	A	C2-N3-C4	5.72	113.46	110.60
26	BB	2277	G	C1'-O4'-C4'	5.72	114.48	109.90
26	BB	2320	U	N3-C2-O2	-5.72	118.19	122.20
26	BB	2436	G	N7-C8-N9	5.72	115.96	113.10
39	BO	123	LYS	O-C-N	5.72	131.85	122.70
1	AA	191	G	C6-C5-N7	-5.72	126.97	130.40
26	BB	425	G	N7-C8-N9	5.72	115.96	113.10
26	BB	1497	U	N1-C2-N3	5.72	118.33	114.90
26	BB	1511	G	C3'-C2'-C1'	-5.72	96.92	101.50
26	BB	2667	C	N3-C2-O2	-5.72	117.89	121.90
26	BB	2872	A	N3-C4-N9	-5.72	122.82	127.40
1	AA	20	U	N1-C2-O2	5.72	126.80	122.80
1	AA	95	C	C4-C5-C6	5.72	120.26	117.40
1	AA	196	A	C4'-C3'-C2'	-5.72	96.88	102.60
1	AA	324	G	C5'-C4'-O4'	5.72	115.96	109.10
1	AA	437	U	N3-C2-O2	-5.72	118.20	122.20
1	AA	1033	G	N3-C4-N9	5.72	129.43	126.00
26	BB	84	A	C2-N3-C4	-5.72	107.74	110.60
26	BB	776	G	N1-C2-N3	5.72	127.33	123.90
26	BB	1052	C	N3-C4-C5	5.72	124.19	121.90
26	BB	1099	G	C4-C5-C6	5.72	122.23	118.80
26	BB	1362	C	C5-C4-N4	5.72	124.20	120.20
26	BB	1492	G	C4-C5-C6	5.72	122.23	118.80
26	BB	1849	G	N7-C8-N9	-5.72	110.24	113.10
26	BB	2076	U	C2-N3-C4	-5.72	123.57	127.00
26	BB	2228	G	N3-C4-C5	5.72	131.46	128.60
26	BB	2357	G	N3-C4-N9	5.72	129.43	126.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	633	G	C6-N1-C2	-5.72	121.67	125.10
1	AA	932	C	N3-C2-O2	-5.72	117.90	121.90
26	BB	1301	A	N9-C4-C5	5.72	108.09	105.80
26	BB	1403	A	C6-N1-C2	-5.72	115.17	118.60
26	BB	1761	C	N3-C4-C5	5.72	124.19	121.90
26	BB	2042	A	C5-C6-N6	5.72	128.28	123.70
1	AA	160	A	C4'-C3'-C2'	-5.72	96.88	102.60
1	AA	859	G	C5'-C4'-C3'	-5.72	106.85	116.00
1	AA	1056	U	N3-C2-O2	-5.72	118.20	122.20
1	AA	1194	U	C1'-O4'-C4'	-5.72	105.33	109.90
1	AA	1239	A	N1-C2-N3	-5.72	126.44	129.30
1	AA	1481	U	N1-C2-N3	5.72	118.33	114.90
4	AD	30	G	N3-C4-N9	5.72	129.43	126.00
26	BB	492	A	N1-C2-N3	5.72	132.16	129.30
26	BB	556	A	P-O3'-C3'	5.72	126.56	119.70
26	BB	956	G	N9-C4-C5	5.72	107.69	105.40
26	BB	1538	G	N1-C2-N2	5.72	121.34	116.20
26	BB	1762	A	P-O3'-C3'	5.72	126.56	119.70
26	BB	1909	C	C5'-C4'-O4'	5.72	115.96	109.10
26	BB	2010	G	N7-C8-N9	5.72	115.96	113.10
26	BB	2168	G	P-O3'-C3'	5.72	126.56	119.70
26	BB	2267	A	O4'-C1'-C2'	5.72	112.74	107.60
26	BB	2539	C	C5-C4-N4	5.72	124.20	120.20
26	BB	2583	G	N7-C8-N9	5.72	115.96	113.10
1	AA	33	A	C8-N9-C4	-5.71	103.51	105.80
1	AA	223	A	C1'-O4'-C4'	-5.71	105.33	109.90
1	AA	729	A	C8-N9-C4	-5.71	103.51	105.80
1	AA	828	U	N1-C2-N3	5.71	118.33	114.90
1	AA	1156	G	C5'-C4'-C3'	-5.71	106.86	116.00
26	BB	19	A	C4-C5-C6	-5.71	114.14	117.00
26	BB	549	G	N9-C4-C5	5.71	107.69	105.40
26	BB	729	G	C6-N1-C2	-5.71	121.67	125.10
26	BB	995	C	C3'-C2'-C1'	5.71	106.07	101.50
26	BB	1644	C	C6-N1-C2	5.71	122.59	120.30
26	BB	1709	U	N1-C2-N3	5.71	118.33	114.90
26	BB	2474	U	C3'-C2'-C1'	-5.71	96.93	101.50
26	BB	2557	G	C4'-C3'-C2'	5.71	108.31	102.60
26	BB	2571	U	N3-C4-C5	-5.71	111.17	114.60
45	BU	37	THR	CA-CB-CG2	5.71	120.40	112.40
1	AA	275	G	P-O3'-C3'	-5.71	112.84	119.70
1	AA	670	G	N7-C8-N9	5.71	115.96	113.10
1	AA	821	G	N3-C4-C5	-5.71	125.74	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1021	A	C5'-C4'-O4'	5.71	115.95	109.10
1	AA	1144	G	N1-C2-N3	5.71	127.33	123.90
26	BB	500	G	C4-C5-C6	5.71	122.23	118.80
26	BB	1876	A	C4'-C3'-C2'	-5.71	96.89	102.60
43	BS	11	ALA	N-CA-CB	-5.71	102.10	110.10
47	BW	43	LYS	CB-CA-C	5.71	121.83	110.40
1	AA	489	C	C2-N3-C4	5.71	122.75	119.90
1	AA	1148	U	N3-C4-C5	-5.71	111.17	114.60
1	AA	1188	A	C6-C5-N7	5.71	136.30	132.30
1	AA	1233	G	C5'-C4'-C3'	-5.71	106.86	116.00
1	AA	1431	A	O4'-C1'-N9	5.71	112.77	108.20
1	AA	1452	C	C5-C4-N4	-5.71	116.20	120.20
26	BB	33	C	C5'-C4'-C3'	-5.71	106.86	116.00
26	BB	876	C	C5-C6-N1	5.71	123.86	121.00
26	BB	1274	A	C1'-O4'-C4'	-5.71	105.33	109.90
26	BB	1545	A	N7-C8-N9	-5.71	110.94	113.80
26	BB	1777	U	N1-C1'-C2'	-5.71	105.72	112.00
26	BB	2126	A	N9-C4-C5	5.71	108.08	105.80
26	BB	2248	C	C5-C4-N4	-5.71	116.20	120.20
26	BB	2636	C	C2-N3-C4	-5.71	117.04	119.90
26	BB	2641	G	C4-C5-N7	-5.71	108.52	110.80
28	BD	186	ASP	CB-CG-OD1	-5.71	113.16	118.30
1	AA	1329	A	O4'-C4'-C3'	-5.71	98.29	104.00
12	AL	122	ARG	NE-CZ-NH2	-5.71	117.44	120.30
26	BB	682	G	N9-C1'-C2'	-5.71	105.72	112.00
26	BB	1681	G	C4-N9-C1'	-5.71	119.08	126.50
26	BB	1957	C	N1-C2-O2	-5.71	115.47	118.90
26	BB	2000	C	N1-C1'-C2'	-5.71	105.72	112.00
26	BB	2063	C	N1-C2-O2	5.71	122.33	118.90
1	AA	27	G	C5-C6-N1	-5.71	108.65	111.50
1	AA	63	C	C4-C5-C6	5.71	120.25	117.40
1	AA	430	A	C5-C6-N1	-5.71	114.84	117.70
1	AA	1389	C	O4'-C1'-N1	-5.71	103.63	108.20
2	AB	48	U	O4'-C1'-N1	5.71	112.77	108.20
5	AE	183	PHE	CB-CG-CD1	5.71	124.80	120.80
25	BA	84	G	C2'-C3'-O3'	5.71	122.83	113.70
26	BB	218	A	N7-C8-N9	5.71	116.66	113.80
26	BB	913	U	C3'-C2'-C1'	5.71	106.07	101.50
26	BB	1790	C	P-O5'-C5'	5.71	130.03	120.90
26	BB	1944	U	N1-C1'-C2'	-5.71	105.72	112.00
26	BB	2213	U	N3-C2-O2	-5.71	118.20	122.20
26	BB	2443	C	C2-N3-C4	5.71	122.75	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2602	A	C4-C5-N7	-5.71	107.85	110.70
26	BB	2659	G	N1-C2-N3	-5.71	120.47	123.90
26	BB	2902	C	N3-C2-O2	-5.71	117.90	121.90
1	AA	270	A	N1-C2-N3	-5.71	126.45	129.30
1	AA	1396	A	N9-C4-C5	5.71	108.08	105.80
25	BA	14	U	N3-C2-O2	-5.71	118.21	122.20
25	BA	51	G	N7-C8-N9	5.71	115.95	113.10
26	BB	805	G	C6-C5-N7	5.71	133.82	130.40
26	BB	877	A	C4-C5-C6	-5.71	114.15	117.00
26	BB	900	A	C3'-C2'-C1'	-5.71	96.94	101.50
26	BB	1122	G	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	1159	U	N3-C4-O4	5.71	123.39	119.40
26	BB	1202	G	C5-C6-N1	5.71	114.35	111.50
26	BB	1375	U	C3'-C2'-C1'	5.71	106.06	101.50
26	BB	1397	U	N3-C4-O4	5.71	123.39	119.40
26	BB	1493	C	C3'-C2'-C1'	-5.71	96.94	101.50
26	BB	2007	U	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	2058	A	C4-C5-N7	-5.71	107.85	110.70
1	AA	4	U	N1-C1'-C2'	5.71	121.42	114.00
1	AA	239	U	C4'-C3'-C2'	-5.71	96.89	102.60
1	AA	288	A	N7-C8-N9	5.71	116.65	113.80
1	AA	633	G	C4-C5-N7	-5.71	108.52	110.80
1	AA	985	C	C5-C4-N4	5.71	124.19	120.20
26	BB	393	C	C4'-C3'-C2'	-5.71	96.89	102.60
26	BB	940	G	C6-N1-C2	-5.71	121.68	125.10
26	BB	1611	C	C5'-C4'-C3'	-5.71	106.87	116.00
26	BB	1959	G	N1-C2-N2	5.71	121.33	116.20
1	AA	581	G	C4-C5-N7	5.70	113.08	110.80
1	AA	710	G	C6-C5-N7	-5.70	126.98	130.40
1	AA	798	U	C5'-C4'-O4'	5.70	115.94	109.10
1	AA	1254	A	C6-C5-N7	-5.70	128.31	132.30
17	AQ	60	ARG	NH1-CZ-NH2	-5.70	113.13	119.40
26	BB	136	G	C5-C6-N1	5.70	114.35	111.50
26	BB	1278	C	N1-C1'-C2'	-5.70	105.73	112.00
26	BB	1330	C	C4'-C3'-C2'	5.70	108.30	102.60
26	BB	1519	G	O3'-P-O5'	5.70	114.84	104.00
26	BB	1867	G	N3-C2-N2	-5.70	115.91	119.90
26	BB	2494	G	N7-C8-N9	5.70	115.95	113.10
26	BB	2508	G	N3-C2-N2	-5.70	115.91	119.90
1	AA	82	G	N9-C1'-C2'	-5.70	105.73	112.00
1	AA	179	A	N1-C6-N6	-5.70	115.18	118.60
1	AA	533	A	N9-C4-C5	-5.70	103.52	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	633	G	C5'-C4'-C3'	5.70	125.12	116.00
23	AW	35	TYR	CG-CD1-CE1	-5.70	116.74	121.30
26	BB	109	C	O4'-C1'-C2'	5.70	112.73	107.60
1	AA	269	C	N3-C4-N4	5.70	121.99	118.00
1	AA	304	U	C2-N3-C4	-5.70	123.58	127.00
1	AA	639	G	C5'-C4'-O4'	5.70	115.94	109.10
1	AA	831	A	C4-C5-C6	-5.70	114.15	117.00
1	AA	929	G	C1'-O4'-C4'	-5.70	105.34	109.90
1	AA	1072	G	N3-C2-N2	-5.70	115.91	119.90
1	AA	1172	C	O4'-C1'-N1	-5.70	103.64	108.20
1	AA	1355	G	C4-C5-C6	5.70	122.22	118.80
1	AA	1401	G	C5-C6-N1	5.70	114.35	111.50
4	AD	20	G	C8-N9-C4	-5.70	104.12	106.40
10	AJ	176	TYR	CB-CG-CD1	5.70	124.42	121.00
25	BA	2	G	N7-C8-N9	5.70	115.95	113.10
25	BA	113	C	N3-C2-O2	-5.70	117.91	121.90
26	BB	418	C	C4'-C3'-C2'	-5.70	96.90	102.60
26	BB	984	A	P-O3'-C3'	5.70	126.54	119.70
26	BB	1295	C	O4'-C1'-N1	5.70	112.76	108.20
26	BB	1698	A	C5-C6-N1	5.70	120.55	117.70
26	BB	1768	C	C5-C4-N4	-5.70	116.21	120.20
26	BB	2035	G	C6-N1-C2	-5.70	121.68	125.10
26	BB	2166	U	N1-C2-N3	5.70	118.32	114.90
26	BB	2718	G	C4-C5-C6	5.70	122.22	118.80
1	AA	581	G	C4'-C3'-C2'	-5.70	96.90	102.60
1	AA	1395	C	N3-C4-N4	5.70	121.99	118.00
1	AA	1475	G	N9-C4-C5	5.70	107.68	105.40
2	AB	58	A	C5-C6-N6	-5.70	119.14	123.70
5	AE	47	PRO	N-CA-CB	5.70	110.14	103.30
8	AH	47	PHE	CB-CG-CD1	-5.70	116.81	120.80
26	BB	459	U	C6-N1-C2	-5.70	117.58	121.00
26	BB	937	C	N3-C4-N4	-5.70	114.01	118.00
26	BB	1530	G	N3-C4-C5	-5.70	125.75	128.60
26	BB	1699	G	C5-N7-C8	5.70	107.15	104.30
26	BB	1734	G	C5-C6-O6	-5.70	125.18	128.60
26	BB	2747	G	N3-C2-N2	-5.70	115.91	119.90
41	BQ	65	THR	O-C-N	5.70	132.89	123.20
26	BB	192	C	O4'-C1'-N1	5.70	112.76	108.20
26	BB	593	U	C2-N3-C4	-5.70	123.58	127.00
26	BB	649	G	O4'-C1'-N9	5.70	112.76	108.20
26	BB	1560	G	C1'-O4'-C4'	5.70	114.46	109.90
26	BB	1866	A	C8-N9-C4	-5.70	103.52	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1990	C	C1'-O4'-C4'	5.70	114.46	109.90
26	BB	2105	U	C2-N3-C4	-5.70	123.58	127.00
26	BB	2253	G	N9-C4-C5	-5.70	103.12	105.40
26	BB	2589	A	N9-C1'-C2'	5.70	121.41	114.00
1	AA	318	G	O4'-C1'-N9	5.70	112.76	108.20
1	AA	583	A	C4-C5-C6	-5.70	114.15	117.00
1	AA	781	A	C5-C6-N1	5.70	120.55	117.70
1	AA	788	U	C5'-C4'-O4'	5.70	115.93	109.10
1	AA	983	A	C4'-C3'-C2'	-5.70	96.91	102.60
1	AA	1292	G	C4-C5-C6	5.70	122.22	118.80
26	BB	78	U	C2-N3-C4	-5.70	123.58	127.00
26	BB	276	U	C6-N1-C2	5.70	124.42	121.00
26	BB	366	C	N1-C2-O2	-5.70	115.48	118.90
26	BB	724	U	N3-C4-C5	-5.70	111.18	114.60
26	BB	791	C	C4'-C3'-C2'	-5.70	96.90	102.60
26	BB	1175	A	C2-N3-C4	5.70	113.45	110.60
26	BB	1265	A	C5-C6-N1	5.70	120.55	117.70
26	BB	1290	C	C3'-C2'-C1'	-5.70	96.94	101.50
26	BB	1594	U	C6-N1-C2	-5.70	117.58	121.00
26	BB	1674	G	C4-C5-C6	5.70	122.22	118.80
26	BB	1680	U	C2-N1-C1'	-5.70	110.86	117.70
26	BB	1682	G	O4'-C4'-C3'	5.70	110.66	106.10
26	BB	2713	U	C5-C6-N1	-5.70	119.85	122.70
1	AA	1019	A	N1-C6-N6	-5.69	115.18	118.60
1	AA	1039	G	C5-C6-O6	-5.69	125.18	128.60
1	AA	1370	G	C5-N7-C8	-5.69	101.45	104.30
26	BB	510	C	O4'-C1'-N1	5.69	112.75	108.20
26	BB	1246	A	C5-C6-N6	-5.69	119.14	123.70
26	BB	1539	U	C3'-C2'-C1'	-5.69	96.94	101.50
26	BB	2571	U	P-O3'-C3'	5.69	126.53	119.70
26	BB	2711	A	N3-C4-C5	5.69	130.79	126.80
1	AA	667	G	N3-C2-N2	-5.69	115.92	119.90
1	AA	999	C	C2-N3-C4	5.69	122.75	119.90
1	AA	1202	U	C3'-C2'-C1'	5.69	106.06	101.50
25	BA	25	U	O4'-C1'-N1	5.69	112.75	108.20
26	BB	247	G	C4-C5-C6	-5.69	115.39	118.80
26	BB	250	G	N1-C6-O6	-5.69	116.48	119.90
26	BB	899	A	C3'-C2'-C1'	5.69	106.05	101.50
26	BB	1890	A	N7-C8-N9	5.69	116.65	113.80
26	BB	1946	U	N3-C4-C5	-5.69	111.19	114.60
26	BB	2406	A	N7-C8-N9	-5.69	110.95	113.80
1	AA	281	G	C5-N7-C8	5.69	107.14	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	443	C	N3-C2-O2	-5.69	117.92	121.90
1	AA	1065	U	C5-C4-O4	5.69	129.31	125.90
1	AA	1119	C	C2-N3-C4	5.69	122.75	119.90
1	AA	1181	G	O4'-C1'-N9	5.69	112.75	108.20
2	AB	12	U	C5-C4-O4	-5.69	122.48	125.90
26	BB	57	C	N3-C4-C5	-5.69	119.62	121.90
26	BB	265	A	N1-C2-N3	-5.69	126.45	129.30
26	BB	453	A	C4-C5-N7	-5.69	107.86	110.70
26	BB	771	G	N3-C4-N9	5.69	129.41	126.00
26	BB	992	C	N3-C4-N4	5.69	121.98	118.00
26	BB	1361	G	N9-C4-C5	5.69	107.68	105.40
26	BB	1844	C	C4'-C3'-C2'	-5.69	96.91	102.60
26	BB	2046	G	N3-C2-N2	5.69	123.88	119.90
26	BB	2519	U	O4'-C1'-N1	5.69	112.75	108.20
30	BF	128	ALA	N-CA-CB	-5.69	102.13	110.10
1	AA	1278	G	O4'-C1'-C2'	-5.69	100.11	105.80
23	AW	28	ARG	NE-CZ-NH2	-5.69	117.45	120.30
26	BB	203	A	C5'-C4'-O4'	5.69	115.93	109.10
26	BB	1289	C	C5-C6-N1	5.69	123.84	121.00
26	BB	2121	G	C4-C5-C6	5.69	122.21	118.80
26	BB	2183	A	C6-C5-N7	-5.69	128.32	132.30
43	BS	69	ARG	NH1-CZ-NH2	-5.69	113.14	119.40
1	AA	607	A	O5'-P-OP2	5.69	117.53	110.70
1	AA	800	G	C5-N7-C8	-5.69	101.46	104.30
1	AA	915	A	N1-C6-N6	5.69	122.01	118.60
1	AA	1102	A	C4'-C3'-C2'	-5.69	96.91	102.60
1	AA	1246	A	C5-C6-N1	-5.69	114.86	117.70
6	AF	200	TRP	CD1-NE1-CE2	5.69	114.12	109.00
26	BB	9	G	C5-C6-N1	5.69	114.34	111.50
26	BB	56	A	C5'-C4'-O4'	5.69	115.92	109.10
26	BB	71	A	C6-C5-N7	-5.69	128.32	132.30
26	BB	75	G	C6-C5-N7	-5.69	126.99	130.40
26	BB	274	C	N3-C4-N4	-5.69	114.02	118.00
26	BB	392	U	N3-C4-O4	5.69	123.38	119.40
26	BB	397	U	OP1-P-OP2	-5.69	111.07	119.60
26	BB	895	U	C5'-C4'-O4'	5.69	115.92	109.10
26	BB	1385	A	C6-N1-C2	5.69	122.01	118.60
26	BB	1553	A	N3-C4-C5	5.69	130.78	126.80
26	BB	1860	G	N1-C6-O6	-5.69	116.49	119.90
26	BB	2599	G	C5-N7-C8	5.69	107.14	104.30
26	BB	2625	G	C2-N3-C4	-5.69	109.06	111.90
26	BB	2773	C	C4'-C3'-C2'	-5.69	96.91	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	642	A	C4'-C3'-C2'	-5.69	96.91	102.60
1	AA	869	G	N3-C4-N9	5.69	129.41	126.00
1	AA	1511	G	O4'-C1'-N9	5.69	112.75	108.20
3	AC	19	A	C3'-C2'-C1'	5.69	106.05	101.50
25	BA	58	A	C5-C6-N6	5.69	128.25	123.70
26	BB	735	A	C4-C5-C6	-5.69	114.16	117.00
26	BB	858	G	N3-C2-N2	-5.69	115.92	119.90
26	BB	1084	A	C5'-C4'-C3'	-5.69	106.90	116.00
26	BB	1880	U	C4-C5-C6	-5.69	116.29	119.70
26	BB	2469	A	C4-C5-C6	-5.69	114.16	117.00
26	BB	2710	C	C2-N3-C4	5.69	122.74	119.90
1	AA	26	A	C5-C6-N1	5.68	120.54	117.70
1	AA	1032	G	N1-C2-N2	5.68	121.32	116.20
1	AA	1033	G	N9-C1'-C2'	-5.68	105.75	112.00
1	AA	1163	A	C8-N9-C4	-5.68	103.53	105.80
1	AA	1300	G	C3'-C2'-C1'	5.68	106.05	101.50
1	AA	1353	G	N3-C4-N9	-5.68	122.59	126.00
1	AA	1481	U	O4'-C1'-N1	5.68	112.75	108.20
1	AA	1507	A	C4-C5-C6	5.68	119.84	117.00
1	AA	1523	G	N1-C6-O6	-5.68	116.49	119.90
1	AA	1530	G	N9-C4-C5	5.68	107.67	105.40
3	AC	14	G	C6-N1-C2	-5.68	121.69	125.10
26	BB	53	A	C3'-C2'-C1'	-5.68	96.95	101.50
26	BB	571	U	N1-C2-O2	5.68	126.78	122.80
26	BB	579	G	N1-C2-N3	-5.68	120.49	123.90
26	BB	918	A	N7-C8-N9	5.68	116.64	113.80
26	BB	1460	U	C4-C5-C6	5.68	123.11	119.70
26	BB	1792	G	C6-C5-N7	-5.68	126.99	130.40
26	BB	2043	C	N1-C2-O2	5.68	122.31	118.90
26	BB	2343	U	C5-C6-N1	5.68	125.54	122.70
26	BB	2385	C	C5-C6-N1	5.68	123.84	121.00
29	BE	184	ARG	CD-NE-CZ	5.68	131.56	123.60
36	BL	69	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	AA	388	G	P-O3'-C3'	5.68	126.52	119.70
1	AA	1058	G	C4'-C3'-C2'	-5.68	96.92	102.60
1	AA	1072	G	C4-C5-C6	5.68	122.21	118.80
22	AV	38	THR	CA-CB-CG2	5.68	120.36	112.40
26	BB	323	C	C2-N1-C1'	5.68	125.05	118.80
26	BB	624	C	O4'-C1'-N1	5.68	112.75	108.20
26	BB	630	G	O4'-C1'-N9	5.68	112.75	108.20
26	BB	1095	A	C5-C6-N1	5.68	120.54	117.70
26	BB	1661	G	C5'-C4'-C3'	-5.68	106.91	116.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1738	G	C8-N9-C4	-5.68	104.13	106.40
26	BB	2249	U	N3-C4-C5	-5.68	111.19	114.60
26	BB	2637	U	N3-C4-O4	5.68	123.38	119.40
31	BG	121	PHE	CB-CG-CD1	-5.68	116.82	120.80
39	BO	108	VAL	CA-CB-CG2	5.68	119.42	110.90
1	AA	1474	U	C2-N3-C4	-5.68	123.59	127.00
26	BB	857	G	O4'-C1'-N9	5.68	112.75	108.20
26	BB	1087	G	C6-N1-C2	-5.68	121.69	125.10
26	BB	1137	G	C5-C6-O6	-5.68	125.19	128.60
26	BB	1334	G	C5-N7-C8	-5.68	101.46	104.30
26	BB	1921	G	C4-C5-N7	5.68	113.07	110.80
1	AA	5	U	C4'-C3'-C2'	5.68	108.28	102.60
1	AA	408	A	O5'-C5'-C4'	5.68	122.49	111.70
1	AA	427	U	N3-C2-O2	-5.68	118.22	122.20
1	AA	602	A	C8-N9-C4	5.68	108.07	105.80
1	AA	1127	G	N1-C2-N2	-5.68	111.09	116.20
24	AX	70	TYR	CB-CG-CD1	5.68	124.41	121.00
26	BB	119	A	N7-C8-N9	5.68	116.64	113.80
26	BB	161	A	N1-C6-N6	5.68	122.01	118.60
26	BB	447	A	C6-N1-C2	-5.68	115.19	118.60
26	BB	541	A	O4'-C1'-C2'	5.68	112.71	107.60
26	BB	795	C	C1'-O4'-C4'	-5.68	105.36	109.90
26	BB	979	A	N7-C8-N9	5.68	116.64	113.80
26	BB	1610	A	C4-C5-N7	-5.68	107.86	110.70
26	BB	2364	C	C1'-O4'-C4'	5.68	114.44	109.90
1	AA	639	G	N3-C4-N9	-5.68	122.59	126.00
26	BB	389	G	N3-C2-N2	5.68	123.88	119.90
1	AA	322	C	C2'-C3'-O3'	5.68	122.78	113.70
1	AA	801	U	C4-C5-C6	5.68	123.11	119.70
1	AA	862	C	O4'-C4'-C3'	5.68	110.64	106.10
1	AA	941	G	N3-C4-N9	-5.68	122.59	126.00
1	AA	986	U	C1'-O4'-C4'	-5.68	105.36	109.90
1	AA	1061	G	C4-C5-N7	-5.68	108.53	110.80
1	AA	1231	G	C6-C5-N7	-5.68	126.99	130.40
1	AA	1324	A	C4-C5-C6	-5.68	114.16	117.00
1	AA	1435	G	C1'-O4'-C4'	5.68	114.44	109.90
1	AA	1524	C	C2-N3-C4	5.68	122.74	119.90
25	BA	59	A	C3'-C2'-C1'	-5.68	96.96	101.50
26	BB	200	U	N3-C4-O4	-5.68	115.43	119.40
26	BB	265	A	C6-C5-N7	5.68	136.27	132.30
26	BB	319	G	O4'-C1'-N9	5.68	112.74	108.20
26	BB	443	A	N9-C1'-C2'	-5.68	105.75	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	645	C	N3-C4-C5	5.68	124.17	121.90
26	BB	732	C	C2-N1-C1'	5.68	125.05	118.80
26	BB	785	G	O4'-C1'-C2'	-5.68	100.12	105.80
26	BB	789	A	N1-C2-N3	-5.68	126.46	129.30
26	BB	1302	A	C6-N1-C2	5.68	122.01	118.60
26	BB	1569	A	O4'-C4'-C3'	-5.68	98.32	104.00
26	BB	1699	G	C5-C6-N1	-5.68	108.66	111.50
26	BB	1818	U	O4'-C4'-C3'	5.68	110.64	106.10
26	BB	2598	A	C5'-C4'-C3'	-5.68	106.92	116.00
1	AA	142	G	N3-C4-C5	-5.67	125.76	128.60
1	AA	300	A	C5-C6-N1	5.67	120.54	117.70
1	AA	377	G	N3-C2-N2	-5.67	115.93	119.90
1	AA	522	C	C4'-C3'-C2'	-5.67	96.93	102.60
1	AA	703	G	C8-N9-C4	-5.67	104.13	106.40
1	AA	813	U	P-O3'-C3'	5.67	126.51	119.70
12	AL	119	LYS	C-N-CA	5.67	135.88	121.70
26	BB	57	C	O4'-C1'-N1	5.67	112.74	108.20
26	BB	195	A	C5-C6-N1	-5.67	114.86	117.70
26	BB	571	U	N3-C4-C5	5.67	118.00	114.60
26	BB	643	A	N1-C2-N3	5.67	132.14	129.30
26	BB	673	C	C5'-C4'-C3'	-5.67	106.92	116.00
26	BB	1054	A	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	1055	G	N3-C4-N9	5.67	129.41	126.00
26	BB	1082	U	P-O3'-C3'	5.67	126.51	119.70
26	BB	1612	C	O4'-C1'-N1	5.67	112.74	108.20
26	BB	1668	A	C6-C5-N7	5.67	136.27	132.30
26	BB	1908	C	N3-C2-O2	-5.67	117.93	121.90
26	BB	2191	A	P-O3'-C3'	5.67	126.51	119.70
26	BB	2250	G	O4'-C1'-N9	5.67	112.74	108.20
26	BB	2272	U	N1-C2-N3	-5.67	111.50	114.90
26	BB	2413	G	C4-C5-N7	-5.67	108.53	110.80
1	AA	60	A	C2-N3-C4	-5.67	107.76	110.60
1	AA	267	C	C5-C4-N4	-5.67	116.23	120.20
1	AA	580	C	P-O3'-C3'	5.67	126.51	119.70
26	BB	572	A	C6-N1-C2	-5.67	115.20	118.60
26	BB	602	A	O4'-C1'-N9	-5.67	103.66	108.20
26	BB	1103	A	P-O3'-C3'	5.67	126.51	119.70
33	BI	47	PHE	CG-CD2-CE2	-5.67	114.56	120.80
1	AA	1082	A	C2-N3-C4	-5.67	107.76	110.60
1	AA	1200	C	C3'-C2'-C1'	-5.67	96.96	101.50
2	AB	15	A	C2-N3-C4	5.67	113.44	110.60
26	BB	313	G	C2-N3-C4	5.67	114.74	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	423	A	O4'-C1'-N9	5.67	112.74	108.20
26	BB	506	G	P-O3'-C3'	5.67	126.50	119.70
26	BB	993	G	C6-C5-N7	-5.67	127.00	130.40
26	BB	1968	G	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	1978	A	N9-C4-C5	5.67	108.07	105.80
26	BB	2139	U	N1-C2-N3	5.67	118.30	114.90
26	BB	2247	A	O4'-C4'-C3'	5.67	110.64	106.10
26	BB	2601	C	N1-C2-N3	5.67	123.17	119.20
26	BB	2604	U	C5-C6-N1	-5.67	119.86	122.70
54	B3	49	ARG	NE-CZ-NH2	-5.67	117.47	120.30
1	AA	177	G	O4'-C4'-C3'	-5.67	98.33	104.00
1	AA	410	G	C5-N7-C8	-5.67	101.47	104.30
3	AC	36	U	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	347	A	C5-C6-N6	-5.67	119.16	123.70
26	BB	496	G	N9-C1'-C2'	-5.67	105.76	112.00
26	BB	640	C	N3-C2-O2	-5.67	117.93	121.90
26	BB	2486	C	N1-C2-O2	5.67	122.30	118.90
1	AA	144	G	C5-C6-O6	-5.67	125.20	128.60
1	AA	254	G	C5-C6-N1	5.67	114.33	111.50
1	AA	445	G	C1'-O4'-C4'	5.67	114.44	109.90
1	AA	939	G	N1-C6-O6	-5.67	116.50	119.90
22	AV	50	VAL	CG1-CB-CG2	-5.67	101.83	110.90
26	BB	765	C	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	1031	G	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	1435	G	N7-C8-N9	5.67	115.94	113.10
26	BB	1462	C	C6-N1-C2	-5.67	118.03	120.30
26	BB	1800	C	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	2732	G	O3'-P-O5'	-5.67	93.23	104.00
26	BB	2756	U	C5'-C4'-O4'	5.67	115.90	109.10
1	AA	264	C	C1'-O4'-C4'	-5.67	105.37	109.90
1	AA	286	C	O4'-C4'-C3'	5.67	110.63	106.10
1	AA	430	A	P-O3'-C3'	5.67	126.50	119.70
1	AA	934	C	C3'-C2'-C1'	5.67	106.03	101.50
1	AA	1032	G	C4-C5-N7	5.67	113.07	110.80
4	AD	9	G	N1-C2-N2	5.67	121.30	116.20
4	AD	53	G	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	474	G	N3-C4-C5	-5.67	125.77	128.60
26	BB	515	A	C6-N1-C2	5.67	122.00	118.60
26	BB	556	A	N1-C2-N3	5.67	132.13	129.30
26	BB	678	C	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	696	G	C4-C5-N7	5.67	113.07	110.80
26	BB	830	G	N1-C6-O6	-5.67	116.50	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1048	A	N7-C8-N9	5.67	116.63	113.80
26	BB	1113	U	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	1127	A	C5-N7-C8	-5.67	101.07	103.90
26	BB	1307	A	N3-C4-C5	-5.67	122.83	126.80
26	BB	1895	C	C4-C5-C6	5.67	120.23	117.40
26	BB	2094	A	N3-C4-C5	-5.67	122.83	126.80
26	BB	2446	G	N1-C2-N2	-5.67	111.10	116.20
25	BA	92	C	N1-C2-N3	-5.67	115.23	119.20
26	BB	2559	C	C5'-C4'-C3'	-5.67	106.94	116.00
26	BB	2591	C	P-O3'-C3'	5.67	126.50	119.70
1	AA	115	G	C5-C6-N1	5.66	114.33	111.50
1	AA	407	U	N3-C4-O4	5.66	123.36	119.40
1	AA	944	G	N7-C8-N9	5.66	115.93	113.10
1	AA	1323	G	C8-N9-C1'	5.66	134.36	127.00
3	AC	20	G	O4'-C1'-C2'	-5.66	100.14	105.80
3	AC	23	C	C5-C4-N4	-5.66	116.23	120.20
26	BB	530	G	C8-N9-C1'	5.66	134.36	127.00
26	BB	715	A	N9-C4-C5	-5.66	103.53	105.80
26	BB	896	A	N1-C2-N3	-5.66	126.47	129.30
26	BB	1054	A	N1-C6-N6	-5.66	115.20	118.60
26	BB	1102	C	O4'-C1'-N1	5.66	112.73	108.20
26	BB	1197	G	C6-N1-C2	-5.66	121.70	125.10
26	BB	1311	G	P-O3'-C3'	5.66	126.50	119.70
26	BB	1614	A	C5-C6-N1	5.66	120.53	117.70
26	BB	2377	A	C5-C6-N6	-5.66	119.17	123.70
26	BB	2567	G	C5'-C4'-C3'	-5.66	106.94	116.00
26	BB	2785	C	O4'-C1'-N1	5.66	112.73	108.20
41	BQ	78	VAL	CA-CB-CG2	5.66	119.39	110.90
1	AA	434	U	N3-C2-O2	-5.66	118.24	122.20
1	AA	1195	C	C4-C5-C6	5.66	120.23	117.40
18	AR	19	ASN	CB-CA-C	5.66	121.72	110.40
26	BB	1173	U	N3-C2-O2	-5.66	118.24	122.20
26	BB	2037	A	N7-C8-N9	-5.66	110.97	113.80
26	BB	2826	A	C5'-C4'-O4'	5.66	115.89	109.10
43	BS	28	SER	N-CA-CB	-5.66	102.01	110.50
1	AA	167	A	N7-C8-N9	5.66	116.63	113.80
1	AA	383	A	O4'-C1'-C2'	5.66	112.69	107.60
1	AA	1426	G	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	604	G	C4-C5-N7	5.66	113.06	110.80
26	BB	673	C	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	752	A	C4-C5-N7	-5.66	107.87	110.70
26	BB	992	C	O5'-C5'-C4'	-5.66	100.94	111.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1107	G	O4'-C1'-N9	5.66	112.73	108.20
26	BB	1110	G	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	1331	G	C6-N1-C2	-5.66	121.70	125.10
26	BB	1946	U	C5-C4-O4	5.66	129.30	125.90
26	BB	2085	U	O4'-C1'-N1	5.66	112.73	108.20
26	BB	2222	C	C5-C6-N1	5.66	123.83	121.00
26	BB	2886	A	C6-N1-C2	-5.66	115.20	118.60
29	BE	181	ASP	CA-CB-CG	5.66	125.85	113.40
1	AA	229	U	C5'-C4'-C3'	-5.66	106.94	116.00
1	AA	286	C	P-O3'-C3'	5.66	126.49	119.70
1	AA	674	G	N3-C4-N9	-5.66	122.61	126.00
1	AA	759	A	C5-N7-C8	5.66	106.73	103.90
1	AA	1069	C	N1-C2-O2	5.66	122.30	118.90
26	BB	101	A	N7-C8-N9	-5.66	110.97	113.80
26	BB	294	A	O4'-C1'-N9	5.66	112.73	108.20
26	BB	524	G	C4-C5-C6	5.66	122.20	118.80
26	BB	765	C	C4-C5-C6	-5.66	114.57	117.40
26	BB	1095	A	N9-C1'-C2'	5.66	121.36	114.00
26	BB	1326	U	N3-C2-O2	-5.66	118.24	122.20
26	BB	1336	A	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	1687	G	N1-C6-O6	-5.66	116.50	119.90
26	BB	1838	C	C5-C4-N4	5.66	124.16	120.20
26	BB	2077	A	C8-N9-C4	-5.66	103.54	105.80
26	BB	2313	C	N1-C2-N3	-5.66	115.24	119.20
26	BB	2429	G	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	2757	A	N9-C1'-C2'	-5.66	105.78	112.00
33	BI	114	GLU	OE1-CD-OE2	5.66	130.09	123.30
1	AA	317	U	C2-N3-C4	-5.66	123.61	127.00
25	BA	2	G	C1'-O4'-C4'	-5.66	105.38	109.90
25	BA	99	A	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	60	G	C6-N1-C2	-5.66	121.71	125.10
26	BB	297	G	C4'-C3'-C2'	-5.66	96.94	102.60
26	BB	336	C	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	467	G	N3-C4-C5	-5.66	125.77	128.60
26	BB	549	G	N7-C8-N9	5.66	115.93	113.10
26	BB	648	G	O4'-C1'-N9	5.66	112.73	108.20
26	BB	661	A	C1'-O4'-C4'	5.66	114.43	109.90
26	BB	1132	U	C6-N1-C2	-5.66	117.61	121.00
26	BB	2191	A	N7-C8-N9	-5.66	110.97	113.80
1	AA	98	A	C8-N9-C4	5.66	108.06	105.80
1	AA	204	G	O3'-P-O5'	-5.66	93.25	104.00
1	AA	361	G	C4'-C3'-C2'	-5.66	96.94	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	425	G	C6-C5-N7	-5.66	127.01	130.40
1	AA	494	G	N9-C1'-C2'	5.66	121.35	114.00
1	AA	553	A	C2-N3-C4	5.66	113.43	110.60
1	AA	865	A	N9-C4-C5	-5.66	103.54	105.80
1	AA	1002	G	N3-C4-N9	5.66	129.39	126.00
1	AA	1097	C	N1-C2-O2	5.66	122.29	118.90
4	AD	69	C	O4'-C1'-N1	5.66	112.72	108.20
6	AF	106	ARG	NE-CZ-NH2	-5.66	117.47	120.30
16	AP	26	LYS	N-CA-CB	-5.66	100.42	110.60
25	BA	74	U	C4-C5-C6	5.66	123.09	119.70
26	BB	662	G	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	1553	A	C5-C6-N1	5.66	120.53	117.70
26	BB	1627	G	C6-C5-N7	-5.66	127.01	130.40
26	BB	2104	C	O4'-C1'-N1	5.66	112.72	108.20
26	BB	2142	A	C5-N7-C8	5.66	106.73	103.90
26	BB	2317	A	C4-C5-C6	5.66	119.83	117.00
26	BB	2483	C	N1-C2-O2	5.66	122.29	118.90
26	BB	2594	C	C4-C5-C6	5.66	120.23	117.40
1	AA	39	G	N3-C4-C5	-5.65	125.77	128.60
1	AA	942	G	N3-C2-N2	-5.65	115.94	119.90
1	AA	1425	U	C1'-O4'-C4'	5.65	114.42	109.90
2	AB	12	U	C3'-C2'-C1'	-5.65	96.98	101.50
2	AB	44	G	N9-C1'-C2'	-5.65	105.78	112.00
26	BB	1245	G	C4-C5-C6	5.65	122.19	118.80
26	BB	2048	G	N9-C1'-C2'	-5.65	105.78	112.00
26	BB	2179	C	O4'-C1'-N1	5.65	112.72	108.20
26	BB	2497	A	N1-C2-N3	5.65	132.13	129.30
26	BB	2835	A	N1-C6-N6	-5.65	115.21	118.60
1	AA	47	C	O4'-C4'-C3'	5.65	110.62	106.10
1	AA	191	G	O4'-C1'-N9	5.65	112.72	108.20
1	AA	1143	G	C2-N3-C4	5.65	114.73	111.90
1	AA	1146	A	C3'-C2'-C1'	-5.65	96.98	101.50
1	AA	1377	A	O3'-P-O5'	-5.65	93.26	104.00
12	AL	84	ARG	NE-CZ-NH1	5.65	123.13	120.30
26	BB	221	A	N9-C4-C5	-5.65	103.54	105.80
26	BB	1363	C	N3-C4-C5	-5.65	119.64	121.90
26	BB	1684	G	O4'-C1'-N9	5.65	112.72	108.20
26	BB	1692	U	N3-C2-O2	5.65	126.16	122.20
26	BB	1730	C	N3-C4-N4	-5.65	114.04	118.00
26	BB	2159	G	C4-C5-C6	5.65	122.19	118.80
26	BB	2660	A	N9-C4-C5	5.65	108.06	105.80
36	BL	15	TRP	CD1-NE1-CE2	5.65	114.09	109.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	BT	91	GLN	CB-CA-C	5.65	121.70	110.40
1	AA	297	G	C1'-O4'-C4'	5.65	114.42	109.90
1	AA	1032	G	N7-C8-N9	5.65	115.93	113.10
1	AA	1152	A	N9-C1'-C2'	-5.65	105.78	112.00
1	AA	1258	G	C2-N3-C4	5.65	114.72	111.90
1	AA	1448	C	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	128	C	C4-C5-C6	5.65	120.22	117.40
26	BB	322	A	C6-N1-C2	-5.65	115.21	118.60
26	BB	348	A	C5-C6-N6	-5.65	119.18	123.70
26	BB	1199	U	O4'-C4'-C3'	5.65	110.62	106.10
26	BB	1307	A	C4-C5-C6	5.65	119.83	117.00
26	BB	1487	U	C5-C6-N1	-5.65	119.88	122.70
26	BB	2058	A	O4'-C4'-C3'	5.65	110.62	106.10
26	BB	2511	U	O3'-P-O5'	-5.65	93.27	104.00
26	BB	2743	U	N1-C1'-C2'	5.65	121.34	114.00
1	AA	20	U	P-O5'-C5'	5.65	129.94	120.90
1	AA	354	G	C4'-C3'-C2'	5.65	108.25	102.60
1	AA	1388	C	C4-C5-C6	-5.65	114.58	117.40
26	BB	326	G	C6-C5-N7	-5.65	127.01	130.40
26	BB	2037	A	C2-N3-C4	5.65	113.42	110.60
26	BB	2604	U	C5-C4-O4	-5.65	122.51	125.90
1	AA	78	A	N3-C4-C5	-5.65	122.85	126.80
1	AA	750	C	O4'-C1'-N1	5.65	112.72	108.20
1	AA	774	G	O4'-C1'-C2'	-5.65	100.15	105.80
1	AA	954	G	N3-C2-N2	-5.65	115.95	119.90
1	AA	1133	G	N9-C1'-C2'	-5.65	105.79	112.00
1	AA	1146	A	C5-C6-N1	5.65	120.52	117.70
26	BB	300	A	C5'-C4'-O4'	-5.65	102.32	109.10
26	BB	485	C	N1-C1'-C2'	-5.65	105.79	112.00
26	BB	622	G	N7-C8-N9	-5.65	110.28	113.10
26	BB	715	A	C5-C6-N1	-5.65	114.88	117.70
26	BB	740	C	N3-C2-O2	-5.65	117.95	121.90
26	BB	1151	A	N7-C8-N9	5.65	116.62	113.80
26	BB	1418	G	N3-C2-N2	5.65	123.85	119.90
26	BB	2260	C	N3-C2-O2	-5.65	117.95	121.90
26	BB	2386	A	C5-C6-N1	-5.65	114.88	117.70
26	BB	2523	G	N7-C8-N9	5.65	115.92	113.10
26	BB	2814	A	C5-C6-N6	5.65	128.22	123.70
26	BB	2846	G	C5'-C4'-C3'	-5.65	106.97	116.00
1	AA	368	U	O4'-C1'-N1	5.65	112.72	108.20
1	AA	430	A	O4'-C1'-N9	5.65	112.72	108.20
26	BB	90	U	P-O3'-C3'	5.65	126.47	119.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1046	A	N1-C2-N3	-5.65	126.48	129.30
26	BB	1429	G	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	2161	C	C2-N3-C4	-5.65	117.08	119.90
26	BB	2380	C	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	2675	A	C8-N9-C4	5.65	108.06	105.80
26	BB	2901	C	C5-C6-N1	-5.65	118.18	121.00
1	AA	56	U	C5-C4-O4	5.64	129.29	125.90
1	AA	286	C	C5-C4-N4	-5.64	116.25	120.20
1	AA	503	C	N3-C4-C5	-5.64	119.64	121.90
1	AA	523	A	C6-N1-C2	-5.64	115.21	118.60
1	AA	649	A	N9-C1'-C2'	-5.64	105.79	112.00
1	AA	1047	G	N1-C6-O6	5.64	123.29	119.90
1	AA	1117	A	N9-C4-C5	-5.64	103.54	105.80
1	AA	1254	A	C4-C5-C6	5.64	119.82	117.00
1	AA	1504	G	N1-C6-O6	-5.64	116.51	119.90
7	AG	77	GLU	OE1-CD-OE2	5.64	130.07	123.30
26	BB	269	C	P-O5'-C5'	5.64	129.93	120.90
26	BB	592	A	N9-C1'-C2'	-5.64	105.79	112.00
26	BB	1113	U	N1-C2-O2	5.64	126.75	122.80
1	AA	230	G	C4-C5-C6	5.64	122.19	118.80
1	AA	318	G	N3-C4-N9	5.64	129.38	126.00
1	AA	1298	U	O4'-C1'-C2'	-5.64	100.16	105.80
1	AA	1531	A	N1-C6-N6	5.64	121.98	118.60
25	BA	96	G	C1'-O4'-C4'	-5.64	105.39	109.90
26	BB	306	U	C4-C5-C6	5.64	123.09	119.70
26	BB	356	G	C1'-O4'-C4'	5.64	114.41	109.90
26	BB	765	C	N1-C2-O2	5.64	122.29	118.90
26	BB	870	U	C5-C4-O4	-5.64	122.51	125.90
26	BB	1728	C	C3'-C2'-C1'	-5.64	96.98	101.50
26	BB	1806	C	C1'-O4'-C4'	-5.64	105.39	109.90
26	BB	2295	C	O5'-P-OP2	-5.64	100.62	105.70
26	BB	2451	A	C6-N1-C2	5.64	121.99	118.60
30	BF	17	THR	CA-CB-CG2	5.64	120.30	112.40
1	AA	26	A	C2-N3-C4	5.64	113.42	110.60
1	AA	498	A	C8-N9-C4	-5.64	103.54	105.80
25	BA	24	G	N3-C4-C5	-5.64	125.78	128.60
26	BB	822	G	C4-C5-C6	5.64	122.19	118.80
26	BB	1483	G	O4'-C1'-N9	5.64	112.71	108.20
26	BB	1787	A	P-O3'-C3'	5.64	126.47	119.70
26	BB	2470	G	N1-C2-N3	5.64	127.28	123.90
26	BB	2777	G	P-O3'-C3'	5.64	126.47	119.70
1	AA	41	G	N3-C4-C5	-5.64	125.78	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	62	U	C2-N3-C4	-5.64	123.62	127.00
1	AA	118	U	P-O3'-C3'	5.64	126.47	119.70
1	AA	121	U	O5'-C5'-C4'	-5.64	100.99	111.70
1	AA	420	U	C6-N1-C1'	5.64	129.09	121.20
1	AA	769	G	C4-N9-C1'	-5.64	119.17	126.50
1	AA	803	G	N9-C1'-C2'	-5.64	105.80	112.00
1	AA	1036	A	N1-C6-N6	5.64	121.98	118.60
1	AA	1294	G	N3-C4-N9	5.64	129.38	126.00
1	AA	1312	G	N3-C4-C5	-5.64	125.78	128.60
25	BA	10	G	C5-N7-C8	5.64	107.12	104.30
26	BB	47	C	N1-C2-N3	-5.64	115.25	119.20
26	BB	325	G	N3-C4-C5	-5.64	125.78	128.60
26	BB	469	G	O4'-C4'-C3'	5.64	110.61	106.10
26	BB	625	G	N9-C4-C5	5.64	107.66	105.40
26	BB	1080	A	C8-N9-C4	-5.64	103.55	105.80
26	BB	1139	G	C6-N1-C2	-5.64	121.72	125.10
26	BB	1204	A	N9-C1'-C2'	-5.64	105.80	112.00
26	BB	1274	A	N3-C4-N9	5.64	131.91	127.40
26	BB	1910	G	C3'-C2'-C1'	-5.64	96.99	101.50
26	BB	2716	C	O4'-C1'-N1	5.64	112.71	108.20
26	BB	2843	G	N1-C2-N3	-5.64	120.52	123.90
28	BD	181	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	AA	656	G	C4'-C3'-C2'	-5.64	96.96	102.60
25	BA	81	G	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	302	C	N1-C2-N3	-5.64	115.25	119.20
26	BB	706	A	C4-C5-C6	-5.64	114.18	117.00
1	AA	197	A	C3'-C2'-C1'	-5.64	96.99	101.50
1	AA	300	A	C2-N3-C4	5.64	113.42	110.60
1	AA	486	U	C4-C5-C6	5.64	123.08	119.70
2	AB	75	C	C6-N1-C1'	-5.64	114.04	120.80
26	BB	947	A	C8-N9-C4	-5.64	103.55	105.80
26	BB	1524	G	O4'-C1'-N9	-5.64	103.69	108.20
26	BB	1639	C	C5-C6-N1	-5.64	118.18	121.00
26	BB	1966	A	N7-C8-N9	-5.64	110.98	113.80
26	BB	2489	U	C4'-C3'-C2'	-5.64	96.96	102.60
26	BB	2650	U	N1-C1'-C2'	-5.64	105.80	112.00
26	BB	2826	A	C5-C6-N1	5.64	120.52	117.70
32	BH	163	TYR	CG-CD1-CE1	-5.64	116.79	121.30
1	AA	128	G	C2-N3-C4	5.63	114.72	111.90
1	AA	169	C	P-O5'-C5'	5.63	129.92	120.90
1	AA	278	G	C6-C5-N7	-5.63	127.02	130.40
1	AA	314	C	O4'-C1'-N1	5.63	112.71	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	466	A	C3'-C2'-C1'	5.63	106.01	101.50
1	AA	681	A	N7-C8-N9	5.63	116.62	113.80
1	AA	804	U	C5-C6-N1	-5.63	119.88	122.70
1	AA	1053	G	N3-C4-C5	-5.63	125.78	128.60
1	AA	1192	C	N3-C4-N4	5.63	121.94	118.00
4	AD	32	G	C5-C6-O6	-5.63	125.22	128.60
26	BB	378	C	N1-C2-O2	5.63	122.28	118.90
26	BB	685	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	862	G	C6-N1-C2	-5.63	121.72	125.10
26	BB	1188	U	C2-N3-C4	-5.63	123.62	127.00
26	BB	1571	A	C4-C5-N7	-5.63	107.88	110.70
26	BB	1617	C	C6-N1-C2	5.63	122.55	120.30
26	BB	1791	A	N7-C8-N9	-5.63	110.98	113.80
26	BB	2577	A	C1'-O4'-C4'	-5.63	105.39	109.90
26	BB	2633	G	O4'-C1'-N9	5.63	112.71	108.20
26	BB	2665	A	C3'-C2'-C1'	5.63	106.01	101.50
26	BB	2822	G	N7-C8-N9	5.63	115.92	113.10
27	BC	48	LEU	C-N-CA	5.63	134.13	122.30
1	AA	262	A	C2-N3-C4	-5.63	107.78	110.60
1	AA	636	U	C6-N1-C2	-5.63	117.62	121.00
1	AA	814	A	N7-C8-N9	5.63	116.62	113.80
26	BB	118	A	C5'-C4'-O4'	5.63	115.86	109.10
26	BB	290	U	C5-C6-N1	-5.63	119.88	122.70
26	BB	1402	U	C5-C6-N1	-5.63	119.88	122.70
26	BB	2407	A	C5-C6-N1	5.63	120.52	117.70
42	BR	25	VAL	CA-CB-CG2	5.63	119.35	110.90
1	AA	968	A	C8-N9-C4	5.63	108.05	105.80
1	AA	1104	G	C8-N9-C4	-5.63	104.15	106.40
1	AA	1411	C	N1-C2-O2	5.63	122.28	118.90
3	AC	56	G	C5'-C4'-C3'	5.63	125.01	116.00
25	BA	107	G	C5'-C4'-O4'	5.63	115.86	109.10
25	BA	108	A	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	172	A	N9-C1'-C2'	-5.63	105.81	112.00
26	BB	435	C	C1'-O4'-C4'	5.63	114.41	109.90
26	BB	642	U	N1-C2-N3	5.63	118.28	114.90
26	BB	798	G	C4-N9-C1'	-5.63	119.18	126.50
26	BB	834	G	N9-C4-C5	5.63	107.65	105.40
26	BB	1061	U	C3'-C2'-C1'	5.63	106.00	101.50
26	BB	1101	U	N3-C2-O2	-5.63	118.26	122.20
26	BB	1132	U	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	1671	U	O3'-P-O5'	5.63	114.70	104.00
26	BB	1774	C	C5-C4-N4	5.63	124.14	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1993	U	N1-C2-N3	5.63	118.28	114.90
26	BB	2003	A	N9-C4-C5	5.63	108.05	105.80
26	BB	2686	G	C6-C5-N7	-5.63	127.02	130.40
1	AA	141	G	N9-C1'-C2'	-5.63	105.81	112.00
1	AA	201	G	N1-C6-O6	-5.63	116.52	119.90
1	AA	1044	A	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	1294	G	N1-C2-N3	-5.63	120.52	123.90
1	AA	1362	A	C5-C6-N6	-5.63	119.20	123.70
17	AQ	14	ALA	N-CA-CB	-5.63	102.22	110.10
26	BB	1366	A	C3'-C2'-C1'	5.63	106.00	101.50
26	BB	1479	G	C5-C6-N1	5.63	114.31	111.50
26	BB	1654	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	2316	G	N3-C4-C5	-5.63	125.78	128.60
26	BB	2589	A	O4'-C1'-N9	5.63	112.70	108.20
26	BB	2796	U	C3'-C2'-C1'	5.63	106.00	101.50
43	BS	91	ARG	NE-CZ-NH1	5.63	123.11	120.30
1	AA	475	C	C3'-C2'-C1'	5.63	106.00	101.50
1	AA	795	C	O3'-P-O5'	-5.63	93.31	104.00
1	AA	991	U	C5-C4-O4	5.63	129.28	125.90
1	AA	1026	G	O4'-C4'-C3'	5.63	110.60	106.10
1	AA	1054	C	C2-N3-C4	-5.63	117.09	119.90
1	AA	1212	U	N1-C2-N3	5.63	118.28	114.90
1	AA	1469	C	C6-N1-C2	5.63	122.55	120.30
26	BB	310	A	N1-C2-N3	-5.63	126.49	129.30
26	BB	1009	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	1083	U	C3'-C2'-C1'	5.63	106.00	101.50
26	BB	2136	G	P-O5'-C5'	5.63	129.91	120.90
26	BB	2234	G	C5-C6-O6	5.63	131.98	128.60
26	BB	2444	G	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	2594	C	C5'-C4'-O4'	5.63	115.85	109.10
26	BB	2704	C	N3-C2-O2	-5.63	117.96	121.90
26	BB	2715	C	C1'-O4'-C4'	5.63	114.40	109.90
26	BB	2734	A	N3-C4-C5	-5.63	122.86	126.80
26	BB	2900	A	N3-C4-N9	-5.63	122.90	127.40
1	AA	7	A	C5-N7-C8	5.63	106.71	103.90
1	AA	148	G	O4'-C1'-N9	5.63	112.70	108.20
1	AA	196	A	N1-C2-N3	-5.63	126.49	129.30
1	AA	359	G	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	473	U	C6-N1-C2	-5.63	117.62	121.00
1	AA	1098	C	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	1140	C	O4'-C1'-C2'	-5.63	100.17	105.80
1	AA	1211	U	C3'-C2'-C1'	5.63	106.00	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1403	C	O4'-C1'-N1	5.63	112.70	108.20
1	AA	1473	G	N3-C4-N9	5.63	129.38	126.00
25	BA	19	C	N3-C4-N4	5.63	121.94	118.00
25	BA	46	A	O4'-C1'-N9	5.63	112.70	108.20
26	BB	145	C	N1-C1'-C2'	-5.63	105.81	112.00
26	BB	300	A	C5-N7-C8	-5.63	101.09	103.90
26	BB	761	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	793	A	C5'-C4'-O4'	5.63	115.85	109.10
26	BB	1738	G	N3-C2-N2	5.63	123.84	119.90
26	BB	1819	A	N9-C1'-C2'	-5.63	105.81	112.00
26	BB	1824	G	C2'-C3'-O3'	5.63	122.70	113.70
26	BB	1874	C	C5-C4-N4	-5.63	116.26	120.20
42	BR	71	ARG	CD-NE-CZ	5.63	131.48	123.60
1	AA	381	C	P-O3'-C3'	5.62	126.45	119.70
25	BA	83	G	C8-N9-C4	-5.62	104.15	106.40
26	BB	338	G	N9-C1'-C2'	-5.62	105.81	112.00
26	BB	612	G	C4-C5-C6	5.62	122.17	118.80
26	BB	979	A	N9-C1'-C2'	-5.62	105.81	112.00
26	BB	1532	A	N9-C1'-C2'	-5.62	105.81	112.00
26	BB	1655	A	C4-C5-C6	5.62	119.81	117.00
26	BB	1952	A	P-O3'-C3'	5.62	126.45	119.70
26	BB	2116	G	C8-N9-C4	-5.62	104.15	106.40
26	BB	2532	G	P-O3'-C3'	5.62	126.45	119.70
26	BB	2681	C	C6-N1-C2	-5.62	118.05	120.30
1	AA	398	U	N1-C1'-C2'	-5.62	105.81	112.00
1	AA	870	U	O4'-C1'-C2'	-5.62	100.18	105.80
1	AA	1241	G	C6-C5-N7	-5.62	127.03	130.40
1	AA	1330	U	P-O3'-C3'	5.62	126.45	119.70
1	AA	1393	U	N3-C4-O4	5.62	123.34	119.40
1	AA	1414	U	P-O3'-C3'	5.62	126.45	119.70
5	AE	126	ASP	CB-CG-OD2	-5.62	113.24	118.30
11	AK	18	ALA	N-CA-CB	-5.62	102.23	110.10
26	BB	33	C	O4'-C1'-N1	5.62	112.70	108.20
26	BB	105	C	C4-C5-C6	5.62	120.21	117.40
26	BB	358	U	C3'-C2'-C1'	5.62	106.00	101.50
26	BB	1182	G	C1'-O4'-C4'	-5.62	105.40	109.90
26	BB	1243	C	C5-C4-N4	-5.62	116.26	120.20
26	BB	1686	C	N3-C4-N4	-5.62	114.06	118.00
26	BB	2138	G	N3-C4-N9	5.62	129.38	126.00
26	BB	2149	U	C4'-C3'-C2'	5.62	108.22	102.60
26	BB	2596	U	C4'-C3'-C2'	5.62	108.22	102.60
1	AA	215	C	C5-C6-N1	-5.62	118.19	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	305	G	C3'-C2'-C1'	5.62	106.00	101.50
1	AA	654	G	C5-C6-N1	5.62	114.31	111.50
1	AA	1293	C	C4'-C3'-C2'	-5.62	96.98	102.60
25	BA	10	G	N3-C2-N2	-5.62	115.97	119.90
25	BA	95	U	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	123	G	C5-C6-N1	5.62	114.31	111.50
26	BB	674	G	C4-C5-N7	-5.62	108.55	110.80
26	BB	811	U	N3-C2-O2	-5.62	118.27	122.20
26	BB	1143	A	C5-N7-C8	-5.62	101.09	103.90
26	BB	1659	G	C8-N9-C4	-5.62	104.15	106.40
26	BB	1721	G	O5'-P-OP2	-5.62	100.64	105.70
26	BB	1983	G	C5-N7-C8	5.62	107.11	104.30
26	BB	2262	U	C2-N3-C4	-5.62	123.63	127.00
26	BB	2425	A	N1-C2-N3	5.62	132.11	129.30
26	BB	2596	U	P-O3'-C3'	5.62	126.44	119.70
26	BB	2768	U	C5-C6-N1	5.62	125.51	122.70
26	BB	2797	U	N3-C4-O4	5.62	123.33	119.40
1	AA	1389	C	P-O3'-C3'	5.62	126.44	119.70
3	AC	47	C	C2-N3-C4	-5.62	117.09	119.90
26	BB	401	A	C5-N7-C8	5.62	106.71	103.90
26	BB	500	G	C6-C5-N7	-5.62	127.03	130.40
26	BB	991	C	C5-C6-N1	5.62	123.81	121.00
26	BB	2775	G	C2-N3-C4	5.62	114.71	111.90
48	BX	55	GLU	OE1-CD-OE2	-5.62	116.56	123.30
58	B7	2	LYS	CB-CA-C	5.62	121.64	110.40
1	AA	796	C	C5'-C4'-O4'	5.62	115.84	109.10
1	AA	992	U	N3-C4-O4	5.62	123.33	119.40
8	AH	45	VAL	CG1-CB-CG2	-5.62	101.91	110.90
26	BB	628	G	C5-C6-N1	-5.62	108.69	111.50
26	BB	748	G	C1'-O4'-C4'	-5.62	105.41	109.90
26	BB	845	A	N1-C2-N3	5.62	132.11	129.30
26	BB	995	C	P-O3'-C3'	5.62	126.44	119.70
26	BB	1064	C	O4'-C1'-N1	5.62	112.69	108.20
26	BB	2060	A	C6-C5-N7	5.62	136.23	132.30
26	BB	2611	C	C4'-C3'-C2'	5.62	108.22	102.60
26	BB	2617	U	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	2715	C	C5'-C4'-O4'	5.62	115.84	109.10
25	BA	11	C	N3-C4-C5	-5.62	119.65	121.90
26	BB	1210	G	N3-C4-C5	5.62	131.41	128.60
26	BB	1619	G	C4-C5-N7	-5.62	108.55	110.80
26	BB	2062	A	N1-C2-N3	-5.62	126.49	129.30
56	B5	26	ASN	N-CA-CB	-5.62	100.49	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	95	C	C2-N3-C4	5.62	122.71	119.90
1	AA	425	G	C4-C5-C6	5.62	122.17	118.80
1	AA	492	C	C3'-C2'-C1'	5.62	105.99	101.50
1	AA	775	G	C8-N9-C4	-5.62	104.15	106.40
1	AA	1378	C	C2-N3-C4	5.62	122.71	119.90
26	BB	327	G	C5-N7-C8	-5.62	101.49	104.30
26	BB	372	G	C5-N7-C8	5.62	107.11	104.30
26	BB	804	A	O4'-C4'-C3'	5.62	110.59	106.10
26	BB	886	A	C4-C5-N7	-5.62	107.89	110.70
26	BB	1250	G	C6-N1-C2	-5.62	121.73	125.10
26	BB	1862	G	N3-C2-N2	-5.62	115.97	119.90
26	BB	1899	A	O4'-C1'-N9	5.62	112.69	108.20
26	BB	2201	G	C5'-C4'-C3'	5.62	124.98	116.00
26	BB	2340	A	O4'-C4'-C3'	5.62	110.59	106.10
26	BB	2364	C	C2-N1-C1'	-5.62	112.62	118.80
26	BB	2513	A	C5-C6-N6	-5.62	119.21	123.70
26	BB	2597	G	N3-C4-N9	5.62	129.37	126.00
26	BB	2721	A	N1-C6-N6	5.62	121.97	118.60
1	AA	715	A	O4'-C1'-N9	-5.61	103.71	108.20
1	AA	1002	G	C6-C5-N7	-5.61	127.03	130.40
1	AA	1411	C	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	366	C	C6-N1-C2	-5.61	118.06	120.30
26	BB	368	A	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	1792	G	N7-C8-N9	5.61	115.91	113.10
26	BB	2375	G	N1-C2-N3	-5.61	120.53	123.90
46	BV	3	ARG	NE-CZ-NH2	-5.61	117.49	120.30
1	AA	370	C	C6-N1-C2	-5.61	118.06	120.30
1	AA	875	U	O4'-C1'-N1	5.61	112.69	108.20
1	AA	1273	C	C4-C5-C6	-5.61	114.59	117.40
4	AD	38	A	C2-N3-C4	5.61	113.41	110.60
25	BA	92	C	C2-N3-C4	5.61	122.71	119.90
26	BB	249	C	O4'-C1'-C2'	5.61	112.65	107.60
26	BB	1158	C	C5-C6-N1	5.61	123.81	121.00
26	BB	1444	G	C3'-C2'-C1'	5.61	105.99	101.50
26	BB	1650	A	P-O3'-C3'	-5.61	112.97	119.70
26	BB	2786	U	C5-C6-N1	-5.61	119.89	122.70
1	AA	296	U	C5'-C4'-O4'	-5.61	102.37	109.10
1	AA	445	G	O4'-C1'-N9	5.61	112.69	108.20
1	AA	518	C	N3-C4-N4	5.61	121.93	118.00
1	AA	1225	A	N7-C8-N9	5.61	116.61	113.80
1	AA	1419	G	C8-N9-C1'	-5.61	119.71	127.00
1	AA	1437	A	O5'-P-OP1	5.61	117.43	110.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	53	G	N3-C4-C5	-5.61	125.80	128.60
11	AK	85	TYR	CD1-CE1-CZ	5.61	124.85	119.80
26	BB	428	A	C5-C6-N1	-5.61	114.89	117.70
26	BB	486	C	C4-C5-C6	-5.61	114.59	117.40
26	BB	552	U	N1-C2-N3	5.61	118.27	114.90
26	BB	1443	U	C3'-C2'-C1'	-5.61	97.01	101.50
26	BB	2142	A	N3-C4-C5	-5.61	122.87	126.80
26	BB	2716	C	C4'-C3'-C2'	5.61	108.21	102.60
49	BY	59	PHE	CB-CG-CD1	-5.61	116.87	120.80
1	AA	690	G	O4'-C4'-C3'	5.61	110.59	106.10
3	AC	40	G	C5-C6-O6	5.61	131.97	128.60
3	AC	43	U	C5'-C4'-O4'	-5.61	102.37	109.10
26	BB	907	G	N1-C2-N3	-5.61	120.53	123.90
26	BB	911	A	N1-C2-N3	-5.61	126.50	129.30
26	BB	1368	G	C4-C5-N7	-5.61	108.56	110.80
26	BB	1717	A	C2-N3-C4	-5.61	107.80	110.60
26	BB	2345	G	N3-C4-C5	-5.61	125.80	128.60
26	BB	2864	G	C5'-C4'-O4'	5.61	115.83	109.10
1	AA	226	G	N7-C8-N9	-5.61	110.30	113.10
1	AA	264	C	C5'-C4'-O4'	-5.61	102.37	109.10
1	AA	487	A	C8-N9-C4	-5.61	103.56	105.80
1	AA	965	U	N3-C4-O4	5.61	123.33	119.40
25	BA	71	C	N3-C4-C5	5.61	124.14	121.90
26	BB	71	A	C5-N7-C8	-5.61	101.10	103.90
26	BB	216	A	C3'-C2'-C1'	-5.61	97.02	101.50
26	BB	303	G	N7-C8-N9	-5.61	110.30	113.10
26	BB	365	U	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	986	C	C6-N1-C2	-5.61	118.06	120.30
26	BB	1103	A	C5-C6-N1	5.61	120.50	117.70
26	BB	1358	G	C4-C5-N7	-5.61	108.56	110.80
26	BB	1786	A	O4'-C1'-N9	5.61	112.69	108.20
26	BB	1926	U	C1'-O4'-C4'	-5.61	105.41	109.90
26	BB	1948	G	C5'-C4'-O4'	5.61	115.83	109.10
26	BB	2125	G	P-O5'-C5'	5.61	129.87	120.90
26	BB	2373	G	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	2510	C	O4'-C1'-N1	5.61	112.69	108.20
26	BB	2534	A	N3-C4-C5	-5.61	122.87	126.80
26	BB	2659	G	N3-C4-N9	5.61	129.37	126.00
39	BO	104	GLU	OE1-CD-OE2	5.61	130.03	123.30
1	AA	65	A	N1-C6-N6	-5.61	115.24	118.60
1	AA	133	U	C2-N3-C4	-5.61	123.64	127.00
1	AA	184	G	N1-C2-N3	5.61	127.26	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	274	A	C2-N3-C4	5.61	113.40	110.60
1	AA	337	G	C6-N1-C2	-5.61	121.74	125.10
1	AA	418	C	O4'-C1'-N1	5.61	112.69	108.20
1	AA	859	G	C2-N3-C4	5.61	114.70	111.90
1	AA	1366	C	N1-C2-O2	5.61	122.26	118.90
26	BB	581	C	C4-C5-C6	-5.61	114.60	117.40
26	BB	789	A	O4'-C1'-N9	5.61	112.68	108.20
26	BB	969	G	O4'-C4'-C3'	-5.61	98.39	104.00
26	BB	1021	A	O4'-C1'-N9	5.61	112.69	108.20
26	BB	1736	U	N1-C2-N3	5.61	118.26	114.90
26	BB	2213	U	O4'-C4'-C3'	5.61	110.58	106.10
26	BB	2539	C	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	2703	C	C5-C6-N1	5.61	123.80	121.00
29	BE	125	TRP	NE1-CE2-CD2	-5.61	101.69	107.30
1	AA	660	C	C2-N3-C4	5.60	122.70	119.90
26	BB	1537	G	C5-N7-C8	5.60	107.10	104.30
32	BH	163	TYR	CD1-CE1-CZ	5.60	124.84	119.80
1	AA	858	G	N9-C4-C5	5.60	107.64	105.40
1	AA	928	G	C4'-C3'-C2'	-5.60	97.00	102.60
1	AA	1018	G	N9-C4-C5	-5.60	103.16	105.40
1	AA	1040	U	N1-C2-N3	5.60	118.26	114.90
1	AA	1339	A	C6-C5-N7	-5.60	128.38	132.30
1	AA	1394	A	C8-N9-C4	-5.60	103.56	105.80
7	AG	103	ARG	NH1-CZ-NH2	-5.60	113.24	119.40
25	BA	107	G	N1-C2-N3	-5.60	120.54	123.90
26	BB	176	A	P-O3'-C3'	5.60	126.42	119.70
26	BB	209	C	C5'-C4'-O4'	5.60	115.82	109.10
26	BB	534	U	O4'-C4'-C3'	-5.60	98.40	104.00
26	BB	750	A	P-O5'-C5'	5.60	129.87	120.90
26	BB	865	C	N3-C4-C5	5.60	124.14	121.90
26	BB	939	G	C4-C5-C6	-5.60	115.44	118.80
26	BB	1067	A	C5-N7-C8	-5.60	101.10	103.90
26	BB	1127	A	C6-N1-C2	5.60	121.96	118.60
26	BB	1389	G	C5'-C4'-O4'	5.60	115.82	109.10
26	BB	1604	C	N3-C4-C5	5.60	124.14	121.90
26	BB	2067	G	C1'-O4'-C4'	-5.60	105.42	109.90
26	BB	2375	G	O4'-C1'-N9	5.60	112.68	108.20
1	AA	688	G	N9-C1'-C2'	-5.60	105.84	112.00
4	AD	10	G	N1-C6-O6	-5.60	116.54	119.90
4	AD	77	A	N1-C6-N6	-5.60	115.24	118.60
26	BB	45	G	N9-C4-C5	5.60	107.64	105.40
26	BB	842	U	P-O3'-C3'	5.60	126.42	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	899	A	N7-C8-N9	5.60	116.60	113.80
26	BB	1240	U	O4'-C1'-N1	5.60	112.68	108.20
26	BB	2002	G	C4-N9-C1'	-5.60	119.22	126.50
26	BB	2161	C	N3-C4-N4	-5.60	114.08	118.00
26	BB	2602	A	N1-C6-N6	5.60	121.96	118.60
1	AA	485	U	N1-C1'-C2'	5.60	121.28	114.00
1	AA	521	G	C5-C6-N1	-5.60	108.70	111.50
1	AA	1038	C	N3-C4-C5	5.60	124.14	121.90
26	BB	50	U	C2-N3-C4	-5.60	123.64	127.00
26	BB	350	G	N1-C2-N2	5.60	121.24	116.20
26	BB	829	A	N1-C2-N3	-5.60	126.50	129.30
26	BB	1234	U	N3-C4-O4	-5.60	115.48	119.40
26	BB	1935	G	C5'-C4'-C3'	-5.60	107.04	116.00
26	BB	2736	A	C5'-C4'-O4'	5.60	115.82	109.10
26	BB	2748	A	N1-C2-N3	-5.60	126.50	129.30
1	AA	11	G	C5-C6-N1	-5.60	108.70	111.50
1	AA	134	G	N3-C4-N9	-5.60	122.64	126.00
1	AA	152	A	C1'-O4'-C4'	5.60	114.38	109.90
1	AA	311	C	C1'-O4'-C4'	-5.60	105.42	109.90
1	AA	1210	C	N3-C4-N4	-5.60	114.08	118.00
1	AA	1452	C	N1-C2-N3	-5.60	115.28	119.20
1	AA	1475	G	C6-C5-N7	-5.60	127.04	130.40
4	AD	36	A	C4-C5-C6	-5.60	114.20	117.00
26	BB	321	U	C4-C5-C6	5.60	123.06	119.70
26	BB	1206	G	C4-C5-C6	-5.60	115.44	118.80
26	BB	1651	G	N3-C4-N9	5.60	129.36	126.00
26	BB	1714	U	C4'-C3'-C2'	-5.60	97.00	102.60
26	BB	1844	C	N3-C4-C5	-5.60	119.66	121.90
26	BB	2889	C	C4-C5-C6	-5.60	114.60	117.40
39	BO	108	VAL	CA-CB-CG1	5.60	119.30	110.90
1	AA	697	U	C5'-C4'-C3'	-5.60	107.05	116.00
1	AA	897	C	C5'-C4'-O4'	5.60	115.81	109.10
26	BB	894	U	C2-N3-C4	-5.60	123.64	127.00
26	BB	1427	A	O4'-C1'-N9	5.60	112.68	108.20
26	BB	2308	G	N1-C2-N3	-5.60	120.54	123.90
1	AA	432	A	N3-C4-C5	5.59	130.72	126.80
1	AA	568	G	C5-C6-N1	5.59	114.30	111.50
1	AA	873	A	O4'-C4'-C3'	5.59	110.58	106.10
1	AA	1132	C	C5'-C4'-C3'	-5.59	107.05	116.00
1	AA	1147	C	C4-C5-C6	-5.59	114.60	117.40
1	AA	1155	A	C5'-C4'-O4'	5.59	115.81	109.10
7	AG	153	ARG	CD-NE-CZ	5.59	131.43	123.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	151	C	O4'-C4'-C3'	5.59	110.58	106.10
26	BB	158	U	O4'-C1'-C2'	-5.59	100.20	105.80
26	BB	212	G	C2-N3-C4	5.59	114.70	111.90
26	BB	661	A	C2-N3-C4	5.59	113.40	110.60
26	BB	802	A	C4-C5-N7	-5.59	107.90	110.70
26	BB	962	G	O4'-C4'-C3'	-5.59	98.41	104.00
26	BB	1167	C	N1-C2-O2	5.59	122.26	118.90
26	BB	1865	U	C4-C5-C6	5.59	123.06	119.70
26	BB	2135	A	C4-C5-N7	-5.59	107.90	110.70
26	BB	2646	C	C4-C5-C6	-5.59	114.60	117.40
26	BB	2746	U	C1'-O4'-C4'	-5.59	105.42	109.90
26	BB	2898	U	C4-C5-C6	5.59	123.06	119.70
41	BQ	10	ARG	NE-CZ-NH2	-5.59	117.50	120.30
54	B3	16	ARG	NE-CZ-NH2	5.59	123.10	120.30
1	AA	405	U	C6-N1-C2	5.59	124.36	121.00
1	AA	420	U	C4-C5-C6	5.59	123.06	119.70
1	AA	499	A	O5'-P-OP2	-5.59	100.67	105.70
1	AA	1194	U	C4'-C3'-C2'	-5.59	97.01	102.60
1	AA	1332	A	P-O3'-C3'	5.59	126.41	119.70
26	BB	670	A	O4'-C4'-C3'	5.59	110.57	106.10
26	BB	721	A	C5'-C4'-O4'	5.59	115.81	109.10
26	BB	776	G	N3-C4-C5	-5.59	125.80	128.60
26	BB	1317	G	C8-N9-C1'	5.59	134.27	127.00
26	BB	1628	G	C6-N1-C2	-5.59	121.74	125.10
26	BB	2720	U	C5-C6-N1	5.59	125.50	122.70
26	BB	2902	C	N1-C2-O2	5.59	122.26	118.90
1	AA	119	A	C5-C6-N1	-5.59	114.91	117.70
1	AA	206	C	C5-C4-N4	5.59	124.11	120.20
1	AA	691	G	C5-N7-C8	-5.59	101.50	104.30
1	AA	889	A	N1-C6-N6	-5.59	115.25	118.60
1	AA	1127	G	C3'-C2'-C1'	-5.59	97.03	101.50
1	AA	1361	G	C2-N3-C4	5.59	114.70	111.90
4	AD	32	G	C5'-C4'-C3'	5.59	124.95	116.00
4	AD	67	C	C5'-C4'-C3'	5.59	124.95	116.00
26	BB	287	G	C2-N3-C4	5.59	114.70	111.90
26	BB	1010	A	P-O3'-C3'	5.59	126.41	119.70
26	BB	1565	C	N3-C4-C5	-5.59	119.66	121.90
26	BB	1748	C	O4'-C1'-N1	5.59	112.67	108.20
26	BB	2116	G	C6-N1-C2	-5.59	121.75	125.10
26	BB	2581	G	C6-C5-N7	-5.59	127.05	130.40
26	BB	2703	C	C5-C4-N4	-5.59	116.29	120.20
26	BB	2812	G	C2-N3-C4	-5.59	109.10	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	BM	4	GLU	CB-CA-C	5.59	121.58	110.40
1	AA	101	A	C5'-C4'-O4'	5.59	115.81	109.10
1	AA	388	G	N9-C4-C5	5.59	107.64	105.40
1	AA	454	G	N3-C2-N2	-5.59	115.99	119.90
1	AA	558	G	O4'-C1'-N9	-5.59	103.73	108.20
1	AA	1148	U	N3-C4-O4	5.59	123.31	119.40
1	AA	1218	C	N3-C4-C5	-5.59	119.66	121.90
1	AA	1440	U	C1'-O4'-C4'	5.59	114.37	109.90
1	AA	1455	G	C4-N9-C1'	-5.59	119.23	126.50
2	AB	60	U	O4'-C4'-C3'	5.59	110.57	106.10
2	AB	67	G	C4'-C3'-C2'	-5.59	97.01	102.60
26	BB	139	U	C5'-C4'-O4'	-5.59	102.39	109.10
26	BB	141	G	C5'-C4'-C3'	-5.59	107.06	116.00
26	BB	497	A	N7-C8-N9	-5.59	111.00	113.80
26	BB	1766	G	P-O3'-C3'	5.59	126.41	119.70
26	BB	2412	A	C6-C5-N7	5.59	136.21	132.30
26	BB	2484	G	N1-C6-O6	-5.59	116.55	119.90
26	BB	2597	G	C4-C5-C6	5.59	122.15	118.80
29	BE	141	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	AA	300	A	C8-N9-C4	-5.59	103.56	105.80
1	AA	1149	C	C3'-C2'-C1'	5.59	105.97	101.50
3	AC	55	A	C5-C6-N6	-5.59	119.23	123.70
26	BB	1171	G	C8-N9-C4	5.59	108.64	106.40
26	BB	2490	G	C5-C6-O6	-5.59	125.25	128.60
26	BB	2808	G	C4-C5-C6	5.59	122.15	118.80
1	AA	228	A	C4'-C3'-C2'	-5.59	97.01	102.60
1	AA	270	A	P-O3'-C3'	5.59	126.40	119.70
1	AA	778	G	C5-C6-O6	-5.59	125.25	128.60
1	AA	787	A	C4-C5-C6	-5.59	114.21	117.00
1	AA	823	C	C5-C6-N1	-5.59	118.21	121.00
1	AA	906	A	C5'-C4'-C3'	-5.59	107.06	116.00
26	BB	307	G	C6-C5-N7	-5.59	127.05	130.40
26	BB	453	A	P-O3'-C3'	5.59	126.40	119.70
26	BB	495	G	O4'-C1'-C2'	-5.59	100.21	105.80
26	BB	666	A	C2-N3-C4	5.59	113.39	110.60
26	BB	752	A	C8-N9-C4	-5.59	103.56	105.80
26	BB	1144	A	P-O3'-C3'	5.59	126.40	119.70
26	BB	1314	C	C2-N3-C4	5.59	122.69	119.90
26	BB	1578	U	N3-C4-O4	5.59	123.31	119.40
26	BB	1636	U	C5'-C4'-O4'	5.59	115.80	109.10
26	BB	2424	C	C5'-C4'-C3'	-5.59	107.06	116.00
26	BB	2613	U	C6-N1-C2	-5.59	117.65	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2783	U	O4'-C1'-N1	5.59	112.67	108.20
26	BB	1297	C	O5'-P-OP1	-5.58	100.67	105.70
26	BB	1733	G	O4'-C1'-N9	5.58	112.67	108.20
26	BB	2488	G	C5-C6-N1	5.58	114.29	111.50
28	BD	206	LYS	CA-CB-CG	5.58	125.69	113.40
40	BP	108	ALA	N-CA-CB	-5.58	102.28	110.10
1	AA	281	G	C4'-C3'-C2'	5.58	108.18	102.60
1	AA	814	A	P-O3'-C3'	5.58	126.40	119.70
1	AA	1271	A	N9-C4-C5	5.58	108.03	105.80
2	AB	62	U	C5'-C4'-O4'	5.58	115.80	109.10
25	BA	22	U	C2-N3-C4	-5.58	123.65	127.00
25	BA	90	C	N1-C2-O2	5.58	122.25	118.90
26	BB	67	U	C5-C6-N1	5.58	125.49	122.70
26	BB	321	U	N3-C4-O4	5.58	123.31	119.40
26	BB	684	G	N1-C6-O6	-5.58	116.55	119.90
26	BB	885	C	C3'-C2'-C1'	5.58	105.97	101.50
26	BB	971	G	O4'-C1'-N9	5.58	112.67	108.20
26	BB	1068	G	C4-C5-C6	5.58	122.15	118.80
26	BB	1552	A	C2-N3-C4	-5.58	107.81	110.60
26	BB	1597	A	N3-C4-C5	-5.58	122.89	126.80
26	BB	1785	A	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	1887	C	C3'-C2'-C1'	-5.58	97.03	101.50
26	BB	2735	G	C5-C6-N1	5.58	114.29	111.50
26	BB	2832	U	C2-N3-C4	-5.58	123.65	127.00
28	BD	95	TYR	CZ-CE2-CD2	5.58	124.82	119.80
44	BT	89	HIS	CA-CB-CG	5.58	123.09	113.60
1	AA	182	A	C4-C5-C6	-5.58	114.21	117.00
1	AA	316	C	C4-C5-C6	-5.58	114.61	117.40
1	AA	341	C	C5-C4-N4	5.58	124.11	120.20
1	AA	1327	C	C5-C4-N4	-5.58	116.29	120.20
1	AA	1386	G	O4'-C4'-C3'	5.58	110.56	106.10
26	BB	124	G	C5-N7-C8	5.58	107.09	104.30
26	BB	369	U	N3-C4-O4	5.58	123.31	119.40
26	BB	372	G	C5'-C4'-O4'	5.58	115.80	109.10
26	BB	777	G	C8-N9-C4	-5.58	104.17	106.40
26	BB	792	A	N3-C4-C5	-5.58	122.89	126.80
26	BB	1227	G	N3-C2-N2	5.58	123.81	119.90
26	BB	1317	G	C5-C6-O6	5.58	131.95	128.60
26	BB	1474	U	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	1503	A	C5-N7-C8	-5.58	101.11	103.90
26	BB	1861	G	C2-N3-C4	5.58	114.69	111.90
26	BB	1933	G	C5-N7-C8	5.58	107.09	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1981	A	P-O3'-C3'	5.58	126.40	119.70
26	BB	2146	C	P-O5'-C5'	5.58	129.83	120.90
26	BB	2202	U	C4-C5-C6	5.58	123.05	119.70
31	BG	82	TYR	CB-CG-CD2	5.58	124.35	121.00
1	AA	1340	A	N1-C2-N3	-5.58	126.51	129.30
1	AA	1365	G	C6-N1-C2	-5.58	121.75	125.10
26	BB	422	A	C4-C5-C6	5.58	119.79	117.00
26	BB	841	G	C5-N7-C8	-5.58	101.51	104.30
26	BB	885	C	O4'-C1'-N1	-5.58	103.74	108.20
26	BB	1646	C	N1-C2-O2	5.58	122.25	118.90
26	BB	1817	G	C5-C6-N1	5.58	114.29	111.50
26	BB	2092	U	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	2500	U	C1'-O4'-C4'	-5.58	105.44	109.90
1	AA	14	U	O4'-C1'-N1	5.58	112.66	108.20
1	AA	190	A	O4'-C1'-C2'	-5.58	100.22	105.80
1	AA	363	A	O4'-C4'-C3'	5.58	110.56	106.10
1	AA	484	G	C6-C5-N7	-5.58	127.05	130.40
1	AA	730	G	C8-N9-C4	-5.58	104.17	106.40
1	AA	1424	U	C5-C6-N1	5.58	125.49	122.70
26	BB	49	A	N1-C6-N6	-5.58	115.25	118.60
26	BB	1147	A	C8-N9-C4	-5.58	103.57	105.80
26	BB	1199	U	N3-C4-C5	-5.58	111.25	114.60
26	BB	1973	G	O3'-P-O5'	-5.58	93.40	104.00
26	BB	2159	G	N9-C4-C5	5.58	107.63	105.40
26	BB	2554	U	C5'-C4'-C3'	-5.58	107.07	116.00
26	BB	2737	G	O4'-C1'-N9	5.58	112.66	108.20
26	BB	2852	G	C4'-C3'-C2'	-5.58	97.02	102.60
48	BX	40	ILE	CA-CB-CG1	5.58	121.60	111.00
1	AA	394	G	C4'-C3'-C2'	-5.58	97.02	102.60
1	AA	519	C	C4-C5-C6	5.58	120.19	117.40
1	AA	1187	G	C6-C5-N7	-5.58	127.05	130.40
26	BB	82	U	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	2162	G	C6-N1-C2	-5.58	121.75	125.10
26	BB	2689	U	O4'-C4'-C3'	5.58	110.56	106.10
1	AA	170	U	C5-C4-O4	5.58	129.25	125.90
1	AA	292	G	O4'-C1'-N9	5.58	112.66	108.20
1	AA	385	C	C2-N3-C4	5.58	122.69	119.90
1	AA	405	U	C2-N3-C4	-5.58	123.65	127.00
1	AA	997	U	C5-C6-N1	5.58	125.49	122.70
1	AA	1341	U	C5'-C4'-C3'	-5.58	107.08	116.00
1	AA	1428	A	C1'-O4'-C4'	-5.58	105.44	109.90
1	AA	1451	U	N1-C2-O2	-5.58	118.90	122.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1526	G	C5-C6-O6	-5.58	125.25	128.60
4	AD	39	A	O4'-C1'-N9	5.58	112.66	108.20
25	BA	76	G	C6-N1-C2	-5.58	121.75	125.10
26	BB	238	C	C2-N3-C4	-5.58	117.11	119.90
26	BB	253	C	O4'-C1'-N1	5.58	112.66	108.20
26	BB	702	U	C5-C6-N1	5.58	125.49	122.70
26	BB	984	A	O4'-C1'-N9	5.58	112.66	108.20
26	BB	1136	G	N1-C2-N3	5.58	127.25	123.90
26	BB	1304	A	C5-C6-N1	-5.58	114.91	117.70
26	BB	1555	G	C5-N7-C8	5.58	107.09	104.30
26	BB	2083	G	N3-C4-N9	5.58	129.35	126.00
26	BB	2293	G	C5'-C4'-C3'	-5.58	107.08	116.00
26	BB	2397	G	N1-C2-N3	-5.58	120.56	123.90
26	BB	2500	U	C5'-C4'-O4'	5.58	115.79	109.10
26	BB	2626	C	C5-C4-N4	-5.58	116.30	120.20
26	BB	2678	C	N3-C4-C5	-5.58	119.67	121.90
28	BD	224	MET	CG-SD-CE	5.58	109.12	100.20
4	AD	7	G	N3-C2-N2	5.57	123.80	119.90
25	BA	108	A	C5-C6-N1	5.57	120.49	117.70
26	BB	209	C	C5-C4-N4	-5.57	116.30	120.20
26	BB	1330	C	C3'-C2'-C1'	-5.57	97.04	101.50
26	BB	1553	A	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	1604	C	C6-N1-C2	-5.57	118.07	120.30
26	BB	1653	G	N3-C4-N9	-5.57	122.66	126.00
26	BB	1785	A	C6-N1-C2	-5.57	115.25	118.60
26	BB	1998	A	O4'-C4'-C3'	-5.57	98.43	104.00
26	BB	2119	A	C5'-C4'-O4'	-5.57	102.41	109.10
26	BB	2414	G	C5'-C4'-O4'	5.57	115.79	109.10
26	BB	2600	A	P-O3'-C3'	5.57	126.39	119.70
26	BB	2629	U	C5'-C4'-O4'	-5.57	102.41	109.10
26	BB	2707	U	O4'-C1'-N1	5.57	112.66	108.20
26	BB	2802	G	N9-C4-C5	5.57	107.63	105.40
1	AA	897	C	C5-C6-N1	5.57	123.79	121.00
1	AA	1343	G	C5-C6-N1	-5.57	108.71	111.50
1	AA	1381	U	N3-C4-C5	-5.57	111.26	114.60
1	AA	1463	U	N1-C2-O2	-5.57	118.90	122.80
4	AD	37	U	C2-N3-C4	-5.57	123.66	127.00
12	AL	20	ILE	CA-CB-CG1	5.57	121.59	111.00
26	BB	228	C	C4-C5-C6	5.57	120.19	117.40
26	BB	1108	U	N1-C2-O2	-5.57	118.90	122.80
26	BB	1630	A	C5-C6-N1	5.57	120.49	117.70
26	BB	2776	A	O4'-C4'-C3'	5.57	110.56	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	160	A	C4-C5-N7	5.57	113.48	110.70
1	AA	282	A	C5-C6-N1	5.57	120.48	117.70
1	AA	602	A	C5-N7-C8	5.57	106.69	103.90
1	AA	978	A	C6-N1-C2	-5.57	115.26	118.60
1	AA	1031	C	C1'-O4'-C4'	5.57	114.36	109.90
1	AA	1507	A	C5-N7-C8	-5.57	101.11	103.90
2	AB	50	G	N7-C8-N9	5.57	115.89	113.10
3	AC	31	U	N3-C4-C5	-5.57	111.26	114.60
26	BB	641	U	C2-N1-C1'	5.57	124.39	117.70
26	BB	909	A	C2-N3-C4	5.57	113.39	110.60
26	BB	1288	G	N7-C8-N9	5.57	115.89	113.10
26	BB	2237	G	N7-C8-N9	5.57	115.89	113.10
26	BB	2336	A	OP1-P-O3'	5.57	117.46	105.20
26	BB	2688	G	N3-C4-C5	-5.57	125.81	128.60
26	BB	2729	G	N1-C2-N2	5.57	121.21	116.20
26	BB	2821	A	O4'-C1'-N9	5.57	112.66	108.20
53	B2	44	PHE	CB-CG-CD2	5.57	124.70	120.80
1	AA	747	A	C6-C5-N7	-5.57	128.40	132.30
1	AA	1182	G	C4-C5-N7	5.57	113.03	110.80
1	AA	1454	G	C5'-C4'-O4'	5.57	115.78	109.10
26	BB	503	A	C3'-C2'-C1'	5.57	105.95	101.50
26	BB	749	A	C8-N9-C4	5.57	108.03	105.80
26	BB	921	C	C5-C6-N1	5.57	123.78	121.00
26	BB	1900	A	C4-C5-C6	-5.57	114.22	117.00
26	BB	2563	U	C5'-C4'-O4'	5.57	115.78	109.10
1	AA	201	G	C5'-C4'-C3'	-5.57	107.09	116.00
1	AA	1078	U	C5-C6-N1	-5.57	119.92	122.70
1	AA	1183	U	C4'-C3'-C2'	-5.57	97.03	102.60
1	AA	1212	U	O4'-C4'-C3'	5.57	110.55	106.10
1	AA	1226	C	C2'-C3'-O3'	5.57	122.61	113.70
1	AA	1508	A	N1-C6-N6	5.57	121.94	118.60
26	BB	163	C	N3-C2-O2	-5.57	118.00	121.90
26	BB	1117	C	N1-C2-O2	5.57	122.24	118.90
26	BB	1328	A	N1-C6-N6	-5.57	115.26	118.60
26	BB	1599	U	P-O3'-C3'	5.57	126.38	119.70
26	BB	1976	U	P-O3'-C3'	5.57	126.38	119.70
26	BB	2055	C	C1'-O4'-C4'	-5.57	105.45	109.90
26	BB	2603	G	C5-C6-N1	-5.57	108.72	111.50
26	BB	2741	A	N7-C8-N9	-5.57	111.02	113.80
26	BB	2756	U	N3-C4-C5	5.57	117.94	114.60
1	AA	74	A	C4-C5-N7	-5.57	107.92	110.70
1	AA	496	A	C5'-C4'-O4'	5.57	115.78	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	677	U	C3'-C2'-C1'	5.57	105.95	101.50
1	AA	862	C	N3-C4-N4	5.57	121.90	118.00
1	AA	1217	C	C6-N1-C1'	5.57	127.48	120.80
1	AA	1225	A	C6-C5-N7	5.57	136.20	132.30
1	AA	1231	G	N1-C6-O6	5.57	123.24	119.90
25	BA	34	A	C8-N9-C4	-5.57	103.57	105.80
26	BB	1028	A	C5-C6-N6	-5.57	119.25	123.70
26	BB	1325	U	N3-C2-O2	-5.57	118.30	122.20
26	BB	1456	G	N1-C2-N3	5.57	127.24	123.90
26	BB	1670	C	C5-C6-N1	-5.57	118.22	121.00
26	BB	1901	A	N1-C6-N6	5.57	121.94	118.60
26	BB	1970	A	N9-C4-C5	5.57	108.03	105.80
26	BB	2256	G	N9-C4-C5	5.57	107.63	105.40
26	BB	2361	G	C5-C6-N1	-5.57	108.72	111.50
26	BB	2797	U	N3-C4-C5	-5.57	111.26	114.60
26	BB	2813	A	O4'-C1'-N9	5.57	112.65	108.20
1	AA	389	A	C3'-C2'-C1'	-5.56	97.05	101.50
1	AA	821	G	C1'-O4'-C4'	-5.56	105.45	109.90
1	AA	1180	A	C4-C5-N7	-5.56	107.92	110.70
1	AA	1437	A	C1'-O4'-C4'	-5.56	105.45	109.90
3	AC	15	G	C2-N3-C4	5.56	114.68	111.90
26	BB	176	A	C2-N3-C4	5.56	113.38	110.60
26	BB	1601	G	N3-C4-N9	5.56	129.34	126.00
26	BB	2833	U	N3-C2-O2	-5.56	118.31	122.20
26	BB	2839	G	C4-C5-N7	5.56	113.03	110.80
1	AA	122	G	N1-C2-N2	-5.56	111.19	116.20
1	AA	294	U	N1-C2-N3	5.56	118.24	114.90
1	AA	359	G	C6-C5-N7	-5.56	127.06	130.40
1	AA	648	A	C1'-O4'-C4'	5.56	114.35	109.90
1	AA	939	G	C4-C5-C6	5.56	122.14	118.80
1	AA	1260	G	N3-C2-N2	5.56	123.79	119.90
1	AA	1388	C	C2-N3-C4	5.56	122.68	119.90
25	BA	99	A	C4-C5-C6	-5.56	114.22	117.00
26	BB	107	G	C5-C6-O6	-5.56	125.26	128.60
26	BB	352	A	C2-N3-C4	-5.56	107.82	110.60
26	BB	632	A	C3'-C2'-C1'	5.56	105.95	101.50
26	BB	1201	U	C4-C5-C6	5.56	123.04	119.70
46	BV	86	THR	CA-CB-CG2	5.56	120.19	112.40
1	AA	26	A	C8-N9-C4	-5.56	103.58	105.80
1	AA	38	G	N1-C6-O6	-5.56	116.56	119.90
1	AA	138	G	C5-C6-O6	-5.56	125.26	128.60
26	BB	1406	U	N3-C4-O4	-5.56	115.51	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1511	G	O4'-C1'-N9	5.56	112.65	108.20
26	BB	1684	G	N9-C4-C5	5.56	107.62	105.40
26	BB	2001	C	C4'-C3'-C2'	-5.56	97.04	102.60
1	AA	1079	G	C8-N9-C4	-5.56	104.18	106.40
1	AA	1081	A	N1-C6-N6	5.56	121.94	118.60
1	AA	1469	C	N3-C4-C5	-5.56	119.68	121.90
2	AB	9	A	C5-C6-N6	-5.56	119.25	123.70
25	BA	74	U	N3-C2-O2	-5.56	118.31	122.20
26	BB	245	G	C6-N1-C2	-5.56	121.76	125.10
26	BB	286	U	N1-C2-N3	5.56	118.24	114.90
26	BB	508	A	C8-N9-C4	5.56	108.02	105.80
26	BB	622	G	N1-C6-O6	5.56	123.24	119.90
26	BB	976	G	C2-N3-C4	-5.56	109.12	111.90
26	BB	1139	G	C1'-O4'-C4'	5.56	114.35	109.90
26	BB	1893	C	C5-C4-N4	5.56	124.09	120.20
26	BB	1899	A	N3-C4-C5	-5.56	122.91	126.80
26	BB	2404	U	C1'-O4'-C4'	5.56	114.35	109.90
26	BB	2466	C	C2-N3-C4	-5.56	117.12	119.90
26	BB	2895	G	C3'-C2'-C1'	5.56	105.95	101.50
26	BB	2895	G	N1-C2-N3	-5.56	120.56	123.90
36	BL	18	VAL	CA-CB-CG2	-5.56	102.56	110.90
37	BM	100	PHE	CB-CG-CD2	-5.56	116.91	120.80
56	B5	33	ARG	NH1-CZ-NH2	-5.56	113.28	119.40
1	AA	78	A	C2-N3-C4	5.56	113.38	110.60
1	AA	203	G	C3'-C2'-C1'	-5.56	97.05	101.50
1	AA	819	A	C1'-O4'-C4'	-5.56	105.45	109.90
1	AA	942	G	C4-C5-N7	-5.56	108.58	110.80
1	AA	1439	G	C1'-O4'-C4'	5.56	114.35	109.90
2	AB	24	G	N1-C2-N3	-5.56	120.57	123.90
2	AB	53	G	C5'-C4'-C3'	-5.56	107.11	116.00
26	BB	94	A	C4-C5-N7	5.56	113.48	110.70
26	BB	114	U	C5-C6-N1	-5.56	119.92	122.70
26	BB	381	G	C5-C6-N1	5.56	114.28	111.50
26	BB	453	A	C4-C5-C6	5.56	119.78	117.00
26	BB	682	G	C5-N7-C8	5.56	107.08	104.30
26	BB	810	U	O4'-C4'-C3'	5.56	110.55	106.10
26	BB	892	A	C5-C6-N1	-5.56	114.92	117.70
26	BB	1472	C	C5-C4-N4	-5.56	116.31	120.20
26	BB	1495	A	C4-C5-N7	5.56	113.48	110.70
26	BB	1548	A	C5-N7-C8	-5.56	101.12	103.90
26	BB	2143	C	C4-C5-C6	-5.56	114.62	117.40
26	BB	2410	G	N7-C8-N9	5.56	115.88	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2842	G	C4-C5-C6	5.56	122.13	118.80
26	BB	2862	G	C5-N7-C8	-5.56	101.52	104.30
26	BB	2868	A	P-O3'-C3'	5.56	126.37	119.70
1	AA	142	G	N1-C6-O6	5.56	123.23	119.90
1	AA	262	A	N7-C8-N9	-5.56	111.02	113.80
1	AA	929	G	C6-N1-C2	-5.56	121.77	125.10
26	BB	1043	C	O4'-C1'-N1	5.56	112.64	108.20
26	BB	1332	G	C5-C6-O6	5.56	131.93	128.60
26	BB	1439	A	C4-C5-C6	5.56	119.78	117.00
26	BB	1823	G	C4-C5-C6	5.56	122.13	118.80
1	AA	202	G	N9-C1'-C2'	-5.55	105.89	112.00
1	AA	317	U	O4'-C1'-N1	5.55	112.64	108.20
1	AA	1050	G	C3'-C2'-C1'	-5.55	97.06	101.50
1	AA	1232	U	O5'-C5'-C4'	5.55	122.25	111.70
1	AA	1250	A	N9-C1'-C2'	-5.55	105.89	112.00
1	AA	1444	U	C2-N3-C4	-5.55	123.67	127.00
1	AA	1477	U	C4'-C3'-C2'	-5.55	97.05	102.60
2	AB	44	G	C3'-C2'-C1'	-5.55	97.06	101.50
26	BB	175	G	C8-N9-C1'	5.55	134.22	127.00
26	BB	229	C	C5'-C4'-O4'	5.55	115.77	109.10
26	BB	266	G	C5-N7-C8	-5.55	101.52	104.30
26	BB	810	U	C5-C6-N1	5.55	125.48	122.70
26	BB	880	G	C5-C6-N1	5.55	114.28	111.50
26	BB	897	C	C5-C4-N4	-5.55	116.31	120.20
26	BB	1023	U	C1'-O4'-C4'	-5.55	105.46	109.90
26	BB	1206	G	C2-N3-C4	5.55	114.68	111.90
26	BB	1508	A	P-O3'-C3'	5.55	126.37	119.70
26	BB	1598	A	C5'-C4'-C3'	-5.55	107.11	116.00
26	BB	2065	C	N1-C2-N3	5.55	123.09	119.20
26	BB	2409	G	C5-C6-O6	-5.55	125.27	128.60
26	BB	2536	G	C4-C5-C6	5.55	122.13	118.80
26	BB	2613	U	P-O3'-C3'	5.55	126.36	119.70
26	BB	2664	G	P-O5'-C5'	5.55	129.79	120.90
26	BB	2814	A	C5'-C4'-O4'	5.55	115.77	109.10
1	AA	434	U	O5'-P-OP2	-5.55	100.70	105.70
1	AA	619	U	N3-C4-O4	5.55	123.29	119.40
1	AA	1236	A	N1-C6-N6	-5.55	115.27	118.60
25	BA	89	U	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	1706	C	C6-N1-C2	-5.55	118.08	120.30
26	BB	1928	A	C1'-O4'-C4'	-5.55	105.46	109.90
26	BB	2092	U	O4'-C4'-C3'	5.55	110.54	106.10
26	BB	2263	C	C2-N3-C4	5.55	122.68	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	160	A	C3'-C2'-C1'	5.55	105.94	101.50
1	AA	628	G	C8-N9-C1'	5.55	134.22	127.00
1	AA	707	U	O3'-P-O5'	-5.55	93.45	104.00
1	AA	904	U	C2-N3-C4	-5.55	123.67	127.00
1	AA	1046	A	C8-N9-C4	5.55	108.02	105.80
2	AB	34	C	N3-C4-N4	5.55	121.89	118.00
8	AH	20	VAL	CA-CB-CG2	5.55	119.23	110.90
26	BB	286	U	C5'-C4'-O4'	5.55	115.76	109.10
26	BB	378	C	N3-C2-O2	-5.55	118.01	121.90
26	BB	862	G	N3-C2-N2	5.55	123.79	119.90
26	BB	1082	U	N3-C4-C5	-5.55	111.27	114.60
26	BB	1191	G	N1-C6-O6	5.55	123.23	119.90
26	BB	1276	A	C2-N3-C4	-5.55	107.83	110.60
26	BB	1291	C	C5-C6-N1	5.55	123.78	121.00
26	BB	1656	C	C5'-C4'-C3'	-5.55	107.12	116.00
26	BB	1853	A	N3-C4-C5	-5.55	122.91	126.80
34	BJ	28	ASP	N-CA-CB	-5.55	100.61	110.60
39	BO	44	ARG	NE-CZ-NH2	-5.55	117.52	120.30
42	BR	107	ALA	CB-CA-C	5.55	118.43	110.10
1	AA	35	G	C8-N9-C1'	5.55	134.21	127.00
1	AA	102	G	C5-C6-N1	5.55	114.27	111.50
1	AA	138	G	N9-C4-C5	5.55	107.62	105.40
1	AA	191	G	N3-C4-C5	-5.55	125.83	128.60
1	AA	244	U	O4'-C1'-N1	5.55	112.64	108.20
1	AA	291	U	C5'-C4'-O4'	5.55	115.76	109.10
1	AA	646	G	C5-C6-N1	5.55	114.28	111.50
1	AA	795	C	N1-C2-N3	5.55	123.08	119.20
1	AA	1039	G	C2-N3-C4	5.55	114.67	111.90
1	AA	1283	U	O4'-C1'-N1	5.55	112.64	108.20
1	AA	1367	C	N1-C1'-C2'	-5.55	105.90	112.00
1	AA	1478	U	C4-C5-C6	5.55	123.03	119.70
1	AA	1482	G	N1-C2-N3	5.55	127.23	123.90
16	AP	106	ARG	NE-CZ-NH1	5.55	123.07	120.30
26	BB	200	U	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	386	G	C5-C6-N1	5.55	114.28	111.50
26	BB	634	C	N1-C2-N3	-5.55	115.31	119.20
26	BB	636	G	N3-C4-N9	5.55	129.33	126.00
26	BB	1130	U	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	1809	A	P-O3'-C3'	5.55	126.36	119.70
26	BB	2337	G	C2-N3-C4	5.55	114.67	111.90
26	BB	2337	G	N3-C4-N9	5.55	129.33	126.00
26	BB	2706	A	C2-N3-C4	5.55	113.37	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BJ	115	GLU	OE1-CD-OE2	5.55	129.96	123.30
36	BL	120	ARG	CD-NE-CZ	5.55	131.37	123.60
1	AA	190	A	C1'-O4'-C4'	5.55	114.34	109.90
1	AA	1269	A	N1-C2-N3	-5.55	126.53	129.30
26	BB	2015	A	C5-C6-N1	5.55	120.47	117.70
26	BB	2067	G	N3-C4-C5	-5.55	125.83	128.60
26	BB	2430	A	C4-C5-C6	5.55	119.77	117.00
26	BB	2817	U	O4'-C1'-N1	5.55	112.64	108.20
28	BD	87	SER	O-C-N	-5.55	113.82	122.70
1	AA	128	G	P-O3'-C3'	5.55	126.36	119.70
1	AA	335	C	C5-C6-N1	-5.55	118.23	121.00
1	AA	856	C	C2-N3-C4	5.55	122.67	119.90
1	AA	951	G	N1-C2-N3	-5.55	120.57	123.90
1	AA	1210	C	C4-C5-C6	-5.55	114.63	117.40
1	AA	1270	G	C2-N3-C4	5.55	114.67	111.90
1	AA	1281	C	C6-N1-C2	-5.55	118.08	120.30
1	AA	1357	A	C8-N9-C4	-5.55	103.58	105.80
1	AA	1366	C	C6-N1-C2	-5.55	118.08	120.30
1	AA	1384	C	N3-C4-C5	5.55	124.12	121.90
25	BA	20	G	O4'-C4'-C3'	5.55	110.54	106.10
25	BA	67	G	C6-C5-N7	-5.55	127.07	130.40
25	BA	120	U	C4-C5-C6	5.55	123.03	119.70
26	BB	99	U	C6-N1-C2	-5.55	117.67	121.00
26	BB	274	C	C6-N1-C2	5.55	122.52	120.30
26	BB	376	G	C6-C5-N7	5.55	133.73	130.40
26	BB	404	A	O4'-C4'-C3'	-5.55	98.45	104.00
26	BB	886	A	C6-N1-C2	-5.55	115.27	118.60
26	BB	929	U	N1-C2-N3	5.55	118.23	114.90
26	BB	1565	C	N3-C4-N4	5.55	121.88	118.00
26	BB	1622	G	N9-C1'-C2'	-5.55	105.90	112.00
26	BB	1695	G	N3-C4-C5	-5.55	125.83	128.60
26	BB	1800	C	N3-C2-O2	-5.55	118.02	121.90
26	BB	2034	U	P-O3'-C3'	5.55	126.36	119.70
26	BB	2523	G	N1-C2-N3	-5.55	120.57	123.90
45	BU	34	ASP	CB-CG-OD1	-5.55	113.31	118.30
1	AA	611	C	C4-C5-C6	5.54	120.17	117.40
1	AA	1343	G	C6-N1-C2	5.54	128.43	125.10
1	AA	1406	U	N1-C2-N3	5.54	118.23	114.90
1	AA	1425	U	N1-C2-O2	-5.54	118.92	122.80
25	BA	33	G	N1-C6-O6	-5.54	116.57	119.90
26	BB	675	A	N9-C4-C5	5.54	108.02	105.80
26	BB	1192	G	N1-C6-O6	5.54	123.23	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1628	G	C6-C5-N7	5.54	133.73	130.40
26	BB	1933	G	N3-C4-C5	-5.54	125.83	128.60
26	BB	2429	G	P-O3'-C3'	5.54	126.35	119.70
1	AA	53	A	N7-C8-N9	5.54	116.57	113.80
1	AA	450	G	C6-C5-N7	-5.54	127.07	130.40
1	AA	919	A	P-O3'-C3'	5.54	126.35	119.70
1	AA	1197	A	C5-C6-N6	5.54	128.13	123.70
1	AA	1222	G	C5'-C4'-O4'	-5.54	102.45	109.10
1	AA	1304	G	N9-C4-C5	5.54	107.62	105.40
1	AA	1367	C	C4-C5-C6	5.54	120.17	117.40
4	AD	26	C	C5'-C4'-O4'	5.54	115.75	109.10
26	BB	167	A	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	636	G	O3'-P-O5'	5.54	114.53	104.00
26	BB	1110	G	C6-N1-C2	-5.54	121.77	125.10
26	BB	1213	A	C1'-O4'-C4'	5.54	114.33	109.90
26	BB	1792	G	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	2053	G	C6-C5-N7	-5.54	127.07	130.40
26	BB	2099	U	O4'-C1'-N1	5.54	112.64	108.20
26	BB	2549	G	C4-C5-N7	5.54	113.02	110.80
26	BB	2573	C	N3-C2-O2	-5.54	118.02	121.90
26	BB	2811	G	C1'-O4'-C4'	5.54	114.34	109.90
26	BB	2897	U	C5'-C4'-C3'	-5.54	107.13	116.00
18	AR	16	ARG	NE-CZ-NH1	-5.54	117.53	120.30
26	BB	182	A	N1-C6-N6	5.54	121.92	118.60
26	BB	184	C	N3-C4-N4	5.54	121.88	118.00
26	BB	370	G	N1-C2-N3	5.54	127.22	123.90
26	BB	991	C	C1'-O4'-C4'	5.54	114.33	109.90
26	BB	1163	G	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	1359	A	C6-C5-N7	5.54	136.18	132.30
26	BB	1421	G	N1-C6-O6	-5.54	116.58	119.90
26	BB	2019	A	C5-C6-N6	-5.54	119.27	123.70
26	BB	2150	C	N3-C4-N4	5.54	121.88	118.00
26	BB	2416	C	N1-C2-O2	5.54	122.22	118.90
26	BB	2742	G	C5-N7-C8	-5.54	101.53	104.30
1	AA	41	G	N9-C1'-C2'	-5.54	105.91	112.00
1	AA	692	U	C6-N1-C2	-5.54	117.68	121.00
1	AA	1233	G	C5-C6-N1	5.54	114.27	111.50
25	BA	120	U	C2-N1-C1'	5.54	124.35	117.70
26	BB	224	U	P-O3'-C3'	5.54	126.35	119.70
26	BB	785	G	C5'-C4'-O4'	5.54	115.75	109.10
26	BB	1162	G	C1'-O4'-C4'	-5.54	105.47	109.90
26	BB	1628	G	C5'-C4'-O4'	5.54	115.75	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1767	G	N1-C2-N3	-5.54	120.58	123.90
26	BB	1894	C	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	1901	A	C8-N9-C4	5.54	108.02	105.80
26	BB	2180	U	N1-C2-O2	5.54	126.68	122.80
26	BB	2648	G	C5-C6-N1	5.54	114.27	111.50
26	BB	2863	C	O4'-C4'-C3'	-5.54	98.46	104.00
1	AA	2	A	N9-C4-C5	-5.54	103.58	105.80
1	AA	59	A	C4-C5-C6	-5.54	114.23	117.00
1	AA	298	A	C5-C6-N6	-5.54	119.27	123.70
1	AA	380	G	N3-C2-N2	-5.54	116.02	119.90
1	AA	546	A	C3'-C2'-C1'	5.54	105.93	101.50
1	AA	767	A	C5-C6-N6	-5.54	119.27	123.70
1	AA	1215	G	C5-C6-O6	-5.54	125.28	128.60
2	AB	2	G	C2-N3-C4	5.54	114.67	111.90
6	AF	28	PHE	CB-CG-CD2	5.54	124.68	120.80
14	AN	122	PRO	CA-N-CD	-5.54	103.75	111.50
26	BB	67	U	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	147	C	C2-N3-C4	5.54	122.67	119.90
26	BB	311	A	O4'-C4'-C3'	-5.54	98.46	104.00
26	BB	505	A	N9-C1'-C2'	-5.54	105.91	112.00
26	BB	540	C	N1-C2-O2	5.54	122.22	118.90
26	BB	1235	G	N9-C1'-C2'	-5.54	105.91	112.00
26	BB	1794	A	C6-C5-N7	-5.54	128.42	132.30
26	BB	1963	U	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	2726	A	N1-C6-N6	5.54	121.92	118.60
38	BN	18	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	AA	397	A	N7-C8-N9	-5.54	111.03	113.80
1	AA	617	G	C2-N3-C4	5.54	114.67	111.90
1	AA	953	G	C1'-O4'-C4'	5.54	114.33	109.90
1	AA	1505	G	C8-N9-C4	-5.54	104.19	106.40
26	BB	395	U	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	972	A	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	1162	G	N1-C2-N2	-5.54	111.22	116.20
1	AA	132	C	C1'-O4'-C4'	5.54	114.33	109.90
1	AA	420	U	C5'-C4'-O4'	5.54	115.74	109.10
1	AA	445	G	O4'-C4'-C3'	-5.54	98.47	104.00
1	AA	535	A	P-O3'-C3'	5.54	126.34	119.70
1	AA	897	C	C6-N1-C2	-5.54	118.09	120.30
1	AA	1226	C	C4-C5-C6	-5.54	114.63	117.40
3	AC	15	G	N3-C4-C5	-5.54	125.83	128.60
4	AD	47	A	C4-C5-C6	-5.54	114.23	117.00
8	AH	160	VAL	CG1-CB-CG2	-5.54	102.04	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	AQ	20	PHE	CB-CG-CD1	-5.54	116.92	120.80
26	BB	675	A	C5-N7-C8	5.54	106.67	103.90
26	BB	696	G	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	858	G	N3-C4-C5	-5.54	125.83	128.60
26	BB	1201	U	N3-C4-O4	5.54	123.28	119.40
26	BB	1414	C	C4-C5-C6	-5.54	114.63	117.40
26	BB	2330	G	C8-N9-C1'	5.54	134.20	127.00
26	BB	2479	U	O3'-P-O5'	-5.54	93.48	104.00
40	BP	118	ARG	NH1-CZ-NH2	-5.54	113.31	119.40
1	AA	219	U	N3-C2-O2	-5.53	118.33	122.20
1	AA	237	G	C2-N3-C4	5.53	114.67	111.90
1	AA	377	G	N3-C4-C5	-5.53	125.83	128.60
1	AA	530	G	C3'-C2'-C1'	5.53	105.93	101.50
1	AA	606	G	C8-N9-C4	-5.53	104.19	106.40
1	AA	780	A	C2-N3-C4	-5.53	107.83	110.60
1	AA	783	C	N1-C2-N3	-5.53	115.33	119.20
1	AA	809	G	C1'-O4'-C4'	-5.53	105.47	109.90
1	AA	879	C	P-O3'-C3'	5.53	126.34	119.70
1	AA	993	G	C4-N9-C1'	5.53	133.69	126.50
1	AA	1444	U	C5'-C4'-C3'	-5.53	107.15	116.00
25	BA	77	U	C5-C6-N1	5.53	125.47	122.70
26	BB	38	A	C3'-C2'-C1'	-5.53	97.07	101.50
26	BB	202	U	C3'-C2'-C1'	-5.53	97.07	101.50
26	BB	362	A	N1-C2-N3	-5.53	126.53	129.30
26	BB	693	A	N3-C4-N9	-5.53	122.97	127.40
26	BB	771	G	O3'-P-O5'	-5.53	93.49	104.00
26	BB	1644	C	N1-C1'-C2'	-5.53	105.91	112.00
26	BB	1731	G	P-O3'-C3'	5.53	126.34	119.70
26	BB	1737	G	P-O3'-C3'	5.53	126.34	119.70
26	BB	1933	G	C5-C6-O6	5.53	131.92	128.60
26	BB	2043	C	C5-C6-N1	5.53	123.77	121.00
26	BB	2461	A	C5-C6-N1	5.53	120.47	117.70
26	BB	2479	U	C5'-C4'-O4'	5.53	115.74	109.10
1	AA	213	G	C4'-C3'-C2'	-5.53	97.07	102.60
1	AA	1239	A	C6-N1-C2	5.53	121.92	118.60
1	AA	1506	U	P-O3'-C3'	5.53	126.34	119.70
26	BB	1515	A	C5-C6-N6	5.53	128.13	123.70
1	AA	617	G	C8-N9-C4	-5.53	104.19	106.40
1	AA	1066	C	N1-C2-O2	5.53	122.22	118.90
1	AA	1263	C	N1-C2-O2	5.53	122.22	118.90
1	AA	1426	G	C8-N9-C4	-5.53	104.19	106.40
1	AA	1453	G	C3'-C2'-C1'	5.53	105.92	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AH	112	ALA	CB-CA-C	5.53	118.40	110.10
26	BB	224	U	C5'-C4'-O4'	5.53	115.74	109.10
26	BB	624	C	C2-N3-C4	-5.53	117.14	119.90
26	BB	867	C	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	1297	C	C5'-C4'-O4'	5.53	115.74	109.10
26	BB	2082	A	C8-N9-C4	5.53	108.01	105.80
26	BB	2260	C	N3-C4-C5	5.53	124.11	121.90
26	BB	2682	A	C3'-C2'-C1'	-5.53	97.08	101.50
28	BD	244	VAL	CG1-CB-CG2	-5.53	102.05	110.90
29	BE	180	VAL	CA-CB-CG1	5.53	119.20	110.90
1	AA	332	G	C5-N7-C8	-5.53	101.53	104.30
1	AA	886	G	C3'-C2'-C1'	5.53	105.92	101.50
25	BA	44	G	O4'-C1'-C2'	-5.53	100.27	105.80
26	BB	81	G	N1-C2-N3	5.53	127.22	123.90
26	BB	880	G	C8-N9-C4	-5.53	104.19	106.40
26	BB	1107	G	N1-C6-O6	5.53	123.22	119.90
26	BB	2013	A	C5-C6-N1	5.53	120.46	117.70
1	AA	35	G	N3-C2-N2	5.53	123.77	119.90
1	AA	254	G	C4-C5-N7	-5.53	108.59	110.80
1	AA	529	G	N1-C2-N3	5.53	127.22	123.90
1	AA	657	U	C5-C6-N1	-5.53	119.94	122.70
1	AA	1177	G	C8-N9-C4	-5.53	104.19	106.40
1	AA	1268	G	C6-C5-N7	-5.53	127.08	130.40
2	AB	58	A	O4'-C4'-C3'	5.53	110.52	106.10
2	AB	69	C	P-O3'-C3'	5.53	126.33	119.70
8	AH	94	PHE	CB-CG-CD2	-5.53	116.93	120.80
25	BA	41	G	N7-C8-N9	-5.53	110.34	113.10
26	BB	335	C	O4'-C1'-N1	5.53	112.62	108.20
26	BB	432	A	C8-N9-C4	5.53	108.01	105.80
26	BB	1356	G	C8-N9-C1'	5.53	134.19	127.00
26	BB	2294	G	O5'-P-OP2	-5.53	100.72	105.70
26	BB	2671	G	N3-C4-C5	-5.53	125.84	128.60
26	BB	2696	U	O5'-C5'-C4'	-5.53	101.20	111.70
32	BH	45	ALA	CB-CA-C	5.53	118.39	110.10
34	BJ	61	ARG	CD-NE-CZ	5.53	131.34	123.60
1	AA	240	G	C1'-O4'-C4'	-5.53	105.48	109.90
1	AA	378	G	C5'-C4'-C3'	-5.53	107.16	116.00
1	AA	568	G	N1-C2-N3	5.53	127.22	123.90
1	AA	1054	C	C5'-C4'-C3'	-5.53	107.16	116.00
1	AA	1417	G	N3-C4-N9	5.53	129.31	126.00
26	BB	93	G	C5-N7-C8	-5.53	101.54	104.30
26	BB	485	C	C5-C4-N4	-5.53	116.33	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1070	A	C8-N9-C4	-5.53	103.59	105.80
26	BB	1223	G	C1'-O4'-C4'	5.53	114.32	109.90
26	BB	1709	U	O4'-C4'-C3'	-5.53	98.47	104.00
26	BB	1889	A	C6-C5-N7	5.53	136.17	132.30
26	BB	1975	G	N9-C1'-C2'	-5.53	105.92	112.00
26	BB	2063	C	O4'-C1'-N1	5.53	112.62	108.20
36	BL	89	PHE	CB-CG-CD1	-5.53	116.93	120.80
39	BO	15	GLY	CA-C-N	-5.53	105.04	117.20
1	AA	834	U	O4'-C4'-C3'	-5.52	98.48	104.00
26	BB	571	U	C5'-C4'-C3'	-5.52	107.16	116.00
26	BB	2133	G	N3-C4-N9	5.52	129.31	126.00
26	BB	2214	C	O3'-P-O5'	5.52	114.50	104.00
26	BB	2757	A	C4-C5-C6	-5.52	114.24	117.00
26	BB	2899	A	N1-C6-N6	5.52	121.91	118.60
29	BE	15	PHE	CB-CG-CD2	-5.52	116.93	120.80
1	AA	883	C	C5-C6-N1	-5.52	118.24	121.00
1	AA	992	U	C5'-C4'-C3'	-5.52	107.16	116.00
1	AA	1187	G	C4-C5-N7	5.52	113.01	110.80
4	AD	17	C	O4'-C4'-C3'	5.52	110.52	106.10
5	AE	188	THR	CA-CB-CG2	5.52	120.13	112.40
26	BB	418	C	N3-C4-N4	5.52	121.86	118.00
26	BB	659	G	C3'-C2'-C1'	5.52	105.92	101.50
26	BB	662	G	C8-N9-C4	-5.52	104.19	106.40
26	BB	1458	U	N3-C2-O2	-5.52	118.33	122.20
26	BB	2324	U	N3-C2-O2	-5.52	118.33	122.20
26	BB	2553	G	C5-C6-O6	5.52	131.91	128.60
26	BB	2635	A	N9-C1'-C2'	-5.52	105.92	112.00
1	AA	431	A	C3'-C2'-C1'	5.52	105.92	101.50
1	AA	585	G	C2-N3-C4	5.52	114.66	111.90
25	BA	20	G	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	383	C	C3'-C2'-C1'	5.52	105.92	101.50
26	BB	590	A	O5'-P-OP2	5.52	117.33	110.70
26	BB	640	C	O4'-C1'-N1	5.52	112.62	108.20
26	BB	856	G	C6-C5-N7	-5.52	127.09	130.40
26	BB	1227	G	C5-N7-C8	-5.52	101.54	104.30
26	BB	1569	A	N9-C4-C5	-5.52	103.59	105.80
26	BB	1804	C	C6-N1-C2	-5.52	118.09	120.30
26	BB	2578	G	C8-N9-C4	-5.52	104.19	106.40
26	BB	2596	U	C1'-O4'-C4'	5.52	114.32	109.90
42	BR	98	TYR	CG-CD2-CE2	-5.52	116.88	121.30
1	AA	19	A	C6-N1-C2	-5.52	115.29	118.60
1	AA	53	A	C4'-C3'-C2'	-5.52	97.08	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	413	G	C4-C5-N7	-5.52	108.59	110.80
1	AA	802	A	C4'-C3'-C2'	-5.52	97.08	102.60
1	AA	995	C	C5-C4-N4	5.52	124.06	120.20
1	AA	1217	C	N1-C1'-C2'	-5.52	105.93	112.00
1	AA	1354	U	N3-C2-O2	-5.52	118.34	122.20
1	AA	1450	U	C5'-C4'-C3'	-5.52	107.17	116.00
7	AG	108	ALA	N-CA-CB	-5.52	102.37	110.10
25	BA	40	U	C4-C5-C6	5.52	123.01	119.70
25	BA	55	U	C1'-O4'-C4'	-5.52	105.48	109.90
26	BB	251	A	O4'-C4'-C3'	5.52	110.52	106.10
26	BB	393	C	N3-C4-N4	5.52	121.86	118.00
26	BB	707	G	C4-C5-N7	-5.52	108.59	110.80
26	BB	784	G	C2-N3-C4	5.52	114.66	111.90
26	BB	977	G	C4-C5-C6	5.52	122.11	118.80
26	BB	1025	G	O4'-C1'-N9	5.52	112.62	108.20
26	BB	1231	U	O4'-C4'-C3'	5.52	110.52	106.10
26	BB	1366	A	C4-C5-C6	-5.52	114.24	117.00
26	BB	1652	A	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	1676	A	N9-C4-C5	-5.52	103.59	105.80
26	BB	1704	C	O4'-C4'-C3'	5.52	110.52	106.10
26	BB	1713	A	C2-N3-C4	-5.52	107.84	110.60
26	BB	2116	G	O4'-C4'-C3'	5.52	110.52	106.10
1	AA	203	G	C5-C6-O6	-5.52	125.29	128.60
1	AA	203	G	O4'-C1'-N9	5.52	112.61	108.20
1	AA	298	A	N7-C8-N9	5.52	116.56	113.80
1	AA	626	G	N1-C6-O6	5.52	123.21	119.90
1	AA	670	G	C5'-C4'-O4'	5.52	115.72	109.10
1	AA	851	G	N1-C6-O6	5.52	123.21	119.90
1	AA	1019	A	C4-C5-C6	-5.52	114.24	117.00
1	AA	1357	A	C5'-C4'-C3'	-5.52	107.17	116.00
2	AB	2	G	C3'-C2'-C1'	-5.52	97.09	101.50
26	BB	36	G	O4'-C1'-N9	5.52	112.61	108.20
26	BB	512	G	C6-C5-N7	5.52	133.71	130.40
26	BB	1258	U	C5-C6-N1	-5.52	119.94	122.70
26	BB	1261	C	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1822	C	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1880	U	C2-N3-C4	-5.52	123.69	127.00
26	BB	2193	G	C5-C6-O6	-5.52	125.29	128.60
26	BB	2238	G	C5-C6-N1	-5.52	108.74	111.50
26	BB	2330	G	O4'-C1'-N9	-5.52	103.79	108.20
26	BB	2472	G	N1-C2-N2	-5.52	111.23	116.20
26	BB	2553	G	C4-C5-N7	-5.52	108.59	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	BE	169	ARG	CD-NE-CZ	5.52	131.32	123.60
38	BN	50	PHE	CZ-CE2-CD2	5.52	126.72	120.10
51	B0	47	ARG	NH1-CZ-NH2	-5.52	113.33	119.40
26	BB	60	G	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	1419	A	C5-C6-N6	-5.52	119.29	123.70
26	BB	2573	C	C6-N1-C2	5.52	122.51	120.30
1	AA	810	C	C5-C6-N1	5.51	123.76	121.00
1	AA	938	A	C5-C6-N6	-5.51	119.29	123.70
1	AA	1010	U	C4-C5-C6	5.51	123.01	119.70
1	AA	1021	A	C6-N1-C2	-5.51	115.29	118.60
1	AA	1274	A	N9-C1'-C2'	-5.51	105.94	112.00
1	AA	1496	C	N1-C2-N3	5.51	123.06	119.20
4	AD	45	A	C4'-C3'-C2'	-5.51	97.08	102.60
26	BB	91	A	N1-C6-N6	-5.51	115.29	118.60
26	BB	423	A	N9-C4-C5	5.51	108.01	105.80
26	BB	463	G	C5'-C4'-O4'	5.51	115.72	109.10
26	BB	575	A	C8-N9-C4	5.51	108.00	105.80
26	BB	688	U	C5-C6-N1	-5.51	119.94	122.70
26	BB	751	A	N7-C8-N9	5.51	116.56	113.80
26	BB	866	A	C3'-C2'-C1'	5.51	105.91	101.50
26	BB	957	C	C2-N3-C4	5.51	122.66	119.90
26	BB	1060	U	N3-C4-O4	5.51	123.26	119.40
26	BB	1220	G	C2-N3-C4	5.51	114.66	111.90
26	BB	1280	G	N1-C2-N3	-5.51	120.59	123.90
26	BB	1330	C	C1'-O4'-C4'	5.51	114.31	109.90
26	BB	1829	A	N1-C2-N3	-5.51	126.54	129.30
26	BB	2724	U	O4'-C4'-C3'	5.51	110.51	106.10
1	AA	25	C	C5-C4-N4	-5.51	116.34	120.20
1	AA	293	G	C5-C6-N1	5.51	114.26	111.50
1	AA	1152	A	N1-C6-N6	5.51	121.91	118.60
26	BB	275	C	N1-C1'-C2'	-5.51	105.94	112.00
26	BB	425	G	C5'-C4'-O4'	-5.51	102.48	109.10
26	BB	1248	G	C6-C5-N7	-5.51	127.09	130.40
26	BB	1781	U	N1-C2-O2	5.51	126.66	122.80
26	BB	2133	G	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	2770	G	N1-C2-N2	-5.51	111.24	116.20
26	BB	2817	U	N1-C1'-C2'	-5.51	105.94	112.00
1	AA	212	G	C5-C6-O6	-5.51	125.29	128.60
1	AA	550	G	P-O3'-C3'	5.51	126.31	119.70
1	AA	588	G	P-O3'-C3'	5.51	126.31	119.70
1	AA	717	U	N3-C2-O2	-5.51	118.34	122.20
1	AA	993	G	C5-C6-O6	-5.51	125.29	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	60	C	N1-C2-O2	5.51	122.21	118.90
26	BB	272	A	C2-N3-C4	5.51	113.36	110.60
26	BB	313	G	N9-C4-C5	5.51	107.60	105.40
26	BB	373	U	C5'-C4'-O4'	5.51	115.71	109.10
26	BB	485	C	C5'-C4'-O4'	5.51	115.71	109.10
26	BB	1339	G	O4'-C1'-N9	5.51	112.61	108.20
26	BB	1359	A	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	1962	5MC	P-O3'-C3'	5.51	126.31	119.70
26	BB	2100	G	N7-C8-N9	5.51	115.86	113.10
26	BB	2150	C	O4'-C1'-N1	5.51	112.61	108.20
26	BB	2261	C	C2-N3-C4	5.51	122.66	119.90
26	BB	2315	G	N7-C8-N9	5.51	115.86	113.10
26	BB	2700	A	O4'-C1'-C2'	5.51	112.56	107.60
26	BB	2773	C	C6-N1-C2	5.51	122.50	120.30
29	BE	185	ASN	CB-CA-C	5.51	121.42	110.40
1	AA	477	C	O3'-P-O5'	5.51	114.47	104.00
1	AA	711	G	C6-N1-C2	-5.51	121.80	125.10
1	AA	967	5MC	P-O3'-C3'	5.51	126.31	119.70
1	AA	1152	A	N9-C4-C5	5.51	108.00	105.80
1	AA	1422	G	N9-C4-C5	5.51	107.60	105.40
1	AA	1493	A	N9-C4-C5	-5.51	103.60	105.80
26	BB	279	A	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	666	A	C3'-C2'-C1'	-5.51	97.09	101.50
26	BB	1503	A	C1'-O4'-C4'	-5.51	105.49	109.90
26	BB	1521	G	N1-C2-N3	-5.51	120.59	123.90
26	BB	1688	U	C3'-C2'-C1'	5.51	105.91	101.50
26	BB	1861	G	C6-N1-C2	-5.51	121.79	125.10
26	BB	2293	G	O3'-P-O5'	5.51	114.47	104.00
26	BB	2627	G	O3'-P-O5'	-5.51	93.53	104.00
26	BB	2874	C	N3-C4-C5	-5.51	119.70	121.90
1	AA	60	A	C3'-C2'-C1'	-5.51	97.09	101.50
1	AA	128	G	C5-C6-N1	5.51	114.25	111.50
1	AA	705	G	C6-C5-N7	-5.51	127.09	130.40
1	AA	1269	A	O4'-C4'-C3'	5.51	110.51	106.10
3	AC	56	G	N3-C4-C5	-5.51	125.85	128.60
26	BB	424	G	C4-C5-N7	-5.51	108.60	110.80
26	BB	492	A	N9-C4-C5	-5.51	103.60	105.80
26	BB	1307	A	C2-N3-C4	5.51	113.35	110.60
26	BB	1346	G	C5-C6-O6	5.51	131.91	128.60
26	BB	1623	G	N7-C8-N9	5.51	115.85	113.10
26	BB	1671	U	O4'-C1'-N1	5.51	112.61	108.20
26	BB	1872	A	O4'-C4'-C3'	5.51	110.51	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2103	C	N1-C1'-C2'	-5.51	105.94	112.00
26	BB	2150	C	OP1-P-OP2	-5.51	111.34	119.60
26	BB	2162	G	N3-C4-C5	-5.51	125.85	128.60
29	BE	203	VAL	CA-CB-CG1	5.51	119.16	110.90
53	B2	36	VAL	CA-CB-CG2	5.51	119.16	110.90
1	AA	60	A	N3-C4-C5	5.51	130.66	126.80
1	AA	827	U	N1-C2-N3	5.51	118.20	114.90
1	AA	1246	A	N9-C1'-C2'	-5.51	105.94	112.00
1	AA	1473	G	O5'-P-OP2	-5.51	100.75	105.70
2	AB	49	G	O5'-C5'-C4'	5.51	122.16	111.70
25	BA	43	C	N1-C2-N3	-5.51	115.35	119.20
26	BB	138	U	N3-C4-C5	5.51	117.90	114.60
26	BB	896	A	C6-C5-N7	-5.51	128.44	132.30
26	BB	1212	G	C6-N1-C2	-5.51	121.80	125.10
26	BB	1496	A	P-O3'-C3'	5.51	126.31	119.70
26	BB	2269	G	N7-C8-N9	5.51	115.85	113.10
26	BB	2884	U	C2-N3-C4	-5.51	123.70	127.00
1	AA	472	U	N3-C4-O4	5.50	123.25	119.40
26	BB	455	C	C5-C6-N1	-5.50	118.25	121.00
26	BB	2668	G	N1-C2-N3	5.50	127.20	123.90
28	BD	99	GLU	OE1-CD-OE2	5.50	129.91	123.30
30	BF	29	HIS	CG-ND1-CE1	-5.50	98.54	105.70
1	AA	81	A	C4-C5-N7	-5.50	107.95	110.70
1	AA	653	U	P-O3'-C3'	5.50	126.30	119.70
1	AA	1015	G	N1-C6-O6	-5.50	116.60	119.90
1	AA	1468	A	C5-N7-C8	5.50	106.65	103.90
2	AB	63	C	C3'-C2'-C1'	5.50	105.90	101.50
4	AD	52	C	C4-C5-C6	-5.50	114.65	117.40
25	BA	97	C	N3-C4-N4	5.50	121.85	118.00
26	BB	102	U	O4'-C1'-N1	5.50	112.60	108.20
26	BB	506	G	N7-C8-N9	5.50	115.85	113.10
26	BB	1246	A	C8-N9-C4	-5.50	103.60	105.80
26	BB	1272	A	N3-C4-N9	5.50	131.80	127.40
26	BB	2092	U	C4-C5-C6	5.50	123.00	119.70
26	BB	2627	G	C1'-O4'-C4'	-5.50	105.50	109.90
1	AA	53	A	C5-C6-N6	5.50	128.10	123.70
1	AA	616	G	C3'-C2'-C1'	5.50	105.90	101.50
1	AA	784	A	C6-C5-N7	5.50	136.15	132.30
1	AA	861	G	C5-C6-N1	5.50	114.25	111.50
1	AA	978	A	N9-C4-C5	-5.50	103.60	105.80
5	AE	178	LEU	CB-CG-CD1	-5.50	101.65	111.00
26	BB	230	G	C5-C6-O6	-5.50	125.30	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1003	G	C5-C6-N1	-5.50	108.75	111.50
26	BB	1038	G	N1-C6-O6	5.50	123.20	119.90
26	BB	1340	U	C5-C4-O4	-5.50	122.60	125.90
26	BB	1694	C	N1-C2-N3	-5.50	115.35	119.20
26	BB	1894	C	N3-C4-N4	5.50	121.85	118.00
26	BB	2436	G	N9-C4-C5	5.50	107.60	105.40
26	BB	2450	A	N9-C4-C5	-5.50	103.60	105.80
26	BB	2538	C	N3-C2-O2	-5.50	118.05	121.90
26	BB	2544	G	C1'-O4'-C4'	5.50	114.30	109.90
26	BB	2864	G	C4-C5-N7	-5.50	108.60	110.80
37	BM	3	GLN	N-CA-CB	-5.50	100.70	110.60
1	AA	230	G	C5-N7-C8	-5.50	101.55	104.30
1	AA	274	A	N9-C4-C5	-5.50	103.60	105.80
1	AA	952	U	C5'-C4'-O4'	5.50	115.70	109.10
26	BB	15	G	C5-N7-C8	-5.50	101.55	104.30
26	BB	1025	G	C5-C6-O6	5.50	131.90	128.60
26	BB	1185	G	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	1930	G	N3-C4-C5	-5.50	125.85	128.60
26	BB	2007	U	C5-C6-N1	-5.50	119.95	122.70
26	BB	2234	G	C5'-C4'-O4'	5.50	115.70	109.10
1	AA	624	C	C3'-C2'-C1'	-5.50	97.10	101.50
1	AA	672	U	C5-C4-O4	-5.50	122.60	125.90
1	AA	761	G	N9-C4-C5	5.50	107.60	105.40
1	AA	982	U	C6-N1-C2	-5.50	117.70	121.00
1	AA	1013	G	C6-C5-N7	-5.50	127.10	130.40
1	AA	1292	G	C4-C5-N7	-5.50	108.60	110.80
1	AA	1320	C	N3-C4-N4	5.50	121.85	118.00
1	AA	1504	G	N1-C2-N3	-5.50	120.60	123.90
1	AA	1531	A	N7-C8-N9	-5.50	111.05	113.80
2	AB	57	G	O4'-C4'-C3'	-5.50	98.50	104.00
4	AD	7	G	N7-C8-N9	5.50	115.85	113.10
9	AI	75	GLU	CG-CD-OE2	-5.50	107.30	118.30
26	BB	1	G	N9-C4-C5	5.50	107.60	105.40
26	BB	425	G	O4'-C1'-N9	5.50	112.60	108.20
26	BB	782	A	C2-N3-C4	5.50	113.35	110.60
26	BB	868	U	N3-C4-O4	-5.50	115.55	119.40
26	BB	1037	G	C4'-C3'-C2'	5.50	108.10	102.60
26	BB	1275	A	O4'-C4'-C3'	-5.50	98.50	104.00
26	BB	1405	U	O4'-C1'-N1	5.50	112.60	108.20
26	BB	1448	G	C3'-C2'-C1'	-5.50	97.10	101.50
26	BB	1887	C	C5-C6-N1	-5.50	118.25	121.00
26	BB	2000	C	N3-C4-C5	-5.50	119.70	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2097	A	C6-C5-N7	5.50	136.15	132.30
26	BB	2260	C	O4'-C1'-N1	5.50	112.60	108.20
26	BB	2788	C	C3'-C2'-C1'	5.50	105.90	101.50
26	BB	2838	G	C2-N3-C4	5.50	114.65	111.90
38	BN	101	ILE	CA-C-N	5.50	127.20	116.20
1	AA	59	A	O4'-C1'-C2'	5.50	112.55	107.60
1	AA	195	A	N1-C6-N6	-5.50	115.30	118.60
1	AA	246	A	N1-C6-N6	-5.50	115.30	118.60
1	AA	405	U	C5'-C4'-O4'	5.50	115.69	109.10
1	AA	455	G	C6-N1-C2	-5.50	121.80	125.10
1	AA	511	C	C5'-C4'-O4'	-5.50	102.50	109.10
1	AA	694	A	N9-C4-C5	5.50	108.00	105.80
1	AA	702	A	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	729	A	P-O3'-C3'	5.50	126.30	119.70
4	AD	17	C	N3-C4-N4	5.50	121.85	118.00
25	BA	30	C	C5'-C4'-O4'	5.50	115.69	109.10
26	BB	584	C	N3-C2-O2	-5.50	118.05	121.90
26	BB	1491	G	N7-C8-N9	5.50	115.85	113.10
26	BB	2106	U	C4-C5-C6	-5.50	116.40	119.70
26	BB	2351	G	C5-C6-N1	-5.50	108.75	111.50
26	BB	2419	U	C2-N3-C4	-5.50	123.70	127.00
26	BB	2440	C	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	2803	G	C5-C6-N1	5.50	114.25	111.50
1	AA	45	G	C1'-O4'-C4'	5.50	114.30	109.90
1	AA	247	G	O4'-C4'-C3'	-5.50	98.50	104.00
1	AA	682	G	C4-C5-N7	-5.50	108.60	110.80
26	BB	7	G	C6-N1-C2	-5.50	121.80	125.10
26	BB	718	A	N3-C4-C5	-5.50	122.95	126.80
26	BB	1039	A	C2-N3-C4	5.50	113.35	110.60
26	BB	1573	G	C5'-C4'-O4'	5.50	115.69	109.10
26	BB	1781	U	OP2-P-O3'	5.50	117.29	105.20
26	BB	1801	A	C6-N1-C2	5.50	121.90	118.60
26	BB	2205	A	O4'-C1'-N9	5.50	112.60	108.20
26	BB	2555	U	C1'-O4'-C4'	5.50	114.30	109.90
1	AA	283	U	O4'-C1'-N1	5.49	112.59	108.20
1	AA	537	G	C6-N1-C2	-5.49	121.80	125.10
1	AA	544	G	O4'-C1'-N9	5.49	112.59	108.20
1	AA	575	G	C2-N3-C4	5.49	114.65	111.90
1	AA	712	A	N7-C8-N9	5.49	116.55	113.80
1	AA	1174	G	C5-C6-N1	5.49	114.25	111.50
1	AA	1397	C	C5-C6-N1	5.49	123.75	121.00
1	AA	1496	C	C5-C6-N1	-5.49	118.25	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	326	G	C4-C5-N7	-5.49	108.60	110.80
26	BB	598	U	N3-C4-O4	5.49	123.25	119.40
26	BB	777	G	C2-N3-C4	5.49	114.65	111.90
26	BB	1021	A	C6-C5-N7	5.49	136.15	132.30
26	BB	1272	A	O4'-C4'-C3'	5.49	110.50	106.10
26	BB	1297	C	O4'-C1'-C2'	-5.49	100.31	105.80
26	BB	1697	G	C2'-C3'-O3'	5.49	122.49	113.70
26	BB	1813	G	C4-N9-C1'	5.49	133.64	126.50
26	BB	2088	A	N3-C4-N9	5.49	131.79	127.40
26	BB	2107	G	N3-C4-N9	5.49	129.30	126.00
26	BB	2845	U	O5'-C5'-C4'	5.49	122.14	111.70
26	BB	2863	C	N3-C2-O2	-5.49	118.06	121.90
26	BB	2866	U	N3-C2-O2	-5.49	118.35	122.20
51	B0	24	GLU	N-CA-CB	-5.49	100.71	110.60
1	AA	230	G	C5'-C4'-O4'	-5.49	102.51	109.10
1	AA	1395	C	C1'-O4'-C4'	-5.49	105.51	109.90
26	BB	4	U	N1-C2-N3	-5.49	111.61	114.90
26	BB	1263	U	O4'-C1'-C2'	5.49	112.54	107.60
26	BB	1899	A	N9-C4-C5	5.49	108.00	105.80
1	AA	550	G	N3-C4-N9	5.49	129.29	126.00
1	AA	856	C	C6-N1-C2	-5.49	118.10	120.30
1	AA	1164	G	N1-C6-O6	5.49	123.19	119.90
1	AA	1184	G	C2-N3-C4	5.49	114.64	111.90
1	AA	1400	C	N1-C2-O2	5.49	122.19	118.90
1	AA	1400	C	O4'-C4'-C3'	5.49	110.49	106.10
1	AA	1521	C	C2'-C3'-O3'	5.49	122.49	113.70
2	AB	40	C	P-O3'-C3'	5.49	126.29	119.70
2	AB	73	G	C8-N9-C1'	5.49	134.14	127.00
14	AN	26	PHE	CB-CG-CD1	5.49	124.64	120.80
25	BA	6	G	C5-N7-C8	5.49	107.05	104.30
25	BA	52	A	N9-C4-C5	5.49	108.00	105.80
26	BB	655	A	C4-C5-N7	-5.49	107.95	110.70
26	BB	1489	C	C5-C4-N4	-5.49	116.36	120.20
26	BB	1729	U	C2-N3-C4	-5.49	123.70	127.00
26	BB	1840	G	O4'-C1'-N9	5.49	112.59	108.20
26	BB	1865	U	C3'-C2'-C1'	-5.49	97.11	101.50
26	BB	2347	C	N3-C4-C5	5.49	124.10	121.90
26	BB	2865	U	C3'-C2'-C1'	-5.49	97.11	101.50
30	BF	117	ARG	NE-CZ-NH2	-5.49	117.56	120.30
46	BV	16	VAL	CG1-CB-CG2	-5.49	102.11	110.90
47	BW	85	ARG	NH1-CZ-NH2	-5.49	113.36	119.40
1	AA	340	U	N1-C2-O2	-5.49	118.96	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	637	C	N3-C4-N4	5.49	121.84	118.00
1	AA	639	G	C6-N1-C2	-5.49	121.81	125.10
1	AA	672	U	N3-C2-O2	-5.49	118.36	122.20
1	AA	963	G	N3-C4-C5	-5.49	125.86	128.60
1	AA	1102	A	P-O3'-C3'	5.49	126.29	119.70
1	AA	1131	G	N3-C4-N9	5.49	129.29	126.00
1	AA	1177	G	C5-C6-N1	5.49	114.24	111.50
1	AA	1231	G	C3'-C2'-C1'	5.49	105.89	101.50
4	AD	70	C	C2-N3-C4	5.49	122.64	119.90
9	AI	23	GLU	OE1-CD-OE2	5.49	129.88	123.30
17	AQ	43	ALA	N-CA-CB	-5.49	102.42	110.10
26	BB	106	C	C5'-C4'-O4'	5.49	115.69	109.10
26	BB	629	G	N9-C4-C5	5.49	107.60	105.40
26	BB	657	U	C2-N3-C4	-5.49	123.71	127.00
26	BB	1019	U	N3-C4-C5	-5.49	111.31	114.60
26	BB	1048	A	C8-N9-C4	-5.49	103.61	105.80
26	BB	1051	G	C6-C5-N7	5.49	133.69	130.40
26	BB	1146	C	O4'-C1'-C2'	5.49	112.54	107.60
26	BB	1228	G	N1-C2-N2	5.49	121.14	116.20
26	BB	1438	U	OP1-P-OP2	-5.49	111.37	119.60
26	BB	1700	A	C5-C6-N6	-5.49	119.31	123.70
26	BB	1875	G	N3-C4-C5	-5.49	125.86	128.60
26	BB	2024	G	N1-C2-N3	-5.49	120.61	123.90
26	BB	2038	G	N9-C4-C5	5.49	107.60	105.40
26	BB	2199	A	C4-C5-C6	-5.49	114.26	117.00
26	BB	2227	A	C6-N1-C2	-5.49	115.31	118.60
26	BB	2321	U	C4-C5-C6	-5.49	116.41	119.70
37	BM	1	MET	O-C-N	5.49	131.48	122.70
11	AK	64	TYR	CB-CG-CD1	-5.49	117.71	121.00
26	BB	1362	C	C5-C6-N1	5.49	123.74	121.00
26	BB	1478	G	O4'-C1'-N9	5.49	112.59	108.20
1	AA	235	C	N3-C2-O2	-5.49	118.06	121.90
1	AA	912	C	C4'-C3'-C2'	5.49	108.08	102.60
1	AA	1394	A	N9-C1'-C2'	-5.49	105.97	112.00
1	AA	1538	C	O4'-C1'-C2'	-5.49	100.31	105.80
4	AD	40	C	C1'-O4'-C4'	5.49	114.29	109.90
25	BA	19	C	C5-C6-N1	-5.49	118.26	121.00
26	BB	110	G	C6-N1-C2	-5.49	121.81	125.10
26	BB	114	U	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	851	C	C1'-O4'-C4'	5.49	114.29	109.90
26	BB	1280	G	C6-C5-N7	5.49	133.69	130.40
26	BB	1358	G	C5'-C4'-O4'	5.49	115.68	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1435	G	C4-C5-N7	-5.49	108.61	110.80
26	BB	1569	A	C2-N3-C4	-5.49	107.86	110.60
26	BB	1831	G	C3'-C2'-C1'	-5.49	97.11	101.50
26	BB	2237	G	C5-C6-O6	5.49	131.89	128.60
26	BB	2467	C	N1-C1'-C2'	-5.49	105.97	112.00
26	BB	2565	A	N9-C4-C5	5.49	107.99	105.80
26	BB	2662	A	C5-C6-N1	-5.49	114.96	117.70
26	BB	2872	A	O4'-C1'-N9	5.49	112.59	108.20
1	AA	574	A	C5'-C4'-O4'	5.48	115.68	109.10
1	AA	802	A	N1-C2-N3	5.48	132.04	129.30
1	AA	1022	A	C4-C5-N7	-5.48	107.96	110.70
26	BB	18	U	N3-C4-C5	-5.48	111.31	114.60
26	BB	669	G	N3-C4-C5	-5.48	125.86	128.60
26	BB	1488	C	O4'-C4'-C3'	5.48	110.49	106.10
26	BB	2798	U	C2-N3-C4	-5.48	123.71	127.00
1	AA	1061	G	N3-C4-C5	-5.48	125.86	128.60
1	AA	1166	G	N1-C6-O6	5.48	123.19	119.90
1	AA	1265	C	N3-C4-N4	5.48	121.84	118.00
15	AO	111	GLN	CB-CA-C	5.48	121.37	110.40
25	BA	77	U	N1-C2-N3	5.48	118.19	114.90
26	BB	550	C	O4'-C1'-N1	5.48	112.58	108.20
26	BB	684	G	C3'-C2'-C1'	5.48	105.89	101.50
26	BB	794	A	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	918	A	C5-C6-N1	5.48	120.44	117.70
26	BB	1286	A	C6-N1-C2	-5.48	115.31	118.60
26	BB	1749	A	C5-C6-N1	-5.48	114.96	117.70
26	BB	2060	A	C8-N9-C4	-5.48	103.61	105.80
26	BB	2315	G	C1'-O4'-C4'	5.48	114.29	109.90
26	BB	2809	A	C4-C5-C6	-5.48	114.26	117.00
26	BB	2880	C	C5'-C4'-O4'	5.48	115.68	109.10
45	BU	37	THR	CA-CB-OG1	5.48	120.51	109.00
1	AA	76	G	C8-N9-C1'	5.48	134.12	127.00
1	AA	174	A	C5'-C4'-O4'	5.48	115.68	109.10
1	AA	426	U	N1-C2-O2	5.48	126.64	122.80
1	AA	623	C	O4'-C1'-N1	5.48	112.58	108.20
1	AA	1497	G	N1-C6-O6	5.48	123.19	119.90
2	AB	30	G	N3-C2-N2	-5.48	116.06	119.90
26	BB	220	G	C5-C6-N1	5.48	114.24	111.50
26	BB	245	G	N3-C4-N9	5.48	129.29	126.00
26	BB	246	C	N3-C4-C5	5.48	124.09	121.90
26	BB	251	A	C5'-C4'-C3'	-5.48	107.23	116.00
26	BB	578	G	P-O3'-C3'	5.48	126.28	119.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	913	U	N1-C2-N3	-5.48	111.61	114.90
26	BB	1100	C	C5-C6-N1	5.48	123.74	121.00
26	BB	1220	G	C5-N7-C8	-5.48	101.56	104.30
26	BB	1418	G	C5'-C4'-O4'	5.48	115.68	109.10
26	BB	1683	U	C2-N3-C4	-5.48	123.71	127.00
26	BB	1752	C	N1-C2-O2	5.48	122.19	118.90
26	BB	1809	A	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	2006	C	OP2-P-O3'	5.48	117.26	105.20
26	BB	2653	U	C5-C6-N1	-5.48	119.96	122.70
58	B7	12	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	AA	44	A	C5'-C4'-O4'	5.48	115.67	109.10
1	AA	795	C	N3-C4-C5	5.48	124.09	121.90
1	AA	852	G	N9-C4-C5	5.48	107.59	105.40
1	AA	1152	A	C5'-C4'-O4'	5.48	115.67	109.10
1	AA	1160	G	C4'-C3'-C2'	-5.48	97.12	102.60
1	AA	1426	G	C4'-C3'-C2'	-5.48	97.12	102.60
1	AA	1451	U	C4-C5-C6	5.48	122.99	119.70
1	AA	1502	A	C8-N9-C4	-5.48	103.61	105.80
3	AC	54	U	C5'-C4'-O4'	5.48	115.67	109.10
26	BB	282	A	C6-C5-N7	-5.48	128.47	132.30
26	BB	478	A	N9-C4-C5	-5.48	103.61	105.80
26	BB	521	U	N1-C2-O2	5.48	126.64	122.80
26	BB	1040	A	C1'-O4'-C4'	-5.48	105.52	109.90
26	BB	1124	G	N9-C1'-C2'	-5.48	105.97	112.00
26	BB	2221	G	C4-C5-N7	5.48	112.99	110.80
26	BB	2294	G	N3-C4-C5	-5.48	125.86	128.60
26	BB	2585	U	C5-C6-N1	-5.48	119.96	122.70
26	BB	2600	A	C6-N1-C2	5.48	121.89	118.60
26	BB	2880	C	C2-N3-C4	5.48	122.64	119.90
1	AA	93	U	N3-C2-O2	-5.48	118.37	122.20
1	AA	491	G	C1'-O4'-C4'	-5.48	105.52	109.90
1	AA	512	U	C6-N1-C2	-5.48	117.71	121.00
1	AA	767	A	N9-C4-C5	5.48	107.99	105.80
1	AA	827	U	C5-C4-O4	-5.48	122.61	125.90
1	AA	898	G	C5-C6-O6	5.48	131.89	128.60
1	AA	1453	G	C5-C6-O6	5.48	131.89	128.60
4	AD	13	C	O4'-C1'-N1	5.48	112.58	108.20
26	BB	17	G	O4'-C1'-N9	5.48	112.58	108.20
26	BB	330	A	C5'-C4'-C3'	-5.48	107.23	116.00
26	BB	472	A	C6-N1-C2	-5.48	115.31	118.60
26	BB	580	U	C6-N1-C2	-5.48	117.71	121.00
26	BB	698	C	P-O3'-C3'	5.48	126.27	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	875	G	C5-C6-N1	5.48	114.24	111.50
26	BB	1222	U	N1-C1'-C2'	-5.48	105.97	112.00
26	BB	1607	C	C5'-C4'-O4'	5.48	115.67	109.10
26	BB	1658	C	C6-N1-C2	5.48	122.49	120.30
26	BB	1701	A	C5-C6-N1	-5.48	114.96	117.70
26	BB	2518	A	C5-C6-N1	-5.48	114.96	117.70
26	BB	2617	U	P-O3'-C3'	5.48	126.27	119.70
36	BL	13	ARG	N-CA-CB	5.48	120.46	110.60
1	AA	133	U	C5'-C4'-O4'	5.48	115.67	109.10
1	AA	923	A	C2-N3-C4	5.48	113.34	110.60
1	AA	1051	C	C3'-C2'-C1'	5.48	105.88	101.50
1	AA	1204	A	C4-C5-C6	-5.48	114.26	117.00
1	AA	1540	U	O5'-P-OP1	-5.48	100.77	105.70
25	BA	109	A	C4-C5-N7	5.48	113.44	110.70
26	BB	260	G	C5'-C4'-O4'	5.48	115.67	109.10
26	BB	1189	A	C2-N3-C4	-5.48	107.86	110.60
26	BB	1349	C	N3-C2-O2	-5.48	118.07	121.90
26	BB	1875	G	C6-N1-C2	-5.48	121.81	125.10
26	BB	2340	A	C5'-C4'-C3'	-5.48	107.24	116.00
1	AA	184	G	C5-N7-C8	5.47	107.04	104.30
1	AA	728	A	N7-C8-N9	5.47	116.54	113.80
1	AA	1002	G	N9-C4-C5	5.47	107.59	105.40
1	AA	1118	U	N1-C2-O2	5.47	126.63	122.80
1	AA	1387	G	O4'-C1'-N9	5.47	112.58	108.20
10	AJ	74	VAL	CB-CA-C	5.47	121.80	111.40
25	BA	64	G	C4-C5-N7	5.47	112.99	110.80
26	BB	6	A	C2-N3-C4	5.47	113.34	110.60
26	BB	117	G	C6-C5-N7	-5.47	127.11	130.40
26	BB	251	A	C5-N7-C8	-5.47	101.16	103.90
26	BB	947	A	N9-C1'-C2'	-5.47	105.98	112.00
26	BB	1084	A	N9-C4-C5	5.47	107.99	105.80
26	BB	1355	G	C5-N7-C8	-5.47	101.56	104.30
26	BB	1368	G	N9-C4-C5	5.47	107.59	105.40
26	BB	1512	C	C5-C6-N1	5.47	123.74	121.00
26	BB	1935	G	C8-N9-C1'	5.47	134.12	127.00
26	BB	2408	U	O4'-C4'-C3'	-5.47	98.53	104.00
28	BD	104	LEU	CB-CG-CD1	5.47	120.31	111.00
1	AA	81	A	C4-C5-C6	-5.47	114.26	117.00
1	AA	130	A	N9-C4-C5	5.47	107.99	105.80
1	AA	220	G	C6-C5-N7	5.47	133.68	130.40
1	AA	504	C	C4-C5-C6	5.47	120.14	117.40
1	AA	693	G	C5'-C4'-O4'	5.47	115.67	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	968	A	C1'-O4'-C4'	-5.47	105.52	109.90
1	AA	977	A	C5'-C4'-O4'	-5.47	102.53	109.10
1	AA	1164	G	C5'-C4'-C3'	-5.47	107.24	116.00
1	AA	1180	A	C8-N9-C4	-5.47	103.61	105.80
1	AA	1181	G	C6-N1-C2	-5.47	121.82	125.10
1	AA	1507	A	N7-C8-N9	5.47	116.54	113.80
4	AD	72	C	C4'-C3'-C2'	-5.47	97.13	102.60
25	BA	68	C	C5'-C4'-O4'	5.47	115.67	109.10
25	BA	116	G	N9-C4-C5	-5.47	103.21	105.40
26	BB	5	A	C4-C5-C6	-5.47	114.26	117.00
26	BB	712	G	C6-C5-N7	-5.47	127.12	130.40
26	BB	787	C	OP1-P-O3'	5.47	117.24	105.20
26	BB	794	A	N1-C6-N6	5.47	121.88	118.60
26	BB	832	U	C6-N1-C2	5.47	124.28	121.00
26	BB	1341	G	C2-N3-C4	5.47	114.64	111.90
26	BB	1658	C	N1-C2-N3	-5.47	115.37	119.20
26	BB	1912	A	C1'-O4'-C4'	-5.47	105.52	109.90
26	BB	2057	G	C2-N3-C4	-5.47	109.16	111.90
26	BB	2154	A	O4'-C1'-N9	5.47	112.58	108.20
26	BB	2173	A	N1-C2-N3	5.47	132.04	129.30
26	BB	2182	U	C1'-O4'-C4'	-5.47	105.52	109.90
26	BB	2381	A	C2-N3-C4	-5.47	107.86	110.60
26	BB	2692	G	N3-C4-C5	5.47	131.34	128.60
1	AA	1316	G	N3-C2-N2	-5.47	116.07	119.90
3	AC	59	A	C5'-C4'-C3'	-5.47	107.25	116.00
26	BB	567	U	C5-C6-N1	-5.47	119.97	122.70
26	BB	1232	G	P-O5'-C5'	5.47	129.65	120.90
26	BB	1415	U	N1-C1'-C2'	-5.47	105.98	112.00
26	BB	1752	C	C2-N3-C4	5.47	122.64	119.90
26	BB	1969	A	N7-C8-N9	-5.47	111.06	113.80
26	BB	2677	G	C5-C6-N1	5.47	114.23	111.50
28	BD	153	LEU	CB-CG-CD1	5.47	120.30	111.00
1	AA	268	U	N3-C4-O4	5.47	123.23	119.40
1	AA	376	G	N9-C4-C5	-5.47	103.21	105.40
1	AA	464	U	O4'-C1'-N1	5.47	112.58	108.20
1	AA	917	G	N7-C8-N9	5.47	115.83	113.10
3	AC	29	G	C2-N3-C4	5.47	114.63	111.90
3	AC	47	C	O4'-C1'-N1	5.47	112.58	108.20
26	BB	191	A	C2-N3-C4	5.47	113.33	110.60
26	BB	409	G	C4-C5-N7	-5.47	108.61	110.80
26	BB	1055	G	C5'-C4'-C3'	-5.47	107.25	116.00
26	BB	1435	G	C5-C6-N1	5.47	114.23	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1507	C	C5-C4-N4	-5.47	116.37	120.20
26	BB	1744	A	C5-C6-N6	5.47	128.08	123.70
26	BB	1776	G	N3-C4-N9	5.47	129.28	126.00
26	BB	1879	C	N3-C4-C5	-5.47	119.71	121.90
26	BB	2528	U	N3-C2-O2	-5.47	118.37	122.20
36	BL	52	ASP	CB-CG-OD1	-5.47	113.38	118.30
45	BU	8	ARG	CD-NE-CZ	5.47	131.26	123.60
1	AA	664	G	N3-C4-C5	5.47	131.33	128.60
1	AA	725	G	C1'-O4'-C4'	-5.47	105.53	109.90
1	AA	1007	U	O4'-C1'-C2'	5.47	112.52	107.60
1	AA	1234	C	C4'-C3'-C2'	-5.47	97.13	102.60
26	BB	388	G	N3-C4-N9	-5.47	122.72	126.00
26	BB	634	C	P-O3'-C3'	5.47	126.26	119.70
26	BB	1022	G	N1-C2-N2	5.47	121.12	116.20
1	AA	160	A	N7-C8-N9	-5.47	111.07	113.80
1	AA	307	C	P-O3'-C3'	5.47	126.26	119.70
1	AA	528	C	C2-N3-C4	-5.47	117.17	119.90
1	AA	977	A	C5-N7-C8	5.47	106.63	103.90
1	AA	1076	U	N1-C2-N3	5.47	118.18	114.90
1	AA	1189	U	C2-N3-C4	-5.47	123.72	127.00
1	AA	1416	G	P-O3'-C3'	5.47	126.26	119.70
17	AQ	100	TRP	CE2-CD2-CG	5.47	111.67	107.30
26	BB	452	G	C8-N9-C4	-5.47	104.21	106.40
26	BB	452	G	N9-C4-C5	5.47	107.59	105.40
26	BB	559	G	N3-C4-C5	-5.47	125.87	128.60
26	BB	874	G	C5-C6-N1	5.47	114.23	111.50
26	BB	1337	G	C4-C5-N7	-5.47	108.61	110.80
26	BB	1757	A	C5-N7-C8	5.47	106.63	103.90
26	BB	1992	G	C6-N1-C2	-5.47	121.82	125.10
26	BB	2535	G	N7-C8-N9	-5.47	110.37	113.10
34	BJ	131	TYR	CG-CD2-CE2	5.47	125.67	121.30
1	AA	163	C	P-O3'-C3'	5.46	126.26	119.70
1	AA	330	C	O4'-C1'-C2'	-5.46	100.33	105.80
1	AA	828	U	C5-C6-N1	-5.46	119.97	122.70
1	AA	1212	U	C6-N1-C2	-5.46	117.72	121.00
4	AD	5	G	N1-C6-O6	-5.46	116.62	119.90
25	BA	111	U	N3-C2-O2	-5.46	118.38	122.20
25	BA	114	C	N3-C4-N4	5.46	121.83	118.00
26	BB	15	G	N9-C1'-C2'	-5.46	105.99	112.00
26	BB	230	G	N3-C4-N9	-5.46	122.72	126.00
26	BB	606	U	C5-C4-O4	5.46	129.18	125.90
26	BB	670	A	O3'-P-O5'	-5.46	93.62	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1028	A	C3'-C2'-C1'	-5.46	97.13	101.50
26	BB	1173	U	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	1473	G	N1-C2-N2	-5.46	111.28	116.20
26	BB	1954	G	N3-C2-N2	-5.46	116.08	119.90
26	BB	2002	G	N1-C6-O6	-5.46	116.62	119.90
26	BB	2062	A	O5'-C5'-C4'	5.46	122.08	111.70
26	BB	2066	C	C2-N3-C4	5.46	122.63	119.90
26	BB	2407	A	P-O3'-C3'	5.46	126.26	119.70
26	BB	2415	G	C5-C6-O6	-5.46	125.32	128.60
26	BB	2695	U	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	2871	U	N1-C2-N3	5.46	118.18	114.90
1	AA	64	G	C4-C5-C6	5.46	122.08	118.80
1	AA	646	G	N3-C4-C5	-5.46	125.87	128.60
1	AA	1279	G	N1-C2-N2	5.46	121.12	116.20
5	AE	87	ASP	CB-CG-OD1	5.46	123.22	118.30
25	BA	120	U	N3-C4-O4	-5.46	115.58	119.40
26	BB	64	A	C5-C6-N1	5.46	120.43	117.70
26	BB	254	G	C3'-C2'-C1'	5.46	105.87	101.50
26	BB	585	G	O4'-C1'-C2'	-5.46	100.34	105.80
26	BB	632	A	O4'-C4'-C3'	5.46	110.47	106.10
26	BB	1512	C	C2-N3-C4	-5.46	117.17	119.90
26	BB	1819	A	C3'-C2'-C1'	-5.46	97.13	101.50
1	AA	89	U	N3-C4-O4	-5.46	115.58	119.40
1	AA	434	U	N3-C4-C5	-5.46	111.32	114.60
1	AA	660	C	N3-C2-O2	-5.46	118.08	121.90
1	AA	784	A	C8-N9-C4	-5.46	103.61	105.80
1	AA	900	A	C4'-C3'-C2'	-5.46	97.14	102.60
1	AA	957	U	C4-C5-C6	5.46	122.98	119.70
1	AA	1284	C	O4'-C4'-C3'	-5.46	98.54	104.00
1	AA	1292	G	C8-N9-C4	-5.46	104.22	106.40
1	AA	1512	U	C2-N3-C4	-5.46	123.72	127.00
2	AB	50	G	N9-C1'-C2'	-5.46	105.99	112.00
26	BB	249	C	C4-C5-C6	-5.46	114.67	117.40
26	BB	363	G	C6-N1-C2	-5.46	121.82	125.10
26	BB	453	A	C5-C6-N6	-5.46	119.33	123.70
26	BB	591	U	C3'-C2'-C1'	-5.46	97.13	101.50
26	BB	988	A	C4-C5-N7	5.46	113.43	110.70
26	BB	1024	G	O4'-C1'-N9	5.46	112.57	108.20
26	BB	1296	G	C6-C5-N7	-5.46	127.12	130.40
26	BB	2053	G	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	2301	C	C2-N3-C4	5.46	122.63	119.90
26	BB	2767	C	C2-N3-C4	5.46	122.63	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	37	U	C5-C4-O4	5.46	129.18	125.90
1	AA	183	C	C5-C4-N4	5.46	124.02	120.20
1	AA	731	G	C6-C5-N7	-5.46	127.12	130.40
1	AA	1253	G	N1-C2-N2	-5.46	111.29	116.20
1	AA	1313	U	N1-C2-N3	5.46	118.18	114.90
26	BB	102	U	O4'-C1'-C2'	-5.46	100.34	105.80
26	BB	1071	G	C6-N1-C2	-5.46	121.82	125.10
26	BB	1407	G	C6-C5-N7	-5.46	127.12	130.40
26	BB	1530	G	N1-C6-O6	5.46	123.18	119.90
26	BB	1775	U	C3'-C2'-C1'	-5.46	97.13	101.50
1	AA	743	A	N9-C4-C5	5.46	107.98	105.80
1	AA	785	G	N9-C4-C5	5.46	107.58	105.40
1	AA	997	U	N3-C4-O4	-5.46	115.58	119.40
1	AA	1385	G	C8-N9-C4	-5.46	104.22	106.40
26	BB	682	G	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	800	A	N1-C2-N3	-5.46	126.57	129.30
26	BB	1776	G	C6-C5-N7	-5.46	127.12	130.40
26	BB	1780	A	N1-C2-N3	-5.46	126.57	129.30
26	BB	2550	G	C5-C6-N1	5.46	114.23	111.50
26	BB	2664	G	P-O3'-C3'	5.46	126.25	119.70
26	BB	2676	C	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	2805	C	N1-C2-O2	5.46	122.17	118.90
1	AA	126	G	O4'-C1'-N9	5.46	112.56	108.20
1	AA	204	G	C2-N3-C4	5.46	114.63	111.90
1	AA	505	G	O4'-C4'-C3'	5.46	110.47	106.10
1	AA	517	G	N1-C2-N2	5.46	121.11	116.20
1	AA	556	C	C6-N1-C1'	-5.46	114.25	120.80
1	AA	838	G	C4-C5-C6	-5.46	115.53	118.80
1	AA	891	U	N1-C2-O2	5.46	126.62	122.80
1	AA	962	C	C1'-O4'-C4'	-5.46	105.53	109.90
1	AA	1132	C	C4'-C3'-C2'	-5.46	97.14	102.60
1	AA	1240	U	C4'-C3'-C2'	-5.46	97.14	102.60
7	AG	191	SER	N-CA-CB	5.46	118.69	110.50
26	BB	443	A	N3-C4-C5	-5.46	122.98	126.80
26	BB	500	G	N3-C4-N9	5.46	129.27	126.00
26	BB	980	A	O4'-C1'-N9	5.46	112.56	108.20
26	BB	1003	G	N1-C2-N3	5.46	127.17	123.90
26	BB	1784	A	N9-C4-C5	5.46	107.98	105.80
26	BB	1938	A	O4'-C1'-C2'	-5.46	100.34	105.80
26	BB	2105	U	C4-C5-C6	5.46	122.97	119.70
26	BB	2365	G	N1-C6-O6	5.46	123.17	119.90
26	BB	2759	G	N3-C4-C5	-5.46	125.87	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2867	G	N3-C4-C5	-5.46	125.87	128.60
1	AA	423	G	N1-C2-N3	-5.46	120.63	123.90
1	AA	441	A	C4-C5-N7	-5.46	107.97	110.70
1	AA	592	G	N3-C4-N9	-5.46	122.73	126.00
1	AA	1517	G	C5-N7-C8	-5.46	101.57	104.30
12	AL	103	VAL	CA-CB-CG1	5.46	119.08	110.90
25	BA	106	G	N7-C8-N9	-5.46	110.37	113.10
26	BB	358	U	N1-C2-O2	5.46	126.62	122.80
26	BB	1358	G	C2-N3-C4	5.46	114.63	111.90
26	BB	2253	G	C5-C6-N1	5.46	114.23	111.50
26	BB	2505	G	O4'-C1'-N9	5.46	112.56	108.20
1	AA	493	A	C4-C5-N7	5.45	113.43	110.70
1	AA	544	G	C4'-C3'-C2'	-5.45	97.15	102.60
1	AA	774	G	C5-C6-O6	5.45	131.87	128.60
1	AA	785	G	C4'-C3'-C2'	-5.45	97.15	102.60
1	AA	1000	A	C4-C5-C6	-5.45	114.27	117.00
1	AA	1099	G	C5-C6-O6	5.45	131.87	128.60
1	AA	1156	G	N9-C4-C5	-5.45	103.22	105.40
1	AA	1226	C	N1-C2-O2	5.45	122.17	118.90
26	BB	106	C	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	874	G	C5-N7-C8	-5.45	101.57	104.30
26	BB	879	G	N3-C4-C5	-5.45	125.87	128.60
26	BB	1083	U	N3-C2-O2	-5.45	118.38	122.20
26	BB	1499	C	C6-N1-C2	5.45	122.48	120.30
26	BB	1645	G	N1-C2-N3	-5.45	120.63	123.90
26	BB	2127	G	N1-C2-N3	-5.45	120.63	123.90
26	BB	2474	U	N1-C1'-C2'	-5.45	106.00	112.00
26	BB	2589	A	C6-N1-C2	5.45	121.87	118.60
1	AA	246	A	C5-C6-N6	5.45	128.06	123.70
1	AA	407	U	N3-C4-C5	-5.45	111.33	114.60
1	AA	653	U	O4'-C1'-N1	-5.45	103.84	108.20
2	AB	64	U	C3'-C2'-C1'	-5.45	97.14	101.50
26	BB	525	U	C2-N3-C4	-5.45	123.73	127.00
26	BB	1397	U	C5-C6-N1	-5.45	119.97	122.70
28	BD	12	ARG	CD-NE-CZ	5.45	131.23	123.60
1	AA	398	U	N1-C2-N3	5.45	118.17	114.90
1	AA	622	A	N1-C2-N3	-5.45	126.57	129.30
1	AA	905	U	C5-C6-N1	-5.45	119.97	122.70
1	AA	970	C	N3-C4-N4	5.45	121.81	118.00
1	AA	1134	G	C4-N9-C1'	-5.45	119.41	126.50
1	AA	1470	U	C2-N3-C4	-5.45	123.73	127.00
1	AA	1536	C	N3-C4-N4	5.45	121.81	118.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	AF	21	TRP	CB-CG-CD2	5.45	133.69	126.60
25	BA	100	G	N9-C4-C5	-5.45	103.22	105.40
25	BA	114	C	C5-C6-N1	5.45	123.72	121.00
26	BB	495	G	P-O3'-C3'	5.45	126.24	119.70
26	BB	1702	G	C8-N9-C4	-5.45	104.22	106.40
26	BB	1713	A	O4'-C1'-N9	5.45	112.56	108.20
26	BB	1754	A	N9-C4-C5	5.45	107.98	105.80
26	BB	2058	A	C8-N9-C4	-5.45	103.62	105.80
26	BB	2061	G	N1-C6-O6	5.45	123.17	119.90
26	BB	2268	A	C5'-C4'-C3'	-5.45	107.28	116.00
26	BB	2468	A	C6-N1-C2	5.45	121.87	118.60
26	BB	2645	G	C4-C5-N7	-5.45	108.62	110.80
1	AA	5	U	C1'-O4'-C4'	-5.45	105.54	109.90
1	AA	279	A	N1-C6-N6	-5.45	115.33	118.60
1	AA	521	G	C8-N9-C4	5.45	108.58	106.40
1	AA	1515	G	C5-C6-O6	-5.45	125.33	128.60
15	AO	37	TYR	CB-CG-CD2	-5.45	117.73	121.00
25	BA	85	G	N9-C1'-C2'	-5.45	106.01	112.00
26	BB	160	A	N1-C6-N6	-5.45	115.33	118.60
26	BB	444	C	O5'-C5'-C4'	-5.45	101.35	111.70
26	BB	506	G	N3-C2-N2	5.45	123.72	119.90
26	BB	821	A	C5'-C4'-C3'	-5.45	107.28	116.00
26	BB	1106	G	N9-C1'-C2'	-5.45	106.01	112.00
26	BB	1305	C	C1'-O4'-C4'	-5.45	105.54	109.90
26	BB	1974	C	N3-C2-O2	-5.45	118.09	121.90
26	BB	2190	G	C5-C6-O6	-5.45	125.33	128.60
26	BB	2342	C	O3'-P-O5'	5.45	114.35	104.00
26	BB	2898	U	C6-N1-C2	-5.45	117.73	121.00
35	BK	7	TYR	CB-CG-CD1	5.45	124.27	121.00
1	AA	274	A	C4-C5-N7	5.45	113.42	110.70
1	AA	1065	U	N1-C2-N3	5.45	118.17	114.90
26	BB	528	A	C4-C5-N7	5.45	113.42	110.70
26	BB	812	C	C1'-O4'-C4'	-5.45	105.54	109.90
26	BB	920	A	C6-N1-C2	-5.45	115.33	118.60
26	BB	1383	A	N3-C4-N9	-5.45	123.04	127.40
26	BB	2389	G	C5-C6-N1	5.45	114.22	111.50
26	BB	2750	A	C5-C6-N1	-5.45	114.98	117.70
1	AA	190	A	C4-C5-C6	-5.45	114.28	117.00
26	BB	2072	C	N3-C4-N4	-5.45	114.19	118.00
26	BB	2161	C	N1-C2-O2	5.45	122.17	118.90
39	BO	66	ARG	CD-NE-CZ	5.45	131.22	123.60
1	AA	954	G	N1-C2-N2	5.44	121.10	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1417	G	N9-C4-C5	-5.44	103.22	105.40
25	BA	13	G	C5-N7-C8	-5.44	101.58	104.30
26	BB	1702	G	C4-C5-N7	-5.44	108.62	110.80
26	BB	2070	A	C8-N9-C4	5.44	107.98	105.80
26	BB	2827	C	N3-C4-C5	-5.44	119.72	121.90
1	AA	26	A	C4'-C3'-C2'	-5.44	97.16	102.60
1	AA	291	U	N1-C2-O2	-5.44	118.99	122.80
26	BB	45	G	N1-C6-O6	-5.44	116.64	119.90
26	BB	215	G	N7-C8-N9	5.44	115.82	113.10
26	BB	619	G	N3-C4-N9	5.44	129.26	126.00
26	BB	810	U	N1-C1'-C2'	-5.44	106.01	112.00
26	BB	971	G	C4-C5-N7	-5.44	108.62	110.80
26	BB	1129	A	P-O3'-C3'	5.44	126.23	119.70
26	BB	1371	G	C5'-C4'-O4'	5.44	115.63	109.10
26	BB	1398	C	N3-C4-C5	-5.44	119.72	121.90
26	BB	1505	A	C4-C5-C6	-5.44	114.28	117.00
26	BB	1884	G	N3-C4-N9	-5.44	122.73	126.00
26	BB	2000	C	C1'-O4'-C4'	5.44	114.25	109.90
26	BB	2131	U	P-O3'-C3'	5.44	126.23	119.70
26	BB	2352	A	N7-C8-N9	5.44	116.52	113.80
26	BB	2479	U	C5-C4-O4	5.44	129.17	125.90
26	BB	2609	U	C6-N1-C2	5.44	124.27	121.00
26	BB	2868	A	C5-C6-N6	-5.44	119.34	123.70
26	BB	2885	G	C1'-O4'-C4'	-5.44	105.55	109.90
57	B6	44	ARG	CD-NE-CZ	5.44	131.22	123.60
1	AA	321	A	N9-C4-C5	5.44	107.98	105.80
1	AA	584	G	N9-C4-C5	5.44	107.58	105.40
1	AA	590	U	N3-C4-O4	5.44	123.21	119.40
1	AA	1155	A	N1-C2-N3	5.44	132.02	129.30
1	AA	1510	C	C5'-C4'-O4'	5.44	115.63	109.10
9	AI	79	ARG	NE-CZ-NH1	5.44	123.02	120.30
26	BB	374	A	C6-C5-N7	5.44	136.11	132.30
26	BB	894	U	N1-C1'-C2'	-5.44	106.02	112.00
26	BB	1262	A	N3-C4-N9	5.44	131.75	127.40
26	BB	2317	A	N1-C2-N3	-5.44	126.58	129.30
26	BB	2538	C	C5-C6-N1	-5.44	118.28	121.00
26	BB	2608	G	C8-N9-C1'	5.44	134.07	127.00
33	BI	86	ASP	CB-CG-OD2	5.44	123.20	118.30
1	AA	111	G	C6-N1-C2	-5.44	121.84	125.10
1	AA	1033	G	N7-C8-N9	5.44	115.82	113.10
4	AD	36	A	N7-C8-N9	-5.44	111.08	113.80
5	AE	101	THR	O-C-N	5.44	131.40	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1755	A	C5-N7-C8	-5.44	101.18	103.90
26	BB	2740	A	N1-C6-N6	-5.44	115.34	118.60
1	AA	336	A	C1'-O4'-C4'	-5.44	105.55	109.90
1	AA	450	G	N3-C4-N9	5.44	129.26	126.00
1	AA	744	C	C6-N1-C2	5.44	122.47	120.30
1	AA	750	C	N3-C4-C5	-5.44	119.72	121.90
25	BA	108	A	C5-N7-C8	-5.44	101.18	103.90
26	BB	275	C	C5'-C4'-O4'	5.44	115.62	109.10
26	BB	352	A	C3'-C2'-C1'	5.44	105.85	101.50
26	BB	850	U	N1-C2-O2	-5.44	118.99	122.80
26	BB	1519	G	O4'-C1'-N9	5.44	112.55	108.20
26	BB	1843	C	C3'-C2'-C1'	-5.44	97.15	101.50
26	BB	1859	U	N3-C4-O4	5.44	123.21	119.40
26	BB	2215	C	C2-N3-C4	-5.44	117.18	119.90
26	BB	2222	C	C1'-O4'-C4'	5.44	114.25	109.90
26	BB	2416	C	C5-C4-N4	-5.44	116.39	120.20
30	BF	145	ASP	CB-CG-OD1	5.44	123.19	118.30
34	BJ	137	ARG	NE-CZ-NH2	5.44	123.02	120.30
1	AA	539	A	N9-C1'-C2'	-5.44	106.02	112.00
1	AA	1019	A	N9-C1'-C2'	-5.44	106.02	112.00
1	AA	1263	C	O4'-C1'-N1	5.44	112.55	108.20
26	BB	829	A	C5'-C4'-C3'	-5.44	107.30	116.00
26	BB	985	C	N1-C2-N3	5.44	123.00	119.20
26	BB	1043	C	C5-C4-N4	-5.44	116.39	120.20
26	BB	1102	C	C5-C6-N1	5.44	123.72	121.00
1	AA	184	G	C2-N3-C4	-5.43	109.18	111.90
1	AA	469	C	C4-C5-C6	5.43	120.12	117.40
1	AA	601	G	N1-C2-N3	-5.43	120.64	123.90
1	AA	661	G	N1-C2-N2	5.43	121.09	116.20
1	AA	732	C	C4-C5-C6	-5.43	114.68	117.40
1	AA	909	A	C2-N3-C4	-5.43	107.88	110.60
1	AA	977	A	P-O3'-C3'	5.43	126.22	119.70
14	AN	110	THR	CA-CB-CG2	5.43	120.01	112.40
26	BB	422	A	O4'-C4'-C3'	5.43	110.45	106.10
26	BB	669	G	C3'-C2'-C1'	5.43	105.85	101.50
26	BB	1736	U	C5-C4-O4	5.43	129.16	125.90
26	BB	1789	A	C3'-C2'-C1'	-5.43	97.15	101.50
26	BB	1839	G	C5-C6-O6	5.43	131.86	128.60
26	BB	1858	A	C5'-C4'-C3'	-5.43	107.31	116.00
26	BB	2473	U	C2-N1-C1'	5.43	124.22	117.70
26	BB	2629	U	C4-C5-C6	5.43	122.96	119.70
26	BB	2643	G	P-O3'-C3'	5.43	126.22	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2660	A	C3'-C2'-C1'	5.43	105.85	101.50
51	B0	52	ARG	CA-CB-CG	5.43	125.36	113.40
1	AA	67	C	C5'-C4'-C3'	-5.43	107.31	116.00
1	AA	378	G	P-O3'-C3'	5.43	126.22	119.70
1	AA	545	C	N1-C1'-C2'	-5.43	106.02	112.00
1	AA	1242	G	N9-C1'-C2'	-5.43	106.02	112.00
25	BA	37	C	C5'-C4'-C3'	5.43	124.69	116.00
26	BB	266	G	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	399	U	N3-C4-C5	-5.43	111.34	114.60
26	BB	468	G	C5-N7-C8	-5.43	101.58	104.30
26	BB	694	U	O4'-C1'-N1	5.43	112.55	108.20
26	BB	1086	A	C4-C5-C6	-5.43	114.28	117.00
26	BB	1214	A	N3-C4-C5	-5.43	123.00	126.80
26	BB	2465	C	O4'-C1'-N1	5.43	112.55	108.20
26	BB	2900	A	N1-C2-N3	-5.43	126.58	129.30
1	AA	346	G	C5'-C4'-C3'	-5.43	107.31	116.00
1	AA	931	C	C5'-C4'-C3'	-5.43	107.31	116.00
1	AA	1482	G	N1-C6-O6	-5.43	116.64	119.90
3	AC	33	A	N1-C6-N6	5.43	121.86	118.60
4	AD	73	A	C8-N9-C4	-5.43	103.63	105.80
26	BB	7	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	318	C	C1'-O4'-C4'	-5.43	105.56	109.90
26	BB	1053	C	C5'-C4'-O4'	5.43	115.62	109.10
26	BB	1313	U	N1-C2-O2	5.43	126.60	122.80
26	BB	2235	G	C6-C5-N7	5.43	133.66	130.40
26	BB	2432	A	P-O3'-C3'	5.43	126.22	119.70
31	BG	96	TRP	CE3-CZ3-CH2	5.43	127.17	121.20
51	B0	29	ARG	NE-CZ-NH1	-5.43	117.58	120.30
1	AA	33	A	C5-C6-N6	-5.43	119.36	123.70
1	AA	70	U	N3-C4-O4	-5.43	115.60	119.40
1	AA	304	U	C5'-C4'-O4'	5.43	115.62	109.10
1	AA	411	A	C5'-C4'-C3'	-5.43	107.31	116.00
1	AA	550	G	N7-C8-N9	5.43	115.81	113.10
1	AA	678	U	N3-C4-O4	5.43	123.20	119.40
1	AA	990	C	O4'-C1'-N1	5.43	112.54	108.20
1	AA	1211	U	O4'-C1'-N1	5.43	112.54	108.20
2	AB	35	C	O4'-C1'-C2'	-5.43	100.37	105.80
16	AP	9	PRO	N-CD-CG	5.43	111.34	103.20
26	BB	267	C	C3'-C2'-C1'	5.43	105.84	101.50
26	BB	317	G	C5'-C4'-O4'	5.43	115.62	109.10
26	BB	378	C	N3-C4-C5	-5.43	119.73	121.90
26	BB	604	G	C2'-C3'-O3'	5.43	122.39	113.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1457	U	C2-N3-C4	-5.43	123.74	127.00
26	BB	1565	C	N3-C2-O2	-5.43	118.10	121.90
26	BB	1792	G	N3-C2-N2	5.43	123.70	119.90
26	BB	1863	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	1927	A	N7-C8-N9	5.43	116.52	113.80
26	BB	2311	A	C1'-O4'-C4'	-5.43	105.56	109.90
26	BB	2369	A	C2-N3-C4	5.43	113.31	110.60
26	BB	2418	A	N1-C6-N6	-5.43	115.34	118.60
26	BB	2535	G	N3-C4-N9	5.43	129.26	126.00
26	BB	2595	G	C4-C5-N7	-5.43	108.63	110.80
26	BB	2758	A	O4'-C1'-N9	5.43	112.54	108.20
26	BB	2761	A	N3-C4-N9	-5.43	123.06	127.40
26	BB	2834	G	C3'-C2'-C1'	5.43	105.84	101.50
26	BB	2894	G	C6-N1-C2	-5.43	121.84	125.10
38	BN	123	ARG	NE-CZ-NH1	5.43	123.02	120.30
39	BO	92	TRP	NE1-CE2-CD2	-5.43	101.87	107.30
42	BR	112	ARG	NE-CZ-NH2	5.43	123.02	120.30
1	AA	183	C	C3'-C2'-C1'	5.43	105.84	101.50
1	AA	1173	U	C5-C4-O4	5.43	129.16	125.90
5	AE	29	PHE	CB-CG-CD2	-5.43	117.00	120.80
26	BB	648	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	761	A	C5'-C4'-O4'	5.43	115.61	109.10
26	BB	1005	C	C5'-C4'-C3'	-5.43	107.31	116.00
26	BB	1563	U	C5-C4-O4	-5.43	122.64	125.90
26	BB	1705	A	C8-N9-C4	-5.43	103.63	105.80
1	AA	28	A	C8-N9-C4	-5.43	103.63	105.80
1	AA	35	G	C4-N9-C1'	-5.43	119.44	126.50
1	AA	113	G	C5'-C4'-C3'	-5.43	107.32	116.00
1	AA	252	U	O4'-C1'-N1	5.43	112.54	108.20
1	AA	395	C	O4'-C4'-C3'	-5.43	98.57	104.00
1	AA	455	G	C5-C6-N1	5.43	114.21	111.50
1	AA	611	C	C5'-C4'-O4'	5.43	115.61	109.10
1	AA	621	A	C6-C5-N7	5.43	136.10	132.30
1	AA	1164	G	C6-C5-N7	-5.43	127.14	130.40
1	AA	1416	G	N7-C8-N9	5.43	115.81	113.10
14	AN	26	PHE	CB-CG-CD2	-5.43	117.00	120.80
15	AO	65	TYR	CG-CD1-CE1	-5.43	116.96	121.30
26	BB	344	A	N1-C6-N6	5.43	121.86	118.60
26	BB	396	G	C6-N1-C2	-5.43	121.84	125.10
26	BB	402	A	O4'-C1'-N9	5.43	112.54	108.20
26	BB	877	A	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	1202	G	C5-N7-C8	5.43	107.01	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1286	A	O5'-P-OP2	-5.43	100.82	105.70
26	BB	1339	G	N7-C8-N9	5.43	115.81	113.10
26	BB	1560	G	C2-N3-C4	5.43	114.61	111.90
26	BB	2078	C	C5-C4-N4	5.43	124.00	120.20
26	BB	2607	G	C1'-O4'-C4'	5.43	114.24	109.90
26	BB	2829	A	C6-N1-C2	-5.43	115.34	118.60
26	BB	2863	C	C3'-C2'-C1'	5.43	105.84	101.50
1	AA	315	A	O4'-C4'-C3'	5.42	110.44	106.10
1	AA	919	A	O4'-C1'-N9	5.42	112.54	108.20
1	AA	1136	C	C4-C5-C6	-5.42	114.69	117.40
1	AA	1306	A	C5'-C4'-O4'	5.42	115.61	109.10
1	AA	1431	A	O5'-P-OP2	-5.42	100.82	105.70
26	BB	89	A	C8-N9-C4	-5.42	103.63	105.80
26	BB	254	G	O4'-C1'-N9	5.42	112.54	108.20
26	BB	284	U	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	706	A	N9-C4-C5	-5.42	103.63	105.80
26	BB	946	C	C5-C4-N4	-5.42	116.40	120.20
26	BB	1173	U	N3-C4-C5	-5.42	111.34	114.60
26	BB	1519	G	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	1883	U	O4'-C1'-N1	5.42	112.54	108.20
26	BB	2158	A	P-O3'-C3'	5.42	126.21	119.70
26	BB	2225	A	N3-C4-C5	-5.42	123.00	126.80
26	BB	2243	U	C5-C6-N1	-5.42	119.99	122.70
26	BB	2316	G	O4'-C1'-N9	5.42	112.54	108.20
33	BI	135	HIS	CA-CB-CG	-5.42	104.38	113.60
1	AA	138	G	N7-C8-N9	5.42	115.81	113.10
1	AA	265	G	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	471	U	C4-C5-C6	5.42	122.95	119.70
1	AA	557	G	N9-C4-C5	5.42	107.57	105.40
1	AA	702	A	N3-C4-N9	-5.42	123.06	127.40
1	AA	852	G	P-O3'-C3'	5.42	126.21	119.70
1	AA	1041	G	N1-C2-N2	5.42	121.08	116.20
1	AA	1443	C	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	388	G	C5-C6-N1	5.42	114.21	111.50
26	BB	1322	A	C4-C5-C6	-5.42	114.29	117.00
26	BB	1786	A	C4-C5-C6	5.42	119.71	117.00
26	BB	2249	U	C4'-C3'-C2'	5.42	108.02	102.60
26	BB	2424	C	P-O5'-C5'	5.42	129.58	120.90
41	BQ	64	TYR	CB-CG-CD1	-5.42	117.75	121.00
1	AA	406	G	C4-C5-N7	-5.42	108.63	110.80
1	AA	575	G	N3-C4-N9	5.42	129.25	126.00
1	AA	639	G	C4-N9-C1'	5.42	133.55	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	792	A	N7-C8-N9	5.42	116.51	113.80
1	AA	1460	C	N1-C2-O2	5.42	122.15	118.90
2	AB	10	G	C5-C6-O6	-5.42	125.35	128.60
2	AB	64	U	O4'-C1'-N1	5.42	112.54	108.20
13	AM	92	LEU	CB-CG-CD2	-5.42	101.78	111.00
23	AW	60	GLN	CA-CB-CG	5.42	125.33	113.40
26	BB	27	G	N1-C6-O6	5.42	123.15	119.90
26	BB	245	G	N1-C2-N3	-5.42	120.65	123.90
26	BB	703	U	O4'-C1'-C2'	5.42	112.48	107.60
26	BB	735	A	C4-C5-N7	-5.42	107.99	110.70
26	BB	930	G	N1-C6-O6	5.42	123.15	119.90
26	BB	1020	A	C8-N9-C4	-5.42	103.63	105.80
26	BB	1254	A	N1-C6-N6	-5.42	115.35	118.60
26	BB	1360	G	C4-C5-C6	-5.42	115.55	118.80
26	BB	1523	U	N3-C4-C5	-5.42	111.35	114.60
26	BB	1586	A	P-O5'-C5'	5.42	129.57	120.90
26	BB	1613	G	C3'-C2'-C1'	-5.42	97.16	101.50
26	BB	1635	A	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	1749	A	C3'-C2'-C1'	5.42	105.84	101.50
26	BB	1800	C	N1-C2-O2	5.42	122.15	118.90
26	BB	1804	C	O4'-C1'-N1	5.42	112.54	108.20
26	BB	2087	G	N9-C4-C5	5.42	107.57	105.40
26	BB	2820	A	N9-C1'-C2'	5.42	121.05	114.00
1	AA	682	G	C3'-C2'-C1'	-5.42	97.16	101.50
1	AA	1032	G	C4-C5-C6	5.42	122.05	118.80
1	AA	1336	C	C2-N3-C4	-5.42	117.19	119.90
4	AD	65	G	C4'-C3'-C2'	-5.42	97.18	102.60
25	BA	88	C	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	531	C	O4'-C1'-N1	5.42	112.54	108.20
26	BB	1560	G	C4-C5-C6	5.42	122.05	118.80
26	BB	2027	G	C3'-C2'-C1'	5.42	105.84	101.50
46	BV	37	ASP	CB-CG-OD1	-5.42	113.42	118.30
1	AA	158	G	C3'-C2'-C1'	-5.42	97.17	101.50
1	AA	304	U	C3'-C2'-C1'	5.42	105.83	101.50
1	AA	839	C	C6-N1-C2	-5.42	118.13	120.30
1	AA	897	C	N3-C4-N4	5.42	121.79	118.00
1	AA	1409	C	N3-C4-N4	5.42	121.79	118.00
4	AD	35	C	N3-C4-N4	-5.42	114.21	118.00
7	AG	80	ARG	NE-CZ-NH1	-5.42	117.59	120.30
25	BA	53	A	C5-C6-N1	5.42	120.41	117.70
26	BB	225	C	C5-C4-N4	-5.42	116.41	120.20
26	BB	1206	G	C1'-O4'-C4'	-5.42	105.56	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1960	A	C2-N3-C4	-5.42	107.89	110.60
26	BB	2343	U	N3-C4-O4	-5.42	115.61	119.40
26	BB	2589	A	C3'-C2'-C1'	5.42	105.83	101.50
26	BB	2589	A	N1-C6-N6	-5.42	115.35	118.60
26	BB	2675	A	C5-C6-N1	-5.42	114.99	117.70
26	BB	2802	G	C8-N9-C4	-5.42	104.23	106.40
26	BB	2865	U	O4'-C1'-C2'	5.42	112.48	107.60
29	BE	138	LEU	CB-CA-C	5.42	120.50	110.20
46	BV	51	PHE	CB-CG-CD1	-5.42	117.01	120.80
1	AA	277	C	C6-N1-C2	-5.42	118.13	120.30
1	AA	381	C	N3-C4-N4	5.42	121.79	118.00
1	AA	403	C	N3-C4-C5	5.42	124.07	121.90
1	AA	721	G	C5-C6-O6	-5.42	125.35	128.60
1	AA	788	U	C1'-O4'-C4'	-5.42	105.57	109.90
1	AA	1165	U	N1-C2-O2	-5.42	119.01	122.80
1	AA	1440	U	N1-C2-O2	-5.42	119.01	122.80
2	AB	72	U	N1-C2-N3	5.42	118.15	114.90
4	AD	64	G	P-O5'-C5'	5.42	129.57	120.90
26	BB	887	U	C5-C6-N1	-5.42	119.99	122.70
26	BB	1350	C	N3-C4-C5	-5.42	119.73	121.90
26	BB	1401	G	N3-C2-N2	-5.42	116.11	119.90
26	BB	2390	U	C5'-C4'-O4'	5.42	115.60	109.10
26	BB	2868	A	O4'-C1'-N9	-5.42	103.87	108.20
34	BJ	30	ARG	NE-CZ-NH2	-5.42	117.59	120.30
1	AA	148	G	N3-C4-C5	-5.42	125.89	128.60
1	AA	278	G	C6-N1-C2	-5.42	121.85	125.10
1	AA	756	C	N3-C4-C5	5.42	124.07	121.90
1	AA	959	A	N1-C6-N6	-5.42	115.35	118.60
4	AD	22	A	O4'-C1'-N9	5.42	112.53	108.20
4	AD	40	C	C6-N1-C1'	5.42	127.30	120.80
19	AS	44	SER	CB-CA-C	5.42	120.39	110.10
26	BB	40	U	P-O3'-C3'	5.42	126.20	119.70
26	BB	260	G	N3-C4-C5	-5.42	125.89	128.60
26	BB	762	U	C1'-O4'-C4'	5.42	114.23	109.90
27	BC	78	PHE	CB-CG-CD2	5.42	124.59	120.80
1	AA	344	A	O4'-C1'-N9	5.41	112.53	108.20
1	AA	392	C	O4'-C1'-N1	5.41	112.53	108.20
1	AA	829	G	N1-C6-O6	-5.41	116.65	119.90
2	AB	27	C	C5-C4-N4	-5.41	116.41	120.20
3	AC	40	G	C8-N9-C4	-5.41	104.23	106.40
4	AD	6	G	N9-C1'-C2'	-5.41	106.05	112.00
6	AF	45	GLU	OE1-CD-OE2	5.41	129.80	123.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	81	G	C2'-C3'-O3'	-5.41	97.59	109.50
26	BB	162	U	O4'-C1'-N1	5.41	112.53	108.20
26	BB	514	A	C5-N7-C8	-5.41	101.19	103.90
26	BB	776	G	N3-C4-N9	5.41	129.25	126.00
26	BB	995	C	O4'-C1'-N1	5.41	112.53	108.20
26	BB	1007	C	C2-N1-C1'	-5.41	112.84	118.80
26	BB	1050	A	C4'-C3'-C2'	-5.41	97.19	102.60
26	BB	1205	A	C5'-C4'-C3'	-5.41	107.34	116.00
26	BB	1262	A	C3'-C2'-C1'	-5.41	97.17	101.50
26	BB	1443	U	C5-C4-O4	5.41	129.15	125.90
26	BB	1827	U	N1-C2-O2	-5.41	119.01	122.80
26	BB	1922	G	O4'-C4'-C3'	-5.41	98.59	104.00
26	BB	2145	C	C6-N1-C2	-5.41	118.13	120.30
26	BB	2584	U	C1'-O4'-C4'	5.41	114.23	109.90
26	BB	2681	C	C4-C5-C6	-5.41	114.69	117.40
50	BZ	45	PHE	CB-CG-CD1	5.41	124.59	120.80
1	AA	594	U	N1-C2-O2	5.41	126.59	122.80
1	AA	1471	U	O4'-C1'-N1	5.41	112.53	108.20
9	AI	4	TYR	CB-CG-CD2	-5.41	117.75	121.00
26	BB	1559	U	C3'-C2'-C1'	-5.41	97.17	101.50
26	BB	2246	G	C5-C6-O6	-5.41	125.35	128.60
1	AA	391	G	O4'-C4'-C3'	5.41	110.43	106.10
1	AA	986	U	C2-N1-C1'	-5.41	111.21	117.70
9	AI	95	ALA	CB-CA-C	5.41	118.22	110.10
10	AJ	13	PRO	CA-N-CD	-5.41	103.92	111.50
25	BA	42	C	N3-C4-N4	5.41	121.79	118.00
26	BB	341	C	C5-C6-N1	-5.41	118.29	121.00
26	BB	433	C	O4'-C1'-N1	5.41	112.53	108.20
26	BB	770	G	N1-C2-N3	-5.41	120.65	123.90
26	BB	1530	G	C5-C6-O6	-5.41	125.35	128.60
26	BB	1887	C	O4'-C1'-N1	5.41	112.53	108.20
26	BB	2096	C	C5-C4-N4	-5.41	116.41	120.20
26	BB	2468	A	C8-N9-C4	5.41	107.96	105.80
26	BB	2549	G	C5-N7-C8	-5.41	101.59	104.30
26	BB	2709	G	N9-C4-C5	5.41	107.56	105.40
1	AA	103	U	O4'-C1'-N1	-5.41	103.87	108.20
1	AA	558	G	C5-C6-N1	-5.41	108.80	111.50
1	AA	682	G	C4'-C3'-C2'	-5.41	97.19	102.60
1	AA	768	A	C4'-C3'-C2'	5.41	108.01	102.60
1	AA	1202	U	C5'-C4'-C3'	-5.41	107.35	116.00
1	AA	1254	A	N9-C4-C5	5.41	107.96	105.80
1	AA	1354	U	C1'-O4'-C4'	-5.41	105.57	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1405	G	O4'-C1'-N9	5.41	112.53	108.20
2	AB	64	U	N1-C2-N3	5.41	118.14	114.90
25	BA	71	C	N3-C2-O2	-5.41	118.11	121.90
26	BB	366	C	N3-C4-C5	-5.41	119.74	121.90
26	BB	418	C	C3'-C2'-C1'	5.41	105.83	101.50
26	BB	715	A	N1-C2-N3	-5.41	126.59	129.30
26	BB	1059	G	N3-C4-C5	-5.41	125.90	128.60
26	BB	1281	G	C5-N7-C8	-5.41	101.60	104.30
26	BB	1971	U	C5-C4-O4	5.41	129.15	125.90
26	BB	2125	G	C4'-C3'-C2'	5.41	108.01	102.60
26	BB	2316	G	P-O5'-C5'	5.41	129.56	120.90
26	BB	2385	C	P-O5'-C5'	5.41	129.55	120.90
26	BB	2541	A	C4-C5-N7	-5.41	108.00	110.70
26	BB	2672	U	N1-C1'-C2'	-5.41	106.05	112.00
26	BB	2858	C	N3-C4-C5	-5.41	119.74	121.90
33	BI	78	VAL	CG1-CB-CG2	-5.41	102.25	110.90
1	AA	360	G	N9-C4-C5	5.41	107.56	105.40
1	AA	460	A	O4'-C1'-N9	5.41	112.53	108.20
1	AA	480	U	C5-C6-N1	5.41	125.40	122.70
1	AA	533	A	O4'-C1'-N9	-5.41	103.87	108.20
1	AA	1463	U	N1-C1'-C2'	-5.41	106.05	112.00
1	AA	1505	G	O4'-C1'-N9	5.41	112.53	108.20
4	AD	12	G	N3-C4-C5	5.41	131.30	128.60
26	BB	639	U	C3'-C2'-C1'	5.41	105.83	101.50
26	BB	932	U	N1-C1'-C2'	5.41	121.03	114.00
26	BB	1981	A	N7-C8-N9	-5.41	111.10	113.80
26	BB	2054	A	C4-C5-C6	-5.41	114.30	117.00
1	AA	465	A	O5'-P-OP1	-5.41	100.84	105.70
1	AA	634	C	N1-C2-O2	5.41	122.14	118.90
1	AA	1541	U	C2-N3-C4	-5.41	123.76	127.00
7	AG	12	ARG	O-C-N	-5.41	114.05	122.70
13	AM	7	ARG	NE-CZ-NH2	-5.41	117.60	120.30
26	BB	341	C	C4'-C3'-C2'	-5.41	97.19	102.60
26	BB	424	G	O4'-C1'-N9	5.41	112.53	108.20
26	BB	656	G	C6-N1-C2	-5.41	121.86	125.10
26	BB	1998	A	P-O3'-C3'	5.41	126.19	119.70
26	BB	2771	C	N3-C2-O2	-5.41	118.11	121.90
1	AA	311	C	P-O5'-C5'	5.40	129.55	120.90
1	AA	455	G	N1-C6-O6	5.40	123.14	119.90
1	AA	852	G	C5-C6-N1	-5.40	108.80	111.50
1	AA	897	C	C2-N3-C4	5.40	122.60	119.90
1	AA	1053	G	C4-C5-N7	-5.40	108.64	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	AQ	23	ARG	NE-CZ-NH2	5.40	123.00	120.30
26	BB	2038	G	N1-C6-O6	-5.40	116.66	119.90
1	AA	155	A	C6-C5-N7	5.40	136.08	132.30
1	AA	342	C	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	382	A	C5-C6-N1	-5.40	115.00	117.70
1	AA	499	A	C6-N1-C2	5.40	121.84	118.60
1	AA	1107	C	N1-C1'-C2'	-5.40	106.06	112.00
1	AA	1369	C	C6-N1-C2	-5.40	118.14	120.30
1	AA	1523	G	C5-N7-C8	-5.40	101.60	104.30
5	AE	198	VAL	CA-CB-CG2	5.40	119.00	110.90
6	AF	17	TRP	NE1-CE2-CD2	-5.40	101.90	107.30
10	AJ	84	TYR	CG-CD1-CE1	-5.40	116.98	121.30
17	AQ	37	ASP	OD1-CG-OD2	5.40	133.56	123.30
21	AU	69	TYR	CB-CG-CD2	-5.40	117.76	121.00
25	BA	30	C	C2-N3-C4	5.40	122.60	119.90
26	BB	155	A	C8-N9-C4	-5.40	103.64	105.80
26	BB	245	G	C8-N9-C1'	5.40	134.02	127.00
26	BB	846	U	C5-C6-N1	5.40	125.40	122.70
26	BB	1116	G	C4'-C3'-O3'	5.40	123.81	113.00
26	BB	1168	G	C6-N1-C2	-5.40	121.86	125.10
26	BB	1639	C	N3-C4-C5	-5.40	119.74	121.90
26	BB	1989	G	C4-C5-N7	-5.40	108.64	110.80
26	BB	2016	U	C1'-O4'-C4'	5.40	114.22	109.90
26	BB	2152	G	N7-C8-N9	5.40	115.80	113.10
26	BB	2268	A	N1-C2-N3	-5.40	126.60	129.30
26	BB	2850	A	P-O5'-C5'	5.40	129.54	120.90
38	BN	142	ILE	CA-CB-CG1	5.40	121.27	111.00
1	AA	157	U	P-O3'-C3'	5.40	126.18	119.70
1	AA	841	C	N1-C2-O2	5.40	122.14	118.90
25	BA	108	A	C8-N9-C4	-5.40	103.64	105.80
26	BB	225	C	N3-C4-C5	5.40	124.06	121.90
26	BB	987	C	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	1166	G	C5'-C4'-C3'	-5.40	107.36	116.00
26	BB	1763	G	N7-C8-N9	-5.40	110.40	113.10
26	BB	1842	G	C6-C5-N7	-5.40	127.16	130.40
1	AA	12	U	P-O3'-C3'	5.40	126.18	119.70
1	AA	428	G	N1-C2-N3	-5.40	120.66	123.90
1	AA	1293	C	O5'-C5'-C4'	-5.40	101.44	111.70
25	BA	100	G	N1-C2-N2	5.40	121.06	116.20
26	BB	1218	G	N3-C4-N9	5.40	129.24	126.00
26	BB	1425	G	N1-C2-N2	5.40	121.06	116.20
26	BB	2495	G	C5-C6-O6	5.40	131.84	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2833	U	C1'-O4'-C4'	5.40	114.22	109.90
1	AA	45	G	C8-N9-C4	-5.40	104.24	106.40
1	AA	356	A	N9-C4-C5	5.40	107.96	105.80
1	AA	638	U	C4-C5-C6	5.40	122.94	119.70
1	AA	797	C	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	1386	G	C4'-C3'-O3'	5.40	123.79	113.00
1	AA	1488	G	N1-C6-O6	5.40	123.14	119.90
2	AB	60	U	C5-C6-N1	5.40	125.40	122.70
17	AQ	56	PRO	CA-N-CD	-5.40	103.94	111.50
26	BB	45	G	N3-C2-N2	-5.40	116.12	119.90
26	BB	691	C	C4'-C3'-C2'	-5.40	97.20	102.60
26	BB	737	C	C1'-O4'-C4'	-5.40	105.58	109.90
26	BB	1064	C	C5-C6-N1	5.40	123.70	121.00
26	BB	2224	G	N3-C4-C5	-5.40	125.90	128.60
26	BB	2690	U	N1-C1'-C2'	-5.40	106.06	112.00
26	BB	2857	G	C5-C6-O6	-5.40	125.36	128.60
26	BB	2890	G	P-O5'-C5'	5.40	129.54	120.90
26	BB	2892	G	N3-C4-C5	5.40	131.30	128.60
26	BB	2904	U	C4'-C3'-C2'	-5.40	97.20	102.60
39	BO	28	PHE	CB-CG-CD1	5.40	124.58	120.80
45	BU	84	ARG	CG-CD-NE	5.40	123.14	111.80
1	AA	107	G	N7-C8-N9	5.40	115.80	113.10
1	AA	343	U	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	1080	A	N3-C4-N9	5.40	131.72	127.40
1	AA	1267	C	N1-C2-O2	5.40	122.14	118.90
1	AA	1467	C	N1-C2-N3	5.40	122.98	119.20
26	BB	269	C	N1-C2-O2	5.40	122.14	118.90
26	BB	765	C	C5-C4-N4	-5.40	116.42	120.20
26	BB	1067	A	C6-N1-C2	5.40	121.84	118.60
26	BB	1712	U	C4-C5-C6	5.40	122.94	119.70
26	BB	2196	C	O4'-C1'-N1	5.40	112.52	108.20
26	BB	2530	A	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	2830	C	O4'-C1'-C2'	-5.40	100.40	105.80
1	AA	141	G	O4'-C1'-C2'	-5.39	100.41	105.80
1	AA	278	G	C5'-C4'-O4'	5.39	115.57	109.10
1	AA	573	A	C5-C6-N6	-5.39	119.39	123.70
1	AA	634	C	N3-C4-C5	5.39	124.06	121.90
1	AA	654	G	C6-N1-C2	-5.39	121.86	125.10
1	AA	809	G	C4'-C3'-C2'	-5.39	97.20	102.60
1	AA	1006	G	C5-N7-C8	-5.39	101.60	104.30
1	AA	1187	G	N3-C4-C5	-5.39	125.90	128.60
1	AA	1292	G	C6-N1-C2	-5.39	121.86	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1363	A	O4'-C1'-C2'	-5.39	100.41	105.80
1	AA	1468	A	C3'-C2'-C1'	-5.39	97.19	101.50
26	BB	185	G	C5'-C4'-C3'	-5.39	107.37	116.00
26	BB	305	C	C2-N3-C4	5.39	122.60	119.90
26	BB	720	U	C5-C4-O4	-5.39	122.66	125.90
26	BB	1050	A	C5'-C4'-C3'	-5.39	107.37	116.00
26	BB	1166	G	C5-N7-C8	-5.39	101.60	104.30
26	BB	1591	A	C5-N7-C8	-5.39	101.20	103.90
26	BB	1844	C	C2-N3-C4	5.39	122.60	119.90
26	BB	2117	A	O4'-C4'-C3'	5.39	110.42	106.10
26	BB	2353	G	N3-C2-N2	-5.39	116.12	119.90
31	BG	177	ARG	CD-NE-CZ	5.39	131.15	123.60
1	AA	526	C	C6-N1-C2	5.39	122.46	120.30
1	AA	571	U	C5'-C4'-O4'	5.39	115.57	109.10
1	AA	1526	G	N3-C4-C5	-5.39	125.90	128.60
2	AB	21	A	C8-N9-C4	5.39	107.96	105.80
26	BB	42	A	C4'-C3'-C2'	-5.39	97.21	102.60
26	BB	273	G	N1-C6-O6	5.39	123.14	119.90
26	BB	375	G	C2-N3-C4	5.39	114.60	111.90
26	BB	404	A	C5-C6-N6	-5.39	119.39	123.70
26	BB	1168	G	N1-C6-O6	-5.39	116.67	119.90
26	BB	1250	G	C4'-C3'-C2'	5.39	107.99	102.60
26	BB	1294	U	O4'-C4'-C3'	-5.39	98.61	104.00
26	BB	1622	G	C6-N1-C2	-5.39	121.86	125.10
26	BB	1762	A	C6-N1-C2	5.39	121.84	118.60
26	BB	2082	A	C5-C6-N1	5.39	120.40	117.70
26	BB	2389	G	O4'-C1'-N9	5.39	112.51	108.20
26	BB	2579	C	N3-C4-N4	-5.39	114.22	118.00
26	BB	2716	C	N3-C4-C5	5.39	124.06	121.90
26	BB	2742	G	N7-C8-N9	5.39	115.80	113.10
26	BB	2853	C	O4'-C1'-N1	5.39	112.51	108.20
1	AA	402	G	N3-C2-N2	-5.39	116.13	119.90
1	AA	1185	G	C6-C5-N7	-5.39	127.17	130.40
1	AA	1355	G	C6-N1-C2	-5.39	121.87	125.10
26	BB	964	C	O4'-C1'-N1	5.39	112.51	108.20
26	BB	1396	U	C5'-C4'-O4'	-5.39	102.63	109.10
26	BB	1828	G	P-O3'-C3'	5.39	126.17	119.70
26	BB	2454	G	N3-C4-N9	-5.39	122.77	126.00
26	BB	2714	G	N9-C4-C5	5.39	107.56	105.40
1	AA	469	C	N3-C2-O2	-5.39	118.13	121.90
1	AA	512	U	C3'-C2'-C1'	-5.39	97.19	101.50
1	AA	688	G	N7-C8-N9	5.39	115.80	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	902	G	O4'-C4'-C3'	-5.39	98.61	104.00
1	AA	1079	G	O5'-P-OP2	5.39	117.17	110.70
1	AA	1266	G	C6-N1-C2	-5.39	121.87	125.10
3	AC	40	G	C4'-C3'-C2'	-5.39	97.21	102.60
3	AC	44	U	N3-C2-O2	-5.39	118.43	122.20
26	BB	37	C	C5'-C4'-C3'	-5.39	107.38	116.00
26	BB	50	U	C5'-C4'-C3'	-5.39	107.38	116.00
26	BB	81	G	P-O3'-C3'	5.39	126.17	119.70
26	BB	480	A	C5-N7-C8	5.39	106.59	103.90
26	BB	504	A	N1-C2-N3	5.39	132.00	129.30
26	BB	1070	A	C4-C5-N7	5.39	113.39	110.70
26	BB	2901	C	O4'-C1'-N1	5.39	112.51	108.20
27	BC	78	PHE	CZ-CE2-CD2	-5.39	113.63	120.10
28	BD	17	LYS	CB-CA-C	5.39	121.18	110.40
1	AA	657	U	N3-C4-C5	-5.39	111.37	114.60
1	AA	766	A	C6-C5-N7	5.39	136.07	132.30
1	AA	854	U	C4-C5-C6	5.39	122.93	119.70
4	AD	77	A	C6-C5-N7	5.39	136.07	132.30
6	AF	167	TYR	CG-CD1-CE1	-5.39	116.99	121.30
26	BB	1031	G	C6-C5-N7	5.39	133.63	130.40
26	BB	1175	A	N1-C6-N6	-5.39	115.37	118.60
26	BB	2290	G	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	2856	A	C6-C5-N7	5.39	136.07	132.30
1	AA	388	G	C2-N3-C4	5.39	114.59	111.90
1	AA	590	U	N3-C4-C5	-5.39	111.37	114.60
1	AA	688	G	N1-C2-N3	-5.39	120.67	123.90
1	AA	974	A	C5'-C4'-C3'	-5.39	107.38	116.00
1	AA	1017	U	N3-C4-C5	5.39	117.83	114.60
1	AA	1047	G	C5'-C4'-O4'	5.39	115.56	109.10
1	AA	1470	U	C4'-C3'-C2'	5.39	107.99	102.60
1	AA	1536	C	N1-C2-O2	5.39	122.13	118.90
26	BB	180	G	C2-N3-C4	5.39	114.59	111.90
26	BB	451	U	C5'-C4'-O4'	5.39	115.56	109.10
26	BB	814	C	N1-C2-O2	5.39	122.13	118.90
26	BB	864	G	O5'-C5'-C4'	-5.39	101.47	111.70
26	BB	1495	A	O4'-C1'-N9	5.39	112.51	108.20
26	BB	1722	A	C6-C5-N7	5.39	136.07	132.30
26	BB	2384	U	N1-C2-N3	5.39	118.13	114.90
26	BB	2385	C	C1'-O4'-C4'	-5.39	105.59	109.90
26	BB	2815	C	C4'-C3'-C2'	-5.39	97.21	102.60
26	BB	2844	G	C4-N9-C1'	-5.39	119.50	126.50
1	AA	229	U	C4-C5-C6	-5.38	116.47	119.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	681	A	C4-C5-C6	-5.38	114.31	117.00
1	AA	1313	U	N3-C4-C5	5.38	117.83	114.60
1	AA	1454	G	C6-N1-C2	-5.38	121.87	125.10
1	AA	1511	G	C2-N3-C4	5.38	114.59	111.90
14	AN	52	ARG	NH1-CZ-NH2	-5.38	113.48	119.40
25	BA	102	G	C1'-O4'-C4'	5.38	114.21	109.90
26	BB	185	G	O4'-C1'-N9	5.38	112.51	108.20
26	BB	202	U	C1'-O4'-C4'	-5.38	105.59	109.90
26	BB	930	G	N3-C4-N9	5.38	129.23	126.00
26	BB	1207	C	N1-C1'-C2'	-5.38	106.08	112.00
26	BB	1687	G	N1-C2-N3	-5.38	120.67	123.90
26	BB	1902	C	C5-C6-N1	5.38	123.69	121.00
26	BB	2053	G	N3-C4-N9	5.38	129.23	126.00
26	BB	2094	A	C1'-O4'-C4'	-5.38	105.59	109.90
26	BB	2113	U	N1-C2-O2	5.38	126.57	122.80
26	BB	2160	C	C4'-C3'-O3'	5.38	123.77	113.00
26	BB	2286	G	C5-C6-N1	5.38	114.19	111.50
26	BB	2459	A	P-O3'-C3'	5.38	126.16	119.70
26	BB	2733	A	N3-C4-N9	5.38	131.71	127.40
26	BB	2810	A	N1-C2-N3	5.38	131.99	129.30
41	BQ	106	LEU	N-CA-CB	-5.38	99.63	110.40
1	AA	32	A	C5-C6-N1	5.38	120.39	117.70
1	AA	607	A	N9-C1'-C2'	5.38	121.00	114.00
1	AA	780	A	N1-C2-N3	5.38	131.99	129.30
1	AA	853	C	C6-N1-C1'	-5.38	114.34	120.80
1	AA	1201	A	C6-N1-C2	-5.38	115.37	118.60
1	AA	1236	A	C8-N9-C4	5.38	107.95	105.80
25	BA	61	G	C4-C5-N7	-5.38	108.65	110.80
26	BB	177	G	O3'-P-O5'	-5.38	93.77	104.00
26	BB	342	A	C4-C5-N7	-5.38	108.01	110.70
26	BB	570	G	C6-C5-N7	5.38	133.63	130.40
26	BB	1069	A	N7-C8-N9	5.38	116.49	113.80
26	BB	1077	A	C5-C6-N1	-5.38	115.01	117.70
26	BB	1558	C	O4'-C4'-C3'	5.38	110.41	106.10
26	BB	1937	A	N3-C4-N9	5.38	131.71	127.40
49	BY	25	PHE	CB-CG-CD1	5.38	124.57	120.80
1	AA	195	A	N9-C4-C5	-5.38	103.65	105.80
1	AA	1169	A	C5'-C4'-C3'	-5.38	107.39	116.00
1	AA	1538	C	C5-C4-N4	-5.38	116.43	120.20
4	AD	66	C	O4'-C4'-C3'	-5.38	98.62	104.00
10	AJ	1	PRO	CA-N-CD	-5.38	103.97	111.50
26	BB	165	A	N3-C4-C5	-5.38	123.03	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	491	G	C5'-C4'-C3'	-5.38	107.39	116.00
26	BB	585	G	C8-N9-C4	-5.38	104.25	106.40
26	BB	590	A	C5-C6-N1	5.38	120.39	117.70
26	BB	1262	A	C4-C5-N7	5.38	113.39	110.70
26	BB	2804	U	C4-C5-C6	-5.38	116.47	119.70
1	AA	821	G	C5-N7-C8	-5.38	101.61	104.30
1	AA	1513	A	N3-C4-N9	-5.38	123.10	127.40
26	BB	426	C	C5-C6-N1	-5.38	118.31	121.00
26	BB	1187	G	N3-C4-C5	-5.38	125.91	128.60
26	BB	1506	U	O4'-C1'-N1	5.38	112.50	108.20
26	BB	1528	A	O4'-C1'-N9	5.38	112.50	108.20
26	BB	2643	G	C5-N7-C8	-5.38	101.61	104.30
33	BI	31	VAL	CA-C-O	-5.38	108.80	120.10
34	BJ	112	PHE	CB-CG-CD1	-5.38	117.03	120.80
1	AA	267	C	N3-C4-C5	5.38	124.05	121.90
1	AA	394	G	C2'-C3'-O3'	5.38	122.31	113.70
1	AA	498	A	N9-C4-C5	5.38	107.95	105.80
1	AA	581	G	C3'-C2'-C1'	5.38	105.80	101.50
1	AA	1259	C	C5-C4-N4	5.38	123.97	120.20
4	AD	40	C	C5-C4-N4	-5.38	116.44	120.20
25	BA	20	G	C6-N1-C2	-5.38	121.87	125.10
25	BA	21	G	N9-C1'-C2'	-5.38	106.08	112.00
25	BA	49	C	C6-N1-C1'	5.38	127.25	120.80
26	BB	82	U	C3'-C2'-C1'	5.38	105.80	101.50
26	BB	405	U	C5-C4-O4	5.38	129.13	125.90
26	BB	835	C	N3-C4-C5	5.38	124.05	121.90
26	BB	1099	G	C5'-C4'-O4'	5.38	115.55	109.10
26	BB	1705	A	C4-C5-C6	-5.38	114.31	117.00
26	BB	2032	G	C5'-C4'-C3'	-5.38	107.39	116.00
26	BB	2563	U	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	2576	G	N1-C6-O6	-5.38	116.67	119.90
26	BB	2657	A	O4'-C1'-C2'	5.38	112.44	107.60
31	BG	113	PHE	CB-CG-CD2	-5.38	117.03	120.80
33	BI	18	GLN	O-C-N	5.38	131.31	122.70
1	AA	172	A	C5-C6-N6	-5.38	119.40	123.70
1	AA	216	U	O4'-C1'-N1	5.38	112.50	108.20
1	AA	255	G	C4-C5-N7	5.38	112.95	110.80
1	AA	820	U	N1-C2-O2	5.38	126.56	122.80
1	AA	849	G	O4'-C1'-N9	5.38	112.50	108.20
1	AA	1335	U	O4'-C1'-N1	5.38	112.50	108.20
1	AA	1350	A	C3'-C2'-C1'	-5.38	97.20	101.50
1	AA	1352	C	C5'-C4'-C3'	-5.38	107.40	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	71	G	N1-C2-N2	5.38	121.04	116.20
5	AE	36	LYS	CB-CA-C	5.38	121.15	110.40
25	BA	21	G	N7-C8-N9	5.38	115.79	113.10
26	BB	132	G	O4'-C1'-N9	5.38	112.50	108.20
26	BB	291	G	P-O3'-C3'	-5.38	113.25	119.70
26	BB	655	A	C5-C6-N1	-5.38	115.01	117.70
26	BB	737	C	C2-N3-C4	5.38	122.59	119.90
26	BB	909	A	C5-C6-N6	5.38	128.00	123.70
26	BB	1215	G	C6-N1-C2	-5.38	121.87	125.10
26	BB	1339	G	N9-C1'-C2'	-5.38	106.09	112.00
26	BB	1660	G	N3-C4-C5	-5.38	125.91	128.60
26	BB	1702	G	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	1798	U	N3-C2-O2	5.38	125.96	122.20
26	BB	2012	G	N1-C6-O6	-5.38	116.67	119.90
26	BB	2352	A	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	2386	A	N9-C4-C5	5.38	107.95	105.80
26	BB	2416	C	C2-N3-C4	-5.38	117.21	119.90
35	BK	66	PHE	CG-CD1-CE1	-5.38	114.89	120.80
1	AA	743	A	C5-N7-C8	-5.38	101.21	103.90
1	AA	1054	C	C6-N1-C2	-5.38	118.15	120.30
1	AA	1384	C	C5'-C4'-O4'	5.38	115.55	109.10
4	AD	39	A	C5-C6-N1	5.38	120.39	117.70
25	BA	115	A	N1-C6-N6	5.38	121.83	118.60
26	BB	464	U	C3'-C2'-C1'	5.38	105.80	101.50
26	BB	1068	G	N7-C8-N9	5.38	115.79	113.10
26	BB	1166	G	P-O3'-C3'	5.38	126.15	119.70
26	BB	1605	C	N1-C2-O2	5.38	122.12	118.90
26	BB	2166	U	O4'-C1'-C2'	5.38	112.44	107.60
26	BB	2493	U	N1-C2-O2	5.38	126.56	122.80
26	BB	2517	C	O4'-C4'-C3'	5.38	110.40	106.10
1	AA	879	C	N1-C1'-C2'	-5.37	106.09	112.00
1	AA	1073	U	O4'-C1'-N1	5.37	112.50	108.20
1	AA	1154	G	N7-C8-N9	5.37	115.79	113.10
6	AF	106	ARG	NE-CZ-NH1	5.37	122.99	120.30
26	BB	120	U	O4'-C1'-N1	5.37	112.50	108.20
26	BB	152	A	P-O3'-C3'	5.37	126.15	119.70
26	BB	814	C	N3-C4-N4	-5.37	114.24	118.00
26	BB	1137	G	C1'-O4'-C4'	5.37	114.20	109.90
26	BB	1339	G	C4-C5-C6	5.37	122.03	118.80
26	BB	1505	A	C2-N3-C4	5.37	113.29	110.60
26	BB	1843	C	P-O3'-C3'	5.37	126.15	119.70
26	BB	2001	C	C5-C4-N4	5.37	123.96	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2174	C	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	2553	G	N1-C6-O6	-5.37	116.68	119.90
26	BB	2738	A	N7-C8-N9	5.37	116.49	113.80
1	AA	246	A	O4'-C1'-N9	5.37	112.50	108.20
1	AA	541	G	N1-C2-N3	5.37	127.12	123.90
1	AA	684	U	N3-C4-O4	5.37	123.16	119.40
25	BA	6	G	C5-C6-N1	5.37	114.19	111.50
26	BB	526	A	C4-C5-C6	-5.37	114.31	117.00
26	BB	618	G	C5'-C4'-C3'	-5.37	107.40	116.00
26	BB	725	G	C6-N1-C2	-5.37	121.88	125.10
26	BB	776	G	N1-C2-N2	-5.37	111.37	116.20
26	BB	954	G	C4-C5-N7	5.37	112.95	110.80
26	BB	960	A	P-O3'-C3'	5.37	126.14	119.70
26	BB	1174	U	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	1283	G	C5-C6-N1	5.37	114.19	111.50
26	BB	1431	A	N9-C4-C5	5.37	107.95	105.80
26	BB	2898	U	N3-C4-C5	-5.37	111.38	114.60
1	AA	1214	C	O4'-C1'-C2'	5.37	112.43	107.60
1	AA	1311	A	N3-C4-C5	-5.37	123.04	126.80
1	AA	1432	G	O4'-C1'-N9	5.37	112.50	108.20
26	BB	1184	U	N3-C4-C5	-5.37	111.38	114.60
26	BB	1791	A	C8-N9-C4	5.37	107.95	105.80
26	BB	2102	G	C8-N9-C4	-5.37	104.25	106.40
26	BB	2671	G	C8-N9-C1'	5.37	133.98	127.00
26	BB	2672	U	N3-C4-C5	5.37	117.82	114.60
1	AA	38	G	N1-C2-N3	-5.37	120.68	123.90
1	AA	664	G	C5-C6-O6	5.37	131.82	128.60
1	AA	1077	G	N9-C4-C5	-5.37	103.25	105.40
1	AA	1079	G	C3'-C2'-C1'	5.37	105.80	101.50
1	AA	1110	A	C1'-O4'-C4'	5.37	114.20	109.90
1	AA	1289	A	O4'-C4'-C3'	-5.37	98.63	104.00
1	AA	1527	U	C5-C4-O4	-5.37	122.68	125.90
26	BB	674	G	N9-C4-C5	5.37	107.55	105.40
26	BB	823	C	C1'-O4'-C4'	-5.37	105.60	109.90
26	BB	896	A	C5-C6-N6	-5.37	119.41	123.70
26	BB	1255	U	C2-N3-C4	-5.37	123.78	127.00
26	BB	1561	C	O4'-C4'-C3'	5.37	110.39	106.10
26	BB	1800	C	C5'-C4'-C3'	-5.37	107.41	116.00
26	BB	2168	G	N3-C2-N2	5.37	123.66	119.90
26	BB	2236	U	O5'-P-OP2	-5.37	100.87	105.70
26	BB	2282	G	C3'-C2'-C1'	5.37	105.80	101.50
26	BB	2800	A	N3-C4-C5	-5.37	123.04	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2856	A	C5-C6-N1	5.37	120.38	117.70
28	BD	220	ARG	CD-NE-CZ	5.37	131.12	123.60
42	BR	67	GLU	OE1-CD-OE2	5.37	129.74	123.30
1	AA	526	C	O4'-C4'-C3'	5.37	110.39	106.10
1	AA	1454	G	O4'-C4'-C3'	-5.37	98.63	104.00
26	BB	137	U	C5-C6-N1	-5.37	120.02	122.70
26	BB	438	G	N7-C8-N9	5.37	115.78	113.10
26	BB	1135	C	O4'-C1'-C2'	5.37	112.43	107.60
26	BB	1409	U	C1'-O4'-C4'	-5.37	105.61	109.90
26	BB	1877	A	C4-C5-N7	5.37	113.38	110.70
26	BB	1904	G	N3-C4-C5	-5.37	125.92	128.60
26	BB	1972	G	N3-C4-C5	5.37	131.28	128.60
26	BB	2337	G	P-O3'-C3'	5.37	126.14	119.70
26	BB	2436	G	C3'-C2'-C1'	-5.37	97.21	101.50
1	AA	339	C	C5-C6-N1	5.37	123.68	121.00
1	AA	692	U	C5'-C4'-C3'	-5.37	107.42	116.00
1	AA	1012	A	C8-N9-C4	-5.37	103.65	105.80
1	AA	1186	G	C5-C6-N1	-5.37	108.82	111.50
10	AJ	83	THR	CA-CB-CG2	5.37	119.91	112.40
25	BA	1	U	C4-C5-C6	5.37	122.92	119.70
25	BA	62	C	C3'-C2'-C1'	-5.37	97.21	101.50
25	BA	84	G	C4-C5-C6	-5.37	115.58	118.80
26	BB	283	G	C4-C5-N7	-5.37	108.65	110.80
26	BB	464	U	P-O3'-C3'	5.37	126.14	119.70
26	BB	621	A	N7-C8-N9	-5.37	111.12	113.80
26	BB	640	C	C5-C4-N4	-5.37	116.44	120.20
26	BB	653	U	C6-N1-C2	5.37	124.22	121.00
26	BB	1495	A	N1-C6-N6	5.37	121.82	118.60
26	BB	1523	U	O4'-C1'-N1	5.37	112.49	108.20
26	BB	2192	U	N3-C2-O2	-5.37	118.44	122.20
26	BB	2537	U	C1'-O4'-C4'	-5.37	105.61	109.90
26	BB	2607	G	C3'-C2'-C1'	5.37	105.79	101.50
1	AA	394	G	N3-C4-C5	5.36	131.28	128.60
1	AA	565	U	N1-C1'-C2'	-5.36	106.10	112.00
1	AA	684	U	C3'-C2'-C1'	5.36	105.79	101.50
1	AA	1529	G	C5'-C4'-O4'	5.36	115.54	109.10
26	BB	161	A	O4'-C1'-N9	5.36	112.49	108.20
26	BB	252	G	N3-C4-C5	-5.36	125.92	128.60
26	BB	483	A	C8-N9-C4	5.36	107.95	105.80
26	BB	500	G	C8-N9-C4	-5.36	104.25	106.40
26	BB	649	G	C5-C6-N1	5.36	114.18	111.50
26	BB	1419	A	C8-N9-C4	5.36	107.95	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1861	G	C8-N9-C4	-5.36	104.25	106.40
26	BB	1894	C	C6-N1-C2	-5.36	118.16	120.30
26	BB	2587	A	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	2595	G	C6-N1-C2	-5.36	121.88	125.10
26	BB	2675	A	N3-C4-N9	5.36	131.69	127.40
38	BN	29	LYS	C-N-CA	5.36	135.11	121.70
1	AA	991	U	C4-C5-C6	5.36	122.92	119.70
1	AA	1036	A	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	466	A	C5-N7-C8	5.36	106.58	103.90
26	BB	1007	C	C6-N1-C2	-5.36	118.16	120.30
26	BB	1210	G	N9-C4-C5	-5.36	103.25	105.40
26	BB	1677	A	C6-N1-C2	5.36	121.82	118.60
1	AA	73	C	O4'-C4'-C3'	-5.36	98.64	104.00
1	AA	130	A	C4-C5-C6	5.36	119.68	117.00
1	AA	131	A	C4-C5-N7	-5.36	108.02	110.70
1	AA	347	G	N9-C4-C5	-5.36	103.26	105.40
1	AA	1224	U	N3-C4-C5	-5.36	111.38	114.60
1	AA	1234	C	P-O3'-C3'	5.36	126.13	119.70
3	AC	44	U	O4'-C1'-N1	5.36	112.49	108.20
26	BB	457	A	N1-C6-N6	-5.36	115.38	118.60
26	BB	508	A	C1'-O4'-C4'	-5.36	105.61	109.90
26	BB	527	C	C3'-C2'-C1'	-5.36	97.21	101.50
26	BB	553	G	O4'-C1'-N9	5.36	112.49	108.20
26	BB	789	A	O4'-C1'-C2'	-5.36	100.44	105.80
26	BB	879	G	N1-C2-N2	5.36	121.02	116.20
26	BB	1115	G	N7-C8-N9	5.36	115.78	113.10
26	BB	1270	C	N3-C4-N4	-5.36	114.25	118.00
26	BB	1291	C	O4'-C1'-N1	5.36	112.49	108.20
26	BB	1453	A	C2-N3-C4	5.36	113.28	110.60
26	BB	1510	G	C4-C5-N7	-5.36	108.66	110.80
26	BB	1571	A	O4'-C1'-N9	5.36	112.49	108.20
26	BB	1667	G	O3'-P-O5'	-5.36	93.81	104.00
26	BB	2081	U	C5-C4-O4	-5.36	122.68	125.90
26	BB	2112	G	P-O3'-C3'	5.36	126.13	119.70
26	BB	2427	C	C6-N1-C1'	-5.36	114.37	120.80
45	BU	94	ASP	CB-CG-OD2	-5.36	113.47	118.30
1	AA	229	U	N3-C4-C5	5.36	117.81	114.60
1	AA	353	A	N7-C8-N9	-5.36	111.12	113.80
1	AA	532	A	C4'-C3'-C2'	-5.36	97.24	102.60
1	AA	615	G	O4'-C1'-N9	5.36	112.49	108.20
1	AA	720	C	C3'-C2'-C1'	5.36	105.79	101.50
1	AA	1267	C	N3-C2-O2	-5.36	118.15	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1434	A	C5-C6-N6	5.36	127.99	123.70
26	BB	1482	G	N9-C4-C5	-5.36	103.26	105.40
26	BB	1705	A	N1-C6-N6	5.36	121.81	118.60
26	BB	2038	G	N3-C2-N2	-5.36	116.15	119.90
26	BB	2471	A	C4-C5-C6	-5.36	114.32	117.00
1	AA	31	G	N9-C4-C5	5.36	107.54	105.40
1	AA	84	U	N1-C2-O2	5.36	126.55	122.80
1	AA	581	G	N1-C6-O6	5.36	123.11	119.90
1	AA	597	G	C3'-C2'-C1'	5.36	105.78	101.50
1	AA	671	G	N3-C2-N2	-5.36	116.15	119.90
1	AA	806	C	O4'-C4'-C3'	-5.36	98.64	104.00
1	AA	865	A	C2-N3-C4	-5.36	107.92	110.60
1	AA	866	C	C3'-C2'-C1'	5.36	105.79	101.50
1	AA	1038	C	N3-C4-N4	-5.36	114.25	118.00
1	AA	1521	C	C2-N3-C4	5.36	122.58	119.90
4	AD	27	G	P-O3'-C3'	-5.36	113.27	119.70
26	BB	140	C	C4-C5-C6	-5.36	114.72	117.40
26	BB	288	U	N3-C4-O4	5.36	123.15	119.40
26	BB	780	G	N9-C4-C5	5.36	107.54	105.40
26	BB	935	C	C5-C4-N4	5.36	123.95	120.20
26	BB	936	A	C4-C5-N7	-5.36	108.02	110.70
26	BB	1140	C	N1-C2-N3	-5.36	115.45	119.20
26	BB	1518	C	N3-C2-O2	-5.36	118.15	121.90
26	BB	1577	C	O4'-C1'-N1	5.36	112.49	108.20
26	BB	1944	U	N1-C2-O2	5.36	126.55	122.80
26	BB	2072	C	C4-C5-C6	-5.36	114.72	117.40
26	BB	2113	U	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	2162	G	C8-N9-C1'	5.36	133.96	127.00
26	BB	2824	C	N3-C4-C5	5.36	124.04	121.90
26	BB	2887	A	N3-C4-N9	-5.36	123.11	127.40
29	BE	134	HIS	CB-CA-C	5.36	121.11	110.40
1	AA	56	U	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	120	A	O5'-C5'-C4'	-5.36	101.52	111.70
1	AA	126	G	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	332	G	C6-C5-N7	-5.36	127.19	130.40
1	AA	368	U	C2'-C3'-O3'	5.36	122.27	113.70
1	AA	420	U	C5-C4-O4	-5.36	122.69	125.90
1	AA	459	A	N9-C4-C5	-5.36	103.66	105.80
1	AA	1020	G	N3-C2-N2	-5.36	116.15	119.90
1	AA	1030	U	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	1165	U	C5'-C4'-C3'	-5.36	107.43	116.00
1	AA	1282	C	N3-C2-O2	-5.36	118.15	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1423	G	C4-C5-N7	5.36	112.94	110.80
1	AA	1456	A	C6-N1-C2	-5.36	115.39	118.60
3	AC	33	A	N3-C4-N9	5.36	131.68	127.40
26	BB	69	C	N3-C2-O2	-5.36	118.15	121.90
26	BB	537	G	P-O5'-C5'	5.36	129.47	120.90
26	BB	603	A	C5-C6-N6	5.36	127.98	123.70
26	BB	749	A	C1'-O4'-C4'	5.36	114.18	109.90
26	BB	995	C	N1-C2-N3	5.36	122.95	119.20
26	BB	1026	G	P-O3'-C3'	5.36	126.13	119.70
26	BB	1739	A	C5-C6-N6	5.36	127.98	123.70
26	BB	1851	U	C6-N1-C2	-5.36	117.79	121.00
26	BB	1858	A	P-O3'-C3'	5.36	126.13	119.70
26	BB	2066	C	C4-C5-C6	5.36	120.08	117.40
26	BB	2600	A	O4'-C1'-N9	5.36	112.48	108.20
1	AA	25	C	C4-C5-C6	5.35	120.08	117.40
1	AA	103	U	N3-C2-O2	-5.35	118.45	122.20
1	AA	752	G	N3-C2-N2	5.35	123.65	119.90
1	AA	1087	G	C2-N3-C4	5.35	114.58	111.90
26	BB	180	G	N3-C4-C5	-5.35	125.92	128.60
26	BB	774	G	C5-C6-N1	5.35	114.18	111.50
40	BP	67	PHE	CB-CG-CD2	-5.35	117.05	120.80
1	AA	220	G	C8-N9-C4	-5.35	104.26	106.40
1	AA	1056	U	N3-C4-O4	-5.35	115.65	119.40
1	AA	1468	A	C5-C6-N6	-5.35	119.42	123.70
12	AL	122	ARG	NE-CZ-NH1	5.35	122.98	120.30
26	BB	296	U	C6-N1-C2	-5.35	117.79	121.00
26	BB	361	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	843	G	N1-C2-N2	5.35	121.02	116.20
26	BB	1036	G	N3-C4-C5	-5.35	125.92	128.60
26	BB	1252	G	N9-C4-C5	5.35	107.54	105.40
26	BB	1418	G	C2-N3-C4	-5.35	109.22	111.90
26	BB	1420	A	C4-C5-N7	-5.35	108.02	110.70
26	BB	1740	G	C2-N3-C4	5.35	114.58	111.90
26	BB	1863	G	C5-C6-N1	5.35	114.18	111.50
46	BV	89	GLU	OE1-CD-OE2	5.35	129.72	123.30
1	AA	449	G	N1-C6-O6	-5.35	116.69	119.90
1	AA	1156	G	N3-C4-N9	5.35	129.21	126.00
26	BB	16	C	N1-C2-O2	5.35	122.11	118.90
26	BB	301	G	P-O3'-C3'	5.35	126.12	119.70
26	BB	619	G	N9-C1'-C2'	-5.35	106.11	112.00
26	BB	871	U	N3-C2-O2	-5.35	118.45	122.20
26	BB	1154	G	N1-C2-N2	-5.35	111.38	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1982	U	O4'-C4'-C3'	-5.35	98.65	104.00
26	BB	2421	G	C4-C5-N7	5.35	112.94	110.80
1	AA	87	C	C5-C4-N4	5.35	123.94	120.20
1	AA	442	G	C4'-C3'-C2'	-5.35	97.25	102.60
1	AA	529	G	C1'-O4'-C4'	-5.35	105.62	109.90
1	AA	847	G	N3-C2-N2	-5.35	116.16	119.90
1	AA	1467	C	C6-N1-C1'	5.35	127.22	120.80
1	AA	1520	C	C5-C4-N4	-5.35	116.45	120.20
1	AA	1530	G	C5'-C4'-C3'	-5.35	107.44	116.00
6	AF	129	PHE	CB-CA-C	5.35	121.10	110.40
10	AJ	84	TYR	CB-CG-CD1	5.35	124.21	121.00
26	BB	203	A	C5-N7-C8	-5.35	101.22	103.90
26	BB	316	C	O4'-C1'-N1	5.35	112.48	108.20
26	BB	411	G	C5-C6-N1	5.35	114.17	111.50
26	BB	628	G	N9-C1'-C2'	-5.35	106.12	112.00
26	BB	629	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	958	U	N1-C2-N3	5.35	118.11	114.90
26	BB	1016	G	C5-C6-N1	5.35	114.17	111.50
26	BB	1103	A	O4'-C1'-N9	5.35	112.48	108.20
26	BB	1239	G	C1'-O4'-C4'	-5.35	105.62	109.90
26	BB	1809	A	N7-C8-N9	-5.35	111.12	113.80
26	BB	2092	U	C5-C6-N1	-5.35	120.03	122.70
26	BB	2508	G	C4-C5-C6	5.35	122.01	118.80
26	BB	2562	U	N3-C4-O4	-5.35	115.66	119.40
26	BB	2592	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	2594	C	C5'-C4'-C3'	-5.35	107.44	116.00
1	AA	108	G	C1'-O4'-C4'	-5.35	105.62	109.90
1	AA	136	C	P-O3'-C3'	5.35	126.12	119.70
1	AA	204	G	C6-C5-N7	-5.35	127.19	130.40
1	AA	803	G	P-O3'-C3'	5.35	126.12	119.70
1	AA	1289	A	C2-N3-C4	5.35	113.27	110.60
1	AA	1436	U	C4-C5-C6	5.35	122.91	119.70
4	AD	58	A	O4'-C1'-C2'	-5.35	100.45	105.80
26	BB	166	U	C3'-C2'-C1'	5.35	105.78	101.50
26	BB	597	G	N7-C8-N9	5.35	115.77	113.10
26	BB	717	C	C5-C4-N4	5.35	123.94	120.20
26	BB	823	C	C5'-C4'-O4'	5.35	115.52	109.10
26	BB	918	A	O4'-C1'-N9	5.35	112.48	108.20
26	BB	1219	U	C3'-C2'-C1'	5.35	105.78	101.50
26	BB	2049	G	C1'-O4'-C4'	5.35	114.18	109.90
26	BB	2195	U	C5-C4-O4	-5.35	122.69	125.90
26	BB	2438	U	C2-N1-C1'	-5.35	111.28	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2690	U	N1-C2-O2	-5.35	119.06	122.80
26	BB	2872	A	N9-C4-C5	5.35	107.94	105.80
26	BB	2877	G	C5-C6-N1	5.35	114.17	111.50
30	BF	79	ARG	CD-NE-CZ	5.35	131.09	123.60
34	BJ	75	PHE	CB-CG-CD2	-5.35	117.06	120.80
1	AA	517	G	P-O3'-C3'	5.35	126.12	119.70
1	AA	599	C	C3'-C2'-C1'	-5.35	97.22	101.50
1	AA	658	C	C1'-O4'-C4'	-5.35	105.62	109.90
1	AA	1342	C	C1'-O4'-C4'	5.35	114.18	109.90
1	AA	1398	A	N1-C6-N6	5.35	121.81	118.60
14	AN	97	ARG	NE-CZ-NH1	-5.35	117.63	120.30
26	BB	350	G	P-O5'-C5'	5.35	129.45	120.90
26	BB	1171	G	N9-C4-C5	-5.35	103.26	105.40
26	BB	1412	U	C5-C4-O4	-5.35	122.69	125.90
26	BB	1549	A	N3-C4-N9	-5.35	123.12	127.40
26	BB	1779	U	N3-C4-C5	-5.35	111.39	114.60
26	BB	2017	U	C3'-C2'-C1'	5.35	105.78	101.50
26	BB	2160	C	O4'-C4'-C3'	5.35	110.38	106.10
34	BJ	61	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	AA	331	G	C4-C5-N7	-5.34	108.66	110.80
1	AA	429	U	N1-C2-N3	5.34	118.11	114.90
1	AA	633	G	N9-C1'-C2'	-5.34	106.12	112.00
1	AA	742	G	N9-C1'-C2'	-5.34	106.12	112.00
1	AA	926	G	N3-C2-N2	-5.34	116.16	119.90
25	BA	116	G	N3-C2-N2	5.34	123.64	119.90
26	BB	283	G	C5-C6-N1	5.34	114.17	111.50
26	BB	611	C	C4-C5-C6	-5.34	114.73	117.40
26	BB	1025	G	C4-C5-N7	-5.34	108.66	110.80
26	BB	1040	A	P-O5'-C5'	5.34	129.45	120.90
26	BB	1349	C	C4-C5-C6	-5.34	114.73	117.40
26	BB	1582	C	O4'-C1'-N1	5.34	112.48	108.20
26	BB	1789	A	C4-C5-C6	5.34	119.67	117.00
26	BB	2538	C	N1-C2-N3	5.34	122.94	119.20
26	BB	2790	U	N3-C4-O4	5.34	123.14	119.40
26	BB	2855	C	C2-N3-C4	-5.34	117.23	119.90
1	AA	975	A	C6-C5-N7	5.34	136.04	132.30
2	AB	1	A	N1-C6-N6	-5.34	115.39	118.60
25	BA	47	C	C5'-C4'-C3'	-5.34	107.45	116.00
26	BB	419	U	C4-C5-C6	-5.34	116.49	119.70
26	BB	1041	G	C2-N3-C4	5.34	114.57	111.90
26	BB	2719	G	C6-C5-N7	-5.34	127.19	130.40
26	BB	2898	U	P-O5'-C5'	5.34	129.45	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1	A	C1'-O4'-C4'	5.34	114.17	109.90
1	AA	76	G	C4-N9-C1'	-5.34	119.56	126.50
1	AA	79	G	N9-C4-C5	5.34	107.54	105.40
1	AA	313	A	C6-N1-C2	5.34	121.81	118.60
1	AA	359	G	N1-C2-N2	5.34	121.01	116.20
1	AA	668	G	N7-C8-N9	5.34	115.77	113.10
1	AA	671	G	O4'-C1'-N9	5.34	112.47	108.20
1	AA	1482	G	N3-C4-C5	-5.34	125.93	128.60
3	AC	32	U	C5-C4-O4	-5.34	122.69	125.90
4	AD	62	C	N1-C2-O2	5.34	122.11	118.90
26	BB	30	G	C1'-O4'-C4'	-5.34	105.63	109.90
26	BB	176	A	P-O5'-C5'	5.34	129.45	120.90
26	BB	2268	A	N9-C4-C5	-5.34	103.66	105.80
26	BB	2492	U	C5-C4-O4	-5.34	122.69	125.90
26	BB	2680	U	C4-C5-C6	5.34	122.91	119.70
26	BB	2800	A	N1-C2-N3	-5.34	126.63	129.30
30	BF	102	ARG	NE-CZ-NH1	-5.34	117.63	120.30
1	AA	73	C	C5-C6-N1	5.34	123.67	121.00
1	AA	162	A	N7-C8-N9	5.34	116.47	113.80
1	AA	1023	U	C5'-C4'-C3'	-5.34	107.46	116.00
1	AA	1377	A	C5-C6-N1	5.34	120.37	117.70
1	AA	1393	U	C2'-C3'-O3'	5.34	122.24	113.70
17	AQ	100	TRP	NE1-CE2-CD2	-5.34	101.96	107.30
25	BA	27	C	N3-C4-N4	-5.34	114.26	118.00
26	BB	201	C	C5-C6-N1	5.34	123.67	121.00
26	BB	353	C	C3'-C2'-C1'	5.34	105.77	101.50
26	BB	462	C	C6-N1-C1'	5.34	127.21	120.80
26	BB	620	G	C6-C5-N7	-5.34	127.20	130.40
26	BB	629	G	N9-C1'-C2'	-5.34	106.13	112.00
26	BB	769	U	C5'-C4'-O4'	5.34	115.51	109.10
26	BB	881	G	O4'-C4'-C3'	5.34	110.37	106.10
26	BB	1064	C	P-O3'-C3'	5.34	126.11	119.70
26	BB	1093	G	C5-C6-O6	5.34	131.80	128.60
26	BB	1320	C	C2-N3-C4	5.34	122.57	119.90
26	BB	1600	C	N3-C2-O2	-5.34	118.16	121.90
26	BB	1622	G	C6-C5-N7	5.34	133.60	130.40
26	BB	2336	A	C2-N3-C4	-5.34	107.93	110.60
26	BB	2340	A	C5-C6-N1	5.34	120.37	117.70
26	BB	2597	G	C6-C5-N7	-5.34	127.20	130.40
26	BB	2655	G	C4-C5-N7	-5.34	108.66	110.80
26	BB	2745	C	C2-N3-C4	5.34	122.57	119.90
1	AA	461	A	C3'-C2'-C1'	5.34	105.77	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	928	G	C5-C6-O6	-5.34	125.40	128.60
1	AA	932	C	N3-C4-C5	-5.34	119.77	121.90
26	BB	1000	A	N1-C6-N6	-5.34	115.40	118.60
26	BB	1151	A	C6-N1-C2	5.34	121.80	118.60
26	BB	1623	G	C8-N9-C4	-5.34	104.27	106.40
26	BB	1699	G	C5'-C4'-O4'	-5.34	102.69	109.10
26	BB	2310	C	C6-N1-C2	-5.34	118.17	120.30
26	BB	2437	G	C5-C6-N1	5.34	114.17	111.50
46	BV	3	ARG	CD-NE-CZ	5.34	131.07	123.60
1	AA	91	U	C4'-C3'-C2'	-5.34	97.26	102.60
1	AA	109	A	N9-C1'-C2'	-5.34	106.13	112.00
1	AA	124	C	N1-C1'-C2'	-5.34	106.13	112.00
1	AA	584	G	C3'-C2'-C1'	5.34	105.77	101.50
1	AA	936	C	C4-C5-C6	-5.34	114.73	117.40
1	AA	1025	U	C4-C5-C6	5.34	122.90	119.70
4	AD	10	G	N1-C2-N2	5.34	121.00	116.20
26	BB	181	A	C1'-O4'-C4'	-5.34	105.63	109.90
26	BB	282	A	O4'-C1'-N9	5.34	112.47	108.20
26	BB	603	A	C8-N9-C4	-5.34	103.67	105.80
26	BB	1524	G	N1-C6-O6	-5.34	116.70	119.90
26	BB	1603	A	C6-C5-N7	5.34	136.04	132.30
29	BE	89	GLU	OE1-CD-OE2	5.34	129.70	123.30
1	AA	69	G	N3-C2-N2	5.33	123.63	119.90
1	AA	1361	G	N1-C2-N3	-5.33	120.70	123.90
1	AA	1439	G	N3-C2-N2	-5.33	116.17	119.90
1	AA	1539	C	C5-C4-N4	-5.33	116.47	120.20
2	AB	33	U	C4-C5-C6	5.33	122.90	119.70
13	AM	16	ARG	NE-CZ-NH2	-5.33	117.63	120.30
26	BB	421	C	OP1-P-O3'	5.33	116.94	105.20
26	BB	658	U	N3-C4-C5	-5.33	111.40	114.60
26	BB	708	G	O5'-P-OP2	-5.33	100.90	105.70
26	BB	835	C	P-O5'-C5'	-5.33	112.36	120.90
26	BB	1005	C	C5'-C4'-O4'	5.33	115.50	109.10
26	BB	1081	U	C6-N1-C2	5.33	124.20	121.00
26	BB	1402	U	C5-C4-O4	-5.33	122.70	125.90
26	BB	1539	U	N1-C1'-C2'	-5.33	106.13	112.00
26	BB	2347	C	C3'-C2'-C1'	-5.33	97.23	101.50
26	BB	2732	G	C8-N9-C4	-5.33	104.27	106.40
1	AA	68	G	N3-C4-C5	-5.33	125.93	128.60
1	AA	77	A	C6-N1-C2	5.33	121.80	118.60
1	AA	326	G	N3-C4-C5	-5.33	125.93	128.60
1	AA	776	G	C4-N9-C1'	-5.33	119.57	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	850	U	P-O5'-C5'	5.33	129.44	120.90
1	AA	1032	G	C1'-O4'-C4'	5.33	114.17	109.90
3	AC	16	A	N1-C6-N6	-5.33	115.40	118.60
21	AU	47	ARG	NE-CZ-NH1	-5.33	117.63	120.30
25	BA	92	C	N3-C4-C5	-5.33	119.77	121.90
25	BA	107	G	C6-C5-N7	-5.33	127.20	130.40
26	BB	287	G	C8-N9-C4	-5.33	104.27	106.40
26	BB	705	A	O4'-C1'-N9	5.33	112.47	108.20
26	BB	1312	U	P-O5'-C5'	5.33	129.43	120.90
26	BB	1400	U	C5-C6-N1	5.33	125.37	122.70
26	BB	1597	A	O4'-C1'-N9	5.33	112.47	108.20
26	BB	1611	C	N1-C2-N3	5.33	122.93	119.20
26	BB	2110	G	N3-C4-C5	-5.33	125.93	128.60
26	BB	2666	C	C6-N1-C2	-5.33	118.17	120.30
26	BB	2833	U	O4'-C1'-C2'	-5.33	100.47	105.80
1	AA	432	A	N3-C4-N9	-5.33	123.13	127.40
1	AA	519	C	C5'-C4'-O4'	5.33	115.50	109.10
1	AA	949	A	C3'-C2'-C1'	5.33	105.77	101.50
1	AA	1058	G	N3-C2-N2	5.33	123.63	119.90
1	AA	1071	C	C5-C6-N1	5.33	123.67	121.00
1	AA	1486	G	O4'-C4'-C3'	5.33	110.36	106.10
26	BB	134	G	C6-C5-N7	-5.33	127.20	130.40
26	BB	376	G	C4-C5-N7	-5.33	108.67	110.80
26	BB	411	G	O4'-C1'-N9	5.33	112.47	108.20
26	BB	1175	A	N1-C2-N3	-5.33	126.63	129.30
26	BB	1295	C	P-O3'-C3'	5.33	126.10	119.70
26	BB	1616	A	C3'-C2'-C1'	5.33	105.77	101.50
26	BB	1738	G	N1-C2-N2	-5.33	111.40	116.20
1	AA	1077	G	O3'-P-O5'	-5.33	93.87	104.00
25	BA	27	C	C1'-O4'-C4'	-5.33	105.64	109.90
25	BA	119	A	C8-N9-C4	5.33	107.93	105.80
26	BB	492	A	C4-C5-C6	-5.33	114.33	117.00
26	BB	1263	U	C5'-C4'-O4'	5.33	115.50	109.10
26	BB	2191	A	N1-C6-N6	-5.33	115.40	118.60
1	AA	192	A	N1-C6-N6	-5.33	115.40	118.60
1	AA	479	U	C6-N1-C2	-5.33	117.80	121.00
1	AA	1102	A	N3-C4-C5	-5.33	123.07	126.80
2	AB	52	A	C4-C5-N7	5.33	113.36	110.70
6	AF	208	GLY	CA-C-O	-5.33	111.01	120.60
26	BB	259	G	C6-C5-N7	-5.33	127.20	130.40
26	BB	467	G	C6-N1-C2	-5.33	121.90	125.10
26	BB	638	G	N9-C4-C5	5.33	107.53	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	663	G	N1-C6-O6	5.33	123.10	119.90
26	BB	704	G	C5-C6-N1	5.33	114.16	111.50
26	BB	826	U	C1'-O4'-C4'	-5.33	105.64	109.90
26	BB	950	G	C5'-C4'-C3'	-5.33	107.47	116.00
26	BB	1168	G	C5-C6-N1	5.33	114.16	111.50
26	BB	1572	A	N9-C4-C5	-5.33	103.67	105.80
26	BB	2276	G	C5'-C4'-C3'	-5.33	107.47	116.00
26	BB	2396	G	C6-N1-C2	-5.33	121.90	125.10
26	BB	2494	G	N3-C2-N2	-5.33	116.17	119.90
26	BB	2523	G	P-O5'-C5'	5.33	129.43	120.90
26	BB	2598	A	O4'-C4'-C3'	5.33	110.36	106.10
44	BT	64	VAL	CG1-CB-CG2	-5.33	102.37	110.90
1	AA	457	G	N3-C4-C5	5.33	131.26	128.60
1	AA	503	C	C5'-C4'-C3'	-5.33	107.48	116.00
1	AA	518	C	P-O5'-C5'	5.33	129.42	120.90
1	AA	801	U	C5-C4-O4	5.33	129.10	125.90
1	AA	1396	A	C5-N7-C8	5.33	106.56	103.90
2	AB	49	G	C3'-C2'-C1'	-5.33	97.24	101.50
26	BB	1263	U	O5'-C5'-C4'	-5.33	101.58	111.70
26	BB	1298	C	N3-C4-N4	5.33	121.73	118.00
26	BB	1733	G	N3-C4-N9	5.33	129.20	126.00
26	BB	2164	C	C5-C4-N4	-5.33	116.47	120.20
1	AA	105	G	N1-C6-O6	-5.33	116.70	119.90
1	AA	357	G	O4'-C1'-N9	5.33	112.46	108.20
1	AA	521	G	C5-C6-O6	5.33	131.79	128.60
1	AA	674	G	N3-C2-N2	-5.33	116.17	119.90
1	AA	847	G	C6-C5-N7	5.33	133.60	130.40
1	AA	1461	G	C2-N3-C4	5.33	114.56	111.90
22	AV	79	TYR	CB-CG-CD2	-5.33	117.81	121.00
26	BB	27	G	C4'-C3'-C2'	-5.33	97.28	102.60
26	BB	241	A	C6-N1-C2	5.33	121.80	118.60
26	BB	536	G	N3-C4-N9	5.33	129.19	126.00
26	BB	756	A	N3-C4-C5	-5.33	123.07	126.80
26	BB	874	G	C3'-C2'-C1'	-5.33	97.24	101.50
26	BB	1138	G	N3-C2-N2	-5.33	116.17	119.90
26	BB	1177	G	C5-C6-O6	-5.33	125.40	128.60
26	BB	1532	A	C6-N1-C2	-5.33	115.41	118.60
26	BB	1535	A	N9-C4-C5	5.33	107.93	105.80
26	BB	1640	A	C4-C5-C6	5.33	119.66	117.00
26	BB	1756	G	C5'-C4'-O4'	5.33	115.49	109.10
26	BB	1823	G	N9-C1'-C2'	-5.33	106.14	112.00
26	BB	1864	U	O4'-C4'-C3'	5.33	110.36	106.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2124	G	C5-N7-C8	5.33	106.96	104.30
26	BB	2398	U	C2-N3-C4	-5.33	123.81	127.00
26	BB	2626	C	O5'-P-OP1	-5.33	100.91	105.70
26	BB	2664	G	N3-C4-C5	-5.33	125.94	128.60
26	BB	2709	G	C4-C5-N7	-5.33	108.67	110.80
1	AA	116	A	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	276	G	O4'-C1'-N9	5.32	112.46	108.20
1	AA	662	U	C5-C4-O4	-5.32	122.70	125.90
1	AA	662	U	C6-N1-C2	5.32	124.19	121.00
1	AA	1012	A	N3-C4-C5	-5.32	123.07	126.80
1	AA	1155	A	N3-C4-N9	-5.32	123.14	127.40
1	AA	1318	A	C5-C6-N1	-5.32	115.04	117.70
1	AA	1527	U	O4'-C4'-C3'	-5.32	98.68	104.00
4	AD	68	C	C5-C6-N1	-5.32	118.34	121.00
15	AO	89	LEU	CB-CG-CD1	-5.32	101.95	111.00
25	BA	27	C	C5'-C4'-O4'	5.32	115.49	109.10
25	BA	76	G	C5-C6-O6	-5.32	125.41	128.60
25	BA	118	C	N1-C2-O2	5.32	122.09	118.90
26	BB	3	U	C6-N1-C2	-5.32	117.81	121.00
26	BB	217	A	N1-C6-N6	-5.32	115.41	118.60
26	BB	259	G	N9-C1'-C2'	-5.32	106.14	112.00
26	BB	472	A	C5'-C4'-C3'	-5.32	107.48	116.00
26	BB	720	U	N3-C4-O4	5.32	123.13	119.40
26	BB	1021	A	N1-C2-N3	-5.32	126.64	129.30
26	BB	1869	G	N1-C2-N3	-5.32	120.71	123.90
26	BB	2573	C	P-O3'-C3'	5.32	126.09	119.70
26	BB	2830	C	O4'-C1'-N1	5.32	112.46	108.20
1	AA	1479	C	P-O5'-C5'	5.32	129.41	120.90
6	AF	19	SER	N-CA-CB	-5.32	102.52	110.50
26	BB	26	G	C5'-C4'-O4'	5.32	115.49	109.10
26	BB	43	G	N3-C4-N9	5.32	129.19	126.00
26	BB	312	G	N1-C6-O6	-5.32	116.71	119.90
26	BB	588	U	O4'-C1'-C2'	5.32	112.39	107.60
26	BB	1448	G	C4'-C3'-C2'	5.32	107.92	102.60
26	BB	1987	A	P-O5'-C5'	5.32	129.42	120.90
26	BB	2145	C	C5-C6-N1	5.32	123.66	121.00
26	BB	2295	C	O5'-C5'-C4'	5.32	121.81	111.70
26	BB	2653	U	C5-C4-O4	-5.32	122.71	125.90
26	BB	2668	G	C1'-O4'-C4'	5.32	114.16	109.90
1	AA	110	C	N1-C2-O2	5.32	122.09	118.90
1	AA	359	G	N3-C4-N9	5.32	129.19	126.00
1	AA	474	G	C5-C6-N1	5.32	114.16	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	712	A	C5'-C4'-O4'	5.32	115.48	109.10
1	AA	803	G	C6-N1-C2	-5.32	121.91	125.10
1	AA	1097	C	N3-C2-O2	-5.32	118.18	121.90
1	AA	1368	A	C5-N7-C8	-5.32	101.24	103.90
1	AA	1397	C	N1-C1'-C2'	5.32	120.92	114.00
1	AA	1403	C	C5-C4-N4	-5.32	116.47	120.20
6	AF	111	ASP	CB-CG-OD2	-5.32	113.51	118.30
13	AM	55	PRO	N-CD-CG	5.32	111.18	103.20
26	BB	21	A	C1'-O4'-C4'	-5.32	105.64	109.90
26	BB	116	C	C6-N1-C2	-5.32	118.17	120.30
26	BB	341	C	N3-C2-O2	-5.32	118.18	121.90
26	BB	533	G	N3-C2-N2	5.32	123.62	119.90
26	BB	632	A	C8-N9-C4	-5.32	103.67	105.80
26	BB	805	G	P-O3'-C3'	5.32	126.08	119.70
26	BB	962	G	C4-N9-C1'	-5.32	119.58	126.50
26	BB	1019	U	O5'-P-OP2	-5.32	100.91	105.70
26	BB	1298	C	P-O3'-C3'	5.32	126.08	119.70
26	BB	1669	A	O5'-C5'-C4'	5.32	121.81	111.70
26	BB	1826	G	C5'-C4'-C3'	-5.32	107.49	116.00
26	BB	1893	C	N3-C4-C5	-5.32	119.77	121.90
26	BB	1922	G	P-O3'-C3'	5.32	126.08	119.70
26	BB	2763	G	C5-N7-C8	-5.32	101.64	104.30
1	AA	159	G	N1-C6-O6	-5.32	116.71	119.90
1	AA	606	G	C4-C5-N7	-5.32	108.67	110.80
1	AA	745	G	N7-C8-N9	5.32	115.76	113.10
1	AA	1253	G	P-O3'-C3'	5.32	126.08	119.70
1	AA	1510	C	N1-C2-O2	-5.32	115.71	118.90
17	AQ	78	LEU	CB-CG-CD1	-5.32	101.96	111.00
25	BA	63	C	O4'-C1'-N1	5.32	112.45	108.20
26	BB	15	G	C4-C5-N7	5.32	112.93	110.80
26	BB	536	G	P-O3'-C3'	5.32	126.08	119.70
26	BB	658	U	C5-C6-N1	5.32	125.36	122.70
26	BB	1023	U	C6-N1-C2	5.32	124.19	121.00
26	BB	1416	G	C2-N3-C4	5.32	114.56	111.90
26	BB	1973	G	O4'-C4'-C3'	-5.32	98.68	104.00
26	BB	2568	U	N1-C2-O2	5.32	126.52	122.80
1	AA	19	A	C3'-C2'-C1'	-5.32	97.25	101.50
1	AA	288	A	N1-C2-N3	-5.32	126.64	129.30
1	AA	488	C	N1-C2-N3	-5.32	115.48	119.20
1	AA	788	U	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	825	A	O4'-C1'-C2'	-5.32	100.48	105.80
1	AA	891	U	N3-C2-O2	-5.32	118.48	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1157	A	N7-C8-N9	5.32	116.46	113.80
1	AA	1160	G	C8-N9-C4	-5.32	104.27	106.40
25	BA	69	G	O4'-C1'-C2'	-5.32	100.48	105.80
25	BA	94	A	O4'-C4'-C3'	5.32	110.35	106.10
26	BB	134	G	C5'-C4'-O4'	5.32	115.48	109.10
26	BB	159	G	N7-C8-N9	5.32	115.76	113.10
26	BB	450	G	C4'-C3'-C2'	-5.32	97.28	102.60
26	BB	700	G	C6-N1-C2	-5.32	121.91	125.10
26	BB	767	U	C6-N1-C2	-5.32	117.81	121.00
26	BB	1236	G	C6-C5-N7	-5.32	127.21	130.40
26	BB	1649	G	N9-C4-C5	5.32	107.53	105.40
26	BB	1727	C	C5'-C4'-O4'	5.32	115.48	109.10
26	BB	2048	G	C4-C5-C6	5.32	121.99	118.80
26	BB	2056	G	O4'-C1'-N9	5.32	112.45	108.20
26	BB	2590	A	N9-C1'-C2'	-5.32	106.15	112.00
1	AA	36	C	N3-C4-C5	-5.32	119.77	121.90
1	AA	262	A	C6-C5-N7	5.32	136.02	132.30
1	AA	868	C	C5-C4-N4	5.32	123.92	120.20
1	AA	951	G	C8-N9-C4	-5.32	104.27	106.40
1	AA	1372	U	N1-C2-O2	5.32	126.52	122.80
1	AA	1437	A	N1-C2-N3	-5.32	126.64	129.30
3	AC	29	G	C5'-C4'-C3'	5.32	124.50	116.00
21	AU	38	ILE	CA-CB-CG1	5.32	121.10	111.00
26	BB	1066	U	C3'-C2'-C1'	5.32	105.75	101.50
26	BB	1083	U	C2-N1-C1'	5.32	124.08	117.70
26	BB	1112	G	C5-C6-N1	-5.32	108.84	111.50
26	BB	2428	G	P-O3'-C3'	5.32	126.08	119.70
26	BB	2784	U	N3-C2-O2	-5.32	118.48	122.20
1	AA	915	A	C8-N9-C4	-5.31	103.67	105.80
4	AD	20	G	C5-N7-C8	-5.31	101.64	104.30
25	BA	7	G	O4'-C1'-C2'	-5.31	100.49	105.80
25	BA	11	C	O4'-C4'-C3'	-5.31	98.69	104.00
26	BB	356	G	C4'-C3'-O3'	5.31	123.63	113.00
26	BB	555	G	N9-C4-C5	5.31	107.53	105.40
26	BB	1060	U	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	2120	G	P-O3'-C3'	5.31	126.08	119.70
26	BB	2817	U	O4'-C1'-C2'	5.31	112.38	107.60
1	AA	51	A	C5-C6-N1	5.31	120.36	117.70
1	AA	343	U	N3-C2-O2	-5.31	118.48	122.20
1	AA	473	U	C4-C5-C6	-5.31	116.51	119.70
1	AA	565	U	N3-C4-O4	5.31	123.12	119.40
1	AA	661	G	C5'-C4'-O4'	5.31	115.47	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1261	A	C3'-C2'-C1'	5.31	105.75	101.50
1	AA	1438	G	N3-C4-C5	5.31	131.26	128.60
4	AD	29	C	C6-N1-C2	5.31	122.42	120.30
25	BA	91	C	N1-C2-N3	-5.31	115.48	119.20
26	BB	69	C	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	260	G	C5-C6-O6	5.31	131.79	128.60
26	BB	389	G	C1'-O4'-C4'	-5.31	105.65	109.90
26	BB	654	A	C5-N7-C8	5.31	106.56	103.90
26	BB	869	G	N9-C4-C5	-5.31	103.28	105.40
26	BB	1236	G	C6-N1-C2	5.31	128.29	125.10
26	BB	1266	G	C5'-C4'-C3'	-5.31	107.50	116.00
26	BB	1284	A	C5-N7-C8	5.31	106.56	103.90
26	BB	1300	G	N3-C4-N9	-5.31	122.81	126.00
26	BB	1905	C	N3-C2-O2	-5.31	118.18	121.90
26	BB	2372	U	N1-C1'-C2'	-5.31	106.16	112.00
26	BB	2519	U	C4-C5-C6	5.31	122.89	119.70
26	BB	2768	U	O4'-C1'-N1	5.31	112.45	108.20
1	AA	688	G	C5'-C4'-O4'	5.31	115.47	109.10
19	AS	14	ARG	NH1-CZ-NH2	-5.31	113.56	119.40
26	BB	23	G	N7-C8-N9	5.31	115.76	113.10
26	BB	1031	G	N9-C4-C5	5.31	107.52	105.40
26	BB	1790	C	C5'-C4'-O4'	5.31	115.47	109.10
26	BB	2044	C	O3'-P-O5'	-5.31	93.91	104.00
26	BB	2404	U	C3'-C2'-C1'	5.31	105.75	101.50
26	BB	2408	U	C5-C4-O4	-5.31	122.71	125.90
26	BB	2613	U	N3-C4-C5	-5.31	111.41	114.60
1	AA	140	U	C5-C6-N1	5.31	125.36	122.70
1	AA	203	G	N7-C8-N9	5.31	115.75	113.10
1	AA	210	C	N3-C4-N4	-5.31	114.28	118.00
1	AA	308	C	C3'-C2'-C1'	5.31	105.75	101.50
1	AA	1101	A	N9-C4-C5	5.31	107.92	105.80
1	AA	1270	G	C8-N9-C1'	5.31	133.90	127.00
1	AA	1389	C	C5-C6-N1	-5.31	118.34	121.00
25	BA	41	G	N3-C4-N9	5.31	129.19	126.00
26	BB	112	U	N3-C2-O2	5.31	125.92	122.20
26	BB	233	A	C4'-C3'-C2'	-5.31	97.29	102.60
26	BB	480	A	N9-C4-C5	-5.31	103.68	105.80
26	BB	786	C	N1-C2-N3	-5.31	115.48	119.20
26	BB	1525	A	N3-C4-C5	5.31	130.52	126.80
26	BB	1580	A	C5-C6-N6	5.31	127.95	123.70
26	BB	2601	C	C1'-O4'-C4'	-5.31	105.65	109.90
26	BB	2633	G	C8-N9-C4	5.31	108.52	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2638	G	N3-C4-N9	-5.31	122.81	126.00
26	BB	2842	G	C5-C6-O6	5.31	131.78	128.60
1	AA	53	A	C6-C5-N7	5.31	136.01	132.30
1	AA	423	G	C4-C5-N7	-5.31	108.68	110.80
1	AA	1089	G	C1'-O4'-C4'	5.31	114.15	109.90
1	AA	1138	G	C2-N3-C4	5.31	114.55	111.90
1	AA	1145	A	C4'-C3'-C2'	-5.31	97.29	102.60
25	BA	40	U	N1-C2-O2	5.31	126.52	122.80
26	BB	77	G	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	359	G	N3-C4-N9	5.31	129.18	126.00
26	BB	629	G	N1-C2-N2	-5.31	111.42	116.20
26	BB	1138	G	C6-N1-C2	-5.31	121.92	125.10
26	BB	1416	G	C8-N9-C1'	5.31	133.90	127.00
26	BB	1695	G	O4'-C1'-N9	5.31	112.45	108.20
26	BB	1741	C	C2-N3-C4	-5.31	117.25	119.90
26	BB	1792	G	N1-C2-N2	-5.31	111.42	116.20
26	BB	2187	U	N1-C1'-C2'	-5.31	106.16	112.00
26	BB	2280	G	N3-C2-N2	-5.31	116.19	119.90
26	BB	2766	A	C5'-C4'-O4'	5.31	115.47	109.10
39	BO	103	TYR	CB-CG-CD2	-5.31	117.82	121.00
1	AA	22	G	C5-N7-C8	-5.31	101.65	104.30
1	AA	663	A	O4'-C1'-N9	5.31	112.44	108.20
2	AB	41	C	P-O3'-C3'	5.31	126.07	119.70
4	AD	29	C	N1-C2-N3	-5.31	115.49	119.20
6	AF	167	TYR	CD1-CG-CD2	5.31	123.74	117.90
14	AN	10	ARG	NE-CZ-NH2	-5.31	117.65	120.30
14	AN	38	GLY	O-C-N	5.31	131.19	122.70
26	BB	149	A	N3-C4-N9	5.31	131.65	127.40
26	BB	551	G	N1-C6-O6	5.31	123.08	119.90
26	BB	770	G	N7-C8-N9	-5.31	110.45	113.10
26	BB	1434	A	N1-C6-N6	-5.31	115.42	118.60
26	BB	1599	U	N1-C2-N3	5.31	118.08	114.90
26	BB	1842	G	C8-N9-C4	-5.31	104.28	106.40
26	BB	2441	U	N1-C2-O2	5.31	126.51	122.80
1	AA	304	U	O4'-C1'-N1	5.30	112.44	108.20
1	AA	457	G	C5-C6-O6	-5.30	125.42	128.60
1	AA	501	C	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	503	C	N1-C2-N3	-5.30	115.49	119.20
1	AA	503	C	N3-C4-N4	5.30	121.71	118.00
1	AA	1043	G	C5'-C4'-C3'	-5.30	107.51	116.00
1	AA	1261	A	N9-C4-C5	5.30	107.92	105.80
10	AJ	31	VAL	CA-CB-CG2	5.30	118.86	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	98	G	P-O3'-C3'	5.30	126.06	119.70
26	BB	247	G	C4-C5-N7	-5.30	108.68	110.80
26	BB	304	U	N3-C4-O4	5.30	123.11	119.40
26	BB	389	G	O5'-P-OP1	5.30	117.06	110.70
26	BB	662	G	C5-C6-O6	-5.30	125.42	128.60
26	BB	845	A	C5-C6-N1	-5.30	115.05	117.70
26	BB	874	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	1107	G	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	1113	U	C1'-O4'-C4'	5.30	114.14	109.90
26	BB	1517	G	P-O3'-C3'	5.30	126.07	119.70
26	BB	1555	G	O5'-P-OP2	-5.30	100.93	105.70
26	BB	2013	A	C3'-C2'-C1'	-5.30	97.26	101.50
26	BB	2098	U	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	2136	G	C4-C5-C6	5.30	121.98	118.80
26	BB	2867	G	C5'-C4'-C3'	-5.30	107.51	116.00
1	AA	1362	A	P-O3'-C3'	5.30	126.06	119.70
2	AB	49	G	N3-C4-N9	5.30	129.18	126.00
26	BB	58	G	C5-C6-O6	-5.30	125.42	128.60
1	AA	764	C	C2-N1-C1'	-5.30	112.97	118.80
1	AA	884	U	C5'-C4'-O4'	5.30	115.46	109.10
1	AA	914	A	O4'-C1'-N9	5.30	112.44	108.20
16	AP	92	ARG	NH1-CZ-NH2	-5.30	113.57	119.40
25	BA	62	C	C5-C4-N4	-5.30	116.49	120.20
26	BB	77	G	N3-C2-N2	-5.30	116.19	119.90
26	BB	630	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	846	U	C2-N1-C1'	5.30	124.06	117.70
26	BB	885	C	C6-N1-C2	5.30	122.42	120.30
26	BB	1018	U	N1-C2-O2	-5.30	119.09	122.80
26	BB	1020	A	C2-N3-C4	5.30	113.25	110.60
26	BB	1619	G	O4'-C1'-N9	5.30	112.44	108.20
26	BB	1775	U	C2-N3-C4	-5.30	123.82	127.00
26	BB	2082	A	C6-N1-C2	-5.30	115.42	118.60
26	BB	2291	U	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	2536	G	N1-C2-N3	-5.30	120.72	123.90
26	BB	2644	G	C5-C6-N1	5.30	114.15	111.50
1	AA	346	G	O3'-P-O5'	5.30	114.07	104.00
1	AA	686	U	C3'-C2'-C1'	-5.30	97.26	101.50
1	AA	1513	A	C5-C6-N1	5.30	120.35	117.70
26	BB	223	A	N1-C2-N3	-5.30	126.65	129.30
26	BB	320	A	C4-C5-N7	5.30	113.35	110.70
26	BB	977	G	C4-C5-N7	5.30	112.92	110.80
26	BB	1024	G	P-O3'-C3'	5.30	126.06	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1377	G	N9-C4-C5	5.30	107.52	105.40
26	BB	1552	A	O4'-C4'-C3'	-5.30	98.70	104.00
26	BB	1608	A	N3-C4-C5	5.30	130.51	126.80
26	BB	1679	A	N3-C4-N9	5.30	131.64	127.40
26	BB	1696	G	C4-C5-C6	5.30	121.98	118.80
26	BB	1852	U	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	2064	C	C5-C4-N4	-5.30	116.49	120.20
26	BB	2242	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	2375	G	C5-C6-N1	5.30	114.15	111.50
26	BB	2409	G	O4'-C1'-N9	5.30	112.44	108.20
26	BB	2664	G	C4-C5-C6	5.30	121.98	118.80
26	BB	2708	G	N9-C1'-C2'	-5.30	106.17	112.00
38	BN	86	GLU	C-N-CA	5.30	133.43	122.30
45	BU	37	THR	OG1-CB-CG2	-5.30	97.81	110.00
49	BY	76	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	AA	1094	G	P-O3'-C3'	5.30	126.06	119.70
1	AA	1171	A	N3-C4-C5	-5.30	123.09	126.80
25	BA	29	A	C3'-C2'-C1'	-5.30	97.26	101.50
26	BB	1502	A	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	1807	G	N1-C2-N3	5.30	127.08	123.90
26	BB	1972	G	N9-C1'-C2'	-5.30	106.17	112.00
26	BB	2091	C	N1-C1'-C2'	-5.30	106.17	112.00
26	BB	2156	G	N7-C8-N9	5.30	115.75	113.10
26	BB	2520	C	C4'-C3'-C2'	-5.30	97.30	102.60
1	AA	103	U	C4'-C3'-C2'	-5.30	97.30	102.60
1	AA	174	A	C5-C6-N1	5.30	120.35	117.70
1	AA	197	A	C5-N7-C8	-5.30	101.25	103.90
1	AA	744	C	N3-C4-N4	5.30	121.71	118.00
1	AA	800	G	C8-N9-C4	-5.30	104.28	106.40
1	AA	1153	G	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	1212	U	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	1400	C	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	107	G	N9-C1'-C2'	-5.30	106.17	112.00
26	BB	389	G	O4'-C4'-C3'	5.30	110.34	106.10
26	BB	544	C	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	1123	C	N3-C4-C5	-5.30	119.78	121.90
26	BB	2123	G	C4-C5-N7	-5.30	108.68	110.80
26	BB	2470	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	2740	A	C5-N7-C8	5.30	106.55	103.90
1	AA	1345	U	O4'-C1'-N1	5.29	112.44	108.20
18	AR	82	GLU	OE1-CD-OE2	5.29	129.65	123.30
26	BB	903	C	C5'-C4'-O4'	5.29	115.45	109.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1228	G	N9-C4-C5	-5.29	103.28	105.40
26	BB	1244	A	C5-C6-N1	-5.29	115.05	117.70
26	BB	1245	G	C5-C6-N1	-5.29	108.85	111.50
26	BB	1594	U	C2-N3-C4	5.29	130.18	127.00
26	BB	2011	U	C2-N3-C4	-5.29	123.82	127.00
30	BF	111	GLU	N-CA-CB	-5.29	101.07	110.60
1	AA	267	C	C5-C6-N1	-5.29	118.35	121.00
1	AA	283	U	C3'-C2'-C1'	5.29	105.73	101.50
1	AA	515	G	C6-C5-N7	-5.29	127.22	130.40
1	AA	548	G	C8-N9-C4	-5.29	104.28	106.40
1	AA	840	C	O5'-C5'-C4'	-5.29	101.64	111.70
1	AA	949	A	OP1-P-O3'	5.29	116.85	105.20
1	AA	1257	A	O4'-C1'-N9	5.29	112.44	108.20
8	AH	45	VAL	O-C-N	-5.29	114.20	123.20
10	AJ	11	ILE	CB-CA-C	5.29	122.19	111.60
26	BB	100	U	N1-C2-O2	5.29	126.50	122.80
26	BB	821	A	C2-N3-C4	-5.29	107.95	110.60
26	BB	892	A	O3'-P-O5'	-5.29	93.94	104.00
26	BB	919	U	N1-C2-O2	5.29	126.50	122.80
26	BB	976	G	C8-N9-C4	-5.29	104.28	106.40
26	BB	981	A	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	999	U	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	1008	A	C4-C5-N7	-5.29	108.05	110.70
26	BB	1459	G	O3'-P-O5'	5.29	114.06	104.00
26	BB	1511	G	N9-C4-C5	5.29	107.52	105.40
26	BB	2439	A	C4'-C3'-O3'	5.29	123.59	113.00
26	BB	2505	G	N1-C2-N3	5.29	127.08	123.90
26	BB	2602	A	C5-C6-N1	-5.29	115.05	117.70
38	BN	110	VAL	CA-CB-CG1	-5.29	102.96	110.90
1	AA	101	A	N3-C4-N9	-5.29	123.17	127.40
1	AA	249	U	C3'-C2'-C1'	-5.29	97.27	101.50
1	AA	455	G	N7-C8-N9	-5.29	110.45	113.10
1	AA	618	C	C1'-O4'-C4'	-5.29	105.67	109.90
1	AA	686	U	N1-C2-N3	5.29	118.08	114.90
1	AA	690	G	N7-C8-N9	5.29	115.75	113.10
1	AA	809	G	C5-N7-C8	-5.29	101.66	104.30
1	AA	1341	U	C4-C5-C6	5.29	122.88	119.70
3	AC	27	A	N9-C4-C5	5.29	107.92	105.80
6	AF	89	VAL	CG1-CB-CG2	-5.29	102.43	110.90
25	BA	9	G	N3-C4-N9	5.29	129.18	126.00
26	BB	35	G	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	46	G	C6-N1-C2	-5.29	121.92	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	451	U	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	451	U	N1-C2-O2	5.29	126.50	122.80
26	BB	695	G	C5-C6-N1	5.29	114.14	111.50
26	BB	757	G	C3'-C2'-C1'	-5.29	97.27	101.50
26	BB	1056	G	C8-N9-C4	-5.29	104.28	106.40
26	BB	1459	G	C5-N7-C8	5.29	106.94	104.30
26	BB	1733	G	C5-N7-C8	5.29	106.94	104.30
26	BB	1900	A	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	2822	G	N1-C2-N3	5.29	127.07	123.90
26	BB	2874	C	C4-C5-C6	5.29	120.05	117.40
26	BB	2888	C	C3'-C2'-C1'	5.29	105.73	101.50
26	BB	2895	G	C2'-C3'-O3'	5.29	122.17	113.70
33	BI	123	ARG	NH1-CZ-NH2	-5.29	113.58	119.40
37	BM	80	ASP	CB-CG-OD2	5.29	123.06	118.30
1	AA	39	G	O4'-C4'-C3'	-5.29	98.71	104.00
1	AA	449	G	C6-N1-C2	-5.29	121.93	125.10
1	AA	819	A	N1-C6-N6	-5.29	115.43	118.60
1	AA	992	U	C5-C4-O4	-5.29	122.73	125.90
1	AA	1035	A	C5-C6-N1	5.29	120.34	117.70
1	AA	1327	C	C4'-C3'-C2'	-5.29	97.31	102.60
1	AA	1444	U	C5-C6-N1	5.29	125.34	122.70
2	AB	25	C	C6-N1-C2	-5.29	118.18	120.30
4	AD	74	A	C5-N7-C8	-5.29	101.25	103.90
25	BA	14	U	N1-C2-N3	5.29	118.07	114.90
26	BB	2548	U	C5-C6-N1	5.29	125.34	122.70
26	BB	2752	C	O5'-C5'-C4'	-5.29	101.65	111.70
34	BJ	50	TYR	CB-CA-C	5.29	120.98	110.40
1	AA	606	G	C2-N3-C4	5.29	114.54	111.90
1	AA	1294	G	N3-C4-C5	-5.29	125.96	128.60
1	AA	1481	U	P-O3'-C3'	5.29	126.05	119.70
3	AC	48	C	C4'-C3'-O3'	-5.29	98.29	109.40
8	AH	156	ARG	NE-CZ-NH2	-5.29	117.66	120.30
26	BB	104	A	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	225	C	C1'-O4'-C4'	5.29	114.13	109.90
26	BB	267	C	O4'-C1'-N1	5.29	112.43	108.20
26	BB	306	U	C3'-C2'-C1'	5.29	105.73	101.50
26	BB	363	G	C5-C6-O6	-5.29	125.43	128.60
26	BB	414	C	C2-N3-C4	5.29	122.54	119.90
26	BB	417	C	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	682	G	C6-N1-C2	-5.29	121.93	125.10
26	BB	689	A	O4'-C1'-C2'	5.29	112.36	107.60
26	BB	817	C	N1-C2-N3	-5.29	115.50	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1303	G	P-O3'-C3'	5.29	126.05	119.70
26	BB	1516	G	N3-C2-N2	5.29	123.60	119.90
26	BB	1644	C	C5-C6-N1	-5.29	118.36	121.00
26	BB	2678	C	N3-C2-O2	-5.29	118.20	121.90
26	BB	2733	A	C5-C6-N1	-5.29	115.06	117.70
29	BE	168	GLU	OE1-CD-OE2	5.29	129.65	123.30
33	BI	54	LEU	CB-CG-CD1	5.29	119.99	111.00
1	AA	127	G	N1-C2-N3	5.29	127.07	123.90
1	AA	346	G	C4'-C3'-C2'	-5.29	97.31	102.60
1	AA	869	G	C4-C5-N7	-5.29	108.69	110.80
1	AA	1251	A	N3-C4-C5	-5.29	123.10	126.80
26	BB	375	G	N3-C4-C5	-5.29	125.96	128.60
26	BB	387	U	C2-N1-C1'	5.29	124.05	117.70
26	BB	594	U	C5-C6-N1	-5.29	120.06	122.70
26	BB	1028	A	C5-C6-N1	5.29	120.34	117.70
26	BB	1379	U	C3'-C2'-C1'	5.29	105.73	101.50
26	BB	1440	U	C5-C6-N1	-5.29	120.06	122.70
26	BB	1519	G	N1-C6-O6	-5.29	116.73	119.90
26	BB	1845	G	N7-C8-N9	-5.29	110.46	113.10
26	BB	2436	G	C6-C5-N7	-5.29	127.23	130.40
26	BB	2538	C	N3-C4-C5	5.29	124.02	121.90
26	BB	2888	C	P-O3'-C3'	5.29	126.05	119.70
1	AA	274	A	C4-C5-C6	-5.29	114.36	117.00
1	AA	505	G	C3'-C2'-C1'	5.29	105.73	101.50
1	AA	887	G	C2-N3-C4	5.29	114.54	111.90
1	AA	1323	G	N3-C2-N2	-5.29	116.20	119.90
1	AA	1355	G	N7-C8-N9	5.29	115.74	113.10
2	AB	73	G	N1-C2-N3	5.29	127.07	123.90
4	AD	30	G	N3-C2-N2	-5.29	116.20	119.90
4	AD	46	G	N3-C4-C5	-5.29	125.96	128.60
26	BB	68	G	N1-C6-O6	5.29	123.07	119.90
26	BB	631	A	N9-C4-C5	5.29	107.91	105.80
26	BB	717	C	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	1014	A	O4'-C1'-N9	5.29	112.43	108.20
26	BB	1039	A	C5'-C4'-O4'	5.29	115.44	109.10
26	BB	1141	U	N3-C4-O4	-5.29	115.70	119.40
26	BB	1149	G	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	1347	A	P-O3'-C3'	5.29	126.04	119.70
26	BB	1839	G	N7-C8-N9	5.29	115.74	113.10
26	BB	1930	G	C5-C6-O6	-5.29	125.43	128.60
26	BB	2208	C	N3-C4-C5	-5.29	119.79	121.90
26	BB	2819	G	C5'-C4'-C3'	-5.29	107.54	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
46	BV	14	PRO	N-CA-CB	5.29	109.64	103.30
1	AA	144	G	O4'-C4'-C3'	5.28	110.33	106.10
1	AA	344	A	N9-C4-C5	-5.28	103.69	105.80
1	AA	379	C	N3-C4-C5	-5.28	119.79	121.90
1	AA	558	G	N9-C4-C5	5.28	107.51	105.40
1	AA	569	C	C5-C4-N4	5.28	123.90	120.20
1	AA	683	G	C6-C5-N7	-5.28	127.23	130.40
1	AA	848	C	C1'-O4'-C4'	5.28	114.13	109.90
1	AA	862	C	N1-C2-N3	5.28	122.90	119.20
1	AA	985	C	N3-C4-C5	-5.28	119.79	121.90
12	AL	6	TYR	CZ-CE2-CD2	-5.28	115.05	119.80
24	AX	1	PRO	N-CD-CG	5.28	111.13	103.20
25	BA	46	A	C6-C5-N7	5.28	136.00	132.30
26	BB	582	A	N1-C6-N6	-5.28	115.43	118.60
26	BB	827	U	C5-C6-N1	-5.28	120.06	122.70
26	BB	1565	C	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	1583	A	C4-C5-N7	5.28	113.34	110.70
26	BB	2682	A	N9-C4-C5	-5.28	103.69	105.80
26	BB	2711	A	N1-C2-N3	-5.28	126.66	129.30
26	BB	2881	U	C5'-C4'-C3'	-5.28	107.55	116.00
35	BK	10	LEU	CB-CG-CD2	-5.28	102.02	111.00
1	AA	309	A	N3-C4-N9	-5.28	123.17	127.40
4	AD	20	G	C5-C6-O6	5.28	131.77	128.60
11	AK	65	PHE	CB-CG-CD2	5.28	124.50	120.80
25	BA	95	U	P-O3'-C3'	5.28	126.04	119.70
26	BB	282	A	N1-C6-N6	5.28	121.77	118.60
26	BB	1002	G	C5'-C4'-O4'	5.28	115.44	109.10
26	BB	1324	G	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	1609	A	N9-C1'-C2'	5.28	120.87	114.00
26	BB	1695	G	N9-C4-C5	5.28	107.51	105.40
26	BB	2335	A	C5'-C4'-O4'	5.28	115.44	109.10
26	BB	2902	C	C4'-C3'-C2'	-5.28	97.32	102.60
1	AA	74	A	C1'-O4'-C4'	-5.28	105.67	109.90
1	AA	276	G	P-O3'-C3'	5.28	126.03	119.70
1	AA	745	G	N1-C2-N2	5.28	120.95	116.20
1	AA	841	C	C4-C5-C6	-5.28	114.76	117.40
25	BA	16	G	C6-C5-N7	-5.28	127.23	130.40
26	BB	489	G	C4'-C3'-O3'	5.28	123.56	113.00
26	BB	917	A	C3'-C2'-C1'	-5.28	97.28	101.50
26	BB	969	G	C8-N9-C4	-5.28	104.29	106.40
26	BB	1002	G	C4-N9-C1'	-5.28	119.64	126.50
26	BB	1485	U	O4'-C1'-N1	5.28	112.42	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1932	A	O4'-C4'-C3'	-5.28	98.72	104.00
26	BB	1953	A	C5-N7-C8	-5.28	101.26	103.90
26	BB	2042	A	C5'-C4'-C3'	-5.28	107.55	116.00
26	BB	2146	C	O4'-C4'-C3'	5.28	110.33	106.10
26	BB	2431	U	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	2842	G	N7-C8-N9	5.28	115.74	113.10
1	AA	429	U	N1-C1'-C2'	5.28	120.86	114.00
26	BB	45	G	C5-C6-N1	5.28	114.14	111.50
26	BB	987	C	O3'-P-O5'	5.28	114.03	104.00
26	BB	1043	C	P-O3'-C3'	5.28	126.03	119.70
26	BB	1056	G	C4'-C3'-O3'	5.28	123.56	113.00
26	BB	1421	G	N3-C4-N9	5.28	129.17	126.00
26	BB	1567	G	N1-C6-O6	5.28	123.07	119.90
26	BB	1576	U	C5-C4-O4	5.28	129.07	125.90
26	BB	2205	A	C5-C6-N1	-5.28	115.06	117.70
26	BB	2319	G	C3'-C2'-C1'	-5.28	97.28	101.50
26	BB	2773	C	C5-C4-N4	-5.28	116.50	120.20
1	AA	32	A	C3'-C2'-C1'	5.28	105.72	101.50
1	AA	136	C	C5-C4-N4	-5.28	116.51	120.20
1	AA	266	G	N7-C8-N9	5.28	115.74	113.10
1	AA	491	G	C6-N1-C2	-5.28	121.93	125.10
1	AA	786	G	N1-C6-O6	5.28	123.07	119.90
1	AA	1114	C	C6-N1-C2	5.28	122.41	120.30
1	AA	1450	U	N3-C4-O4	5.28	123.09	119.40
4	AD	29	C	P-O3'-C3'	5.28	126.03	119.70
25	BA	27	C	N1-C2-O2	-5.28	115.73	118.90
26	BB	24	G	C5-N7-C8	5.28	106.94	104.30
26	BB	247	G	N3-C2-N2	5.28	123.59	119.90
26	BB	492	A	C5-C6-N1	-5.28	115.06	117.70
26	BB	1768	C	C6-N1-C2	5.28	122.41	120.30
26	BB	1883	U	N3-C2-O2	-5.28	118.51	122.20
26	BB	2102	G	C1'-O4'-C4'	-5.28	105.68	109.90
26	BB	2162	G	C5-C6-O6	-5.28	125.43	128.60
26	BB	2186	G	C5'-C4'-C3'	-5.28	107.55	116.00
26	BB	2268	A	N3-C4-C5	-5.28	123.11	126.80
26	BB	2703	C	N1-C2-O2	5.28	122.07	118.90
26	BB	2727	A	N7-C8-N9	5.28	116.44	113.80
26	BB	2838	G	C4-C5-N7	5.28	112.91	110.80
26	BB	2892	G	C6-N1-C2	-5.28	121.93	125.10
37	BM	73	ASP	CB-CG-OD1	-5.28	113.55	118.30
1	AA	54	C	C4'-C3'-C2'	-5.28	97.32	102.60
1	AA	122	G	N7-C8-N9	5.28	115.74	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	148	G	C8-N9-C4	-5.28	104.29	106.40
1	AA	524	G	O4'-C4'-C3'	5.28	110.32	106.10
1	AA	556	C	C5-C4-N4	-5.28	116.51	120.20
1	AA	591	U	C2-N3-C4	-5.28	123.83	127.00
1	AA	1347	G	C8-N9-C4	-5.28	104.29	106.40
1	AA	1432	G	C2-N3-C4	5.28	114.54	111.90
6	AF	166	TRP	CH2-CZ2-CE2	5.28	122.68	117.40
25	BA	42	C	N1-C2-O2	5.28	122.06	118.90
26	BB	122	G	O4'-C1'-N9	5.28	112.42	108.20
26	BB	317	G	C3'-C2'-C1'	5.28	105.72	101.50
26	BB	327	G	N1-C2-N3	-5.28	120.73	123.90
26	BB	922	C	C4-C5-C6	5.28	120.04	117.40
26	BB	952	G	C2-N3-C4	5.28	114.54	111.90
26	BB	1319	C	N3-C4-C5	-5.28	119.79	121.90
26	BB	1664	A	C4-C5-C6	-5.28	114.36	117.00
26	BB	1874	C	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	1956	U	C6-N1-C2	-5.28	117.83	121.00
26	BB	2077	A	C3'-C2'-C1'	-5.28	97.28	101.50
26	BB	2843	G	C4'-C3'-O3'	5.28	123.55	113.00
26	BB	2895	G	N3-C4-C5	-5.28	125.96	128.60
1	AA	265	G	C3'-C2'-C1'	5.27	105.72	101.50
1	AA	535	A	C6-C5-N7	-5.27	128.61	132.30
1	AA	537	G	O4'-C1'-C2'	5.27	112.35	107.60
1	AA	745	G	O4'-C1'-C2'	5.27	112.35	107.60
1	AA	1072	G	C6-C5-N7	-5.27	127.24	130.40
1	AA	1351	U	O4'-C1'-N1	5.27	112.42	108.20
25	BA	19	C	N1-C1'-C2'	-5.27	106.20	112.00
26	BB	366	C	O4'-C1'-N1	5.27	112.42	108.20
26	BB	722	A	C8-N9-C4	-5.27	103.69	105.80
26	BB	2020	A	O4'-C1'-C2'	5.27	112.35	107.60
1	AA	558	G	N7-C8-N9	5.27	115.74	113.10
1	AA	727	G	C5-N7-C8	-5.27	101.66	104.30
1	AA	851	G	O4'-C4'-C3'	5.27	110.32	106.10
1	AA	878	A	O3'-P-O5'	-5.27	93.98	104.00
1	AA	1441	A	N9-C4-C5	5.27	107.91	105.80
25	BA	50	A	C8-N9-C4	5.27	107.91	105.80
26	BB	55	G	C3'-C2'-C1'	5.27	105.72	101.50
26	BB	380	G	N1-C2-N2	5.27	120.95	116.20
26	BB	1061	U	N3-C2-O2	-5.27	118.51	122.20
26	BB	1381	G	N3-C4-N9	5.27	129.16	126.00
26	BB	1666	G	N3-C2-N2	-5.27	116.21	119.90
26	BB	2060	A	N3-C4-C5	-5.27	123.11	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2769	U	C5-C6-N1	-5.27	120.06	122.70
26	BB	2787	C	N1-C1'-C2'	-5.27	106.20	112.00
26	BB	2889	C	C2-N1-C1'	-5.27	113.00	118.80
1	AA	847	G	C4'-C3'-C2'	-5.27	97.33	102.60
1	AA	1448	C	O5'-C5'-C4'	-5.27	101.69	111.70
2	AB	7	G	O4'-C1'-N9	5.27	112.42	108.20
13	AM	2	GLN	N-CA-CB	-5.27	101.11	110.60
26	BB	379	G	N9-C4-C5	5.27	107.51	105.40
26	BB	386	G	C5-C6-O6	-5.27	125.44	128.60
26	BB	1355	G	N1-C2-N3	-5.27	120.74	123.90
26	BB	1361	G	C6-N1-C2	-5.27	121.94	125.10
26	BB	2326	C	C1'-O4'-C4'	5.27	114.12	109.90
52	B1	43	ILE	CA-CB-CG1	5.27	121.01	111.00
1	AA	31	G	C4'-C3'-C2'	-5.27	97.33	102.60
1	AA	85	U	N1-C2-O2	5.27	126.49	122.80
1	AA	354	G	N9-C4-C5	-5.27	103.29	105.40
1	AA	360	G	N3-C2-N2	5.27	123.59	119.90
1	AA	576	C	C6-N1-C2	-5.27	118.19	120.30
1	AA	861	G	C5-C6-O6	-5.27	125.44	128.60
1	AA	1106	G	C5-C6-N1	5.27	114.14	111.50
1	AA	1289	A	C2'-C3'-O3'	5.27	122.13	113.70
1	AA	1413	A	N3-C4-C5	-5.27	123.11	126.80
4	AD	6	G	N3-C2-N2	5.27	123.59	119.90
25	BA	24	G	C5'-C4'-O4'	5.27	115.42	109.10
25	BA	79	G	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	453	A	N1-C6-N6	5.27	121.76	118.60
26	BB	543	G	C8-N9-C4	-5.27	104.29	106.40
26	BB	583	G	C5-N7-C8	-5.27	101.67	104.30
26	BB	851	C	N3-C4-N4	5.27	121.69	118.00
26	BB	1773	A	C5'-C4'-O4'	5.27	115.42	109.10
26	BB	1898	U	C5'-C4'-C3'	-5.27	107.57	116.00
26	BB	2025	C	C4-C5-C6	-5.27	114.77	117.40
26	BB	2176	A	C3'-C2'-C1'	-5.27	97.28	101.50
26	BB	2243	U	C5'-C4'-O4'	5.27	115.42	109.10
26	BB	2557	G	C6-C5-N7	-5.27	127.24	130.40
26	BB	2810	A	C6-N1-C2	-5.27	115.44	118.60
1	AA	327	A	C1'-O4'-C4'	-5.27	105.69	109.90
1	AA	356	A	C3'-C2'-C1'	-5.27	97.29	101.50
1	AA	403	C	N3-C2-O2	-5.27	118.21	121.90
1	AA	559	A	OP1-P-O3'	5.27	116.79	105.20
1	AA	608	A	O3'-P-O5'	-5.27	93.99	104.00
1	AA	742	G	N9-C4-C5	5.27	107.51	105.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1024	G	N9-C1'-C2'	-5.27	106.21	112.00
6	AF	66	THR	CA-CB-CG2	5.27	119.77	112.40
24	AX	59	LEU	CB-CA-C	5.27	120.21	110.20
25	BA	21	G	C6-N1-C2	5.27	128.26	125.10
25	BA	111	U	O4'-C1'-N1	5.27	112.42	108.20
26	BB	476	G	N3-C4-N9	5.27	129.16	126.00
26	BB	1931	U	C3'-C2'-C1'	5.27	105.71	101.50
26	BB	2229	U	C4-C5-C6	5.27	122.86	119.70
26	BB	2236	U	N3-C4-C5	5.27	117.76	114.60
26	BB	2615	U	C4-C5-C6	-5.27	116.54	119.70
26	BB	2818	U	C4'-C3'-C2'	-5.27	97.33	102.60
31	BG	110	ILE	CG1-CB-CG2	-5.27	99.81	111.40
40	BP	40	LYS	CB-CA-C	5.27	120.94	110.40
48	BX	49	ASN	N-CA-CB	-5.27	101.12	110.60
26	BB	1209	U	N1-C2-N3	5.27	118.06	114.90
26	BB	1568	G	C8-N9-C4	-5.27	104.29	106.40
26	BB	1799	G	C1'-O4'-C4'	-5.27	105.69	109.90
26	BB	2285	C	C5-C6-N1	5.27	123.63	121.00
1	AA	202	G	C4-N9-C1'	-5.26	119.66	126.50
1	AA	293	G	C3'-C2'-C1'	5.26	105.71	101.50
1	AA	836	G	N3-C4-N9	5.26	129.16	126.00
1	AA	872	A	C4'-C3'-C2'	-5.26	97.34	102.60
1	AA	1079	G	C4-C5-N7	-5.26	108.69	110.80
1	AA	1426	G	O4'-C4'-C3'	5.26	110.31	106.10
1	AA	1446	A	C5-C6-N1	-5.26	115.07	117.70
25	BA	33	G	O4'-C1'-N9	5.26	112.41	108.20
25	BA	105	G	P-O3'-C3'	5.26	126.02	119.70
26	BB	62	U	C5'-C4'-C3'	-5.26	107.58	116.00
26	BB	99	U	P-O3'-C3'	5.26	126.02	119.70
26	BB	291	G	O4'-C4'-C3'	-5.26	98.74	104.00
26	BB	1103	A	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	1487	U	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	1675	C	C1'-C2'-O2'	5.26	126.40	110.60
26	BB	2107	G	C5-C6-N1	5.26	114.13	111.50
26	BB	2405	G	C5-N7-C8	5.26	106.93	104.30
26	BB	2778	A	N1-C2-N3	-5.26	126.67	129.30
30	BF	60	TRP	NE1-CE2-CZ2	5.26	136.19	130.40
1	AA	33	A	C1'-O4'-C4'	5.26	114.11	109.90
1	AA	555	U	C5-C4-O4	5.26	129.06	125.90
1	AA	968	A	O4'-C4'-C3'	5.26	110.31	106.10
1	AA	974	A	O4'-C1'-C2'	5.26	112.34	107.60
1	AA	1080	A	P-O3'-C3'	5.26	126.02	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1528	U	C2-N3-C4	-5.26	123.84	127.00
25	BA	120	U	C5-C4-O4	5.26	129.06	125.90
26	BB	109	C	N3-C2-O2	-5.26	118.22	121.90
26	BB	1622	G	C8-N9-C4	-5.26	104.30	106.40
26	BB	1743	G	C8-N9-C4	-5.26	104.30	106.40
26	BB	2095	A	C4-C5-N7	5.26	113.33	110.70
26	BB	2173	A	C3'-C2'-C1'	5.26	105.71	101.50
26	BB	2391	G	P-O3'-C3'	5.26	126.02	119.70
53	B2	5	ILE	CA-CB-CG1	5.26	121.00	111.00
1	AA	338	A	O4'-C1'-N9	5.26	112.41	108.20
1	AA	499	A	C5'-C4'-O4'	5.26	115.41	109.10
1	AA	702	A	O4'-C1'-C2'	-5.26	100.54	105.80
1	AA	733	G	N3-C2-N2	-5.26	116.22	119.90
1	AA	1234	C	N1-C2-O2	5.26	122.06	118.90
1	AA	1317	C	N3-C4-C5	-5.26	119.80	121.90
1	AA	1333	A	C4-C5-C6	-5.26	114.37	117.00
26	BB	429	A	C5-C6-N6	-5.26	119.49	123.70
26	BB	512	G	C6-N1-C2	-5.26	121.94	125.10
26	BB	536	G	C6-C5-N7	-5.26	127.24	130.40
26	BB	579	G	O4'-C1'-N9	5.26	112.41	108.20
26	BB	778	G	C5-C6-O6	-5.26	125.44	128.60
26	BB	875	G	N1-C2-N2	5.26	120.94	116.20
26	BB	1131	G	C2-N3-C4	5.26	114.53	111.90
26	BB	1590	A	C5'-C4'-C3'	-5.26	107.58	116.00
26	BB	2059	A	C4-C5-C6	5.26	119.63	117.00
26	BB	2543	G	N1-C2-N2	-5.26	111.47	116.20
26	BB	2618	G	O3'-P-O5'	-5.26	94.00	104.00
26	BB	2811	G	O4'-C1'-N9	5.26	112.41	108.20
28	BD	79	ARG	NE-CZ-NH2	5.26	122.93	120.30
1	AA	216	U	C3'-C2'-C1'	-5.26	97.29	101.50
1	AA	218	U	C2-N3-C4	-5.26	123.84	127.00
1	AA	360	G	C2-N3-C4	5.26	114.53	111.90
1	AA	507	C	N1-C2-O2	5.26	122.06	118.90
1	AA	616	G	N7-C8-N9	-5.26	110.47	113.10
1	AA	971	G	C4-C5-C6	-5.26	115.64	118.80
1	AA	1016	A	C6-N1-C2	5.26	121.75	118.60
1	AA	1193	G	C2-N3-C4	5.26	114.53	111.90
1	AA	1216	A	C2-N3-C4	-5.26	107.97	110.60
1	AA	1496	C	C4-C5-C6	5.26	120.03	117.40
4	AD	72	C	C5-C4-N4	-5.26	116.52	120.20
26	BB	102	U	N3-C4-C5	-5.26	111.44	114.60
26	BB	129	C	C5'-C4'-O4'	5.26	115.41	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	990	A	O4'-C1'-N9	5.26	112.41	108.20
26	BB	1310	G	C4-C5-C6	5.26	121.96	118.80
26	BB	1820	U	N3-C2-O2	-5.26	118.52	122.20
26	BB	2306	C	O5'-C5'-C4'	-5.26	101.71	111.70
28	BD	209	ALA	CB-CA-C	5.26	117.99	110.10
35	BK	64	ARG	NE-CZ-NH1	-5.26	117.67	120.30
1	AA	257	G	C3'-C2'-C1'	5.26	105.71	101.50
1	AA	776	G	C8-N9-C1'	5.26	133.84	127.00
1	AA	921	U	C3'-C2'-C1'	5.26	105.71	101.50
1	AA	1394	A	C4-C5-N7	-5.26	108.07	110.70
14	AN	51	PHE	CD1-CE1-CZ	5.26	126.41	120.10
26	BB	818	G	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	1313	U	C6-N1-C1'	-5.26	113.84	121.20
26	BB	2112	G	C6-C5-N7	5.26	133.56	130.40
31	BG	94	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	AA	50	A	N1-C6-N6	-5.26	115.45	118.60
1	AA	626	G	C2-N3-C4	5.26	114.53	111.90
1	AA	1476	A	N3-C4-C5	-5.26	123.12	126.80
25	BA	50	A	C4'-C3'-C2'	-5.26	97.34	102.60
25	BA	112	G	N1-C6-O6	-5.26	116.75	119.90
26	BB	55	G	C5'-C4'-O4'	5.26	115.41	109.10
26	BB	138	U	C5-C6-N1	-5.26	120.07	122.70
26	BB	407	G	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	686	U	C6-N1-C1'	-5.26	113.84	121.20
26	BB	852	U	N1-C2-N3	5.26	118.05	114.90
26	BB	953	G	C4-C5-C6	5.26	121.95	118.80
26	BB	1084	A	C6-N1-C2	-5.26	115.45	118.60
26	BB	1309	G	P-O3'-C3'	5.26	126.01	119.70
26	BB	1966	A	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	2003	A	C5-C6-N6	-5.26	119.50	123.70
26	BB	2298	A	C8-N9-C4	-5.26	103.70	105.80
26	BB	2325	G	C2-N3-C4	-5.26	109.27	111.90
26	BB	2425	A	P-O3'-C3'	5.26	126.01	119.70
1	AA	1154	G	P-O3'-C3'	5.25	126.01	119.70
8	AH	47	PHE	CG-CD1-CE1	-5.25	115.02	120.80
26	BB	145	C	C6-N1-C2	5.25	122.40	120.30
26	BB	218	A	P-O3'-C3'	5.25	126.01	119.70
26	BB	666	A	C5-C6-N1	5.25	120.33	117.70
26	BB	1031	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	1038	G	C5'-C4'-O4'	5.25	115.41	109.10
26	BB	1703	G	C8-N9-C1'	5.25	133.83	127.00
26	BB	2520	C	N1-C1'-C2'	-5.25	106.22	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2622	U	C5-C4-O4	5.25	129.05	125.90
39	BO	92	TRP	NE1-CE2-CZ2	5.25	136.18	130.40
1	AA	316	C	N1-C2-O2	5.25	122.05	118.90
1	AA	426	U	C5-C6-N1	5.25	125.33	122.70
1	AA	443	C	C5'-C4'-O4'	5.25	115.40	109.10
1	AA	697	U	C5-C6-N1	-5.25	120.07	122.70
1	AA	705	G	N3-C4-C5	-5.25	125.97	128.60
1	AA	851	G	N7-C8-N9	-5.25	110.47	113.10
1	AA	951	G	C3'-C2'-C1'	-5.25	97.30	101.50
2	AB	5	G	C5-N7-C8	-5.25	101.67	104.30
2	AB	65	C	C5-C6-N1	5.25	123.63	121.00
3	AC	42	U	O3'-P-O5'	-5.25	94.02	104.00
26	BB	584	C	C5-C4-N4	-5.25	116.52	120.20
26	BB	1045	C	C5-C6-N1	5.25	123.63	121.00
26	BB	1195	G	N3-C4-N9	-5.25	122.85	126.00
26	BB	1406	U	N3-C2-O2	-5.25	118.52	122.20
26	BB	1607	C	C2-N3-C4	5.25	122.53	119.90
26	BB	1665	A	O4'-C1'-N9	-5.25	104.00	108.20
26	BB	1679	A	C4-C5-C6	5.25	119.63	117.00
26	BB	1701	A	O4'-C1'-C2'	-5.25	100.55	105.80
26	BB	2269	G	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	2318	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	2545	G	C6-N1-C2	5.25	128.25	125.10
26	BB	2553	G	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	2674	G	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	2756	U	N3-C2-O2	-5.25	118.52	122.20
30	BF	116	ASP	CB-CG-OD1	-5.25	113.57	118.30
1	AA	43	C	P-O3'-C3'	5.25	126.00	119.70
1	AA	242	G	N1-C2-N3	-5.25	120.75	123.90
1	AA	515	G	C8-N9-C4	-5.25	104.30	106.40
1	AA	850	U	C5'-C4'-O4'	5.25	115.40	109.10
1	AA	1354	U	C6-N1-C2	5.25	124.15	121.00
25	BA	69	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	271	G	N3-C4-C5	-5.25	125.97	128.60
26	BB	357	C	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	701	G	N9-C4-C5	5.25	107.50	105.40
26	BB	1671	U	C5-C6-N1	-5.25	120.07	122.70
26	BB	2070	A	C6-N1-C2	5.25	121.75	118.60
26	BB	2117	A	C6-N1-C2	5.25	121.75	118.60
26	BB	2211	A	C5'-C4'-C3'	-5.25	107.60	116.00
26	BB	2432	A	N3-C4-C5	5.25	130.48	126.80
43	BS	52	ARG	NE-CZ-NH1	5.25	122.93	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1127	G	C4-C5-N7	-5.25	108.70	110.80
26	BB	1073	A	C2'-C3'-O3'	5.25	122.10	113.70
26	BB	1373	A	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	2267	A	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	2749	A	O3'-P-O5'	-5.25	94.03	104.00
1	AA	44	A	C6-N1-C2	5.25	121.75	118.60
1	AA	316	C	C5-C4-N4	5.25	123.88	120.20
1	AA	1349	A	C2'-C3'-O3'	5.25	122.10	113.70
1	AA	1356	G	C6-C5-N7	-5.25	127.25	130.40
2	AB	3	G	C8-N9-C1'	5.25	133.82	127.00
19	AS	53	ASP	CB-CG-OD1	-5.25	113.58	118.30
26	BB	338	G	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	658	U	N1-C2-N3	5.25	118.05	114.90
26	BB	1274	A	C3'-C2'-C1'	5.25	105.70	101.50
26	BB	1275	A	N3-C4-N9	5.25	131.60	127.40
26	BB	1360	G	N9-C4-C5	5.25	107.50	105.40
26	BB	2258	C	C4-C5-C6	-5.25	114.78	117.40
26	BB	2272	U	C6-N1-C1'	5.25	128.55	121.20
26	BB	2464	G	C5-C6-N1	5.25	114.12	111.50
26	BB	2530	A	O4'-C1'-N9	5.25	112.40	108.20
28	BD	79	ARG	CA-CB-CG	5.25	124.95	113.40
1	AA	192	A	C8-N9-C4	5.25	107.90	105.80
1	AA	448	A	C5-N7-C8	-5.25	101.28	103.90
1	AA	608	A	N9-C1'-C2'	-5.25	106.23	112.00
1	AA	753	A	N3-C4-N9	5.25	131.60	127.40
1	AA	858	G	N7-C8-N9	5.25	115.72	113.10
1	AA	1344	C	C2-N3-C4	5.25	122.52	119.90
1	AA	1463	U	C2-N3-C4	-5.25	123.85	127.00
14	AN	6	ARG	N-CA-CB	-5.25	101.16	110.60
25	BA	6	G	C5'-C4'-C3'	-5.25	107.60	116.00
25	BA	113	C	O4'-C1'-N1	5.25	112.40	108.20
26	BB	508	A	C4-C5-C6	-5.25	114.38	117.00
26	BB	846	U	C5-C4-O4	-5.25	122.75	125.90
26	BB	973	A	N9-C1'-C2'	5.25	120.82	114.00
26	BB	1648	U	C3'-C2'-C1'	5.25	105.70	101.50
26	BB	1669	A	O4'-C1'-N9	-5.25	104.00	108.20
26	BB	1747	U	C2-N3-C4	-5.25	123.85	127.00
26	BB	1766	G	N7-C8-N9	5.25	115.72	113.10
26	BB	2033	A	C8-N9-C4	-5.25	103.70	105.80
26	BB	2315	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	2712	C	C6-N1-C2	-5.25	118.20	120.30
1	AA	18	C	C5'-C4'-C3'	5.25	124.39	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	459	A	C6-N1-C2	5.25	121.75	118.60
1	AA	1050	G	N9-C4-C5	5.25	107.50	105.40
1	AA	1132	C	N3-C2-O2	-5.25	118.23	121.90
1	AA	1157	A	C5-C6-N6	5.25	127.90	123.70
1	AA	1239	A	N9-C4-C5	5.25	107.90	105.80
1	AA	1453	G	N3-C4-N9	5.25	129.15	126.00
1	AA	1504	G	C4-C5-N7	5.25	112.90	110.80
2	AB	57	G	N1-C6-O6	5.25	123.05	119.90
26	BB	792	A	C8-N9-C4	-5.25	103.70	105.80
26	BB	1730	C	N1-C1'-C2'	5.25	120.82	114.00
26	BB	1932	A	C5-C6-N1	5.25	120.32	117.70
1	AA	494	G	C4-C5-N7	5.24	112.90	110.80
1	AA	574	A	C3'-C2'-C1'	-5.24	97.31	101.50
1	AA	865	A	C5'-C4'-O4'	5.24	115.39	109.10
1	AA	936	C	C1'-O4'-C4'	-5.24	105.71	109.90
1	AA	965	U	C6-N1-C2	5.24	124.15	121.00
1	AA	1208	C	P-O3'-C3'	5.24	125.99	119.70
1	AA	1219	A	C5-C6-N1	5.24	120.32	117.70
25	BA	40	U	C5'-C4'-O4'	5.24	115.39	109.10
25	BA	82	U	C4-C5-C6	-5.24	116.55	119.70
26	BB	241	A	N1-C6-N6	-5.24	115.45	118.60
26	BB	548	G	C5-C6-O6	-5.24	125.45	128.60
26	BB	583	G	C1'-O4'-C4'	-5.24	105.70	109.90
26	BB	672	C	C5'-C4'-C3'	-5.24	107.61	116.00
26	BB	852	U	N1-C1'-C2'	-5.24	106.23	112.00
26	BB	866	A	O4'-C4'-C3'	5.24	110.30	106.10
26	BB	984	A	N1-C6-N6	5.24	121.75	118.60
26	BB	1146	C	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	1325	U	C2-N3-C4	-5.24	123.85	127.00
26	BB	1517	G	C8-N9-C1'	5.24	133.82	127.00
26	BB	2157	G	N7-C8-N9	5.24	115.72	113.10
26	BB	2239	G	C6-N1-C2	5.24	128.25	125.10
26	BB	2396	G	N1-C6-O6	5.24	123.05	119.90
26	BB	2470	G	N9-C4-C5	5.24	107.50	105.40
26	BB	2758	A	C4-C5-N7	-5.24	108.08	110.70
28	BD	237	ARG	NE-CZ-NH1	-5.24	117.68	120.30
1	AA	1188	A	N3-C4-N9	-5.24	123.21	127.40
26	BB	563	A	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	649	G	O4'-C1'-C2'	5.24	112.32	107.60
26	BB	1373	A	N9-C4-C5	5.24	107.90	105.80
26	BB	1596	A	N9-C4-C5	5.24	107.90	105.80
26	BB	1664	A	C5-C6-N1	5.24	120.32	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2038	G	O4'-C1'-N9	5.24	112.39	108.20
26	BB	2350	C	C4-C5-C6	5.24	120.02	117.40
26	BB	2426	A	C8-N9-C4	-5.24	103.70	105.80
26	BB	2772	C	N1-C2-O2	5.24	122.05	118.90
26	BB	2813	A	N3-C4-N9	-5.24	123.21	127.40
26	BB	2820	A	C5'-C4'-O4'	5.24	115.39	109.10
42	BR	46	VAL	CA-CB-CG2	-5.24	103.04	110.90
1	AA	25	C	N1-C2-O2	-5.24	115.75	118.90
1	AA	375	U	C4-C5-C6	5.24	122.84	119.70
1	AA	705	G	C3'-C2'-C1'	5.24	105.69	101.50
1	AA	1064	G	C5-N7-C8	-5.24	101.68	104.30
1	AA	1208	C	N1-C1'-C2'	-5.24	106.24	112.00
1	AA	1355	G	C2-N3-C4	5.24	114.52	111.90
4	AD	1	C	N1-C2-O2	5.24	122.05	118.90
25	BA	106	G	N9-C4-C5	5.24	107.50	105.40
26	BB	665	U	N3-C2-O2	-5.24	118.53	122.20
26	BB	701	G	C6-N1-C2	-5.24	121.95	125.10
26	BB	726	G	N7-C8-N9	-5.24	110.48	113.10
26	BB	736	C	C5-C4-N4	5.24	123.87	120.20
26	BB	1165	A	C4-C5-N7	-5.24	108.08	110.70
26	BB	1571	A	C2-N3-C4	5.24	113.22	110.60
26	BB	1607	C	O4'-C1'-N1	5.24	112.39	108.20
26	BB	2181	U	C1'-O4'-C4'	5.24	114.09	109.90
26	BB	2615	U	C5'-C4'-C3'	-5.24	107.61	116.00
50	BZ	44	ARG	NH1-CZ-NH2	-5.24	113.64	119.40
57	B6	13	PHE	CG-CD2-CE2	5.24	126.56	120.80
1	AA	177	G	C5-C6-O6	5.24	131.74	128.60
1	AA	600	A	C8-N9-C4	-5.24	103.70	105.80
1	AA	1013	G	C2-N3-C4	5.24	114.52	111.90
1	AA	1143	G	C5-C6-N1	5.24	114.12	111.50
1	AA	1318	A	C5'-C4'-C3'	-5.24	107.62	116.00
1	AA	1354	U	C5-C6-N1	-5.24	120.08	122.70
4	AD	19	G	N7-C8-N9	5.24	115.72	113.10
26	BB	289	G	N1-C2-N3	-5.24	120.76	123.90
26	BB	498	G	N3-C4-N9	5.24	129.14	126.00
26	BB	560	C	N3-C4-C5	-5.24	119.81	121.90
26	BB	672	C	O4'-C1'-N1	5.24	112.39	108.20
26	BB	962	G	C4'-C3'-C2'	5.24	107.84	102.60
26	BB	1346	G	O4'-C1'-N9	5.24	112.39	108.20
26	BB	1361	G	C5-C6-O6	-5.24	125.46	128.60
26	BB	1631	G	C4-C5-C6	5.24	121.94	118.80
26	BB	1655	A	C1'-O4'-C4'	5.24	114.09	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1953	A	C4'-C3'-C2'	5.24	107.84	102.60
26	BB	1955	U	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	2280	G	N9-C4-C5	5.24	107.50	105.40
26	BB	2482	A	C4-C5-N7	-5.24	108.08	110.70
26	BB	2558	C	N1-C1'-C2'	-5.24	106.24	112.00
26	BB	2632	A	C4-C5-C6	5.24	119.62	117.00
26	BB	2775	G	C5-C6-O6	-5.24	125.46	128.60
1	AA	541	G	C4'-C3'-C2'	-5.24	97.36	102.60
1	AA	759	A	N3-C4-N9	5.24	131.59	127.40
25	BA	68	C	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	700	G	C8-N9-C1'	5.24	133.81	127.00
26	BB	1186	G	O4'-C1'-N9	5.24	112.39	108.20
26	BB	1227	G	N7-C8-N9	5.24	115.72	113.10
26	BB	1318	U	N1-C1'-C2'	-5.24	106.24	112.00
26	BB	2496	C	C4'-C3'-C2'	-5.24	97.36	102.60
38	BN	8	PRO	N-CA-CB	5.24	109.58	103.30
1	AA	27	G	N3-C2-N2	-5.24	116.23	119.90
1	AA	164	G	C8-N9-C4	-5.24	104.31	106.40
1	AA	374	A	C6-C5-N7	5.24	135.97	132.30
1	AA	390	U	C1'-O4'-C4'	5.24	114.09	109.90
1	AA	463	U	C4-C5-C6	5.24	122.84	119.70
1	AA	1472	U	N3-C4-C5	5.24	117.74	114.60
25	BA	2	G	C5'-C4'-O4'	5.24	115.38	109.10
26	BB	35	G	C2-N3-C4	5.24	114.52	111.90
26	BB	81	G	O4'-C1'-C2'	-5.24	100.56	105.80
26	BB	84	A	C6-C5-N7	5.24	135.96	132.30
26	BB	219	A	C8-N9-C4	-5.24	103.71	105.80
26	BB	882	G	N9-C1'-C2'	-5.24	106.24	112.00
26	BB	998	C	C4-C5-C6	5.24	120.02	117.40
26	BB	1346	G	C4-C5-C6	5.24	121.94	118.80
26	BB	1394	U	C2-N1-C1'	5.24	123.98	117.70
26	BB	1813	G	N1-C2-N2	5.24	120.91	116.20
26	BB	1885	A	N9-C4-C5	5.24	107.89	105.80
26	BB	2022	U	N3-C2-O2	5.24	125.86	122.20
26	BB	2373	G	C6-N1-C2	-5.24	121.96	125.10
26	BB	2511	U	C4-C5-C6	-5.24	116.56	119.70
30	BF	101	TYR	CG-CD2-CE2	-5.24	117.11	121.30
53	B2	51	VAL	CA-CB-CG2	5.24	118.75	110.90
1	AA	248	C	N1-C2-N3	-5.23	115.54	119.20
1	AA	274	A	O4'-C4'-C3'	5.23	110.29	106.10
1	AA	437	U	C5'-C4'-C3'	5.23	124.38	116.00
1	AA	499	A	C4-C5-C6	-5.23	114.38	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	682	G	C2-N3-C4	5.23	114.52	111.90
1	AA	724	G	C5-C6-N1	5.23	114.12	111.50
1	AA	1311	A	C6-N1-C2	5.23	121.74	118.60
1	AA	1413	A	C2-N3-C4	5.23	113.22	110.60
5	AE	34	ARG	CB-CG-CD	5.23	125.21	111.60
26	BB	209	C	N3-C4-N4	5.23	121.66	118.00
26	BB	481	G	N3-C4-C5	-5.23	125.98	128.60
26	BB	874	G	C4-C5-N7	5.23	112.89	110.80
26	BB	1659	G	C5-C6-O6	-5.23	125.46	128.60
26	BB	1766	G	N1-C6-O6	-5.23	116.76	119.90
26	BB	2667	C	N1-C2-N3	-5.23	115.54	119.20
26	BB	2842	G	C5'-C4'-O4'	5.23	115.38	109.10
1	AA	657	U	C1'-O4'-C4'	-5.23	105.72	109.90
1	AA	1164	G	C4-C5-C6	5.23	121.94	118.80
3	AC	21	U	C2-N1-C1'	5.23	123.98	117.70
26	BB	40	U	O4'-C1'-N1	5.23	112.39	108.20
26	BB	197	A	C1'-O4'-C4'	5.23	114.09	109.90
26	BB	439	A	C4-C5-C6	-5.23	114.38	117.00
26	BB	1320	C	C5-C6-N1	5.23	123.62	121.00
26	BB	1571	A	C5-C6-N1	5.23	120.32	117.70
26	BB	2126	A	N1-C6-N6	5.23	121.74	118.60
26	BB	2255	G	C2-N3-C4	5.23	114.52	111.90
26	BB	2389	G	C5-C6-O6	5.23	131.74	128.60
26	BB	2687	U	N1-C1'-C2'	-5.23	106.24	112.00
1	AA	510	A	C5-N7-C8	5.23	106.52	103.90
1	AA	518	C	N3-C2-O2	-5.23	118.24	121.90
1	AA	577	G	C5'-C4'-O4'	5.23	115.38	109.10
1	AA	753	A	C3'-C2'-C1'	-5.23	97.31	101.50
1	AA	1024	G	N9-C4-C5	5.23	107.49	105.40
1	AA	1246	A	C6-N1-C2	5.23	121.74	118.60
1	AA	1403	C	C3'-C2'-C1'	5.23	105.68	101.50
1	AA	1528	U	N3-C2-O2	-5.23	118.54	122.20
1	AA	1535	C	C6-N1-C1'	5.23	127.08	120.80
6	AF	129	PHE	CB-CG-CD1	-5.23	117.14	120.80
26	BB	339	U	N1-C1'-C2'	-5.23	106.25	112.00
26	BB	787	C	C6-N1-C2	-5.23	118.21	120.30
26	BB	996	A	P-O3'-C3'	5.23	125.98	119.70
26	BB	1887	C	C5'-C4'-O4'	5.23	115.38	109.10
26	BB	2038	G	N3-C4-N9	-5.23	122.86	126.00
26	BB	2207	C	C6-N1-C2	5.23	122.39	120.30
26	BB	2364	C	OP1-P-OP2	-5.23	111.75	119.60
50	BZ	30	PRO	N-CA-CB	5.23	109.58	103.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	47	C	C4'-C3'-C2'	-5.23	97.37	102.60
1	AA	151	A	N3-C4-N9	-5.23	123.22	127.40
1	AA	384	G	C5'-C4'-C3'	5.23	124.37	116.00
1	AA	1226	C	C6-N1-C2	-5.23	118.21	120.30
26	BB	273	G	C8-N9-C1'	5.23	133.80	127.00
26	BB	1070	A	N1-C2-N3	5.23	131.91	129.30
26	BB	1324	G	C1'-O4'-C4'	-5.23	105.72	109.90
26	BB	1592	C	C2-N3-C4	-5.23	117.29	119.90
26	BB	2844	G	C8-N9-C4	-5.23	104.31	106.40
36	BL	40	HIS	CG-ND1-CE1	-5.23	98.90	105.70
1	AA	88	U	N3-C4-O4	5.23	123.06	119.40
1	AA	110	C	C2'-C3'-O3'	5.23	122.06	113.70
1	AA	187	G	O5'-C5'-C4'	-5.23	101.77	111.70
1	AA	384	G	N9-C1'-C2'	-5.23	106.25	112.00
1	AA	385	C	C3'-C2'-C1'	5.23	105.68	101.50
1	AA	833	G	C8-N9-C1'	5.23	133.80	127.00
1	AA	853	C	C4'-C3'-C2'	5.23	107.83	102.60
4	AD	66	C	N3-C2-O2	-5.23	118.24	121.90
26	BB	55	G	C4-C5-N7	5.23	112.89	110.80
26	BB	122	G	C5-N7-C8	-5.23	101.69	104.30
26	BB	205	G	C6-C5-N7	-5.23	127.26	130.40
26	BB	1140	C	N1-C2-O2	5.23	122.04	118.90
26	BB	1360	G	C6-N1-C2	-5.23	121.96	125.10
26	BB	1641	A	N7-C8-N9	5.23	116.41	113.80
26	BB	1812	U	N3-C2-O2	-5.23	118.54	122.20
26	BB	1991	U	C2-N3-C4	-5.23	123.86	127.00
26	BB	2255	G	C8-N9-C4	-5.23	104.31	106.40
26	BB	2497	A	C1'-O4'-C4'	-5.23	105.72	109.90
26	BB	2599	G	C6-N1-C2	-5.23	121.96	125.10
1	AA	112	G	C1'-O4'-C4'	5.23	114.08	109.90
1	AA	336	A	P-O3'-C3'	5.23	125.97	119.70
1	AA	550	G	C6-N1-C2	-5.23	121.96	125.10
1	AA	742	G	C5'-C4'-C3'	-5.23	107.64	116.00
2	AB	50	G	C2-N3-C4	5.23	114.51	111.90
4	AD	10	G	N7-C8-N9	5.23	115.71	113.10
7	AG	2	ARG	NE-CZ-NH1	5.23	122.91	120.30
26	BB	171	U	C2'-C3'-O3'	5.23	122.06	113.70
26	BB	357	C	C5-C4-N4	-5.23	116.54	120.20
26	BB	572	A	N3-C4-C5	-5.23	123.14	126.80
26	BB	951	C	C3'-C2'-C1'	5.23	105.68	101.50
26	BB	1034	G	C1'-O4'-C4'	5.23	114.08	109.90
26	BB	1530	G	C3'-C2'-C1'	5.23	105.68	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1693	U	C3'-C2'-C1'	5.23	105.68	101.50
26	BB	1821	A	C4-C5-N7	-5.23	108.09	110.70
1	AA	6	G	N7-C8-N9	5.22	115.71	113.10
1	AA	73	C	C5'-C4'-C3'	-5.22	107.64	116.00
1	AA	768	A	C1'-O4'-C4'	5.22	114.08	109.90
1	AA	805	C	C4-C5-C6	5.22	120.01	117.40
1	AA	895	G	C4'-C3'-C2'	-5.22	97.38	102.60
1	AA	1350	A	C4-C5-N7	-5.22	108.09	110.70
1	AA	1503	A	O4'-C1'-N9	5.22	112.38	108.20
14	AN	6	ARG	CB-CA-C	5.22	120.85	110.40
26	BB	26	G	C5-N7-C8	5.22	106.91	104.30
26	BB	48	G	C4-C5-C6	5.22	121.93	118.80
26	BB	290	U	N1-C1'-C2'	-5.22	106.25	112.00
26	BB	531	C	C4-C5-C6	-5.22	114.79	117.40
26	BB	695	G	C5-N7-C8	-5.22	101.69	104.30
26	BB	706	A	C1'-O4'-C4'	5.22	114.08	109.90
26	BB	756	A	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	885	C	P-O5'-C5'	5.22	129.26	120.90
26	BB	1231	U	N3-C4-O4	5.22	123.06	119.40
26	BB	1357	C	N1-C2-N3	5.22	122.86	119.20
26	BB	1411	U	N3-C4-O4	5.22	123.06	119.40
26	BB	1742	U	C5-C4-O4	-5.22	122.77	125.90
30	BF	101	TYR	CB-CG-CD1	-5.22	117.86	121.00
31	BG	110	ILE	CA-CB-CG1	5.22	120.93	111.00
31	BG	153	ILE	CB-CA-C	5.22	122.05	111.60
1	AA	111	G	N1-C6-O6	5.22	123.03	119.90
1	AA	160	A	N9-C4-C5	-5.22	103.71	105.80
1	AA	337	G	N1-C2-N3	5.22	127.03	123.90
1	AA	706	A	C5-C6-N6	-5.22	119.52	123.70
1	AA	757	U	O4'-C1'-N1	5.22	112.38	108.20
1	AA	1092	A	C6-N1-C2	5.22	121.73	118.60
1	AA	1181	G	C2-N3-C4	-5.22	109.29	111.90
1	AA	1468	A	C6-C5-N7	5.22	135.96	132.30
5	AE	24	PRO	CA-N-CD	-5.22	104.19	111.50
26	BB	130	C	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	639	U	C5-C4-O4	5.22	129.03	125.90
26	BB	1054	A	C3'-C2'-C1'	5.22	105.68	101.50
26	BB	1129	A	N1-C6-N6	-5.22	115.47	118.60
26	BB	1500	G	C5'-C4'-O4'	5.22	115.37	109.10
26	BB	1589	U	C2-N3-C4	-5.22	123.87	127.00
26	BB	1732	C	O4'-C4'-C3'	5.22	110.28	106.10
26	BB	1775	U	C4-C5-C6	5.22	122.83	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2623	G	N3-C2-N2	5.22	123.56	119.90
26	BB	2777	G	N3-C4-C5	-5.22	125.99	128.60
29	BE	90	PHE	CB-CG-CD1	5.22	124.45	120.80
1	AA	54	C	C3'-C2'-C1'	5.22	105.68	101.50
1	AA	148	G	C5-N7-C8	-5.22	101.69	104.30
1	AA	514	C	N3-C4-N4	5.22	121.65	118.00
1	AA	624	C	N3-C2-O2	-5.22	118.25	121.90
1	AA	1069	C	C5-C4-N4	-5.22	116.55	120.20
25	BA	16	G	C5-C6-N1	-5.22	108.89	111.50
26	BB	944	C	N1-C2-O2	5.22	122.03	118.90
26	BB	1864	U	C5'-C4'-O4'	5.22	115.36	109.10
26	BB	2122	U	P-O3'-C3'	5.22	125.97	119.70
26	BB	2782	G	P-O3'-C3'	5.22	125.97	119.70
1	AA	424	G	N9-C1'-C2'	-5.22	106.26	112.00
1	AA	851	G	N3-C4-C5	-5.22	125.99	128.60
1	AA	882	C	C6-N1-C1'	5.22	127.06	120.80
1	AA	969	A	C6-N1-C2	5.22	121.73	118.60
1	AA	1415	G	C4'-C3'-C2'	-5.22	97.38	102.60
1	AA	1487	G	N7-C8-N9	5.22	115.71	113.10
25	BA	120	U	C2-N3-C4	-5.22	123.87	127.00
26	BB	203	A	C6-N1-C2	-5.22	115.47	118.60
26	BB	246	C	N1-C2-O2	5.22	122.03	118.90
26	BB	396	G	C5'-C4'-O4'	5.22	115.36	109.10
26	BB	624	C	N1-C1'-C2'	-5.22	106.26	112.00
26	BB	627	A	C8-N9-C4	-5.22	103.71	105.80
26	BB	1079	C	C1'-O4'-C4'	-5.22	105.72	109.90
26	BB	1104	C	C5'-C4'-C3'	-5.22	107.65	116.00
26	BB	1479	G	O4'-C4'-C3'	-5.22	98.78	104.00
26	BB	1573	G	C4-C5-N7	-5.22	108.71	110.80
26	BB	1584	U	C5-C4-O4	-5.22	122.77	125.90
26	BB	1714	U	C1'-O4'-C4'	-5.22	105.72	109.90
26	BB	1789	A	O4'-C1'-C2'	5.22	112.30	107.60
26	BB	2459	A	C3'-C2'-C1'	5.22	105.68	101.50
26	BB	2621	G	N1-C6-O6	-5.22	116.77	119.90
26	BB	2806	C	C5-C4-N4	5.22	123.85	120.20
26	BB	2897	U	N3-C4-O4	5.22	123.05	119.40
1	AA	171	A	N7-C8-N9	-5.22	111.19	113.80
26	BB	794	A	C8-N9-C4	5.22	107.89	105.80
26	BB	1270	C	C1'-O4'-C4'	-5.22	105.72	109.90
26	BB	1326	U	C1'-O4'-C4'	-5.22	105.73	109.90
26	BB	2630	G	N9-C1'-C2'	-5.22	106.26	112.00
43	BS	30	VAL	CA-CB-CG2	5.22	118.73	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	26	A	C4-C5-C6	-5.22	114.39	117.00
1	AA	74	A	N1-C6-N6	-5.22	115.47	118.60
1	AA	710	G	C4-C5-N7	5.22	112.89	110.80
1	AA	946	A	P-O5'-C5'	5.22	129.25	120.90
1	AA	1101	A	C6-N1-C2	-5.22	115.47	118.60
1	AA	1474	U	C6-N1-C2	-5.22	117.87	121.00
4	AD	31	G	N9-C4-C5	-5.22	103.31	105.40
4	AD	49	C	C6-N1-C2	-5.22	118.21	120.30
26	BB	55	G	C5-N7-C8	-5.22	101.69	104.30
26	BB	140	C	N1-C2-O2	5.22	122.03	118.90
26	BB	692	C	C6-N1-C1'	-5.22	114.54	120.80
26	BB	913	U	O4'-C1'-C2'	-5.22	100.58	105.80
26	BB	978	G	C2-N3-C4	5.22	114.51	111.90
26	BB	1651	G	N1-C2-N3	-5.22	120.77	123.90
26	BB	2268	A	C4-C5-C6	5.22	119.61	117.00
26	BB	2725	A	C8-N9-C4	-5.22	103.71	105.80
26	BB	2886	A	C2-N3-C4	-5.22	107.99	110.60
1	AA	16	A	C5-C6-N1	5.21	120.31	117.70
1	AA	361	G	C8-N9-C1'	5.21	133.78	127.00
1	AA	429	U	N3-C2-O2	-5.21	118.55	122.20
1	AA	453	G	N9-C4-C5	5.21	107.49	105.40
1	AA	551	U	C4'-C3'-C2'	-5.21	97.39	102.60
1	AA	580	C	C6-N1-C2	5.21	122.39	120.30
1	AA	692	U	O4'-C1'-N1	5.21	112.37	108.20
1	AA	892	A	N1-C2-N3	5.21	131.91	129.30
1	AA	1034	G	N1-C2-N2	-5.21	111.51	116.20
1	AA	1311	A	C5-C6-N6	-5.21	119.53	123.70
1	AA	1370	G	C8-N9-C1'	5.21	133.78	127.00
1	AA	1426	G	N9-C4-C5	5.21	107.49	105.40
26	BB	66	C	P-O5'-C5'	5.21	129.25	120.90
26	BB	389	G	C8-N9-C4	-5.21	104.31	106.40
26	BB	587	C	N3-C4-C5	-5.21	119.81	121.90
26	BB	742	A	C8-N9-C4	-5.21	103.71	105.80
26	BB	910	A	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	1028	A	N9-C1'-C2'	-5.21	106.26	112.00
26	BB	1186	G	C1'-O4'-C4'	-5.21	105.73	109.90
26	BB	1364	G	N7-C8-N9	-5.21	110.49	113.10
26	BB	1590	A	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	1922	G	C6-C5-N7	-5.21	127.27	130.40
26	BB	1931	U	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	2056	G	N1-C2-N2	-5.21	111.51	116.20
26	BB	2495	G	N7-C8-N9	-5.21	110.49	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2902	C	C3'-C2'-C1'	5.21	105.67	101.50
1	AA	191	G	C3'-C2'-C1'	-5.21	97.33	101.50
1	AA	1138	G	C8-N9-C4	5.21	108.48	106.40
3	AC	23	C	C6-N1-C1'	5.21	127.06	120.80
26	BB	442	G	C5-N7-C8	-5.21	101.69	104.30
26	BB	464	U	C2-N1-C1'	5.21	123.96	117.70
26	BB	474	G	C5-C6-N1	5.21	114.11	111.50
26	BB	548	G	C4-C5-N7	5.21	112.89	110.80
26	BB	1041	G	P-O5'-C5'	5.21	129.24	120.90
26	BB	1184	U	C5'-C4'-O4'	5.21	115.36	109.10
26	BB	1641	A	C5'-C4'-O4'	5.21	115.36	109.10
26	BB	2352	A	C5'-C4'-O4'	5.21	115.36	109.10
26	BB	2436	G	O5'-P-OP2	-5.21	101.01	105.70
32	BH	61	TRP	NE1-CE2-CD2	-5.21	102.09	107.30
1	AA	17	U	C4-C5-C6	-5.21	116.57	119.70
1	AA	35	G	O4'-C1'-N9	5.21	112.37	108.20
1	AA	288	A	C5-C6-N1	5.21	120.31	117.70
1	AA	989	U	N1-C1'-C2'	-5.21	106.27	112.00
1	AA	1331	G	O4'-C1'-N9	5.21	112.37	108.20
1	AA	1464	U	O4'-C1'-N1	5.21	112.37	108.20
26	BB	2	G	C4-C5-C6	5.21	121.93	118.80
26	BB	309	A	C4-C5-C6	-5.21	114.39	117.00
26	BB	1128	G	C2-N3-C4	5.21	114.51	111.90
26	BB	1190	G	C5-C6-N1	5.21	114.11	111.50
26	BB	1511	G	C6-N1-C2	-5.21	121.97	125.10
26	BB	1664	A	N9-C4-C5	5.21	107.89	105.80
26	BB	1868	C	O4'-C1'-C2'	-5.21	100.59	105.80
26	BB	1981	A	C2-N3-C4	5.21	113.21	110.60
26	BB	2118	U	C6-N1-C2	-5.21	117.87	121.00
26	BB	2543	G	C6-C5-N7	-5.21	127.27	130.40
26	BB	2573	C	N3-C4-N4	-5.21	114.35	118.00
26	BB	2689	U	O4'-C1'-N1	5.21	112.37	108.20
1	AA	147	G	C3'-C2'-C1'	-5.21	97.33	101.50
1	AA	1071	C	N3-C2-O2	-5.21	118.25	121.90
26	BB	141	G	N1-C6-O6	5.21	123.03	119.90
26	BB	582	A	C5-C6-N1	5.21	120.31	117.70
26	BB	732	C	C3'-C2'-C1'	5.21	105.67	101.50
26	BB	952	G	C5-C6-N1	5.21	114.11	111.50
26	BB	1155	A	N9-C4-C5	-5.21	103.72	105.80
26	BB	1814	G	C3'-C2'-C1'	5.21	105.67	101.50
26	BB	2226	C	C5'-C4'-C3'	-5.21	107.66	116.00
26	BB	2820	A	C5-C6-N6	-5.21	119.53	123.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	236	A	C4-C5-C6	-5.21	114.40	117.00
1	AA	253	A	C5-C6-N6	-5.21	119.53	123.70
1	AA	361	G	N3-C4-N9	-5.21	122.88	126.00
1	AA	390	U	C6-N1-C2	-5.21	117.88	121.00
1	AA	488	C	N1-C1'-C2'	-5.21	106.27	112.00
1	AA	873	A	N9-C4-C5	5.21	107.88	105.80
1	AA	1054	C	C5'-C4'-O4'	5.21	115.35	109.10
1	AA	1459	G	C5-N7-C8	5.21	106.90	104.30
26	BB	205	G	N3-C4-N9	5.21	129.12	126.00
26	BB	226	A	C5-C6-N6	5.21	127.87	123.70
26	BB	422	A	C4-C5-N7	5.21	113.30	110.70
26	BB	576	U	C1'-O4'-C4'	5.21	114.07	109.90
26	BB	669	G	N1-C2-N3	-5.21	120.78	123.90
26	BB	843	G	C5-C6-O6	-5.21	125.47	128.60
26	BB	890	C	C3'-C2'-C1'	5.21	105.67	101.50
26	BB	1526	C	N3-C2-O2	5.21	125.55	121.90
26	BB	1688	U	C5'-C4'-C3'	-5.21	107.67	116.00
26	BB	1826	G	C4-C5-N7	5.21	112.88	110.80
26	BB	1858	A	C4-C5-C6	5.21	119.61	117.00
26	BB	1866	A	C4-C5-N7	-5.21	108.10	110.70
26	BB	1930	G	N3-C4-N9	-5.21	122.87	126.00
26	BB	2154	A	C5'-C4'-C3'	-5.21	107.67	116.00
26	BB	2525	G	P-O3'-C3'	5.21	125.95	119.70
26	BB	2767	C	C6-N1-C2	-5.21	118.22	120.30
1	AA	187	G	C1'-O4'-C4'	-5.21	105.73	109.90
1	AA	191	G	C4'-C3'-C2'	-5.21	97.39	102.60
1	AA	290	C	C6-N1-C2	-5.21	118.22	120.30
1	AA	832	G	C6-N1-C2	-5.21	121.98	125.10
1	AA	942	G	C5'-C4'-C3'	-5.21	107.67	116.00
1	AA	1311	A	N7-C8-N9	5.21	116.40	113.80
23	AW	9	ARG	NH1-CZ-NH2	-5.21	113.67	119.40
26	BB	67	U	C2-N3-C4	-5.21	123.88	127.00
26	BB	114	U	N1-C2-O2	5.21	126.44	122.80
26	BB	531	C	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	577	G	N1-C2-N2	-5.21	111.51	116.20
26	BB	695	G	N1-C6-O6	-5.21	116.78	119.90
26	BB	1250	G	C2-N3-C4	5.21	114.50	111.90
26	BB	1338	G	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	1361	G	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	1387	A	C5-N7-C8	-5.21	101.30	103.90
26	BB	1895	C	N1-C2-N3	5.21	122.84	119.20
26	BB	1968	G	C5'-C4'-C3'	-5.21	107.67	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2079	U	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	2148	G	P-O5'-C5'	5.21	129.23	120.90
26	BB	2430	A	C4-C5-N7	-5.21	108.10	110.70
26	BB	2725	A	C5'-C4'-C3'	-5.21	107.67	116.00
34	BJ	4	LEU	CB-CG-CD2	5.21	119.85	111.00
46	BV	65	GLY	C-N-CA	5.21	134.72	121.70
1	AA	519	C	C3'-C2'-C1'	-5.21	97.34	101.50
1	AA	572	A	C4-C5-N7	-5.21	108.10	110.70
1	AA	679	C	O4'-C4'-C3'	5.21	110.26	106.10
1	AA	801	U	OP1-P-O3'	5.21	116.65	105.20
1	AA	853	C	O5'-C5'-C4'	-5.21	101.81	111.70
1	AA	986	U	N3-C4-O4	5.21	123.04	119.40
1	AA	1289	A	C5-N7-C8	-5.21	101.30	103.90
1	AA	1293	C	N3-C4-C5	-5.21	119.82	121.90
26	BB	409	G	N3-C2-N2	-5.21	116.26	119.90
26	BB	439	A	C2'-C3'-O3'	5.21	122.03	113.70
26	BB	581	C	O4'-C1'-N1	5.21	112.36	108.20
26	BB	815	C	C2-N3-C4	5.21	122.50	119.90
26	BB	817	C	OP1-P-O3'	5.21	116.65	105.20
26	BB	1449	G	N9-C4-C5	5.21	107.48	105.40
26	BB	1554	U	N1-C2-O2	-5.21	119.16	122.80
26	BB	1673	G	N1-C6-O6	5.21	123.02	119.90
26	BB	2062	A	C5-C6-N1	-5.21	115.10	117.70
26	BB	2263	C	C6-N1-C1'	-5.21	114.55	120.80
1	AA	152	A	C4-C5-C6	-5.20	114.40	117.00
1	AA	246	A	C4-N9-C1'	-5.20	116.93	126.30
1	AA	428	G	C6-C5-N7	-5.20	127.28	130.40
1	AA	585	G	C6-C5-N7	-5.20	127.28	130.40
1	AA	751	U	N1-C1'-C2'	-5.20	106.28	112.00
1	AA	873	A	C4-C5-C6	5.20	119.60	117.00
1	AA	948	C	C5-C6-N1	-5.20	118.40	121.00
1	AA	958	A	C4-C5-C6	-5.20	114.40	117.00
1	AA	960	U	C1'-O4'-C4'	5.20	114.06	109.90
1	AA	1096	C	C4'-C3'-C2'	-5.20	97.40	102.60
1	AA	1164	G	C3'-C2'-C1'	-5.20	97.34	101.50
1	AA	1394	A	C3'-C2'-C1'	-5.20	97.34	101.50
16	AP	101	THR	CA-CB-CG2	5.20	119.68	112.40
26	BB	282	A	N3-C4-C5	-5.20	123.16	126.80
26	BB	804	A	N7-C8-N9	-5.20	111.20	113.80
26	BB	1381	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	1479	G	C3'-C2'-C1'	-5.20	97.34	101.50
26	BB	1747	U	P-O3'-C3'	5.20	125.94	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1790	C	C5'-C4'-C3'	-5.20	107.67	116.00
26	BB	2160	C	C2-N3-C4	5.20	122.50	119.90
26	BB	2610	C	C6-N1-C2	-5.20	118.22	120.30
26	BB	2691	C	N3-C2-O2	-5.20	118.26	121.90
1	AA	46	G	P-O3'-C3'	5.20	125.94	119.70
1	AA	113	G	N7-C8-N9	5.20	115.70	113.10
1	AA	122	G	O4'-C1'-C2'	-5.20	100.60	105.80
1	AA	289	G	C5-C6-O6	-5.20	125.48	128.60
1	AA	426	U	C2-N3-C4	-5.20	123.88	127.00
1	AA	933	G	C4-C5-N7	5.20	112.88	110.80
1	AA	1017	U	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	570	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	1585	C	N3-C4-C5	5.20	123.98	121.90
26	BB	2382	G	N3-C4-C5	-5.20	126.00	128.60
1	AA	575	G	C5-N7-C8	-5.20	101.70	104.30
1	AA	1082	A	N1-C6-N6	5.20	121.72	118.60
1	AA	1408	A	N3-C4-C5	-5.20	123.16	126.80
3	AC	20	G	N3-C4-N9	5.20	129.12	126.00
26	BB	828	U	C5-C6-N1	5.20	125.30	122.70
26	BB	1250	G	N3-C4-N9	5.20	129.12	126.00
26	BB	1380	G	O4'-C1'-N9	5.20	112.36	108.20
26	BB	1410	G	N1-C6-O6	-5.20	116.78	119.90
26	BB	1652	A	N1-C2-N3	5.20	131.90	129.30
26	BB	2292	U	C2-N3-C4	-5.20	123.88	127.00
26	BB	2360	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	2545	G	O5'-P-OP2	-5.20	101.02	105.70
1	AA	11	G	C4-C5-C6	5.20	121.92	118.80
1	AA	208	U	C6-N1-C2	-5.20	117.88	121.00
1	AA	307	C	C5-C4-N4	5.20	123.84	120.20
1	AA	669	G	N1-C2-N3	-5.20	120.78	123.90
1	AA	738	C	C5'-C4'-O4'	5.20	115.34	109.10
1	AA	1086	U	N1-C2-N3	5.20	118.02	114.90
4	AD	15	G	N1-C6-O6	-5.20	116.78	119.90
26	BB	88	G	C6-N1-C2	5.20	128.22	125.10
26	BB	1004	U	C5'-C4'-C3'	-5.20	107.68	116.00
26	BB	1249	U	C3'-C2'-C1'	5.20	105.66	101.50
26	BB	1328	A	C1'-O4'-C4'	5.20	114.06	109.90
26	BB	1483	G	N7-C8-N9	5.20	115.70	113.10
26	BB	1854	A	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1935	G	C2-N3-C4	5.20	114.50	111.90
26	BB	2092	U	P-O3'-C3'	5.20	125.94	119.70
35	BK	136	GLY	C-N-CA	5.20	134.69	121.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	BU	42	LYS	CB-CG-CD	5.20	125.12	111.60
1	AA	207	C	C5'-C4'-O4'	5.20	115.34	109.10
1	AA	973	G	C5-N7-C8	-5.20	101.70	104.30
2	AB	27	C	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	489	G	N1-C2-N3	5.20	127.02	123.90
26	BB	548	G	C8-N9-C4	-5.20	104.32	106.40
26	BB	619	G	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1034	G	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1108	U	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1550	C	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	1785	A	C1'-O4'-C4'	-5.20	105.74	109.90
26	BB	1810	A	C5'-C4'-C3'	5.20	124.32	116.00
26	BB	1997	C	C5-C4-N4	-5.20	116.56	120.20
26	BB	2539	C	C1'-O4'-C4'	-5.20	105.74	109.90
26	BB	2807	U	C6-N1-C2	-5.20	117.88	121.00
38	BN	59	ARG	CD-NE-CZ	5.20	130.88	123.60
1	AA	885	G	C5-N7-C8	-5.20	101.70	104.30
1	AA	1191	A	C8-N9-C4	-5.20	103.72	105.80
3	AC	18	A	N1-C6-N6	5.20	121.72	118.60
6	AF	150	VAL	CG1-CB-CG2	-5.20	102.59	110.90
26	BB	30	G	C6-N1-C2	-5.20	121.98	125.10
26	BB	105	C	C3'-C2'-C1'	5.20	105.66	101.50
26	BB	829	A	C4-C5-N7	5.20	113.30	110.70
26	BB	1579	A	O4'-C1'-N9	5.20	112.36	108.20
26	BB	1600	C	O4'-C1'-N1	5.20	112.36	108.20
26	BB	1952	A	C4-C5-N7	5.20	113.30	110.70
26	BB	1968	G	N3-C4-N9	5.20	129.12	126.00
26	BB	1992	G	C8-N9-C4	-5.20	104.32	106.40
26	BB	2072	C	N3-C2-O2	-5.20	118.26	121.90
1	AA	485	U	O3'-P-O5'	-5.19	94.13	104.00
1	AA	547	A	C4'-C3'-C2'	-5.19	97.41	102.60
1	AA	735	C	C5'-C4'-O4'	5.19	115.33	109.10
26	BB	436	C	C5'-C4'-O4'	5.19	115.33	109.10
26	BB	1792	G	C5-N7-C8	-5.19	101.70	104.30
42	BR	80	VAL	CA-CB-CG2	-5.19	103.11	110.90
57	B6	38	LYS	N-CA-CB	-5.19	101.25	110.60
1	AA	130	A	C2-N3-C4	5.19	113.20	110.60
1	AA	287	U	C4'-C3'-C2'	-5.19	97.41	102.60
1	AA	310	G	C4'-C3'-C2'	-5.19	97.41	102.60
1	AA	442	G	C1'-O4'-C4'	-5.19	105.75	109.90
1	AA	497	G	C8-N9-C1'	5.19	133.75	127.00
1	AA	987	G	N9-C1'-C2'	-5.19	106.29	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1070	U	O4'-C1'-N1	5.19	112.35	108.20
18	AR	88	ARG	CD-NE-CZ	5.19	130.87	123.60
21	AU	46	THR	OG1-CB-CG2	-5.19	98.06	110.00
26	BB	289	G	O4'-C1'-C2'	5.19	112.27	107.60
26	BB	463	G	N3-C4-C5	-5.19	126.00	128.60
26	BB	659	G	N9-C1'-C2'	-5.19	106.29	112.00
26	BB	934	U	N3-C4-C5	-5.19	111.48	114.60
26	BB	1065	U	C1'-O4'-C4'	5.19	114.05	109.90
26	BB	1698	A	N3-C4-C5	-5.19	123.17	126.80
26	BB	1841	U	O4'-C1'-N1	5.19	112.35	108.20
26	BB	1868	C	C2-N3-C4	-5.19	117.30	119.90
26	BB	1873	G	N3-C4-C5	-5.19	126.00	128.60
26	BB	2349	G	O4'-C1'-N9	5.19	112.35	108.20
1	AA	32	A	C5-N7-C8	-5.19	101.30	103.90
1	AA	702	A	P-O5'-C5'	5.19	129.20	120.90
1	AA	1326	U	OP1-P-O3'	5.19	116.62	105.20
1	AA	1421	G	P-O5'-C5'	5.19	129.21	120.90
1	AA	1530	G	N3-C4-N9	5.19	129.11	126.00
25	BA	41	G	N3-C2-N2	5.19	123.53	119.90
26	BB	859	G	C8-N9-C4	-5.19	104.32	106.40
26	BB	977	G	C2-N3-C4	-5.19	109.31	111.90
26	BB	1032	A	N1-C2-N3	-5.19	126.70	129.30
26	BB	1814	G	N1-C6-O6	-5.19	116.79	119.90
26	BB	1825	U	O4'-C1'-N1	5.19	112.35	108.20
26	BB	2488	G	C3'-C2'-C1'	-5.19	97.35	101.50
26	BB	2521	C	N3-C2-O2	5.19	125.53	121.90
1	AA	870	U	C5-C6-N1	-5.19	120.11	122.70
1	AA	1387	G	C2-N3-C4	5.19	114.50	111.90
4	AD	24	C	C2-N3-C4	5.19	122.50	119.90
26	BB	31	C	O4'-C1'-C2'	5.19	112.27	107.60
26	BB	489	G	P-O3'-C3'	5.19	125.93	119.70
26	BB	914	G	O4'-C4'-C3'	5.19	110.25	106.10
26	BB	975	A	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	1137	G	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	1420	A	N9-C1'-C2'	-5.19	106.29	112.00
26	BB	1467	U	C6-N1-C2	-5.19	117.89	121.00
26	BB	1639	C	N3-C4-N4	5.19	121.63	118.00
31	BG	121	PHE	CB-CG-CD2	5.19	124.43	120.80
57	B6	53	ASP	O-C-N	5.19	131.00	122.70
1	AA	304	U	N1-C1'-C2'	-5.19	106.29	112.00
1	AA	1026	G	C3'-C2'-C1'	5.19	105.65	101.50
1	AA	1065	U	N1-C1'-C2'	5.19	120.74	114.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1101	A	C5'-C4'-O4'	5.19	115.33	109.10
1	AA	1493	A	C4-C5-N7	5.19	113.29	110.70
4	AD	9	G	C3'-C2'-C1'	5.19	105.65	101.50
25	BA	42	C	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	390	U	C5-C6-N1	-5.19	120.11	122.70
26	BB	485	C	N1-C2-O2	5.19	122.01	118.90
26	BB	1104	C	C3'-C2'-C1'	5.19	105.65	101.50
26	BB	1660	G	C8-N9-C4	-5.19	104.33	106.40
26	BB	1828	G	C5-C6-O6	5.19	131.71	128.60
26	BB	2036	C	C5-C4-N4	5.19	123.83	120.20
26	BB	2686	G	N3-C4-N9	5.19	129.11	126.00
1	AA	144	G	N3-C2-N2	-5.19	116.27	119.90
1	AA	266	G	C5-C6-O6	-5.19	125.49	128.60
1	AA	928	G	N3-C2-N2	5.19	123.53	119.90
1	AA	1139	G	C4-C5-C6	-5.19	115.69	118.80
26	BB	324	A	C5-N7-C8	-5.19	101.31	103.90
26	BB	408	G	C5-N7-C8	-5.19	101.71	104.30
26	BB	516	C	N1-C2-O2	5.19	122.01	118.90
26	BB	1448	G	N1-C6-O6	-5.19	116.79	119.90
26	BB	1693	U	O3'-P-O5'	5.19	113.85	104.00
26	BB	1920	C	N3-C4-C5	-5.19	119.83	121.90
26	BB	2040	G	O4'-C1'-N9	5.19	112.35	108.20
26	BB	2702	G	N3-C4-C5	-5.19	126.01	128.60
1	AA	287	U	C5-C4-O4	5.18	129.01	125.90
1	AA	1130	A	C6-N1-C2	5.18	121.71	118.60
1	AA	1233	G	C1'-O4'-C4'	-5.18	105.75	109.90
1	AA	1535	C	C4-C5-C6	5.18	119.99	117.40
26	BB	170	U	N1-C2-N3	5.18	118.01	114.90
26	BB	529	A	C6-C5-N7	5.18	135.93	132.30
26	BB	945	A	N9-C1'-C2'	5.18	120.74	114.00
26	BB	1204	A	C5'-C4'-O4'	-5.18	102.88	109.10
26	BB	1318	U	N3-C4-O4	5.18	123.03	119.40
26	BB	1612	C	N1-C1'-C2'	-5.18	106.30	112.00
26	BB	1631	G	C5-C6-N1	-5.18	108.91	111.50
26	BB	2100	G	C4-C5-C6	5.18	121.91	118.80
26	BB	2143	C	C5'-C4'-O4'	5.18	115.32	109.10
26	BB	2175	C	O3'-P-O5'	-5.18	94.15	104.00
26	BB	2832	U	C2-N1-C1'	5.18	123.92	117.70
1	AA	1009	U	N3-C2-O2	5.18	125.83	122.20
1	AA	1313	U	N1-C1'-C2'	-5.18	106.30	112.00
13	AM	5	ARG	CD-NE-CZ	5.18	130.85	123.60
26	BB	62	U	N3-C4-O4	5.18	123.03	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	620	G	C8-N9-C4	-5.18	104.33	106.40
26	BB	1008	A	N1-C6-N6	-5.18	115.49	118.60
26	BB	1244	A	C6-C5-N7	-5.18	128.67	132.30
26	BB	1285	A	C5'-C4'-C3'	-5.18	107.71	116.00
26	BB	1586	A	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	1747	U	C5-C4-O4	5.18	129.01	125.90
26	BB	2744	G	C2-N3-C4	5.18	114.49	111.90
53	B2	47	LYS	C-N-CA	5.18	134.66	121.70
1	AA	584	G	C5'-C4'-C3'	-5.18	107.71	116.00
1	AA	1506	U	C4-C5-C6	5.18	122.81	119.70
26	BB	430	A	N3-C4-N9	5.18	131.54	127.40
26	BB	1017	G	C2-N3-C4	5.18	114.49	111.90
26	BB	1174	U	N3-C4-C5	-5.18	111.49	114.60
26	BB	1259	G	C3'-C2'-C1'	5.18	105.64	101.50
26	BB	1636	U	O4'-C4'-C3'	-5.18	98.82	104.00
26	BB	2640	G	C4-C5-N7	-5.18	108.73	110.80
1	AA	149	A	C6-C5-N7	5.18	135.93	132.30
1	AA	291	U	N1-C2-N3	5.18	118.01	114.90
1	AA	642	A	C1'-O4'-C4'	-5.18	105.76	109.90
1	AA	651	C	C6-N1-C2	5.18	122.37	120.30
1	AA	850	U	O4'-C1'-N1	5.18	112.34	108.20
1	AA	1047	G	N9-C1'-C2'	-5.18	106.30	112.00
1	AA	1482	G	C5-C6-O6	5.18	131.71	128.60
11	AK	12	ARG	CD-NE-CZ	5.18	130.85	123.60
25	BA	100	G	C5'-C4'-O4'	5.18	115.32	109.10
26	BB	85	G	C5'-C4'-C3'	-5.18	107.71	116.00
26	BB	870	U	C4-C5-C6	-5.18	116.59	119.70
26	BB	938	G	N7-C8-N9	5.18	115.69	113.10
26	BB	972	A	C6-N1-C2	-5.18	115.49	118.60
26	BB	1328	A	P-O3'-C3'	5.18	125.92	119.70
26	BB	1368	G	C6-C5-N7	5.18	133.51	130.40
26	BB	1706	C	O4'-C4'-C3'	5.18	110.24	106.10
26	BB	1825	U	N3-C2-O2	-5.18	118.57	122.20
28	BD	268	ARG	NH1-CZ-NH2	5.18	125.10	119.40
26	BB	1297	C	N3-C4-N4	5.18	121.62	118.00
26	BB	1814	G	N1-C2-N3	-5.18	120.79	123.90
26	BB	2243	U	C5-C4-O4	-5.18	122.79	125.90
28	BD	13	ARG	NH1-CZ-NH2	-5.18	113.70	119.40
1	AA	429	U	C5-C4-O4	5.18	129.01	125.90
1	AA	587	G	C5-N7-C8	5.18	106.89	104.30
1	AA	710	G	N9-C4-C5	-5.18	103.33	105.40
1	AA	1056	U	C6-N1-C2	-5.18	117.89	121.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	38	C	C6-N1-C2	5.18	122.37	120.30
26	BB	26	G	C2-N3-C4	5.18	114.49	111.90
26	BB	52	A	C6-N1-C2	5.18	121.71	118.60
26	BB	126	A	C6-N1-C2	5.18	121.70	118.60
26	BB	313	G	C6-C5-N7	5.18	133.51	130.40
26	BB	527	C	C4-C5-C6	-5.18	114.81	117.40
26	BB	661	A	N1-C6-N6	-5.18	115.49	118.60
26	BB	843	G	C1'-O4'-C4'	-5.18	105.76	109.90
26	BB	928	A	C2-N3-C4	5.18	113.19	110.60
26	BB	1094	U	N3-C2-O2	-5.18	118.58	122.20
26	BB	1845	G	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	2072	C	C6-N1-C1'	-5.18	114.59	120.80
26	BB	2272	U	N1-C1'-C2'	5.18	120.73	114.00
26	BB	2458	G	C1'-O4'-C4'	-5.18	105.76	109.90
26	BB	2522	U	P-O3'-C3'	5.18	125.91	119.70
26	BB	2557	G	C5-C6-N1	5.18	114.09	111.50
26	BB	2732	G	C1'-O4'-C4'	-5.18	105.76	109.90
1	AA	7	A	O4'-C1'-N9	5.17	112.34	108.20
1	AA	42	G	C8-N9-C4	-5.17	104.33	106.40
1	AA	57	G	C4-C5-C6	5.17	121.91	118.80
1	AA	329	A	C8-N9-C4	5.17	107.87	105.80
1	AA	404	G	C2-N3-C4	5.17	114.49	111.90
1	AA	566	G	N1-C2-N3	-5.17	120.80	123.90
1	AA	593	U	C4-C5-C6	-5.17	116.60	119.70
1	AA	641	U	C3'-C2'-C1'	-5.17	97.36	101.50
1	AA	717	U	P-O3'-C3'	5.17	125.91	119.70
1	AA	907	A	P-O3'-C3'	5.17	125.91	119.70
1	AA	1260	G	C5-C6-N1	5.17	114.09	111.50
9	AI	99	ALA	CB-CA-C	5.17	117.86	110.10
15	AO	44	PRO	N-CA-CB	5.17	109.51	103.30
26	BB	412	A	N1-C2-N3	-5.17	126.71	129.30
26	BB	573	U	C1'-O4'-C4'	5.17	114.04	109.90
26	BB	717	C	C6-N1-C2	-5.17	118.23	120.30
26	BB	763	G	C4-N9-C1'	-5.17	119.77	126.50
26	BB	1139	G	N3-C2-N2	-5.17	116.28	119.90
26	BB	1464	G	N7-C8-N9	5.17	115.69	113.10
26	BB	1516	G	C5-C6-O6	-5.17	125.50	128.60
26	BB	1858	A	C5-N7-C8	-5.17	101.31	103.90
26	BB	1929	G	C2-N3-C4	5.17	114.49	111.90
26	BB	2061	G	O4'-C1'-N9	5.17	112.34	108.20
26	BB	2183	A	C5-C6-N1	5.17	120.29	117.70
26	BB	2341	G	C5-C6-O6	-5.17	125.50	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2371	G	C4-C5-N7	5.17	112.87	110.80
26	BB	2376	A	N9-C1'-C2'	5.17	120.73	114.00
26	BB	2826	A	C4-C5-C6	-5.17	114.41	117.00
47	BW	85	ARG	NE-CZ-NH2	5.17	122.89	120.30
47	BW	102	ILE	CA-CB-CG2	5.17	121.25	110.90
1	AA	304	U	C4-C5-C6	5.17	122.80	119.70
1	AA	756	C	C4'-C3'-C2'	-5.17	97.43	102.60
1	AA	829	G	C2'-C3'-O3'	5.17	121.98	113.70
1	AA	838	G	N1-C6-O6	-5.17	116.80	119.90
1	AA	1221	G	C5'-C4'-C3'	-5.17	107.72	116.00
1	AA	1529	G	C4'-C3'-C2'	-5.17	97.43	102.60
3	AC	37	G	O4'-C1'-N9	5.17	112.34	108.20
26	BB	785	G	C4-C5-N7	5.17	112.87	110.80
26	BB	1416	G	N3-C4-C5	-5.17	126.01	128.60
26	BB	2062	A	P-O3'-C3'	5.17	125.91	119.70
26	BB	2593	U	C4-C5-C6	5.17	122.80	119.70
1	AA	83	C	C5'-C4'-O4'	5.17	115.31	109.10
1	AA	597	G	N3-C2-N2	5.17	123.52	119.90
1	AA	1207	2MG	P-O3'-C3'	5.17	125.91	119.70
1	AA	1241	G	N3-C2-N2	-5.17	116.28	119.90
1	AA	1250	A	P-O5'-C5'	5.17	129.17	120.90
1	AA	1423	G	N3-C4-N9	5.17	129.10	126.00
2	AB	72	U	O4'-C1'-N1	5.17	112.34	108.20
14	AN	81	LEU	CB-CG-CD2	5.17	119.79	111.00
22	AV	60	PHE	CB-CA-C	5.17	120.74	110.40
25	BA	99	A	C6-C5-N7	5.17	135.92	132.30
26	BB	331	C	C2-N3-C4	5.17	122.48	119.90
26	BB	593	U	C1'-O4'-C4'	-5.17	105.76	109.90
26	BB	1044	C	O4'-C1'-N1	5.17	112.34	108.20
26	BB	1579	A	C8-N9-C4	-5.17	103.73	105.80
26	BB	1629	U	N1-C2-N3	5.17	118.00	114.90
26	BB	1635	A	C5'-C4'-C3'	-5.17	107.73	116.00
26	BB	1831	G	C5'-C4'-C3'	-5.17	107.73	116.00
26	BB	2009	A	C2-N3-C4	5.17	113.19	110.60
26	BB	2348	U	P-O5'-C5'	5.17	129.18	120.90
26	BB	2474	U	N3-C2-O2	5.17	125.82	122.20
43	BS	90	ASP	CB-CG-OD2	-5.17	113.65	118.30
1	AA	231	U	C4'-C3'-C2'	-5.17	97.43	102.60
1	AA	742	G	N7-C8-N9	5.17	115.69	113.10
1	AA	1155	A	C4-C5-C6	-5.17	114.42	117.00
22	AV	63	ASP	N-CA-CB	-5.17	101.29	110.60
26	BB	1026	G	N1-C2-N3	-5.17	120.80	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1642	G	C5-C6-O6	-5.17	125.50	128.60
26	BB	1997	C	C5'-C4'-O4'	5.17	115.30	109.10
26	BB	2886	A	O5'-C5'-C4'	-5.17	101.88	111.70
1	AA	554	A	P-O3'-C3'	5.17	125.90	119.70
1	AA	642	A	C6-N1-C2	5.17	121.70	118.60
1	AA	774	G	O5'-P-OP1	-5.17	101.05	105.70
1	AA	1381	U	C5-C6-N1	-5.17	120.12	122.70
1	AA	1448	C	C4'-C3'-C2'	-5.17	97.43	102.60
3	AC	38	G	C5-C6-O6	-5.17	125.50	128.60
4	AD	16	C	N1-C2-N3	-5.17	115.58	119.20
6	AF	164	THR	C-N-CA	5.17	134.62	121.70
26	BB	431	U	C3'-C2'-C1'	5.17	105.64	101.50
26	BB	470	A	C4-C5-N7	-5.17	108.12	110.70
26	BB	629	G	N1-C2-N3	5.17	127.00	123.90
26	BB	1176	U	C1'-O4'-C4'	-5.17	105.77	109.90
26	BB	1542	U	C5'-C4'-C3'	-5.17	107.73	116.00
26	BB	1652	A	C4-C5-N7	-5.17	108.12	110.70
26	BB	1683	U	C5-C6-N1	-5.17	120.12	122.70
26	BB	2024	G	N3-C4-N9	5.17	129.10	126.00
26	BB	2051	A	O4'-C1'-N9	5.17	112.33	108.20
26	BB	2802	G	N3-C4-N9	5.17	129.10	126.00
1	AA	22	G	N3-C2-N2	5.17	123.52	119.90
1	AA	215	C	C2-N3-C4	5.17	122.48	119.90
1	AA	924	C	O4'-C1'-C2'	5.17	112.25	107.60
25	BA	21	G	C8-N9-C1'	5.17	133.72	127.00
26	BB	521	U	C4-C5-C6	5.17	122.80	119.70
26	BB	621	A	C5'-C4'-O4'	5.17	115.30	109.10
26	BB	941	A	N1-C6-N6	-5.17	115.50	118.60
26	BB	1211	C	C4-C5-C6	5.17	119.98	117.40
26	BB	1470	A	N1-C6-N6	5.17	121.70	118.60
26	BB	1475	G	N3-C4-C5	-5.17	126.02	128.60
26	BB	1760	C	C4-C5-C6	5.17	119.98	117.40
26	BB	1829	A	O4'-C4'-C3'	5.17	110.23	106.10
26	BB	1896	G	C6-N1-C2	-5.17	122.00	125.10
26	BB	2323	G	O5'-C5'-C4'	-5.17	101.89	111.70
37	BM	72	PRO	CA-N-CD	-5.17	104.27	111.50
39	BO	40	ARG	NE-CZ-NH1	5.17	122.88	120.30
1	AA	538	G	N3-C2-N2	5.17	123.52	119.90
26	BB	555	G	N9-C1'-C2'	-5.17	106.32	112.00
26	BB	628	G	N3-C2-N2	5.17	123.52	119.90
26	BB	1136	G	N3-C4-C5	-5.17	126.02	128.60
26	BB	1763	G	O4'-C4'-C3'	-5.17	98.83	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1935	G	C4-C5-C6	5.17	121.90	118.80
1	AA	65	A	C6-C5-N7	5.16	135.91	132.30
1	AA	76	G	N9-C1'-C2'	-5.16	106.32	112.00
1	AA	171	A	P-O5'-C5'	-5.16	112.64	120.90
1	AA	830	G	P-O3'-C3'	5.16	125.90	119.70
1	AA	1085	U	C1'-O4'-C4'	-5.16	105.77	109.90
1	AA	1102	A	C6-N1-C2	5.16	121.70	118.60
1	AA	1234	C	O4'-C4'-C3'	5.16	110.23	106.10
1	AA	1351	U	C5-C6-N1	5.16	125.28	122.70
3	AC	30	U	O5'-P-OP1	-5.16	101.05	105.70
13	AM	49	PHE	CB-CG-CD2	5.16	124.41	120.80
26	BB	905	A	N1-C2-N3	5.16	131.88	129.30
26	BB	934	U	C4'-C3'-C2'	5.16	107.76	102.60
26	BB	1105	U	N3-C4-O4	5.16	123.01	119.40
26	BB	1110	G	N3-C4-N9	-5.16	122.90	126.00
26	BB	1439	A	N3-C4-C5	-5.16	123.19	126.80
26	BB	1561	C	N3-C2-O2	-5.16	118.29	121.90
1	AA	699	C	C3'-C2'-C1'	5.16	105.63	101.50
1	AA	729	A	N3-C4-N9	-5.16	123.27	127.40
25	BA	79	G	C5'-C4'-C3'	-5.16	107.74	116.00
26	BB	370	G	C6-N1-C2	-5.16	122.00	125.10
26	BB	726	G	O3'-P-O5'	-5.16	94.19	104.00
26	BB	1029	A	N9-C4-C5	5.16	107.86	105.80
26	BB	1101	U	P-O3'-C3'	5.16	125.89	119.70
26	BB	1142	A	C5-C6-N6	-5.16	119.57	123.70
26	BB	1187	G	C8-N9-C1'	5.16	133.71	127.00
26	BB	1209	U	N1-C2-O2	5.16	126.41	122.80
26	BB	1499	C	C3'-C2'-C1'	5.16	105.63	101.50
26	BB	1884	G	C5-C6-N1	5.16	114.08	111.50
26	BB	1972	G	O4'-C1'-N9	5.16	112.33	108.20
26	BB	2224	G	O4'-C1'-N9	-5.16	104.07	108.20
1	AA	9	G	C4-C5-N7	-5.16	108.74	110.80
1	AA	109	A	N9-C4-C5	-5.16	103.74	105.80
1	AA	158	G	C8-N9-C4	-5.16	104.33	106.40
1	AA	512	U	O4'-C1'-C2'	5.16	112.24	107.60
1	AA	799	G	C5'-C4'-C3'	-5.16	107.74	116.00
1	AA	863	U	C6-N1-C2	-5.16	117.90	121.00
1	AA	943	U	C5-C4-O4	-5.16	122.80	125.90
1	AA	1367	C	N3-C2-O2	-5.16	118.29	121.90
2	AB	42	G	C5-N7-C8	-5.16	101.72	104.30
25	BA	62	C	P-O3'-C3'	5.16	125.89	119.70
26	BB	397	U	O3'-P-O5'	5.16	113.81	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1091	G	N3-C4-C5	-5.16	126.02	128.60
26	BB	1150	C	O5'-C5'-C4'	-5.16	101.90	111.70
26	BB	1226	A	N1-C6-N6	5.16	121.70	118.60
26	BB	1241	A	N1-C6-N6	5.16	121.70	118.60
26	BB	1364	G	O4'-C4'-C3'	5.16	110.23	106.10
26	BB	1432	G	N3-C4-N9	5.16	129.10	126.00
26	BB	1641	A	P-O5'-C5'	5.16	129.16	120.90
26	BB	2107	G	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	2299	U	N1-C1'-C2'	-5.16	106.32	112.00
26	BB	2307	G	C5-C6-N1	5.16	114.08	111.50
26	BB	2312	U	C5'-C4'-O4'	5.16	115.29	109.10
26	BB	2399	G	C5'-C4'-C3'	-5.16	107.74	116.00
26	BB	2670	A	C3'-C2'-C1'	-5.16	97.37	101.50
1	AA	734	G	N3-C4-C5	-5.16	126.02	128.60
1	AA	1254	A	N3-C4-C5	-5.16	123.19	126.80
2	AB	68	C	C5-C4-N4	-5.16	116.59	120.20
26	BB	72	U	C5'-C4'-C3'	-5.16	107.75	116.00
26	BB	82	U	O4'-C1'-C2'	-5.16	100.64	105.80
26	BB	294	A	C4-C5-C6	5.16	119.58	117.00
26	BB	680	C	O5'-P-OP2	-5.16	101.06	105.70
26	BB	709	U	N3-C2-O2	-5.16	118.59	122.20
26	BB	812	C	N3-C4-C5	-5.16	119.84	121.90
26	BB	924	G	N3-C4-N9	5.16	129.09	126.00
26	BB	1486	U	N3-C4-C5	5.16	117.69	114.60
26	BB	1490	A	C1'-O4'-C4'	-5.16	105.77	109.90
26	BB	1517	G	C3'-C2'-C1'	5.16	105.63	101.50
26	BB	1594	U	C2-N1-C1'	5.16	123.89	117.70
26	BB	1690	A	C4-C5-N7	-5.16	108.12	110.70
26	BB	1694	C	C5-C6-N1	5.16	123.58	121.00
26	BB	2444	G	N7-C8-N9	5.16	115.68	113.10
26	BB	2446	G	C2-N3-C4	5.16	114.48	111.90
26	BB	2585	U	N1-C2-O2	5.16	126.41	122.80
26	BB	2633	G	N1-C2-N2	5.16	120.84	116.20
26	BB	2717	C	C5-C6-N1	5.16	123.58	121.00
26	BB	2837	A	C3'-C2'-C1'	5.16	105.63	101.50
1	AA	89	U	C5'-C4'-O4'	-5.16	102.91	109.10
1	AA	213	G	C5'-C4'-C3'	-5.16	107.75	116.00
1	AA	289	G	C8-N9-C4	-5.16	104.34	106.40
1	AA	1409	C	C5'-C4'-O4'	5.16	115.29	109.10
4	AD	50	G	N3-C2-N2	5.16	123.51	119.90
26	BB	774	G	N1-C2-N3	-5.16	120.81	123.90
26	BB	914	G	N1-C2-N2	-5.16	111.56	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1005	C	O3'-P-O5'	-5.16	94.20	104.00
26	BB	1390	U	C4-C5-C6	-5.16	116.61	119.70
26	BB	1546	G	C8-N9-C4	-5.16	104.34	106.40
26	BB	2105	U	O5'-P-OP2	-5.16	101.06	105.70
26	BB	2119	A	N1-C2-N3	-5.16	126.72	129.30
26	BB	2128	G	O4'-C4'-C3'	5.16	110.23	106.10
26	BB	2825	G	C5-C6-N1	5.16	114.08	111.50
1	AA	32	A	O3'-P-O5'	5.16	113.80	104.00
1	AA	838	G	C4'-C3'-C2'	-5.16	97.44	102.60
1	AA	975	A	N7-C8-N9	-5.16	111.22	113.80
1	AA	1073	U	N3-C2-O2	-5.16	118.59	122.20
1	AA	1091	U	C5'-C4'-C3'	5.16	124.25	116.00
1	AA	1301	U	C4'-C3'-C2'	5.16	107.76	102.60
1	AA	1415	G	O4'-C1'-C2'	-5.16	100.64	105.80
1	AA	1433	A	C5-C6-N1	-5.16	115.12	117.70
3	AC	41	A	N3-C4-N9	5.16	131.52	127.40
23	AW	17	ARG	NE-CZ-NH2	5.16	122.88	120.30
25	BA	105	G	N3-C2-N2	5.16	123.51	119.90
26	BB	370	G	N7-C8-N9	5.16	115.68	113.10
26	BB	530	G	C6-N1-C2	-5.16	122.01	125.10
26	BB	561	G	N3-C4-C5	-5.16	126.02	128.60
26	BB	624	C	O4'-C1'-C2'	-5.16	100.64	105.80
26	BB	692	C	C3'-C2'-C1'	-5.16	97.38	101.50
26	BB	876	C	C4-C5-C6	-5.16	114.82	117.40
26	BB	1041	G	C4-C5-C6	5.16	121.89	118.80
26	BB	1068	G	C4-C5-N7	5.16	112.86	110.80
26	BB	1378	A	C1'-O4'-C4'	-5.16	105.78	109.90
26	BB	1492	G	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	1716	U	C2-N3-C4	5.16	130.09	127.00
26	BB	1987	A	C3'-C2'-C1'	5.16	105.62	101.50
26	BB	2011	U	N1-C1'-C2'	-5.16	106.33	112.00
26	BB	2018	G	N1-C2-N2	5.16	120.84	116.20
26	BB	2084	C	N3-C4-N4	5.16	121.61	118.00
26	BB	2566	A	C5'-C4'-O4'	5.16	115.29	109.10
1	AA	704	A	C4-C5-N7	-5.15	108.12	110.70
1	AA	734	G	N1-C2-N2	5.15	120.84	116.20
1	AA	809	G	O4'-C1'-N9	5.15	112.32	108.20
7	AG	167	PRO	N-CA-CB	5.15	109.48	103.30
26	BB	132	G	C5-C6-O6	-5.15	125.51	128.60
26	BB	991	C	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	1555	G	OP1-P-O3'	5.15	116.54	105.20
26	BB	1565	C	C1'-O4'-C4'	5.15	114.02	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1711	A	C6-N1-C2	-5.15	115.51	118.60
26	BB	2283	C	N1-C1'-C2'	-5.15	106.33	112.00
26	BB	2657	A	N9-C4-C5	5.15	107.86	105.80
1	AA	135	C	O4'-C1'-N1	5.15	112.32	108.20
1	AA	410	G	C6-N1-C2	-5.15	122.01	125.10
1	AA	492	C	C1'-O4'-C4'	5.15	114.02	109.90
1	AA	1285	A	C5'-C4'-C3'	-5.15	107.75	116.00
1	AA	1440	U	N3-C4-C5	-5.15	111.51	114.60
1	AA	1466	C	C5'-C4'-O4'	5.15	115.28	109.10
1	AA	1515	G	C4'-C3'-C2'	-5.15	97.45	102.60
2	AB	42	G	N9-C4-C5	5.15	107.46	105.40
2	AB	67	G	C4-C5-N7	5.15	112.86	110.80
26	BB	48	G	C5-N7-C8	5.15	106.88	104.30
26	BB	623	C	N3-C4-N4	5.15	121.61	118.00
26	BB	871	U	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	908	C	N1-C2-O2	5.15	121.99	118.90
26	BB	1230	A	C5'-C4'-C3'	-5.15	107.76	116.00
26	BB	1632	A	C4-C5-N7	5.15	113.28	110.70
26	BB	1697	G	O4'-C1'-N9	5.15	112.32	108.20
26	BB	1771	C	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	2372	U	C3'-C2'-C1'	-5.15	97.38	101.50
26	BB	2717	C	N3-C4-C5	5.15	123.96	121.90
26	BB	2846	G	O3'-P-O5'	5.15	113.79	104.00
32	BH	19	ASN	C-N-CA	5.15	133.12	122.30
38	BN	91	ASP	CB-CG-OD1	-5.15	113.66	118.30
1	AA	407	U	C5'-C4'-O4'	5.15	115.28	109.10
1	AA	693	G	C8-N9-C1'	5.15	133.70	127.00
7	AG	91	ALA	CB-CA-C	5.15	117.83	110.10
25	BA	33	G	N3-C4-N9	-5.15	122.91	126.00
26	BB	86	G	C6-N1-C2	-5.15	122.01	125.10
26	BB	119	A	C5'-C4'-C3'	-5.15	107.76	116.00
26	BB	192	C	C1'-O4'-C4'	-5.15	105.78	109.90
26	BB	246	C	C4-C5-C6	-5.15	114.83	117.40
26	BB	447	A	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	653	U	C5-C6-N1	-5.15	120.12	122.70
26	BB	723	C	N1-C2-N3	5.15	122.81	119.20
26	BB	922	C	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	1012	U	P-O3'-C3'	5.15	125.88	119.70
26	BB	1452	G	C4-C5-N7	5.15	112.86	110.80
26	BB	1552	A	C5'-C4'-C3'	-5.15	107.76	116.00
26	BB	1985	C	P-O3'-C3'	5.15	125.88	119.70
26	BB	2116	G	N1-C2-N2	5.15	120.84	116.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2536	G	N3-C4-N9	5.15	129.09	126.00
1	AA	1143	G	N3-C4-N9	-5.15	122.91	126.00
1	AA	1143	G	N9-C4-C5	5.15	107.46	105.40
1	AA	1157	A	P-O5'-C5'	5.15	129.14	120.90
8	AH	45	VAL	CA-C-N	5.15	126.50	116.20
26	BB	1629	U	P-O3'-C3'	5.15	125.88	119.70
26	BB	1983	G	N9-C4-C5	5.15	107.46	105.40
26	BB	2190	G	N3-C2-N2	5.15	123.50	119.90
26	BB	2383	G	C2-N3-C4	5.15	114.47	111.90
26	BB	2893	A	C6-C5-N7	5.15	135.90	132.30
1	AA	5	U	C4-C5-C6	5.15	122.79	119.70
1	AA	275	G	C2-N3-C4	5.15	114.47	111.90
1	AA	305	G	N3-C4-C5	-5.15	126.03	128.60
1	AA	497	G	C6-C5-N7	-5.15	127.31	130.40
1	AA	668	G	N9-C4-C5	5.15	107.46	105.40
1	AA	694	A	O4'-C1'-C2'	-5.15	100.65	105.80
1	AA	1004	A	N1-C6-N6	5.15	121.69	118.60
1	AA	1234	C	OP1-P-O3'	5.15	116.53	105.20
1	AA	1492	A	C3'-C2'-C1'	5.15	105.62	101.50
1	AA	1517	G	C2-N3-C4	-5.15	109.33	111.90
25	BA	23	G	O4'-C1'-N9	-5.15	104.08	108.20
26	BB	499	U	C5-C6-N1	-5.15	120.13	122.70
26	BB	751	A	C4-C5-C6	-5.15	114.43	117.00
26	BB	876	C	N1-C2-N3	-5.15	115.60	119.20
26	BB	1098	A	C1'-O4'-C4'	-5.15	105.78	109.90
26	BB	1633	G	N3-C4-C5	-5.15	126.03	128.60
26	BB	1728	C	C4-C5-C6	5.15	119.97	117.40
26	BB	1780	A	N1-C6-N6	5.15	121.69	118.60
26	BB	2120	G	C5-N7-C8	-5.15	101.73	104.30
26	BB	2160	C	N1-C2-N3	-5.15	115.60	119.20
26	BB	2524	G	C6-N1-C2	-5.15	122.01	125.10
26	BB	2594	C	N1-C2-N3	-5.15	115.60	119.20
26	BB	2642	G	C5-C6-N1	5.15	114.07	111.50
26	BB	2642	G	N3-C4-N9	-5.15	122.91	126.00
27	BC	12	ARG	NE-CZ-NH1	-5.15	117.73	120.30
28	BD	261	ARG	NH1-CZ-NH2	5.15	125.06	119.40
1	AA	154	U	N1-C1'-C2'	-5.15	106.34	112.00
1	AA	598	U	O4'-C1'-N1	5.15	112.32	108.20
26	BB	31	C	O4'-C4'-C3'	5.15	110.22	106.10
26	BB	202	U	O4'-C1'-C2'	5.15	112.23	107.60
26	BB	298	G	P-O3'-C3'	-5.15	113.53	119.70
26	BB	541	A	N9-C1'-C2'	-5.15	106.34	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	663	G	N9-C1'-C2'	-5.15	106.34	112.00
26	BB	827	U	C4'-C3'-C2'	5.15	107.75	102.60
26	BB	1250	G	N9-C4-C5	5.15	107.46	105.40
26	BB	2367	G	C4'-C3'-C2'	-5.15	97.45	102.60
26	BB	2719	G	C4'-C3'-C2'	-5.15	97.45	102.60
31	BG	124	ARG	N-CA-CB	-5.15	101.34	110.60
1	AA	21	G	C4-C5-C6	5.14	121.89	118.80
1	AA	98	A	C5-C6-N1	-5.14	115.13	117.70
1	AA	380	G	C2-N3-C4	5.14	114.47	111.90
1	AA	643	C	N1-C1'-C2'	-5.14	106.34	112.00
1	AA	709	U	C6-N1-C2	-5.14	117.91	121.00
1	AA	895	G	N1-C6-O6	5.14	122.99	119.90
1	AA	925	G	OP1-P-OP2	-5.14	111.88	119.60
1	AA	947	G	N3-C4-C5	5.14	131.17	128.60
1	AA	1171	A	C5-C6-N6	5.14	127.81	123.70
4	AD	66	C	C1'-O4'-C4'	5.14	114.02	109.90
12	AL	17	ARG	N-CA-CB	5.14	119.86	110.60
25	BA	44	G	C4'-C3'-O3'	-5.14	98.59	109.40
26	BB	535	G	N9-C1'-C2'	-5.14	106.34	112.00
26	BB	1543	G	C1'-O4'-C4'	-5.14	105.78	109.90
26	BB	1554	U	C5-C6-N1	5.14	125.27	122.70
26	BB	1731	G	O3'-P-O5'	-5.14	94.23	104.00
26	BB	1743	G	N1-C2-N2	-5.14	111.57	116.20
26	BB	2193	G	C4-C5-C6	5.14	121.89	118.80
26	BB	2456	C	O4'-C1'-C2'	-5.14	100.66	105.80
26	BB	2463	C	C1'-O4'-C4'	5.14	114.02	109.90
26	BB	2616	C	C5'-C4'-C3'	5.14	124.23	116.00
26	BB	2797	U	N1-C2-N3	5.14	117.99	114.90
26	BB	2853	C	C5-C6-N1	5.14	123.57	121.00
29	BE	108	ASP	CB-CG-OD2	5.14	122.93	118.30
53	B2	63	ARG	NE-CZ-NH2	-5.14	117.73	120.30
1	AA	14	U	N1-C2-O2	5.14	126.40	122.80
1	AA	32	A	N7-C8-N9	5.14	116.37	113.80
1	AA	91	U	N1-C1'-C2'	-5.14	106.34	112.00
1	AA	247	G	P-O3'-C3'	5.14	125.87	119.70
1	AA	523	A	C6-C5-N7	5.14	135.90	132.30
1	AA	742	G	N1-C2-N2	5.14	120.83	116.20
1	AA	869	G	C8-N9-C1'	5.14	133.69	127.00
1	AA	945	G	N9-C4-C5	5.14	107.46	105.40
1	AA	1280	A	C5-C6-N1	-5.14	115.13	117.70
4	AD	34	U	O3'-P-O5'	-5.14	94.23	104.00
4	AD	69	C	C4'-C3'-O3'	5.14	123.29	113.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	237	C	N1-C2-N3	-5.14	115.60	119.20
26	BB	376	G	C5-N7-C8	5.14	106.87	104.30
26	BB	453	A	C3'-C2'-C1'	-5.14	97.39	101.50
26	BB	656	G	N1-C2-N2	5.14	120.83	116.20
26	BB	783	A	C8-N9-C4	-5.14	103.74	105.80
26	BB	843	G	O4'-C4'-C3'	5.14	110.22	106.10
26	BB	1086	A	N7-C8-N9	5.14	116.37	113.80
26	BB	1397	U	O4'-C1'-C2'	5.14	112.23	107.60
26	BB	1622	G	C5-N7-C8	5.14	106.87	104.30
26	BB	1759	A	O4'-C1'-C2'	-5.14	100.66	105.80
26	BB	1949	G	N3-C2-N2	-5.14	116.30	119.90
26	BB	2389	G	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	28	A	C4-C5-C6	5.14	119.57	117.00
1	AA	255	G	O4'-C4'-C3'	5.14	110.21	106.10
1	AA	525	C	C5'-C4'-O4'	5.14	115.27	109.10
1	AA	1006	G	C5-C6-O6	5.14	131.69	128.60
1	AA	1117	A	C4-C5-N7	5.14	113.27	110.70
1	AA	1260	G	N3-C4-C5	-5.14	126.03	128.60
1	AA	1437	A	C2-N3-C4	5.14	113.17	110.60
26	BB	491	G	C1'-O4'-C4'	5.14	114.01	109.90
26	BB	1139	G	C3'-C2'-C1'	-5.14	97.39	101.50
26	BB	1448	G	C6-C5-N7	-5.14	127.31	130.40
26	BB	1682	G	C5-N7-C8	-5.14	101.73	104.30
26	BB	2521	C	P-O3'-C3'	5.14	125.87	119.70
26	BB	2638	G	N9-C4-C5	5.14	107.46	105.40
26	BB	2699	C	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	127	G	C4-C5-N7	5.14	112.86	110.80
1	AA	258	G	C8-N9-C1'	5.14	133.68	127.00
1	AA	344	A	C8-N9-C4	-5.14	103.74	105.80
1	AA	371	A	C6-N1-C2	5.14	121.68	118.60
1	AA	865	A	C6-N1-C2	5.14	121.68	118.60
1	AA	929	G	C4-C5-N7	-5.14	108.75	110.80
1	AA	955	U	C2-N3-C4	-5.14	123.92	127.00
1	AA	1395	C	N1-C2-O2	5.14	121.98	118.90
26	BB	279	A	C5-C6-N6	-5.14	119.59	123.70
26	BB	434	U	C3'-C2'-C1'	-5.14	97.39	101.50
26	BB	473	G	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	486	C	C5-C4-N4	-5.14	116.60	120.20
26	BB	636	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	711	G	P-O3'-C3'	5.14	125.87	119.70
26	BB	1013	C	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	1569	A	N9-C1'-C2'	-5.14	106.35	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1762	A	N1-C6-N6	5.14	121.68	118.60
26	BB	1984	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	2024	G	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	2035	G	C6-C5-N7	5.14	133.48	130.40
26	BB	2276	G	C5-C6-O6	5.14	131.68	128.60
26	BB	2448	A	N7-C8-N9	5.14	116.37	113.80
26	BB	2690	U	C6-N1-C1'	5.14	128.40	121.20
26	BB	2777	G	P-O5'-C5'	5.14	129.12	120.90
26	BB	2882	A	N1-C6-N6	-5.14	115.52	118.60
27	BC	6	LYS	CB-CG-CD	5.14	124.96	111.60
1	AA	241	G	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	1079	G	N9-C1'-C2'	-5.14	106.35	112.00
1	AA	1240	U	N1-C2-N3	5.14	117.98	114.90
1	AA	1279	G	N1-C6-O6	-5.14	116.82	119.90
2	AB	61	C	N1-C2-N3	-5.14	115.60	119.20
26	BB	5	A	N7-C8-N9	5.14	116.37	113.80
26	BB	2372	U	C2-N3-C4	-5.14	123.92	127.00
26	BB	2602	A	P-O3'-C3'	5.14	125.87	119.70
26	BB	2644	G	N1-C2-N2	5.14	120.83	116.20
1	AA	492	C	N3-C4-C5	5.14	123.95	121.90
1	AA	588	G	C4-C5-C6	5.14	121.88	118.80
1	AA	1441	A	C1'-O4'-C4'	-5.14	105.79	109.90
3	AC	17	U	C1'-O4'-C4'	5.14	114.01	109.90
4	AD	2	G	N7-C8-N9	5.14	115.67	113.10
26	BB	252	G	C6-C5-N7	-5.14	127.32	130.40
26	BB	480	A	N7-C8-N9	-5.14	111.23	113.80
26	BB	607	U	N3-C2-O2	-5.14	118.60	122.20
26	BB	675	A	N1-C2-N3	-5.14	126.73	129.30
26	BB	871	U	N1-C2-N3	5.14	117.98	114.90
26	BB	1238	G	C8-N9-C4	-5.14	104.34	106.40
26	BB	1283	G	C5'-C4'-C3'	-5.14	107.78	116.00
26	BB	1335	C	O4'-C1'-N1	5.14	112.31	108.20
26	BB	1358	G	N3-C4-N9	5.14	129.08	126.00
26	BB	1437	C	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	1633	G	N1-C6-O6	-5.14	116.82	119.90
26	BB	1919	A	C5'-C4'-O4'	5.14	115.26	109.10
26	BB	2252	G	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	2759	G	N1-C2-N3	-5.14	120.82	123.90
26	BB	2828	G	C8-N9-C4	-5.14	104.34	106.40
26	BB	2877	G	N1-C2-N2	5.14	120.82	116.20
1	AA	302	G	C5-C6-N1	-5.13	108.93	111.50
1	AA	342	C	C4-C5-C6	-5.13	114.83	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	436	C	C5-C6-N1	5.13	123.57	121.00
1	AA	592	G	N1-C2-N2	5.13	120.82	116.20
1	AA	660	C	O4'-C1'-N1	5.13	112.31	108.20
1	AA	694	A	C3'-C2'-C1'	5.13	105.61	101.50
1	AA	1184	G	O5'-P-OP1	-5.13	101.08	105.70
1	AA	1186	G	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	1302	C	C5-C6-N1	-5.13	118.43	121.00
1	AA	1347	G	C4-C5-N7	-5.13	108.75	110.80
1	AA	1448	C	C1'-O4'-C4'	-5.13	105.79	109.90
1	AA	1537	U	C2-N3-C4	-5.13	123.92	127.00
3	AC	36	U	C2-N3-C4	-5.13	123.92	127.00
25	BA	20	G	C4-C5-C6	5.13	121.88	118.80
25	BA	39	A	N9-C4-C5	5.13	107.85	105.80
26	BB	308	G	O4'-C1'-C2'	-5.13	100.67	105.80
26	BB	551	G	N7-C8-N9	5.13	115.67	113.10
26	BB	625	G	C5-C6-O6	-5.13	125.52	128.60
26	BB	1396	U	C5-C4-O4	-5.13	122.82	125.90
26	BB	1509	A	C3'-C2'-C1'	-5.13	97.39	101.50
26	BB	1811	G	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	2127	G	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	2237	G	O4'-C4'-C3'	5.13	110.21	106.10
27	BC	78	PHE	C-N-CA	5.13	134.53	121.70
34	BJ	52	ARG	NE-CZ-NH1	5.13	122.87	120.30
40	BP	84	GLY	CA-C-O	-5.13	111.36	120.60
1	AA	56	U	N1-C1'-C2'	-5.13	106.35	112.00
1	AA	410	G	N3-C4-N9	-5.13	122.92	126.00
1	AA	658	C	C6-N1-C2	-5.13	118.25	120.30
1	AA	1082	A	N9-C1'-C2'	-5.13	106.35	112.00
1	AA	1524	C	N1-C2-N3	-5.13	115.61	119.20
4	AD	38	A	N1-C2-N3	-5.13	126.73	129.30
26	BB	237	C	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	632	A	O4'-C1'-N9	5.13	112.31	108.20
26	BB	662	G	N3-C4-C5	-5.13	126.03	128.60
26	BB	727	A	C3'-C2'-C1'	5.13	105.61	101.50
26	BB	804	A	N3-C4-N9	-5.13	123.29	127.40
26	BB	1200	C	C5-C4-N4	-5.13	116.61	120.20
26	BB	1800	C	C5-C6-N1	-5.13	118.43	121.00
26	BB	2699	C	O4'-C4'-C3'	5.13	110.21	106.10
26	BB	2880	C	N3-C4-N4	5.13	121.59	118.00
1	AA	97	G	C2-N3-C4	5.13	114.47	111.90
1	AA	906	A	N1-C2-N3	5.13	131.87	129.30
1	AA	1127	G	C5-N7-C8	5.13	106.86	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1188	A	N7-C8-N9	5.13	116.37	113.80
4	AD	24	C	N1-C2-O2	-5.13	115.82	118.90
25	BA	100	G	P-O3'-C3'	5.13	125.86	119.70
26	BB	19	A	C8-N9-C4	-5.13	103.75	105.80
26	BB	438	G	C5-C6-N1	-5.13	108.93	111.50
26	BB	629	G	C2-N3-C4	-5.13	109.33	111.90
26	BB	913	U	O3'-P-O5'	-5.13	94.25	104.00
26	BB	930	G	N7-C8-N9	5.13	115.67	113.10
26	BB	1226	A	C2-N3-C4	5.13	113.17	110.60
26	BB	1497	U	N3-C4-C5	-5.13	111.52	114.60
26	BB	1503	A	N1-C6-N6	5.13	121.68	118.60
26	BB	1625	C	N1-C2-N3	-5.13	115.61	119.20
26	BB	1628	G	C5'-C4'-C3'	-5.13	107.79	116.00
26	BB	1654	A	C6-C5-N7	5.13	135.89	132.30
26	BB	1757	A	P-O3'-C3'	5.13	125.86	119.70
26	BB	1771	C	N1-C2-N3	-5.13	115.61	119.20
26	BB	1818	U	C3'-C2'-C1'	5.13	105.61	101.50
26	BB	2300	C	C5-C6-N1	5.13	123.57	121.00
26	BB	2454	G	C4'-C3'-C2'	-5.13	97.47	102.60
31	BG	141	ASP	CB-CA-C	5.13	120.66	110.40
1	AA	133	U	N3-C4-C5	5.13	117.68	114.60
1	AA	812	G	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	876	C	C5-C6-N1	5.13	123.56	121.00
1	AA	1159	U	C3'-C2'-C1'	5.13	105.60	101.50
2	AB	59	G	C2-N3-C4	5.13	114.47	111.90
25	BA	105	G	O4'-C4'-C3'	5.13	110.20	106.10
26	BB	118	A	O4'-C1'-N9	5.13	112.30	108.20
26	BB	155	A	C3'-C2'-C1'	-5.13	97.40	101.50
26	BB	230	G	P-O3'-C3'	5.13	125.86	119.70
26	BB	760	G	C5-C6-O6	-5.13	125.52	128.60
26	BB	1019	U	P-O3'-C3'	5.13	125.86	119.70
26	BB	1571	A	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	1800	C	O4'-C4'-C3'	5.13	110.20	106.10
26	BB	2419	U	N3-C4-C5	-5.13	111.52	114.60
1	AA	69	G	P-O3'-C3'	5.13	125.85	119.70
1	AA	386	C	C5-C4-N4	-5.13	116.61	120.20
1	AA	809	G	C4-N9-C1'	-5.13	119.83	126.50
1	AA	959	A	N7-C8-N9	-5.13	111.24	113.80
1	AA	960	U	N3-C2-O2	-5.13	118.61	122.20
1	AA	982	U	C5-C4-O4	5.13	128.98	125.90
1	AA	991	U	P-O3'-C3'	5.13	125.85	119.70
1	AA	1315	U	C6-N1-C2	-5.13	117.92	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	54	U	C5-C6-N1	-5.13	120.14	122.70
8	AH	141	ASP	CB-CG-OD2	-5.13	113.68	118.30
25	BA	53	A	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	178	G	P-O3'-C3'	5.13	125.86	119.70
26	BB	396	G	C1'-O4'-C4'	-5.13	105.80	109.90
26	BB	603	A	N9-C4-C5	5.13	107.85	105.80
26	BB	910	A	N9-C4-C5	5.13	107.85	105.80
26	BB	1222	U	C1'-O4'-C4'	5.13	114.00	109.90
26	BB	1408	G	C6-C5-N7	5.13	133.48	130.40
26	BB	1824	G	N1-C2-N3	-5.13	120.82	123.90
26	BB	2401	U	C2-N1-C1'	-5.13	111.55	117.70
26	BB	2671	G	N9-C4-C5	5.13	107.45	105.40
44	BT	53	PHE	CB-CG-CD2	-5.13	117.21	120.80
1	AA	284	C	C2-N1-C1'	-5.13	113.16	118.80
1	AA	593	U	C5'-C4'-C3'	-5.13	107.80	116.00
1	AA	854	U	O4'-C1'-N1	5.13	112.30	108.20
1	AA	955	U	C5-C6-N1	-5.13	120.14	122.70
1	AA	1176	A	P-O5'-C5'	5.13	129.10	120.90
1	AA	1260	G	C3'-C2'-C1'	5.13	105.60	101.50
4	AD	14	A	N9-C1'-C2'	-5.13	106.36	112.00
11	AK	113	ARG	NH1-CZ-NH2	-5.13	113.76	119.40
15	AO	106	VAL	CA-CB-CG1	5.13	118.59	110.90
26	BB	1242	U	P-O3'-C3'	5.13	125.85	119.70
26	BB	1585	C	N1-C1'-C2'	-5.13	106.36	112.00
26	BB	1724	G	C5'-C4'-O4'	5.13	115.25	109.10
26	BB	1868	C	O5'-C5'-C4'	-5.13	101.96	111.70
26	BB	2305	U	C3'-C2'-C1'	5.13	105.60	101.50
26	BB	2430	A	P-O3'-C3'	5.13	125.85	119.70
28	BD	212	TRP	NE1-CE2-CD2	-5.13	102.17	107.30
46	BV	37	ASP	CB-CG-OD2	5.13	122.92	118.30
1	AA	55	A	N1-C2-N3	-5.12	126.74	129.30
1	AA	474	G	C6-C5-N7	-5.12	127.33	130.40
1	AA	540	G	N9-C4-C5	5.12	107.45	105.40
1	AA	547	A	C5-C6-N1	5.12	120.26	117.70
1	AA	1181	G	C5-N7-C8	-5.12	101.74	104.30
9	AI	37	HIS	CG-ND1-CE1	-5.12	99.04	105.70
25	BA	78	A	C6-C5-N7	5.12	135.89	132.30
26	BB	485	C	C6-N1-C1'	5.12	126.95	120.80
26	BB	512	G	C8-N9-C4	-5.12	104.35	106.40
26	BB	811	U	P-O3'-C3'	5.12	125.85	119.70
26	BB	1271	G	O3'-P-O5'	-5.12	94.26	104.00
26	BB	1774	C	N1-C2-N3	-5.12	115.61	119.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2760	C	C5'-C4'-O4'	-5.12	102.95	109.10
27	BC	56	ASP	C-N-CA	5.12	134.51	121.70
42	BR	108	ARG	NE-CZ-NH1	-5.12	117.74	120.30
43	BS	7	VAL	CA-CB-CG2	5.12	118.59	110.90
1	AA	778	G	C6-C5-N7	-5.12	127.33	130.40
1	AA	808	C	C3'-C2'-C1'	-5.12	97.40	101.50
1	AA	877	G	N3-C4-C5	-5.12	126.04	128.60
1	AA	975	A	C5'-C4'-C3'	-5.12	107.80	116.00
1	AA	1053	G	C5-C6-O6	5.12	131.68	128.60
1	AA	1122	U	C1'-O4'-C4'	-5.12	105.80	109.90
4	AD	11	A	N9-C1'-C2'	-5.12	106.36	112.00
26	BB	254	G	N3-C4-N9	5.12	129.07	126.00
26	BB	328	U	C5-C4-O4	5.12	128.97	125.90
26	BB	512	G	C4-C5-C6	-5.12	115.73	118.80
26	BB	762	U	N3-C2-O2	-5.12	118.61	122.20
26	BB	1077	A	C6-N1-C2	5.12	121.67	118.60
26	BB	1318	U	OP1-P-OP2	-5.12	111.91	119.60
26	BB	1454	C	C5-C6-N1	-5.12	118.44	121.00
26	BB	1991	U	O4'-C4'-C3'	-5.12	98.88	104.00
26	BB	2408	U	N1-C2-O2	5.12	126.39	122.80
26	BB	2532	G	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	2639	A	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	2644	G	C5-N7-C8	-5.12	101.74	104.30
1	AA	439	U	O4'-C1'-N1	5.12	112.30	108.20
1	AA	500	G	O4'-C1'-N9	5.12	112.30	108.20
1	AA	705	G	N7-C8-N9	5.12	115.66	113.10
1	AA	1305	G	C1'-O4'-C4'	-5.12	105.80	109.90
1	AA	1384	C	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	306	U	N1-C2-N3	5.12	117.97	114.90
26	BB	461	C	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	980	A	N9-C4-C5	5.12	107.85	105.80
26	BB	1036	G	C6-C5-N7	-5.12	127.33	130.40
26	BB	1122	G	N1-C6-O6	-5.12	116.83	119.90
26	BB	1195	G	C5-C6-O6	-5.12	125.53	128.60
26	BB	1407	G	N7-C8-N9	5.12	115.66	113.10
26	BB	1459	G	C2-N3-C4	5.12	114.46	111.90
26	BB	1776	G	C4-C5-N7	5.12	112.85	110.80
26	BB	1857	G	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	2029	G	N9-C4-C5	5.12	107.45	105.40
26	BB	2128	G	C5'-C4'-C3'	-5.12	107.81	116.00
26	BB	2714	G	C6-N1-C2	-5.12	122.03	125.10
26	BB	2728	U	N3-C4-O4	-5.12	115.81	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2794	C	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	2861	U	C5'-C4'-O4'	5.12	115.25	109.10
53	B2	6	HIS	CA-CB-CG	5.12	122.31	113.60
56	B5	21	ARG	NE-CZ-NH1	-5.12	117.74	120.30
1	AA	84	U	N3-C4-C5	5.12	117.67	114.60
1	AA	332	G	P-O3'-C3'	5.12	125.84	119.70
1	AA	432	A	C5-C6-N6	-5.12	119.60	123.70
1	AA	878	A	C3'-C2'-C1'	5.12	105.60	101.50
26	BB	1286	A	C5-C6-N1	5.12	120.26	117.70
26	BB	1290	C	N3-C2-O2	-5.12	118.32	121.90
26	BB	2094	A	C4-C5-N7	5.12	113.26	110.70
26	BB	2095	A	P-O3'-C3'	5.12	125.84	119.70
51	B0	46	VAL	CB-CA-C	5.12	121.13	111.40
1	AA	127	G	N7-C8-N9	5.12	115.66	113.10
1	AA	1080	A	O4'-C1'-C2'	5.12	112.21	107.60
1	AA	1458	G	C5-C6-N1	-5.12	108.94	111.50
3	AC	33	A	C3'-C2'-C1'	5.12	105.59	101.50
26	BB	678	C	O4'-C1'-N1	5.12	112.29	108.20
26	BB	793	A	C6-C5-N7	5.12	135.88	132.30
26	BB	1142	A	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	1279	G	N3-C2-N2	-5.12	116.32	119.90
26	BB	1372	U	C5-C4-O4	-5.12	122.83	125.90
26	BB	1449	G	C6-N1-C2	5.12	128.17	125.10
26	BB	1745	A	N9-C4-C5	-5.12	103.75	105.80
26	BB	2198	A	N1-C2-N3	-5.12	126.74	129.30
26	BB	2214	C	C5-C6-N1	5.12	123.56	121.00
26	BB	2557	G	O4'-C1'-C2'	5.12	112.21	107.60
26	BB	2642	G	C2-N3-C4	5.12	114.46	111.90
35	BK	141	ASP	CB-CG-OD1	5.12	122.91	118.30
1	AA	738	C	N3-C4-C5	-5.12	119.85	121.90
1	AA	786	G	C4-C5-C6	5.12	121.87	118.80
1	AA	1364	U	OP1-P-O3'	5.12	116.46	105.20
1	AA	1421	G	N1-C2-N2	-5.12	111.59	116.20
2	AB	21	A	OP2-P-O3'	5.12	116.46	105.20
26	BB	30	G	N7-C8-N9	5.12	115.66	113.10
26	BB	172	A	C5-N7-C8	5.12	106.46	103.90
26	BB	906	U	N3-C4-C5	-5.12	111.53	114.60
26	BB	1102	C	N3-C2-O2	-5.12	118.32	121.90
26	BB	1317	G	N1-C2-N2	5.12	120.81	116.20
26	BB	1701	A	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	1870	C	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	1945	G	C8-N9-C4	-5.12	104.35	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2663	G	C5-C6-N1	5.12	114.06	111.50
26	BB	2773	C	C5-C6-N1	-5.12	118.44	121.00
1	AA	106	C	N3-C2-O2	-5.12	118.32	121.90
1	AA	168	G	C2'-C3'-O3'	5.12	121.88	113.70
1	AA	283	U	C5-C6-N1	-5.12	120.14	122.70
1	AA	616	G	O4'-C1'-N9	5.12	112.29	108.20
1	AA	848	C	C5-C4-N4	-5.12	116.62	120.20
1	AA	929	G	C8-N9-C1'	5.12	133.65	127.00
1	AA	1025	U	P-O5'-C5'	5.12	129.08	120.90
1	AA	1196	A	C5'-C4'-O4'	5.12	115.24	109.10
1	AA	1482	G	C4'-C3'-C2'	-5.12	97.48	102.60
1	AA	1541	U	N3-C4-O4	-5.12	115.82	119.40
2	AB	50	G	N3-C4-C5	-5.12	126.04	128.60
17	AQ	33	VAL	CA-CB-CG1	5.12	118.57	110.90
25	BA	78	A	C4-C5-C6	-5.12	114.44	117.00
26	BB	60	G	C1'-O4'-C4'	-5.12	105.81	109.90
26	BB	169	G	O4'-C4'-C3'	-5.12	98.89	104.00
26	BB	535	G	N3-C2-N2	5.12	123.48	119.90
26	BB	1032	A	P-O3'-C3'	5.12	125.84	119.70
26	BB	1196	C	O4'-C4'-C3'	-5.12	98.89	104.00
26	BB	1735	A	C5-N7-C8	-5.12	101.34	103.90
26	BB	2223	G	C5-C6-N1	5.12	114.06	111.50
26	BB	2271	G	N3-C4-C5	-5.12	126.04	128.60
26	BB	2286	G	N7-C8-N9	5.12	115.66	113.10
26	BB	2501	C	C1'-O4'-C4'	5.12	113.99	109.90
26	BB	2578	G	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	2781	A	C8-N9-C4	-5.12	103.75	105.80
41	BQ	9	ARG	NE-CZ-NH2	5.12	122.86	120.30
41	BQ	117	PHE	CG-CD1-CE1	-5.12	115.17	120.80
1	AA	12	U	C2-N3-C4	-5.11	123.93	127.00
1	AA	293	G	C6-N1-C2	-5.11	122.03	125.10
1	AA	634	C	O4'-C1'-C2'	-5.11	100.69	105.80
1	AA	799	G	C5-N7-C8	5.11	106.86	104.30
1	AA	1441	A	C5-N7-C8	-5.11	101.34	103.90
20	AT	6	THR	N-CA-C	-5.11	97.19	111.00
25	BA	105	G	O4'-C1'-N9	5.11	112.29	108.20
26	BB	120	U	C1'-O4'-C4'	5.11	113.99	109.90
26	BB	227	A	C5-C6-N1	5.11	120.26	117.70
26	BB	570	G	N7-C8-N9	-5.11	110.54	113.10
26	BB	878	A	N1-C6-N6	5.11	121.67	118.60
26	BB	913	U	C4-C5-C6	5.11	122.77	119.70
26	BB	1195	G	C6-C5-N7	5.11	133.47	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1216	G	N3-C4-C5	-5.11	126.04	128.60
26	BB	2313	C	C2-N3-C4	5.11	122.46	119.90
26	BB	2404	U	N1-C2-N3	5.11	117.97	114.90
26	BB	2468	A	OP2-P-O3'	5.11	116.45	105.20
26	BB	2495	G	C4-C5-N7	-5.11	108.75	110.80
26	BB	2564	A	C3'-C2'-C1'	5.11	105.59	101.50
26	BB	2599	G	N1-C6-O6	-5.11	116.83	119.90
26	BB	2868	A	C4-C5-C6	-5.11	114.44	117.00
44	BT	2	TYR	CG-CD1-CE1	-5.11	117.21	121.30
48	BX	48	MET	O-C-N	5.11	130.88	122.70
1	AA	205	A	N1-C6-N6	5.11	121.67	118.60
1	AA	304	U	O4'-C4'-C3'	5.11	110.19	106.10
26	BB	1052	C	N1-C1'-C2'	-5.11	106.38	112.00
26	BB	1534	U	O4'-C1'-N1	-5.11	104.11	108.20
26	BB	2628	C	C4-C5-C6	5.11	119.96	117.40
1	AA	423	G	N1-C2-N2	5.11	120.80	116.20
1	AA	467	U	N1-C2-N3	5.11	117.97	114.90
1	AA	1221	G	C5'-C4'-O4'	5.11	115.23	109.10
1	AA	1462	C	N1-C2-N3	-5.11	115.62	119.20
26	BB	188	G	C4-C5-N7	-5.11	108.76	110.80
26	BB	493	G	C8-N9-C4	-5.11	104.36	106.40
26	BB	505	A	N7-C8-N9	-5.11	111.24	113.80
26	BB	690	G	N1-C6-O6	-5.11	116.83	119.90
26	BB	702	U	C5'-C4'-O4'	5.11	115.23	109.10
26	BB	716	A	C5-C6-N1	5.11	120.25	117.70
26	BB	1248	G	P-O3'-C3'	5.11	125.83	119.70
26	BB	1666	G	N7-C8-N9	-5.11	110.55	113.10
26	BB	1690	A	N3-C4-N9	-5.11	123.31	127.40
26	BB	2548	U	N1-C2-N3	5.11	117.97	114.90
44	BT	4	VAL	CA-CB-CG2	5.11	118.56	110.90
1	AA	472	U	C2-N3-C4	-5.11	123.94	127.00
1	AA	507	C	OP2-P-O3'	5.11	116.44	105.20
1	AA	1322	C	C4-C5-C6	5.11	119.95	117.40
3	AC	22	G	N3-C4-C5	-5.11	126.05	128.60
26	BB	476	G	N9-C1'-C2'	-5.11	106.38	112.00
26	BB	1000	A	C5-C6-N6	5.11	127.79	123.70
1	AA	181	A	C6-C5-N7	5.11	135.88	132.30
1	AA	185	U	O4'-C1'-N1	5.11	112.29	108.20
1	AA	680	C	C6-N1-C2	-5.11	118.26	120.30
1	AA	1141	C	C2-N1-C1'	-5.11	113.18	118.80
1	AA	1434	A	N3-C4-N9	-5.11	123.31	127.40
3	AC	28	U	C4-C5-C6	5.11	122.76	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	371	A	O4'-C1'-N9	5.11	112.28	108.20
26	BB	844	A	N3-C4-C5	-5.11	123.22	126.80
26	BB	902	C	C6-N1-C1'	5.11	126.93	120.80
26	BB	1288	G	N9-C4-C5	5.11	107.44	105.40
26	BB	1393	A	C3'-C2'-C1'	-5.11	97.41	101.50
26	BB	1753	G	O4'-C1'-N9	-5.11	104.11	108.20
26	BB	2079	U	C6-N1-C1'	-5.11	114.05	121.20
26	BB	2404	U	C4'-C3'-C2'	-5.11	97.49	102.60
26	BB	2497	A	C5-N7-C8	-5.11	101.35	103.90
1	AA	165	G	O4'-C1'-N9	5.11	112.28	108.20
1	AA	637	C	C5'-C4'-O4'	5.11	115.23	109.10
1	AA	1048	G	N7-C8-N9	5.11	115.65	113.10
1	AA	1373	G	C4-C5-C6	5.11	121.86	118.80
1	AA	1438	G	C2-N3-C4	-5.11	109.35	111.90
1	AA	1539	C	N1-C2-N3	-5.11	115.63	119.20
26	BB	410	G	N1-C2-N3	-5.11	120.84	123.90
26	BB	584	C	N1-C1'-C2'	-5.11	106.39	112.00
26	BB	588	U	C4-C5-C6	5.11	122.76	119.70
26	BB	692	C	C2-N3-C4	5.11	122.45	119.90
26	BB	930	G	C6-N1-C2	-5.11	122.04	125.10
26	BB	1544	A	O5'-P-OP1	-5.11	101.11	105.70
26	BB	1743	G	C5-C6-O6	-5.11	125.54	128.60
26	BB	1903	G	C5-C6-N1	5.11	114.05	111.50
26	BB	2080	A	N1-C2-N3	5.11	131.85	129.30
26	BB	2500	U	C2-N3-C4	-5.11	123.94	127.00
26	BB	2528	U	C2-N3-C4	-5.11	123.94	127.00
26	BB	2535	G	C2-N3-C4	5.11	114.45	111.90
26	BB	2853	C	C2-N1-C1'	-5.11	113.18	118.80
1	AA	696	A	O5'-C5'-C4'	5.10	121.40	111.70
1	AA	1010	U	N1-C2-N3	5.10	117.96	114.90
1	AA	1365	G	O4'-C1'-N9	5.10	112.28	108.20
3	AC	41	A	C6-C5-N7	-5.10	128.73	132.30
3	AC	53	G	C4-C5-N7	-5.10	108.76	110.80
26	BB	629	G	C6-N1-C2	-5.10	122.04	125.10
26	BB	1076	C	C6-N1-C2	5.10	122.34	120.30
26	BB	1991	U	N1-C2-O2	-5.10	119.23	122.80
26	BB	2870	C	N1-C2-N3	5.10	122.77	119.20
28	BD	212	TRP	CD1-NE1-CE2	5.10	113.59	109.00
43	BS	101	ASP	CB-CG-OD1	-5.10	113.71	118.30
1	AA	141	G	C6-C5-N7	5.10	133.46	130.40
1	AA	218	U	N1-C2-N3	5.10	117.96	114.90
1	AA	292	G	C4'-C3'-C2'	-5.10	97.50	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	437	U	P-O3'-C3'	5.10	125.82	119.70
1	AA	504	C	C4'-C3'-C2'	-5.10	97.50	102.60
1	AA	1353	G	N1-C2-N3	-5.10	120.84	123.90
1	AA	1453	G	C4-C5-N7	5.10	112.84	110.80
26	BB	167	A	N1-C6-N6	-5.10	115.54	118.60
26	BB	611	C	N3-C4-N4	-5.10	114.43	118.00
26	BB	936	A	N9-C4-C5	5.10	107.84	105.80
26	BB	963	U	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	1110	G	N7-C8-N9	5.10	115.65	113.10
26	BB	1211	C	N1-C2-N3	-5.10	115.63	119.20
26	BB	1221	C	O4'-C1'-N1	5.10	112.28	108.20
26	BB	1508	A	C5'-C4'-C3'	-5.10	107.84	116.00
26	BB	1623	G	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	1809	A	O5'-P-OP1	5.10	116.82	110.70
26	BB	2221	G	C5'-C4'-O4'	5.10	115.22	109.10
1	AA	584	G	N7-C8-N9	5.10	115.65	113.10
1	AA	881	G	O4'-C1'-N9	5.10	112.28	108.20
1	AA	1011	C	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	110	G	O4'-C1'-N9	5.10	112.28	108.20
26	BB	153	U	O4'-C1'-N1	5.10	112.28	108.20
26	BB	325	G	N1-C2-N2	5.10	120.79	116.20
26	BB	1022	G	C5-N7-C8	5.10	106.85	104.30
26	BB	1118	C	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	2085	U	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	2111	U	O4'-C1'-N1	5.10	112.28	108.20
26	BB	2404	U	C2-N3-C4	-5.10	123.94	127.00
33	BI	38	PRO	CA-N-CD	-5.10	104.36	111.50
33	BI	142	VAL	CG1-CB-CG2	-5.10	102.74	110.90
1	AA	52	C	C4-C5-C6	5.10	119.95	117.40
1	AA	438	U	C4-C5-C6	5.10	122.76	119.70
1	AA	466	A	C8-N9-C4	-5.10	103.76	105.80
1	AA	743	A	N1-C2-N3	-5.10	126.75	129.30
2	AB	34	C	C5-C6-N1	-5.10	118.45	121.00
3	AC	34	U	C5'-C4'-C3'	-5.10	107.84	116.00
3	AC	43	U	C3'-C2'-C1'	5.10	105.58	101.50
4	AD	30	G	C6-C5-N7	-5.10	127.34	130.40
10	AJ	92	PRO	N-CA-CB	5.10	109.42	103.30
25	BA	29	A	N7-C8-N9	5.10	116.35	113.80
26	BB	586	A	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	674	G	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	738	G	N3-C2-N2	-5.10	116.33	119.90
26	BB	970	U	C5-C4-O4	-5.10	122.84	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	981	A	O4'-C4'-C3'	5.10	110.18	106.10
26	BB	1257	C	N1-C2-O2	5.10	121.96	118.90
26	BB	1682	G	O4'-C1'-N9	5.10	112.28	108.20
26	BB	1950	G	P-O5'-C5'	5.10	129.06	120.90
26	BB	2253	G	C4'-C3'-O3'	5.10	123.20	113.00
26	BB	2352	A	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	2446	G	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	2747	G	C3'-C2'-C1'	5.10	105.58	101.50
26	BB	2779	U	N3-C4-O4	5.10	122.97	119.40
1	AA	16	A	C5-C6-N6	-5.10	119.62	123.70
1	AA	18	C	N3-C4-N4	5.10	121.57	118.00
1	AA	119	A	N1-C2-N3	-5.10	126.75	129.30
1	AA	206	C	N3-C2-O2	-5.10	118.33	121.90
1	AA	406	G	N9-C4-C5	5.10	107.44	105.40
1	AA	679	C	C5'-C4'-O4'	5.10	115.22	109.10
1	AA	920	U	N1-C2-N3	5.10	117.96	114.90
1	AA	1057	G	N7-C8-N9	5.10	115.65	113.10
1	AA	1133	G	N1-C6-O6	-5.10	116.84	119.90
1	AA	1246	A	C5'-C4'-C3'	-5.10	107.84	116.00
1	AA	1278	G	C5-N7-C8	-5.10	101.75	104.30
2	AB	23	A	C4-C5-C6	5.10	119.55	117.00
3	AC	27	A	O4'-C1'-C2'	-5.10	100.70	105.80
5	AE	86	CYS	CA-CB-SG	-5.10	104.82	114.00
14	AN	69	CYS	N-CA-CB	-5.10	101.42	110.60
25	BA	33	G	N1-C2-N2	-5.10	111.61	116.20
26	BB	49	A	N3-C4-C5	-5.10	123.23	126.80
26	BB	540	C	C5'-C4'-O4'	-5.10	102.98	109.10
26	BB	581	C	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	1731	G	OP2-P-O3'	5.10	116.41	105.20
26	BB	1743	G	C6-C5-N7	-5.10	127.34	130.40
26	BB	2124	G	C2-N3-C4	5.10	114.45	111.90
26	BB	2332	C	N3-C4-N4	5.10	121.57	118.00
26	BB	2654	A	N1-C2-N3	-5.10	126.75	129.30
26	BB	2702	G	C5-N7-C8	-5.10	101.75	104.30
26	BB	2713	U	N1-C2-N3	5.10	117.96	114.90
26	BB	2771	C	C2'-C3'-O3'	5.10	121.86	113.70
26	BB	2844	G	C5'-C4'-C3'	-5.10	107.84	116.00
47	BW	8	ASP	CB-CG-OD1	-5.10	113.71	118.30
1	AA	275	G	C5-C6-N1	5.10	114.05	111.50
1	AA	744	C	N1-C1'-C2'	-5.10	106.39	112.00
1	AA	1317	C	C4'-C3'-C2'	-5.10	97.50	102.60
1	AA	1333	A	C2-N3-C4	5.10	113.15	110.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	123	G	N3-C2-N2	-5.10	116.33	119.90
26	BB	284	U	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	1022	G	N3-C2-N2	-5.10	116.33	119.90
26	BB	1338	G	N9-C4-C5	-5.10	103.36	105.40
26	BB	1937	A	P-O3'-C3'	5.10	125.81	119.70
26	BB	2165	C	C2-N1-C1'	5.10	124.41	118.80
26	BB	2696	U	C2-N1-C1'	5.10	123.81	117.70
1	AA	211	G	N3-C4-C5	-5.09	126.05	128.60
1	AA	461	A	N3-C4-N9	-5.09	123.32	127.40
1	AA	1159	U	N3-C4-O4	5.09	122.97	119.40
1	AA	1161	C	N3-C4-N4	-5.09	114.43	118.00
1	AA	1383	C	N1-C2-O2	5.09	121.96	118.90
3	AC	24	A	C4'-C3'-C2'	-5.09	97.50	102.60
26	BB	515	A	N1-C6-N6	-5.09	115.54	118.60
26	BB	575	A	O5'-P-OP2	-5.09	101.11	105.70
26	BB	846	U	N1-C1'-C2'	5.09	120.62	114.00
26	BB	884	U	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	1083	U	C4-C5-C6	5.09	122.76	119.70
26	BB	1152	C	C1'-O4'-C4'	5.09	113.98	109.90
26	BB	1216	G	C6-N1-C2	-5.09	122.04	125.10
26	BB	1434	A	C2-N3-C4	-5.09	108.05	110.60
26	BB	1965	C	N3-C4-C5	-5.09	119.86	121.90
26	BB	2033	A	C1'-O4'-C4'	-5.09	105.82	109.90
26	BB	2137	U	N3-C2-O2	-5.09	118.64	122.20
26	BB	2240	U	C5-C6-N1	-5.09	120.15	122.70
26	BB	2263	C	C5-C4-N4	5.09	123.77	120.20
26	BB	2409	G	N7-C8-N9	5.09	115.65	113.10
26	BB	2430	A	N1-C2-N3	-5.09	126.75	129.30
1	AA	550	G	C8-N9-C4	-5.09	104.36	106.40
1	AA	794	A	N9-C4-C5	5.09	107.84	105.80
1	AA	939	G	C5'-C4'-O4'	5.09	115.21	109.10
1	AA	1398	A	O4'-C1'-N9	5.09	112.27	108.20
26	BB	99	U	C2-N3-C4	-5.09	123.94	127.00
26	BB	205	G	C6-N1-C2	-5.09	122.04	125.10
26	BB	1599	U	C5-C4-O4	-5.09	122.84	125.90
26	BB	1697	G	C1'-O4'-C4'	5.09	113.97	109.90
26	BB	1899	A	C4-C5-N7	-5.09	108.15	110.70
1	AA	323	U	N3-C4-O4	-5.09	115.84	119.40
1	AA	660	C	C6-N1-C2	-5.09	118.26	120.30
1	AA	1157	A	C2-N3-C4	-5.09	108.06	110.60
1	AA	1221	G	C4'-C3'-C2'	-5.09	97.51	102.60
1	AA	1368	A	N9-C4-C5	-5.09	103.76	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1406	U	C5'-C4'-O4'	5.09	115.21	109.10
1	AA	1470	U	C5-C4-O4	5.09	128.96	125.90
2	AB	1	A	C3'-C2'-C1'	5.09	105.57	101.50
13	AM	56	HIS	CA-CB-CG	5.09	122.26	113.60
25	BA	109	A	C6-C5-N7	-5.09	128.74	132.30
26	BB	29	U	C5-C6-N1	5.09	125.25	122.70
26	BB	120	U	N1-C2-N3	5.09	117.95	114.90
26	BB	319	G	N9-C4-C5	5.09	107.44	105.40
26	BB	497	A	O4'-C4'-C3'	-5.09	98.91	104.00
26	BB	924	G	C5'-C4'-C3'	-5.09	107.85	116.00
26	BB	970	U	O4'-C1'-N1	5.09	112.27	108.20
26	BB	1102	C	N1-C2-O2	5.09	121.95	118.90
26	BB	1256	G	C5-C6-O6	-5.09	125.55	128.60
26	BB	1532	A	C5-C6-N6	-5.09	119.63	123.70
26	BB	1765	U	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	2193	G	O4'-C4'-C3'	5.09	110.17	106.10
26	BB	2262	U	O5'-C5'-C4'	5.09	121.37	111.70
26	BB	2543	G	C8-N9-C4	-5.09	104.36	106.40
26	BB	2675	A	C4-C5-N7	5.09	113.25	110.70
26	BB	2734	A	C8-N9-C4	-5.09	103.76	105.80
58	B7	31	PRO	N-CA-CB	5.09	109.41	103.30
1	AA	25	C	N1-C2-N3	-5.09	115.64	119.20
1	AA	126	G	N1-C6-O6	5.09	122.95	119.90
1	AA	526	C	C3'-C2'-C1'	5.09	105.57	101.50
1	AA	1062	U	C4'-C3'-C2'	-5.09	97.51	102.60
1	AA	1139	G	C4'-C3'-C2'	-5.09	97.51	102.60
1	AA	1165	U	C2-N3-C4	-5.09	123.95	127.00
1	AA	1184	G	N9-C4-C5	5.09	107.44	105.40
1	AA	1271	A	C4'-C3'-C2'	-5.09	97.51	102.60
25	BA	18	G	C5-C6-N1	5.09	114.05	111.50
26	BB	529	A	C4-C5-N7	-5.09	108.16	110.70
26	BB	739	A	C1'-O4'-C4'	-5.09	105.83	109.90
26	BB	1042	G	N7-C8-N9	5.09	115.64	113.10
26	BB	1366	A	C2-N3-C4	5.09	113.14	110.60
26	BB	1392	A	N3-C4-N9	-5.09	123.33	127.40
26	BB	1459	G	N3-C2-N2	-5.09	116.34	119.90
26	BB	2116	G	C4-C5-N7	-5.09	108.76	110.80
26	BB	2123	G	N9-C1'-C2'	-5.09	106.40	112.00
26	BB	2185	U	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	2193	G	C2-N3-C4	5.09	114.44	111.90
26	BB	2683	C	O4'-C1'-N1	5.09	112.27	108.20
31	BG	7	TYR	CA-CB-CG	5.09	123.07	113.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	BN	2	ARG	NE-CZ-NH1	5.09	122.84	120.30
1	AA	101	A	N7-C8-N9	5.09	116.34	113.80
1	AA	972	C	N3-C4-C5	5.09	123.94	121.90
1	AA	975	A	N9-C4-C5	5.09	107.83	105.80
2	AB	56	C	C5'-C4'-O4'	5.09	115.20	109.10
3	AC	28	U	N1-C1'-C2'	-5.09	106.40	112.00
26	BB	107	G	N3-C4-N9	5.09	129.05	126.00
26	BB	491	G	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	874	G	N7-C8-N9	5.09	115.64	113.10
26	BB	1521	G	N3-C4-N9	5.09	129.05	126.00
1	AA	4	U	N3-C4-O4	-5.09	115.84	119.40
1	AA	80	A	C4-C5-N7	5.09	113.24	110.70
1	AA	310	G	C6-N1-C2	-5.09	122.05	125.10
1	AA	643	C	C4-C5-C6	-5.09	114.86	117.40
1	AA	823	C	C6-N1-C2	5.09	122.33	120.30
1	AA	854	U	N3-C4-C5	-5.09	111.55	114.60
1	AA	892	A	C1'-O4'-C4'	-5.09	105.83	109.90
1	AA	1353	G	P-O3'-C3'	5.09	125.81	119.70
1	AA	1540	U	C3'-C2'-C1'	5.09	105.57	101.50
3	AC	40	G	C5-C6-N1	-5.09	108.96	111.50
6	AF	36	PHE	CG-CD2-CE2	5.09	126.39	120.80
19	AS	78	VAL	CA-CB-CG2	5.09	118.53	110.90
26	BB	285	G	C5-N7-C8	-5.09	101.76	104.30
26	BB	368	A	N9-C4-C5	-5.09	103.77	105.80
26	BB	1055	G	C5-C6-N1	5.09	114.04	111.50
26	BB	1494	A	C5-C6-N1	5.09	120.24	117.70
26	BB	1497	U	O4'-C1'-C2'	-5.09	100.71	105.80
26	BB	1541	C	C4-C5-C6	5.09	119.94	117.40
26	BB	1638	C	C1'-O4'-C4'	5.09	113.97	109.90
26	BB	1715	G	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	2106	U	O4'-C1'-N1	5.09	112.27	108.20
28	BD	62	ARG	NE-CZ-NH2	-5.09	117.76	120.30
1	AA	65	A	C8-N9-C4	5.08	107.83	105.80
1	AA	200	G	C5-N7-C8	-5.08	101.76	104.30
1	AA	355	C	N3-C4-C5	5.08	123.93	121.90
2	AB	2	G	C4-C5-C6	5.08	121.85	118.80
4	AD	61	U	O4'-C1'-N1	5.08	112.27	108.20
25	BA	17	C	C2-N3-C4	-5.08	117.36	119.90
26	BB	1332	G	O4'-C1'-C2'	-5.08	100.72	105.80
26	BB	2401	U	C4'-C3'-C2'	-5.08	97.52	102.60
1	AA	41	G	C5'-C4'-O4'	5.08	115.20	109.10
1	AA	165	G	C5'-C4'-O4'	5.08	115.20	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	708	C	C5-C6-N1	5.08	123.54	121.00
1	AA	819	A	O4'-C4'-C3'	5.08	110.17	106.10
1	AA	898	G	C8-N9-C1'	5.08	133.61	127.00
1	AA	993	G	N3-C2-N2	5.08	123.46	119.90
1	AA	1436	U	C5-C4-O4	5.08	128.95	125.90
7	AG	98	ASP	CB-CG-OD2	5.08	122.87	118.30
25	BA	63	C	N1-C2-O2	-5.08	115.85	118.90
26	BB	298	G	O4'-C1'-N9	5.08	112.27	108.20
26	BB	850	U	N1-C2-N3	5.08	117.95	114.90
26	BB	882	G	C5-N7-C8	-5.08	101.76	104.30
26	BB	1055	G	C4-C5-C6	5.08	121.85	118.80
26	BB	1373	A	C8-N9-C4	-5.08	103.77	105.80
26	BB	1379	U	N1-C2-O2	5.08	126.36	122.80
26	BB	1714	U	C6-N1-C2	-5.08	117.95	121.00
26	BB	1767	G	O5'-P-OP2	-5.08	101.13	105.70
26	BB	1813	G	N3-C4-N9	5.08	129.05	126.00
26	BB	2059	A	C4-C5-N7	-5.08	108.16	110.70
26	BB	2139	U	C2-N3-C4	-5.08	123.95	127.00
26	BB	2378	A	C4-C5-C6	-5.08	114.46	117.00
26	BB	2455	G	C5-N7-C8	-5.08	101.76	104.30
26	BB	2518	A	C5'-C4'-O4'	-5.08	103.00	109.10
26	BB	2615	U	O4'-C1'-N1	5.08	112.27	108.20
26	BB	2888	C	N3-C4-N4	5.08	121.56	118.00
1	AA	236	A	P-O3'-C3'	5.08	125.80	119.70
1	AA	1041	G	C8-N9-C4	-5.08	104.37	106.40
1	AA	1426	G	C5'-C4'-C3'	-5.08	107.87	116.00
20	AT	36	PHE	CG-CD2-CE2	-5.08	115.21	120.80
26	BB	227	A	C5'-C4'-O4'	5.08	115.20	109.10
26	BB	234	U	N1-C1'-C2'	-5.08	106.41	112.00
26	BB	472	A	C5-C6-N1	5.08	120.24	117.70
26	BB	544	C	C4'-C3'-C2'	-5.08	97.52	102.60
26	BB	757	G	P-O5'-C5'	5.08	129.03	120.90
26	BB	1387	A	C3'-C2'-C1'	-5.08	97.44	101.50
26	BB	1615	C	C2-N3-C4	5.08	122.44	119.90
26	BB	1742	U	C5'-C4'-C3'	-5.08	107.87	116.00
26	BB	2439	A	C6-N1-C2	5.08	121.65	118.60
26	BB	2604	U	N3-C2-O2	-5.08	118.64	122.20
1	AA	352	C	C5'-C4'-O4'	5.08	115.20	109.10
1	AA	719	C	C4'-C3'-C2'	-5.08	97.52	102.60
1	AA	1223	C	C6-N1-C2	-5.08	118.27	120.30
1	AA	1343	G	C4-N9-C1'	5.08	133.10	126.50
8	AH	122	VAL	CA-CB-CG2	5.08	118.52	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	19	A	N1-C6-N6	-5.08	115.55	118.60
26	BB	461	C	C6-N1-C2	-5.08	118.27	120.30
26	BB	1347	A	N1-C6-N6	5.08	121.65	118.60
26	BB	1461	C	C3'-C2'-C1'	5.08	105.56	101.50
26	BB	1859	U	C5-C6-N1	-5.08	120.16	122.70
26	BB	2620	C	O4'-C1'-N1	5.08	112.26	108.20
33	BI	131	SER	CB-CA-C	5.08	119.75	110.10
1	AA	83	C	O4'-C1'-N1	5.08	112.26	108.20
1	AA	938	A	N3-C4-C5	5.08	130.35	126.80
1	AA	968	A	C2-N3-C4	-5.08	108.06	110.60
1	AA	984	C	C5'-C4'-O4'	5.08	115.19	109.10
1	AA	1235	U	N3-C4-C5	5.08	117.65	114.60
1	AA	1472	U	C4-C5-C6	-5.08	116.65	119.70
3	AC	28	U	C2-N1-C1'	5.08	123.79	117.70
4	AD	13	C	C5-C6-N1	-5.08	118.46	121.00
25	BA	88	C	C5'-C4'-O4'	-5.08	103.01	109.10
26	BB	244	A	C2-N3-C4	-5.08	108.06	110.60
26	BB	349	U	C6-N1-C2	-5.08	117.95	121.00
26	BB	455	C	C2'-C3'-O3'	5.08	121.83	113.70
26	BB	659	G	C8-N9-C4	-5.08	104.37	106.40
26	BB	682	G	O4'-C1'-N9	5.08	112.26	108.20
26	BB	1266	G	N1-C6-O6	-5.08	116.85	119.90
26	BB	1287	A	N1-C2-N3	5.08	131.84	129.30
26	BB	1330	C	N3-C4-N4	-5.08	114.44	118.00
26	BB	1498	C	N1-C2-N3	5.08	122.75	119.20
26	BB	2713	U	C2-N3-C4	-5.08	123.95	127.00
26	BB	2770	G	O3'-P-O5'	5.08	113.65	104.00
58	B7	32	LYS	N-CA-CB	-5.08	101.46	110.60
1	AA	664	G	N1-C6-O6	-5.08	116.85	119.90
1	AA	1044	A	C5'-C4'-C3'	-5.08	107.88	116.00
1	AA	1459	G	N1-C2-N3	-5.08	120.85	123.90
7	AG	8	LEU	CB-CG-CD2	5.08	119.63	111.00
26	BB	427	U	C2'-C3'-O3'	5.08	121.82	113.70
26	BB	565	C	O5'-P-OP1	-5.08	101.13	105.70
26	BB	771	G	C1'-O4'-C4'	-5.08	105.84	109.90
26	BB	846	U	N1-C2-O2	5.08	126.35	122.80
26	BB	1181	U	O4'-C1'-N1	5.08	112.26	108.20
26	BB	1755	A	C6-N1-C2	5.08	121.65	118.60
26	BB	2199	A	C6-C5-N7	5.08	135.85	132.30
26	BB	2201	G	N7-C8-N9	5.08	115.64	113.10
26	BB	2683	C	C5'-C4'-O4'	5.08	115.19	109.10
1	AA	231	U	C2-N3-C4	-5.08	123.95	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	243	A	C2'-C3'-O3'	5.08	121.82	113.70
1	AA	313	A	C5-C6-N1	-5.08	115.16	117.70
1	AA	436	C	P-O3'-C3'	5.08	125.79	119.70
1	AA	569	C	N1-C1'-C2'	-5.08	106.42	112.00
1	AA	595	A	C1'-O4'-C4'	5.08	113.96	109.90
1	AA	767	A	C5-C6-N1	-5.08	115.16	117.70
1	AA	1019	A	C6-N1-C2	-5.08	115.55	118.60
1	AA	1169	A	C5'-C4'-O4'	5.08	115.19	109.10
1	AA	1197	A	N9-C4-C5	-5.08	103.77	105.80
1	AA	1300	G	N7-C8-N9	5.08	115.64	113.10
1	AA	1488	G	O4'-C4'-C3'	-5.08	98.92	104.00
25	BA	34	A	C6-N1-C2	-5.08	115.55	118.60
26	BB	299	A	C8-N9-C4	-5.08	103.77	105.80
26	BB	404	A	C5'-C4'-O4'	5.08	115.19	109.10
26	BB	995	C	N3-C4-C5	5.08	123.93	121.90
26	BB	1024	G	C6-C5-N7	-5.08	127.35	130.40
26	BB	1080	A	N9-C1'-C2'	-5.08	106.42	112.00
26	BB	1391	U	C4'-C3'-C2'	5.08	107.67	102.60
26	BB	1405	U	N3-C2-O2	-5.08	118.65	122.20
26	BB	1497	U	C2-N3-C4	-5.08	123.95	127.00
26	BB	1627	G	C3'-C2'-C1'	-5.08	97.44	101.50
26	BB	1638	C	C6-N1-C2	-5.08	118.27	120.30
26	BB	1811	G	O4'-C4'-C3'	5.08	110.16	106.10
26	BB	2035	G	N9-C4-C5	5.08	107.43	105.40
26	BB	2705	A	C5-N7-C8	5.08	106.44	103.90
33	BI	50	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	AA	146	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	266	G	N3-C4-N9	-5.07	122.96	126.00
1	AA	303	A	C5-C6-N1	-5.07	115.16	117.70
1	AA	351	G	C5-C6-O6	5.07	131.64	128.60
1	AA	356	A	C4-C5-N7	-5.07	108.16	110.70
1	AA	521	G	C4-C5-N7	-5.07	108.77	110.80
1	AA	530	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	832	G	C5'-C4'-O4'	5.07	115.19	109.10
1	AA	997	U	C5-C4-O4	-5.07	122.86	125.90
1	AA	1055	A	O4'-C1'-C2'	5.07	112.17	107.60
21	AU	62	ARG	CB-CA-C	5.07	120.55	110.40
26	BB	79	C	N3-C4-N4	5.07	121.55	118.00
26	BB	261	G	C5-N7-C8	5.07	106.84	104.30
26	BB	268	C	N3-C4-N4	-5.07	114.45	118.00
26	BB	313	G	N3-C4-N9	-5.07	122.96	126.00
26	BB	432	A	N3-C4-C5	5.07	130.35	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	526	A	N1-C6-N6	-5.07	115.56	118.60
26	BB	563	A	C2-N3-C4	-5.07	108.06	110.60
26	BB	1112	G	O4'-C1'-N9	-5.07	104.14	108.20
26	BB	1341	G	N1-C2-N3	-5.07	120.86	123.90
26	BB	2273	A	N7-C8-N9	5.07	116.34	113.80
26	BB	2477	U	C6-N1-C2	5.07	124.04	121.00
26	BB	2761	A	N9-C1'-C2'	-5.07	106.42	112.00
26	BB	2859	G	N9-C4-C5	5.07	107.43	105.40
31	BG	98	PHE	CG-CD1-CE1	-5.07	115.22	120.80
31	BG	174	PHE	CZ-CE2-CD2	5.07	126.19	120.10
1	AA	731	G	C5-N7-C8	-5.07	101.76	104.30
1	AA	1475	G	C5-N7-C8	5.07	106.84	104.30
26	BB	245	G	N9-C4-C5	-5.07	103.37	105.40
26	BB	1191	G	C2-N3-C4	5.07	114.44	111.90
26	BB	1223	G	O4'-C4'-C3'	-5.07	98.93	104.00
1	AA	123	U	C3'-C2'-C1'	-5.07	97.44	101.50
1	AA	395	C	C5'-C4'-O4'	5.07	115.19	109.10
1	AA	568	G	C8-N9-C1'	5.07	133.59	127.00
1	AA	1057	G	N1-C6-O6	5.07	122.94	119.90
25	BA	114	C	C5-C4-N4	-5.07	116.65	120.20
26	BB	312	G	C5'-C4'-C3'	5.07	124.11	116.00
26	BB	1013	C	C4-C5-C6	-5.07	114.86	117.40
26	BB	1144	A	C4-C5-N7	5.07	113.24	110.70
26	BB	1191	G	C1'-O4'-C4'	-5.07	105.84	109.90
26	BB	1631	G	C5'-C4'-O4'	5.07	115.19	109.10
26	BB	1718	G	C8-N9-C4	-5.07	104.37	106.40
26	BB	1985	C	C2-N3-C4	5.07	122.44	119.90
26	BB	2424	C	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	2870	C	C4-C5-C6	5.07	119.94	117.40
1	AA	1	A	C5-C6-N6	5.07	127.75	123.70
1	AA	47	C	N1-C2-O2	5.07	121.94	118.90
1	AA	128	G	N1-C2-N3	-5.07	120.86	123.90
1	AA	335	C	C5-C4-N4	-5.07	116.65	120.20
1	AA	564	C	N1-C2-N3	5.07	122.75	119.20
1	AA	872	A	P-O3'-C3'	5.07	125.78	119.70
26	BB	41	C	N3-C2-O2	-5.07	118.35	121.90
26	BB	1499	C	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	2053	G	C5-N7-C8	-5.07	101.77	104.30
26	BB	2116	G	C5-C6-O6	-5.07	125.56	128.60
26	BB	2121	G	N1-C2-N3	-5.07	120.86	123.90
26	BB	2329	U	N1-C1'-C2'	-5.07	106.42	112.00
26	BB	2634	A	C4-C5-N7	5.07	113.23	110.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	129	A	C5-N7-C8	5.07	106.43	103.90
1	AA	140	U	C6-N1-C2	-5.07	117.96	121.00
1	AA	337	G	C4-C5-N7	-5.07	108.77	110.80
1	AA	475	C	C5'-C4'-C3'	-5.07	107.89	116.00
1	AA	485	U	O4'-C1'-C2'	-5.07	100.73	105.80
1	AA	572	A	C4-C5-C6	5.07	119.53	117.00
1	AA	907	A	N7-C8-N9	5.07	116.33	113.80
1	AA	1058	G	C6-N1-C2	-5.07	122.06	125.10
26	BB	9	G	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	80	G	C8-N9-C1'	5.07	133.59	127.00
26	BB	217	A	C5-N7-C8	-5.07	101.37	103.90
26	BB	314	C	O3'-P-O5'	-5.07	94.37	104.00
26	BB	477	A	C4-C5-C6	-5.07	114.47	117.00
26	BB	802	A	C2-N3-C4	5.07	113.13	110.60
26	BB	1143	A	P-O3'-C3'	5.07	125.78	119.70
26	BB	1299	G	N1-C2-N3	-5.07	120.86	123.90
26	BB	2196	C	N1-C1'-C2'	5.07	120.59	114.00
26	BB	2597	G	C1'-O4'-C4'	5.07	113.95	109.90
26	BB	2709	G	C5-C6-N1	5.07	114.03	111.50
26	BB	2763	G	N3-C2-N2	-5.07	116.35	119.90
26	BB	2809	A	C6-N1-C2	-5.07	115.56	118.60
56	B5	41	ARG	CA-CB-CG	5.07	124.55	113.40
1	AA	394	G	C5-C6-O6	-5.07	125.56	128.60
1	AA	561	U	C1'-O4'-C4'	-5.07	105.85	109.90
1	AA	629	A	N1-C2-N3	-5.07	126.77	129.30
1	AA	1196	A	N9-C4-C5	-5.07	103.77	105.80
1	AA	1375	A	N7-C8-N9	5.07	116.33	113.80
1	AA	1513	A	C5-N7-C8	5.07	106.43	103.90
1	AA	1521	C	C1'-O4'-C4'	5.07	113.95	109.90
3	AC	15	G	C3'-C2'-C1'	5.07	105.55	101.50
26	BB	248	G	C6-C5-N7	-5.07	127.36	130.40
26	BB	405	U	N1-C2-N3	5.07	117.94	114.90
26	BB	527	C	C5-C6-N1	5.07	123.53	121.00
26	BB	644	A	C6-N1-C2	5.07	121.64	118.60
26	BB	914	G	N9-C4-C5	5.07	107.43	105.40
26	BB	938	G	C5'-C4'-C3'	-5.07	107.89	116.00
26	BB	1048	A	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	1494	A	C5'-C4'-C3'	-5.07	107.90	116.00
26	BB	1546	G	C5-C6-O6	-5.07	125.56	128.60
26	BB	1864	U	N3-C2-O2	-5.07	118.65	122.20
26	BB	2101	A	C4-C5-C6	-5.07	114.47	117.00
1	AA	445	G	N9-C1'-C2'	-5.06	106.43	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	497	G	C4-N9-C1'	-5.06	119.92	126.50
1	AA	1186	G	C1'-O4'-C4'	-5.06	105.85	109.90
26	BB	334	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	465	G	C5'-C4'-O4'	5.06	115.18	109.10
26	BB	534	U	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	1745	A	C3'-C2'-C1'	-5.06	97.45	101.50
26	BB	2135	A	C2-N3-C4	5.06	113.13	110.60
1	AA	60	A	C6-N1-C2	5.06	121.64	118.60
1	AA	295	C	C5'-C4'-O4'	5.06	115.17	109.10
1	AA	1128	C	C5-C6-N1	5.06	123.53	121.00
3	AC	29	G	O4'-C1'-N9	5.06	112.25	108.20
26	BB	112	U	N3-C4-C5	-5.06	111.56	114.60
26	BB	779	U	N3-C4-C5	-5.06	111.56	114.60
26	BB	982	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	1026	G	O4'-C4'-C3'	-5.06	98.94	104.00
26	BB	1197	G	C1'-O4'-C4'	-5.06	105.85	109.90
26	BB	1346	G	C2-N3-C4	5.06	114.43	111.90
26	BB	1583	A	P-O5'-C5'	-5.06	112.80	120.90
26	BB	1833	C	N3-C4-N4	5.06	121.54	118.00
26	BB	2109	U	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	2268	A	C6-N1-C2	5.06	121.64	118.60
26	BB	2562	U	C5'-C4'-O4'	5.06	115.18	109.10
1	AA	975	A	C4-C5-N7	-5.06	108.17	110.70
1	AA	1025	U	N1-C2-N3	5.06	117.94	114.90
1	AA	1439	G	N1-C6-O6	-5.06	116.86	119.90
2	AB	41	C	C2-N3-C4	5.06	122.43	119.90
15	AO	48	LEU	CB-CG-CD1	5.06	119.60	111.00
26	BB	268	C	C5'-C4'-O4'	-5.06	103.03	109.10
26	BB	679	C	C2-N3-C4	-5.06	117.37	119.90
26	BB	681	G	N7-C8-N9	5.06	115.63	113.10
26	BB	2066	C	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	2540	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	2699	C	C1'-O4'-C4'	-5.06	105.85	109.90
1	AA	81	A	N9-C4-C5	5.06	107.82	105.80
1	AA	685	G	P-O3'-C3'	5.06	125.77	119.70
1	AA	964	A	C5-C6-N6	5.06	127.75	123.70
1	AA	1188	A	C4-C5-N7	-5.06	108.17	110.70
26	BB	121	G	O5'-P-OP1	-5.06	101.15	105.70
26	BB	264	C	N1-C2-N3	-5.06	115.66	119.20
26	BB	597	G	C2-N3-C4	5.06	114.43	111.90
26	BB	798	G	C4-C5-N7	5.06	112.82	110.80
26	BB	973	A	C5-C6-N1	-5.06	115.17	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1219	U	O4'-C1'-N1	5.06	112.25	108.20
26	BB	1634	A	C5-C6-N1	5.06	120.23	117.70
26	BB	1725	U	OP1-P-O3'	5.06	116.33	105.20
26	BB	1829	A	C5-C6-N1	5.06	120.23	117.70
26	BB	1841	U	C4'-C3'-O3'	5.06	123.12	113.00
26	BB	1945	G	P-O3'-C3'	5.06	125.77	119.70
1	AA	28	A	N3-C4-C5	-5.06	123.26	126.80
1	AA	789	U	O4'-C1'-N1	5.06	112.25	108.20
1	AA	1396	A	C5-C6-N6	5.06	127.75	123.70
1	AA	1446	A	C2-N3-C4	-5.06	108.07	110.60
1	AA	1525	G	O5'-C5'-C4'	-5.06	102.09	111.70
1	AA	1529	G	C4-C5-N7	-5.06	108.78	110.80
24	AX	70	TYR	CA-CB-CG	5.06	123.01	113.40
26	BB	514	A	P-O3'-C3'	5.06	125.77	119.70
26	BB	583	G	N9-C4-C5	-5.06	103.38	105.40
26	BB	1002	G	C3'-C2'-C1'	-5.06	97.45	101.50
26	BB	1130	U	C4'-C3'-C2'	-5.06	97.54	102.60
26	BB	1194	A	C2-N3-C4	5.06	113.13	110.60
26	BB	1304	A	N9-C1'-C2'	-5.06	106.44	112.00
26	BB	1499	C	N3-C4-C5	-5.06	119.88	121.90
26	BB	1505	A	C6-C5-N7	5.06	135.84	132.30
26	BB	1515	A	C4-C5-N7	-5.06	108.17	110.70
26	BB	2011	U	O4'-C4'-C3'	5.06	110.15	106.10
26	BB	2014	A	N9-C1'-C2'	-5.06	106.44	112.00
26	BB	2020	A	N7-C8-N9	5.06	116.33	113.80
26	BB	2348	U	N1-C2-N3	5.06	117.93	114.90
26	BB	2756	U	C2'-C3'-O3'	5.06	121.79	113.70
26	BB	2765	A	O4'-C1'-N9	5.06	112.25	108.20
29	BE	180	VAL	CG1-CB-CG2	-5.06	102.81	110.90
46	BV	4	GLU	OE1-CD-OE2	5.06	129.37	123.30
1	AA	454	G	C5-C6-O6	-5.06	125.57	128.60
26	BB	1597	A	C5'-C4'-C3'	-5.06	107.91	116.00
26	BB	2200	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	2371	G	C1'-O4'-C4'	5.06	113.94	109.90
39	BO	80	VAL	CG1-CB-CG2	-5.06	102.81	110.90
1	AA	1	A	C5'-C4'-O4'	5.05	115.17	109.10
1	AA	1023	U	P-O5'-C5'	5.05	128.99	120.90
1	AA	1163	A	C3'-C2'-C1'	5.05	105.54	101.50
1	AA	1214	C	C4'-C3'-O3'	5.05	123.11	113.00
1	AA	1225	A	C5-C6-N1	5.05	120.23	117.70
4	AD	26	C	N3-C2-O2	-5.05	118.36	121.90
4	AD	70	C	N3-C4-C5	-5.05	119.88	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	703	U	C1'-O4'-C4'	5.05	113.94	109.90
26	BB	874	G	N1-C2-N2	5.05	120.75	116.20
26	BB	1314	C	C5-C4-N4	5.05	123.74	120.20
26	BB	1970	A	N1-C2-N3	-5.05	126.77	129.30
26	BB	2018	G	C4'-C3'-C2'	5.05	107.66	102.60
26	BB	2038	G	O4'-C4'-C3'	5.05	110.14	106.10
26	BB	2662	A	N9-C1'-C2'	-5.05	106.44	112.00
1	AA	314	C	C4-C5-C6	5.05	119.93	117.40
1	AA	386	C	C4-C5-C6	-5.05	114.87	117.40
1	AA	922	G	C4-C5-C6	5.05	121.83	118.80
1	AA	1091	U	N3-C2-O2	-5.05	118.66	122.20
1	AA	1431	A	C6-N1-C2	-5.05	115.57	118.60
26	BB	1364	G	C8-N9-C4	5.05	108.42	106.40
26	BB	1490	A	C8-N9-C4	5.05	107.82	105.80
26	BB	1589	U	O4'-C1'-N1	5.05	112.24	108.20
26	BB	1604	C	C4-C5-C6	-5.05	114.87	117.40
26	BB	2554	U	P-O3'-C3'	5.05	125.76	119.70
26	BB	2839	G	N9-C4-C5	-5.05	103.38	105.40
39	BO	64	TRP	CE2-CD2-CE3	-5.05	112.64	118.70
1	AA	237	G	N7-C8-N9	5.05	115.63	113.10
1	AA	276	G	N9-C1'-C2'	-5.05	106.44	112.00
1	AA	587	G	O5'-C5'-C4'	-5.05	102.10	111.70
1	AA	694	A	N9-C1'-C2'	-5.05	106.44	112.00
1	AA	730	G	C1'-O4'-C4'	5.05	113.94	109.90
1	AA	783	C	N3-C2-O2	-5.05	118.36	121.90
1	AA	892	A	C8-N9-C4	-5.05	103.78	105.80
1	AA	1340	A	C8-N9-C4	5.05	107.82	105.80
9	AI	28	ALA	O-C-N	5.05	130.78	122.70
17	AQ	74	ARG	NE-CZ-NH2	-5.05	117.77	120.30
26	BB	250	G	C2-N3-C4	-5.05	109.37	111.90
26	BB	395	U	N3-C2-O2	5.05	125.74	122.20
26	BB	496	G	C6-C5-N7	-5.05	127.37	130.40
26	BB	777	G	N1-C6-O6	-5.05	116.87	119.90
26	BB	1422	G	C6-N1-C2	-5.05	122.07	125.10
26	BB	1636	U	C5-C6-N1	-5.05	120.17	122.70
26	BB	1976	U	C5-C4-O4	-5.05	122.87	125.90
26	BB	2094	A	O4'-C4'-C3'	5.05	110.14	106.10
26	BB	2319	G	C8-N9-C4	-5.05	104.38	106.40
26	BB	2462	C	O4'-C1'-C2'	5.05	112.15	107.60
26	BB	2574	G	C6-N1-C2	-5.05	122.07	125.10
26	BB	2676	C	N3-C4-N4	5.05	121.54	118.00
28	BD	226	PRO	CA-N-CD	-5.05	104.43	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BJ	78	PRO	N-CD-CG	5.05	110.78	103.20
49	BY	10	ARG	NH1-CZ-NH2	-5.05	113.84	119.40
1	AA	503	C	P-O5'-C5'	5.05	128.98	120.90
1	AA	597	G	N1-C2-N3	-5.05	120.87	123.90
1	AA	804	U	N1-C2-N3	-5.05	111.87	114.90
1	AA	862	C	C5'-C4'-C3'	-5.05	107.92	116.00
1	AA	1087	G	N9-C4-C5	5.05	107.42	105.40
1	AA	1383	C	O4'-C1'-N1	5.05	112.24	108.20
26	BB	273	G	C4-C5-N7	-5.05	108.78	110.80
26	BB	451	U	C4'-C3'-O3'	5.05	123.10	113.00
26	BB	530	G	C5-N7-C8	-5.05	101.78	104.30
26	BB	724	U	C4-C5-C6	5.05	122.73	119.70
26	BB	940	G	N3-C4-C5	-5.05	126.08	128.60
26	BB	1105	U	N1-C1'-C2'	-5.05	106.45	112.00
26	BB	1821	A	N9-C4-C5	5.05	107.82	105.80
26	BB	1916	A	O5'-P-OP1	-5.05	101.16	105.70
26	BB	1928	A	P-O3'-C3'	5.05	125.76	119.70
26	BB	1934	C	P-O3'-C3'	5.05	125.76	119.70
26	BB	2145	C	C1'-O4'-C4'	-5.05	105.86	109.90
26	BB	2295	C	N1-C2-O2	5.05	121.93	118.90
26	BB	2515	C	N3-C2-O2	-5.05	118.36	121.90
26	BB	2633	G	C4-C5-N7	5.05	112.82	110.80
50	BZ	27	ARG	NE-CZ-NH1	5.05	122.83	120.30
1	AA	716	A	N1-C6-N6	-5.05	115.57	118.60
1	AA	762	U	N1-C2-O2	5.05	126.33	122.80
26	BB	403	U	C6-N1-C2	-5.05	117.97	121.00
26	BB	944	C	C3'-C2'-C1'	5.05	105.54	101.50
26	BB	1182	G	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	1301	A	C5'-C4'-O4'	-5.05	103.04	109.10
26	BB	1401	G	N1-C6-O6	5.05	122.93	119.90
26	BB	1578	U	N3-C2-O2	-5.05	118.67	122.20
26	BB	1631	G	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	1877	A	C6-C5-N7	-5.05	128.77	132.30
26	BB	2014	A	N7-C8-N9	-5.05	111.28	113.80
26	BB	2026	U	C2-N1-C1'	-5.05	111.64	117.70
26	BB	2615	U	C5-C6-N1	5.05	125.22	122.70
26	BB	2713	U	O4'-C1'-N1	5.05	112.24	108.20
1	AA	104	G	C1'-O4'-C4'	-5.05	105.86	109.90
1	AA	148	G	C5-C6-N1	5.05	114.02	111.50
1	AA	459	A	C4-C5-N7	5.05	113.22	110.70
1	AA	707	U	C4-C5-C6	5.05	122.73	119.70
1	AA	716	A	N9-C1'-C2'	-5.05	106.45	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	732	C	C6-N1-C2	-5.05	118.28	120.30
1	AA	964	A	C6-N1-C2	-5.05	115.57	118.60
1	AA	1029	U	C6-N1-C2	-5.05	117.97	121.00
1	AA	1238	A	C4-C5-C6	-5.05	114.48	117.00
2	AB	13	C	O4'-C4'-C3'	5.05	110.14	106.10
2	AB	64	U	O4'-C1'-C2'	-5.05	100.75	105.80
4	AD	1	C	C4-C5-C6	-5.05	114.88	117.40
12	AL	75	ALA	CB-CA-C	5.05	117.67	110.10
26	BB	8	C	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	376	G	N1-C6-O6	-5.05	116.87	119.90
26	BB	797	G	C3'-C2'-C1'	5.05	105.54	101.50
26	BB	1352	U	P-O3'-C3'	5.05	125.76	119.70
26	BB	1435	G	N3-C4-N9	-5.05	122.97	126.00
26	BB	1598	A	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	1896	G	C5'-C4'-C3'	5.05	124.08	116.00
26	BB	2057	G	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	2255	G	C4-C5-C6	5.05	121.83	118.80
26	BB	2331	G	C5-C6-O6	-5.05	125.57	128.60
26	BB	2701	U	N1-C2-O2	-5.05	119.27	122.80
39	BO	18	ARG	NE-CZ-NH2	5.05	122.82	120.30
1	AA	669	G	N9-C1'-C2'	-5.04	106.45	112.00
2	AB	14	A	C2-N3-C4	5.04	113.12	110.60
5	AE	227	ASP	CB-CG-OD1	-5.04	113.76	118.30
26	BB	96	C	C5-C6-N1	5.04	123.52	121.00
26	BB	489	G	O4'-C4'-C3'	5.04	110.14	106.10
26	BB	924	G	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	1070	A	O4'-C4'-C3'	-5.04	98.95	104.00
26	BB	1305	C	N3-C4-C5	-5.04	119.88	121.90
26	BB	1461	C	N3-C2-O2	-5.04	118.37	121.90
26	BB	2018	G	N1-C2-N3	-5.04	120.87	123.90
26	BB	2134	A	C5-C6-N1	5.04	120.22	117.70
26	BB	2371	G	N9-C4-C5	-5.04	103.38	105.40
1	AA	82	G	C4-C5-C6	5.04	121.83	118.80
1	AA	116	A	N1-C6-N6	5.04	121.63	118.60
1	AA	197	A	C6-C5-N7	5.04	135.83	132.30
1	AA	357	G	N3-C2-N2	-5.04	116.37	119.90
1	AA	582	C	N3-C4-N4	-5.04	114.47	118.00
1	AA	850	U	N3-C2-O2	-5.04	118.67	122.20
1	AA	1332	A	C8-N9-C4	5.04	107.82	105.80
1	AA	1538	C	O4'-C4'-C3'	5.04	110.14	106.10
4	AD	70	C	O4'-C1'-N1	5.04	112.23	108.20
12	AL	108	ARG	NE-CZ-NH1	5.04	122.82	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	23	LEU	CB-CG-CD2	5.04	119.57	111.00
17	AQ	56	PRO	N-CA-CB	5.04	109.35	103.30
22	AV	29	PRO	N-CA-CB	5.04	109.35	103.30
26	BB	70	G	N9-C1'-C2'	-5.04	106.45	112.00
26	BB	93	G	C8-N9-C1'	5.04	133.56	127.00
26	BB	169	G	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	230	G	C2-N3-C4	-5.04	109.38	111.90
26	BB	474	G	N1-C2-N2	5.04	120.74	116.20
26	BB	668	A	N3-C4-N9	5.04	131.44	127.40
26	BB	905	A	N7-C8-N9	5.04	116.32	113.80
26	BB	1452	G	C2-N3-C4	5.04	114.42	111.90
26	BB	2054	A	N9-C4-C5	-5.04	103.78	105.80
26	BB	2103	C	N3-C2-O2	-5.04	118.37	121.90
26	BB	2144	G	C8-N9-C4	-5.04	104.38	106.40
26	BB	2177	C	O5'-C5'-C4'	-5.04	102.12	111.70
26	BB	2321	U	O5'-C5'-C4'	-5.04	102.12	111.70
26	BB	2411	A	N9-C4-C5	5.04	107.82	105.80
26	BB	2433	A	C1'-O4'-C4'	-5.04	105.86	109.90
26	BB	2604	U	N3-C4-C5	-5.04	111.57	114.60
26	BB	2696	U	C5'-C4'-O4'	5.04	115.15	109.10
31	BG	175	PRO	N-CA-CB	5.04	109.35	103.30
36	BL	57	LEU	CB-CG-CD2	-5.04	102.43	111.00
1	AA	431	A	C8-N9-C4	-5.04	103.78	105.80
1	AA	467	U	OP1-P-O3'	5.04	116.29	105.20
1	AA	987	G	C5-C6-O6	-5.04	125.58	128.60
1	AA	1175	G	C8-N9-C4	-5.04	104.38	106.40
1	AA	1493	A	N3-C4-C5	5.04	130.33	126.80
2	AB	25	C	N3-C2-O2	-5.04	118.37	121.90
2	AB	44	G	C5-C6-N1	5.04	114.02	111.50
26	BB	235	U	P-O5'-C5'	5.04	128.97	120.90
26	BB	426	C	O4'-C1'-N1	5.04	112.23	108.20
26	BB	475	C	C5-C6-N1	5.04	123.52	121.00
26	BB	1144	A	C6-C5-N7	-5.04	128.77	132.30
26	BB	1288	G	N1-C2-N2	5.04	120.74	116.20
26	BB	1377	G	C8-N9-C4	-5.04	104.38	106.40
26	BB	1735	A	C6-C5-N7	5.04	135.83	132.30
26	BB	1922	G	C5-C6-N1	5.04	114.02	111.50
26	BB	2093	G	C5-N7-C8	-5.04	101.78	104.30
26	BB	2320	U	O5'-P-OP2	-5.04	101.16	105.70
26	BB	2465	C	N1-C2-O2	5.04	121.92	118.90
26	BB	2583	G	C2-N3-C4	5.04	114.42	111.90
26	BB	2897	U	N1-C2-O2	-5.04	119.27	122.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	BM	29	HIS	CA-CB-CG	5.04	122.17	113.60
1	AA	213	G	N3-C4-N9	5.04	129.02	126.00
1	AA	809	G	N3-C4-N9	5.04	129.02	126.00
1	AA	873	A	O4'-C1'-C2'	5.04	112.14	107.60
1	AA	1088	G	C5'-C4'-O4'	5.04	115.15	109.10
1	AA	1157	A	O4'-C1'-C2'	-5.04	100.76	105.80
1	AA	1159	U	C5-C4-O4	-5.04	122.88	125.90
1	AA	1167	A	C8-N9-C4	-5.04	103.78	105.80
1	AA	1412	C	N3-C4-C5	5.04	123.92	121.90
25	BA	5	U	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	235	U	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	439	A	C5-C6-N6	-5.04	119.67	123.70
26	BB	797	G	C5-C6-O6	-5.04	125.58	128.60
26	BB	1191	G	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	1682	G	C8-N9-C4	-5.04	104.38	106.40
26	BB	1888	G	N3-C2-N2	-5.04	116.37	119.90
26	BB	2175	C	C4'-C3'-C2'	5.04	107.64	102.60
26	BB	2676	C	N1-C2-O2	5.04	121.92	118.90
26	BB	2736	A	N1-C2-N3	-5.04	126.78	129.30
1	AA	242	G	N3-C4-N9	-5.04	122.98	126.00
1	AA	351	G	C5-N7-C8	5.04	106.82	104.30
1	AA	988	G	C6-N1-C2	-5.04	122.08	125.10
3	AC	14	G	N3-C2-N2	-5.04	116.37	119.90
3	AC	15	G	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	121	G	C6-N1-C2	-5.04	122.08	125.10
26	BB	204	A	N3-C4-N9	-5.04	123.37	127.40
26	BB	229	C	N3-C4-N4	-5.04	114.47	118.00
26	BB	751	A	C5-C6-N1	5.04	120.22	117.70
26	BB	813	U	N1-C2-O2	-5.04	119.27	122.80
26	BB	899	A	C5-C6-N6	-5.04	119.67	123.70
26	BB	1323	C	C5-C4-N4	5.04	123.73	120.20
26	BB	1563	U	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	1752	C	C4-C5-C6	-5.04	114.88	117.40
26	BB	1781	U	N1-C2-N3	5.04	117.92	114.90
26	BB	2018	G	C5'-C4'-O4'	-5.04	103.06	109.10
26	BB	2540	C	O4'-C1'-N1	5.04	112.23	108.20
9	AI	19	PRO	N-CA-CB	5.04	109.34	103.30
26	BB	557	C	C2-N3-C4	5.04	122.42	119.90
26	BB	1645	G	C5'-C4'-C3'	-5.04	107.94	116.00
26	BB	2065	C	C2-N3-C4	-5.04	117.38	119.90
26	BB	2620	C	P-O3'-C3'	5.04	125.74	119.70
1	AA	80	A	C4-C5-C6	-5.04	114.48	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	129	A	C4-C5-N7	-5.04	108.18	110.70
1	AA	235	C	N1-C2-O2	5.04	121.92	118.90
1	AA	513	C	C3'-C2'-C1'	5.04	105.53	101.50
1	AA	867	G	C4-C5-C6	5.04	121.82	118.80
2	AB	10	G	C4-C5-C6	5.04	121.82	118.80
2	AB	27	C	N3-C4-N4	5.04	121.53	118.00
3	AC	36	U	C5-C6-N1	-5.04	120.18	122.70
26	BB	13	A	C4-C5-N7	5.04	113.22	110.70
26	BB	317	G	C4-C5-C6	5.04	121.82	118.80
26	BB	590	A	C5'-C4'-O4'	5.04	115.14	109.10
26	BB	737	C	P-O3'-C3'	5.04	125.74	119.70
26	BB	967	U	N3-C2-O2	-5.04	118.67	122.20
26	BB	1292	G	C4-C5-N7	-5.04	108.79	110.80
26	BB	1337	G	C4-C5-C6	5.04	121.82	118.80
26	BB	1479	G	C6-C5-N7	5.04	133.42	130.40
26	BB	1507	C	C6-N1-C2	5.04	122.31	120.30
26	BB	1674	G	O5'-C5'-C4'	5.04	121.27	111.70
26	BB	1991	U	C5'-C4'-C3'	-5.04	107.94	116.00
26	BB	2420	C	N1-C1'-C2'	5.04	120.55	114.00
29	BE	113	SER	N-CA-CB	-5.04	102.95	110.50
1	AA	259	G	C4-C5-N7	5.03	112.81	110.80
1	AA	939	G	C5-N7-C8	-5.03	101.78	104.30
1	AA	975	A	O4'-C4'-C3'	-5.03	98.97	104.00
1	AA	987	G	C2-N3-C4	-5.03	109.38	111.90
1	AA	994	A	C2'-C3'-O3'	5.03	121.75	113.70
1	AA	1447	A	C4-C5-C6	-5.03	114.48	117.00
2	AB	36	A	C4'-C3'-C2'	-5.03	97.57	102.60
8	AH	68	ARG	CA-CB-CG	5.03	124.48	113.40
25	BA	54	G	C4-C5-C6	5.03	121.82	118.80
25	BA	77	U	O4'-C1'-N1	5.03	112.23	108.20
26	BB	409	G	C6-C5-N7	-5.03	127.38	130.40
26	BB	851	C	P-O3'-C3'	5.03	125.74	119.70
26	BB	1136	G	C4-N9-C1'	-5.03	119.96	126.50
26	BB	1228	G	C5'-C4'-C3'	-5.03	107.95	116.00
26	BB	1328	A	O4'-C1'-N9	5.03	112.23	108.20
26	BB	2360	G	N3-C2-N2	-5.03	116.38	119.90
26	BB	2426	A	N1-C6-N6	5.03	121.62	118.60
26	BB	2524	G	C8-N9-C4	-5.03	104.39	106.40
26	BB	2631	G	C2-N3-C4	5.03	114.42	111.90
33	BI	118	PRO	C-N-CA	5.03	134.28	121.70
1	AA	1082	A	O4'-C4'-C3'	5.03	110.13	106.10
1	AA	1184	G	N7-C8-N9	5.03	115.62	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	61	C	C2-N1-C1'	-5.03	113.27	118.80
26	BB	308	G	N1-C6-O6	5.03	122.92	119.90
26	BB	457	A	N3-C4-C5	-5.03	123.28	126.80
26	BB	1137	G	N7-C8-N9	5.03	115.62	113.10
26	BB	1351	C	C4-C5-C6	-5.03	114.88	117.40
26	BB	1862	G	N3-C4-C5	-5.03	126.08	128.60
26	BB	2469	A	C5'-C4'-C3'	-5.03	107.95	116.00
26	BB	2474	U	C4-C5-C6	5.03	122.72	119.70
1	AA	416	G	C8-N9-C1'	5.03	133.54	127.00
1	AA	422	C	C5-C6-N1	5.03	123.52	121.00
1	AA	451	A	C6-N1-C2	5.03	121.62	118.60
1	AA	461	A	C5-C6-N1	-5.03	115.19	117.70
1	AA	538	G	N1-C2-N2	-5.03	111.67	116.20
1	AA	609	A	N9-C4-C5	5.03	107.81	105.80
1	AA	1099	G	C5-N7-C8	-5.03	101.78	104.30
1	AA	1232	U	C5-C4-O4	-5.03	122.88	125.90
1	AA	1340	A	C4-C5-N7	5.03	113.22	110.70
1	AA	1371	G	O3'-P-O5'	-5.03	94.44	104.00
25	BA	110	C	C3'-C2'-C1'	-5.03	97.48	101.50
26	BB	123	G	C5-N7-C8	5.03	106.81	104.30
26	BB	297	G	N7-C8-N9	5.03	115.61	113.10
26	BB	575	A	C2'-C3'-O3'	5.03	121.75	113.70
26	BB	790	U	N1-C2-O2	5.03	126.32	122.80
26	BB	1175	A	C5-C6-N1	5.03	120.22	117.70
26	BB	1262	A	O4'-C1'-N9	5.03	112.22	108.20
26	BB	1489	C	O3'-P-O5'	-5.03	94.44	104.00
26	BB	1606	C	C2-N3-C4	5.03	122.42	119.90
26	BB	2620	C	C4-C5-C6	-5.03	114.89	117.40
26	BB	2806	C	C6-N1-C2	-5.03	118.29	120.30
33	BI	121	VAL	CA-CB-CG2	5.03	118.45	110.90
41	BQ	105	ALA	CB-CA-C	5.03	117.64	110.10
1	AA	92	U	N3-C4-C5	-5.03	111.58	114.60
1	AA	418	C	N1-C1'-C2'	-5.03	106.47	112.00
1	AA	552	U	N3-C4-C5	5.03	117.62	114.60
1	AA	1363	A	N7-C8-N9	5.03	116.31	113.80
1	AA	1473	G	C4-C5-N7	5.03	112.81	110.80
4	AD	4	G	C6-C5-N7	5.03	133.42	130.40
26	BB	1201	U	N1-C2-N3	5.03	117.92	114.90
26	BB	1376	C	C5-C6-N1	-5.03	118.49	121.00
26	BB	1503	A	C2-N3-C4	-5.03	108.09	110.60
26	BB	2350	C	C6-N1-C2	5.03	122.31	120.30
26	BB	2550	G	N9-C4-C5	5.03	107.41	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2614	A	N3-C4-C5	-5.03	123.28	126.80
26	BB	2706	A	P-O3'-C3'	5.03	125.73	119.70
26	BB	2766	A	C4'-C3'-C2'	5.03	107.63	102.60
1	AA	10	A	C2-N3-C4	-5.03	108.09	110.60
1	AA	290	C	O4'-C1'-N1	5.03	112.22	108.20
1	AA	321	A	C3'-C2'-C1'	5.03	105.52	101.50
1	AA	446	G	O4'-C1'-N9	5.03	112.22	108.20
1	AA	463	U	N1-C2-N3	5.03	117.92	114.90
1	AA	934	C	N1-C1'-C2'	5.03	120.54	114.00
1	AA	1508	A	P-O3'-C3'	5.03	125.73	119.70
3	AC	50	U	N1-C2-O2	-5.03	119.28	122.80
4	AD	36	A	C3'-C2'-C1'	-5.03	97.48	101.50
26	BB	41	C	C5-C6-N1	-5.03	118.49	121.00
26	BB	129	C	C1'-O4'-C4'	5.03	113.92	109.90
26	BB	536	G	N1-C6-O6	-5.03	116.88	119.90
26	BB	575	A	C5-N7-C8	5.03	106.41	103.90
26	BB	846	U	P-O3'-C3'	5.03	125.73	119.70
26	BB	1234	U	C5-C6-N1	-5.03	120.19	122.70
26	BB	1468	U	N1-C2-O2	5.03	126.32	122.80
26	BB	1780	A	C1'-O4'-C4'	-5.03	105.88	109.90
26	BB	2436	G	C1'-O4'-C4'	-5.03	105.88	109.90
26	BB	2466	C	N1-C2-N3	5.03	122.72	119.20
26	BB	2514	U	C5-C4-O4	5.03	128.92	125.90
26	BB	2571	U	O4'-C1'-N1	5.03	112.22	108.20
26	BB	2634	A	N9-C4-C5	-5.03	103.79	105.80
45	BU	95	ARG	CB-CA-C	5.03	120.46	110.40
48	BX	26	PHE	CB-CG-CD1	-5.03	117.28	120.80
1	AA	246	A	C1'-O4'-C4'	-5.03	105.88	109.90
1	AA	445	G	C8-N9-C4	-5.03	104.39	106.40
1	AA	574	A	C6-N1-C2	-5.03	115.58	118.60
1	AA	660	C	C5'-C4'-O4'	5.03	115.13	109.10
1	AA	979	C	C6-N1-C2	5.03	122.31	120.30
1	AA	988	G	N3-C4-N9	5.03	129.01	126.00
1	AA	1225	A	N3-C4-C5	-5.03	123.28	126.80
1	AA	1253	G	O4'-C1'-N9	5.03	112.22	108.20
1	AA	1416	G	C5-N7-C8	-5.03	101.79	104.30
1	AA	1490	U	O5'-P-OP1	-5.03	101.18	105.70
4	AD	54	G	C5-C6-N1	5.03	114.01	111.50
15	AO	113	ARG	NE-CZ-NH2	-5.03	117.79	120.30
17	AQ	8	ARG	NE-CZ-NH2	5.03	122.81	120.30
26	BB	156	A	C4'-C3'-C2'	-5.03	97.57	102.60
26	BB	168	G	C5'-C4'-O4'	5.03	115.13	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	175	G	C4-N9-C1'	-5.03	119.97	126.50
26	BB	425	G	N9-C1'-C2'	-5.03	106.47	112.00
26	BB	437	U	O5'-C5'-C4'	-5.03	102.15	111.70
26	BB	608	A	C5-C6-N1	5.03	120.21	117.70
26	BB	684	G	C5-C6-N1	5.03	114.01	111.50
26	BB	756	A	C8-N9-C4	5.03	107.81	105.80
26	BB	1114	C	N3-C2-O2	-5.03	118.38	121.90
26	BB	1126	A	N9-C4-C5	5.03	107.81	105.80
26	BB	1613	G	C4'-C3'-C2'	-5.03	97.58	102.60
26	BB	1623	G	N1-C2-N2	5.03	120.72	116.20
26	BB	1872	A	C5-N7-C8	-5.03	101.39	103.90
26	BB	2699	C	N3-C4-N4	5.03	121.52	118.00
26	BB	2709	G	N1-C2-N3	5.03	126.92	123.90
26	BB	2823	A	C6-N1-C2	-5.03	115.58	118.60
26	BB	2835	A	N3-C4-C5	-5.03	123.28	126.80
30	BF	132	LYS	N-CA-CB	-5.03	101.55	110.60
31	BG	166	ARG	NE-CZ-NH1	5.03	122.81	120.30
1	AA	963	G	N3-C2-N2	-5.02	116.38	119.90
1	AA	1387	G	C4-C5-C6	5.02	121.81	118.80
1	AA	1391	U	O5'-C5'-C4'	-5.02	102.15	111.70
2	AB	2	G	C5'-C4'-O4'	5.02	115.13	109.10
26	BB	112	U	N3-C4-O4	5.02	122.92	119.40
26	BB	786	C	O3'-P-O5'	-5.02	94.45	104.00
26	BB	1174	U	N1-C2-N3	5.02	117.91	114.90
26	BB	1378	A	O4'-C1'-N9	5.02	112.22	108.20
26	BB	1697	G	C2-N3-C4	-5.02	109.39	111.90
26	BB	1927	A	C3'-C2'-C1'	-5.02	97.48	101.50
26	BB	2885	G	N9-C4-C5	5.02	107.41	105.40
1	AA	150	U	P-O5'-C5'	5.02	128.94	120.90
1	AA	250	A	N9-C4-C5	5.02	107.81	105.80
1	AA	501	C	O4'-C1'-N1	5.02	112.22	108.20
1	AA	583	A	C5-C6-N6	-5.02	119.68	123.70
1	AA	1179	A	C5-N7-C8	-5.02	101.39	103.90
1	AA	1242	G	N1-C2-N2	5.02	120.72	116.20
1	AA	1336	C	P-O3'-C3'	5.02	125.73	119.70
1	AA	1388	C	O4'-C1'-C2'	-5.02	100.78	105.80
13	AM	89	ARG	NE-CZ-NH2	-5.02	117.79	120.30
26	BB	184	C	C5-C4-N4	-5.02	116.68	120.20
26	BB	525	U	N3-C2-O2	5.02	125.72	122.20
26	BB	776	G	O4'-C1'-N9	5.02	112.22	108.20
26	BB	889	C	N1-C2-O2	5.02	121.91	118.90
26	BB	1106	G	C4-C5-C6	5.02	121.81	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1211	C	O4'-C1'-N1	5.02	112.22	108.20
26	BB	1349	C	C5'-C4'-C3'	-5.02	107.96	116.00
26	BB	1448	G	C5-C6-O6	5.02	131.61	128.60
26	BB	1509	A	C6-N1-C2	-5.02	115.59	118.60
26	BB	1570	A	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	1690	A	C6-C5-N7	5.02	135.82	132.30
26	BB	1757	A	C6-N1-C2	-5.02	115.59	118.60
26	BB	1776	G	N1-C6-O6	-5.02	116.89	119.90
26	BB	1833	C	N1-C2-O2	5.02	121.91	118.90
26	BB	2002	G	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	2449	H2U	P-O3'-C3'	5.02	125.73	119.70
26	BB	2537	U	N1-C2-N3	5.02	117.91	114.90
26	BB	2588	G	C4-C5-N7	-5.02	108.79	110.80
26	BB	2748	A	C2-N3-C4	5.02	113.11	110.60
1	AA	270	A	C6-C5-N7	5.02	135.81	132.30
1	AA	704	A	C5'-C4'-O4'	5.02	115.12	109.10
1	AA	1254	A	O4'-C1'-N9	-5.02	104.18	108.20
4	AD	57	C	N1-C2-N3	-5.02	115.69	119.20
26	BB	763	G	C8-N9-C1'	5.02	133.53	127.00
26	BB	1317	G	C3'-C2'-C1'	-5.02	97.48	101.50
26	BB	1750	G	C5-C6-O6	-5.02	125.59	128.60
1	AA	350	G	N1-C2-N3	5.02	126.91	123.90
1	AA	526	C	N1-C2-O2	5.02	121.91	118.90
1	AA	632	U	N3-C2-O2	5.02	125.71	122.20
1	AA	655	A	C3'-C2'-C1'	5.02	105.52	101.50
1	AA	925	G	N3-C4-N9	5.02	129.01	126.00
5	AE	135	MET	CA-CB-CG	-5.02	104.77	113.30
25	BA	65	U	O5'-P-OP2	-5.02	101.18	105.70
26	BB	111	A	C3'-C2'-C1'	-5.02	97.48	101.50
26	BB	647	G	C5'-C4'-O4'	5.02	115.12	109.10
26	BB	1103	A	C6-C5-N7	5.02	135.81	132.30
26	BB	1369	G	N7-C8-N9	5.02	115.61	113.10
26	BB	1454	C	C6-N1-C1'	-5.02	114.78	120.80
26	BB	1586	A	C6-C5-N7	-5.02	128.79	132.30
26	BB	1629	U	C2-N3-C4	-5.02	123.99	127.00
26	BB	1990	C	N3-C4-C5	-5.02	119.89	121.90
26	BB	2107	G	O4'-C1'-C2'	-5.02	100.78	105.80
26	BB	2274	A	P-O3'-C3'	5.02	125.72	119.70
29	BE	14	ILE	C-N-CA	5.02	134.25	121.70
33	BI	58	LEU	CB-CG-CD2	5.02	119.53	111.00
1	AA	209	U	C2-N3-C4	-5.02	123.99	127.00
1	AA	648	A	C4-C5-C6	-5.02	114.49	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	710	G	N9-C1'-C2'	-5.02	106.48	112.00
1	AA	748	G	C5-C6-O6	-5.02	125.59	128.60
1	AA	826	C	N3-C2-O2	-5.02	118.39	121.90
1	AA	899	C	C6-N1-C1'	-5.02	114.78	120.80
1	AA	971	G	N3-C4-N9	-5.02	122.99	126.00
1	AA	982	U	N1-C2-O2	-5.02	119.29	122.80
1	AA	1216	A	P-O3'-C3'	5.02	125.72	119.70
1	AA	1294	G	C4-N9-C1'	-5.02	119.98	126.50
1	AA	1485	U	C3'-C2'-C1'	5.02	105.51	101.50
26	BB	13	A	O5'-P-OP1	-5.02	101.18	105.70
26	BB	349	U	N3-C4-C5	-5.02	111.59	114.60
26	BB	604	G	O4'-C1'-N9	5.02	112.21	108.20
26	BB	1141	U	P-O3'-C3'	5.02	125.72	119.70
26	BB	1216	G	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	1243	C	N3-C2-O2	-5.02	118.39	121.90
26	BB	1594	U	O5'-P-OP2	-5.02	101.19	105.70
26	BB	1986	C	C4-C5-C6	-5.02	114.89	117.40
26	BB	2152	G	N3-C4-C5	-5.02	126.09	128.60
26	BB	2160	C	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	2354	C	C4-C5-C6	5.02	119.91	117.40
26	BB	2418	A	N9-C4-C5	5.02	107.81	105.80
26	BB	2731	G	N9-C4-C5	5.02	107.41	105.40
26	BB	2847	U	C5'-C4'-C3'	-5.02	107.97	116.00
26	BB	2865	U	C2-N1-C1'	5.02	123.72	117.70
42	BR	23	ASP	CB-CG-OD1	5.02	122.82	118.30
1	AA	297	G	O5'-C5'-C4'	5.02	121.23	111.70
1	AA	1221	G	O3'-P-O5'	-5.02	94.47	104.00
1	AA	1275	A	N3-C4-N9	5.02	131.41	127.40
1	AA	1356	G	N3-C4-N9	5.02	129.01	126.00
15	AO	94	TYR	CG-CD1-CE1	5.02	125.31	121.30
26	BB	1072	C	N3-C4-N4	5.02	121.51	118.00
26	BB	1225	G	C2'-C3'-O3'	5.02	121.72	113.70
26	BB	1626	A	N7-C8-N9	-5.02	111.29	113.80
26	BB	1784	A	N3-C4-N9	-5.02	123.39	127.40
26	BB	2044	C	C4-C5-C6	-5.02	114.89	117.40
26	BB	2712	C	P-O3'-C3'	5.02	125.72	119.70
1	AA	27	G	C5-N7-C8	-5.01	101.79	104.30
1	AA	239	U	C2'-C3'-O3'	5.01	121.72	113.70
1	AA	365	U	C5-C4-O4	-5.01	122.89	125.90
1	AA	685	G	C3'-C2'-C1'	-5.01	97.49	101.50
1	AA	700	G	C5-C6-O6	5.01	131.61	128.60
1	AA	791	G	C5'-C4'-O4'	5.01	115.12	109.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1017	U	C1'-O4'-C4'	-5.01	105.89	109.90
1	AA	1068	G	C1'-O4'-C4'	-5.01	105.89	109.90
1	AA	1156	G	P-O5'-C5'	5.01	128.92	120.90
1	AA	1369	C	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	1437	A	C3'-C2'-C1'	-5.01	97.49	101.50
1	AA	1517	G	C1'-O4'-C4'	5.01	113.91	109.90
2	AB	57	G	C8-N9-C4	-5.01	104.39	106.40
26	BB	177	G	N1-C2-N2	-5.01	111.69	116.20
26	BB	328	U	O3'-P-O5'	-5.01	94.47	104.00
26	BB	438	G	N1-C2-N3	-5.01	120.89	123.90
26	BB	612	G	O3'-P-O5'	-5.01	94.47	104.00
26	BB	672	C	N3-C4-N4	5.01	121.51	118.00
26	BB	751	A	C4-C5-N7	-5.01	108.19	110.70
26	BB	805	G	C8-N9-C4	-5.01	104.39	106.40
26	BB	1382	G	P-O3'-C3'	5.01	125.72	119.70
26	BB	1966	A	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	2163	A	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	2257	U	N1-C2-O2	-5.01	119.29	122.80
26	BB	2583	G	C5-C6-N1	5.01	114.01	111.50
29	BE	118	PHE	CB-CG-CD2	5.01	124.31	120.80
37	BM	105	ARG	NE-CZ-NH1	5.01	122.81	120.30
1	AA	112	G	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	812	G	C5-C6-N1	5.01	114.01	111.50
1	AA	1038	C	C5'-C4'-O4'	5.01	115.11	109.10
1	AA	1266	G	C4-C5-C6	-5.01	115.79	118.80
26	BB	23	G	C6-N1-C2	-5.01	122.09	125.10
26	BB	198	C	N3-C4-C5	-5.01	119.89	121.90
26	BB	261	G	O4'-C1'-N9	5.01	112.21	108.20
26	BB	493	G	C5-C6-O6	5.01	131.61	128.60
26	BB	1014	A	C8-N9-C4	-5.01	103.80	105.80
26	BB	1202	G	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	1642	G	N7-C8-N9	-5.01	110.59	113.10
26	BB	2025	C	C5'-C4'-C3'	-5.01	107.98	116.00
26	BB	2710	C	C3'-C2'-C1'	5.01	105.51	101.50
45	BU	110	ARG	NE-CZ-NH1	-5.01	117.79	120.30
1	AA	122	G	C5-C6-O6	5.01	131.61	128.60
1	AA	188	C	O5'-C5'-C4'	5.01	121.22	111.70
1	AA	396	C	C2-N3-C4	5.01	122.41	119.90
1	AA	474	G	C5-C6-O6	-5.01	125.59	128.60
26	BB	166	U	O4'-C1'-N1	-5.01	104.19	108.20
26	BB	583	G	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	856	G	C8-N9-C4	-5.01	104.40	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1159	U	N3-C4-C5	5.01	117.61	114.60
26	BB	1775	U	N3-C2-O2	-5.01	118.69	122.20
26	BB	2151	U	N1-C2-N3	5.01	117.91	114.90
26	BB	2158	A	N3-C4-C5	5.01	130.31	126.80
26	BB	2411	A	C4-C5-N7	-5.01	108.19	110.70
26	BB	2455	G	O5'-C5'-C4'	5.01	121.22	111.70
26	BB	2483	C	C5-C6-N1	5.01	123.51	121.00
31	BG	98	PHE	CB-CG-CD2	-5.01	117.29	120.80
38	BN	66	PHE	CB-CG-CD2	5.01	124.31	120.80
1	AA	4	U	N3-C4-C5	5.01	117.61	114.60
1	AA	184	G	C1'-O4'-C4'	5.01	113.91	109.90
1	AA	422	C	O4'-C1'-C2'	-5.01	100.79	105.80
1	AA	488	C	C2-N3-C4	5.01	122.41	119.90
1	AA	766	A	O5'-P-OP1	-5.01	101.19	105.70
1	AA	1105	A	C5'-C4'-O4'	5.01	115.11	109.10
1	AA	1446	A	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	1468	A	C2-N3-C4	-5.01	108.09	110.60
2	AB	26	A	O4'-C1'-N9	-5.01	104.19	108.20
25	BA	91	C	O5'-P-OP2	-5.01	101.19	105.70
26	BB	181	A	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	333	G	N1-C2-N3	-5.01	120.89	123.90
26	BB	820	A	O3'-P-O5'	-5.01	94.48	104.00
26	BB	1125	G	N7-C8-N9	-5.01	110.59	113.10
26	BB	1154	G	C6-N1-C2	-5.01	122.09	125.10
26	BB	1275	A	P-O3'-C3'	5.01	125.71	119.70
26	BB	1353	A	C5'-C4'-C3'	-5.01	107.98	116.00
26	BB	1371	G	N3-C4-N9	5.01	129.00	126.00
26	BB	1560	G	C5'-C4'-C3'	-5.01	107.99	116.00
26	BB	2027	G	N3-C4-N9	-5.01	122.99	126.00
26	BB	2162	G	N9-C1'-C2'	-5.01	106.49	112.00
26	BB	2497	A	O4'-C4'-C3'	5.01	110.11	106.10
1	AA	34	C	N1-C2-O2	5.01	121.91	118.90
1	AA	232	G	C8-N9-C4	-5.01	104.40	106.40
1	AA	1204	A	C2-N3-C4	5.01	113.10	110.60
1	AA	1389	C	N3-C4-C5	-5.01	119.90	121.90
26	BB	714	U	N3-C4-C5	-5.01	111.59	114.60
26	BB	763	G	N3-C4-C5	5.01	131.10	128.60
26	BB	843	G	O4'-C1'-N9	5.01	112.21	108.20
26	BB	890	C	C4-C5-C6	-5.01	114.90	117.40
26	BB	1072	C	N1-C2-N3	-5.01	115.69	119.20
26	BB	1219	U	C2-N3-C4	-5.01	124.00	127.00
26	BB	2776	A	C3'-C2'-C1'	-5.01	97.49	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2881	U	C5-C6-N1	-5.01	120.20	122.70
1	AA	868	C	C2-N3-C4	5.01	122.40	119.90
1	AA	888	G	P-O3'-C3'	5.01	125.71	119.70
1	AA	1171	A	C5-C6-N1	-5.01	115.20	117.70
3	AC	20	G	N9-C4-C5	-5.01	103.40	105.40
4	AD	57	C	C1'-O4'-C4'	-5.01	105.89	109.90
10	AJ	69	ARG	CD-NE-CZ	5.01	130.61	123.60
25	BA	84	G	C6-N1-C2	-5.01	122.10	125.10
26	BB	211	C	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	315	G	C5-C6-O6	-5.01	125.60	128.60
26	BB	330	A	C4-C5-N7	-5.01	108.20	110.70
26	BB	884	U	N3-C4-O4	5.01	122.91	119.40
26	BB	1153	C	N3-C4-C5	-5.01	119.90	121.90
26	BB	1542	U	C6-N1-C2	5.01	124.00	121.00
26	BB	1557	C	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	1919	A	O4'-C4'-C3'	5.01	110.11	106.10
26	BB	2266	A	C8-N9-C4	-5.01	103.80	105.80
26	BB	2286	G	C6-C5-N7	-5.01	127.40	130.40
1	AA	622	A	C2'-C3'-O3'	5.00	121.71	113.70
1	AA	811	C	N3-C4-N4	5.00	121.50	118.00
1	AA	1319	A	C4-C5-C6	-5.00	114.50	117.00
1	AA	1337	G	C5'-C4'-C3'	-5.00	107.99	116.00
4	AD	54	G	N3-C2-N2	-5.00	116.40	119.90
26	BB	1248	G	N1-C2-N2	5.00	120.70	116.20
26	BB	1965	C	C1'-O4'-C4'	-5.00	105.90	109.90
26	BB	2245	U	N3-C2-O2	-5.00	118.70	122.20
26	BB	2265	U	C1'-O4'-C4'	-5.00	105.90	109.90
26	BB	2327	A	C1'-O4'-C4'	-5.00	105.90	109.90
26	BB	2407	A	C4'-C3'-C2'	5.00	107.61	102.60
26	BB	2582	G	C3'-C2'-C1'	-5.00	97.50	101.50
26	BB	2734	A	C5-C6-N1	5.00	120.20	117.70
1	AA	44	A	N9-C1'-C2'	-5.00	106.50	112.00
5	AE	87	ASP	CB-CG-OD2	-5.00	113.80	118.30
25	BA	51	G	O5'-C5'-C4'	5.00	121.21	111.70
26	BB	73	A	C6-N1-C2	-5.00	115.60	118.60
26	BB	212	G	C5-C6-N1	-5.00	109.00	111.50
26	BB	298	G	N1-C2-N3	-5.00	120.90	123.90
26	BB	415	A	C1'-O4'-C4'	5.00	113.90	109.90
26	BB	415	A	C5'-C4'-O4'	5.00	115.10	109.10
26	BB	761	A	C4-C5-C6	5.00	119.50	117.00
26	BB	990	A	N1-C2-N3	-5.00	126.80	129.30
26	BB	1147	A	C5-N7-C8	-5.00	101.40	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1276	A	N7-C8-N9	-5.00	111.30	113.80
26	BB	1498	C	C5'-C4'-O4'	5.00	115.10	109.10
26	BB	1803	A	C5-N7-C8	5.00	106.40	103.90
26	BB	2329	U	N3-C4-C5	5.00	117.60	114.60
26	BB	2587	A	C4-C5-C6	5.00	119.50	117.00
26	BB	2776	A	N1-C2-N3	-5.00	126.80	129.30
26	BB	2805	C	C5'-C4'-O4'	5.00	115.11	109.10
27	BC	75	VAL	O-C-N	5.00	130.71	122.70
1	AA	2	A	N1-C2-N3	-5.00	126.80	129.30
1	AA	1440	U	N3-C2-O2	5.00	125.70	122.20
1	AA	1455	G	C5-C6-N1	5.00	114.00	111.50
1	AA	1534	A	O3'-P-O5'	5.00	113.50	104.00
26	BB	90	U	C5-C4-O4	-5.00	122.90	125.90
26	BB	259	G	C4-C5-C6	5.00	121.80	118.80
26	BB	1032	A	C2-N3-C4	5.00	113.10	110.60
26	BB	1185	G	C6-N1-C2	-5.00	122.10	125.10
26	BB	1526	C	C4'-C3'-C2'	-5.00	97.60	102.60
26	BB	2252	G	O3'-P-O5'	-5.00	94.50	104.00
26	BB	2566	A	C8-N9-C4	-5.00	103.80	105.80
26	BB	2623	G	N3-C4-C5	-5.00	126.10	128.60
26	BB	2706	A	C5'-C4'-C3'	5.00	124.00	116.00
50	BZ	21	LEU	CB-CG-CD2	5.00	119.50	111.00

There are no chirality outliers.

All (2945) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	100	G	Sidechain
1	AA	1000	A	Sidechain
1	AA	1001	C	Sidechain
1	AA	1003	G	Sidechain
1	AA	1005	A	Sidechain
1	AA	1007	U	Sidechain
1	AA	1008	U	Sidechain
1	AA	101	A	Sidechain
1	AA	1010	U	Sidechain
1	AA	1012	A	Sidechain
1	AA	1014	A	Sidechain
1	AA	1016	A	Sidechain
1	AA	1017	U	Sidechain
1	AA	102	G	Sidechain
1	AA	1022	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1023	U	Sidechain
1	AA	1024	G	Sidechain
1	AA	1026	G	Sidechain
1	AA	1031	C	Sidechain
1	AA	1033	G	Sidechain
1	AA	1034	G	Sidechain
1	AA	1035	A	Sidechain
1	AA	1036	A	Sidechain
1	AA	1038	C	Sidechain
1	AA	1039	G	Sidechain
1	AA	1040	U	Sidechain
1	AA	1042	A	Sidechain
1	AA	1043	G	Sidechain
1	AA	1044	A	Sidechain
1	AA	1045	C	Sidechain
1	AA	1046	A	Sidechain
1	AA	1047	G	Sidechain
1	AA	1048	G	Sidechain
1	AA	1049	U	Sidechain
1	AA	105	G	Sidechain
1	AA	1050	G	Sidechain
1	AA	1052	U	Sidechain
1	AA	1056	U	Sidechain
1	AA	1058	G	Sidechain
1	AA	1059	C	Sidechain
1	AA	106	C	Sidechain
1	AA	1060	U	Sidechain
1	AA	1065	U	Sidechain
1	AA	1067	A	Sidechain
1	AA	107	G	Sidechain
1	AA	1070	U	Sidechain
1	AA	1072	G	Sidechain
1	AA	1073	U	Sidechain
1	AA	1074	G	Sidechain
1	AA	1075	U	Sidechain
1	AA	1076	U	Sidechain
1	AA	1077	G	Sidechain
1	AA	108	G	Sidechain
1	AA	1082	A	Sidechain
1	AA	1085	U	Sidechain
1	AA	1087	G	Sidechain
1	AA	1088	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1089	G	Sidechain
1	AA	1090	U	Sidechain
1	AA	1091	U	Sidechain
1	AA	1093	A	Sidechain
1	AA	1094	G	Sidechain
1	AA	1095	U	Sidechain
1	AA	1096	C	Sidechain
1	AA	1098	C	Sidechain
1	AA	1099	G	Sidechain
1	AA	11	G	Sidechain
1	AA	110	C	Sidechain
1	AA	1101	A	Sidechain
1	AA	1102	A	Sidechain
1	AA	1103	C	Sidechain
1	AA	1104	G	Sidechain
1	AA	1105	A	Sidechain
1	AA	1106	G	Sidechain
1	AA	1110	A	Sidechain
1	AA	1113	C	Sidechain
1	AA	1115	U	Sidechain
1	AA	1116	U	Sidechain
1	AA	1118	U	Sidechain
1	AA	112	G	Sidechain
1	AA	1121	U	Sidechain
1	AA	1122	U	Sidechain
1	AA	1124	G	Sidechain
1	AA	1126	U	Sidechain
1	AA	1127	G	Sidechain
1	AA	1128	C	Sidechain
1	AA	1129	C	Sidechain
1	AA	1132	C	Sidechain
1	AA	1136	C	Sidechain
1	AA	1139	G	Sidechain
1	AA	1141	C	Sidechain
1	AA	1142	G	Sidechain
1	AA	1145	A	Sidechain
1	AA	1146	A	Sidechain
1	AA	1148	U	Sidechain
1	AA	1150	A	Sidechain
1	AA	1151	A	Sidechain
1	AA	1153	G	Sidechain
1	AA	1154	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1155	A	Sidechain
1	AA	1156	G	Sidechain
1	AA	116	A	Sidechain
1	AA	1160	G	Sidechain
1	AA	1161	C	Sidechain
1	AA	1163	A	Sidechain
1	AA	1166	G	Sidechain
1	AA	1167	A	Sidechain
1	AA	117	G	Sidechain
1	AA	1170	A	Sidechain
1	AA	1171	A	Sidechain
1	AA	1174	G	Sidechain
1	AA	1175	G	Sidechain
1	AA	1177	G	Sidechain
1	AA	1178	G	Sidechain
1	AA	1180	A	Sidechain
1	AA	1181	G	Sidechain
1	AA	1182	G	Sidechain
1	AA	1184	G	Sidechain
1	AA	1185	G	Sidechain
1	AA	1190	G	Sidechain
1	AA	1191	A	Sidechain
1	AA	1193	G	Sidechain
1	AA	1194	U	Sidechain
1	AA	1196	A	Sidechain
1	AA	1198	G	Sidechain
1	AA	12	U	Sidechain
1	AA	1200	C	Sidechain
1	AA	1201	A	Sidechain
1	AA	1203	C	Sidechain
1	AA	1204	A	Sidechain
1	AA	1205	U	Sidechain
1	AA	1206	G	Sidechain
1	AA	1208	C	Sidechain
1	AA	121	U	Sidechain
1	AA	1211	U	Sidechain
1	AA	1214	C	Sidechain
1	AA	1215	G	Sidechain
1	AA	1216	A	Sidechain
1	AA	1217	C	Sidechain
1	AA	1218	C	Sidechain
1	AA	1219	A	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	122	G	Sidechain
1	AA	1220	G	Sidechain
1	AA	1222	G	Sidechain
1	AA	1224	U	Sidechain
1	AA	1226	C	Sidechain
1	AA	1229	A	Sidechain
1	AA	1230	C	Sidechain
1	AA	1233	G	Sidechain
1	AA	1234	C	Sidechain
1	AA	1235	U	Sidechain
1	AA	1236	A	Sidechain
1	AA	1239	A	Sidechain
1	AA	1240	U	Sidechain
1	AA	1241	G	Sidechain
1	AA	1242	G	Sidechain
1	AA	1243	C	Sidechain
1	AA	1244	G	Sidechain
1	AA	1245	C	Sidechain
1	AA	1247	U	Sidechain
1	AA	1249	C	Sidechain
1	AA	125	U	Sidechain
1	AA	1250	A	Sidechain
1	AA	1253	G	Sidechain
1	AA	1254	A	Sidechain
1	AA	1256	A	Sidechain
1	AA	1258	G	Sidechain
1	AA	1259	C	Sidechain
1	AA	126	G	Sidechain
1	AA	1260	G	Sidechain
1	AA	1262	C	Sidechain
1	AA	1263	C	Sidechain
1	AA	1264	U	Sidechain
1	AA	1265	C	Sidechain
1	AA	1266	G	Sidechain
1	AA	1268	G	Sidechain
1	AA	127	G	Sidechain
1	AA	1272	G	Sidechain
1	AA	1274	A	Sidechain
1	AA	1278	G	Sidechain
1	AA	1279	G	Sidechain
1	AA	128	G	Sidechain
1	AA	1280	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1282	C	Sidechain
1	AA	1283	U	Sidechain
1	AA	1284	C	Sidechain
1	AA	1285	A	Sidechain
1	AA	1289	A	Sidechain
1	AA	129	A	Sidechain
1	AA	1290	G	Sidechain
1	AA	1291	U	Sidechain
1	AA	1292	G	Sidechain
1	AA	1294	G	Sidechain
1	AA	1295	U	Sidechain
1	AA	1298	U	Sidechain
1	AA	130	A	Sidechain
1	AA	1300	G	Sidechain
1	AA	1303	C	Sidechain
1	AA	1304	G	Sidechain
1	AA	1305	G	Sidechain
1	AA	1309	G	Sidechain
1	AA	131	A	Sidechain
1	AA	1310	G	Sidechain
1	AA	1312	G	Sidechain
1	AA	1313	U	Sidechain
1	AA	1315	U	Sidechain
1	AA	1316	G	Sidechain
1	AA	1317	C	Sidechain
1	AA	1318	A	Sidechain
1	AA	132	C	Sidechain
1	AA	1320	C	Sidechain
1	AA	1321	U	Sidechain
1	AA	1322	C	Sidechain
1	AA	1326	U	Sidechain
1	AA	1327	C	Sidechain
1	AA	1329	A	Sidechain
1	AA	133	U	Sidechain
1	AA	1331	G	Sidechain
1	AA	1332	A	Sidechain
1	AA	1333	A	Sidechain
1	AA	1336	C	Sidechain
1	AA	1337	G	Sidechain
1	AA	1338	G	Sidechain
1	AA	1339	A	Sidechain
1	AA	1341	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1342	C	Sidechain
1	AA	1343	G	Sidechain
1	AA	1345	U	Sidechain
1	AA	1346	A	Sidechain
1	AA	1347	G	Sidechain
1	AA	1348	U	Sidechain
1	AA	135	C	Sidechain
1	AA	1352	C	Sidechain
1	AA	1355	G	Sidechain
1	AA	1356	G	Sidechain
1	AA	1357	A	Sidechain
1	AA	1358	U	Sidechain
1	AA	1359	C	Sidechain
1	AA	1360	A	Sidechain
1	AA	1361	G	Sidechain
1	AA	1362	A	Sidechain
1	AA	1363	A	Sidechain
1	AA	1364	U	Sidechain
1	AA	1370	G	Sidechain
1	AA	1371	G	Sidechain
1	AA	1373	G	Sidechain
1	AA	1375	A	Sidechain
1	AA	1378	C	Sidechain
1	AA	1379	G	Sidechain
1	AA	138	G	Sidechain
1	AA	1380	U	Sidechain
1	AA	1382	C	Sidechain
1	AA	1383	C	Sidechain
1	AA	1388	C	Sidechain
1	AA	1392	G	Sidechain
1	AA	1393	U	Sidechain
1	AA	1396	A	Sidechain
1	AA	1397	C	Sidechain
1	AA	140	U	Sidechain
1	AA	1400	C	Sidechain
1	AA	1403	C	Sidechain
1	AA	1404	C	Sidechain
1	AA	1405	G	Sidechain
1	AA	141	G	Sidechain
1	AA	1411	C	Sidechain
1	AA	1415	G	Sidechain
1	AA	1416	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1417	G	Sidechain
1	AA	1418	A	Sidechain
1	AA	1419	G	Sidechain
1	AA	142	G	Sidechain
1	AA	1420	U	Sidechain
1	AA	1421	G	Sidechain
1	AA	1422	G	Sidechain
1	AA	1423	G	Sidechain
1	AA	1425	U	Sidechain
1	AA	1426	G	Sidechain
1	AA	1427	C	Sidechain
1	AA	1428	A	Sidechain
1	AA	143	A	Sidechain
1	AA	1431	A	Sidechain
1	AA	1432	G	Sidechain
1	AA	1435	G	Sidechain
1	AA	1436	U	Sidechain
1	AA	1438	G	Sidechain
1	AA	144	G	Sidechain
1	AA	1440	U	Sidechain
1	AA	1441	A	Sidechain
1	AA	1445	U	Sidechain
1	AA	1446	A	Sidechain
1	AA	1447	A	Sidechain
1	AA	1450	U	Sidechain
1	AA	1453	G	Sidechain
1	AA	1456	A	Sidechain
1	AA	1457	G	Sidechain
1	AA	1458	G	Sidechain
1	AA	1459	G	Sidechain
1	AA	146	G	Sidechain
1	AA	1461	G	Sidechain
1	AA	1463	U	Sidechain
1	AA	1464	U	Sidechain
1	AA	1465	A	Sidechain
1	AA	1467	C	Sidechain
1	AA	1469	C	Sidechain
1	AA	147	G	Sidechain
1	AA	1470	U	Sidechain
1	AA	1471	U	Sidechain
1	AA	1473	G	Sidechain
1	AA	1474	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1475	G	Sidechain
1	AA	1479	C	Sidechain
1	AA	148	G	Sidechain
1	AA	1480	A	Sidechain
1	AA	1481	U	Sidechain
1	AA	1482	G	Sidechain
1	AA	1484	C	Sidechain
1	AA	1486	G	Sidechain
1	AA	1487	G	Sidechain
1	AA	1489	G	Sidechain
1	AA	149	A	Sidechain
1	AA	1491	G	Sidechain
1	AA	1497	G	Sidechain
1	AA	15	G	Sidechain
1	AA	150	U	Sidechain
1	AA	1502	A	Sidechain
1	AA	1503	A	Sidechain
1	AA	1504	G	Sidechain
1	AA	1505	G	Sidechain
1	AA	1508	A	Sidechain
1	AA	1509	C	Sidechain
1	AA	1511	G	Sidechain
1	AA	1512	U	Sidechain
1	AA	1513	A	Sidechain
1	AA	1514	G	Sidechain
1	AA	1515	G	Sidechain
1	AA	1517	G	Sidechain
1	AA	152	A	Sidechain
1	AA	1521	C	Sidechain
1	AA	1524	C	Sidechain
1	AA	1525	G	Sidechain
1	AA	1526	G	Sidechain
1	AA	1528	U	Sidechain
1	AA	153	C	Sidechain
1	AA	1530	G	Sidechain
1	AA	1531	A	Sidechain
1	AA	1532	U	Sidechain
1	AA	1533	C	Sidechain
1	AA	1534	A	Sidechain
1	AA	1535	C	Sidechain
1	AA	1537	U	Sidechain
1	AA	1538	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1539	C	Sidechain
1	AA	154	U	Sidechain
1	AA	1541	U	Sidechain
1	AA	1542	A	Sidechain
1	AA	157	U	Sidechain
1	AA	161	A	Sidechain
1	AA	162	A	Sidechain
1	AA	164	G	Sidechain
1	AA	165	G	Sidechain
1	AA	167	A	Sidechain
1	AA	168	G	Sidechain
1	AA	169	C	Sidechain
1	AA	17	U	Sidechain
1	AA	170	U	Sidechain
1	AA	174	A	Sidechain
1	AA	176	C	Sidechain
1	AA	177	G	Sidechain
1	AA	179	A	Sidechain
1	AA	180	U	Sidechain
1	AA	183	C	Sidechain
1	AA	184	G	Sidechain
1	AA	185	U	Sidechain
1	AA	187	G	Sidechain
1	AA	190	A	Sidechain
1	AA	196	A	Sidechain
1	AA	197	A	Sidechain
1	AA	199	A	Sidechain
1	AA	2	A	Sidechain
1	AA	203	G	Sidechain
1	AA	204	G	Sidechain
1	AA	205	A	Sidechain
1	AA	206	C	Sidechain
1	AA	207	C	Sidechain
1	AA	208	U	Sidechain
1	AA	209	U	Sidechain
1	AA	21	G	Sidechain
1	AA	210	C	Sidechain
1	AA	211	G	Sidechain
1	AA	212	G	Sidechain
1	AA	213	G	Sidechain
1	AA	214	C	Sidechain
1	AA	217	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	218	U	Sidechain
1	AA	219	U	Sidechain
1	AA	220	G	Sidechain
1	AA	223	A	Sidechain
1	AA	224	U	Sidechain
1	AA	225	C	Sidechain
1	AA	227	G	Sidechain
1	AA	23	C	Sidechain
1	AA	230	G	Sidechain
1	AA	232	G	Sidechain
1	AA	233	C	Sidechain
1	AA	235	C	Sidechain
1	AA	237	G	Sidechain
1	AA	238	A	Sidechain
1	AA	240	G	Sidechain
1	AA	246	A	Sidechain
1	AA	248	C	Sidechain
1	AA	249	U	Sidechain
1	AA	250	A	Sidechain
1	AA	252	U	Sidechain
1	AA	253	A	Sidechain
1	AA	254	G	Sidechain
1	AA	255	G	Sidechain
1	AA	256	U	Sidechain
1	AA	257	G	Sidechain
1	AA	258	G	Sidechain
1	AA	259	G	Sidechain
1	AA	26	A	Sidechain
1	AA	260	G	Sidechain
1	AA	261	U	Sidechain
1	AA	262	A	Sidechain
1	AA	263	A	Sidechain
1	AA	264	C	Sidechain
1	AA	268	U	Sidechain
1	AA	271	C	Sidechain
1	AA	279	A	Sidechain
1	AA	280	C	Sidechain
1	AA	281	G	Sidechain
1	AA	282	A	Sidechain
1	AA	283	U	Sidechain
1	AA	285	C	Sidechain
1	AA	286	C	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	287	U	Sidechain
1	AA	288	A	Sidechain
1	AA	289	G	Sidechain
1	AA	29	U	Sidechain
1	AA	292	G	Sidechain
1	AA	293	G	Sidechain
1	AA	294	U	Sidechain
1	AA	296	U	Sidechain
1	AA	297	G	Sidechain
1	AA	298	A	Sidechain
1	AA	30	U	Sidechain
1	AA	300	A	Sidechain
1	AA	301	G	Sidechain
1	AA	305	G	Sidechain
1	AA	308	C	Sidechain
1	AA	312	C	Sidechain
1	AA	313	A	Sidechain
1	AA	314	C	Sidechain
1	AA	315	A	Sidechain
1	AA	32	A	Sidechain
1	AA	321	A	Sidechain
1	AA	323	U	Sidechain
1	AA	324	G	Sidechain
1	AA	325	A	Sidechain
1	AA	326	G	Sidechain
1	AA	328	C	Sidechain
1	AA	329	A	Sidechain
1	AA	332	G	Sidechain
1	AA	337	G	Sidechain
1	AA	338	A	Sidechain
1	AA	347	G	Sidechain
1	AA	348	G	Sidechain
1	AA	350	G	Sidechain
1	AA	351	G	Sidechain
1	AA	353	A	Sidechain
1	AA	354	G	Sidechain
1	AA	355	C	Sidechain
1	AA	357	G	Sidechain
1	AA	359	G	Sidechain
1	AA	362	G	Sidechain
1	AA	363	A	Sidechain
1	AA	365	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	366	A	Sidechain
1	AA	367	U	Sidechain
1	AA	368	U	Sidechain
1	AA	369	G	Sidechain
1	AA	371	A	Sidechain
1	AA	375	U	Sidechain
1	AA	376	G	Sidechain
1	AA	377	G	Sidechain
1	AA	378	G	Sidechain
1	AA	380	G	Sidechain
1	AA	383	A	Sidechain
1	AA	384	G	Sidechain
1	AA	387	U	Sidechain
1	AA	388	G	Sidechain
1	AA	389	A	Sidechain
1	AA	392	C	Sidechain
1	AA	393	A	Sidechain
1	AA	394	G	Sidechain
1	AA	395	C	Sidechain
1	AA	396	C	Sidechain
1	AA	399	G	Sidechain
1	AA	4	U	Sidechain
1	AA	400	C	Sidechain
1	AA	402	G	Sidechain
1	AA	403	C	Sidechain
1	AA	404	G	Sidechain
1	AA	405	U	Sidechain
1	AA	406	G	Sidechain
1	AA	407	U	Sidechain
1	AA	408	A	Sidechain
1	AA	409	U	Sidechain
1	AA	41	G	Sidechain
1	AA	410	G	Sidechain
1	AA	412	A	Sidechain
1	AA	413	G	Sidechain
1	AA	415	A	Sidechain
1	AA	416	G	Sidechain
1	AA	417	G	Sidechain
1	AA	419	C	Sidechain
1	AA	42	G	Sidechain
1	AA	425	G	Sidechain
1	AA	426	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	428	G	Sidechain
1	AA	429	U	Sidechain
1	AA	431	A	Sidechain
1	AA	434	U	Sidechain
1	AA	436	C	Sidechain
1	AA	438	U	Sidechain
1	AA	44	A	Sidechain
1	AA	441	A	Sidechain
1	AA	444	G	Sidechain
1	AA	445	G	Sidechain
1	AA	446	G	Sidechain
1	AA	447	G	Sidechain
1	AA	448	A	Sidechain
1	AA	45	G	Sidechain
1	AA	450	G	Sidechain
1	AA	454	G	Sidechain
1	AA	455	G	Sidechain
1	AA	457	G	Sidechain
1	AA	459	A	Sidechain
1	AA	46	G	Sidechain
1	AA	460	A	Sidechain
1	AA	462	G	Sidechain
1	AA	463	U	Sidechain
1	AA	464	U	Sidechain
1	AA	469	C	Sidechain
1	AA	47	C	Sidechain
1	AA	470	C	Sidechain
1	AA	474	G	Sidechain
1	AA	475	C	Sidechain
1	AA	476	U	Sidechain
1	AA	477	C	Sidechain
1	AA	48	C	Sidechain
1	AA	480	U	Sidechain
1	AA	481	G	Sidechain
1	AA	484	G	Sidechain
1	AA	485	U	Sidechain
1	AA	487	A	Sidechain
1	AA	489	C	Sidechain
1	AA	49	U	Sidechain
1	AA	490	C	Sidechain
1	AA	493	A	Sidechain
1	AA	494	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	495	A	Sidechain
1	AA	497	G	Sidechain
1	AA	498	A	Sidechain
1	AA	499	A	Sidechain
1	AA	50	A	Sidechain
1	AA	500	G	Sidechain
1	AA	502	A	Sidechain
1	AA	503	C	Sidechain
1	AA	504	C	Sidechain
1	AA	505	G	Sidechain
1	AA	506	G	Sidechain
1	AA	507	C	Sidechain
1	AA	508	U	Sidechain
1	AA	510	A	Sidechain
1	AA	511	C	Sidechain
1	AA	512	U	Sidechain
1	AA	515	G	Sidechain
1	AA	517	G	Sidechain
1	AA	518	C	Sidechain
1	AA	52	C	Sidechain
1	AA	523	A	Sidechain
1	AA	524	G	Sidechain
1	AA	525	C	Sidechain
1	AA	529	G	Sidechain
1	AA	53	A	Sidechain
1	AA	530	G	Sidechain
1	AA	531	U	Sidechain
1	AA	533	A	Sidechain
1	AA	535	A	Sidechain
1	AA	536	C	Sidechain
1	AA	538	G	Sidechain
1	AA	541	G	Sidechain
1	AA	543	U	Sidechain
1	AA	544	G	Sidechain
1	AA	546	A	Sidechain
1	AA	547	A	Sidechain
1	AA	552	U	Sidechain
1	AA	554	A	Sidechain
1	AA	555	U	Sidechain
1	AA	556	C	Sidechain
1	AA	557	G	Sidechain
1	AA	558	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	56	U	Sidechain
1	AA	561	U	Sidechain
1	AA	564	C	Sidechain
1	AA	565	U	Sidechain
1	AA	566	G	Sidechain
1	AA	567	G	Sidechain
1	AA	568	G	Sidechain
1	AA	569	C	Sidechain
1	AA	57	G	Sidechain
1	AA	570	G	Sidechain
1	AA	571	U	Sidechain
1	AA	573	A	Sidechain
1	AA	574	A	Sidechain
1	AA	575	G	Sidechain
1	AA	577	G	Sidechain
1	AA	579	A	Sidechain
1	AA	580	C	Sidechain
1	AA	581	G	Sidechain
1	AA	584	G	Sidechain
1	AA	587	G	Sidechain
1	AA	588	G	Sidechain
1	AA	59	A	Sidechain
1	AA	590	U	Sidechain
1	AA	593	U	Sidechain
1	AA	594	U	Sidechain
1	AA	595	A	Sidechain
1	AA	597	G	Sidechain
1	AA	599	C	Sidechain
1	AA	60	A	Sidechain
1	AA	603	U	Sidechain
1	AA	604	G	Sidechain
1	AA	607	A	Sidechain
1	AA	609	A	Sidechain
1	AA	61	G	Sidechain
1	AA	610	U	Sidechain
1	AA	611	C	Sidechain
1	AA	613	C	Sidechain
1	AA	615	G	Sidechain
1	AA	616	G	Sidechain
1	AA	618	C	Sidechain
1	AA	619	U	Sidechain
1	AA	620	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	621	A	Sidechain
1	AA	622	A	Sidechain
1	AA	627	G	Sidechain
1	AA	628	G	Sidechain
1	AA	63	C	Sidechain
1	AA	630	A	Sidechain
1	AA	633	G	Sidechain
1	AA	635	A	Sidechain
1	AA	636	U	Sidechain
1	AA	637	C	Sidechain
1	AA	638	U	Sidechain
1	AA	642	A	Sidechain
1	AA	646	G	Sidechain
1	AA	647	C	Sidechain
1	AA	648	A	Sidechain
1	AA	65	A	Sidechain
1	AA	650	G	Sidechain
1	AA	651	C	Sidechain
1	AA	653	U	Sidechain
1	AA	655	A	Sidechain
1	AA	656	G	Sidechain
1	AA	657	U	Sidechain
1	AA	66	A	Sidechain
1	AA	660	C	Sidechain
1	AA	661	G	Sidechain
1	AA	663	A	Sidechain
1	AA	664	G	Sidechain
1	AA	666	G	Sidechain
1	AA	667	G	Sidechain
1	AA	668	G	Sidechain
1	AA	669	G	Sidechain
1	AA	67	C	Sidechain
1	AA	673	A	Sidechain
1	AA	678	U	Sidechain
1	AA	682	G	Sidechain
1	AA	684	U	Sidechain
1	AA	685	G	Sidechain
1	AA	688	G	Sidechain
1	AA	689	C	Sidechain
1	AA	691	G	Sidechain
1	AA	697	U	Sidechain
1	AA	699	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	700	G	Sidechain
1	AA	703	G	Sidechain
1	AA	705	G	Sidechain
1	AA	707	U	Sidechain
1	AA	708	C	Sidechain
1	AA	709	U	Sidechain
1	AA	710	G	Sidechain
1	AA	712	A	Sidechain
1	AA	714	G	Sidechain
1	AA	717	U	Sidechain
1	AA	718	A	Sidechain
1	AA	719	C	Sidechain
1	AA	72	A	Sidechain
1	AA	721	G	Sidechain
1	AA	722	G	Sidechain
1	AA	723	U	Sidechain
1	AA	726	C	Sidechain
1	AA	728	A	Sidechain
1	AA	729	A	Sidechain
1	AA	730	G	Sidechain
1	AA	731	G	Sidechain
1	AA	732	C	Sidechain
1	AA	733	G	Sidechain
1	AA	734	G	Sidechain
1	AA	735	C	Sidechain
1	AA	738	C	Sidechain
1	AA	740	U	Sidechain
1	AA	742	G	Sidechain
1	AA	743	A	Sidechain
1	AA	746	A	Sidechain
1	AA	748	G	Sidechain
1	AA	749	A	Sidechain
1	AA	75	G	Sidechain
1	AA	752	G	Sidechain
1	AA	753	A	Sidechain
1	AA	757	U	Sidechain
1	AA	758	C	Sidechain
1	AA	759	A	Sidechain
1	AA	76	G	Sidechain
1	AA	760	G	Sidechain
1	AA	761	G	Sidechain
1	AA	762	U	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	763	G	Sidechain
1	AA	764	C	Sidechain
1	AA	767	A	Sidechain
1	AA	768	A	Sidechain
1	AA	769	G	Sidechain
1	AA	771	G	Sidechain
1	AA	772	U	Sidechain
1	AA	773	G	Sidechain
1	AA	774	G	Sidechain
1	AA	775	G	Sidechain
1	AA	776	G	Sidechain
1	AA	777	A	Sidechain
1	AA	778	G	Sidechain
1	AA	78	A	Sidechain
1	AA	780	A	Sidechain
1	AA	781	A	Sidechain
1	AA	782	A	Sidechain
1	AA	783	C	Sidechain
1	AA	785	G	Sidechain
1	AA	786	G	Sidechain
1	AA	788	U	Sidechain
1	AA	79	G	Sidechain
1	AA	790	A	Sidechain
1	AA	791	G	Sidechain
1	AA	793	U	Sidechain
1	AA	796	C	Sidechain
1	AA	797	C	Sidechain
1	AA	8	A	Sidechain
1	AA	800	G	Sidechain
1	AA	803	G	Sidechain
1	AA	804	U	Sidechain
1	AA	805	C	Sidechain
1	AA	806	C	Sidechain
1	AA	807	A	Sidechain
1	AA	808	C	Sidechain
1	AA	809	G	Sidechain
1	AA	81	A	Sidechain
1	AA	810	C	Sidechain
1	AA	811	C	Sidechain
1	AA	812	G	Sidechain
1	AA	814	A	Sidechain
1	AA	815	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	817	C	Sidechain
1	AA	818	G	Sidechain
1	AA	82	G	Sidechain
1	AA	822	U	Sidechain
1	AA	823	C	Sidechain
1	AA	824	G	Sidechain
1	AA	825	A	Sidechain
1	AA	827	U	Sidechain
1	AA	829	G	Sidechain
1	AA	83	C	Sidechain
1	AA	830	G	Sidechain
1	AA	831	A	Sidechain
1	AA	832	G	Sidechain
1	AA	833	G	Sidechain
1	AA	834	U	Sidechain
1	AA	835	U	Sidechain
1	AA	836	G	Sidechain
1	AA	840	C	Sidechain
1	AA	842	U	Sidechain
1	AA	843	U	Sidechain
1	AA	844	G	Sidechain
1	AA	846	G	Sidechain
1	AA	847	G	Sidechain
1	AA	849	G	Sidechain
1	AA	85	U	Sidechain
1	AA	850	U	Sidechain
1	AA	852	G	Sidechain
1	AA	854	U	Sidechain
1	AA	856	C	Sidechain
1	AA	857	C	Sidechain
1	AA	858	G	Sidechain
1	AA	859	G	Sidechain
1	AA	860	A	Sidechain
1	AA	862	C	Sidechain
1	AA	864	A	Sidechain
1	AA	865	A	Sidechain
1	AA	866	C	Sidechain
1	AA	868	C	Sidechain
1	AA	869	G	Sidechain
1	AA	87	C	Sidechain
1	AA	870	U	Sidechain
1	AA	872	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	873	A	Sidechain
1	AA	874	G	Sidechain
1	AA	875	U	Sidechain
1	AA	876	C	Sidechain
1	AA	877	G	Sidechain
1	AA	878	A	Sidechain
1	AA	879	C	Sidechain
1	AA	881	G	Sidechain
1	AA	882	C	Sidechain
1	AA	884	U	Sidechain
1	AA	887	G	Sidechain
1	AA	889	A	Sidechain
1	AA	89	U	Sidechain
1	AA	890	G	Sidechain
1	AA	891	U	Sidechain
1	AA	892	A	Sidechain
1	AA	894	G	Sidechain
1	AA	896	C	Sidechain
1	AA	897	C	Sidechain
1	AA	898	G	Sidechain
1	AA	899	C	Sidechain
1	AA	9	G	Sidechain
1	AA	90	C	Sidechain
1	AA	900	A	Sidechain
1	AA	901	A	Sidechain
1	AA	902	G	Sidechain
1	AA	903	G	Sidechain
1	AA	905	U	Sidechain
1	AA	906	A	Sidechain
1	AA	91	U	Sidechain
1	AA	911	U	Sidechain
1	AA	912	C	Sidechain
1	AA	913	A	Sidechain
1	AA	914	A	Sidechain
1	AA	917	G	Sidechain
1	AA	918	A	Sidechain
1	AA	921	U	Sidechain
1	AA	922	G	Sidechain
1	AA	926	G	Sidechain
1	AA	927	G	Sidechain
1	AA	929	G	Sidechain
1	AA	93	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	933	G	Sidechain
1	AA	934	C	Sidechain
1	AA	935	A	Sidechain
1	AA	937	A	Sidechain
1	AA	938	A	Sidechain
1	AA	939	G	Sidechain
1	AA	94	G	Sidechain
1	AA	940	C	Sidechain
1	AA	941	G	Sidechain
1	AA	943	U	Sidechain
1	AA	944	G	Sidechain
1	AA	945	G	Sidechain
1	AA	946	A	Sidechain
1	AA	949	A	Sidechain
1	AA	95	C	Sidechain
1	AA	950	U	Sidechain
1	AA	951	G	Sidechain
1	AA	953	G	Sidechain
1	AA	954	G	Sidechain
1	AA	956	U	Sidechain
1	AA	957	U	Sidechain
1	AA	959	A	Sidechain
1	AA	960	U	Sidechain
1	AA	961	U	Sidechain
1	AA	962	C	Sidechain
1	AA	963	G	Sidechain
1	AA	964	A	Sidechain
1	AA	965	U	Sidechain
1	AA	969	A	Sidechain
1	AA	972	C	Sidechain
1	AA	973	G	Sidechain
1	AA	974	A	Sidechain
1	AA	975	A	Sidechain
1	AA	977	A	Sidechain
1	AA	978	A	Sidechain
1	AA	979	C	Sidechain
1	AA	98	A	Sidechain
1	AA	980	C	Sidechain
1	AA	982	U	Sidechain
1	AA	983	A	Sidechain
1	AA	984	C	Sidechain
1	AA	988	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	989	U	Sidechain
1	AA	99	C	Sidechain
1	AA	990	C	Sidechain
1	AA	991	U	Sidechain
1	AA	993	G	Sidechain
1	AA	995	C	Sidechain
1	AA	996	A	Sidechain
1	AA	997	U	Sidechain
1	AA	998	C	Sidechain
1	AA	999	C	Sidechain
2	AB	1	A	Sidechain
2	AB	10	G	Sidechain
2	AB	13	C	Sidechain
2	AB	15	A	Sidechain
2	AB	19	G	Sidechain
2	AB	22	G	Sidechain
2	AB	24	G	Sidechain
2	AB	25	C	Sidechain
2	AB	3	G	Sidechain
2	AB	30	G	Sidechain
2	AB	31	U	Sidechain
2	AB	34	C	Sidechain
2	AB	35	C	Sidechain
2	AB	38	A	Sidechain
2	AB	39	A	Sidechain
2	AB	41	C	Sidechain
2	AB	42	G	Sidechain
2	AB	43	G	Sidechain
2	AB	45	U	Sidechain
2	AB	48	U	Sidechain
2	AB	50	G	Sidechain
2	AB	53	G	Sidechain
2	AB	56	C	Sidechain
2	AB	58	A	Sidechain
2	AB	59	G	Sidechain
2	AB	60	U	Sidechain
2	AB	61	C	Sidechain
2	AB	66	C	Sidechain
2	AB	68	C	Sidechain
2	AB	69	C	Sidechain
2	AB	7	G	Sidechain
2	AB	72	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
2	AB	73	G	Sidechain
2	AB	75	C	Sidechain
2	AB	76	A	Sidechain
2	AB	9	A	Sidechain
3	AC	13	A	Sidechain
3	AC	14	G	Sidechain
3	AC	15	G	Sidechain
3	AC	17	U	Sidechain
3	AC	18	A	Sidechain
3	AC	20	G	Sidechain
3	AC	21	U	Sidechain
3	AC	23	C	Sidechain
3	AC	25	U	Sidechain
3	AC	27	A	Sidechain
3	AC	28	U	Sidechain
3	AC	29	G	Sidechain
3	AC	31	U	Sidechain
3	AC	33	A	Sidechain
3	AC	34	U	Sidechain
3	AC	35	G	Sidechain
3	AC	37	G	Sidechain
3	AC	39	U	Sidechain
3	AC	43	U	Sidechain
3	AC	45	G	Sidechain
3	AC	46	C	Sidechain
3	AC	47	C	Sidechain
3	AC	48	C	Sidechain
3	AC	49	U	Sidechain
3	AC	51	C	Sidechain
3	AC	52	U	Sidechain
3	AC	53	G	Sidechain
3	AC	55	A	Sidechain
3	AC	57	C	Sidechain
3	AC	58	C	Sidechain
3	AC	59	A	Sidechain
4	AD	1	C	Sidechain
4	AD	10	G	Sidechain
4	AD	11	A	Sidechain
4	AD	12	G	Sidechain
4	AD	14	A	Sidechain
4	AD	15	G	Sidechain
4	AD	16	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
4	AD	18	U	Sidechain
4	AD	19	G	Sidechain
4	AD	2	G	Sidechain
4	AD	20	G	Sidechain
4	AD	23	G	Sidechain
4	AD	24	C	Sidechain
4	AD	26	C	Sidechain
4	AD	27	G	Sidechain
4	AD	3	C	Sidechain
4	AD	30	G	Sidechain
4	AD	31	G	Sidechain
4	AD	32	G	Sidechain
4	AD	34	U	Sidechain
4	AD	36	A	Sidechain
4	AD	37	U	Sidechain
4	AD	38	A	Sidechain
4	AD	4	G	Sidechain
4	AD	43	G	Sidechain
4	AD	44	A	Sidechain
4	AD	45	A	Sidechain
4	AD	47	A	Sidechain
4	AD	48	U	Sidechain
4	AD	49	C	Sidechain
4	AD	5	G	Sidechain
4	AD	50	G	Sidechain
4	AD	53	G	Sidechain
4	AD	54	G	Sidechain
4	AD	57	C	Sidechain
4	AD	6	G	Sidechain
4	AD	60	A	Sidechain
4	AD	62	C	Sidechain
4	AD	63	C	Sidechain
4	AD	71	G	Sidechain
4	AD	73	A	Sidechain
4	AD	74	A	Sidechain
4	AD	76	C	Sidechain
4	AD	77	A	Sidechain
5	AE	133	ALA	Mainchain
5	AE	188	THR	Mainchain
5	AE	212	TYR	Sidechain
5	AE	73	ARG	Sidechain
5	AE	94	ARG	Peptide

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
6	AF	183	TYR	Sidechain
6	AF	215	GLN	Peptide
7	AG	110	ARG	Sidechain
7	AG	134	TYR	Sidechain
7	AG	163	GLN	Peptide
7	AG	181	PHE	Sidechain
7	AG	3	TYR	Sidechain
7	AG	55	ARG	Sidechain
7	AG	80	ARG	Sidechain
8	AH	111	ARG	Sidechain
8	AH	138	ALA	Mainchain
8	AH	153	ALA	Mainchain
8	AH	49	TYR	Sidechain
8	AH	53	ARG	Sidechain
8	AH	92	ARG	Sidechain
9	AI	24	ARG	Sidechain
9	AI	25	TYR	Sidechain
9	AI	46	GLN	Peptide
9	AI	64	VAL	Peptide
9	AI	86	ARG	Sidechain
10	AJ	161	PHE	Sidechain
10	AJ	163	HIS	Sidechain
10	AJ	176	TYR	Mainchain
10	AJ	4	ARG	Sidechain
10	AJ	43	TYR	Sidechain
11	AK	100	ILE	Peptide
11	AK	44	PHE	Peptide
12	AL	108	ARG	Sidechain
12	AL	32	ARG	Sidechain
12	AL	37	TYR	Sidechain
12	AL	5	TYR	Sidechain
12	AL	79	ARG	Sidechain
12	AL	89	TYR	Sidechain
13	AM	70	HIS	Sidechain
14	AN	55	ARG	Sidechain
15	AO	109	ARG	Sidechain
15	AO	116	TYR	Peptide
15	AO	13	ARG	Sidechain
15	AO	30	ARG	Sidechain
15	AO	37	TYR	Peptide
15	AO	54	VAL	Mainchain
15	AO	65	TYR	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
16	AP	62	PHE	Sidechain
17	AQ	40	ARG	Sidechain
17	AQ	52	ARG	Sidechain
17	AQ	89	ARG	Sidechain
18	AR	41	HIS	Sidechain
18	AR	62	ARG	Sidechain
18	AR	72	LYS	Peptide,Mainchain
18	AR	76	ARG	Sidechain
19	AS	17	TYR	Sidechain
19	AS	25	ARG	Sidechain
21	AU	22	TYR	Sidechain
21	AU	3	TYR	Sidechain
21	AU	69	TYR	Sidechain
21	AU	7	ARG	Sidechain
21	AU	73	HIS	Peptide
22	AV	73	PHE	Sidechain
22	AV	82	HIS	Sidechain,Peptide
23	AW	28	ARG	Sidechain
24	AX	18	PHE	Sidechain
24	AX	37	TYR	Sidechain
24	AX	68	ARG	Sidechain
52	B1	30	ARG	Sidechain
53	B2	30	HIS	Peptide
53	B2	41	HIS	Sidechain
53	B2	63	ARG	Sidechain
53	B2	9	TYR	Sidechain
54	B3	47	TYR	Sidechain
54	B3	48	TYR	Sidechain
55	B4	27	ARG	Sidechain
55	B4	48	TYR	Sidechain
56	B5	15	SER	Peptide
57	B6	41	ARG	Sidechain
58	B7	12	ARG	Sidechain
25	BA	10	G	Sidechain
25	BA	100	G	Sidechain
25	BA	102	G	Sidechain
25	BA	106	G	Sidechain
25	BA	109	A	Sidechain
25	BA	110	C	Sidechain
25	BA	112	G	Sidechain
25	BA	113	C	Sidechain
25	BA	114	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
25	BA	117	G	Sidechain
25	BA	119	A	Sidechain
25	BA	12	C	Sidechain
25	BA	13	G	Sidechain
25	BA	14	U	Sidechain
25	BA	15	A	Sidechain
25	BA	17	C	Sidechain
25	BA	18	G	Sidechain
25	BA	19	C	Sidechain
25	BA	2	G	Sidechain
25	BA	21	G	Sidechain
25	BA	24	G	Sidechain
25	BA	25	U	Sidechain
25	BA	26	C	Sidechain
25	BA	27	C	Sidechain
25	BA	29	A	Sidechain
25	BA	30	C	Sidechain
25	BA	32	U	Sidechain
25	BA	34	A	Sidechain
25	BA	35	C	Sidechain
25	BA	38	C	Sidechain
25	BA	4	C	Sidechain
25	BA	40	U	Sidechain
25	BA	42	C	Sidechain
25	BA	43	C	Sidechain
25	BA	46	A	Sidechain
25	BA	47	C	Sidechain
25	BA	48	U	Sidechain
25	BA	49	C	Sidechain
25	BA	5	U	Sidechain
25	BA	50	A	Sidechain
25	BA	52	A	Sidechain
25	BA	57	A	Sidechain
25	BA	6	G	Sidechain
25	BA	61	G	Sidechain
25	BA	63	C	Sidechain
25	BA	64	G	Sidechain
25	BA	70	C	Sidechain
25	BA	74	U	Sidechain
25	BA	75	G	Sidechain
25	BA	78	A	Sidechain
25	BA	79	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
25	BA	81	G	Sidechain
25	BA	83	G	Sidechain
25	BA	84	G	Sidechain
25	BA	85	G	Sidechain
25	BA	86	G	Sidechain
25	BA	87	U	Sidechain
25	BA	88	C	Sidechain
25	BA	89	U	Sidechain
25	BA	9	G	Sidechain
25	BA	90	C	Sidechain
25	BA	94	A	Sidechain
25	BA	95	U	Sidechain
25	BA	96	G	Sidechain
25	BA	97	C	Sidechain
25	BA	98	G	Sidechain
26	BB	1	G	Sidechain
26	BB	10	A	Sidechain
26	BB	100	U	Sidechain
26	BB	1000	A	Sidechain
26	BB	1001	A	Sidechain
26	BB	1002	G	Sidechain
26	BB	1006	C	Sidechain
26	BB	1008	A	Sidechain
26	BB	1010	A	Sidechain
26	BB	1011	G	Sidechain
26	BB	1012	U	Sidechain
26	BB	1016	G	Sidechain
26	BB	1017	G	Sidechain
26	BB	1018	U	Sidechain
26	BB	1021	A	Sidechain
26	BB	1022	G	Sidechain
26	BB	1024	G	Sidechain
26	BB	1025	G	Sidechain
26	BB	1027	A	Sidechain
26	BB	1028	A	Sidechain
26	BB	1030	C	Sidechain
26	BB	1031	G	Sidechain
26	BB	1032	A	Sidechain
26	BB	1033	U	Sidechain
26	BB	1035	U	Sidechain
26	BB	1039	A	Sidechain
26	BB	104	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1040	A	Sidechain
26	BB	1045	C	Sidechain
26	BB	1047	G	Sidechain
26	BB	1048	A	Sidechain
26	BB	1050	A	Sidechain
26	BB	1051	G	Sidechain
26	BB	1052	C	Sidechain
26	BB	1053	C	Sidechain
26	BB	1054	A	Sidechain
26	BB	1055	G	Sidechain
26	BB	1056	G	Sidechain
26	BB	1058	U	Sidechain
26	BB	1059	G	Sidechain
26	BB	106	C	Sidechain
26	BB	1060	U	Sidechain
26	BB	1061	U	Sidechain
26	BB	1062	G	Sidechain
26	BB	1065	U	Sidechain
26	BB	1066	U	Sidechain
26	BB	1067	A	Sidechain
26	BB	1068	G	Sidechain
26	BB	1069	A	Sidechain
26	BB	107	G	Sidechain
26	BB	1072	C	Sidechain
26	BB	1073	A	Sidechain
26	BB	1074	G	Sidechain
26	BB	1075	C	Sidechain
26	BB	1076	C	Sidechain
26	BB	1077	A	Sidechain
26	BB	1079	C	Sidechain
26	BB	108	G	Sidechain
26	BB	1080	A	Sidechain
26	BB	1081	U	Sidechain
26	BB	1082	U	Sidechain
26	BB	1083	U	Sidechain
26	BB	1084	A	Sidechain
26	BB	1085	A	Sidechain
26	BB	1086	A	Sidechain
26	BB	1090	A	Sidechain
26	BB	1091	G	Sidechain
26	BB	1092	C	Sidechain
26	BB	1093	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1094	U	Sidechain
26	BB	1095	A	Sidechain
26	BB	1096	A	Sidechain
26	BB	1097	U	Sidechain
26	BB	1099	G	Sidechain
26	BB	11	C	Sidechain
26	BB	1100	C	Sidechain
26	BB	1101	U	Sidechain
26	BB	1102	C	Sidechain
26	BB	1103	A	Sidechain
26	BB	1104	C	Sidechain
26	BB	1105	U	Sidechain
26	BB	1106	G	Sidechain
26	BB	1107	G	Sidechain
26	BB	111	A	Sidechain
26	BB	1110	G	Sidechain
26	BB	1112	G	Sidechain
26	BB	1113	U	Sidechain
26	BB	1114	C	Sidechain
26	BB	1115	G	Sidechain
26	BB	1118	C	Sidechain
26	BB	1119	U	Sidechain
26	BB	112	U	Sidechain
26	BB	1121	C	Sidechain
26	BB	1122	G	Sidechain
26	BB	1123	C	Sidechain
26	BB	1124	G	Sidechain
26	BB	1125	G	Sidechain
26	BB	1127	A	Sidechain
26	BB	1129	A	Sidechain
26	BB	1130	U	Sidechain
26	BB	1132	U	Sidechain
26	BB	1133	A	Sidechain
26	BB	1134	A	Sidechain
26	BB	1135	C	Sidechain
26	BB	1136	G	Sidechain
26	BB	1137	G	Sidechain
26	BB	1138	G	Sidechain
26	BB	1139	G	Sidechain
26	BB	114	U	Sidechain
26	BB	1140	C	Sidechain
26	BB	1141	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1144	A	Sidechain
26	BB	1145	C	Sidechain
26	BB	1146	C	Sidechain
26	BB	1148	U	Sidechain
26	BB	115	C	Sidechain
26	BB	1152	C	Sidechain
26	BB	1153	C	Sidechain
26	BB	1154	G	Sidechain
26	BB	1156	A	Sidechain
26	BB	1157	G	Sidechain
26	BB	1158	C	Sidechain
26	BB	1160	G	Sidechain
26	BB	1163	G	Sidechain
26	BB	1165	A	Sidechain
26	BB	1166	G	Sidechain
26	BB	117	G	Sidechain
26	BB	1170	C	Sidechain
26	BB	1171	G	Sidechain
26	BB	1172	C	Sidechain
26	BB	1173	U	Sidechain
26	BB	1176	U	Sidechain
26	BB	1177	G	Sidechain
26	BB	1178	C	Sidechain
26	BB	1179	G	Sidechain
26	BB	1180	U	Sidechain
26	BB	1181	U	Sidechain
26	BB	1184	U	Sidechain
26	BB	1185	G	Sidechain
26	BB	1186	G	Sidechain
26	BB	1188	U	Sidechain
26	BB	1190	G	Sidechain
26	BB	1191	G	Sidechain
26	BB	1192	G	Sidechain
26	BB	1193	G	Sidechain
26	BB	1194	A	Sidechain
26	BB	1195	G	Sidechain
26	BB	1196	C	Sidechain
26	BB	1197	G	Sidechain
26	BB	12	U	Sidechain
26	BB	120	U	Sidechain
26	BB	1201	U	Sidechain
26	BB	1202	G	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1203	U	Sidechain
26	BB	1204	A	Sidechain
26	BB	1206	G	Sidechain
26	BB	1208	C	Sidechain
26	BB	1210	G	Sidechain
26	BB	1213	A	Sidechain
26	BB	1215	G	Sidechain
26	BB	1219	U	Sidechain
26	BB	122	G	Sidechain
26	BB	1220	G	Sidechain
26	BB	1222	U	Sidechain
26	BB	1224	U	Sidechain
26	BB	1226	A	Sidechain
26	BB	1227	G	Sidechain
26	BB	123	G	Sidechain
26	BB	1230	A	Sidechain
26	BB	1232	G	Sidechain
26	BB	1234	U	Sidechain
26	BB	1235	G	Sidechain
26	BB	1236	G	Sidechain
26	BB	1237	A	Sidechain
26	BB	124	G	Sidechain
26	BB	1241	A	Sidechain
26	BB	1242	U	Sidechain
26	BB	1243	C	Sidechain
26	BB	1244	A	Sidechain
26	BB	1245	G	Sidechain
26	BB	1248	G	Sidechain
26	BB	1250	G	Sidechain
26	BB	1254	A	Sidechain
26	BB	1255	U	Sidechain
26	BB	1256	G	Sidechain
26	BB	1259	G	Sidechain
26	BB	1260	A	Sidechain
26	BB	1261	C	Sidechain
26	BB	1263	U	Sidechain
26	BB	1265	A	Sidechain
26	BB	1266	G	Sidechain
26	BB	1268	A	Sidechain
26	BB	127	A	Sidechain
26	BB	1270	C	Sidechain
26	BB	1271	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1272	A	Sidechain
26	BB	1275	A	Sidechain
26	BB	1277	G	Sidechain
26	BB	1283	G	Sidechain
26	BB	1284	A	Sidechain
26	BB	1285	A	Sidechain
26	BB	1286	A	Sidechain
26	BB	1287	A	Sidechain
26	BB	1288	G	Sidechain
26	BB	1289	C	Sidechain
26	BB	129	C	Sidechain
26	BB	1292	G	Sidechain
26	BB	1294	U	Sidechain
26	BB	1295	C	Sidechain
26	BB	1296	G	Sidechain
26	BB	1299	G	Sidechain
26	BB	13	A	Sidechain
26	BB	1300	G	Sidechain
26	BB	1302	A	Sidechain
26	BB	1305	C	Sidechain
26	BB	1310	G	Sidechain
26	BB	1311	G	Sidechain
26	BB	1313	U	Sidechain
26	BB	1315	C	Sidechain
26	BB	1317	G	Sidechain
26	BB	132	G	Sidechain
26	BB	1322	A	Sidechain
26	BB	1324	G	Sidechain
26	BB	1327	A	Sidechain
26	BB	1330	C	Sidechain
26	BB	1332	G	Sidechain
26	BB	1333	G	Sidechain
26	BB	1334	G	Sidechain
26	BB	134	G	Sidechain
26	BB	1340	U	Sidechain
26	BB	1341	G	Sidechain
26	BB	1343	G	Sidechain
26	BB	1344	U	Sidechain
26	BB	1345	C	Sidechain
26	BB	1346	G	Sidechain
26	BB	1347	A	Sidechain
26	BB	1350	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1351	C	Sidechain
26	BB	1356	G	Sidechain
26	BB	1358	G	Sidechain
26	BB	136	G	Sidechain
26	BB	1361	G	Sidechain
26	BB	1364	G	Sidechain
26	BB	1365	A	Sidechain
26	BB	137	U	Sidechain
26	BB	1370	C	Sidechain
26	BB	1371	G	Sidechain
26	BB	1374	G	Sidechain
26	BB	1376	C	Sidechain
26	BB	1378	A	Sidechain
26	BB	1379	U	Sidechain
26	BB	138	U	Sidechain
26	BB	1380	G	Sidechain
26	BB	1383	A	Sidechain
26	BB	1385	A	Sidechain
26	BB	1387	A	Sidechain
26	BB	1388	G	Sidechain
26	BB	139	U	Sidechain
26	BB	1390	U	Sidechain
26	BB	1391	U	Sidechain
26	BB	1393	A	Sidechain
26	BB	1396	U	Sidechain
26	BB	1397	U	Sidechain
26	BB	14	A	Sidechain
26	BB	1403	A	Sidechain
26	BB	1404	C	Sidechain
26	BB	1407	G	Sidechain
26	BB	1408	G	Sidechain
26	BB	141	G	Sidechain
26	BB	1410	G	Sidechain
26	BB	1411	U	Sidechain
26	BB	1412	U	Sidechain
26	BB	1413	A	Sidechain
26	BB	1414	C	Sidechain
26	BB	1415	U	Sidechain
26	BB	1416	G	Sidechain
26	BB	1417	C	Sidechain
26	BB	1419	A	Sidechain
26	BB	142	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1422	G	Sidechain
26	BB	1423	G	Sidechain
26	BB	1424	G	Sidechain
26	BB	1426	G	Sidechain
26	BB	1429	G	Sidechain
26	BB	1432	G	Sidechain
26	BB	1434	A	Sidechain
26	BB	1436	G	Sidechain
26	BB	1437	C	Sidechain
26	BB	144	A	Sidechain
26	BB	1440	U	Sidechain
26	BB	1442	U	Sidechain
26	BB	1444	G	Sidechain
26	BB	1448	G	Sidechain
26	BB	145	C	Sidechain
26	BB	1450	G	Sidechain
26	BB	1451	C	Sidechain
26	BB	1452	G	Sidechain
26	BB	1453	A	Sidechain
26	BB	1455	G	Sidechain
26	BB	1457	U	Sidechain
26	BB	1459	G	Sidechain
26	BB	146	A	Sidechain
26	BB	1460	U	Sidechain
26	BB	1461	C	Sidechain
26	BB	1462	C	Sidechain
26	BB	1463	C	Sidechain
26	BB	1464	G	Sidechain
26	BB	1467	U	Sidechain
26	BB	1468	U	Sidechain
26	BB	1469	A	Sidechain
26	BB	1470	A	Sidechain
26	BB	1475	G	Sidechain
26	BB	148	U	Sidechain
26	BB	1480	C	Sidechain
26	BB	1481	U	Sidechain
26	BB	1482	G	Sidechain
26	BB	1487	U	Sidechain
26	BB	1488	C	Sidechain
26	BB	149	A	Sidechain
26	BB	1490	A	Sidechain
26	BB	1497	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	15	G	Sidechain
26	BB	1501	G	Sidechain
26	BB	1503	A	Sidechain
26	BB	1504	A	Sidechain
26	BB	1511	G	Sidechain
26	BB	1513	U	Sidechain
26	BB	1514	G	Sidechain
26	BB	1516	G	Sidechain
26	BB	1517	G	Sidechain
26	BB	1519	G	Sidechain
26	BB	1520	U	Sidechain
26	BB	1522	A	Sidechain
26	BB	1523	U	Sidechain
26	BB	1526	C	Sidechain
26	BB	1527	G	Sidechain
26	BB	1529	G	Sidechain
26	BB	153	U	Sidechain
26	BB	1530	G	Sidechain
26	BB	1531	C	Sidechain
26	BB	1532	A	Sidechain
26	BB	1535	A	Sidechain
26	BB	1536	C	Sidechain
26	BB	154	U	Sidechain
26	BB	1540	G	Sidechain
26	BB	1541	C	Sidechain
26	BB	1542	U	Sidechain
26	BB	1543	G	Sidechain
26	BB	1545	A	Sidechain
26	BB	1547	C	Sidechain
26	BB	1550	C	Sidechain
26	BB	1552	A	Sidechain
26	BB	1554	U	Sidechain
26	BB	1558	C	Sidechain
26	BB	1560	G	Sidechain
26	BB	1565	C	Sidechain
26	BB	1567	G	Sidechain
26	BB	1568	G	Sidechain
26	BB	157	C	Sidechain
26	BB	1572	A	Sidechain
26	BB	1573	G	Sidechain
26	BB	1574	C	Sidechain
26	BB	1575	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1576	U	Sidechain
26	BB	1578	U	Sidechain
26	BB	1580	A	Sidechain
26	BB	1581	G	Sidechain
26	BB	1582	C	Sidechain
26	BB	1583	A	Sidechain
26	BB	1584	U	Sidechain
26	BB	1585	C	Sidechain
26	BB	1586	A	Sidechain
26	BB	1587	G	Sidechain
26	BB	159	G	Sidechain
26	BB	1590	A	Sidechain
26	BB	1592	C	Sidechain
26	BB	1593	A	Sidechain
26	BB	1594	U	Sidechain
26	BB	1595	C	Sidechain
26	BB	1596	A	Sidechain
26	BB	1597	A	Sidechain
26	BB	1598	A	Sidechain
26	BB	16	C	Sidechain
26	BB	160	A	Sidechain
26	BB	1600	C	Sidechain
26	BB	1602	U	Sidechain
26	BB	1603	A	Sidechain
26	BB	1604	C	Sidechain
26	BB	1606	C	Sidechain
26	BB	1607	C	Sidechain
26	BB	1609	A	Sidechain
26	BB	161	A	Sidechain
26	BB	1612	C	Sidechain
26	BB	1613	G	Sidechain
26	BB	1619	G	Sidechain
26	BB	162	U	Sidechain
26	BB	1620	G	Sidechain
26	BB	1622	G	Sidechain
26	BB	1623	G	Sidechain
26	BB	1624	U	Sidechain
26	BB	1626	A	Sidechain
26	BB	1627	G	Sidechain
26	BB	1628	G	Sidechain
26	BB	1629	U	Sidechain
26	BB	1631	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1632	A	Sidechain
26	BB	1634	A	Sidechain
26	BB	1635	A	Sidechain
26	BB	1636	U	Sidechain
26	BB	1637	A	Sidechain
26	BB	1639	C	Sidechain
26	BB	164	C	Sidechain
26	BB	1642	G	Sidechain
26	BB	1644	C	Sidechain
26	BB	1645	G	Sidechain
26	BB	1646	C	Sidechain
26	BB	1647	U	Sidechain
26	BB	1648	U	Sidechain
26	BB	1649	G	Sidechain
26	BB	165	A	Sidechain
26	BB	1651	G	Sidechain
26	BB	1653	G	Sidechain
26	BB	1654	A	Sidechain
26	BB	1655	A	Sidechain
26	BB	1656	C	Sidechain
26	BB	1659	G	Sidechain
26	BB	1660	G	Sidechain
26	BB	1662	U	Sidechain
26	BB	1663	G	Sidechain
26	BB	1666	G	Sidechain
26	BB	1667	G	Sidechain
26	BB	1668	A	Sidechain
26	BB	1671	U	Sidechain
26	BB	1672	A	Sidechain
26	BB	1673	G	Sidechain
26	BB	1677	A	Sidechain
26	BB	1679	A	Sidechain
26	BB	168	G	Sidechain
26	BB	1680	U	Sidechain
26	BB	1681	G	Sidechain
26	BB	1682	G	Sidechain
26	BB	1683	U	Sidechain
26	BB	1684	G	Sidechain
26	BB	1686	C	Sidechain
26	BB	1688	U	Sidechain
26	BB	169	G	Sidechain
26	BB	1693	U	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1694	C	Sidechain
26	BB	1695	G	Sidechain
26	BB	1696	G	Sidechain
26	BB	1697	G	Sidechain
26	BB	1698	A	Sidechain
26	BB	1699	G	Sidechain
26	BB	17	G	Sidechain
26	BB	1701	A	Sidechain
26	BB	1702	G	Sidechain
26	BB	1705	A	Sidechain
26	BB	1706	C	Sidechain
26	BB	1707	G	Sidechain
26	BB	1708	C	Sidechain
26	BB	1709	U	Sidechain
26	BB	1710	G	Sidechain
26	BB	1714	U	Sidechain
26	BB	1715	G	Sidechain
26	BB	1716	U	Sidechain
26	BB	1718	G	Sidechain
26	BB	1719	G	Sidechain
26	BB	1720	U	Sidechain
26	BB	1721	G	Sidechain
26	BB	1723	G	Sidechain
26	BB	1724	G	Sidechain
26	BB	1727	C	Sidechain
26	BB	1734	G	Sidechain
26	BB	1735	A	Sidechain
26	BB	1736	U	Sidechain
26	BB	1737	G	Sidechain
26	BB	1738	G	Sidechain
26	BB	1739	A	Sidechain
26	BB	174	U	Sidechain
26	BB	1743	G	Sidechain
26	BB	1744	A	Sidechain
26	BB	1745	A	Sidechain
26	BB	1746	A	Sidechain
26	BB	1747	U	Sidechain
26	BB	1748	C	Sidechain
26	BB	175	G	Sidechain
26	BB	1750	G	Sidechain
26	BB	1752	C	Sidechain
26	BB	1753	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1756	G	Sidechain
26	BB	1757	A	Sidechain
26	BB	1759	A	Sidechain
26	BB	1760	C	Sidechain
26	BB	1761	C	Sidechain
26	BB	1766	G	Sidechain
26	BB	1767	G	Sidechain
26	BB	1769	U	Sidechain
26	BB	177	G	Sidechain
26	BB	1771	C	Sidechain
26	BB	1772	A	Sidechain
26	BB	1773	A	Sidechain
26	BB	1775	U	Sidechain
26	BB	1777	U	Sidechain
26	BB	1779	U	Sidechain
26	BB	178	G	Sidechain
26	BB	1780	A	Sidechain
26	BB	1781	U	Sidechain
26	BB	1784	A	Sidechain
26	BB	1786	A	Sidechain
26	BB	1789	A	Sidechain
26	BB	179	C	Sidechain
26	BB	1790	C	Sidechain
26	BB	1792	G	Sidechain
26	BB	1793	C	Sidechain
26	BB	1794	A	Sidechain
26	BB	1796	U	Sidechain
26	BB	1797	G	Sidechain
26	BB	18	U	Sidechain
26	BB	180	G	Sidechain
26	BB	1800	C	Sidechain
26	BB	1801	A	Sidechain
26	BB	1802	A	Sidechain
26	BB	1806	C	Sidechain
26	BB	1807	G	Sidechain
26	BB	1809	A	Sidechain
26	BB	181	A	Sidechain
26	BB	1813	G	Sidechain
26	BB	1815	A	Sidechain
26	BB	1816	C	Sidechain
26	BB	1817	G	Sidechain
26	BB	1821	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1822	C	Sidechain
26	BB	1824	G	Sidechain
26	BB	1826	G	Sidechain
26	BB	1827	U	Sidechain
26	BB	1828	G	Sidechain
26	BB	183	C	Sidechain
26	BB	1830	C	Sidechain
26	BB	1831	G	Sidechain
26	BB	1832	C	Sidechain
26	BB	1834	U	Sidechain
26	BB	1840	G	Sidechain
26	BB	1842	G	Sidechain
26	BB	1844	C	Sidechain
26	BB	1845	G	Sidechain
26	BB	1846	G	Sidechain
26	BB	1847	A	Sidechain
26	BB	185	G	Sidechain
26	BB	1850	G	Sidechain
26	BB	1851	U	Sidechain
26	BB	1853	A	Sidechain
26	BB	1854	A	Sidechain
26	BB	1855	U	Sidechain
26	BB	1856	U	Sidechain
26	BB	1857	G	Sidechain
26	BB	1859	U	Sidechain
26	BB	186	G	Sidechain
26	BB	1861	G	Sidechain
26	BB	1862	G	Sidechain
26	BB	1865	U	Sidechain
26	BB	1866	A	Sidechain
26	BB	1868	C	Sidechain
26	BB	1869	G	Sidechain
26	BB	1870	C	Sidechain
26	BB	1875	G	Sidechain
26	BB	1877	A	Sidechain
26	BB	1878	G	Sidechain
26	BB	188	G	Sidechain
26	BB	1880	U	Sidechain
26	BB	1882	U	Sidechain
26	BB	1884	G	Sidechain
26	BB	1886	U	Sidechain
26	BB	1888	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1889	A	Sidechain
26	BB	189	G	Sidechain
26	BB	1890	A	Sidechain
26	BB	1891	G	Sidechain
26	BB	1893	C	Sidechain
26	BB	1895	C	Sidechain
26	BB	1896	G	Sidechain
26	BB	1897	G	Sidechain
26	BB	19	A	Sidechain
26	BB	190	A	Sidechain
26	BB	1901	A	Sidechain
26	BB	1903	G	Sidechain
26	BB	1904	G	Sidechain
26	BB	1905	C	Sidechain
26	BB	1906	G	Sidechain
26	BB	1907	G	Sidechain
26	BB	1909	C	Sidechain
26	BB	1910	G	Sidechain
26	BB	1912	A	Sidechain
26	BB	1913	A	Sidechain
26	BB	1916	A	Sidechain
26	BB	1918	A	Sidechain
26	BB	1920	C	Sidechain
26	BB	1922	G	Sidechain
26	BB	1929	G	Sidechain
26	BB	193	U	Sidechain
26	BB	1930	G	Sidechain
26	BB	1931	U	Sidechain
26	BB	1932	A	Sidechain
26	BB	1933	G	Sidechain
26	BB	1934	C	Sidechain
26	BB	1936	A	Sidechain
26	BB	1938	A	Sidechain
26	BB	1940	U	Sidechain
26	BB	1941	C	Sidechain
26	BB	1948	G	Sidechain
26	BB	1949	G	Sidechain
26	BB	1951	U	Sidechain
26	BB	1952	A	Sidechain
26	BB	1955	U	Sidechain
26	BB	1957	C	Sidechain
26	BB	1959	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	196	A	Sidechain
26	BB	1960	A	Sidechain
26	BB	1961	C	Sidechain
26	BB	1963	U	Sidechain
26	BB	1964	G	Sidechain
26	BB	1965	C	Sidechain
26	BB	1966	A	Sidechain
26	BB	1968	G	Sidechain
26	BB	1969	A	Sidechain
26	BB	197	A	Sidechain
26	BB	1970	A	Sidechain
26	BB	1971	U	Sidechain
26	BB	1973	G	Sidechain
26	BB	1974	C	Sidechain
26	BB	198	C	Sidechain
26	BB	1981	A	Sidechain
26	BB	1982	U	Sidechain
26	BB	1983	G	Sidechain
26	BB	1984	G	Sidechain
26	BB	1985	C	Sidechain
26	BB	1986	C	Sidechain
26	BB	1988	G	Sidechain
26	BB	1989	G	Sidechain
26	BB	1990	C	Sidechain
26	BB	1991	U	Sidechain
26	BB	1993	U	Sidechain
26	BB	1994	C	Sidechain
26	BB	1995	U	Sidechain
26	BB	1997	C	Sidechain
26	BB	1998	A	Sidechain
26	BB	2001	C	Sidechain
26	BB	2002	G	Sidechain
26	BB	2003	A	Sidechain
26	BB	2004	G	Sidechain
26	BB	2005	A	Sidechain
26	BB	2006	C	Sidechain
26	BB	2009	A	Sidechain
26	BB	201	C	Sidechain
26	BB	2010	G	Sidechain
26	BB	2015	A	Sidechain
26	BB	2016	U	Sidechain
26	BB	2018	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	202	U	Sidechain
26	BB	2022	U	Sidechain
26	BB	2025	C	Sidechain
26	BB	2026	U	Sidechain
26	BB	2027	G	Sidechain
26	BB	2029	G	Sidechain
26	BB	2031	A	Sidechain
26	BB	2035	G	Sidechain
26	BB	2036	C	Sidechain
26	BB	2038	G	Sidechain
26	BB	204	A	Sidechain
26	BB	2040	G	Sidechain
26	BB	2042	A	Sidechain
26	BB	2043	C	Sidechain
26	BB	2044	C	Sidechain
26	BB	2045	C	Sidechain
26	BB	2046	G	Sidechain
26	BB	2047	C	Sidechain
26	BB	2048	G	Sidechain
26	BB	2049	G	Sidechain
26	BB	205	G	Sidechain
26	BB	2050	C	Sidechain
26	BB	2051	A	Sidechain
26	BB	2052	A	Sidechain
26	BB	2054	A	Sidechain
26	BB	2056	G	Sidechain
26	BB	2057	G	Sidechain
26	BB	2059	A	Sidechain
26	BB	206	U	Sidechain
26	BB	2062	A	Sidechain
26	BB	2063	C	Sidechain
26	BB	2064	C	Sidechain
26	BB	2067	G	Sidechain
26	BB	2068	U	Sidechain
26	BB	207	A	Sidechain
26	BB	2072	C	Sidechain
26	BB	2074	U	Sidechain
26	BB	2075	U	Sidechain
26	BB	2078	C	Sidechain
26	BB	208	C	Sidechain
26	BB	2080	A	Sidechain
26	BB	2083	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2085	U	Sidechain
26	BB	2086	U	Sidechain
26	BB	2087	G	Sidechain
26	BB	2090	A	Sidechain
26	BB	2093	G	Sidechain
26	BB	2094	A	Sidechain
26	BB	2098	U	Sidechain
26	BB	2101	A	Sidechain
26	BB	2103	C	Sidechain
26	BB	2104	C	Sidechain
26	BB	2110	G	Sidechain
26	BB	2111	U	Sidechain
26	BB	2112	G	Sidechain
26	BB	2113	U	Sidechain
26	BB	2114	A	Sidechain
26	BB	2115	G	Sidechain
26	BB	2116	G	Sidechain
26	BB	2117	A	Sidechain
26	BB	2119	A	Sidechain
26	BB	212	G	Sidechain
26	BB	2120	G	Sidechain
26	BB	2124	G	Sidechain
26	BB	2125	G	Sidechain
26	BB	2126	A	Sidechain
26	BB	2128	G	Sidechain
26	BB	2129	C	Sidechain
26	BB	2130	U	Sidechain
26	BB	2131	U	Sidechain
26	BB	2134	A	Sidechain
26	BB	2136	G	Sidechain
26	BB	2137	U	Sidechain
26	BB	2138	G	Sidechain
26	BB	214	G	Sidechain
26	BB	2141	G	Sidechain
26	BB	2144	G	Sidechain
26	BB	2147	A	Sidechain
26	BB	2149	U	Sidechain
26	BB	215	G	Sidechain
26	BB	2152	G	Sidechain
26	BB	2155	U	Sidechain
26	BB	2156	G	Sidechain
26	BB	2157	G	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2158	A	Sidechain
26	BB	2161	C	Sidechain
26	BB	2162	G	Sidechain
26	BB	2163	A	Sidechain
26	BB	2167	U	Sidechain
26	BB	2169	A	Sidechain
26	BB	2172	U	Sidechain
26	BB	2174	C	Sidechain
26	BB	2175	C	Sidechain
26	BB	2176	A	Sidechain
26	BB	2178	C	Sidechain
26	BB	2179	C	Sidechain
26	BB	2186	G	Sidechain
26	BB	2187	U	Sidechain
26	BB	2188	U	Sidechain
26	BB	219	A	Sidechain
26	BB	2190	G	Sidechain
26	BB	2192	U	Sidechain
26	BB	2194	U	Sidechain
26	BB	2196	C	Sidechain
26	BB	2197	U	Sidechain
26	BB	2198	A	Sidechain
26	BB	2199	A	Sidechain
26	BB	2200	C	Sidechain
26	BB	2203	U	Sidechain
26	BB	2204	G	Sidechain
26	BB	2205	A	Sidechain
26	BB	2206	C	Sidechain
26	BB	2207	C	Sidechain
26	BB	2208	C	Sidechain
26	BB	2209	G	Sidechain
26	BB	221	A	Sidechain
26	BB	2210	U	Sidechain
26	BB	2211	A	Sidechain
26	BB	2212	A	Sidechain
26	BB	2214	C	Sidechain
26	BB	2215	C	Sidechain
26	BB	2218	G	Sidechain
26	BB	2220	U	Sidechain
26	BB	2221	G	Sidechain
26	BB	2222	C	Sidechain
26	BB	2228	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2229	U	Sidechain
26	BB	223	A	Sidechain
26	BB	2230	G	Sidechain
26	BB	2231	U	Sidechain
26	BB	2233	U	Sidechain
26	BB	2234	G	Sidechain
26	BB	2235	G	Sidechain
26	BB	2237	G	Sidechain
26	BB	2238	G	Sidechain
26	BB	2239	G	Sidechain
26	BB	224	U	Sidechain
26	BB	2240	U	Sidechain
26	BB	2242	G	Sidechain
26	BB	2243	U	Sidechain
26	BB	2244	U	Sidechain
26	BB	2245	U	Sidechain
26	BB	2247	A	Sidechain
26	BB	2248	C	Sidechain
26	BB	2249	U	Sidechain
26	BB	2252	G	Sidechain
26	BB	2254	C	Sidechain
26	BB	2255	G	Sidechain
26	BB	2257	U	Sidechain
26	BB	226	A	Sidechain
26	BB	2260	C	Sidechain
26	BB	2261	C	Sidechain
26	BB	2262	U	Sidechain
26	BB	2267	A	Sidechain
26	BB	227	A	Sidechain
26	BB	2271	G	Sidechain
26	BB	2272	U	Sidechain
26	BB	2276	G	Sidechain
26	BB	2278	A	Sidechain
26	BB	2279	G	Sidechain
26	BB	228	C	Sidechain
26	BB	2280	G	Sidechain
26	BB	2282	G	Sidechain
26	BB	2283	C	Sidechain
26	BB	2284	A	Sidechain
26	BB	2289	G	Sidechain
26	BB	2292	U	Sidechain
26	BB	2294	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2296	U	Sidechain
26	BB	2297	A	Sidechain
26	BB	2299	U	Sidechain
26	BB	23	G	Sidechain
26	BB	230	G	Sidechain
26	BB	2301	C	Sidechain
26	BB	2302	U	Sidechain
26	BB	2303	G	Sidechain
26	BB	2304	G	Sidechain
26	BB	2305	U	Sidechain
26	BB	2307	G	Sidechain
26	BB	2310	C	Sidechain
26	BB	2312	U	Sidechain
26	BB	2313	C	Sidechain
26	BB	2316	G	Sidechain
26	BB	2317	A	Sidechain
26	BB	2318	G	Sidechain
26	BB	2319	G	Sidechain
26	BB	2324	U	Sidechain
26	BB	2325	G	Sidechain
26	BB	2326	C	Sidechain
26	BB	2327	A	Sidechain
26	BB	2329	U	Sidechain
26	BB	233	A	Sidechain
26	BB	2330	G	Sidechain
26	BB	2333	A	Sidechain
26	BB	2335	A	Sidechain
26	BB	2336	A	Sidechain
26	BB	2337	G	Sidechain
26	BB	2339	C	Sidechain
26	BB	2340	A	Sidechain
26	BB	2341	G	Sidechain
26	BB	2342	C	Sidechain
26	BB	2343	U	Sidechain
26	BB	2344	U	Sidechain
26	BB	2345	G	Sidechain
26	BB	2347	C	Sidechain
26	BB	2349	G	Sidechain
26	BB	2353	G	Sidechain
26	BB	2354	C	Sidechain
26	BB	2355	G	Sidechain
26	BB	2356	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2358	A	Sidechain
26	BB	2359	C	Sidechain
26	BB	2360	G	Sidechain
26	BB	2361	G	Sidechain
26	BB	2362	C	Sidechain
26	BB	2363	G	Sidechain
26	BB	2364	C	Sidechain
26	BB	2365	G	Sidechain
26	BB	2366	A	Sidechain
26	BB	2367	G	Sidechain
26	BB	237	C	Sidechain
26	BB	2372	U	Sidechain
26	BB	2375	G	Sidechain
26	BB	2376	A	Sidechain
26	BB	2379	G	Sidechain
26	BB	2380	C	Sidechain
26	BB	2382	G	Sidechain
26	BB	2384	U	Sidechain
26	BB	2385	C	Sidechain
26	BB	2386	A	Sidechain
26	BB	2387	U	Sidechain
26	BB	2388	A	Sidechain
26	BB	2389	G	Sidechain
26	BB	239	C	Sidechain
26	BB	2391	G	Sidechain
26	BB	2392	A	Sidechain
26	BB	2395	C	Sidechain
26	BB	2396	G	Sidechain
26	BB	2397	G	Sidechain
26	BB	2398	U	Sidechain
26	BB	2399	G	Sidechain
26	BB	2400	G	Sidechain
26	BB	2404	U	Sidechain
26	BB	2406	A	Sidechain
26	BB	2408	U	Sidechain
26	BB	2409	G	Sidechain
26	BB	2410	G	Sidechain
26	BB	2412	A	Sidechain
26	BB	2413	G	Sidechain
26	BB	2414	G	Sidechain
26	BB	2416	C	Sidechain
26	BB	2417	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2418	A	Sidechain
26	BB	2419	U	Sidechain
26	BB	2420	C	Sidechain
26	BB	2422	C	Sidechain
26	BB	2423	U	Sidechain
26	BB	2426	A	Sidechain
26	BB	2427	C	Sidechain
26	BB	2428	G	Sidechain
26	BB	2433	A	Sidechain
26	BB	2435	A	Sidechain
26	BB	2436	G	Sidechain
26	BB	2439	A	Sidechain
26	BB	2441	U	Sidechain
26	BB	2442	C	Sidechain
26	BB	2444	G	Sidechain
26	BB	2446	G	Sidechain
26	BB	2447	G	Sidechain
26	BB	2448	A	Sidechain
26	BB	245	G	Sidechain
26	BB	2450	A	Sidechain
26	BB	2451	A	Sidechain
26	BB	2453	A	Sidechain
26	BB	2454	G	Sidechain
26	BB	2455	G	Sidechain
26	BB	2456	C	Sidechain
26	BB	2458	G	Sidechain
26	BB	2460	U	Sidechain
26	BB	2461	A	Sidechain
26	BB	2464	G	Sidechain
26	BB	2465	C	Sidechain
26	BB	2469	A	Sidechain
26	BB	247	G	Sidechain
26	BB	2470	G	Sidechain
26	BB	2472	G	Sidechain
26	BB	2473	U	Sidechain
26	BB	2475	C	Sidechain
26	BB	2478	A	Sidechain
26	BB	2479	U	Sidechain
26	BB	248	G	Sidechain
26	BB	2481	G	Sidechain
26	BB	2482	A	Sidechain
26	BB	2484	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2485	G	Sidechain
26	BB	2487	G	Sidechain
26	BB	2488	G	Sidechain
26	BB	2489	U	Sidechain
26	BB	2490	G	Sidechain
26	BB	2491	U	Sidechain
26	BB	2492	U	Sidechain
26	BB	2493	U	Sidechain
26	BB	2494	G	Sidechain
26	BB	250	G	Sidechain
26	BB	2501	C	Sidechain
26	BB	2509	G	Sidechain
26	BB	251	A	Sidechain
26	BB	2510	C	Sidechain
26	BB	2514	U	Sidechain
26	BB	2517	C	Sidechain
26	BB	2518	A	Sidechain
26	BB	2520	C	Sidechain
26	BB	2521	C	Sidechain
26	BB	2522	U	Sidechain
26	BB	2523	G	Sidechain
26	BB	2524	G	Sidechain
26	BB	2526	G	Sidechain
26	BB	2529	G	Sidechain
26	BB	253	C	Sidechain
26	BB	2530	A	Sidechain
26	BB	2532	G	Sidechain
26	BB	2533	U	Sidechain
26	BB	2535	G	Sidechain
26	BB	2539	C	Sidechain
26	BB	254	G	Sidechain
26	BB	2540	C	Sidechain
26	BB	2541	A	Sidechain
26	BB	2542	A	Sidechain
26	BB	2543	G	Sidechain
26	BB	2544	G	Sidechain
26	BB	2545	G	Sidechain
26	BB	2546	U	Sidechain
26	BB	2547	A	Sidechain
26	BB	2549	G	Sidechain
26	BB	255	A	Sidechain
26	BB	2550	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2553	G	Sidechain
26	BB	2555	U	Sidechain
26	BB	2556	C	Sidechain
26	BB	2560	A	Sidechain
26	BB	2562	U	Sidechain
26	BB	2563	U	Sidechain
26	BB	2566	A	Sidechain
26	BB	2567	G	Sidechain
26	BB	2568	U	Sidechain
26	BB	2569	G	Sidechain
26	BB	2571	U	Sidechain
26	BB	2572	A	Sidechain
26	BB	2574	G	Sidechain
26	BB	2576	G	Sidechain
26	BB	2577	A	Sidechain
26	BB	2578	G	Sidechain
26	BB	2579	C	Sidechain
26	BB	258	G	Sidechain
26	BB	2583	G	Sidechain
26	BB	2584	U	Sidechain
26	BB	2589	A	Sidechain
26	BB	2590	A	Sidechain
26	BB	2592	G	Sidechain
26	BB	2594	C	Sidechain
26	BB	2595	G	Sidechain
26	BB	2596	U	Sidechain
26	BB	2597	G	Sidechain
26	BB	2598	A	Sidechain
26	BB	2599	G	Sidechain
26	BB	260	G	Sidechain
26	BB	2601	C	Sidechain
26	BB	2604	U	Sidechain
26	BB	2607	G	Sidechain
26	BB	2608	G	Sidechain
26	BB	2609	U	Sidechain
26	BB	2611	C	Sidechain
26	BB	2614	A	Sidechain
26	BB	2615	U	Sidechain
26	BB	2616	C	Sidechain
26	BB	2617	U	Sidechain
26	BB	2620	C	Sidechain
26	BB	2622	U	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2624	G	Sidechain
26	BB	2627	G	Sidechain
26	BB	263	G	Sidechain
26	BB	2630	G	Sidechain
26	BB	2633	G	Sidechain
26	BB	2634	A	Sidechain
26	BB	2635	A	Sidechain
26	BB	2636	C	Sidechain
26	BB	2637	U	Sidechain
26	BB	2638	G	Sidechain
26	BB	2639	A	Sidechain
26	BB	264	C	Sidechain
26	BB	2640	G	Sidechain
26	BB	2641	G	Sidechain
26	BB	2643	G	Sidechain
26	BB	2645	G	Sidechain
26	BB	2648	G	Sidechain
26	BB	2649	C	Sidechain
26	BB	265	A	Sidechain
26	BB	2651	C	Sidechain
26	BB	2652	C	Sidechain
26	BB	2653	U	Sidechain
26	BB	2655	G	Sidechain
26	BB	2656	U	Sidechain
26	BB	2657	A	Sidechain
26	BB	2659	G	Sidechain
26	BB	2663	G	Sidechain
26	BB	2664	G	Sidechain
26	BB	2667	C	Sidechain
26	BB	2668	G	Sidechain
26	BB	267	C	Sidechain
26	BB	2670	A	Sidechain
26	BB	2671	G	Sidechain
26	BB	2672	U	Sidechain
26	BB	2673	G	Sidechain
26	BB	2675	A	Sidechain
26	BB	2676	C	Sidechain
26	BB	2677	G	Sidechain
26	BB	2679	A	Sidechain
26	BB	2682	A	Sidechain
26	BB	2685	G	Sidechain
26	BB	2686	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2687	U	Sidechain
26	BB	2688	G	Sidechain
26	BB	2689	U	Sidechain
26	BB	2691	C	Sidechain
26	BB	2692	G	Sidechain
26	BB	2694	G	Sidechain
26	BB	2695	U	Sidechain
26	BB	2696	U	Sidechain
26	BB	270	A	Sidechain
26	BB	2701	U	Sidechain
26	BB	2702	G	Sidechain
26	BB	2704	C	Sidechain
26	BB	2707	U	Sidechain
26	BB	2708	G	Sidechain
26	BB	2709	G	Sidechain
26	BB	271	G	Sidechain
26	BB	2711	A	Sidechain
26	BB	2712	C	Sidechain
26	BB	2713	U	Sidechain
26	BB	2716	C	Sidechain
26	BB	2718	G	Sidechain
26	BB	272	A	Sidechain
26	BB	2720	U	Sidechain
26	BB	2722	G	Sidechain
26	BB	2723	C	Sidechain
26	BB	2724	U	Sidechain
26	BB	2727	A	Sidechain
26	BB	2728	U	Sidechain
26	BB	2729	G	Sidechain
26	BB	273	G	Sidechain
26	BB	2731	G	Sidechain
26	BB	2732	G	Sidechain
26	BB	2736	A	Sidechain
26	BB	2738	A	Sidechain
26	BB	2739	U	Sidechain
26	BB	274	C	Sidechain
26	BB	2740	A	Sidechain
26	BB	2742	G	Sidechain
26	BB	2747	G	Sidechain
26	BB	2748	A	Sidechain
26	BB	2750	A	Sidechain
26	BB	2751	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2752	C	Sidechain
26	BB	2753	A	Sidechain
26	BB	2755	C	Sidechain
26	BB	2757	A	Sidechain
26	BB	2759	G	Sidechain
26	BB	276	U	Sidechain
26	BB	2760	C	Sidechain
26	BB	2764	A	Sidechain
26	BB	2765	A	Sidechain
26	BB	2766	A	Sidechain
26	BB	2769	U	Sidechain
26	BB	277	G	Sidechain
26	BB	2770	G	Sidechain
26	BB	2771	C	Sidechain
26	BB	2775	G	Sidechain
26	BB	2779	U	Sidechain
26	BB	278	A	Sidechain
26	BB	2781	A	Sidechain
26	BB	2783	U	Sidechain
26	BB	2785	C	Sidechain
26	BB	2786	U	Sidechain
26	BB	2787	C	Sidechain
26	BB	2788	C	Sidechain
26	BB	2791	G	Sidechain
26	BB	2797	U	Sidechain
26	BB	280	U	Sidechain
26	BB	2800	A	Sidechain
26	BB	2803	G	Sidechain
26	BB	2804	U	Sidechain
26	BB	2807	U	Sidechain
26	BB	2808	G	Sidechain
26	BB	2809	A	Sidechain
26	BB	281	C	Sidechain
26	BB	2810	A	Sidechain
26	BB	2811	G	Sidechain
26	BB	2816	G	Sidechain
26	BB	2817	U	Sidechain
26	BB	2818	U	Sidechain
26	BB	2819	G	Sidechain
26	BB	2820	A	Sidechain
26	BB	2821	A	Sidechain
26	BB	2822	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2823	A	Sidechain
26	BB	2824	C	Sidechain
26	BB	2826	A	Sidechain
26	BB	2827	C	Sidechain
26	BB	283	G	Sidechain
26	BB	2830	C	Sidechain
26	BB	2831	G	Sidechain
26	BB	2832	U	Sidechain
26	BB	2833	U	Sidechain
26	BB	2834	G	Sidechain
26	BB	2835	A	Sidechain
26	BB	2836	U	Sidechain
26	BB	2838	G	Sidechain
26	BB	2839	G	Sidechain
26	BB	2843	G	Sidechain
26	BB	2844	G	Sidechain
26	BB	2845	U	Sidechain
26	BB	2846	G	Sidechain
26	BB	285	G	Sidechain
26	BB	2851	A	Sidechain
26	BB	2853	C	Sidechain
26	BB	2854	G	Sidechain
26	BB	2855	C	Sidechain
26	BB	2856	A	Sidechain
26	BB	2857	G	Sidechain
26	BB	2858	C	Sidechain
26	BB	2859	G	Sidechain
26	BB	286	U	Sidechain
26	BB	2860	A	Sidechain
26	BB	2861	U	Sidechain
26	BB	2862	G	Sidechain
26	BB	2863	C	Sidechain
26	BB	2864	G	Sidechain
26	BB	2866	U	Sidechain
26	BB	2869	G	Sidechain
26	BB	287	G	Sidechain
26	BB	2878	U	Sidechain
26	BB	2879	A	Sidechain
26	BB	2881	U	Sidechain
26	BB	2882	A	Sidechain
26	BB	2883	A	Sidechain
26	BB	2885	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2886	A	Sidechain
26	BB	2887	A	Sidechain
26	BB	2888	C	Sidechain
26	BB	289	G	Sidechain
26	BB	2891	U	Sidechain
26	BB	2892	G	Sidechain
26	BB	2893	A	Sidechain
26	BB	2894	G	Sidechain
26	BB	2895	G	Sidechain
26	BB	2899	A	Sidechain
26	BB	2900	A	Sidechain
26	BB	2904	U	Sidechain
26	BB	291	G	Sidechain
26	BB	294	A	Sidechain
26	BB	295	G	Sidechain
26	BB	296	U	Sidechain
26	BB	297	G	Sidechain
26	BB	298	G	Sidechain
26	BB	3	U	Sidechain
26	BB	30	G	Sidechain
26	BB	300	A	Sidechain
26	BB	301	G	Sidechain
26	BB	302	C	Sidechain
26	BB	303	G	Sidechain
26	BB	304	U	Sidechain
26	BB	307	G	Sidechain
26	BB	308	G	Sidechain
26	BB	310	A	Sidechain
26	BB	311	A	Sidechain
26	BB	312	G	Sidechain
26	BB	313	G	Sidechain
26	BB	316	C	Sidechain
26	BB	318	C	Sidechain
26	BB	32	C	Sidechain
26	BB	322	A	Sidechain
26	BB	324	A	Sidechain
26	BB	326	G	Sidechain
26	BB	327	G	Sidechain
26	BB	329	G	Sidechain
26	BB	330	A	Sidechain
26	BB	331	C	Sidechain
26	BB	335	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	336	C	Sidechain
26	BB	337	C	Sidechain
26	BB	338	G	Sidechain
26	BB	339	U	Sidechain
26	BB	34	U	Sidechain
26	BB	342	A	Sidechain
26	BB	343	C	Sidechain
26	BB	344	A	Sidechain
26	BB	345	A	Sidechain
26	BB	346	A	Sidechain
26	BB	348	A	Sidechain
26	BB	349	U	Sidechain
26	BB	35	G	Sidechain
26	BB	351	C	Sidechain
26	BB	352	A	Sidechain
26	BB	354	A	Sidechain
26	BB	355	U	Sidechain
26	BB	358	U	Sidechain
26	BB	359	G	Sidechain
26	BB	36	G	Sidechain
26	BB	360	U	Sidechain
26	BB	361	G	Sidechain
26	BB	362	A	Sidechain
26	BB	363	G	Sidechain
26	BB	364	C	Sidechain
26	BB	365	U	Sidechain
26	BB	366	C	Sidechain
26	BB	367	G	Sidechain
26	BB	368	A	Sidechain
26	BB	371	A	Sidechain
26	BB	372	G	Sidechain
26	BB	376	G	Sidechain
26	BB	38	A	Sidechain
26	BB	380	G	Sidechain
26	BB	381	G	Sidechain
26	BB	384	A	Sidechain
26	BB	387	U	Sidechain
26	BB	389	G	Sidechain
26	BB	39	G	Sidechain
26	BB	392	U	Sidechain
26	BB	394	C	Sidechain
26	BB	396	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	397	U	Sidechain
26	BB	398	C	Sidechain
26	BB	399	U	Sidechain
26	BB	400	G	Sidechain
26	BB	401	A	Sidechain
26	BB	405	U	Sidechain
26	BB	406	G	Sidechain
26	BB	407	G	Sidechain
26	BB	410	G	Sidechain
26	BB	411	G	Sidechain
26	BB	416	U	Sidechain
26	BB	417	C	Sidechain
26	BB	418	C	Sidechain
26	BB	419	U	Sidechain
26	BB	42	A	Sidechain
26	BB	421	C	Sidechain
26	BB	423	A	Sidechain
26	BB	424	G	Sidechain
26	BB	425	G	Sidechain
26	BB	427	U	Sidechain
26	BB	43	G	Sidechain
26	BB	431	U	Sidechain
26	BB	434	U	Sidechain
26	BB	436	C	Sidechain
26	BB	437	U	Sidechain
26	BB	438	G	Sidechain
26	BB	441	U	Sidechain
26	BB	442	G	Sidechain
26	BB	444	C	Sidechain
26	BB	445	C	Sidechain
26	BB	446	G	Sidechain
26	BB	447	A	Sidechain
26	BB	448	U	Sidechain
26	BB	45	G	Sidechain
26	BB	450	G	Sidechain
26	BB	451	U	Sidechain
26	BB	452	G	Sidechain
26	BB	454	A	Sidechain
26	BB	455	C	Sidechain
26	BB	456	C	Sidechain
26	BB	458	G	Sidechain
26	BB	459	U	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	462	C	Sidechain
26	BB	463	G	Sidechain
26	BB	464	U	Sidechain
26	BB	465	G	Sidechain
26	BB	467	G	Sidechain
26	BB	468	G	Sidechain
26	BB	469	G	Sidechain
26	BB	47	C	Sidechain
26	BB	473	G	Sidechain
26	BB	474	G	Sidechain
26	BB	475	C	Sidechain
26	BB	482	A	Sidechain
26	BB	489	G	Sidechain
26	BB	49	A	Sidechain
26	BB	492	A	Sidechain
26	BB	493	G	Sidechain
26	BB	495	G	Sidechain
26	BB	497	A	Sidechain
26	BB	498	G	Sidechain
26	BB	50	U	Sidechain
26	BB	500	G	Sidechain
26	BB	501	A	Sidechain
26	BB	502	A	Sidechain
26	BB	504	A	Sidechain
26	BB	506	G	Sidechain
26	BB	507	A	Sidechain
26	BB	51	G	Sidechain
26	BB	512	G	Sidechain
26	BB	513	A	Sidechain
26	BB	514	A	Sidechain
26	BB	515	A	Sidechain
26	BB	517	C	Sidechain
26	BB	520	G	Sidechain
26	BB	522	A	Sidechain
26	BB	523	C	Sidechain
26	BB	524	G	Sidechain
26	BB	525	U	Sidechain
26	BB	526	A	Sidechain
26	BB	527	C	Sidechain
26	BB	529	A	Sidechain
26	BB	531	C	Sidechain
26	BB	535	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	536	G	Sidechain
26	BB	537	G	Sidechain
26	BB	540	C	Sidechain
26	BB	541	A	Sidechain
26	BB	543	G	Sidechain
26	BB	544	C	Sidechain
26	BB	545	U	Sidechain
26	BB	548	G	Sidechain
26	BB	549	G	Sidechain
26	BB	55	G	Sidechain
26	BB	550	C	Sidechain
26	BB	552	U	Sidechain
26	BB	553	G	Sidechain
26	BB	556	A	Sidechain
26	BB	559	G	Sidechain
26	BB	56	A	Sidechain
26	BB	560	C	Sidechain
26	BB	561	G	Sidechain
26	BB	563	A	Sidechain
26	BB	564	C	Sidechain
26	BB	565	C	Sidechain
26	BB	567	U	Sidechain
26	BB	569	U	Sidechain
26	BB	57	C	Sidechain
26	BB	570	G	Sidechain
26	BB	572	A	Sidechain
26	BB	574	A	Sidechain
26	BB	575	A	Sidechain
26	BB	576	U	Sidechain
26	BB	578	G	Sidechain
26	BB	579	G	Sidechain
26	BB	58	G	Sidechain
26	BB	580	U	Sidechain
26	BB	581	C	Sidechain
26	BB	583	G	Sidechain
26	BB	586	A	Sidechain
26	BB	587	C	Sidechain
26	BB	588	U	Sidechain
26	BB	590	A	Sidechain
26	BB	592	A	Sidechain
26	BB	595	C	Sidechain
26	BB	598	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	60	G	Sidechain
26	BB	600	G	Sidechain
26	BB	605	G	Sidechain
26	BB	607	U	Sidechain
26	BB	608	A	Sidechain
26	BB	609	A	Sidechain
26	BB	61	C	Sidechain
26	BB	612	G	Sidechain
26	BB	613	A	Sidechain
26	BB	614	A	Sidechain
26	BB	615	U	Sidechain
26	BB	616	A	Sidechain
26	BB	619	G	Sidechain
26	BB	620	G	Sidechain
26	BB	622	G	Sidechain
26	BB	625	G	Sidechain
26	BB	627	A	Sidechain
26	BB	629	G	Sidechain
26	BB	63	A	Sidechain
26	BB	630	G	Sidechain
26	BB	631	A	Sidechain
26	BB	633	A	Sidechain
26	BB	635	C	Sidechain
26	BB	636	G	Sidechain
26	BB	637	A	Sidechain
26	BB	639	U	Sidechain
26	BB	640	C	Sidechain
26	BB	641	U	Sidechain
26	BB	643	A	Sidechain
26	BB	644	A	Sidechain
26	BB	646	U	Sidechain
26	BB	647	G	Sidechain
26	BB	65	U	Sidechain
26	BB	653	U	Sidechain
26	BB	654	A	Sidechain
26	BB	656	G	Sidechain
26	BB	658	U	Sidechain
26	BB	659	G	Sidechain
26	BB	660	C	Sidechain
26	BB	661	A	Sidechain
26	BB	662	G	Sidechain
26	BB	663	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	664	G	Sidechain
26	BB	665	U	Sidechain
26	BB	666	A	Sidechain
26	BB	668	A	Sidechain
26	BB	671	C	Sidechain
26	BB	672	C	Sidechain
26	BB	673	C	Sidechain
26	BB	674	G	Sidechain
26	BB	676	A	Sidechain
26	BB	678	C	Sidechain
26	BB	679	C	Sidechain
26	BB	68	G	Sidechain
26	BB	681	G	Sidechain
26	BB	682	G	Sidechain
26	BB	683	U	Sidechain
26	BB	684	G	Sidechain
26	BB	686	U	Sidechain
26	BB	688	U	Sidechain
26	BB	690	G	Sidechain
26	BB	691	C	Sidechain
26	BB	692	C	Sidechain
26	BB	693	A	Sidechain
26	BB	695	G	Sidechain
26	BB	696	G	Sidechain
26	BB	699	A	Sidechain
26	BB	7	G	Sidechain
26	BB	70	G	Sidechain
26	BB	700	G	Sidechain
26	BB	702	U	Sidechain
26	BB	703	U	Sidechain
26	BB	705	A	Sidechain
26	BB	707	G	Sidechain
26	BB	709	U	Sidechain
26	BB	712	G	Sidechain
26	BB	713	G	Sidechain
26	BB	714	U	Sidechain
26	BB	715	A	Sidechain
26	BB	717	C	Sidechain
26	BB	719	C	Sidechain
26	BB	720	U	Sidechain
26	BB	721	A	Sidechain
26	BB	726	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	729	G	Sidechain
26	BB	73	A	Sidechain
26	BB	730	A	Sidechain
26	BB	733	G	Sidechain
26	BB	734	A	Sidechain
26	BB	735	A	Sidechain
26	BB	736	C	Sidechain
26	BB	737	C	Sidechain
26	BB	738	G	Sidechain
26	BB	739	A	Sidechain
26	BB	74	A	Sidechain
26	BB	740	C	Sidechain
26	BB	741	U	Sidechain
26	BB	742	A	Sidechain
26	BB	748	G	Sidechain
26	BB	75	G	Sidechain
26	BB	750	A	Sidechain
26	BB	751	A	Sidechain
26	BB	752	A	Sidechain
26	BB	757	G	Sidechain
26	BB	759	G	Sidechain
26	BB	760	G	Sidechain
26	BB	761	A	Sidechain
26	BB	762	U	Sidechain
26	BB	764	A	Sidechain
26	BB	765	C	Sidechain
26	BB	766	U	Sidechain
26	BB	767	U	Sidechain
26	BB	77	G	Sidechain
26	BB	771	G	Sidechain
26	BB	774	G	Sidechain
26	BB	775	G	Sidechain
26	BB	776	G	Sidechain
26	BB	777	G	Sidechain
26	BB	778	G	Sidechain
26	BB	779	U	Sidechain
26	BB	78	U	Sidechain
26	BB	781	A	Sidechain
26	BB	783	A	Sidechain
26	BB	784	G	Sidechain
26	BB	785	G	Sidechain
26	BB	787	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	792	A	Sidechain
26	BB	794	A	Sidechain
26	BB	797	G	Sidechain
26	BB	798	G	Sidechain
26	BB	799	G	Sidechain
26	BB	8	C	Sidechain
26	BB	80	G	Sidechain
26	BB	800	A	Sidechain
26	BB	801	G	Sidechain
26	BB	802	A	Sidechain
26	BB	804	A	Sidechain
26	BB	805	G	Sidechain
26	BB	806	C	Sidechain
26	BB	807	U	Sidechain
26	BB	809	G	Sidechain
26	BB	81	G	Sidechain
26	BB	810	U	Sidechain
26	BB	811	U	Sidechain
26	BB	812	C	Sidechain
26	BB	814	C	Sidechain
26	BB	815	C	Sidechain
26	BB	818	G	Sidechain
26	BB	819	A	Sidechain
26	BB	820	A	Sidechain
26	BB	821	A	Sidechain
26	BB	823	C	Sidechain
26	BB	824	U	Sidechain
26	BB	827	U	Sidechain
26	BB	828	U	Sidechain
26	BB	829	A	Sidechain
26	BB	83	A	Sidechain
26	BB	830	G	Sidechain
26	BB	831	G	Sidechain
26	BB	832	U	Sidechain
26	BB	834	G	Sidechain
26	BB	835	C	Sidechain
26	BB	84	A	Sidechain
26	BB	840	C	Sidechain
26	BB	842	U	Sidechain
26	BB	844	A	Sidechain
26	BB	847	U	Sidechain
26	BB	848	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	849	A	Sidechain
26	BB	85	G	Sidechain
26	BB	850	U	Sidechain
26	BB	852	U	Sidechain
26	BB	855	G	Sidechain
26	BB	856	G	Sidechain
26	BB	857	G	Sidechain
26	BB	858	G	Sidechain
26	BB	859	G	Sidechain
26	BB	86	G	Sidechain
26	BB	862	G	Sidechain
26	BB	863	A	Sidechain
26	BB	864	G	Sidechain
26	BB	867	C	Sidechain
26	BB	868	U	Sidechain
26	BB	869	G	Sidechain
26	BB	87	U	Sidechain
26	BB	870	U	Sidechain
26	BB	872	U	Sidechain
26	BB	874	G	Sidechain
26	BB	875	G	Sidechain
26	BB	877	A	Sidechain
26	BB	879	G	Sidechain
26	BB	88	G	Sidechain
26	BB	880	G	Sidechain
26	BB	883	G	Sidechain
26	BB	884	U	Sidechain
26	BB	886	A	Sidechain
26	BB	887	U	Sidechain
26	BB	889	C	Sidechain
26	BB	89	A	Sidechain
26	BB	890	C	Sidechain
26	BB	891	G	Sidechain
26	BB	892	A	Sidechain
26	BB	894	U	Sidechain
26	BB	895	U	Sidechain
26	BB	896	A	Sidechain
26	BB	898	C	Sidechain
26	BB	9	G	Sidechain
26	BB	90	U	Sidechain
26	BB	904	G	Sidechain
26	BB	905	A	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	906	U	Sidechain
26	BB	907	G	Sidechain
26	BB	908	C	Sidechain
26	BB	909	A	Sidechain
26	BB	910	A	Sidechain
26	BB	912	C	Sidechain
26	BB	914	G	Sidechain
26	BB	915	C	Sidechain
26	BB	918	A	Sidechain
26	BB	92	U	Sidechain
26	BB	921	C	Sidechain
26	BB	924	G	Sidechain
26	BB	929	U	Sidechain
26	BB	93	G	Sidechain
26	BB	930	G	Sidechain
26	BB	931	U	Sidechain
26	BB	933	A	Sidechain
26	BB	934	U	Sidechain
26	BB	936	A	Sidechain
26	BB	938	G	Sidechain
26	BB	939	G	Sidechain
26	BB	94	A	Sidechain
26	BB	940	G	Sidechain
26	BB	941	A	Sidechain
26	BB	942	G	Sidechain
26	BB	944	C	Sidechain
26	BB	945	A	Sidechain
26	BB	946	C	Sidechain
26	BB	949	G	Sidechain
26	BB	950	G	Sidechain
26	BB	951	C	Sidechain
26	BB	953	G	Sidechain
26	BB	956	G	Sidechain
26	BB	958	U	Sidechain
26	BB	959	A	Sidechain
26	BB	963	U	Sidechain
26	BB	965	C	Sidechain
26	BB	966	G	Sidechain
26	BB	967	U	Sidechain
26	BB	969	G	Sidechain
26	BB	970	U	Sidechain
26	BB	971	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	974	G	Sidechain
26	BB	977	G	Sidechain
26	BB	978	G	Sidechain
26	BB	979	A	Sidechain
26	BB	98	G	Sidechain
26	BB	981	A	Sidechain
26	BB	985	C	Sidechain
26	BB	986	C	Sidechain
26	BB	987	C	Sidechain
26	BB	988	A	Sidechain
26	BB	989	G	Sidechain
26	BB	99	U	Sidechain
26	BB	990	A	Sidechain
26	BB	991	C	Sidechain
26	BB	992	C	Sidechain
26	BB	996	A	Sidechain
26	BB	997	G	Sidechain
26	BB	998	C	Sidechain
27	BC	164	ARG	Sidechain
27	BC	21	TYR	Sidechain
27	BC	60	ARG	Sidechain
28	BD	101	ARG	Peptide
28	BD	12	ARG	Sidechain
28	BD	166	ARG	Sidechain
28	BD	174	ARG	Sidechain
28	BD	176	ARG	Sidechain
28	BD	199	HIS	Sidechain
28	BD	254	LYS	Peptide
28	BD	257	ARG	Sidechain
28	BD	38	LYS	Mainchain
28	BD	77	VAL	Peptide
29	BE	113	SER	Peptide
29	BE	184	ARG	Sidechain
29	BE	32	ASN	Mainchain
29	BE	40	LEU	Peptide
29	BE	8	LYS	Peptide
30	BF	12	LEU	Mainchain
30	BF	21	ARG	Sidechain
30	BF	69	ARG	Sidechain
31	BG	101	ARG	Sidechain
31	BG	124	ARG	Sidechain
31	BG	127	TYR	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
31	BG	132	ARG	Mainchain
31	BG	149	ARG	Peptide
31	BG	177	ARG	Sidechain
31	BG	6	TYR	Sidechain
31	BG	87	LYS	Mainchain
31	BG	94	ARG	Sidechain
32	BH	148	ARG	Sidechain
32	BH	150	TYR	Sidechain
32	BH	34	ARG	Sidechain
32	BH	83	THR	Peptide
33	BI	36	ALA	Mainchain
33	BI	68	ARG	Sidechain
34	BJ	130	THR	Peptide,Mainchain
34	BJ	137	ARG	Sidechain
34	BJ	53	VAL	Peptide
34	BJ	98	PHE	Sidechain
35	BK	126	ARG	Sidechain
36	BL	116	ARG	Sidechain
36	BL	119	PHE	Sidechain
36	BL	125	TYR	Sidechain
36	BL	13	ARG	Sidechain
36	BL	37	ARG	Sidechain
36	BL	71	ASP	Mainchain
36	BL	74	TYR	Sidechain
36	BL	83	GLY	Peptide
36	BL	99	ARG	Sidechain
37	BM	17	ARG	Sidechain
37	BM	30	ARG	Sidechain
37	BM	32	TYR	Sidechain
37	BM	4	GLU	Peptide
37	BM	70	ARG	Sidechain
37	BM	78	ARG	Sidechain
37	BM	87	LEU	Mainchain
38	BN	126	ARG	Sidechain
38	BN	21	ARG	Sidechain
38	BN	45	GLY	Peptide
38	BN	58	TYR	Sidechain
38	BN	69	ARG	Sidechain
39	BO	22	GLN	Mainchain
39	BO	91	TYR	Sidechain
40	BP	112	TYR	Sidechain
40	BP	22	ARG	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
40	BP	45	ARG	Sidechain
41	BQ	10	ARG	Sidechain
41	BQ	111	ARG	Sidechain
41	BQ	64	TYR	Sidechain
41	BQ	99	TYR	Sidechain
42	BR	19	PHE	Sidechain
42	BR	98	TYR	Sidechain
43	BS	32	ARG	Sidechain
43	BS	75	TYR	Sidechain
44	BT	2	TYR	Sidechain
44	BT	5	PHE	Sidechain
45	BU	110	ARG	Sidechain
45	BU	12	SER	Peptide
45	BU	4	ILE	Peptide
45	BU	84	ARG	Sidechain
46	BV	49	LYS	Peptide
46	BV	69	ARG	Sidechain
47	BW	84	PHE	Sidechain
47	BW	86	PHE	Sidechain
48	BX	44	HIS	Sidechain
49	BY	13	ARG	Peptide
49	BY	16	GLU	Peptide,Mainchain
49	BY	17	ALA	Mainchain
49	BY	38	ARG	Sidechain
49	BY	39	GLN	Peptide
49	BY	70	VAL	Peptide
50	BZ	36	ARG	Sidechain
50	BZ	37	PHE	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16596	0	0
2	AB	1627	0	840	0	0
3	AC	993	0	501	0	0
4	AD	1641	0	839	0	0
5	AE	1872	0	1885	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1295	0	0
26	BB	62351	0	31202	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0
42	BR	917	0	965	0	0
43	BS	947	0	1022	0	0
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0
60	BB	10	0	10	0	0
All	All	152351	0	103728	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AE	238/240 (99%)	217 (91%)	14 (6%)	7 (3%)	4	29
6	AF	230/232 (99%)	217 (94%)	8 (4%)	5 (2%)	6	35
7	AG	203/205 (99%)	187 (92%)	13 (6%)	3 (2%)	10	46
8	AH	164/166 (99%)	148 (90%)	14 (8%)	2 (1%)	13	50
9	AI	133/135 (98%)	122 (92%)	10 (8%)	1 (1%)	19	60
10	AJ	176/178 (99%)	165 (94%)	9 (5%)	2 (1%)	14	52
11	AK	127/129 (98%)	119 (94%)	7 (6%)	1 (1%)	19	60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	AL	127/129 (98%)	112 (88%)	12 (9%)	3 (2%)	6	33
13	AM	101/103 (98%)	90 (89%)	6 (6%)	5 (5%)	2	20
14	AN	126/128 (98%)	111 (88%)	14 (11%)	1 (1%)	19	60
15	AO	121/123 (98%)	106 (88%)	14 (12%)	1 (1%)	19	60
16	AP	115/117 (98%)	109 (95%)	5 (4%)	1 (1%)	17	57
17	AQ	98/100 (98%)	84 (86%)	7 (7%)	7 (7%)	1	14
18	AR	86/88 (98%)	81 (94%)	4 (5%)	1 (1%)	13	50
19	AS	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
20	AT	81/83 (98%)	72 (89%)	8 (10%)	1 (1%)	13	50
21	AU	72/74 (97%)	61 (85%)	7 (10%)	4 (6%)	2	19
22	AV	89/91 (98%)	82 (92%)	6 (7%)	1 (1%)	14	52
23	AW	84/86 (98%)	78 (93%)	6 (7%)	0	100	100
24	AX	68/70 (97%)	61 (90%)	4 (6%)	3 (4%)	2	22
27	BC	232/234 (99%)	216 (93%)	11 (5%)	5 (2%)	6	35
28	BD	270/272 (99%)	235 (87%)	25 (9%)	10 (4%)	3	24
29	BE	207/209 (99%)	174 (84%)	26 (13%)	7 (3%)	3	26
30	BF	199/201 (99%)	174 (87%)	15 (8%)	10 (5%)	2	20
31	BG	176/178 (99%)	151 (86%)	16 (9%)	9 (5%)	2	19
32	BH	174/176 (99%)	157 (90%)	12 (7%)	5 (3%)	4	29
33	BI	147/149 (99%)	130 (88%)	12 (8%)	5 (3%)	3	26
34	BJ	162/164 (99%)	157 (97%)	4 (2%)	1 (1%)	25	66
35	BK	139/141 (99%)	134 (96%)	5 (4%)	0	100	100
36	BL	140/142 (99%)	120 (86%)	16 (11%)	4 (3%)	4	29
37	BM	121/123 (98%)	109 (90%)	8 (7%)	4 (3%)	4	26
38	BN	142/144 (99%)	124 (87%)	14 (10%)	4 (3%)	5	30
39	BO	134/136 (98%)	123 (92%)	10 (8%)	1 (1%)	22	63
40	BP	125/127 (98%)	116 (93%)	8 (6%)	1 (1%)	19	60
41	BQ	115/117 (98%)	110 (96%)	5 (4%)	0	100	100
42	BR	112/114 (98%)	98 (88%)	11 (10%)	3 (3%)	5	31
43	BS	115/117 (98%)	108 (94%)	4 (4%)	3 (3%)	5	31
44	BT	101/103 (98%)	90 (89%)	7 (7%)	4 (4%)	3	23

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
45	BU	108/110 (98%)	98 (91%)	6 (6%)	4 (4%)	3	24
46	BV	98/100 (98%)	76 (78%)	19 (19%)	3 (3%)	4	27
47	BW	101/103 (98%)	88 (87%)	10 (10%)	3 (3%)	4	28
48	BX	92/94 (98%)	87 (95%)	4 (4%)	1 (1%)	14	52
49	BY	82/84 (98%)	64 (78%)	16 (20%)	2 (2%)	6	33
50	BZ	75/77 (97%)	68 (91%)	4 (5%)	3 (4%)	3	23
51	B0	61/63 (97%)	57 (93%)	3 (5%)	1 (2%)	9	44
52	B1	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
53	B2	68/70 (97%)	65 (96%)	2 (3%)	1 (2%)	10	46
54	B3	54/56 (96%)	48 (89%)	4 (7%)	2 (4%)	3	24
55	B4	52/54 (96%)	49 (94%)	1 (2%)	2 (4%)	3	24
56	B5	44/46 (96%)	40 (91%)	2 (4%)	2 (4%)	2	22
57	B6	62/64 (97%)	58 (94%)	3 (5%)	1 (2%)	9	44
58	B7	36/38 (95%)	30 (83%)	3 (8%)	3 (8%)	1	12
All	All	6319/6423 (98%)	5706 (90%)	460 (7%)	153 (2%)	9	33

All (153) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	AF	163	ARG
8	AH	77	ASN
13	AM	57	VAL
14	AN	52	ARG
17	AQ	2	LYS
21	AU	11	ARG
27	BC	217	THR
28	BD	94	LEU
30	BF	78	TRP
31	BG	136	ILE
33	BI	3	VAL
38	BN	19	LEU
42	BR	25	VAL
43	BS	88	GLU
45	BU	41	LYS
45	BU	65	ASP
46	BV	39	THR
46	BV	86	THR

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
47	BW	97	SER
55	B4	35	LEU
5	AE	22	TRP
5	AE	127	LYS
6	AF	14	VAL
7	AG	47	LEU
13	AM	42	LEU
13	AM	62	ARG
13	AM	74	VAL
17	AQ	32	ASP
17	AQ	61	ASN
17	AQ	70	HIS
18	AR	87	ARG
22	AV	11	ASP
28	BD	35	LYS
28	BD	37	SER
28	BD	64	VAL
28	BD	140	VAL
28	BD	142	ASN
29	BE	119	ALA
29	BE	162	ALA
30	BF	62	GLN
30	BF	79	ARG
30	BF	188	MET
31	BG	148	VAL
36	BL	14	ASP
36	BL	81	ILE
37	BM	6	THR
37	BM	71	ARG
39	BO	36	VAL
40	BP	107	ASN
43	BS	87	VAL
44	BT	43	ASN
44	BT	91	GLN
47	BW	74	ALA
50	BZ	18	SER
50	BZ	27	ARG
53	B2	43	PHE
55	B4	52	LYS
58	B7	6	SER
5	AE	17	HIS
6	AF	145	ALA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AF	179	ALA
8	AH	26	GLY
11	AK	80	PRO
12	AL	106	ASP
12	AL	122	ARG
12	AL	128	LYS
17	AQ	37	ASP
17	AQ	62	ARG
21	AU	18	GLN
24	AX	3	ILE
24	AX	9	GLU
24	AX	24	LYS
29	BE	173	GLN
30	BF	44	ARG
30	BF	68	ALA
30	BF	183	PHE
31	BG	99	PHE
33	BI	27	ARG
33	BI	93	SER
36	BL	65	THR
38	BN	36	LYS
46	BV	9	LYS
48	BX	71	LYS
51	B0	23	ARG
58	B7	16	ILE
7	AG	27	ILE
13	AM	58	ASN
17	AQ	80	ARG
20	AT	81	ALA
27	BC	159	GLY
28	BD	123	ILE
30	BF	96	VAL
31	BG	66	ILE
31	BG	132	ARG
32	BH	94	ARG
32	BH	170	THR
33	BI	113	SER
34	BJ	33	THR
38	BN	3	LEU
38	BN	30	THR
43	BS	5	ARG
45	BU	89	ALA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
49	BY	52	CYS
50	BZ	53	LYS
54	B3	2	VAL
5	AE	94	ARG
5	AE	205	ALA
7	AG	37	PRO
10	AJ	2	ARG
10	AJ	13	PRO
15	AO	43	LYS
16	AP	22	TYR
21	AU	5	ARG
21	AU	7	ARG
27	BC	55	SER
27	BC	73	VAL
28	BD	254	LYS
29	BE	109	VAL
29	BE	170	VAL
30	BF	45	ALA
30	BF	60	TRP
31	BG	145	VAL
32	BH	61	TRP
33	BI	122	LEU
37	BM	17	ARG
44	BT	101	ILE
45	BU	28	LYS
49	BY	36	ILE
54	B3	48	TYR
56	B5	7	PRO
58	B7	4	ARG
5	AE	13	VAL
6	AF	3	LYS
9	AI	54	LEU
28	BD	204	LEU
29	BE	168	GLU
32	BH	9	VAL
42	BR	35	SER
27	BC	206	GLY
31	BG	88	VAL
31	BG	103	ILE
42	BR	32	VAL
5	AE	123	GLY
36	BL	79	GLY

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
44	BT	54	VAL
28	BD	240	GLY
31	BG	84	ILE
47	BW	55	GLY
29	BE	37	VAL
56	B5	44	VAL
57	B6	31	ILE
32	BH	153	PRO
37	BM	93	GLN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	189 (96%)	9 (4%)	27	52
6	AF	189/189 (100%)	178 (94%)	11 (6%)	20	45
7	AG	172/172 (100%)	166 (96%)	6 (4%)	36	59
8	AH	125/125 (100%)	116 (93%)	9 (7%)	14	39
9	AI	116/116 (100%)	111 (96%)	5 (4%)	29	53
10	AJ	146/146 (100%)	133 (91%)	13 (9%)	9	30
11	AK	104/104 (100%)	97 (93%)	7 (7%)	16	41
12	AL	106/106 (100%)	99 (93%)	7 (7%)	16	41
13	AM	90/90 (100%)	86 (96%)	4 (4%)	28	53
14	AN	98/98 (100%)	95 (97%)	3 (3%)	40	62
15	AO	103/103 (100%)	98 (95%)	5 (5%)	25	50
16	AP	95/95 (100%)	94 (99%)	1 (1%)	73	84
17	AQ	83/83 (100%)	80 (96%)	3 (4%)	35	59
18	AR	76/76 (100%)	72 (95%)	4 (5%)	22	47
19	AS	65/65 (100%)	61 (94%)	4 (6%)	18	43
20	AT	77/77 (100%)	74 (96%)	3 (4%)	32	56
21	AU	64/64 (100%)	61 (95%)	3 (5%)	26	51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	AV	78/78 (100%)	74 (95%)	4 (5%)	24	48
23	AW	65/65 (100%)	64 (98%)	1 (2%)	65	80
24	AX	60/60 (100%)	57 (95%)	3 (5%)	24	49
27	BC	181/181 (100%)	171 (94%)	10 (6%)	21	47
28	BD	217/217 (100%)	207 (95%)	10 (5%)	27	52
29	BE	164/164 (100%)	150 (92%)	14 (8%)	10	33
30	BF	165/165 (100%)	157 (95%)	8 (5%)	25	51
31	BG	149/149 (100%)	137 (92%)	12 (8%)	11	35
32	BH	137/137 (100%)	124 (90%)	13 (10%)	8	27
33	BI	114/114 (100%)	110 (96%)	4 (4%)	36	59
34	BJ	122/122 (100%)	118 (97%)	4 (3%)	38	61
35	BK	109/109 (100%)	107 (98%)	2 (2%)	59	77
36	BL	116/116 (100%)	109 (94%)	7 (6%)	19	44
37	BM	104/104 (100%)	100 (96%)	4 (4%)	33	57
38	BN	103/103 (100%)	100 (97%)	3 (3%)	42	64
39	BO	109/109 (100%)	103 (94%)	6 (6%)	21	47
40	BP	103/103 (100%)	99 (96%)	4 (4%)	32	56
41	BQ	87/87 (100%)	82 (94%)	5 (6%)	20	45
42	BR	99/99 (100%)	94 (95%)	5 (5%)	24	48
43	BS	89/89 (100%)	84 (94%)	5 (6%)	21	46
44	BT	84/84 (100%)	77 (92%)	7 (8%)	11	34
45	BU	93/93 (100%)	89 (96%)	4 (4%)	29	53
46	BV	84/84 (100%)	77 (92%)	7 (8%)	11	34
47	BW	84/84 (100%)	80 (95%)	4 (5%)	25	51
48	BX	78/78 (100%)	73 (94%)	5 (6%)	17	42
49	BY	62/62 (100%)	58 (94%)	4 (6%)	17	42
50	BZ	67/67 (100%)	63 (94%)	4 (6%)	19	44
51	B0	55/55 (100%)	50 (91%)	5 (9%)	9	29
52	B1	48/48 (100%)	46 (96%)	2 (4%)	30	54
53	B2	62/62 (100%)	59 (95%)	3 (5%)	25	51
54	B3	47/47 (100%)	47 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	B4	48/48 (100%)	45 (94%)	3 (6%)	18	43
56	B5	38/38 (100%)	35 (92%)	3 (8%)	12	35
57	B6	51/51 (100%)	50 (98%)	1 (2%)	55	74
58	B7	34/34 (100%)	34 (100%)	0	100	100
All	All	5213/5213 (100%)	4940 (95%)	273 (5%)	27	48

All (273) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	AE	14	HIS
5	AE	26	MET
5	AE	34	ARG
5	AE	63	LYS
5	AE	81	ASP
5	AE	125	PHE
5	AE	129	THR
5	AE	193	ASP
5	AE	198	VAL
6	AF	13	ILE
6	AF	14	VAL
6	AF	33	ASP
6	AF	48	LYS
6	AF	53	ARG
6	AF	68	HIS
6	AF	107	LYS
6	AF	109	GLU
6	AF	111	ASP
6	AF	139	ASN
6	AF	153	SER
7	AG	16	THR
7	AG	60	VAL
7	AG	119	HIS
7	AG	165	GLU
7	AG	191	SER
7	AG	204	SER
8	AH	9	GLU
8	AH	19	ARG
8	AH	33	THR
8	AH	82	HIS
8	AH	111	ARG
8	AH	125	LYS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
8	AH	127	TYR
8	AH	148	SER
8	AH	158	LYS
9	AI	9	MET
9	AI	41	ASP
9	AI	55	HIS
9	AI	90	MET
9	AI	102	MET
10	AJ	4	ARG
10	AJ	9	ARG
10	AJ	28	ILE
10	AJ	42	VAL
10	AJ	66	GLU
10	AJ	72	VAL
10	AJ	74	VAL
10	AJ	78	ARG
10	AJ	86	VAL
10	AJ	88	VAL
10	AJ	91	ARG
10	AJ	142	ARG
10	AJ	174	LEU
11	AK	26	MET
11	AK	29	SER
11	AK	55	LYS
11	AK	70	VAL
11	AK	80	PRO
11	AK	85	TYR
11	AK	113	ARG
12	AL	4	GLN
12	AL	58	GLU
12	AL	62	LEU
12	AL	88	GLU
12	AL	96	GLU
12	AL	105	ARG
12	AL	112	ARG
13	AM	5	ARG
13	AM	7	ARG
13	AM	17	LEU
13	AM	100	ILE
14	AN	27	ASN
14	AN	95	THR
14	AN	124	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
15	AO	28	GLN
15	AO	63	THR
15	AO	87	LYS
15	AO	107	LYS
15	AO	122	LYS
16	AP	85	TYR
17	AQ	45	LEU
17	AQ	62	ARG
17	AQ	82	LYS
18	AR	24	THR
18	AR	41	HIS
18	AR	55	LEU
18	AR	73	ASP
19	AS	18	GLN
19	AS	29	ASN
19	AS	46	LYS
19	AS	52	LEU
20	AT	19	SER
20	AT	21	VAL
20	AT	25	GLU
21	AU	4	PHE
21	AU	62	ARG
21	AU	71	ASP
22	AV	1	PRO
22	AV	13	HIS
22	AV	76	THR
22	AV	79	TYR
23	AW	15	LYS
24	AX	1	PRO
24	AX	8	ASN
24	AX	20	ARG
27	BC	12	ARG
27	BC	41	SER
27	BC	57	GLN
27	BC	93	GLU
27	BC	118	PRO
27	BC	121	MET
27	BC	127	LEU
27	BC	134	ARG
27	BC	203	GLN
27	BC	226	GLN
28	BD	32	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
28	BD	92	LEU
28	BD	100	ARG
28	BD	114	GLN
28	BD	198	GLU
28	BD	200	MET
28	BD	212	TRP
28	BD	229	HIS
28	BD	239	PHE
28	BD	244	VAL
29	BE	18	ASP
29	BE	33	ARG
29	BE	38	LYS
29	BE	40	LEU
29	BE	67	HIS
29	BE	74	GLU
29	BE	92	VAL
29	BE	99	GLU
29	BE	114	LYS
29	BE	142	VAL
29	BE	168	GLU
29	BE	183	GLU
29	BE	201	LEU
29	BE	205	PRO
30	BF	13	THR
30	BF	88	ARG
30	BF	93	SER
30	BF	123	LYS
30	BF	139	LYS
30	BF	152	GLU
30	BF	163	ASN
30	BF	195	GLN
31	BG	43	ILE
31	BG	90	LEU
31	BG	91	ARG
31	BG	109	ARG
31	BG	116	LEU
31	BG	131	VAL
31	BG	134	GLN
31	BG	137	PHE
31	BG	144	LYS
31	BG	147	ARG
31	BG	151	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
31	BG	178	LYS
32	BH	28	LYS
32	BH	31	GLU
32	BH	34	ARG
32	BH	40	VAL
32	BH	68	ARG
32	BH	109	SER
32	BH	123	GLU
32	BH	126	THR
32	BH	130	ILE
32	BH	139	VAL
32	BH	147	LEU
32	BH	151	ARG
32	BH	156	TYR
33	BI	8	LYS
33	BI	28	ASN
33	BI	50	ARG
33	BI	76	GLU
34	BJ	4	LEU
34	BJ	55	ARG
34	BJ	61	ARG
34	BJ	86	GLU
35	BK	57	VAL
35	BK	129	GLU
36	BL	1	MET
36	BL	61	LYS
36	BL	62	VAL
36	BL	103	ILE
36	BL	130	HIS
36	BL	141	ASP
36	BL	142	ILE
37	BM	13	ASN
37	BM	18	ARG
37	BM	29	HIS
37	BM	99	ILE
38	BN	41	ARG
38	BN	126	ARG
38	BN	142	ILE
39	BO	10	ARG
39	BO	28	PHE
39	BO	31	PHE
39	BO	38	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
39	BO	51	ARG
39	BO	59	ARG
40	BP	18	GLN
40	BP	39	PRO
40	BP	107	ASN
40	BP	120	GLU
41	BQ	3	LYS
41	BQ	26	LEU
41	BQ	43	ASN
41	BQ	56	LYS
41	BQ	117	PHE
42	BR	7	LEU
42	BR	43	GLU
42	BR	93	LYS
42	BR	96	LEU
42	BR	98	TYR
43	BS	7	VAL
43	BS	8	ILE
43	BS	56	PHE
43	BS	91	ARG
43	BS	113	LYS
44	BT	11	GLN
44	BT	22	LEU
44	BT	38	VAL
44	BT	60	LYS
44	BT	66	HIS
44	BT	79	ARG
44	BT	84	ARG
45	BU	70	LYS
45	BU	75	PHE
45	BU	88	ARG
45	BU	95	ARG
46	BV	10	VAL
46	BV	39	THR
46	BV	61	LEU
46	BV	72	GLN
46	BV	80	TRP
46	BV	89	GLU
46	BV	100	GLU
47	BW	17	ASP
47	BW	64	ILE
47	BW	87	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
47	BW	94	PHE
48	BX	1	MET
48	BX	10	LYS
48	BX	55	GLU
48	BX	57	TYR
48	BX	70	ILE
49	BY	8	SER
49	BY	16	GLU
49	BY	59	PHE
49	BY	84	GLU
50	BZ	32	LEU
50	BZ	48	LEU
50	BZ	60	LYS
50	BZ	71	ARG
51	B0	7	ARG
51	B0	15	ASN
51	B0	24	GLU
51	B0	26	PHE
51	B0	59	GLU
52	B1	15	ARG
52	B1	41	PRO
53	B2	11	GLU
53	B2	22	MET
53	B2	64	PHE
55	B4	31	GLU
55	B4	45	HIS
55	B4	50	GLU
56	B5	3	ARG
56	B5	41	ARG
56	B5	44	VAL
57	B6	34	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	309 (20%)	98 (6%)
2	AB	74/76 (97%)	28 (37%)	8 (10%)
25	BA	119/120 (99%)	16 (13%)	11 (9%)

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
26	BB	2898/2904 (99%)	534 (18%)	181 (6%)
3	AC	46/47 (97%)	21 (45%)	7 (15%)
4	AD	76/77 (98%)	13 (17%)	3 (3%)
All	All	4751/4766 (99%)	921 (19%)	308 (6%)

All (921) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	3	A
1	AA	5	U
1	AA	7	A
1	AA	8	A
1	AA	9	G
1	AA	32	A
1	AA	36	C
1	AA	48	C
1	AA	52	C
1	AA	53	A
1	AA	54	C
1	AA	61	G
1	AA	83	C
1	AA	84	U
1	AA	85	U
1	AA	98	A
1	AA	108	G
1	AA	121	U
1	AA	122	G
1	AA	123	U
1	AA	129	A
1	AA	131	A
1	AA	135	C
1	AA	153	C
1	AA	164	G
1	AA	166	U
1	AA	171	A
1	AA	174	A
1	AA	182	A
1	AA	184	G
1	AA	188	C
1	AA	189	A
1	AA	197	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	204	G
1	AA	205	A
1	AA	209	U
1	AA	210	C
1	AA	212	G
1	AA	225	C
1	AA	228	A
1	AA	229	U
1	AA	240	G
1	AA	244	U
1	AA	245	U
1	AA	247	G
1	AA	250	A
1	AA	251	G
1	AA	252	U
1	AA	262	A
1	AA	266	G
1	AA	267	C
1	AA	272	C
1	AA	280	C
1	AA	282	A
1	AA	289	G
1	AA	293	G
1	AA	298	A
1	AA	306	A
1	AA	307	C
1	AA	316	C
1	AA	317	U
1	AA	319	G
1	AA	328	C
1	AA	329	A
1	AA	332	G
1	AA	344	A
1	AA	352	C
1	AA	353	A
1	AA	354	G
1	AA	367	U
1	AA	372	C
1	AA	373	A
1	AA	374	A
1	AA	381	C
1	AA	382	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	384	G
1	AA	389	A
1	AA	390	U
1	AA	392	C
1	AA	395	C
1	AA	398	U
1	AA	404	G
1	AA	406	G
1	AA	411	A
1	AA	413	G
1	AA	415	A
1	AA	429	U
1	AA	444	G
1	AA	453	G
1	AA	463	U
1	AA	464	U
1	AA	467	U
1	AA	468	A
1	AA	476	U
1	AA	479	U
1	AA	481	G
1	AA	485	U
1	AA	486	U
1	AA	496	A
1	AA	498	A
1	AA	505	G
1	AA	508	U
1	AA	510	A
1	AA	518	C
1	AA	527	7MG
1	AA	528	C
1	AA	531	U
1	AA	532	A
1	AA	533	A
1	AA	534	U
1	AA	547	A
1	AA	552	U
1	AA	553	A
1	AA	560	A
1	AA	561	U
1	AA	562	U
1	AA	566	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	572	A
1	AA	573	A
1	AA	575	G
1	AA	576	C
1	AA	577	G
1	AA	578	C
1	AA	583	A
1	AA	588	G
1	AA	609	A
1	AA	610	U
1	AA	615	G
1	AA	631	C
1	AA	633	G
1	AA	636	U
1	AA	641	U
1	AA	642	A
1	AA	650	G
1	AA	653	U
1	AA	654	G
1	AA	687	A
1	AA	688	G
1	AA	702	A
1	AA	704	A
1	AA	718	A
1	AA	719	C
1	AA	720	C
1	AA	721	G
1	AA	724	G
1	AA	728	A
1	AA	729	A
1	AA	755	G
1	AA	760	G
1	AA	765	G
1	AA	766	A
1	AA	783	C
1	AA	790	A
1	AA	791	G
1	AA	792	A
1	AA	805	C
1	AA	810	C
1	AA	812	G
1	AA	816	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	817	C
1	AA	819	A
1	AA	821	G
1	AA	828	U
1	AA	829	G
1	AA	845	A
1	AA	846	G
1	AA	870	U
1	AA	873	A
1	AA	874	G
1	AA	876	C
1	AA	890	G
1	AA	899	C
1	AA	900	A
1	AA	910	C
1	AA	914	A
1	AA	926	G
1	AA	927	G
1	AA	935	A
1	AA	938	A
1	AA	939	G
1	AA	945	G
1	AA	960	U
1	AA	961	U
1	AA	962	C
1	AA	965	U
1	AA	966	2MG
1	AA	968	A
1	AA	969	A
1	AA	970	C
1	AA	973	G
1	AA	974	A
1	AA	975	A
1	AA	977	A
1	AA	978	A
1	AA	981	U
1	AA	984	C
1	AA	992	U
1	AA	993	G
1	AA	994	A
1	AA	995	C
1	AA	1004	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	1006	G
1	AA	1015	G
1	AA	1026	G
1	AA	1028	C
1	AA	1030	U
1	AA	1049	U
1	AA	1050	G
1	AA	1054	C
1	AA	1064	G
1	AA	1065	U
1	AA	1081	A
1	AA	1094	G
1	AA	1095	U
1	AA	1101	A
1	AA	1118	U
1	AA	1135	U
1	AA	1136	C
1	AA	1137	C
1	AA	1139	G
1	AA	1143	G
1	AA	1148	U
1	AA	1149	C
1	AA	1152	A
1	AA	1154	G
1	AA	1159	U
1	AA	1168	U
1	AA	1181	G
1	AA	1183	U
1	AA	1190	G
1	AA	1197	A
1	AA	1198	G
1	AA	1200	C
1	AA	1201	A
1	AA	1202	U
1	AA	1208	C
1	AA	1212	U
1	AA	1213	A
1	AA	1214	C
1	AA	1215	G
1	AA	1224	U
1	AA	1226	C
1	AA	1227	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	1228	C
1	AA	1238	A
1	AA	1240	U
1	AA	1241	G
1	AA	1250	A
1	AA	1254	A
1	AA	1256	A
1	AA	1257	A
1	AA	1258	G
1	AA	1264	U
1	AA	1270	G
1	AA	1278	G
1	AA	1280	A
1	AA	1286	U
1	AA	1290	G
1	AA	1300	G
1	AA	1301	U
1	AA	1303	C
1	AA	1305	G
1	AA	1315	U
1	AA	1317	C
1	AA	1318	A
1	AA	1319	A
1	AA	1322	C
1	AA	1336	C
1	AA	1337	G
1	AA	1338	G
1	AA	1340	A
1	AA	1345	U
1	AA	1346	A
1	AA	1347	G
1	AA	1348	U
1	AA	1360	A
1	AA	1362	A
1	AA	1363	A
1	AA	1364	U
1	AA	1365	G
1	AA	1368	A
1	AA	1378	C
1	AA	1398	A
1	AA	1401	G
1	AA	1431	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	1432	G
1	AA	1437	A
1	AA	1446	A
1	AA	1448	C
1	AA	1452	C
1	AA	1453	G
1	AA	1454	G
1	AA	1490	U
1	AA	1492	A
1	AA	1493	A
1	AA	1494	G
1	AA	1502	A
1	AA	1503	A
1	AA	1506	U
1	AA	1507	A
1	AA	1529	G
1	AA	1530	G
1	AA	1533	C
1	AA	1534	A
1	AA	1535	C
1	AA	1536	C
1	AA	1539	C
1	AA	1540	U
2	AB	8	4SU
2	AB	9	A
2	AB	10	G
2	AB	11	U
2	AB	15	A
2	AB	17	H2U
2	AB	18	G
2	AB	19	G
2	AB	20	H2U
2	AB	21	A
2	AB	23	A
2	AB	24	G
2	AB	34	C
2	AB	35	C
2	AB	36	A
2	AB	46	7MG
2	AB	47	U
2	AB	48	U
2	AB	49	G

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	AB	56	C
2	AB	58	A
2	AB	59	G
2	AB	60	U
2	AB	61	C
2	AB	65	C
2	AB	73	G
2	AB	75	C
2	AB	76	A
3	AC	15	G
3	AC	16	A
3	AC	17	U
3	AC	18	A
3	AC	22	G
3	AC	23	C
3	AC	26	U
3	AC	27	A
3	AC	28	U
3	AC	29	G
3	AC	30	U
3	AC	33	A
3	AC	34	U
3	AC	40	G
3	AC	42	U
3	AC	46	C
3	AC	47	C
3	AC	48	C
3	AC	49	U
3	AC	52	U
3	AC	54	U
4	AD	8	4SU
4	AD	9	G
4	AD	10	G
4	AD	18	U
4	AD	19	G
4	AD	22	A
4	AD	38	A
4	AD	47	A
4	AD	49	C
4	AD	50	G
4	AD	74	A
4	AD	75	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	AD	77	A
25	BA	9	G
25	BA	13	G
25	BA	14	U
25	BA	25	U
25	BA	26	C
25	BA	35	C
25	BA	41	G
25	BA	42	C
25	BA	44	G
25	BA	51	G
25	BA	58	A
25	BA	66	A
25	BA	67	G
25	BA	73	A
25	BA	88	C
25	BA	99	A
26	BB	13	A
26	BB	14	A
26	BB	18	U
26	BB	30	G
26	BB	34	U
26	BB	35	G
26	BB	42	A
26	BB	43	G
26	BB	45	G
26	BB	46	G
26	BB	49	A
26	BB	50	U
26	BB	71	A
26	BB	72	U
26	BB	75	G
26	BB	85	G
26	BB	91	A
26	BB	92	U
26	BB	95	A
26	BB	98	G
26	BB	99	U
26	BB	100	U
26	BB	103	A
26	BB	113	U
26	BB	115	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	119	A
26	BB	120	U
26	BB	128	C
26	BB	140	C
26	BB	141	G
26	BB	194	G
26	BB	196	A
26	BB	197	A
26	BB	199	A
26	BB	204	A
26	BB	205	G
26	BB	215	G
26	BB	216	A
26	BB	218	A
26	BB	222	A
26	BB	224	U
26	BB	225	C
26	BB	232	G
26	BB	242	G
26	BB	243	U
26	BB	248	G
26	BB	250	G
26	BB	255	A
26	BB	265	A
26	BB	266	G
26	BB	271	G
26	BB	277	G
26	BB	294	A
26	BB	295	G
26	BB	321	U
26	BB	322	A
26	BB	330	A
26	BB	332	A
26	BB	333	G
26	BB	338	G
26	BB	346	A
26	BB	369	U
26	BB	371	A
26	BB	372	G
26	BB	386	G
26	BB	391	A
26	BB	396	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	403	U
26	BB	404	A
26	BB	405	U
26	BB	406	G
26	BB	411	G
26	BB	418	C
26	BB	424	G
26	BB	431	U
26	BB	436	C
26	BB	443	A
26	BB	452	G
26	BB	454	A
26	BB	456	C
26	BB	472	A
26	BB	479	A
26	BB	480	A
26	BB	481	G
26	BB	484	C
26	BB	490	C
26	BB	504	A
26	BB	505	A
26	BB	508	A
26	BB	509	C
26	BB	527	C
26	BB	531	C
26	BB	532	A
26	BB	546	U
26	BB	550	C
26	BB	562	U
26	BB	563	A
26	BB	571	U
26	BB	573	U
26	BB	574	A
26	BB	575	A
26	BB	603	A
26	BB	604	G
26	BB	612	G
26	BB	615	U
26	BB	628	G
26	BB	635	C
26	BB	637	A
26	BB	642	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	644	A
26	BB	645	C
26	BB	646	U
26	BB	655	A
26	BB	656	G
26	BB	671	C
26	BB	675	A
26	BB	686	U
26	BB	696	G
26	BB	718	A
26	BB	719	C
26	BB	728	G
26	BB	730	A
26	BB	732	C
26	BB	736	C
26	BB	747	5MU
26	BB	748	G
26	BB	751	A
26	BB	752	A
26	BB	753	A
26	BB	758	C
26	BB	763	G
26	BB	764	A
26	BB	775	G
26	BB	782	A
26	BB	784	G
26	BB	786	C
26	BB	789	A
26	BB	793	A
26	BB	802	A
26	BB	805	G
26	BB	812	C
26	BB	846	U
26	BB	847	U
26	BB	848	C
26	BB	859	G
26	BB	870	U
26	BB	889	C
26	BB	894	U
26	BB	896	A
26	BB	897	C
26	BB	901	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	910	A
26	BB	915	C
26	BB	925	A
26	BB	932	U
26	BB	933	A
26	BB	938	G
26	BB	941	A
26	BB	945	A
26	BB	946	C
26	BB	961	C
26	BB	973	A
26	BB	974	G
26	BB	980	A
26	BB	981	A
26	BB	985	C
26	BB	986	C
26	BB	990	A
26	BB	995	C
26	BB	996	A
26	BB	1002	G
26	BB	1003	G
26	BB	1005	C
26	BB	1008	A
26	BB	1010	A
26	BB	1011	G
26	BB	1013	C
26	BB	1022	G
26	BB	1025	G
26	BB	1026	G
26	BB	1044	C
26	BB	1048	A
26	BB	1052	C
26	BB	1060	U
26	BB	1062	G
26	BB	1070	A
26	BB	1073	A
26	BB	1079	C
26	BB	1081	U
26	BB	1083	U
26	BB	1084	A
26	BB	1087	G
26	BB	1094	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1095	A
26	BB	1096	A
26	BB	1097	U
26	BB	1098	A
26	BB	1104	C
26	BB	1109	C
26	BB	1110	G
26	BB	1112	G
26	BB	1123	C
26	BB	1128	G
26	BB	1129	A
26	BB	1130	U
26	BB	1132	U
26	BB	1134	A
26	BB	1135	C
26	BB	1143	A
26	BB	1156	A
26	BB	1157	G
26	BB	1158	C
26	BB	1173	U
26	BB	1177	G
26	BB	1184	U
26	BB	1204	A
26	BB	1211	C
26	BB	1236	G
26	BB	1237	A
26	BB	1238	G
26	BB	1239	G
26	BB	1241	A
26	BB	1252	G
26	BB	1253	A
26	BB	1254	A
26	BB	1255	U
26	BB	1256	G
26	BB	1266	G
26	BB	1272	A
26	BB	1273	U
26	BB	1274	A
26	BB	1275	A
26	BB	1283	G
26	BB	1300	G
26	BB	1301	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1302	A
26	BB	1303	G
26	BB	1307	A
26	BB	1308	A
26	BB	1318	U
26	BB	1321	A
26	BB	1322	A
26	BB	1323	C
26	BB	1329	U
26	BB	1332	G
26	BB	1333	G
26	BB	1341	G
26	BB	1349	C
26	BB	1362	C
26	BB	1363	C
26	BB	1365	A
26	BB	1368	G
26	BB	1378	A
26	BB	1379	U
26	BB	1383	A
26	BB	1384	A
26	BB	1385	A
26	BB	1386	C
26	BB	1395	A
26	BB	1396	U
26	BB	1416	G
26	BB	1417	C
26	BB	1420	A
26	BB	1421	G
26	BB	1454	C
26	BB	1458	U
26	BB	1459	G
26	BB	1460	U
26	BB	1461	C
26	BB	1482	G
26	BB	1494	A
26	BB	1509	A
26	BB	1514	G
26	BB	1515	A
26	BB	1522	A
26	BB	1523	U
26	BB	1524	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1552	A
26	BB	1558	C
26	BB	1565	C
26	BB	1567	G
26	BB	1569	A
26	BB	1578	U
26	BB	1584	U
26	BB	1585	C
26	BB	1608	A
26	BB	1609	A
26	BB	1610	A
26	BB	1612	C
26	BB	1616	A
26	BB	1617	C
26	BB	1632	A
26	BB	1633	G
26	BB	1635	A
26	BB	1636	U
26	BB	1646	C
26	BB	1647	U
26	BB	1648	U
26	BB	1649	G
26	BB	1654	A
26	BB	1669	A
26	BB	1674	G
26	BB	1675	C
26	BB	1677	A
26	BB	1713	A
26	BB	1715	G
26	BB	1724	G
26	BB	1730	C
26	BB	1753	G
26	BB	1757	A
26	BB	1758	U
26	BB	1759	A
26	BB	1760	C
26	BB	1763	G
26	BB	1764	C
26	BB	1773	A
26	BB	1781	U
26	BB	1784	A
26	BB	1785	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1786	A
26	BB	1787	A
26	BB	1800	C
26	BB	1801	A
26	BB	1808	A
26	BB	1809	A
26	BB	1815	A
26	BB	1825	U
26	BB	1830	C
26	BB	1831	G
26	BB	1833	C
26	BB	1851	U
26	BB	1873	G
26	BB	1912	A
26	BB	1913	A
26	BB	1914	C
26	BB	1928	A
26	BB	1930	G
26	BB	1940	U
26	BB	1941	C
26	BB	1951	U
26	BB	1952	A
26	BB	1955	U
26	BB	1963	U
26	BB	1964	G
26	BB	1965	C
26	BB	1967	C
26	BB	1968	G
26	BB	1970	A
26	BB	1971	U
26	BB	1972	G
26	BB	1982	U
26	BB	1993	U
26	BB	1996	C
26	BB	1997	C
26	BB	2004	G
26	BB	2012	G
26	BB	2020	A
26	BB	2021	C
26	BB	2023	C
26	BB	2031	A
26	BB	2032	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2034	U
26	BB	2043	C
26	BB	2055	C
26	BB	2056	G
26	BB	2058	A
26	BB	2059	A
26	BB	2061	G
26	BB	2069	7MG
26	BB	2077	A
26	BB	2084	C
26	BB	2093	G
26	BB	2095	A
26	BB	2107	G
26	BB	2111	U
26	BB	2112	G
26	BB	2113	U
26	BB	2118	U
26	BB	2119	A
26	BB	2127	G
26	BB	2128	G
26	BB	2131	U
26	BB	2132	U
26	BB	2133	G
26	BB	2134	A
26	BB	2137	U
26	BB	2143	C
26	BB	2146	C
26	BB	2147	A
26	BB	2148	G
26	BB	2154	A
26	BB	2158	A
26	BB	2198	A
26	BB	2199	A
26	BB	2204	G
26	BB	2211	A
26	BB	2212	A
26	BB	2213	U
26	BB	2214	C
26	BB	2215	C
26	BB	2224	G
26	BB	2225	A
26	BB	2237	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2238	G
26	BB	2239	G
26	BB	2246	G
26	BB	2249	U
26	BB	2250	G
26	BB	2253	G
26	BB	2266	A
26	BB	2272	U
26	BB	2282	G
26	BB	2283	C
26	BB	2286	G
26	BB	2287	A
26	BB	2288	A
26	BB	2306	C
26	BB	2307	G
26	BB	2311	A
26	BB	2312	U
26	BB	2321	U
26	BB	2322	A
26	BB	2325	G
26	BB	2335	A
26	BB	2336	A
26	BB	2337	G
26	BB	2340	A
26	BB	2345	G
26	BB	2346	A
26	BB	2347	C
26	BB	2350	C
26	BB	2354	C
26	BB	2358	A
26	BB	2377	A
26	BB	2383	G
26	BB	2385	C
26	BB	2389	G
26	BB	2390	U
26	BB	2406	A
26	BB	2407	A
26	BB	2411	A
26	BB	2426	A
26	BB	2427	C
26	BB	2428	G
26	BB	2429	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2432	A
26	BB	2433	A
26	BB	2435	A
26	BB	2440	C
26	BB	2441	U
26	BB	2448	A
26	BB	2449	H2U
26	BB	2450	A
26	BB	2472	G
26	BB	2476	A
26	BB	2477	U
26	BB	2478	A
26	BB	2486	C
26	BB	2491	U
26	BB	2493	U
26	BB	2494	G
26	BB	2501	C
26	BB	2502	G
26	BB	2504	PSU
26	BB	2505	G
26	BB	2515	C
26	BB	2516	A
26	BB	2518	A
26	BB	2519	U
26	BB	2530	A
26	BB	2547	A
26	BB	2566	A
26	BB	2567	G
26	BB	2572	A
26	BB	2573	C
26	BB	2581	G
26	BB	2582	G
26	BB	2585	U
26	BB	2586	U
26	BB	2587	A
26	BB	2589	A
26	BB	2590	A
26	BB	2599	G
26	BB	2603	G
26	BB	2606	C
26	BB	2609	U
26	BB	2613	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2616	C
26	BB	2629	U
26	BB	2639	A
26	BB	2654	A
26	BB	2655	G
26	BB	2656	U
26	BB	2664	G
26	BB	2665	A
26	BB	2685	G
26	BB	2689	U
26	BB	2690	U
26	BB	2714	G
26	BB	2737	G
26	BB	2739	U
26	BB	2742	G
26	BB	2744	G
26	BB	2757	A
26	BB	2765	A
26	BB	2766	A
26	BB	2769	U
26	BB	2771	C
26	BB	2774	C
26	BB	2777	G
26	BB	2778	A
26	BB	2779	U
26	BB	2780	G
26	BB	2781	A
26	BB	2782	G
26	BB	2791	G
26	BB	2800	A
26	BB	2807	U
26	BB	2825	G
26	BB	2833	U
26	BB	2842	G
26	BB	2861	U
26	BB	2864	G
26	BB	2867	G
26	BB	2868	A
26	BB	2873	A
26	BB	2879	A
26	BB	2880	C
26	BB	2883	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2886	A
26	BB	2889	C
26	BB	2893	A
26	BB	2895	G
26	BB	2903	U

All (308) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	5	U
1	AA	7	A
1	AA	39	G
1	AA	51	A
1	AA	84	U
1	AA	101	A
1	AA	128	G
1	AA	173	U
1	AA	178	C
1	AA	181	A
1	AA	187	G
1	AA	188	C
1	AA	204	G
1	AA	224	U
1	AA	239	U
1	AA	243	A
1	AA	244	U
1	AA	251	G
1	AA	272	C
1	AA	279	A
1	AA	306	A
1	AA	328	C
1	AA	366	A
1	AA	372	C
1	AA	381	C
1	AA	410	G
1	AA	429	U
1	AA	481	G
1	AA	485	U
1	AA	497	G
1	AA	533	A
1	AA	534	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	552	U
1	AA	560	A
1	AA	562	U
1	AA	582	C
1	AA	609	A
1	AA	630	A
1	AA	700	G
1	AA	717	U
1	AA	720	C
1	AA	744	C
1	AA	764	C
1	AA	765	G
1	AA	782	A
1	AA	789	U
1	AA	815	A
1	AA	840	C
1	AA	842	U
1	AA	870	U
1	AA	899	C
1	AA	904	U
1	AA	907	A
1	AA	926	G
1	AA	931	C
1	AA	937	A
1	AA	944	G
1	AA	960	U
1	AA	965	U
1	AA	968	A
1	AA	974	A
1	AA	992	U
1	AA	993	G
1	AA	1014	A
1	AA	1028	C
1	AA	1029	U
1	AA	1049	U
1	AA	1110	A
1	AA	1129	C
1	AA	1143	G
1	AA	1167	A
1	AA	1183	U
1	AA	1201	A
1	AA	1213	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	1214	C
1	AA	1226	C
1	AA	1227	A
1	AA	1240	U
1	AA	1253	G
1	AA	1302	C
1	AA	1310	G
1	AA	1313	U
1	AA	1323	G
1	AA	1336	C
1	AA	1338	G
1	AA	1346	A
1	AA	1347	G
1	AA	1362	A
1	AA	1364	U
1	AA	1375	A
1	AA	1397	C
1	AA	1452	C
1	AA	1491	G
1	AA	1502	A
1	AA	1533	C
1	AA	1534	A
1	AA	1535	C
2	AB	9	A
2	AB	17	H2U
2	AB	34	C
2	AB	38	A
2	AB	46	7MG
2	AB	58	A
2	AB	59	G
2	AB	65	C
3	AC	15	G
3	AC	16	A
3	AC	18	A
3	AC	22	G
3	AC	27	A
3	AC	39	U
3	AC	47	C
4	AD	9	G
4	AD	22	A
4	AD	38	A
25	BA	12	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
25	BA	14	U
25	BA	25	U
25	BA	34	A
25	BA	36	C
25	BA	41	G
25	BA	44	G
25	BA	57	A
25	BA	66	A
25	BA	87	U
25	BA	106	G
26	BB	13	A
26	BB	34	U
26	BB	49	A
26	BB	69	C
26	BB	71	A
26	BB	91	A
26	BB	98	G
26	BB	99	U
26	BB	114	U
26	BB	140	C
26	BB	196	A
26	BB	199	A
26	BB	219	A
26	BB	228	C
26	BB	231	A
26	BB	241	A
26	BB	242	G
26	BB	265	A
26	BB	311	A
26	BB	332	A
26	BB	345	A
26	BB	347	A
26	BB	428	A
26	BB	443	A
26	BB	445	C
26	BB	451	U
26	BB	452	G
26	BB	453	A
26	BB	463	G
26	BB	479	A
26	BB	489	G
26	BB	534	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	552	U
26	BB	561	G
26	BB	569	U
26	BB	571	U
26	BB	573	U
26	BB	575	A
26	BB	585	G
26	BB	603	A
26	BB	611	C
26	BB	620	G
26	BB	628	G
26	BB	635	C
26	BB	652	U
26	BB	680	C
26	BB	689	A
26	BB	714	U
26	BB	743	A
26	BB	751	A
26	BB	776	G
26	BB	789	A
26	BB	846	U
26	BB	847	U
26	BB	870	U
26	BB	888	C
26	BB	900	A
26	BB	941	A
26	BB	980	A
26	BB	990	A
26	BB	995	C
26	BB	1012	U
26	BB	1035	U
26	BB	1040	A
26	BB	1043	C
26	BB	1069	A
26	BB	1070	A
26	BB	1083	U
26	BB	1094	U
26	BB	1095	A
26	BB	1128	G
26	BB	1129	A
26	BB	1133	A
26	BB	1134	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1142	A
26	BB	1157	G
26	BB	1176	U
26	BB	1210	G
26	BB	1239	G
26	BB	1254	A
26	BB	1272	A
26	BB	1288	G
26	BB	1300	G
26	BB	1307	A
26	BB	1325	U
26	BB	1329	U
26	BB	1332	G
26	BB	1349	C
26	BB	1383	A
26	BB	1386	C
26	BB	1391	U
26	BB	1395	A
26	BB	1401	G
26	BB	1451	C
26	BB	1460	U
26	BB	1608	A
26	BB	1609	A
26	BB	1616	A
26	BB	1632	A
26	BB	1634	A
26	BB	1653	G
26	BB	1682	G
26	BB	1693	U
26	BB	1697	G
26	BB	1715	G
26	BB	1723	G
26	BB	1734	G
26	BB	1761	C
26	BB	1773	A
26	BB	1784	A
26	BB	1786	A
26	BB	1828	G
26	BB	1901	A
26	BB	1912	A
26	BB	1927	A
26	BB	1939	5MU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1940	U
26	BB	1943	U
26	BB	1953	A
26	BB	1955	U
26	BB	1963	U
26	BB	2019	A
26	BB	2021	C
26	BB	2058	A
26	BB	2068	U
26	BB	2092	U
26	BB	2106	U
26	BB	2118	U
26	BB	2147	A
26	BB	2163	A
26	BB	2198	A
26	BB	2223	G
26	BB	2225	A
26	BB	2236	U
26	BB	2238	G
26	BB	2249	U
26	BB	2252	G
26	BB	2282	G
26	BB	2286	G
26	BB	2287	A
26	BB	2306	C
26	BB	2311	A
26	BB	2321	U
26	BB	2336	A
26	BB	2374	C
26	BB	2376	A
26	BB	2385	C
26	BB	2388	A
26	BB	2406	A
26	BB	2425	A
26	BB	2427	C
26	BB	2432	A
26	BB	2434	A
26	BB	2439	A
26	BB	2440	C
26	BB	2515	C
26	BB	2526	G
26	BB	2571	U

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2581	G
26	BB	2585	U
26	BB	2586	U
26	BB	2589	A
26	BB	2613	U
26	BB	2629	U
26	BB	2655	G
26	BB	2663	G
26	BB	2665	A
26	BB	2697	G
26	BB	2756	U
26	BB	2765	A
26	BB	2771	C
26	BB	2777	G
26	BB	2780	G
26	BB	2791	G
26	BB	2797	U
26	BB	2802	G
26	BB	2806	C
26	BB	2835	A
26	BB	2842	G
26	BB	2867	G
26	BB	2879	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	7MG	AB	46	2	22,26,27	4.30	5 (22%)	29,39,42	1.72	3 (10%)
26	5MC	BB	1962	26	18,22,23	1.75	4 (22%)	26,32,35	1.60	3 (11%)
26	PSU	BB	2605	26	18,21,22	1.79	4 (22%)	22,30,33	2.12	5 (22%)
2	PSU	AB	55	2	18,21,22	1.94	5 (27%)	22,30,33	1.65	6 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
26	2MG	BB	1835	26	18,26,27	1.76	3 (16%)	16,38,41	1.56	2 (12%)
26	H2U	BB	2449	26	18,21,22	1.48	4 (22%)	21,30,33	1.11	3 (14%)
4	H2U	AD	21	4	18,21,22	1.37	2 (11%)	21,30,33	2.24	5 (23%)
4	PSU	AD	56	4	18,21,22	1.94	4 (22%)	22,30,33	1.26	1 (4%)
1	2MG	AA	1516	1	18,26,27	1.80	4 (22%)	16,38,41	1.43	2 (12%)
1	MA6	AA	1519	1	19,26,27	2.02	6 (31%)	18,38,41	2.60	5 (27%)
1	PSU	AA	516	1	18,21,22	1.61	4 (22%)	22,30,33	1.90	5 (22%)
1	7MG	AA	527	1	22,26,27	3.40	4 (18%)	29,39,42	1.46	1 (3%)
2	H2U	AB	17	2	18,21,22	1.65	4 (22%)	21,30,33	1.59	6 (28%)
4	5MU	AD	55	4	19,22,23	1.54	5 (26%)	28,32,35	1.48	5 (17%)
1	MA6	AA	1518	1	19,26,27	1.69	5 (26%)	18,38,41	1.38	4 (22%)
4	OMC	AD	33	4	19,22,23	1.02	2 (10%)	26,31,34	1.72	4 (15%)
26	PSU	BB	746	26	18,21,22	1.76	4 (22%)	22,30,33	1.83	7 (31%)
1	5MC	AA	967	1	18,22,23	1.43	2 (11%)	26,32,35	2.06	8 (30%)
1	5MC	AA	1407	1	18,22,23	1.41	3 (16%)	26,32,35	1.29	4 (15%)
26	PSU	BB	955	26	18,21,22	2.04	3 (16%)	22,30,33	2.17	5 (22%)
26	2MA	BB	2503	26	17,25,26	1.74	4 (23%)	17,37,40	1.81	5 (29%)
26	PSU	BB	2504	26	18,21,22	1.80	3 (16%)	22,30,33	2.21	5 (22%)
26	PSU	BB	2580	26	18,21,22	1.90	5 (27%)	22,30,33	1.83	5 (22%)
1	2MG	AA	1207	1	18,26,27	1.95	6 (33%)	16,38,41	1.13	1 (6%)
1	4OC	AA	1402	1	20,23,24	1.35	3 (15%)	26,32,35	1.46	5 (19%)
2	4SU	AB	8	2	18,21,22	2.03	5 (27%)	26,30,33	1.58	6 (23%)
26	3TD	BB	1915	26	18,22,23	1.94	4 (22%)	22,32,35	1.71	5 (22%)
26	2MG	BB	2445	26	18,26,27	1.81	3 (16%)	16,38,41	2.29	6 (37%)
26	7MG	BB	2069	26	22,26,27	4.31	6 (27%)	29,39,42	1.93	6 (20%)
26	OMC	BB	2498	26	19,22,23	1.15	4 (21%)	26,31,34	1.83	7 (26%)
2	H2U	AB	16	2	18,21,22	1.99	4 (22%)	21,30,33	1.58	4 (19%)
2	5MU	AB	54	2	19,22,23	1.54	4 (21%)	28,32,35	2.60	8 (28%)
26	1MG	BB	745	26	18,26,27	1.69	6 (33%)	19,39,42	2.35	9 (47%)
2	MIA	AB	37	2	24,31,32	3.06	4 (16%)	26,44,47	2.19	9 (34%)
26	6MZ	BB	2030	26	18,25,26	1.33	2 (11%)	16,36,39	2.52	6 (37%)
26	6MZ	BB	1618	26	18,25,26	1.94	4 (22%)	16,36,39	2.14	4 (25%)
26	PSU	BB	2457	26	18,21,22	1.64	4 (22%)	22,30,33	1.26	2 (9%)
26	OMU	BB	2552	26	19,22,23	0.97	2 (10%)	26,31,34	1.56	5 (19%)
1	2MG	AA	966	1	18,26,27	1.83	4 (22%)	16,38,41	1.81	3 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	H2U	AB	20	2	18,21,22	1.42	4 (22%)	21,30,33	1.87	5 (23%)
4	4SU	AD	8	4	18,21,22	2.18	4 (22%)	26,30,33	2.45	10 (38%)
26	5MU	BB	747	26	19,22,23	1.64	3 (15%)	28,32,35	2.09	10 (35%)
26	PSU	BB	1911	26	18,21,22	1.76	4 (22%)	22,30,33	1.52	5 (22%)
26	PSU	BB	1917	26	18,21,22	1.83	4 (22%)	22,30,33	1.30	2 (9%)
2	OMC	AB	32	2	19,22,23	1.11	3 (15%)	26,31,34	1.74	7 (26%)
26	OMG	BB	2251	26	18,26,27	1.35	2 (11%)	19,38,41	1.83	6 (31%)
1	UR3	AA	1498	1	19,22,23	1.41	3 (15%)	26,32,35	2.06	12 (46%)
26	CH	BB	2575	26	16,21,22	1.57	1 (6%)	20,30,33	1.41	3 (15%)
26	5MU	BB	1939	26	19,22,23	1.33	2 (10%)	28,32,35	1.87	8 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7MG	AB	46	2	-	0/7/37/38	0/3/3/3
26	5MC	BB	1962	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2605	26	-	1/7/25/26	0/2/2/2
2	PSU	AB	55	2	-	0/7/25/26	0/2/2/2
26	2MG	BB	1835	26	-	0/5/27/28	0/3/3/3
26	H2U	BB	2449	26	-	0/7/38/39	0/2/2/2
4	H2U	AD	21	4	-	0/7/38/39	0/2/2/2
4	PSU	AD	56	4	-	0/7/25/26	0/2/2/2
1	2MG	AA	1516	1	-	1/5/27/28	0/3/3/3
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
1	PSU	AA	516	1	-	1/7/25/26	0/2/2/2
1	7MG	AA	527	1	-	1/7/37/38	0/3/3/3
2	H2U	AB	17	2	-	2/7/38/39	0/2/2/2
4	5MU	AD	55	4	-	0/7/25/26	0/2/2/2
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3
4	OMC	AD	33	4	-	0/9/27/28	0/2/2/2
26	PSU	BB	746	26	-	3/7/25/26	0/2/2/2
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2580	26	-	0/7/25/26	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
1	4OC	AA	1402	1	-	0/9/29/30	0/2/2/2
2	4SU	AB	8	2	-	5/7/25/26	0/2/2/2
26	3TD	BB	1915	26	-	0/7/25/26	0/2/2/2
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
26	7MG	BB	2069	26	-	1/7/37/38	0/3/3/3
26	OMC	BB	2498	26	-	1/9/27/28	0/2/2/2
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
2	5MU	AB	54	2	-	0/7/25/26	0/2/2/2
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3
2	MIA	AB	37	2	-	1/11/33/34	0/3/3/3
26	6MZ	BB	2030	26	-	1/5/27/28	0/3/3/3
26	6MZ	BB	1618	26	-	0/5/27/28	0/3/3/3
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
26	OMU	BB	2552	26	-	0/9/27/28	0/2/2/2
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
2	H2U	AB	20	2	-	0/7/38/39	0/2/2/2
4	4SU	AD	8	4	-	0/7/25/26	0/2/2/2
26	5MU	BB	747	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	1911	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	1917	26	-	1/7/25/26	0/2/2/2
2	OMC	AB	32	2	-	1/9/27/28	0/2/2/2
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
1	UR3	AA	1498	1	-	1/7/25/26	0/2/2/2
26	CH	BB	2575	26	-	0/5/25/26	0/2/2/2
26	5MU	BB	1939	26	-	0/7/25/26	0/2/2/2

All (184) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2069	7MG	C8-N9	-18.96	1.35	1.46
2	AB	46	7MG	C8-N9	-18.04	1.35	1.46
1	AA	527	7MG	C8-N9	-14.09	1.38	1.46
2	AB	37	MIA	C2-S10	13.92	1.87	1.75
4	AD	8	4SU	C5-C4	-6.50	1.34	1.42
2	AB	46	7MG	C5-N7	6.39	1.43	1.35
2	AB	8	4SU	C5-C4	-5.74	1.35	1.42
26	BB	955	PSU	O4'-C1'	-5.73	1.36	1.43
26	BB	2575	CH	C5-C4	5.22	1.47	1.39
2	AB	55	PSU	O4'-C1'	-5.14	1.36	1.43
26	BB	2445	2MG	C2'-C1'	-5.05	1.46	1.53
2	AB	16	H2U	C4-N3	-5.00	1.29	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1618	6MZ	O4'-C4'	-4.54	1.34	1.45
26	BB	1911	PSU	C2-N1	4.50	1.42	1.36
26	BB	2457	PSU	O4'-C4'	-4.37	1.35	1.45
26	BB	2504	PSU	C6-N1	4.33	1.43	1.36
26	BB	2605	PSU	O4'-C1'	-4.33	1.37	1.43
26	BB	1915	3TD	C10-N3	4.33	1.55	1.47
26	BB	1917	PSU	O4'-C4'	-4.32	1.35	1.45
1	AA	1519	MA6	O3'-C3'	-4.25	1.33	1.43
1	AA	966	2MG	C8-N7	-4.22	1.27	1.35
1	AA	1516	2MG	C5-C4	-4.19	1.32	1.43
26	BB	746	PSU	C4-N3	4.14	1.46	1.38
26	BB	2580	PSU	C2-N1	4.13	1.42	1.36
26	BB	1962	5MC	C6-N1	4.10	1.45	1.38
4	AD	56	PSU	C6-C5	4.04	1.40	1.35
26	BB	2580	PSU	C2-N3	4.01	1.44	1.37
26	BB	1618	6MZ	C8-N7	-4.01	1.27	1.34
26	BB	1917	PSU	C6-C5	4.00	1.40	1.35
26	BB	747	5MU	C2-N3	3.98	1.45	1.38
1	AA	1207	2MG	O4'-C1'	3.88	1.46	1.41
4	AD	56	PSU	C6-N1	3.84	1.42	1.36
1	AA	527	7MG	O2'-C2'	-3.80	1.34	1.43
26	BB	2503	2MA	C2'-C1'	3.79	1.59	1.53
26	BB	2605	PSU	C2'-C1'	3.77	1.58	1.53
26	BB	955	PSU	C2-N1	3.75	1.41	1.36
26	BB	1915	3TD	C1'-C5	3.71	1.58	1.50
1	AA	1207	2MG	C2-N1	3.70	1.42	1.36
26	BB	1911	PSU	C6-N1	3.66	1.42	1.36
2	AB	17	H2U	O5'-C5'	-3.62	1.35	1.44
1	AA	1519	MA6	C4-N3	3.58	1.40	1.35
1	AA	1518	MA6	O4'-C4'	-3.53	1.37	1.45
26	BB	1835	2MG	C5-C6	-3.53	1.40	1.47
1	AA	1498	UR3	C2-N1	3.53	1.43	1.38
1	AA	516	PSU	C2-N1	3.52	1.41	1.36
2	AB	55	PSU	C6-N1	3.51	1.42	1.36
1	AA	1519	MA6	O4'-C1'	3.44	1.45	1.41
4	AD	8	4SU	C4-S4	3.42	1.74	1.68
2	AB	17	H2U	C5-C4	3.39	1.57	1.50
4	AD	8	4SU	C2-N3	3.38	1.44	1.38
2	AB	54	5MU	C4-C5	3.37	1.50	1.44
26	BB	2069	7MG	C4-N9	-3.35	1.33	1.37
26	BB	2251	OMG	O4'-C4'	-3.34	1.37	1.45
2	AB	16	H2U	O4'-C1'	3.32	1.49	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	747	5MU	O5'-C5'	-3.28	1.36	1.44
26	BB	1962	5MC	C2-N3	3.27	1.43	1.36
1	AA	966	2MG	C6-N1	3.26	1.42	1.37
1	AA	1519	MA6	C9-N6	3.23	1.53	1.45
26	BB	1835	2MG	C2-N1	3.23	1.41	1.36
4	AD	8	4SU	C2-N1	3.21	1.43	1.38
1	AA	527	7MG	C4-N9	-3.16	1.34	1.37
26	BB	745	1MG	C2-N2	3.13	1.39	1.34
4	AD	56	PSU	C2-N1	3.13	1.41	1.36
2	AB	16	H2U	O2'-C2'	3.12	1.50	1.43
1	AA	516	PSU	O5'-C5'	-3.12	1.37	1.44
1	AA	1207	2MG	C4-N3	-3.12	1.29	1.37
26	BB	746	PSU	C2-N3	3.11	1.42	1.37
26	BB	1835	2MG	C8-N7	-3.10	1.29	1.35
26	BB	746	PSU	C6-C5	3.10	1.38	1.35
2	AB	8	4SU	C2-N1	3.07	1.43	1.38
4	AD	55	5MU	O5'-C5'	-3.06	1.37	1.44
2	AB	46	7MG	C1'-N9	3.05	1.52	1.46
4	AD	55	5MU	C5M-C5	3.03	1.58	1.50
26	BB	1618	6MZ	O5'-C5'	-3.00	1.37	1.44
1	AA	966	2MG	C2'-C1'	3.00	1.58	1.53
4	AD	21	H2U	C1'-N1	2.96	1.52	1.46
26	BB	2504	PSU	O4'-C4'	-2.96	1.38	1.45
1	AA	516	PSU	C2'-C1'	-2.95	1.49	1.53
26	BB	1917	PSU	C2-N1	2.95	1.40	1.36
2	AB	8	4SU	C5'-C4'	2.92	1.60	1.51
26	BB	1911	PSU	C1'-C5	2.92	1.56	1.50
1	AA	1407	5MC	C6-C5	2.91	1.39	1.34
26	BB	2449	H2U	C1'-N1	-2.90	1.41	1.46
26	BB	2030	6MZ	C2'-C1'	-2.88	1.49	1.53
2	AB	16	H2U	C5-C4	2.87	1.56	1.50
26	BB	2503	2MA	C8-N7	-2.85	1.30	1.35
1	AA	1516	2MG	C5-C6	-2.85	1.41	1.47
4	AD	56	PSU	C2'-C1'	2.84	1.57	1.53
26	BB	747	5MU	C3'-C2'	2.82	1.61	1.53
2	AB	17	H2U	C2-N3	-2.81	1.33	1.38
2	AB	8	4SU	C4-N3	2.80	1.40	1.37
26	BB	2552	OMU	O2'-C2'	-2.79	1.35	1.42
26	BB	2445	2MG	O5'-C5'	-2.77	1.38	1.44
1	AA	967	5MC	C3'-C4'	2.77	1.60	1.53
26	BB	2069	7MG	C5-N7	2.76	1.38	1.35
1	AA	1518	MA6	O4'-C1'	-2.73	1.37	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	20	H2U	C4-N3	2.72	1.42	1.37
1	AA	527	7MG	C3'-C4'	2.72	1.59	1.53
1	AA	1518	MA6	C9-N6	2.71	1.51	1.45
26	BB	1962	5MC	C1'-N1	2.71	1.55	1.47
26	BB	2504	PSU	C2-N1	2.70	1.40	1.36
26	BB	2605	PSU	C1'-C5	2.68	1.56	1.50
26	BB	2457	PSU	C5'-C4'	2.65	1.59	1.51
1	AA	1516	2MG	C3'-C4'	-2.62	1.46	1.53
2	AB	8	4SU	C2-N3	2.61	1.42	1.38
26	BB	2069	7MG	O4'-C1'	2.60	1.48	1.42
26	BB	745	1MG	C5-C4	-2.60	1.36	1.43
1	AA	1498	UR3	C4-N3	2.59	1.46	1.40
26	BB	746	PSU	C3'-C2'	-2.58	1.46	1.53
26	BB	745	1MG	O5'-C5'	-2.57	1.38	1.44
2	AB	46	7MG	C2-N1	2.57	1.44	1.37
26	BB	2498	OMC	O4'-C1'	-2.57	1.35	1.42
26	BB	2580	PSU	C4-C5	2.57	1.51	1.44
26	BB	1939	5MU	C2-N1	2.54	1.42	1.38
26	BB	2580	PSU	O5'-C5'	-2.54	1.38	1.44
2	AB	37	MIA	C2-N1	-2.53	1.30	1.34
1	AA	1498	UR3	O2'-C2'	-2.53	1.37	1.43
1	AA	1518	MA6	C2-N3	2.53	1.36	1.32
4	AD	21	H2U	C5-C4	2.51	1.55	1.50
1	AA	1402	4OC	C2-N3	-2.51	1.31	1.36
2	AB	54	5MU	C3'-C2'	-2.50	1.46	1.53
26	BB	1915	3TD	O4'-C1'	-2.49	1.40	1.43
26	BB	955	PSU	C1'-C5	2.47	1.55	1.50
4	AD	55	5MU	O4-C4	2.46	1.28	1.23
1	AA	966	2MG	CM2-N2	2.45	1.50	1.45
26	BB	2069	7MG	O4'-C4'	-2.44	1.39	1.45
1	AA	1407	5MC	O3'-C3'	2.44	1.48	1.43
2	AB	37	MIA	C2'-C1'	2.42	1.57	1.53
26	BB	2605	PSU	C4-C5	2.41	1.51	1.44
26	BB	2449	H2U	O3'-C3'	-2.39	1.37	1.43
2	AB	55	PSU	C4-C5	2.39	1.51	1.44
26	BB	2457	PSU	C1'-C5	2.38	1.55	1.50
26	BB	2069	7MG	O5'-C5'	-2.37	1.39	1.44
1	AA	967	5MC	O5'-C5'	-2.36	1.39	1.44
4	AD	33	OMC	O4'-C4'	-2.36	1.39	1.45
26	BB	2445	2MG	C5-C4	-2.34	1.37	1.43
1	AA	1516	2MG	C6-N1	2.33	1.41	1.37
26	BB	2503	2MA	C4-N3	2.33	1.43	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	745	1MG	C2-N3	2.32	1.38	1.34
2	AB	37	MIA	C4-N3	2.32	1.39	1.35
4	AD	55	5MU	C6-C5	2.32	1.38	1.34
2	AB	20	H2U	C6-N1	2.31	1.51	1.47
26	BB	2552	OMU	C2-N3	2.30	1.42	1.38
1	AA	516	PSU	C6-N1	2.30	1.40	1.36
1	AA	1518	MA6	C10-N6	2.30	1.51	1.45
26	BB	2251	OMG	C5-C4	-2.29	1.37	1.43
1	AA	1402	4OC	CM4-N4	2.29	1.49	1.45
26	BB	2580	PSU	O4'-C1'	-2.27	1.40	1.43
26	BB	2457	PSU	C2-N1	2.24	1.39	1.36
1	AA	1207	2MG	O4'-C4'	-2.23	1.40	1.45
26	BB	2449	H2U	O4'-C4'	-2.22	1.40	1.45
1	AA	1402	4OC	C6-C5	2.22	1.40	1.35
26	BB	1939	5MU	C6-N1	2.21	1.41	1.38
26	BB	2030	6MZ	C8-N7	-2.21	1.30	1.34
26	BB	2449	H2U	C6-C5	-2.20	1.46	1.52
26	BB	2503	2MA	C2-N3	2.20	1.35	1.31
1	AA	1519	MA6	C10-N6	2.19	1.50	1.45
26	BB	1917	PSU	O4'-C1'	2.19	1.46	1.43
2	AB	55	PSU	O5'-C5'	2.18	1.50	1.44
26	BB	1915	3TD	C3'-C2'	-2.17	1.47	1.53
26	BB	1618	6MZ	O3'-C3'	-2.16	1.37	1.43
26	BB	745	1MG	C2'-C1'	2.15	1.57	1.53
26	BB	1962	5MC	C2-N1	2.14	1.44	1.40
26	BB	745	1MG	O4'-C1'	2.14	1.44	1.41
26	BB	2498	OMC	C4-N4	2.12	1.38	1.33
2	AB	20	H2U	O2'-C2'	-2.10	1.38	1.43
26	BB	1911	PSU	O4-C4	-2.08	1.19	1.23
4	AD	33	OMC	C3'-C4'	-2.06	1.47	1.53
4	AD	55	5MU	C4-C5	2.06	1.48	1.44
2	AB	54	5MU	O5'-C5'	-2.06	1.39	1.44
1	AA	1207	2MG	C5-C6	-2.04	1.43	1.47
1	AA	1207	2MG	O5'-C5'	-2.04	1.39	1.44
2	AB	54	5MU	C2-N1	2.04	1.41	1.38
2	AB	32	OMC	C4-N4	-2.04	1.29	1.33
1	AA	1407	5MC	C2-N3	2.04	1.40	1.36
26	BB	2498	OMC	O4'-C4'	-2.03	1.40	1.45
2	AB	32	OMC	C4-N3	-2.03	1.30	1.34
2	AB	17	H2U	C2-N1	2.02	1.38	1.35
2	AB	20	H2U	C2-N1	2.02	1.38	1.35
2	AB	32	OMC	O2'-C2'	2.02	1.47	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2498	OMC	C3'-C2'	2.02	1.57	1.52
1	AA	1519	MA6	O5'-C5'	-2.01	1.39	1.44
2	AB	55	PSU	C2-N1	2.01	1.39	1.36
2	AB	46	7MG	O5'-C5'	-2.00	1.39	1.44

All (253) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1519	MA6	N1-C6-N6	7.78	125.25	117.06
2	AB	46	7MG	N9-C8-N7	6.87	113.21	103.38
26	BB	2069	7MG	N9-C8-N7	6.82	113.13	103.38
26	BB	1618	6MZ	C9-N6-C6	6.37	128.36	122.87
4	AD	21	H2U	O4'-C1'-N1	6.33	117.92	109.30
4	AD	8	4SU	C6-N1-C2	-5.96	113.36	120.99
1	AA	527	7MG	N9-C8-N7	5.93	111.86	103.38
26	BB	747	5MU	C6-C5-C4	5.73	122.82	118.03
2	AB	37	MIA	C2-N3-C4	-5.64	107.55	115.32
26	BB	2504	PSU	C6-C5-C4	5.62	122.13	118.20
2	AB	37	MIA	C12-C13-C14	-5.61	116.23	127.14
26	BB	2605	PSU	C6-N1-C2	5.56	128.38	122.68
4	AD	8	4SU	C4-N3-C2	-5.45	122.05	127.34
1	AA	516	PSU	C6-C5-C4	5.42	121.99	118.20
26	BB	745	1MG	C2-N1-C6	5.40	125.34	120.95
2	AB	54	5MU	C6-C5-C4	5.38	122.53	118.03
1	AA	967	5MC	O4'-C1'-N1	5.20	120.25	108.36
2	AB	54	5MU	C5-C4-N3	-5.13	110.93	115.31
26	BB	955	PSU	O4'-C1'-C2'	5.08	112.31	105.14
26	BB	955	PSU	C6-C5-C4	5.04	121.72	118.20
2	AB	20	H2U	O4-C4-N3	4.94	128.11	120.28
26	BB	1962	5MC	CM5-C5-C6	-4.93	116.26	122.85
26	BB	2030	6MZ	C9-N6-C6	-4.92	118.63	122.87
26	BB	2445	2MG	C3'-C2'-C1'	4.92	108.39	100.98
1	AA	966	2MG	O6-C6-N1	-4.80	114.98	120.65
4	AD	33	OMC	O4'-C1'-N1	4.79	119.31	108.36
26	BB	2030	6MZ	O4'-C4'-C3'	-4.76	95.69	105.11
26	BB	2605	PSU	O2-C2-N1	4.72	127.99	122.79
26	BB	2580	PSU	C6-C5-C4	4.60	121.42	118.20
1	AA	1519	MA6	C3'-C2'-C1'	4.57	107.86	100.98
2	AB	54	5MU	O4'-C1'-N1	4.57	118.81	108.36
4	AD	21	H2U	C2'-C3'-C4'	-4.55	93.79	102.64
26	BB	2030	6MZ	O4'-C1'-C2'	-4.54	100.29	106.93
2	AB	54	5MU	N3-C2-N1	4.54	120.91	114.89

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	54	5MU	C6-N1-C2	-4.49	116.75	121.30
26	BB	2504	PSU	C5-C6-N1	-4.49	115.39	122.11
2	AB	32	OMC	O2'-C2'-C1'	4.46	117.78	109.08
26	BB	1939	5MU	C6-C5-C4	4.42	121.72	118.03
26	BB	955	PSU	C3'-C2'-C1'	-4.41	96.50	101.64
4	AD	8	4SU	O4'-C4'-C3'	4.41	113.84	105.11
1	AA	1498	UR3	O5'-C5'-C4'	4.41	123.99	108.99
2	AB	54	5MU	C5M-C5-C6	-4.37	117.01	122.85
1	AA	967	5MC	O2-C2-N1	4.29	127.76	118.89
26	BB	745	1MG	CM1-N1-C6	-4.18	111.82	117.55
26	BB	1835	2MG	O6-C6-N1	-4.16	115.74	120.65
26	BB	2605	PSU	C6-C5-C4	4.14	121.09	118.20
2	AB	54	5MU	O2-C2-N3	-4.07	113.92	121.50
26	BB	2251	OMG	O2'-C2'-C1'	4.01	117.04	109.09
26	BB	2445	2MG	C2'-C3'-C4'	-3.98	94.92	102.64
4	AD	21	H2U	N3-C2-N1	-3.92	112.51	116.65
4	AD	56	PSU	O3'-C3'-C4'	3.88	122.26	111.05
26	BB	746	PSU	C6-N1-C2	3.84	126.61	122.68
26	BB	2457	PSU	C6-C5-C4	3.83	120.88	118.20
26	BB	2503	2MA	N1-C2-N3	3.81	129.37	123.06
26	BB	2498	OMC	O3'-C3'-C4'	3.74	121.85	111.05
26	BB	1835	2MG	O6-C6-C5	3.70	131.60	124.37
26	BB	1915	3TD	O2'-C2'-C1'	-3.70	102.42	111.23
1	AA	516	PSU	C3'-C2'-C1'	3.67	105.91	101.64
26	BB	747	5MU	C2'-C3'-C4'	-3.66	95.54	102.64
26	BB	1915	3TD	O2-C2-N3	3.64	127.21	121.83
1	AA	1498	UR3	C6-N1-C2	-3.63	118.54	121.79
2	AB	16	H2U	O4'-C1'-N1	3.60	114.20	109.30
26	BB	747	5MU	C5-C6-N1	-3.60	119.63	123.34
26	BB	2580	PSU	O4'-C1'-C2'	3.59	110.21	105.14
1	AA	967	5MC	O5'-C5'-C4'	3.58	121.16	108.99
26	BB	2552	OMU	C2'-C1'-N1	-3.57	107.29	114.22
26	BB	2498	OMC	O2-C2-N3	-3.55	116.55	122.33
26	BB	2445	2MG	O4'-C4'-C3'	3.54	112.12	105.11
26	BB	2552	OMU	O4'-C1'-N1	3.53	116.43	108.36
26	BB	2251	OMG	N2-C2-N3	3.43	126.41	119.74
1	AA	516	PSU	C5-C6-N1	-3.39	117.03	122.11
2	AB	32	OMC	C4-N3-C2	3.37	125.70	120.25
4	AD	33	OMC	O2-C2-N3	-3.35	116.88	122.33
4	AD	8	4SU	C5-C4-N3	3.34	117.79	114.69
2	AB	17	H2U	N3-C2-N1	-3.31	113.15	116.65
26	BB	1939	5MU	C5-C6-N1	-3.30	119.94	123.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	8	4SU	N3-C2-N1	3.30	119.27	114.89
26	BB	2504	PSU	O2'-C2'-C1'	-3.29	103.38	111.23
26	BB	2503	2MA	O4'-C1'-C2'	-3.29	102.11	106.93
26	BB	2575	CH	C5-C4-N3	3.27	119.91	118.04
4	AD	33	OMC	O4'-C1'-C2'	-3.25	100.86	106.57
26	BB	2498	OMC	C6-N1-C2	-3.23	114.89	120.49
1	AA	967	5MC	O2-C2-N3	-3.22	117.09	122.33
1	AA	1498	UR3	C3'-C2'-C1'	-3.21	95.33	101.43
4	AD	55	5MU	C3'-C2'-C1'	3.19	107.49	101.43
1	AA	1498	UR3	C2'-C3'-C4'	3.18	108.83	102.64
26	BB	955	PSU	O2-C2-N1	-3.18	119.28	122.79
2	AB	55	PSU	C6-N1-C2	3.18	125.94	122.68
26	BB	2251	OMG	O6-C6-N1	3.15	124.37	120.65
26	BB	2580	PSU	C2'-C3'-C4'	-3.13	96.56	102.64
2	AB	32	OMC	C5-C4-N3	-3.12	116.02	121.33
26	BB	746	PSU	O2-C2-N1	3.11	126.22	122.79
26	BB	1911	PSU	O4'-C4'-C5'	3.11	119.61	109.37
2	AB	55	PSU	C2'-C3'-C4'	-3.11	96.60	102.64
2	AB	37	MIA	N3-C2-N1	3.11	132.70	126.98
1	AA	967	5MC	C5-C4-N4	-3.11	116.83	121.48
26	BB	2504	PSU	C2'-C3'-C4'	-3.10	96.62	102.64
1	AA	1516	2MG	O4'-C1'-C2'	3.10	111.45	106.93
2	AB	8	4SU	C5-C4-N3	3.08	117.55	114.69
26	BB	1911	PSU	C6-N1-C2	-3.07	119.54	122.68
26	BB	2069	7MG	C6-C5-N7	-3.04	127.13	131.91
2	AB	16	H2U	C4-N3-C2	3.03	128.31	125.79
2	AB	8	4SU	C5-C4-S4	-3.03	120.57	124.47
26	BB	1911	PSU	C6-C5-C4	3.00	120.30	118.20
26	BB	745	1MG	C3'-C2'-C1'	3.00	105.49	100.98
2	AB	8	4SU	O3'-C3'-C4'	2.99	119.71	111.05
1	AA	967	5MC	C5-C4-N3	2.99	124.90	121.67
2	AB	32	OMC	C2'-C3'-C4'	-2.98	95.51	101.99
26	BB	2251	OMG	C3'-C2'-C1'	-2.96	97.32	102.89
2	AB	55	PSU	C3'-C2'-C1'	-2.96	98.19	101.64
26	BB	1939	5MU	C6-N1-C2	-2.96	118.30	121.30
2	AB	54	5MU	C1'-N1-C6	2.94	126.02	121.12
26	BB	1962	5MC	O4'-C1'-N1	2.94	115.08	108.36
2	AB	37	MIA	C12-N6-C6	2.93	126.88	122.55
4	AD	8	4SU	C3'-C2'-C1'	2.92	106.97	101.43
1	AA	1407	5MC	O3'-C3'-C2'	2.91	121.25	111.82
26	BB	1939	5MU	O4'-C1'-C2'	-2.91	100.30	106.64
26	BB	2457	PSU	C4'-O4'-C1'	2.91	115.86	108.55

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2605	PSU	C5-C6-N1	-2.90	117.75	122.11
26	BB	2552	OMU	C5-C4-N3	-2.90	110.50	114.84
26	BB	746	PSU	O4'-C1'-C2'	-2.89	101.07	105.14
26	BB	745	1MG	O4'-C1'-C2'	-2.88	102.72	106.93
1	AA	1519	MA6	O4'-C1'-C2'	-2.88	102.72	106.93
2	AB	46	7MG	O4'-C4'-C3'	2.86	110.78	105.11
4	AD	21	H2U	O2-C2-N1	2.86	126.70	123.11
4	AD	8	4SU	C6-C5-C4	2.86	122.42	119.95
4	AD	55	5MU	C5-C4-N3	-2.85	112.88	115.31
26	BB	745	1MG	C5-C6-N1	-2.84	109.63	113.90
1	AA	1498	UR3	C3U-N3-C2	2.80	122.23	117.31
2	AB	17	H2U	O4'-C1'-N1	2.80	113.12	109.30
4	AD	55	5MU	C5M-C5-C6	-2.80	119.11	122.85
26	BB	2069	7MG	O4'-C4'-C5'	2.79	118.55	109.37
1	AA	1407	5MC	O4'-C1'-N1	2.79	114.73	108.36
2	AB	17	H2U	O4'-C4'-C3'	2.77	110.60	105.11
26	BB	2445	2MG	O3'-C3'-C2'	2.77	120.78	111.82
26	BB	2504	PSU	C3'-C2'-C1'	2.77	104.86	101.64
1	AA	1516	2MG	C2'-C3'-C4'	2.75	107.98	102.64
26	BB	747	5MU	C4-N3-C2	-2.73	123.82	127.35
26	BB	2030	6MZ	C2-N1-C6	2.72	118.92	116.59
2	AB	37	MIA	C1'-N9-C4	-2.71	121.88	126.64
26	BB	2575	CH	O5'-C5'-C4'	2.71	118.20	108.99
26	BB	2498	OMC	N1-C2-N3	2.70	123.72	118.81
26	BB	2449	H2U	O4'-C1'-N1	2.70	112.97	109.30
2	AB	20	H2U	O4'-C1'-N1	2.69	112.96	109.30
26	BB	746	PSU	C3'-C2'-C1'	2.68	104.76	101.64
2	AB	20	H2U	N3-C2-N1	2.66	119.47	116.65
26	BB	2605	PSU	O3'-C3'-C2'	2.65	120.39	111.82
26	BB	2552	OMU	O4-C4-N3	2.63	123.17	119.31
2	AB	55	PSU	O4'-C1'-C2'	2.61	108.83	105.14
26	BB	2503	2MA	O3'-C3'-C4'	2.61	118.59	111.05
26	BB	745	1MG	O5'-C5'-C4'	2.61	117.86	108.99
1	AA	1498	UR3	C6-C5-C4	2.60	125.93	120.78
4	AD	8	4SU	C2'-C3'-C4'	-2.60	97.60	102.64
26	BB	1939	5MU	O4'-C1'-N1	2.59	114.29	108.36
1	AA	1519	MA6	C9-N6-C6	2.59	127.36	119.51
26	BB	745	1MG	O6-C6-N1	2.58	124.61	120.47
2	AB	17	H2U	O5'-C5'-C4'	-2.57	100.27	108.99
26	BB	2498	OMC	C1'-N1-C2	2.56	124.14	118.42
26	BB	747	5MU	O4-C4-C5	2.55	127.86	124.90
26	BB	2503	2MA	C5-C6-N1	2.55	118.42	114.02

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1407	5MC	CM5-C5-C6	-2.55	119.45	122.85
26	BB	1917	PSU	C2'-C3'-C4'	-2.55	97.70	102.64
26	BB	747	5MU	O2'-C2'-C1'	-2.54	101.51	110.02
2	AB	55	PSU	N1-C2-N3	-2.54	112.26	115.13
1	AA	1518	MA6	O3'-C3'-C2'	2.53	120.00	111.82
2	AB	16	H2U	O4'-C4'-C3'	-2.52	100.12	105.11
2	AB	37	MIA	C11-S10-C2	2.52	104.15	102.27
26	BB	1915	3TD	O2-C2-N1	-2.52	115.50	121.55
1	AA	1402	4OC	C4-N3-C2	2.52	123.55	120.12
26	BB	2449	H2U	C2'-C3'-C4'	2.52	107.53	102.64
2	AB	20	H2U	O4'-C1'-C2'	-2.51	101.16	106.64
26	BB	2498	OMC	O2'-C2'-C1'	2.50	113.97	109.08
26	BB	2069	7MG	C4-C5-N7	2.50	109.00	105.53
26	BB	1618	6MZ	O4'-C4'-C3'	2.48	110.03	105.11
1	AA	1498	UR3	O2-C2-N3	2.48	124.84	121.34
4	AD	33	OMC	C6-N1-C2	-2.48	116.19	120.49
26	BB	1911	PSU	O2-C2-N1	-2.47	120.07	122.79
1	AA	516	PSU	O2-C2-N1	2.46	125.50	122.79
1	AA	967	5MC	O4'-C4'-C5'	2.44	117.41	109.37
26	BB	747	5MU	O2-C2-N1	2.44	126.02	122.79
1	AA	966	2MG	O6-C6-C5	2.43	129.12	124.37
2	AB	16	H2U	C2'-C3'-C4'	2.40	107.31	102.64
1	AA	1402	4OC	C5-C4-N4	-2.40	117.73	122.61
2	AB	8	4SU	O4'-C4'-C3'	2.39	109.84	105.11
1	AA	1402	4OC	C1'-N1-C6	2.38	126.04	120.84
1	AA	1518	MA6	C4-C5-N7	-2.38	106.92	109.40
26	BB	2575	CH	O4'-C1'-C2'	-2.37	103.47	106.93
4	AD	55	5MU	O2'-C2'-C1'	-2.37	102.11	110.02
26	BB	1939	5MU	O3'-C3'-C4'	-2.37	104.21	111.05
1	AA	1498	UR3	C3U-N3-C4	-2.36	114.51	117.89
26	BB	2580	PSU	C5-C6-N1	-2.36	118.56	122.11
26	BB	746	PSU	N1-C2-N3	-2.35	112.47	115.13
1	AA	516	PSU	O2'-C2'-C1'	-2.35	105.63	111.23
26	BB	747	5MU	C5M-C5-C6	-2.35	119.71	122.85
26	BB	2030	6MZ	C1'-N9-C4	2.35	130.76	126.64
26	BB	745	1MG	C2'-C3'-C4'	-2.34	98.10	102.64
26	BB	1911	PSU	C5'-C4'-C3'	-2.34	106.42	115.18
26	BB	2030	6MZ	C4-C5-N7	-2.33	106.97	109.40
1	AA	1498	UR3	O2'-C2'-C1'	2.33	117.81	110.02
4	AD	55	5MU	C5M-C5-C4	2.32	121.32	118.77
2	AB	20	H2U	O4-C4-C5	-2.30	117.25	122.17
1	AA	1402	4OC	O2-C2-N3	-2.30	118.59	122.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2069	7MG	C2'-C3'-C4'	-2.28	98.20	102.64
26	BB	747	5MU	O4'-C1'-N1	2.28	113.56	108.36
26	BB	2445	2MG	O2'-C2'-C1'	-2.27	102.46	110.85
26	BB	2498	OMC	C3'-C2'-C1'	-2.27	98.62	102.89
2	AB	55	PSU	C5-C6-N1	-2.27	118.70	122.11
2	AB	8	4SU	O4'-C1'-N1	2.27	113.55	108.36
26	BB	955	PSU	C6-N1-C2	-2.26	120.37	122.68
2	AB	17	H2U	C4'-O4'-C1'	-2.26	104.49	109.47
26	BB	1962	5MC	C5-C4-N4	-2.25	118.12	121.48
1	AA	1498	UR3	O2-C2-N1	-2.23	117.49	122.72
26	BB	1618	6MZ	C2'-C3'-C4'	-2.23	98.30	102.64
1	AA	1519	MA6	C2'-C3'-C4'	-2.23	98.31	102.64
26	BB	746	PSU	C2'-C3'-C4'	-2.22	98.32	102.64
4	AD	8	4SU	C1'-N1-C2	2.22	121.59	117.57
26	BB	1915	3TD	O3'-C3'-C4'	2.21	117.44	111.05
26	BB	2552	OMU	C6-C5-C4	2.21	122.53	119.52
1	AA	1498	UR3	C1'-N1-C2	2.21	120.72	116.99
26	BB	2503	2MA	CM2-C2-N3	-2.19	112.99	119.47
1	AA	966	2MG	O5'-C5'-C4'	2.19	116.46	108.99
1	AA	1402	4OC	C2'-C3'-C4'	-2.19	97.23	101.99
2	AB	37	MIA	C3'-C2'-C1'	-2.18	97.69	100.98
2	AB	46	7MG	O2'-C2'-C3'	2.17	118.86	111.82
1	AA	1518	MA6	C9-N6-C6	2.17	126.09	119.51
26	BB	746	PSU	C6-C5-C4	2.17	119.71	118.20
26	BB	1939	5MU	C5'-C4'-C3'	-2.16	107.07	115.18
26	BB	745	1MG	O4'-C4'-C3'	2.16	109.39	105.11
26	BB	2251	OMG	O4'-C4'-C3'	-2.14	100.87	105.11
26	BB	2580	PSU	O4'-C4'-C3'	2.14	109.34	105.11
4	AD	21	H2U	O4'-C4'-C3'	-2.12	100.91	105.11
26	BB	2445	2MG	O2'-C2'-C3'	2.11	118.64	111.82
26	BB	1917	PSU	N1-C2-N3	-2.11	112.74	115.13
2	AB	8	4SU	N3-C2-N1	-2.10	112.10	114.89
26	BB	1915	3TD	O3'-C3'-C2'	-2.10	105.04	111.82
1	AA	1518	MA6	O2'-C2'-C1'	-2.07	103.21	110.85
26	BB	2449	H2U	N3-C2-N1	-2.07	114.47	116.65
1	AA	967	5MC	N1-C2-N3	-2.06	115.06	118.81
26	BB	2251	OMG	N1-C2-N3	-2.05	119.49	123.32
2	AB	32	OMC	C5-C4-N4	2.04	123.79	120.57
1	AA	1207	2MG	O2'-C2'-C1'	-2.04	103.33	110.85
2	AB	37	MIA	S10-C2-N1	-2.03	108.98	116.01
26	BB	1939	5MU	N3-C2-N1	2.03	117.59	114.89
2	AB	32	OMC	O2-C2-N1	2.03	123.09	118.89

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1498	UR3	O2'-C2'-C3'	2.03	118.39	111.82
26	BB	1618	6MZ	C3'-C2'-C1'	2.03	104.03	100.98
2	AB	37	MIA	O4'-C1'-C2'	2.02	109.88	106.93
26	BB	747	5MU	O4-C4-N3	-2.02	116.25	120.12
4	AD	8	4SU	S4-C4-N3	-2.02	118.22	120.21
1	AA	1407	5MC	C1'-N1-C6	-2.02	117.77	121.12
26	BB	2069	7MG	O5'-C5'-C4'	2.01	115.83	108.99
2	AB	32	OMC	O4'-C1'-N1	2.01	112.95	108.36
2	AB	17	H2U	C5-C4-N3	2.00	118.90	116.65

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	1516	2MG	N3-C2-N2-CM2
2	AB	8	4SU	C2'-C1'-N1-C2
2	AB	32	OMC	C1'-C2'-O2'-CM2
26	BB	746	PSU	C2'-C1'-C5-C4
2	AB	8	4SU	C2'-C1'-N1-C6
2	AB	37	MIA	C12-C13-C14-C15
1	AA	527	7MG	C4'-C5'-O5'-P
26	BB	2069	7MG	O4'-C4'-C5'-O5'
2	AB	17	H2U	C4'-C5'-O5'-P
2	AB	17	H2U	O4'-C4'-C5'-O5'
2	AB	8	4SU	O4'-C1'-N1-C6
2	AB	8	4SU	C4'-C5'-O5'-P
26	BB	2498	OMC	C2'-C1'-N1-C6
1	AA	516	PSU	O4'-C1'-C5-C4
26	BB	746	PSU	O4'-C1'-C5-C4
26	BB	1917	PSU	O4'-C1'-C5-C4
26	BB	2605	PSU	O4'-C1'-C5-C4
2	AB	8	4SU	O4'-C1'-N1-C2
1	AA	1498	UR3	O4'-C4'-C5'-O5'
26	BB	746	PSU	O4'-C1'-C5-C6
26	BB	2030	6MZ	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
59	TRP	AB	101	60,2	14,15,16	2.01	4 (28%)	13,20,22	1.64	3 (23%)
60	FME	BB	3001	59	8,9,10	0.98	0	7,9,11	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	TRP	AB	101	60,2	-	0/5/6/8	0/2/2/2
60	FME	BB	3001	59	-	1/7/9/11	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-4.64	1.22	1.42
59	AB	101	TRP	CZ3-CE3	3.48	1.44	1.36
59	AB	101	TRP	C-CA	3.04	1.57	1.52
59	AB	101	TRP	CZ2-CE2	-2.19	1.38	1.41

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	AB	101	TRP	OXT-C-CA	2.45	121.20	111.52
59	AB	101	TRP	CZ2-CE2-CD2	2.43	125.20	120.76
59	AB	101	TRP	CH2-CZ2-CE2	-2.25	116.84	120.08

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
26	BB	2
1	AA	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BB	1872:A	O3'	1873:G	P	1.76
1	AA	1017:U	O3'	1018:G	P	1.75
1	BB	600:G	O3'	601:C	P	1.75


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5363. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 125



Y Index: 125




Z Index: 125


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 129



Y Index: 131




Z Index: 115


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.




## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 4835  $\text{nm}^3$ ; this corresponds to an approximate mass of 4367 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.087 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-5363 and PDB model 4V6Q. Per-residue inclusion information can be found in section 3 on page 15.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

















































Chain	Atom inclusion	Q-score
All	 0.9950	 0.0740
AA	 0.9997	 0.0910
AB	 0.9860	 0.0530
AC	 0.8953	 0.0140
AD	 0.9939	 0.0980
AE	 0.9468	 0.0370
AF	 0.9994	 0.0630
AG	 0.9994	 0.0450
AH	 0.9925	 0.0430
AI	 0.9813	 0.0410
AJ	 0.9912	 0.0540
AK	 0.9979	 0.0400
AL	 0.9809	 0.0480
AM	 1.0000	 0.0220
AN	 0.9925	 0.0420
AO	 0.9891	 0.0400
AP	 0.9749	 0.0410
AQ	 1.0000	 0.0400
AR	 1.0000	 0.0540
AS	 0.9984	 0.0100
AT	 1.0000	 0.0570
AU	 1.0000	 0.0290
AV	 0.9789	 0.0360
AW	 1.0000	 0.0460
AX	 1.0000	 0.0290
B0	 1.0000	 0.0320
B1	 1.0000	 0.0430
B2	 0.9814	 0.0180
B3	 1.0000	 0.0280
B4	 0.9977	 0.0540
B5	 1.0000	 0.0030
B6	 1.0000	 0.0370
B7	 1.0000	 0.0320
BA	 1.0000	 0.1010
BB	 0.9997	 0.0910



*Continued on next page...*



*Continued from previous page...*

Chain	Atom inclusion	Q-score
BC	 0.9906	 0.0420
BD	 1.0000	 0.0180
BE	 0.9993	 0.0240
BF	 0.9993	 0.0650
BG	 0.9906	 0.0460
BH	 1.0000	 0.0250
BI	 0.8513	 0.0260
BJ	 0.8997	 0.0450
BK	 0.9726	 0.0380
BL	 1.0000	 0.0330
BM	 0.9957	 0.0600
BN	 0.9990	 0.0160
BO	 1.0000	 0.0440
BP	 1.0000	 0.0250
BQ	 0.9954	 0.0580
BR	 0.9977	 0.0280
BS	 0.9978	 0.0250
BT	 0.9950	 0.0480
BU	 0.9976	 0.0270
BV	 0.9987	 0.0330
BW	 1.0000	 0.0690
BX	 1.0000	 0.0740
BY	 0.9984	 0.0240
BZ	 1.0000	 0.0350