



wwPDB EM Validation Summary Report ⓘ

Nov 20, 2022 – 10:16 AM EST

PDB ID : 4V7I
EMDB ID : EMD-1484
Title : Ribosome-SecY complex.
Authors : Gumbart, J.C.; Trabuco, L.G.; Schreiner, E.; Villa, E.; Schulten, K.
Deposited on : 2009-10-21
Resolution : 9.60 Å(reported)
Based on initial models : 2I2V, 3BO0

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 9.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A7	120	8% 40% 50% .
2	A8	2904	10% 42% 48%
3	AA	442	. 87% 9% .
4	AB	65	. 82% 12% 6%
5	AC	53	58% . 40%
6	A5	234	6% 77% 21% .
7	A6	273	61% 31% 6% ..

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AD	209	
9	AE	201	
10	AF	179	
11	AG	177	
12	AH	149	
13	AI	142	
14	AJ	142	
15	AK	123	
16	AL	144	
17	AM	136	
18	AN	127	
19	AO	117	
20	AP	115	
21	AQ	118	
22	AR	103	
23	AS	110	
24	AT	100	
25	AU	104	
26	AV	94	
27	AW	85	
28	AX	78	
29	AY	63	
30	AZ	59	
31	A0	57	
32	A1	55	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	A2	46	
34	A3	65	
35	A4	38	
36	BA	1542	
37	BB	241	
38	BC	233	
39	BD	206	
40	BE	167	
41	BF	135	
42	BG	179	
43	BH	130	
44	BI	130	
45	BJ	103	
46	BK	129	
47	BL	124	
48	BM	118	
49	BN	101	
50	BO	89	
51	BP	82	
52	BQ	84	
53	BR	75	
54	BS	92	
55	BT	87	
56	BU	71	

2 Entry composition

There are 56 unique types of molecules in this entry. The entry contains 148250 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A7	117	Total	C	N	O	P	0	0
			2507	1116	459	815	117		

- Molecule 2 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A8	2903	Total	C	N	O	P	0	0
			62321	27801	11467	20150	2903		

- Molecule 3 is a protein called PREPROTEIN TRANSLOCASE SECY SUBUNIT.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AA	442	Total	C	N	O	S	0	0
			3408	2266	547	577	18		

- Molecule 4 is a protein called PREPROTEIN TRANSLOCASE SECE SUBUNIT.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	AB	65	Total	C	N	O	0	0
			505	332	88	85		

- Molecule 5 is a protein called Preprotein translocase subunit secG.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	AC	32	Total	C	N	O	0	0
			257	172	42	43		

- Molecule 6 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A5	234	Total	C	N	O	S	0	0
			1733	1081	315	330	7		

- Molecule 7 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A6	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 8 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AD	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 9 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AE	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 10 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AF	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 11 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AG	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 12 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AH	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 13 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AI	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 14 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AJ	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 15 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AK	121	Total	C	N	O	S	0	0
			930	582	179	164	5		

- Molecule 16 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AL	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 17 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AM	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 18 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AN	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 19 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	AO	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 20 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AP	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 21 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	AQ	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 22 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AR	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 23 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AS	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 24 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AT	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 25 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	AU	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 26 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	AV	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 27 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	AW	79	Total	C	N	O	S	0	0
			596	367	120	108	1		

- Molecule 28 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	AX	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 29 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	AY	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 30 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	AZ	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 31 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	A0	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 32 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	A1	50	Total	C	N	O	0	0
			409	263	75	71		

- Molecule 33 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	A2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 34 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	A3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 35 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	A4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 36 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BA	1530	Total	C	N	O	P	0	0
			32831	14642	6024	10635	1530		

- Molecule 37 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BB	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 38 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BC	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 39 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BD	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 40 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BE	150	Total	C	N	O	S	0	0
			1105	687	211	201	6		

- Molecule 41 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BF	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 42 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BG	150	Total	C	N	O	S	0	0
			1174	730	226	214	4		

- Molecule 43 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BH	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 44 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BI	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 45 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BJ	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 46 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BK	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 47 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BL	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 48 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BM	113	Total	C	N	O	S	0	0
			876	541	177	155	3		

- Molecule 49 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BN	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 50 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BO	88	Total	C	N	O	S	0	0
			716	440	146	129	1		

- Molecule 51 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	BP	80	Total	C	N	O	S	0	0
			638	400	126	111	1		

- Molecule 52 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	BQ	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 53 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	BR	55	Total	C	N	O	0	0
			455	288	86	81		

- Molecule 54 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BS	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 55 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BT	85	Total	C	N	O	S	0	0
			665	411	137	114	3		


- Molecule 56 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	BU	51	Total	C	N	O	S	0	0
			425	265	86	73	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 5S ribosomal RNA




• Molecule 2: 23S ribosomal RNA




G1561	G1501	G1441	G1381	A1321	G1261	U1201	U1141	U1081	A1021	C961	C901	G841	A761	A721	A661	C601	A541
G1562	A1502	U1442	G1382	A1322	A1262	G1202	A1142	U1082	G1022	G962	C902	G842	A762	A722	A662	C602	A542
G1563	A1503	U1443	A1383	C1323	U1263	G1203	A1143	U1083	U1023	U963	C903	G843	A763	C723	G663	A603	C543
G1564	A1504	G1444	A1384	G1324	A1264	U1204	A1144	A1084	G1024	G964	G904	A844	G764	G724	G664	G604	C544
G1565	A1505	G1445	A1385	U1325	A1265	A1205	C1145	A1085	U1025	C965	A905	A845	G765	G725	U665	G605	U545
G1566	U1506	A1446	C1386	U1326	G1266	G1206	C1146	A1086	G1026	G966	U906	U846	G766	G726	U666	U606	U546
G1567	G1507	C1447	A1387	A1327	U1267	C1207	A1147	G1087	A1027	U967	C907	U847	C767	A727	U667	U607	A547
G1568	A1508	G1448	A1388	A1328	A1268	U1208	A1148	A1088	A1028	G968	C908	C848	A768	G728	A668	G608	G548
G1569	A1509	G1449	A1389	A1329	A1269	U1209	A1149	A1089	A1029	G969	A909	A849	A769	G729	G669	A609	G549
G1570	U1510	G1450	U1390	C1330	C1270	G1210	C1150	A1090	C1030	U970	A910	U850	U790	A730	A670	C610	C550
G1571	G1511	C1451	U1391	G1331	G1271	G1211	A1151	G1091	G1031	G971	A911	C851	C791	C731	C671	C611	G551
A1572	G1512	G1452	A1392	G1332	A1272	G1212	C1152	G1092	A1032	A972	G912	U852	A792	C732	C672	G612	U552
G1573	U1513	A1453	A1393	G1333	U1273	A1213	C1153	G1093	U1033	A973	U913	C853	A793	G733	C673	A613	G553
G1574	G1514	C1454	U1394	G1334	A1274	A1214	G1154	U1094	G1034	G974	G914	C854	A794	A734	G674	A614	U554
C1575	A1515	G1455	U1395	C1335	A1275	G1215	A1155	A1095	U1035	A975	C915	C855	A795	A735	U675	U615	G555
U1576	G1516	A1456	A1396	A1336	A1276	G1216	A1156	A1096	G1036	G976	G916	C856	C796	G736	A676	A616	A556
G1577	U1517	G1457	U1397	G1337	G1277	U1217	U1157	U1097	G1037	A977	A917	C857	G797	C737	A677	G617	C557
U1578	A1518	U1458	C1398	G1338	C1278	G1218	C1158	A1098	G1038	G978	U918	C858	G798	G738	C678	G618	U558
G1579	U1519	G1459	C1399	U1339	G1279	U1219	U1159	U1099	A1039	A979	U919	C859	G799	A739	C679	G619	G559
A1580	U1520	U1460	U1400	U1340	G1280	G1220	C1160	C1100	A1040	A980	A920	U860	A800	G740	C680	C560	C500
G1581	A1521	C1461	G1401	G1341	A1281	U1221	C1161	U1101	G1041	A981	C921	A861	A801	U741	G681	A621	G561
A1582	U1522	C1462	U1402	U1342	U1282	C1222	C1162	C1102	G1042	A982	G922	C862	A802	A742	G682	G622	U562
A1583	U1523	G1463	A1403	G1343	A1283	G1223	C1163	A1103	C1043	A983	G923	A863	U803	C743	G683	C623	A563
G1584	G1524	U1464	A1404	U1344	A1284	U1224	C1164	C1104	C1044	A984	G924	C864	A804	U744	G684	C624	C564
A1585	A1525	G1465	U1405	C1345	A1285	G1225	A1165	U1105	C1045	C985	A925	C865	C805	G745	A885	G625	C565
A1586	U1526	U1466	A1406	G1346	A1286	U1226	C1166	C1106	A1046	C986	G926	A866	C806	U746	A886	A626	U566
G1587	G1527	C1467	G1407	U1347	A1287	G1227	C1167	G1107	G1047	C987	A927	C867	U807	U747	C687	A627	G567
A1588	A1528	U1468	A1408	C1348	G1288	U1228	C1168	U1108	A1048	A988	G928	U868	G808	A748	G688	G628	U568
U1589	U1529	G1469	U1409	G1349	A1289	C1229	A1169	C1109	C1049	A989	U929	C869	G809	A749	A889	G629	U569
A1590	G1530	A1470	C1410	C1350	C1290	U1230	C1170	G1110	A1050	A990	G930	U870	U810	A750	C690	G630	G570
A1591	U1531	G1471	U1411	C1351	C1291	U1231	C1171	A1111	G1051	C991	U931	U871	C811	A751	C691	A631	C571
G1592	A1532	C1472	U1412	U1352	G1292	G1232	C1172	G1112	U1052	C992	G932	U872	C812	A752	C692	A632	A572
U1593	U1533	G1473	A1413	A1353	C1293	U1233	C1173	U1113	A1053	G993	A933	C873	U813	A753	C693	A633	U573
A1594	U1534	U1474	C1414	U1354	U1294	U1234	C1174	C1114	A1054	C994	U934	C874	C814	U754	U694	A634	A574
G1595	A1535	G1475	U1415	G1355	C1295	U1235	A1175	G1115	G1055	G995	C935	C875	C815	A755	C695	C635	A575
A1596	C1536	U1476	G1416	G1356	G1296	G1236	U1176	G1116	A1056	A996	A936	C876	C816	A756	G696	A636	A576
U1597	G1537	C1477	C1417	U1357	G1297	U1237	G1177	C1117	U1057	G997	C937	A877	C817	G757	C697	A637	U577
A1598	U1538	G1478	A1418	G1358	C1298	U1238	C1178	U1118	U1058	C998	G938	A878	C818	A758	C698	G638	G578
U1599	U1539	U1479	A1419	A1359	G1299	G1239	G1179	U1119	G1059	U999	G939	C879	A819	G759	A899	U639	G579
G1600	G1600	A1480	A1420	U1360	G1300	U1240	U1180	G1120	A1060	A1000	G940	C880	A820	U760	G700	U580	C580
G1601	C1641	U1481	G1421	G1361	A1301	U1241	U1181	C1121	U1061	A1001	A941	C881	A821	A761	C641	C581	A581
U1602	U1542	G1482	G1422	C1362	A1302	U1242	G1182	C1122	G1062	G1002	G942	C882	C822	U762	U702	U642	A582
A1603	G1543	G1483	G1423	C1363	G1303	C1243	U1183	C1123	G1063	G1003	A943	C883	C823	G763	G703	A643	G583
G1604	A1544	U1484	G1424	C1364	A1304	A1244	U1184	G1124	C1064	U1004	G944	U884	U824	A764	G704	A644	C584
C1605	U1545	U1485	G1425	A1365	C1305	G1245	G1185	A1125	U1065	C1005	A945	C885	A825	C765	A705	C645	G585
G1606	G1546	U1486	A1426	A1366	C1306	A1246	G1186	A1126	U1066	C1006	C946	A886	U826	U766	A706	U646	A586
U1607	C1647	U1487	A1427	U1367	A1307	U1247	G1187	A1127	A1067	C1007	A947	C887	U827	U767	G707	C647	C587
A1608	A1548	C1488	G1428	C1368	A1308	G1248	U1188	G1128	G1068	A1008	G948	C888	U828	G768	U708	C648	U588
A1609	U1549	U1489	G1429	U1369	G1309	U1249	U1189	A1129	U1069	A1009	C949	C889	A829	U769	U709	G649	C589
A1610	C1550	A1490	C1370	G1370	G1310	G1250	G1190	U1130	A1070	A1010	G950	C890	G830	C770	U710	C650	A590
G1611	U1551	G1491	A1431	G1371	G1311	C1251	G1191	C1131	G1071	G1011	C951	C891	G831	G771	G711	C651	U591
G1612	A1552	G1492	A1432	U1372	G1312	G1252	G1192	U1132	U1072	U1012	G952	A892	U832	C772	G712	U652	A592
A1613	U1553	C1493	A1433	C1373	G1313	A1253	G1193	A1133	A1073	C1013	G953	C893	A833	U773	G713	U653	C593
A1614	U1554	U1494	A1434	G1374	C1314	A1254	A1194	A1134	G1074	A1014	G954	U894	C834	C774	U714	A654	U594
G1615	G1555	U1495	G1435	U1375	G1315	U1255	G1195	C1135	C1075	G1015	U955	U895	C835	G775	A715	A655	C595
A1616	C1556	A1496	C1436	C1376	G1316	G1256	C1196	G1136	U1076	G1016	G956	A896	C836	G776	A716	G656	U596
G1617	U1557	U1497	G1437	G1377	G1317	C1257	G1197	G1137	A1077	U1017	C957	C897	C837	G777	G717	U657	C597
A1618	C1558	U1498	U1438	A1378	G1318	U1258	U1198	G1138	U1078	U1018	U958	C898	C838	G778	A718	U658	U598
G1619	U1559	G1499	A1439	U1379	G1319	G1259	U1199	C1139	C1079	U1019	G959	A899	U839	U779	G719	G659	C599
A1620	C1560	U1500	U1440	C1380	C1280	U1260	C1180	C1120	A1080	A1020	C960	C840	A780	C720	A660	C600	A540


G2581	G2582	G2583	G2584	G2585	G2586	G2587	G2588	G2589	G2590	G2591	G2592	G2593	G2594	G2595	G2596	G2597	G2598	G2599	G2600	G2601	G2602	G2603	G2604	G2605	G2606	G2607	G2608	G2609	G2610	G2611	G2612	G2613	G2614	G2615	G2616	G2617	G2618	G2619	G2620	G2621	G2622	G2623	G2624	G2625
A2481	C2482	C2483	G2484	C2485	C2486	C2487	A2488	A2489	G2490	A2491	G2492	G2493	G2494	G2495	G2496	G2497	C2498	C2499	G2500	G2501	G2502	A2503	A2504	G2505	G2506	G2507	G2508	G2509	G2510	G2511	G2512	G2513	G2514	G2515	G2516	G2517	G2518	G2519	G2520	G2521	G2522	G2523	G2524	G2525
U2401	U2402	G2403	U2404	G2405	A2406	A2407	U2408	U2409	G2410	A2411	A2412	G2413	G2414	G2415	G2416	G2417	A2418	U2419	G2420	G2421	G2422	G2423	G2424	A2425	A2426	G2427	G2428	G2429	G2430	U2431	A2432	A2433	A2434	A2435	G2436	G2437	U2438	A2439	G2440	U2441	G2442	G2443	G2444	G2445
C2341	C2342	U2343	U2344	C2345	G2346	U2347	U2348	U2349	C2350	G2351	A2352	G2353	C2354	G2355	G2356	G2357	C2358	C2359	G2360	G2361	G2362	G2363	G2364	G2365	G2366	G2367	C2368	C2369	G2370	G2371	U2372	U2373	G2374	G2375	A2376	A2377	G2378	C2379	G2380	A2381	G2382	G2383	U2384	G2385
A2281	G2282	C2283	A2284	C2285	G2286	A2287	A2288	G2289	G2290	U2291	G2292	G2293	G2294	C2295	U2296	A2297	A2298	U2299	G2300	G2301	G2302	G2303	G2304	U2305	C2306	G2307	C2308	G2309	C2310	A2311	U2312	C2313	C2314	G2315	G2316	A2317	G2318	G2319	U2320	U2321	A2322	G2323	U2324	G2325
G2221	C2222	G2223	G2224	C2225	C2226	A2227	G2228	U2229	G2230	U2231	G2232	U2233	G2234	G2235	G2236	G2237	G2238	G2239	U2240	A2241	G2242	G2243	U2244	U2245	G2246	G2247	C2248	U2249	G2250	G2251	G2252	G2253	C2254	G2255	G2256	G2257	C2258	U2259	G2260	C2261	U2262	G2263	C2264	U2265
G2161	G2162	A2163	C2164	C2165	U2166	U2167	A2168	A2169	G2170	A2171	U2172	G2173	C2174	C2175	U2176	C2177	G2178	C2179	U2180	U2181	U2182	A2183	G2184	U2185	G2186	U2187	U2188	U2189	G2190	A2191	U2192	G2193	G2194	U2195	C2196	U2197	A2198	A2199	C2200	G2201	U2202	G2203	G2204	A2205
A2101	G2102	C2103	C2104	U2105	U2106	G2107	A2108	U2109	G2110	U2111	G2112	U2113	U2114	G2115	U2116	A2117	U2118	U2119	G2120	G2121	G2122	G2123	G2124	U2125	A2126	G2127	G2128	G2129	U2130	A2131	U2132	G2133	G2134	A2135	G2136	U2137	G2138	U2139	G2140	U2141	A2142	G2143	G2144	C2145
U2041	A2042	C2043	C2044	U2045	G2046	C2047	G2048	U2049	C2050	A2051	G2052	G2053	A2054	U2055	G2056	G2057	U2058	A2059	G2060	G2061	A2062	G2063	C2064	G2065	C2066	G2067	U2068	G2069	A2070	U2071	C2072	G2073	U2074	U2075	U2076	U2077	G2078	U2079	A2080	U2081	A2082	G2083	G2084	U2085
A1981	U1982	G1983	G1984	C1985	U1986	A1987	U1988	G1989	A1990	U1991	G1992	U1993	C1994	U1995	A1996	C1997	A1998	C1999	G2000	C2001	A2002	U1883	G1884	U1885	U1886	C1947	U1948	G1949	U1950	U1951	A1952	U1953	G1954	U1955	U1956	C1957	C1958	U1959	A1960	C1961	U1962	U1963	G1964	C1965
G1921	G1922	U1923	U1924	C1925	U1926	A1927	G1928	A1929	U1930	U1931	A1932	G1933	C1934	G1935	A1936	U1937	A1938	U1939	U1940	U1941	C1942	U1883	G1884	U1885	U1946	C1947	U1948	G1949	U1950	U1951	A1952	U1953	G1954	U1955	U1956	C1957	C1958	U1959	A1960	C1961	U1962	U1963	G1964	C1965
G1861	G1862	U1863	U1864	C1865	U1866	A1867	G1868	C1869	U1870	A1871	G1872	G1873	C1874	G1875	A1876	U1877	A1878	U1879	U1880	U1881	U1882	U1883	G1884	U1885	U1886	C1887	U1888	G1889	A1890	U1891	G1892	C1893	U1894	G1895	U1896	G1897	U1898	A1899	U1900	C1901	U1902	G1903	G1904	C1905
A1801	A1802	A1803	A1804	A1805	A1806	G1807	A1808	A1809	A1810	A1811	U1812	U1813	A1814	A1815	C1816	U1817	A1818	A1819	U1820	A1821	G1822	G1823	G1824	U1825	G1826	U1827	U1828	G1829	A1830	U1831	G1832	C1833	U1834	A1835	U1836	G1837	C1838	U1839	G1840	U1841	U1842	G1843	C1844	G1845
C1741	U1742	G1743	A1744	U1745	A1746	U1747	C1748	A1749	A1750	U1751	U1752	G1753	A1754	U1755	G1756	U1757	U1758	U1759	C1760	C1761	G1762	G1763	U1764	U1765	G1766	U1767	C1768	U1769	G1770	C1771	A1772	U1773	U1774	U1775	U1776	U1777	U1778	U1779	U1780	U1781	U1782	G1783	A1784	U1785
G1681	G1682	U1683	G1684	C1685	A1686	U1687	U1688	A1689	A1690	C1691	U1692	U1693	C1694	G1695	U1696	A1697	A1698	C1699	A1700	A1701	G1702	G1703	G1704	U1705	C1706	U1707	C1708	U1709	G1710	U1711	U1712	G1713	U1714	G1715	U1716	U1717	U1718	U1719	U1720	G1721	A1722	G1723	G1724	U1725
U1621	G1622	U1623	U1624	C1625	A1626	U1627	U1628	U1629	A1630	A1631	U1632	U1633	A1634	U1635	U1636	A1637	A1638	C1639	A1640	A1641	G1642	G1643	C1644	U1645	C1646	U1647	U1648	U1649	A1650	G1651	A1652	G1653	U1654	A1655	C1656	U1657	U1658	U1659	G1660	G1661	U1662	U1663	A1664	A1665



• Molecule 3: PREPROTEIN TRANSLOCASE SECY SUBUNIT




• Molecule 4: PREPROTEIN TRANSLOCASE SECE SUBUNIT




• Molecule 5: Preprotein translocase subunit secG




• Molecule 6: 50S ribosomal protein L1




- Molecule 7: 50S ribosomal protein L2




- Molecule 8: 50S ribosomal protein L3



- Molecule 9: 50S ribosomal protein L4




- Molecule 10: 50S ribosomal protein L5




- Molecule 11: 50S ribosomal protein L6

Chain AG:  66% 26% 7% ..




- Molecule 12: 50S ribosomal protein L9

Chain AH:  70% 26% .




- Molecule 13: 50S ribosomal protein L11

Chain AI:  74% 20% 6% .




- Molecule 14: 50S ribosomal protein L13

Chain AJ:  65% 27% 6% .





- Molecule 15: 50S ribosomal protein L14

Chain AK:  68% 24% 6% ..




- Molecule 16: 50S ribosomal protein L15

Chain AL:  74% 17% 6% ..




- Molecule 17: 50S ribosomal protein L16

Chain AM: 55% 35% 9% .



- Molecule 18: 50S ribosomal protein L17

Chain AN: 60% 28% 5% 6% .




- Molecule 19: 50S ribosomal protein L18

Chain AO: 79% 18% .



- Molecule 20: 50S ribosomal protein L19

Chain AP: 71% 22% .



- Molecule 21: 50S ribosomal protein L20


Chain AQ: 69% 22% 8% .





- Molecule 22: 50S ribosomal protein L21

Chain AR: 62% 29% 9%





- Molecule 23: 50S ribosomal protein L22

Chain AS: 66% 25% 6%




- Molecule 24: 50S ribosomal protein L23

Chain AT: 58% 27% 6% 7%



- Molecule 25: 50S ribosomal protein L24

Chain AU: 66% 24% 5% 3%




- Molecule 26: 50S ribosomal protein L25

Chain AV: 65% 31% 2% 2%



- Molecule 27: 50S ribosomal protein L27

Chain AW: 48% 29% 12% 7%




- Molecule 28: 50S ribosomal protein L28

Chain AX: 55% 38%



- Molecule 29: 50S ribosomal protein L29

Chain AY: 86% 14%




- Molecule 30: 50S ribosomal protein L30

Chain AZ: 68% 25%




- Molecule 31: 50S ribosomal protein L32

Chain A0: 65% 25% 9%




- Molecule 32: 50S ribosomal protein L33

Chain A1: 55% 27% 5% 9%




- Molecule 33: 50S ribosomal protein L34

Chain A2: 65% 28% 7%



- Molecule 34: 50S ribosomal protein L35

Chain A3: 




- Molecule 35: 50S ribosomal protein L36

Chain A4: 




- Molecule 36: 16S ribosomal RNA

Chain BA: 






Chain BC:  67% 17% 12%




- Molecule 39: 30S ribosomal protein S4

Chain BD:  72% 24% 4%




- Molecule 40: 30S ribosomal protein S5

Chain BE:  59% 26% 5% 10%




- Molecule 41: 30S ribosomal protein S6

Chain BF:  41% 27% 5% 26%



- Molecule 42: 30S ribosomal protein S7

Chain BG:  66% 15% 16%




- Molecule 43: 30S ribosomal protein S8

Chain BH:  72% 22% 5% ..




- Molecule 44: 30S ribosomal protein S9

Chain BI:  71% 22% . .




- Molecule 45: 30S ribosomal protein S10

Chain BJ:  69% 22% . 5%




- Molecule 46: 30S ribosomal protein S11

Chain BK:  59% 22% 9% 9%




- Molecule 47: 30S ribosomal protein S12

Chain BL:  65% 27% 6% ..



- Molecule 48: 30S ribosomal protein S13

Chain BM:  73% 17% 5% ..




- Molecule 49: 30S ribosomal protein S14

Chain BN: 79% 15% ..



- Molecule 50: 30S ribosomal protein S15

Chain BO: 70% 24% 6% .




- Molecule 51: 30S ribosomal protein S16

Chain BP: 71% 20% 6% ..




- Molecule 52: 30S ribosomal protein S17

Chain BQ: 60% 29% 6% • 5%




- Molecule 53: 30S ribosomal protein S18

Chain BR: 56% 11% • • 27%



- Molecule 54: 30S ribosomal protein S19


Chain BS: 45% 34% 8% 14%



- Molecule 55: 30S ribosomal protein S20



● Molecule 56: 30S ribosomal protein S21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	39000	Depositor
Resolution determination method	Not provided	
CTF correction method	EMAN- PHASE FLIPPING OF PARTICLES FORM THE SAME MICROGRAPH	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	15	Depositor
Minimum defocus (nm)	-700.00	Depositor
Maximum defocus (nm)	-3000.00	Depositor
Magnification	51000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	10.649	Depositor
Minimum map value	-4.997	Depositor
Average map value	0.150	Depositor
Map value standard deviation	0.868	Depositor
Recommended contour level	0.95	Depositor
Map size (Å)	393.12, 393.12, 393.12	wwPDB
Map dimensions	144, 144, 144	wwPDB
Map angles (°)	90, 90, 90	wwPDB
Pixel spacing (Å)	2.73, 2.73, 2.73	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A7	2.22	139/2803 (5.0%)	3.06	443/4371 (10.1%)
2	A8	2.30	3372/69800 (4.8%)	3.05	10411/108892 (9.6%)
3	AA	0.95	0/3484	1.15	15/4732 (0.3%)
4	AB	0.98	0/514	1.20	1/694 (0.1%)
5	AC	0.98	0/262	1.02	0/354
6	A5	0.98	0/1748	1.20	3/2355 (0.1%)
7	A6	1.15	0/2121	1.35	8/2852 (0.3%)
8	AD	1.10	0/1586	1.41	10/2134 (0.5%)
9	AE	1.05	0/1571	1.28	7/2113 (0.3%)
10	AF	1.11	0/1444	1.37	6/1937 (0.3%)
11	AG	1.09	0/1343	1.41	12/1816 (0.7%)
12	AH	1.05	0/1122	1.36	7/1515 (0.5%)
13	AI	0.96	0/1046	1.24	3/1410 (0.2%)
14	AJ	1.16	1/1152 (0.1%)	1.37	3/1551 (0.2%)
15	AK	1.21	0/939	1.35	4/1258 (0.3%)
16	AL	1.12	0/1054	1.30	7/1403 (0.5%)
17	AM	1.15	0/1093	1.46	12/1460 (0.8%)
18	AN	1.21	0/973	1.43	9/1301 (0.7%)
19	AO	1.16	0/902	1.30	3/1209 (0.2%)
20	AP	1.16	0/929	1.38	5/1242 (0.4%)
21	AQ	1.24	0/960	1.45	8/1278 (0.6%)
22	AR	1.19	0/829	1.43	5/1107 (0.5%)
23	AS	1.11	0/864	1.40	9/1156 (0.8%)
24	AT	1.04	0/744	1.40	5/994 (0.5%)
25	AU	1.05	0/787	1.34	5/1051 (0.5%)
26	AV	1.11	0/766	1.38	4/1025 (0.4%)
27	AW	1.11	0/603	1.37	4/797 (0.5%)
28	AX	1.23	0/635	1.54	6/848 (0.7%)
29	AY	1.08	0/510	1.23	0/677
30	AZ	1.13	0/453	1.34	3/605 (0.5%)
31	A0	1.15	0/450	1.30	2/599 (0.3%)
32	A1	1.03	0/416	1.57	5/554 (0.9%)
33	A2	1.33	0/380	1.51	1/498 (0.2%)
34	A3	1.06	0/513	1.33	2/676 (0.3%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	A4	1.20	0/303	1.31	1/397 (0.3%)
36	BA	2.16	1315/36762 (3.6%)	2.97	5321/57350 (9.3%)
37	BB	1.01	0/1735	1.19	4/2338 (0.2%)
38	BC	1.04	0/1651	1.24	5/2225 (0.2%)
39	BD	1.09	0/1665	1.25	7/2227 (0.3%)
40	BE	1.08	0/1118	1.32	5/1504 (0.3%)
41	BF	1.11	0/835	1.35	9/1128 (0.8%)
42	BG	1.06	0/1187	1.20	3/1591 (0.2%)
43	BH	1.08	0/989	1.39	5/1326 (0.4%)
44	BI	1.20	0/1034	1.33	4/1375 (0.3%)
45	BJ	1.08	0/796	1.25	2/1077 (0.2%)
46	BK	1.15	0/893	1.36	3/1205 (0.2%)
47	BL	1.21	0/969	1.41	5/1300 (0.4%)
48	BM	1.13	0/884	1.26	6/1181 (0.5%)
49	BN	1.10	0/817	1.34	5/1088 (0.5%)
50	BO	1.19	0/724	1.33	3/966 (0.3%)
51	BP	1.14	0/648	1.29	6/870 (0.7%)
52	BQ	1.09	0/657	1.33	4/881 (0.5%)
53	BR	1.15	0/462	1.41	5/621 (0.8%)
54	BS	1.09	1/652 (0.2%)	1.36	7/877 (0.8%)
55	BT	1.13	0/671	1.30	3/888 (0.3%)
56	BU	1.21	0/430	1.26	2/570 (0.4%)
All	All	1.96	4828/160678 (3.0%)	2.65	16443/239449 (6.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A7	0	56
2	A8	0	1380
3	AA	0	12
4	AB	0	2
6	A5	0	3
7	A6	0	18
8	AD	0	9
9	AE	0	6
10	AF	0	5
11	AG	0	6
12	AH	0	2
13	AI	0	3

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
14	AJ	0	6
15	AK	0	4
16	AL	0	4
17	AM	0	13
18	AN	0	4
19	AO	0	3
20	AP	0	5
21	AQ	0	7
22	AR	0	4
23	AS	0	2
24	AT	0	3
25	AU	0	4
26	AV	0	1
27	AW	0	1
28	AX	0	2
29	AY	0	2
30	AZ	0	2
31	A0	0	3
32	A1	0	3
33	A2	0	1
34	A3	0	4
35	A4	0	1
36	BA	0	678
37	BB	0	5
38	BC	0	2
39	BD	0	12
40	BE	0	1
41	BF	0	3
42	BG	0	3
43	BH	0	4
44	BI	0	1
45	BJ	0	1
46	BK	0	5
47	BL	0	9
48	BM	0	7
49	BN	0	4
50	BO	0	5
51	BP	0	3
52	BQ	0	1
53	BR	0	4
54	BS	0	2
55	BT	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
56	BU	0	3
All	All	0	2335

The worst 5 of 4828 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A8	2469	A	N7-C5	-14.86	1.30	1.39
2	A8	1689	A	N7-C5	-14.56	1.30	1.39
2	A8	2412	A	N7-C5	-13.83	1.30	1.39
2	A8	2860	A	N7-C5	-13.77	1.30	1.39
2	A8	633	A	N7-C5	-13.76	1.30	1.39

The worst 5 of 16443 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A8	1723	G	C5-C6-O6	-25.05	113.57	128.60
2	A8	2471	A	O4'-C1'-N9	24.02	127.42	108.20
2	A8	1723	G	N1-C6-O6	23.04	133.72	119.90
2	A8	2468	A	O4'-C1'-N9	21.60	125.48	108.20
2	A8	198	C	C6-N1-C2	-21.54	111.68	120.30

There are no chirality outliers.

5 of 2335 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A7	10	G	Sidechain
1	A7	4	C	Sidechain
1	A7	5	U	Sidechain
1	A7	7	G	Sidechain
1	A7	9	G	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A7	2507	0	1270	171	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A8	62321	0	31344	3726	0
3	AA	3408	0	3619	13	0
4	AB	505	0	557	1	0
5	AC	257	0	272	1	0
6	A5	1733	0	1824	24	0
7	A6	2082	0	2157	50	0
8	AD	1565	0	1616	37	0
9	AE	1552	0	1619	31	0
10	AF	1420	0	1460	20	0
11	AG	1323	0	1374	22	0
12	AH	1111	0	1148	17	0
13	AI	1032	0	1088	26	0
14	AJ	1129	0	1162	29	0
15	AK	930	0	1003	20	0
16	AL	1045	0	1117	15	0
17	AM	1074	0	1157	24	0
18	AN	960	0	1000	32	0
19	AO	892	0	923	10	0
20	AP	917	0	965	10	0
21	AQ	947	0	1022	15	0
22	AR	816	0	839	17	0
23	AS	857	0	922	22	0
24	AT	738	0	807	14	0
25	AU	779	0	834	16	0
26	AV	753	0	780	23	0
27	AW	596	0	610	29	0
28	AX	625	0	655	19	0
29	AY	509	0	543	5	0
30	AZ	449	0	491	11	0
31	A0	444	0	461	9	0
32	A1	409	0	440	14	0
33	A2	377	0	418	7	0
34	A3	504	0	574	12	0
35	A4	302	0	343	10	0
36	BA	32831	0	16521	1593	0
37	BB	1704	0	1732	17	0
38	BC	1624	0	1699	19	0
39	BD	1643	0	1710	21	0
40	BE	1105	0	1148	22	0
41	BF	817	0	808	21	0
42	BG	1174	0	1230	12	0
43	BH	979	0	1034	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	BI	1022	0	1070	17	0
45	BJ	786	0	828	13	0
46	BK	877	0	887	18	0
47	BL	955	0	1019	23	0
48	BM	876	0	937	7	0
49	BN	805	0	847	3	0
50	BO	716	0	742	10	0
51	BP	638	0	656	11	0
52	BQ	648	0	691	10	0
53	BR	455	0	478	6	0
54	BS	637	0	665	25	0
55	BT	665	0	714	7	0
56	BU	425	0	449	4	0
All	All	148250	0	102279	6042	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

The worst 5 of 6042 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A8:1902:C:H1'	7:A6:242:HIS:CE1	2.14	0.83
36:BA:113:G:H1'	36:BA:354:G:H4'	1.61	0.83
2:A8:2121:G:H1	2:A8:2176:A:H61	1.27	0.82
36:BA:68:G:H1'	36:BA:151:A:H61	1.47	0.79
28:AX:18:SER:H	28:AX:22:ASN:H	1.30	0.79

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	AA	440/442 (100%)	383 (87%)	41 (9%)	16 (4%)	3	25
4	AB	63/65 (97%)	55 (87%)	3 (5%)	5 (8%)	1	13
5	AC	30/53 (57%)	29 (97%)	1 (3%)	0	100	100
6	A5	232/234 (99%)	199 (86%)	18 (8%)	15 (6%)	1	16
7	A6	269/273 (98%)	192 (71%)	55 (20%)	22 (8%)	1	12
8	AD	207/209 (99%)	144 (70%)	40 (19%)	23 (11%)	0	7
9	AE	199/201 (99%)	155 (78%)	29 (15%)	15 (8%)	1	13
10	AF	176/179 (98%)	120 (68%)	34 (19%)	22 (12%)	0	5
11	AG	174/177 (98%)	129 (74%)	24 (14%)	21 (12%)	0	6
12	AH	147/149 (99%)	102 (69%)	32 (22%)	13 (9%)	1	11
13	AI	139/142 (98%)	122 (88%)	11 (8%)	6 (4%)	2	22
14	AJ	140/142 (99%)	109 (78%)	22 (16%)	9 (6%)	1	16
15	AK	119/123 (97%)	87 (73%)	26 (22%)	6 (5%)	2	20
16	AL	141/144 (98%)	107 (76%)	18 (13%)	16 (11%)	0	7
17	AM	134/136 (98%)	91 (68%)	31 (23%)	12 (9%)	1	11
18	AN	118/127 (93%)	89 (75%)	21 (18%)	8 (7%)	1	15
19	AO	114/117 (97%)	94 (82%)	17 (15%)	3 (3%)	5	31
20	AP	112/115 (97%)	82 (73%)	20 (18%)	10 (9%)	1	11
21	AQ	115/118 (98%)	87 (76%)	20 (17%)	8 (7%)	1	14
22	AR	101/103 (98%)	84 (83%)	11 (11%)	6 (6%)	1	17
23	AS	108/110 (98%)	85 (79%)	17 (16%)	6 (6%)	2	19
24	AT	91/100 (91%)	60 (66%)	23 (25%)	8 (9%)	1	11
25	AU	100/104 (96%)	67 (67%)	17 (17%)	16 (16%)	0	3
26	AV	92/94 (98%)	73 (79%)	17 (18%)	2 (2%)	6	35
27	AW	77/85 (91%)	48 (62%)	13 (17%)	16 (21%)	0	2
28	AX	75/78 (96%)	49 (65%)	19 (25%)	7 (9%)	0	11
29	AY	61/63 (97%)	41 (67%)	19 (31%)	1 (2%)	9	44
30	AZ	56/59 (95%)	49 (88%)	6 (11%)	1 (2%)	8	40
31	A0	54/57 (95%)	41 (76%)	8 (15%)	5 (9%)	0	11
32	A1	48/55 (87%)	37 (77%)	6 (12%)	5 (10%)	0	8
33	A2	44/46 (96%)	33 (75%)	7 (16%)	4 (9%)	1	11
34	A3	62/65 (95%)	48 (77%)	10 (16%)	4 (6%)	1	16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
35	A4	36/38 (95%)	27 (75%)	6 (17%)	3 (8%)	1	12
37	BB	216/241 (90%)	165 (76%)	40 (18%)	11 (5%)	2	19
38	BC	204/233 (88%)	158 (78%)	30 (15%)	16 (8%)	1	13
39	BD	203/206 (98%)	163 (80%)	28 (14%)	12 (6%)	1	17
40	BE	148/167 (89%)	106 (72%)	32 (22%)	10 (7%)	1	15
41	BF	98/135 (73%)	71 (72%)	16 (16%)	11 (11%)	0	7
42	BG	148/179 (83%)	110 (74%)	26 (18%)	12 (8%)	1	12
43	BH	127/130 (98%)	87 (68%)	32 (25%)	8 (6%)	1	17
44	BI	125/130 (96%)	99 (79%)	16 (13%)	10 (8%)	1	12
45	BJ	96/103 (93%)	79 (82%)	9 (9%)	8 (8%)	1	12
46	BK	115/129 (89%)	87 (76%)	15 (13%)	13 (11%)	0	7
47	BL	121/124 (98%)	104 (86%)	13 (11%)	4 (3%)	4	26
48	BM	111/118 (94%)	83 (75%)	18 (16%)	10 (9%)	1	11
49	BN	98/101 (97%)	68 (69%)	21 (21%)	9 (9%)	1	11
50	BO	86/89 (97%)	76 (88%)	7 (8%)	3 (4%)	3	25
51	BP	78/82 (95%)	63 (81%)	9 (12%)	6 (8%)	1	13
52	BQ	78/84 (93%)	58 (74%)	12 (15%)	8 (10%)	0	8
53	BR	53/75 (71%)	44 (83%)	7 (13%)	2 (4%)	3	24
54	BS	77/92 (84%)	57 (74%)	16 (21%)	4 (5%)	2	19
55	BT	83/87 (95%)	71 (86%)	8 (10%)	4 (5%)	2	21
56	BU	49/71 (69%)	33 (67%)	11 (22%)	5 (10%)	0	9
All	All	6388/6779 (94%)	4900 (77%)	1008 (16%)	480 (8%)	2	13

5 of 480 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	AA	239	LYS
3	AA	349	PRO
6	A5	55	SER
6	A5	59	VAL
7	A6	78	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	AA	362/362 (100%)	341 (94%)	21 (6%)	20	45
4	AB	52/52 (100%)	46 (88%)	6 (12%)	5	21
5	AC	28/45 (62%)	28 (100%)	0	100	100
6	A5	181/181 (100%)	171 (94%)	10 (6%)	21	47
7	A6	216/218 (99%)	200 (93%)	16 (7%)	13	38
8	AD	164/164 (100%)	144 (88%)	20 (12%)	5	20
9	AE	165/165 (100%)	161 (98%)	4 (2%)	49	69
10	AF	149/150 (99%)	135 (91%)	14 (9%)	8	28
11	AG	137/138 (99%)	127 (93%)	10 (7%)	14	39
12	AH	114/114 (100%)	110 (96%)	4 (4%)	36	59
13	AI	109/110 (99%)	100 (92%)	9 (8%)	11	34
14	AJ	116/116 (100%)	106 (91%)	10 (9%)	10	32
15	AK	102/104 (98%)	95 (93%)	7 (7%)	15	40
16	AL	102/103 (99%)	94 (92%)	8 (8%)	12	36
17	AM	109/109 (100%)	97 (89%)	12 (11%)	6	22
18	AN	100/103 (97%)	91 (91%)	9 (9%)	9	30
19	AO	86/87 (99%)	83 (96%)	3 (4%)	36	59
20	AP	99/100 (99%)	94 (95%)	5 (5%)	24	48
21	AQ	89/90 (99%)	81 (91%)	8 (9%)	9	30
22	AR	84/84 (100%)	76 (90%)	8 (10%)	8	27
23	AS	93/93 (100%)	82 (88%)	11 (12%)	5	20
24	AT	80/84 (95%)	72 (90%)	8 (10%)	7	26
25	AU	83/85 (98%)	78 (94%)	5 (6%)	19	44
26	AV	78/78 (100%)	72 (92%)	6 (8%)	13	37
27	AW	59/63 (94%)	51 (86%)	8 (14%)	3	17
28	AX	67/68 (98%)	63 (94%)	4 (6%)	19	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
29	AY	55/55 (100%)	55 (100%)	0	100	100
30	AZ	48/49 (98%)	46 (96%)	2 (4%)	30	54
31	A0	47/48 (98%)	42 (89%)	5 (11%)	6	24
32	A1	45/49 (92%)	44 (98%)	1 (2%)	52	71
33	A2	38/38 (100%)	34 (90%)	4 (10%)	7	24
34	A3	51/52 (98%)	45 (88%)	6 (12%)	5	20
35	A4	34/34 (100%)	33 (97%)	1 (3%)	42	64
37	BB	180/199 (90%)	173 (96%)	7 (4%)	32	56
38	BC	170/190 (90%)	162 (95%)	8 (5%)	26	51
39	BD	172/173 (99%)	166 (96%)	6 (4%)	36	59
40	BE	113/126 (90%)	103 (91%)	10 (9%)	10	31
41	BF	87/116 (75%)	79 (91%)	8 (9%)	9	29
42	BG	123/147 (84%)	121 (98%)	2 (2%)	62	79
43	BH	104/105 (99%)	96 (92%)	8 (8%)	13	37
44	BI	105/107 (98%)	98 (93%)	7 (7%)	16	41
45	BJ	86/90 (96%)	83 (96%)	3 (4%)	36	59
46	BK	90/99 (91%)	81 (90%)	9 (10%)	7	26
47	BL	103/104 (99%)	93 (90%)	10 (10%)	8	27
48	BM	91/96 (95%)	88 (97%)	3 (3%)	38	61
49	BN	83/84 (99%)	79 (95%)	4 (5%)	25	51
50	BO	76/77 (99%)	73 (96%)	3 (4%)	32	56
51	BP	65/65 (100%)	61 (94%)	4 (6%)	18	43
52	BQ	74/78 (95%)	68 (92%)	6 (8%)	11	35
53	BR	48/65 (74%)	43 (90%)	5 (10%)	7	24
54	BS	70/79 (89%)	67 (96%)	3 (4%)	29	53
55	BT	65/66 (98%)	58 (89%)	7 (11%)	6	23
56	BU	44/61 (72%)	40 (91%)	4 (9%)	9	29
All	All	5291/5518 (96%)	4929 (93%)	362 (7%)	19	41

5 of 362 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
31	A0	24	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	BH	26	MET
34	A3	1	PRO
39	BD	31	CYS
44	BI	105	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 88 such sidechains are listed below:

Mol	Chain	Res	Type
31	A0	41	HIS
41	BF	58	HIS
33	A2	16	HIS
38	BC	18	ASN
45	BJ	15	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A7	116/120 (96%)	24 (20%)	4 (3%)
2	A8	2902/2904 (99%)	537 (18%)	109 (3%)
36	BA	1530/1542 (99%)	296 (19%)	51 (3%)
All	All	4548/4566 (99%)	857 (18%)	164 (3%)

5 of 857 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A7	9	G
1	A7	12	C
1	A7	13	G
1	A7	14	U
1	A7	15	A

5 of 164 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
36	BA	60	A
36	BA	991	U
36	BA	243	A
36	BA	429	U
36	BA	1159	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1484. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 72



Y Index: 72




Z Index: 72


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 73



Y Index: 67




Z Index: 63


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.95. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3544 nm³; this corresponds to an approximate mass of 3201 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.104 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-1484 and PDB model 4V7I. Per-residue inclusion information can be found in section 3 on page 14.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.95 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.95).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 100% of all backbone atoms, 100% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ













































The table lists the average atom inclusion at the recommended contour level (0.95) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9960	 0.1610
A0	 0.9953	 0.1140
A1	 0.9950	 0.1310
A2	 0.9972	 0.1410
A3	 0.9776	 0.1300
A4	 0.9897	 0.1310
A5	 0.9081	 0.0820
A6	 0.9911	 0.1380
A7	 0.9996	 0.1830
A8	 0.9993	 0.1810
AA	 0.9714	 0.0740
AB	 0.9615	 0.1110
AC	 0.9921	 0.0350
AD	 0.9915	 0.1380
AE	 0.9987	 0.1290
AF	 0.9978	 0.1540
AG	 0.9985	 0.1610
AH	 0.9717	 0.1580
AI	 1.0000	 0.1010
AJ	 0.9891	 0.1590
AK	 0.9735	 0.1580
AL	 0.9941	 0.1270
AM	 0.9846	 0.1460
AN	 0.9978	 0.1410
AO	 0.9977	 0.1320
AP	 0.9932	 0.1520
AQ	 0.9901	 0.1300
AR	 0.9937	 0.1480
AS	 0.9952	 0.1460
AT	 0.9972	 0.1290
AU	 0.9883	 0.1180
AV	 0.9973	 0.1550
AW	 0.9931	 0.1240
AX	 0.9900	 0.1590
AY	 1.0000	 0.1390



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
AZ	 0.9931	 0.1470
BA	 0.9996	 0.1710
BB	 0.9976	 0.1530
BC	 0.9962	 0.1200
BD	 0.9981	 0.1150
BE	 0.9982	 0.1280
BF	 0.9987	 0.1650
BG	 0.9956	 0.1350
BH	 0.9938	 0.1440
BI	 1.0000	 0.1030
BJ	 0.9974	 0.0880
BK	 0.9977	 0.1390
BL	 0.9859	 0.1320
BM	 0.9953	 0.1580
BN	 0.9974	 0.0940
BO	 0.9942	 0.1470
BP	 1.0000	 0.0910
BQ	 1.0000	 0.1400
BR	 1.0000	 0.1580
BS	 1.0000	 0.0920
BT	 0.9985	 0.1380
BU	 1.0000	 0.1930