



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 8, 2020 – 02:23 AM EST

PDB ID : 6V8C
Title : Design, Synthesis, and Mechanism of Fluorine-substituted Cyclohexene Analogues of GAMA-Aminobutyric Acid (GABA) as Selective Ornithine Amino-transferase Inactivators
Authors : Zhu, W.; Doubleday, P.T.; Catlin, D.S.; Weerawarna, P.; Butrin, A.; Shen, S.; Kelleher, N.L.; Liu, D.; Silverman, R.B.
Deposited on : 2019-12-10
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.15.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.15.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	404	<div> <div>16%</div> <div> <div></div> <div>90%</div> <div>9%</div> </div> </div>
1	B	404	<div> <div>5%</div> <div> <div></div> <div>90%</div> <div>9%</div> </div> </div>
1	C	404	<div> <div>15%</div> <div> <div></div> <div>90%</div> <div>10%</div> </div> </div>

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 10360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ornithine aminotransferase, mitochondrial.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	404	Total	C	N	O	S	0	0	0
			3157	2028	532	585	12			
1	B	404	Total	C	N	O	S	0	0	0
			3161	2030	533	586	12			
1	C	404	Total	C	N	O	S	0	0	0
			3157	2028	532	585	12			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is 3-aminocyclohexa-1,3-diene-1-carboxylic acid (three-letter code: QRM) (formula:) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	7	1	2		
3	B	1	Total	C	N	O	0	0
			10	7	1	2		
3	C	1	Total	C	N	O	0	0
			10	7	1	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	269	Total	O	0	0
			269	269		
4	B	286	Total	O	0	0
			286	286		
4	C	255	Total	O	0	0
			255	255		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ornithine aminotransferase, mitochondrial




- Molecule 1: Ornithine aminotransferase, mitochondrial



- Molecule 1: Ornithine aminotransferase, mitochondrial





4 Data and refinement statistics

Property	Value	Source
Space group	P 31 1 2	Depositor
Cell constants a, b, c, α , β , γ	193.78Å 193.78Å 57.20Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	27.97 – 1.90 27.97 – 1.90	Depositor EDS
% Data completeness (in resolution range)	96.2 (27.97-1.90) 96.2 (27.97-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.01 (at 1.91Å)	Xtriage
Refinement program	PHENIX 1.17.1	Depositor
R, R_{free}	0.239 , 0.268 0.239 , 0.268	Depositor DCC
R_{free} test set	4653 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	17.9	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 55.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.045 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10360	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 81.33 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.6362e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: QRM, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3231	0.50	1/4388 (0.0%)
1	B	0.33	0/3235	0.51	1/4393 (0.0%)
1	C	0.32	0/3231	0.50	0/4388
All	All	0.32	0/9697	0.50	2/13169 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	405	LYS	CD-CE-NZ	-5.50	99.06	111.70
1	B	405	LYS	CD-CE-NZ	-5.21	99.72	111.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3157	0	3156	30	1
1	B	3161	0	3162	29	1
1	C	3157	0	3156	31	0
2	A	15	0	7	1	0
2	B	15	0	7	1	0
2	C	15	0	7	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	10	0	0	1	0
3	B	10	0	0	1	0
3	C	10	0	0	1	0
4	A	269	0	0	4	0
4	B	286	0	0	4	0
4	C	255	0	0	6	0
All	All	10360	0	9495	93	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:58:LEU:H	1:B:405:LYS:NZ	1.78	0.81
1:C:367:VAL:HG23	1:C:388:TRP:CZ2	2.19	0.78
1:A:58:LEU:H	1:A:405:LYS:NZ	1.82	0.76
1:C:314:ILE:HG22	4:C:601:HOH:O	1.85	0.75
1:A:58:LEU:HB2	1:A:405:LYS:HE2	1.66	0.75
1:C:314:ILE:O	4:C:601:HOH:O	2.09	0.70
1:A:58:LEU:H	1:A:405:LYS:HZ1	1.39	0.69
1:C:274:ARG:NH1	4:C:604:HOH:O	2.25	0.68
1:C:391:TRP:HZ3	1:C:405:LYS:HE3	1.58	0.68
1:B:242:ASP:OD2	4:B:601:HOH:O	2.10	0.67
1:B:254:THR:HG22	4:B:847:HOH:O	1.95	0.67
1:B:367:VAL:HG13	1:B:388:TRP:CH2	2.30	0.66
1:B:58:LEU:H	1:B:405:LYS:HZ1	1.41	0.66
1:B:58:LEU:HB2	1:B:405:LYS:HE2	1.77	0.66
1:A:242:ASP:OD2	4:A:601:HOH:O	2.13	0.66
1:A:367:VAL:HG11	1:A:436:ILE:HG23	1.78	0.65
1:B:367:VAL:HG11	1:B:436:ILE:HG23	1.79	0.64
1:C:275:TRP:HZ2	1:C:341:GLU:HG3	1.63	0.64
1:C:384:GLU:HG3	1:C:389:ASP:HB3	1.81	0.62
1:C:364:PRO:HG2	1:C:367:VAL:CG1	2.30	0.62
1:A:167:LYS:HE3	4:A:813:HOH:O	2.01	0.60
1:A:367:VAL:HG13	1:A:388:TRP:CH2	2.37	0.59
1:C:169:LYS:HD2	1:C:203:GLY:HA2	1.85	0.59
1:C:340:LEU:HD23	1:C:345:LEU:HD12	1.85	0.58
1:C:132:ASN:HB3	4:C:766:HOH:O	2.03	0.58
1:B:344:ASN:HB3	1:B:347:GLU:OE2	2.05	0.57
1:A:340:LEU:HD23	1:A:345:LEU:HD12	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:382:ILE:HG23	1:B:388:TRP:CH2	2.40	0.56
1:C:391:TRP:CZ3	1:C:405:LYS:HE3	2.39	0.56
1:C:367:VAL:HG23	1:C:388:TRP:HZ2	1.70	0.54
1:C:314:ILE:C	4:C:601:HOH:O	2.45	0.54
1:C:367:VAL:HG21	1:C:436:ILE:HG23	1.90	0.53
1:B:58:LEU:H	1:B:405:LYS:HZ3	1.54	0.53
1:C:364:PRO:HG2	1:C:367:VAL:HG12	1.91	0.52
1:A:430:GLU:HG2	4:B:777:HOH:O	2.09	0.52
1:A:125:GLU:O	1:A:129:LYS:HG2	2.08	0.52
1:A:178:TRP:CZ2	1:A:184:ALA:HA	2.44	0.52
1:C:367:VAL:HG23	1:C:388:TRP:CH2	2.44	0.52
1:B:351:LYS:HD2	1:B:352:LEU:HD23	1.92	0.51
1:A:372:ARG:HD2	4:A:701:HOH:O	2.11	0.50
1:B:367:VAL:HG13	1:B:388:TRP:CZ2	2.47	0.50
1:A:382:ILE:HG23	1:A:388:TRP:CH2	2.46	0.49
1:C:56:HIS:O	1:C:405:LYS:NZ	2.40	0.49
1:A:367:VAL:HG12	1:A:368:VAL:HG23	1.94	0.49
1:C:178:TRP:CZ2	1:C:184:ALA:HA	2.47	0.49
1:B:58:LEU:N	1:B:405:LYS:HZ3	2.11	0.48
1:B:366:ASP:OD2	1:B:367:VAL:HG23	2.14	0.48
1:A:164:GLN:HB2	1:A:167:LYS:HE2	1.95	0.48
1:C:247:MET:HG3	1:C:281:GLU:HB3	1.95	0.48
1:B:178:TRP:CZ2	1:B:184:ALA:HA	2.50	0.47
1:B:252:LEU:HD23	1:B:255:ARG:HH21	1.80	0.46
1:A:149:ALA:HB2	1:A:289:LEU:HD21	1.98	0.45
1:A:165:LYS:HA	1:A:166:TYR:HA	1.65	0.45
1:A:369:THR:HG21	4:A:769:HOH:O	2.16	0.45
1:B:385:THR:OG1	1:B:388:TRP:N	2.49	0.45
1:C:242:ASP:OD2	4:C:603:HOH:O	2.21	0.45
1:C:364:PRO:HG2	1:C:367:VAL:HG11	1.98	0.45
1:A:247:MET:HG3	1:A:281:GLU:HB3	1.98	0.45
1:B:149:ALA:HB2	1:B:289:LEU:HD21	1.99	0.44
1:B:387:ASP:OD1	1:B:387:ASP:N	2.51	0.44
2:A:501:PLP:O3	3:A:502:QRM:N10	2.48	0.44
1:B:165:LYS:HA	1:B:166:TYR:HA	1.67	0.44
1:B:247:MET:HG3	1:B:281:GLU:HB3	1.99	0.44
1:C:215:LEU:O	1:C:219:LEU:HG	2.17	0.44
1:B:58:LEU:N	1:B:405:LYS:NZ	2.57	0.44
1:C:385:THR:HG1	1:C:387:ASP:CG	2.21	0.44
1:B:119:VAL:HG11	1:B:331:ARG:HG2	2.00	0.44
2:B:501:PLP:O3	3:B:502:QRM:N10	2.50	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:LEU:HA	1:B:72:ASP:HA	2.00	0.43
1:C:165:LYS:HA	1:C:166:TYR:HA	1.68	0.43
1:C:394:CYS:SG	1:C:406:PRO:HD3	2.58	0.43
1:A:232:ILE:HD11	1:A:374:LYS:HD2	2.01	0.43
1:A:367:VAL:HG13	1:A:388:TRP:CZ2	2.53	0.43
1:C:119:VAL:HG11	1:C:331:ARG:HG2	2.00	0.43
1:A:167:LYS:O	1:A:169:LYS:NZ	2.48	0.42
1:A:341:GLU:HA	1:A:341:GLU:OE2	2.20	0.42
1:C:169:LYS:CD	1:C:203:GLY:HA2	2.50	0.42
1:C:275:TRP:CZ2	1:C:341:GLU:HG3	2.50	0.42
1:A:261:ILE:HG12	1:A:287:ILE:HD12	2.01	0.42
1:A:68:ILE:HA	1:A:417:PRO:HG2	2.02	0.41
1:A:58:LEU:H	1:A:405:LYS:HZ3	1.65	0.41
1:A:169:LYS:HD3	1:A:169:LYS:HA	1.89	0.41
1:B:128:THR:HB	1:B:133:TYR:O	2.21	0.41
1:B:164:GLN:HB2	1:B:167:LYS:HE2	2.02	0.41
1:B:384:GLU:HG3	1:B:389:ASP:HB3	2.02	0.41
1:A:358:ASN:HA	1:A:361:MET:HE3	2.02	0.41
1:C:149:ALA:HB2	1:C:289:LEU:HD21	2.01	0.41
1:B:385:THR:HG1	1:B:388:TRP:H	1.67	0.40
1:C:423:ASP:OD1	1:C:424:GLU:N	2.54	0.40
2:C:501:PLP:O3	3:C:502:QRM:N10	2.52	0.40
1:A:367:VAL:HG13	1:A:388:TRP:HH2	1.84	0.40
1:A:58:LEU:N	1:A:405:LYS:NZ	2.60	0.40
1:B:64:ARG:NH2	4:B:603:HOH:O	2.30	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:ALA:O	1:A:405:LYS:NZ[5_555]	1.85	0.35
1:B:114:ALA:O	1:B:405:LYS:NZ[6_565]	1.92	0.28

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/404 (100%)	383 (95%)	18 (4%)	1 (0%)	47	38
1	B	402/404 (100%)	385 (96%)	16 (4%)	1 (0%)	47	38
1	C	402/404 (100%)	383 (95%)	17 (4%)	2 (0%)	29	18
All	All	1206/1212 (100%)	1151 (95%)	51 (4%)	4 (0%)	41	31

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	257	GLN
1	A	292	LYS
1	B	292	LYS
1	C	292	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	336/337 (100%)	334 (99%)	2 (1%)	86	87
1	B	337/337 (100%)	335 (99%)	2 (1%)	86	87
1	C	336/337 (100%)	335 (100%)	1 (0%)	92	93
All	All	1009/1011 (100%)	1004 (100%)	5 (0%)	88	89

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	260	PHE
1	A	351	LYS
1	B	260	PHE
1	B	351	LYS
1	C	260	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	99	ASN
1	B	257	GLN
1	C	400	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	QRM	C	502	1,2	6,10,10	3.74	4 (66%)	5,13,13	2.60	4 (80%)
3	QRM	A	502	1,2	6,10,10	3.74	4 (66%)	5,13,13	2.45	4 (80%)
3	QRM	B	502	1,2	6,10,10	3.79	4 (66%)	5,13,13	2.50	4 (80%)
2	PLP	C	501	3	15,15,16	1.03	2 (13%)	20,22,23	0.96	2 (10%)
2	PLP	B	501	3	15,15,16	0.94	1 (6%)	20,22,23	0.85	0
2	PLP	A	501	3	15,15,16	1.04	2 (13%)	20,22,23	0.93	2 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	QRM	C	502	1,2	-	0/0/14/14	0/1/1/1
3	QRM	A	502	1,2	-	0/0/14/14	0/1/1/1
3	QRM	B	502	1,2	-	0/0/14/14	0/1/1/1
2	PLP	C	501	3	-	0/6/6/8	0/1/1/1
2	PLP	B	501	3	-	0/6/6/8	0/1/1/1
2	PLP	A	501	3	-	0/6/6/8	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	QRM	C6-N10	5.56	1.49	1.35
3	A	502	QRM	C6-N10	5.54	1.49	1.35
3	C	502	QRM	C6-N10	5.49	1.49	1.35
3	B	502	QRM	C3-C4	-5.17	1.39	1.52
3	C	502	QRM	C3-C4	-5.11	1.39	1.52
3	A	502	QRM	C3-C4	-5.10	1.39	1.52
3	B	502	QRM	C4-C5	-4.00	1.39	1.50
3	C	502	QRM	C4-C5	-3.91	1.39	1.50
3	A	502	QRM	C4-C5	-3.87	1.40	1.50
3	B	502	QRM	C3-C2	-3.06	1.39	1.49
3	C	502	QRM	C3-C2	-2.97	1.39	1.49
3	A	502	QRM	C3-C2	-2.97	1.39	1.49
2	C	501	PLP	C2-N1	2.35	1.38	1.33
2	A	501	PLP	C2-N1	2.26	1.38	1.33
2	B	501	PLP	C6-N1	2.11	1.38	1.34
2	A	501	PLP	C6-N1	2.04	1.38	1.34
2	C	501	PLP	C6-N1	2.01	1.38	1.34

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	QRM	C3-C4-C5	3.32	120.51	111.37
3	C	502	QRM	C3-C4-C5	3.27	120.37	111.37
3	C	502	QRM	C4-C5-C6	-3.23	118.62	123.26
3	A	502	QRM	C3-C4-C5	3.18	120.11	111.37
3	B	502	QRM	C4-C5-C6	-3.08	118.83	123.26
3	A	502	QRM	C4-C5-C6	-2.97	118.99	123.26
3	C	502	QRM	C4-C3-C2	2.47	120.79	113.83
3	C	502	QRM	C5-C6-N10	-2.43	120.01	124.05
3	A	502	QRM	C4-C3-C2	2.40	120.58	113.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	PLP	C6-C5-C4	2.35	120.01	118.16
3	B	502	QRM	C4-C3-C2	2.34	120.41	113.83
3	A	502	QRM	C5-C6-N10	-2.25	120.31	124.05
2	A	501	PLP	C6-C5-C4	2.24	119.92	118.16
2	C	501	PLP	C5-C6-N1	-2.22	120.11	123.82
3	B	502	QRM	C5-C6-N10	-2.18	120.42	124.05
2	A	501	PLP	C5-C6-N1	-2.16	120.21	123.82

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


6 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	502	QRM	1	0
3	A	502	QRM	1	0
3	B	502	QRM	1	0
2	C	501	PLP	1	0
2	B	501	PLP	1	0
2	A	501	PLP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	404/404 (100%)	1.10	63 (15%) 2 2	14, 25, 43, 87	0
1	B	404/404 (100%)	0.06	20 (4%) 28 32	5, 15, 32, 61	0
1	C	404/404 (100%)	1.11	62 (15%) 2 2	13, 25, 45, 86	0
All	All	1212/1212 (100%)	0.76	145 (11%) 4 4	5, 22, 43, 87	0

All (145) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	36	GLY	10.7
1	A	37	PRO	10.5
1	C	37	PRO	10.5
1	C	36	GLY	10.1
1	B	388	TRP	9.1
1	A	36	GLY	8.6
1	B	37	PRO	7.9
1	C	388	TRP	7.5
1	A	387	ASP	6.5
1	B	386	LYS	6.4
1	C	41	ASP	6.1
1	A	388	TRP	6.0
1	A	41	ASP	5.1
1	C	48	TYR	4.9
1	C	387	ASP	4.9
1	B	387	ASP	4.8
1	A	45	GLU	4.8
1	A	366	ASP	4.6
1	C	45	GLU	4.5
1	C	367	VAL	4.4
1	B	41	ASP	4.4
1	C	160	VAL	4.2
1	A	275	TRP	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	130	LEU	4.2
1	A	38	PRO	4.1
1	B	383	LYS	4.0
1	C	347	GLU	4.0
1	C	385	THR	3.9
1	B	367	VAL	3.9
1	C	275	TRP	3.8
1	C	254	THR	3.7
1	C	409	GLY	3.6
1	A	313	THR	3.6
1	A	386	LYS	3.5
1	C	342	GLU	3.5
1	C	87	ALA	3.5
1	A	358	ASN	3.4
1	A	85	TYR	3.4
1	A	341	GLU	3.3
1	A	384	GLU	3.3
1	C	85	TYR	3.3
1	A	48	TYR	3.3
1	A	409	GLY	3.3
1	B	366	ASP	3.2
1	A	160	VAL	3.2
1	A	347	GLU	3.2
1	A	344	ASN	3.2
1	A	367	VAL	3.2
1	C	130	LEU	3.1
1	A	385	THR	3.1
1	A	383	LYS	3.1
1	C	366	ASP	3.1
1	B	257	GLN	3.1
1	A	365	SER	3.1
1	A	82	LEU	3.0
1	B	385	THR	3.0
1	C	73	VAL	3.0
1	C	365	SER	3.0
1	C	313	THR	3.0
1	C	386	LYS	3.0
1	C	255	ARG	3.0
1	A	87	ALA	3.0
1	C	38	PRO	2.9
1	B	347	GLU	2.9
1	A	382	ILE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	40	SER	2.8
1	C	384	GLU	2.8
1	C	56	HIS	2.8
1	C	408	HIS	2.8
1	C	319	HIS	2.8
1	A	342	GLU	2.8
1	C	430	GLU	2.7
1	A	252	LEU	2.7
1	A	354	ILE	2.7
1	C	39	THR	2.7
1	C	423	ASP	2.6
1	A	254	THR	2.6
1	C	265	ILE	2.6
1	B	255	ARG	2.6
1	C	358	ASN	2.6
1	C	354	ILE	2.6
1	A	258	VAL	2.6
1	C	351	LYS	2.6
1	C	149	ALA	2.6
1	C	439	PHE	2.6
1	C	133	TYR	2.5
1	A	149	ALA	2.5
1	C	280	TYR	2.5
1	A	369	THR	2.5
1	C	258	VAL	2.5
1	C	44	PHE	2.5
1	A	158	TYR	2.5
1	A	312	LEU	2.5
1	C	314	ILE	2.4
1	A	423	ASP	2.4
1	C	40	SER	2.4
1	C	74	GLU	2.4
1	A	128	THR	2.4
1	B	365	SER	2.4
1	C	62	LEU	2.4
1	C	252	LEU	2.4
1	C	335	ALA	2.4
1	B	38	PRO	2.4
1	A	339	VAL	2.4
1	A	337	LEU	2.3
1	A	134	HIS	2.3
1	A	265	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	304	VAL	2.3
1	C	131	PHE	2.3
1	A	418	LEU	2.3
1	C	259	LEU	2.3
1	C	134	HIS	2.3
1	A	43	ILE	2.3
1	C	225	ALA	2.3
1	C	369	THR	2.3
1	B	82	LEU	2.3
1	A	351	LYS	2.2
1	C	320	GLY	2.2
1	C	383	LYS	2.2
1	C	363	LEU	2.2
1	A	280	TYR	2.2
1	C	159	THR	2.2
1	A	62	LEU	2.2
1	A	314	ILE	2.2
1	A	352	LEU	2.2
1	C	312	LEU	2.1
1	A	133	TYR	2.1
1	C	246	LEU	2.1
1	A	225	ALA	2.1
1	A	168	ALA	2.1
1	C	50	TYR	2.1
1	C	283	VAL	2.1
1	A	405	LYS	2.1
1	A	421	LYS	2.1
1	A	319	HIS	2.1
1	A	123	TYR	2.1
1	B	254	THR	2.1
1	A	60	VAL	2.1
1	A	260	PHE	2.1
1	A	304	VAL	2.1
1	B	392	LYS	2.1
1	B	405	LYS	2.1
1	A	131	PHE	2.0
1	A	61	ALA	2.0
1	B	382	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	QRM	C	502	10/10	0.78	0.21	18,24,26,27	0
3	QRM	A	502	10/10	0.85	0.18	19,23,25,27	0
2	PLP	A	501	15/16	0.93	0.13	15,17,21,21	0
2	PLP	C	501	15/16	0.94	0.13	12,16,19,20	0
3	QRM	B	502	10/10	0.94	0.11	15,18,19,21	0
2	PLP	B	501	15/16	0.98	0.10	6,9,12,13	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around QRM C 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around QRM A 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around QRM B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.