



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2021 – 01:36 AM EDT

PDB ID : 1VA6
Title : Crystal structure of Gamma-glutamylcysteine synthetase from Escherichia Coli B complexed with Transition-state analogue
Authors : Hibi, T.; Nii, H.; Nakatsu, T.; Kato, H.; Hiratake, J.; Oda, J.
Deposited on : 2004-02-12
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	518	 4% 79% 17% ..
1	B	518	 6% 82% 14% ..

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8486 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate–cysteine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	507	Total	C	N	O	S	0	0	0
			4017	2549	685	765	18			
1	B	503	Total	C	N	O	S	0	0	0
			3981	2528	679	756	18			


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	106	SER	CYS	engineered mutation	UNP P0A6W9
A	164	SER	CYS	engineered mutation	UNP P0A6W9
A	205	SER	CYS	engineered mutation	UNP P0A6W9
A	223	SER	CYS	engineered mutation	UNP P0A6W9
B	106	SER	CYS	engineered mutation	UNP P0A6W9
B	164	SER	CYS	engineered mutation	UNP P0A6W9
B	205	SER	CYS	engineered mutation	UNP P0A6W9
B	223	SER	CYS	engineered mutation	UNP P0A6W9

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	4	Total	Mg	0	0
			4	4		
2	B	4	Total	Mg	0	0
			4	4		

- Molecule 3 is (2S)-2-AMINO-4-[[[(2R)-2-CARBOXYBUTYL](PHOSPHONO)SULFONIMIDOYL]BUTANOIC ACID (three-letter code: P2S) (formula: C₉H₁₉N₂O₈PS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
3	A	1	Total	C	N	O	P	S	0	0
			21	9	2	8	1	1		
3	B	1	Total	C	N	O	P	S	0	0
			21	9	2	8	1	1		

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 5 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $C_{12}H_{26}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			19	12	7		
5	B	1	Total	C	O	0	0
			19	12	7		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	194	Total	O	0	0
			194	194		
6	B	152	Total	O	0	0
			152	152		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glutamate–cysteine ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.47Å 97.36Å 102.19Å 90.00° 109.63° 90.00°	Depositor
Resolution (Å)	40.00 – 2.10 39.25 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.0 (40.00-2.10) 97.0 (39.25-2.10)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.200 , 0.225 0.225 , 0.243	Depositor DCC
R_{free} test set	3702 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	34.1	Xtriage
Anisotropy	0.634	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.087 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8486	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: P2S, P6G, ADP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	0/4103	0.80	13/5555 (0.2%)
1	B	0.77	0/4066	0.79	7/5506 (0.1%)
All	All	0.82	0/8169	0.80	20/11061 (0.2%)

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	75	ASP	CB-CG-OD2	7.87	125.38	118.30
1	A	282	ASP	CB-CG-OD2	7.20	124.78	118.30
1	B	96	ASP	CB-CG-OD2	6.68	124.31	118.30
1	A	96	ASP	CB-CG-OD2	6.31	123.98	118.30
1	B	60	ASP	CB-CG-OD2	6.17	123.85	118.30
1	B	4	ASP	CB-CG-OD2	5.91	123.62	118.30
1	B	361	ASP	CB-CG-OD2	5.75	123.47	118.30
1	A	408	ASP	CB-CG-OD2	5.69	123.42	118.30
1	A	487	ASP	CB-CG-OD2	5.66	123.39	118.30
1	A	73	ASP	CB-CG-OD2	5.34	123.10	118.30
1	B	317	ASP	CB-CG-OD2	5.31	123.08	118.30
1	A	113	ASP	CB-CG-OD2	5.28	123.05	118.30
1	A	421	ASP	CB-CG-OD2	5.27	123.04	118.30
1	A	85	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	238	ASP	CB-CG-OD2	5.16	122.95	118.30
1	A	4	ASP	CB-CG-OD2	5.14	122.92	118.30
1	A	75	ASP	CB-CG-OD2	5.12	122.91	118.30
1	A	361	ASP	CB-CG-OD2	5.02	122.82	118.30
1	B	434	ASP	CB-CG-OD2	5.01	122.81	118.30
1	A	171	ASP	CB-CG-OD2	5.01	122.81	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4017	0	3935	56	0
1	B	3981	0	3889	44	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
3	A	21	0	15	0	0
3	B	21	0	15	0	0
4	A	27	0	12	0	0
4	B	27	0	12	0	0
5	A	19	0	26	5	0
5	B	19	0	26	7	0
6	A	194	0	0	6	0
6	B	152	0	0	4	0
All	All	8486	0	7930	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:431:LYS:HE2	1:B:435:GLU:OE2	1.79	0.82
1:A:242:THR:HG22	1:A:244:LYS:H	1.47	0.77
1:A:205:SER:HA	1:A:225:MET:HE2	1.67	0.76
1:A:188:TYR:HE1	5:A:526:P6G:H152	1.54	0.72
1:A:485:GLU:HG2	6:A:678:HOH:O	1.90	0.70
1:B:188:TYR:HE1	5:B:1526:P6G:H152	1.57	0.69
1:B:508:GLU:HG2	6:B:1674:HOH:O	1.92	0.69
1:A:305:PRO:O	1:A:306:LYS:HG2	1.94	0.68
1:B:192:TRP:O	1:B:195:PRO:HD2	1.93	0.67
1:A:5:VAL:O	1:A:5:VAL:HG12	1.97	0.65
1:A:497:ARG:HD2	6:A:677:HOH:O	1.97	0.65
1:B:27:GLU:HB2	1:B:150:HIS:HB2	1.80	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:236:LEU:CD2	5:A:526:P6G:H32	2.28	0.63
1:A:221:THR:HG23	1:A:223:SER:H	1.63	0.63
1:A:1:MET:HE3	6:A:577:HOH:O	1.98	0.63
1:A:100:TRP:CZ2	1:A:106:SER:HB2	2.34	0.62
1:B:242:THR:HG22	1:B:244:LYS:H	1.64	0.62
1:A:285:ARG:NH1	1:A:514:LEU:HD12	2.16	0.60
1:B:194:ILE:HB	1:B:195:PRO:HD3	1.84	0.60
1:B:374:ARG:HD2	5:B:1526:P6G:H141	1.85	0.59
1:A:163:LYS:HE2	6:A:643:HOH:O	2.02	0.58
1:B:114:ILE:HD13	1:B:145:THR:HG21	1.84	0.58
1:B:374:ARG:HB2	5:B:1526:P6G:H142	1.85	0.58
1:B:192:TRP:C	1:B:195:PRO:HD2	2.24	0.58
1:A:334:ILE:O	1:A:336:PRO:HD3	2.03	0.58
1:A:259:TYR:CZ	1:A:305:PRO:HG2	2.40	0.57
1:B:267:ILE:HD13	1:B:293:LEU:HB2	1.86	0.57
1:B:235:ARG:NH2	5:B:1526:P6G:H22	2.19	0.56
5:B:1526:P6G:H32	6:B:1633:HOH:O	2.04	0.56
1:A:281:LYS:HB3	1:A:286:LEU:HD11	1.87	0.56
1:A:141:ALA:O	1:A:145:THR:HG23	2.06	0.55
1:A:105:PRO:HD2	1:A:208:PHE:CZ	2.42	0.55
1:A:151:TYR:OH	1:A:351:ASP:OD1	2.23	0.55
1:B:188:TYR:CE1	5:B:1526:P6G:H152	2.40	0.54
1:A:54:HIS:HB3	1:A:57:ILE:O	2.09	0.53
1:B:68:PHE:CD2	1:B:87:HIS:CE1	2.97	0.52
1:A:32:ARG:HG2	1:A:94:MET:CE	2.39	0.52
1:B:242:THR:HG22	1:B:244:LYS:N	2.25	0.52
1:A:259:TYR:CE2	1:A:305:PRO:HG2	2.45	0.52
1:A:45:PRO:HD2	1:A:48:LEU:HD12	1.90	0.51
1:B:305:PRO:HB3	1:B:324:ILE:HD13	1.92	0.51
1:A:313:GLU:OE1	1:A:321:ARG:NH1	2.43	0.51
1:A:364:GLU:HG3	6:A:691:HOH:O	2.11	0.50
1:B:17:GLN:HB2	6:B:1672:HOH:O	2.11	0.50
1:B:181:PHE:CE2	1:B:256:LEU:HA	2.47	0.50
1:A:267:ILE:HD12	1:A:295:ILE:HA	1.95	0.49
1:B:454:SER:O	1:B:458:THR:HG23	2.13	0.49
1:B:334:ILE:O	1:B:336:PRO:HD3	2.13	0.48
1:A:50:SER:O	1:A:54:HIS:HB2	2.14	0.48
1:A:306:LYS:NZ	1:A:328:GLU:OE1	2.42	0.48
1:B:225:MET:HA	1:B:225:MET:HE2	1.94	0.47
1:B:202:PRO:HD2	6:B:1601:HOH:O	2.13	0.47
1:B:402:LEU:C	1:B:402:LEU:HD23	2.35	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:TYR:OH	1:A:305:PRO:HD2	2.15	0.47
1:B:374:ARG:HD2	5:B:1526:P6G:C14	2.45	0.47
1:A:244:LYS:C	1:A:246:GLN:H	2.19	0.47
1:B:313:GLU:OE1	1:B:321:ARG:NH1	2.48	0.47
1:A:472:ARG:O	1:A:476:ARG:HG3	2.15	0.47
1:B:132:ARG:HH11	1:B:132:ARG:HG3	1.80	0.46
1:A:61:PHE:CG	1:A:144:GLN:HB3	2.49	0.46
1:A:102:LEU:HD23	1:A:336:PRO:HB3	1.98	0.46
1:B:181:PHE:HE2	1:B:256:LEU:HA	1.81	0.46
1:B:431:LYS:HE2	1:B:435:GLU:CD	2.35	0.46
1:B:255:ASP:HB3	1:B:258:GLU:HB2	1.98	0.45
1:A:188:TYR:CE1	5:A:526:P6G:H152	2.44	0.45
1:A:244:LYS:C	1:A:246:GLN:N	2.70	0.45
1:A:104:MET:HE1	1:A:235:ARG:HA	1.98	0.44
1:B:102:LEU:HD23	1:B:336:PRO:HB3	2.00	0.44
1:B:138:ARG:NH2	1:B:291:ASN:O	2.43	0.44
1:A:32:ARG:HG2	1:A:94:MET:HE1	2.00	0.44
1:A:184:ILE:HG21	1:A:253:PHE:CD1	2.52	0.44
1:B:5:VAL:HB	1:B:9:LEU:HD12	1.99	0.44
1:A:305:PRO:O	1:A:306:LYS:CG	2.64	0.44
1:A:105:PRO:HD2	1:A:208:PHE:HZ	1.83	0.44
1:A:105:PRO:HB3	1:A:108:ILE:HD12	1.99	0.44
1:A:182:ARG:NH1	6:A:666:HOH:O	2.51	0.44
1:A:54:HIS:NE2	1:A:491:GLU:HG3	2.33	0.43
1:B:50:SER:O	1:B:54:HIS:HB2	2.18	0.43
1:A:465:LYS:HB3	1:A:465:LYS:HE2	1.78	0.43
1:B:149:VAL:HG23	1:B:334:ILE:HD13	2.00	0.43
1:B:225:MET:HA	1:B:225:MET:CE	2.48	0.43
1:A:249:LEU:HD21	1:A:292:VAL:HG11	2.01	0.42
1:A:514:LEU:HD23	1:A:514:LEU:HA	1.91	0.42
1:A:35:ALA:HA	1:A:98:ARG:HD3	2.01	0.42
1:B:232:THR:HA	1:B:448:SER:CB	2.49	0.42
1:B:250:GLY:HA2	1:B:367:SER:OG	2.19	0.42
1:A:194:ILE:HB	1:A:195:PRO:CD	2.50	0.42
1:A:194:ILE:HB	1:A:195:PRO:HD3	2.02	0.42
1:A:402:LEU:N	1:A:403:PRO:CD	2.83	0.42
1:B:31:LEU:CD2	1:B:65:LEU:HD13	2.51	0.41
1:A:104:MET:CE	1:A:235:ARG:HA	2.50	0.41
1:A:374:ARG:HG3	5:A:526:P6G:H121	2.03	0.41
1:A:402:LEU:C	1:A:402:LEU:HD23	2.41	0.41
1:A:236:LEU:HD23	5:A:526:P6G:H32	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:136:LYS:HG2	1:B:137:ASN:N	2.36	0.41
1:B:188:TYR:CE2	1:B:253:PHE:CE2	3.09	0.41
1:B:182:ARG:HH11	1:B:182:ARG:HD2	1.76	0.40
1:B:182:ARG:HD3	1:B:358:ALA:O	2.20	0.40
1:B:205:SER:HA	1:B:225:MET:HE2	2.03	0.40
1:A:244:LYS:O	1:A:246:GLN:N	2.55	0.40
1:A:58:THR:OG1	1:A:59:THR:N	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	501/518 (97%)	489 (98%)	11 (2%)	1 (0%)	47	49
1	B	495/518 (96%)	480 (97%)	14 (3%)	1 (0%)	47	49
All	All	996/1036 (96%)	969 (97%)	25 (2%)	2 (0%)	47	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	396	GLU
1	A	245	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	424/434 (98%)	402 (95%)	22 (5%)	23	21
1	B	418/434 (96%)	402 (96%)	16 (4%)	33	34
All	All	842/868 (97%)	804 (96%)	38 (4%)	27	27

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	LYS
1	A	28	ARG
1	A	84	ARG
1	A	98	ARG
1	A	104	MET
1	A	106	SER
1	A	173	LYS
1	A	206	SER
1	A	215	SER
1	A	221	THR
1	A	245	SER
1	A	271	SER
1	A	306	LYS
1	A	316	SER
1	A	327	ILE
1	A	354	MET
1	A	367	SER
1	A	453	ARG
1	A	454	SER
1	A	465	LYS
1	A	484	ARG
1	A	485	GLU
1	B	20	LYS
1	B	28	ARG
1	B	98	ARG
1	B	103	SER
1	B	136	LYS
1	B	175	LYS
1	B	182	ARG
1	B	215	SER
1	B	258	GLU
1	B	354	MET
1	B	366	SER
1	B	424	ASN
1	B	453	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	497	ARG
1	B	508	GLU
1	B	512	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	424	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 14 ligands modelled in this entry, 8 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	P2S	A	520	2	10,20,20	4.62	7 (70%)	10,29,29	1.91	4 (40%)
5	P6G	B	1526	-	18,18,18	0.64	0	17,17,17	0.84	0
3	P2S	B	1520	2	10,20,20	4.32	7 (70%)	10,29,29	1.83	2 (20%)
4	ADP	B	1521	2	24,29,29	1.15	1 (4%)	29,45,45	1.61	6 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	P6G	A	526	-	18,18,18	0.58	0	17,17,17	0.79	0
4	ADP	A	521	2	24,29,29	1.36	4 (16%)	29,45,45	1.58	5 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	P2S	A	520	2	-	2/11/27/27	-
5	P6G	B	1526	-	-	8/16/16/16	-
3	P2S	B	1520	2	-	2/11/27/27	-
4	ADP	B	1521	2	-	3/12/32/32	0/3/3/3
5	P6G	A	526	-	-	10/16/16/16	-
4	ADP	A	521	2	-	4/12/32/32	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1520	P2S	CB-CG	-8.91	1.43	1.52
3	A	520	P2S	CB-CG	-7.51	1.44	1.52
3	A	520	P2S	P-OP3	6.42	1.56	1.46
3	B	1520	P2S	P-OP3	6.09	1.56	1.46
3	A	520	P2S	CD-CE	-5.88	1.43	1.54
3	A	520	P2S	P-OP2	5.83	1.66	1.54
3	A	520	P2S	CA-N	-4.76	1.36	1.47
3	B	1520	P2S	CA-N	-4.58	1.36	1.47
3	B	1520	P2S	CF-CE	-4.23	1.41	1.54
3	A	520	P2S	CF-CE	-3.75	1.43	1.54
3	B	1520	P2S	CD-CE	-3.32	1.48	1.54
3	B	1520	P2S	P-NS	2.88	1.70	1.59
4	A	521	ADP	O4'-C4'	-2.79	1.38	1.45
3	B	1520	P2S	P-OP2	2.61	1.60	1.54
4	B	1521	ADP	O4'-C4'	-2.58	1.39	1.45
4	A	521	ADP	C2'-C1'	-2.52	1.49	1.53
4	A	521	ADP	C2-N3	2.45	1.36	1.32
4	A	521	ADP	PB-O1B	-2.14	1.43	1.50
3	A	520	P2S	OS-S	2.11	1.58	1.45

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	521	ADP	N3-C2-N1	-4.95	120.93	128.68
4	B	1521	ADP	N3-C2-N1	-4.87	121.07	128.68
3	B	1520	P2S	OS-S-CG	4.07	114.37	108.69
4	A	521	ADP	C2'-C3'-C4'	3.55	109.54	102.64
4	B	1521	ADP	C2'-C3'-C4'	3.34	109.13	102.64
3	A	520	P2S	OS-S-CG	3.30	113.29	108.69
4	B	1521	ADP	O3B-PB-O3A	2.72	113.76	104.64
4	B	1521	ADP	O4'-C4'-C5'	2.69	118.23	109.37
4	A	521	ADP	O3B-PB-O3A	2.63	113.47	104.64
3	B	1520	P2S	OP2-P-OP3	-2.59	107.90	113.45
4	B	1521	ADP	C5'-C4'-C3'	-2.49	105.85	115.18
3	A	520	P2S	CF-CE-C2	-2.35	106.64	112.45
3	A	520	P2S	OP1-P-OP3	-2.30	108.52	113.45
4	B	1521	ADP	O3'-C3'-C4'	-2.25	104.53	111.05
3	A	520	P2S	CH-CF-CE	-2.17	107.59	114.24
4	A	521	ADP	O4'-C4'-C5'	2.11	116.32	109.37
4	A	521	ADP	PA-O3A-PB	-2.08	125.70	132.83

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	520	P2S	S-CD-CE-C2
3	A	520	P2S	S-CD-CE-CF
3	B	1520	P2S	S-CD-CE-C2
3	B	1520	P2S	S-CD-CE-CF
4	A	521	ADP	O4'-C4'-C5'-O5'
4	A	521	ADP	C3'-C4'-C5'-O5'
5	B	1526	P6G	O13-C14-C15-O16
5	A	526	P6G	O13-C14-C15-O16
5	B	1526	P6G	O1-C2-C3-O4
5	A	526	P6G	O4-C5-C6-O7
5	A	526	P6G	C18-C17-O16-C15
5	B	1526	P6G	O7-C8-C9-O10
4	B	1521	ADP	O4'-C4'-C5'-O5'
5	A	526	P6G	O10-C11-C12-O13
5	A	526	P6G	C12-C11-O10-C9
5	B	1526	P6G	C18-C17-O16-C15
5	B	1526	P6G	C2-C3-O4-C5
5	A	526	P6G	C6-C5-O4-C3
5	B	1526	P6G	C12-C11-O10-C9
4	B	1521	ADP	PB-O3A-PA-O2A
4	B	1521	ADP	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	B	1526	P6G	C5-C6-O7-C8
5	A	526	P6G	C5-C6-O7-C8
5	B	1526	P6G	O16-C17-C18-O19
4	A	521	ADP	PB-O3A-PA-O2A
5	A	526	P6G	C9-C8-O7-C6
4	A	521	ADP	PB-O3A-PA-O1A
5	A	526	P6G	C11-C12-O13-C14
5	A	526	P6G	O1-C2-C3-O4


There are no ring outliers.

2 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1526	P6G	7	0
5	A	526	P6G	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand ADP B 1521



Ligand P6G A 526



Ligand ADP A 521



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	507/518 (97%)	0.16	20 (3%) 39 45	7, 23, 53, 84	0
1	B	503/518 (97%)	0.34	29 (5%) 23 28	9, 28, 63, 93	0
All	All	1010/1036 (97%)	0.25	49 (4%) 29 35	7, 26, 60, 93	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	170	ALA	5.3
1	B	397	THR	4.6
1	A	311	SER	4.4
1	A	513	TRP	4.1
1	A	222	GLU	4.0
1	B	272	GLU	4.0
1	A	215	SER	4.0
1	B	215	SER	3.9
1	B	171	ASP	3.8
1	B	277	ILE	3.6
1	A	507	THR	3.3
1	B	222	GLU	3.2
1	A	226	TYR	3.1
1	B	148	GLY	3.0
1	A	515	GLU	3.0
1	A	329	VAL	2.9
1	B	398	ALA	2.9
1	B	41	THR	2.9
1	B	283	GLY	2.8
1	A	223	SER	2.8
1	B	290	SER	2.8
1	A	283	GLY	2.8
1	B	26	LEU	2.8
1	A	397	THR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	331	SER	2.8
1	A	332	LEU	2.6
1	B	164	SER	2.6
1	B	226	TYR	2.6
1	B	270	PRO	2.6
1	B	268	LYS	2.6
1	B	332	LEU	2.5
1	B	458	THR	2.5
1	B	149	VAL	2.5
1	B	329	VAL	2.5
1	A	166	ASP	2.4
1	B	271	SER	2.3
1	A	267	ILE	2.2
1	A	109	ALA	2.2
1	B	165	GLY	2.2
1	B	331	SER	2.2
1	A	272	GLU	2.1
1	B	276	LYS	2.1
1	A	504	ALA	2.1
1	A	277	ILE	2.1
1	B	265	GLN	2.1
1	B	513	TRP	2.1
1	B	113	ASP	2.0
1	B	216	LEU	2.0
1	A	458	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MG	B	1523	1/1	0.81	0.21	11,11,11,11	0
5	P6G	B	1526	19/19	0.83	0.22	29,34,48,49	0
2	MG	B	1522	1/1	0.86	0.22	21,21,21,21	0
2	MG	B	1525	1/1	0.89	0.06	31,31,31,31	0
2	MG	A	524	1/1	0.89	0.13	14,14,14,14	0
5	P6G	A	526	19/19	0.90	0.23	27,34,45,45	0
2	MG	B	1524	1/1	0.94	0.18	15,15,15,15	0
2	MG	A	523	1/1	0.94	0.22	15,15,15,15	0
2	MG	A	522	1/1	0.95	0.12	18,18,18,18	0
4	ADP	B	1521	27/27	0.96	0.16	7,11,16,18	0
2	MG	A	525	1/1	0.96	0.03	14,14,14,14	0
3	P2S	B	1520	21/21	0.96	0.17	12,18,26,28	0
4	ADP	A	521	27/27	0.97	0.13	3,11,15,18	0
3	P2S	A	520	21/21	0.97	0.17	9,16,24,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around P6G A 526:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP B 1521:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P2S B 1520:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 521:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around P2S A 520:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.