



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2022 – 02:47 PM JST

PDB ID : 7VGK  
Title : Crystal structure of Lactobacillus rhamnosus 4-deoxy-L-threo-5-hexosulose-urionate ketol-isomerase KduI  
Authors : Iwase, H.; Oiki, S.; Mikami, B.; Takase, R.; Hashimoto, W.  
Deposited on : 2021-09-16  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.31.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	266	<div> <div>6%</div> <div> <div></div> <div>79%</div> <div>15%</div> <div>..</div> </div> </div>
1	B	266	<div> <div></div> <div> <div>80%</div> <div>14%</div> <div>..</div> </div> </div>
1	C	266	<div> <div>%</div> <div> <div></div> <div>83%</div> <div>12%</div> <div>.</div> </div> </div>
1	D	266	<div> <div>%</div> <div> <div></div> <div>84%</div> <div>12%</div> <div>.</div> </div> </div>
1	E	266	<div> <div></div> <div> <div>82%</div> <div>15%</div> <div>..</div> </div> </div>
1	F	266	<div> <div>2%</div> <div> <div></div> <div>77%</div> <div>18%</div> <div>..</div> </div> </div>

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 12377 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 4-deoxy-L-threo-5-hexosulose-uronate ketol-isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	255	Total	C	N	O	S	0	0	0
			2049	1308	343	383	15			
1	B	258	Total	C	N	O	S	0	0	0
			2077	1323	350	389	15			
1	C	256	Total	C	N	O	S	0	0	0
			2058	1313	344	386	15			
1	D	255	Total	C	N	O	S	0	0	0
			2047	1307	340	385	15			
1	E	259	Total	C	N	O	S	0	0	0
			2086	1328	352	391	15			
1	F	256	Total	C	N	O	S	0	0	0
			2060	1314	347	384	15			


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-deoxy-L-threo-5-hexosulose-uronate ketol-isomerase




- Molecule 1: 4-deoxy-L-threo-5-hexosulose-uronate ketol-isomerase



- Molecule 1: 4-deoxy-L-threo-5-hexosulose-uronate ketol-isomerase




- Molecule 1: 4-deoxy-L-threo-5-hexosulose-uronate ketol-isomerase






- Molecule 1: 4-deoxy-L-threo-5-hexosulose-uronate ketol-isomerase

Chain E: 82% 15% ..



- Molecule 1: 4-deoxy-L-threo-5-hexosulose-uronate ketol-isomerase

Chain F: 2% 77% 18% ..



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	94.19Å 130.98Å 157.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.12 – 3.10 45.82 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.2 (45.12-3.10) 99.3 (45.82-3.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.18 (at 3.12Å)	Xtriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
R, $R_{free}$	0.194 , 0.238 0.195 , 0.238	Depositor DCC
$R_{free}$ test set	1746 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	78.5	Xtriage
Anisotropy	0.578	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 38.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	12377	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.25	0/2104	0.45	0/2849
1	B	0.25	0/2132	0.44	0/2886
1	C	0.25	0/2113	0.45	0/2861
1	D	0.25	0/2102	0.44	0/2847
1	E	0.25	0/2141	0.44	0/2898
1	F	0.25	0/2115	0.45	0/2863
All	All	0.25	0/12707	0.45	0/17204

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2049	0	1972	21	0
1	B	2077	0	1997	22	0
1	C	2058	0	1978	17	0
1	D	2047	0	1965	12	0
1	E	2086	0	2005	21	0
1	F	2060	0	1985	30	0
All	All	12377	0	11902	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:39:ILE:HD11	1:C:61:LEU:HB3	1.63	0.79
1:A:56:PRO:HG2	1:A:119:SER:HB2	1.64	0.78
1:A:8:ARG:NH1	1:A:26:HIS:O	2.23	0.71
1:A:39:ILE:HD11	1:A:61:LEU:HB3	1.74	0.70
1:B:160:LEU:HD23	1:F:160:LEU:HD23	1.73	0.70
1:F:58:ASP:HB3	1:F:122:ARG:HE	1.58	0.69
1:B:178:GLN:HG2	1:B:263:CYS:HB2	1.76	0.68
1:B:92:THR:HB	1:B:116:VAL:HB	1.77	0.65
1:A:234:LEU:HD21	1:A:240:VAL:HG23	1.79	0.64
1:E:60:PRO:HB3	1:E:118:THR:HG22	1.80	0.63
1:C:234:LEU:HD21	1:C:240:VAL:HG23	1.82	0.61
1:F:57:THR:OG1	1:F:58:ASP:N	2.34	0.60
1:C:178:GLN:HG2	1:C:263:CYS:HB2	1.84	0.60
1:D:60:PRO:HB3	1:D:118:THR:HG22	1.84	0.59
1:D:137:LYS:NZ	1:E:121:ASP:OD2	2.36	0.58
1:C:48:ARG:O	1:C:78:ARG:NH2	2.37	0.57
1:F:178:GLN:HG2	1:F:263:CYS:HB2	1.86	0.57
1:A:91:ILE:HG22	1:A:100:MET:HG3	1.87	0.57
1:F:29:LEU:HD23	1:F:31:GLU:HG2	1.87	0.57
1:C:60:PRO:HB3	1:C:118:THR:HG22	1.86	0.56
1:F:48:ARG:O	1:F:78:ARG:NH2	2.38	0.56
1:B:191:SER:HB2	1:B:252:GLY:H	1.71	0.56
1:F:43:TYR:OH	1:F:48:ARG:NH2	2.39	0.55
1:C:136:HIS:HB2	1:F:136:HIS:HB2	1.88	0.55
1:D:193:ASN:HB3	1:D:250:GLY:H	1.73	0.54
1:B:29:LEU:HD22	1:B:31:GLU:HG2	1.90	0.54
1:B:152:LYS:HG3	1:B:165:ILE:HG23	1.90	0.54
1:D:99:ALA:HB2	1:E:188:PRO:HB3	1.90	0.53
1:C:39:ILE:HG23	1:C:54:VAL:HG22	1.90	0.53
1:C:43:TYR:OH	1:C:48:ARG:NH1	2.42	0.53
1:B:103:GLN:O	1:B:168:TYR:OH	2.21	0.52
1:F:2:SER:N	1:F:38:ASP:OD1	2.43	0.52
1:F:92:THR:HB	1:F:116:VAL:HG22	1.92	0.52
1:E:150:LEU:HD22	1:E:167:LYS:HD2	1.91	0.51
1:E:162:LYS:HG2	1:E:187:GLU:HG3	1.93	0.51
1:E:153:PRO:HA	1:E:164:THR:HA	1.93	0.50
1:F:30:MET:SD	1:F:33:ILE:HG12	2.51	0.50
1:F:39:ILE:HD11	1:F:61:LEU:HB3	1.93	0.50
1:F:193:ASN:O	1:F:249:CYS:HA	2.13	0.49
1:A:86:GLY:O	1:A:102:ASN:ND2	2.41	0.48

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:PRO:HB3	1:B:118:THR:HG22	1.96	0.48
1:F:17:GLN:NE2	1:F:228:GLU:OE1	2.47	0.48
1:A:43:TYR:OH	1:A:48:ARG:NH1	2.46	0.48
1:B:161:ASN:O	1:B:163:ARG:NH2	2.44	0.48
1:F:24:LEU:HG	1:F:232:ILE:HD11	1.94	0.48
1:A:178:GLN:HG2	1:A:263:CYS:HB2	1.95	0.48
1:D:210:PHE:HE1	1:D:259:ILE:HG13	1.79	0.48
1:E:58:ASP:HB3	1:E:122:ARG:HE	1.79	0.48
1:E:228:GLU:OE1	1:E:230:ARG:NH1	2.47	0.47
1:E:142:LYS:HD3	1:E:174:MET:HE2	1.97	0.47
1:B:231:HIS:HD2	1:F:231:HIS:HD2	1.63	0.46
1:C:178:GLN:HE21	1:C:264:GLY:HA2	1.81	0.46
1:E:205:GLU:HG2	1:E:262:MET:HG2	1.97	0.46
1:B:55:MET:SD	1:B:127:LYS:HG2	2.56	0.46
1:C:29:LEU:HD22	1:C:31:GLU:HG2	1.98	0.46
1:B:100:MET:HE3	1:B:106:TYR:HD2	1.81	0.45
1:E:182:GLY:HA3	1:E:260:TRP:CZ2	2.51	0.45
1:F:148:THR:O	1:F:148:THR:OG1	2.32	0.45
1:B:203:ARG:HG3	1:B:262:MET:HE2	1.98	0.45
1:A:57:THR:HG22	1:A:122:ARG:HG3	1.99	0.45
1:E:210:PHE:HE1	1:E:259:ILE:HG13	1.81	0.45
1:B:221:HIS:CD2	1:B:240:VAL:HG11	2.52	0.45
1:F:112:THR:HG21	1:F:141:ASN:HD21	1.82	0.45
1:A:191:SER:HB2	1:A:252:GLY:H	1.82	0.45
1:A:13:PRO:HG3	1:A:245:TRP:CD2	2.52	0.44
1:A:91:ILE:HD11	1:A:108:ILE:HD11	1.99	0.44
1:E:193:ASN:HB3	1:E:250:GLY:H	1.82	0.44
1:F:219:VAL:HA	1:F:252:GLY:HA2	1.98	0.44
1:C:210:PHE:HE1	1:C:259:ILE:HG13	1.82	0.44
1:D:55:MET:SD	1:D:127:LYS:HG2	2.58	0.44
1:C:161:ASN:O	1:C:163:ARG:NH2	2.51	0.44
1:C:224:GLY:HA2	1:C:245:TRP:HZ3	1.83	0.44
1:B:13:PRO:HG3	1:B:245:TRP:CE3	2.53	0.43
1:F:182:GLY:HA3	1:F:260:TRP:CZ2	2.53	0.43
1:A:131:VAL:HB	1:A:181:MET:HE1	1.99	0.43
1:A:150:LEU:O	1:A:166:TYR:HA	2.18	0.43
1:F:156:ASP:HA	1:F:162:LYS:HE3	2.00	0.43
1:D:29:LEU:HD12	1:D:239:ALA:O	2.19	0.43
1:B:56:PRO:HB3	1:B:61:LEU:HG	1.99	0.43
1:B:91:ILE:HG13	1:B:100:MET:HG3	2.01	0.43
1:F:58:ASP:HB3	1:F:122:ARG:NE	2.30	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:103:GLN:O	1:D:146:PHE:HB2	2.18	0.43
1:F:150:LEU:HG	1:F:167:LYS:HB2	2.01	0.42
1:F:65:LEU:HD12	1:F:68:GLU:HB2	2.01	0.42
1:B:182:GLY:HA3	1:B:260:TRP:CZ2	2.55	0.42
1:E:178:GLN:HG2	1:E:263:CYS:HB2	2.00	0.42
1:A:216:GLU:OE1	1:A:216:GLU:N	2.46	0.42
1:B:58:ASP:OD1	1:B:59:GLU:HG2	2.19	0.42
1:C:89:GLY:HA2	1:C:120:GLU:HG3	2.01	0.42
1:C:180:GLN:HB2	1:C:262:MET:HG2	2.02	0.42
1:F:2:SER:OG	1:F:3:PHE:N	2.52	0.42
1:F:8:ARG:HA	1:F:8:ARG:HD3	1.89	0.42
1:E:107:TYR:CZ	1:E:176:THR:HG22	2.54	0.42
1:A:55:MET:SD	1:A:127:LYS:HG2	2.60	0.42
1:B:216:GLU:OE1	1:B:216:GLU:N	2.51	0.42
1:E:58:ASP:OD1	1:E:58:ASP:N	2.53	0.42
1:A:182:GLY:HA3	1:A:260:TRP:CZ2	2.55	0.42
1:D:186:LEU:HD21	1:D:192:TRP:O	2.20	0.42
1:F:46:ASN:HB3	1:F:204:MET:HG3	2.01	0.41
1:A:225:LYS:HD2	1:A:225:LYS:HA	1.91	0.41
1:C:103:GLN:O	1:C:146:PHE:HB2	2.20	0.41
1:D:13:PRO:HG3	1:D:245:TRP:CE3	2.55	0.41
1:E:150:LEU:HB3	1:E:167:LYS:HB2	2.02	0.41
1:F:63:ILE:HG22	1:F:65:LEU:HD23	2.01	0.41
1:D:80:LEU:HD11	1:D:130:VAL:HB	2.03	0.41
1:B:180:GLN:HB2	1:B:262:MET:HG2	2.03	0.41
1:D:210:PHE:CE1	1:D:259:ILE:HG13	2.56	0.41
1:E:79:GLU:HB2	1:E:107:TYR:HE1	1.86	0.41
1:A:100:MET:HE2	1:A:128:PHE:HE1	1.85	0.41
1:B:21:THR:O	1:B:25:ARG:HG3	2.21	0.40
1:E:58:ASP:HB3	1:E:122:ARG:NE	2.36	0.40
1:A:13:PRO:HG3	1:A:245:TRP:CE3	2.56	0.40
1:E:82:ILE:HG12	1:E:130:VAL:HG12	2.03	0.40
1:F:65:LEU:HB3	1:F:69:LEU:HD23	2.03	0.40
1:F:60:PRO:HB3	1:F:118:THR:HG22	2.04	0.40
1:A:152:LYS:HB2	1:A:152:LYS:HE3	1.86	0.40
1:C:210:PHE:CE1	1:C:259:ILE:HG13	2.55	0.40
1:E:79:GLU:HB2	1:E:107:TYR:CE1	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	251/266 (94%)	237 (94%)	14 (6%)	0	100	100
1	B	254/266 (96%)	243 (96%)	11 (4%)	0	100	100
1	C	252/266 (95%)	240 (95%)	12 (5%)	0	100	100
1	D	251/266 (94%)	242 (96%)	9 (4%)	0	100	100
1	E	255/266 (96%)	243 (95%)	12 (5%)	0	100	100
1	F	252/266 (95%)	240 (95%)	12 (5%)	0	100	100
All	All	1515/1596 (95%)	1445 (95%)	70 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/231 (96%)	210 (95%)	12 (5%)	22	53
1	B	225/231 (97%)	213 (95%)	12 (5%)	22	54
1	C	223/231 (96%)	216 (97%)	7 (3%)	40	70
1	D	222/231 (96%)	210 (95%)	12 (5%)	22	53
1	E	226/231 (98%)	214 (95%)	12 (5%)	22	54
1	F	223/231 (96%)	216 (97%)	7 (3%)	40	70
All	All	1341/1386 (97%)	1279 (95%)	62 (5%)	27	59

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	GLU
1	A	29	LEU
1	A	35	ASN
1	A	61	LEU
1	A	91	ILE
1	A	96	ARG
1	A	100	MET
1	A	106	TYR
1	A	118	THR
1	A	180	GLN
1	A	205	GLU
1	A	218	ARG
1	B	14	GLU
1	B	58	ASP
1	B	100	MET
1	B	103	GLN
1	B	106	TYR
1	B	154	MET
1	B	176	THR
1	B	180	GLN
1	B	193	ASN
1	B	203	ARG
1	B	240	VAL
1	B	265	GLU
1	C	100	MET
1	C	106	TYR
1	C	113	GLN
1	C	164	THR
1	C	176	THR
1	C	180	GLN
1	C	229	THR
1	D	14	GLU
1	D	106	TYR
1	D	112	THR
1	D	115	VAL
1	D	150	LEU
1	D	164	THR
1	D	165	ILE
1	D	194	THR
1	D	204	MET
1	D	229	THR
1	D	234	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	240	VAL
1	E	14	GLU
1	E	22	SER
1	E	106	TYR
1	E	148	THR
1	E	164	THR
1	E	165	ILE
1	E	176	THR
1	E	180	GLN
1	E	194	THR
1	E	218	ARG
1	E	229	THR
1	E	234	LEU
1	F	21	THR
1	F	29	LEU
1	F	67	THR
1	F	106	TYR
1	F	116	VAL
1	F	148	THR
1	F	163	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	231	HIS
1	C	178	GLN
1	F	173	GLN
1	F	231	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

There are no ligands in this entry.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	255/266 (95%)	0.45	17 (6%) 17 7	67, 97, 135, 161	0
1	B	258/266 (96%)	-0.08	0 100 100	52, 72, 98, 123	0
1	C	256/266 (96%)	-0.03	2 (0%) 86 72	52, 72, 106, 136	0
1	D	255/266 (95%)	-0.05	3 (1%) 79 61	56, 75, 109, 149	0
1	E	259/266 (97%)	-0.11	0 100 100	54, 76, 115, 136	0
1	F	256/266 (96%)	0.22	6 (2%) 60 39	63, 87, 127, 154	0
All	All	1539/1596 (96%)	0.07	28 (1%) 68 47	52, 79, 121, 161	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	150	LEU	3.7
1	A	142	LYS	3.4
1	F	150	LEU	3.2
1	A	151	ALA	3.0
1	A	82	ILE	2.9
1	A	81	GLY	2.9
1	F	117	PHE	2.8
1	C	189	GLY	2.8
1	F	53	GLY	2.7
1	A	129	TYR	2.7
1	C	158	GLN	2.7
1	A	131	VAL	2.6
1	D	189	GLY	2.5
1	A	40	LEU	2.5
1	F	129	TYR	2.5
1	F	54	VAL	2.4
1	A	54	VAL	2.4
1	A	166	TYR	2.4
1	A	80	LEU	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	130	VAL	2.4
1	D	123	ASP	2.3
1	A	39	ILE	2.2
1	A	117	PHE	2.2
1	A	65	LEU	2.2
1	A	52	GLY	2.2
1	D	151	ALA	2.1
1	F	6	VAL	2.1
1	A	63	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.