



## Full wwPDB EM Validation Report ⓘ

Nov 5, 2022 – 10:09 AM EDT

PDB ID : 5VHP  
EMDB ID : EMD-8681  
Title : Conformational Landscape of the p28-Bound Human Proteasome Regulatory Particle  
Authors : Lu, Y.; Wu, J.; Dong, Y.; Chen, S.; Sun, S.; Ma, Y.B.; Ouyang, Q.; Finley, D.; Kirschner, M.W.; Mao, Y.  
Deposited on : 2017-04-13  
Resolution : 7.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 7.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	224	<div> <div>12%</div> <div>77%</div> <div>23%</div> </div>
2	A	266	<div> <div>12%</div> <div>67%</div> <div>30%</div> <div>••</div> </div>
3	B	266	<div> <div>21%</div> <div>62%</div> <div>22%</div> <div>•</div> <div>15%</div> </div>
4	D	262	<div> <div>17%</div> <div>61%</div> <div>29%</div> <div>•</div> <div>10%</div> </div>
5	E	262	<div> <div>15%</div> <div>60%</div> <div>19%</div> <div>20%</div> </div>
6	F	267	<div> <div>9%</div> <div>66%</div> <div>24%</div> <div>11%</div> </div>
7	C	266	<div> <div>18%</div> <div>68%</div> <div>20%</div> <div>11%</div> </div>
8	f	784	<div> <div>19%</div> <div>80%</div> <div>•</div> <div>19%</div> </div>

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 17635 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 26S proteasome non-ATPase regulatory subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	G	224	Total	C	N	O	S	0	0
			1693	1053	300	330	10		

- Molecule 2 is a protein called 26S proteasome regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	258	Total	C	N	O	S	0	0
			2023	1274	362	372	15		

- Molecule 3 is a protein called 26S proteasome regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	227	Total	C	N	O	S	0	0
			1794	1135	311	341	7		

- Molecule 4 is a protein called 26S proteasome regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	237	Total	C	N	O	S	0	0
			1881	1189	333	349	10		

- Molecule 5 is a protein called 26S proteasome regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	209	Total	C	N	O	S	0	0
			1642	1030	296	304	12		

- Molecule 6 is a protein called 26S proteasome regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	238	Total	C	N	O	S	0	0
			1848	1161	327	347	13		

- Molecule 7 is a protein called 26S proteasome regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	236	Total	C	N	O	S	0	0
			1834	1155	327	340	12		


- Molecule 8 is a protein called 26S proteasome non-ATPase regulatory subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	f	636	Total	C	N	O	S	0	0
			4920	3110	830	945	35		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 26S proteasome non-ATPase regulatory subunit 10




- Molecule 2: 26S proteasome regulatory subunit 7




- Molecule 3: 26S proteasome regulatory subunit 4






• Molecule 4: 26S proteasome regulatory subunit 6B




• Molecule 5: 26S proteasome regulatory subunit 10B




• Molecule 6: 26S proteasome regulatory subunit 6A








• Molecule 7: 26S proteasome regulatory subunit 8



• Molecule 8: 26S proteasome non-ATPase regulatory subunit 2







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	11767	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.013	Depositor
Minimum map value	-0.007	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.004	Depositor
Map size (Å)	309.6, 309.6, 309.6	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.86, 0.86, 0.86	Depositor

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	G	0.22	0/1718	0.37	0/2321
2	A	0.24	0/2054	0.41	0/2762
3	B	0.24	0/1818	0.43	1/2444 (0.0%)
4	D	0.24	0/1911	0.42	0/2578
5	E	0.23	0/1666	0.40	0/2239
6	F	0.24	0/1874	0.41	0/2525
7	C	0.23	0/1859	0.40	0/2496
8	f	0.24	0/4989	0.42	0/6729
All	All	0.24	0/17889	0.41	1/24094 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	357	ASP	CB-CG-OD1	5.13	122.92	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1693	0	1695	32	0
2	A	2023	0	2075	60	0
3	B	1794	0	1854	42	0
4	D	1881	0	1921	53	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	1642	0	1667	44	0
6	F	1848	0	1889	46	0
7	C	1834	0	1895	34	0
8	f	4920	0	4956	0	0
All	All	17635	0	17952	295	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (295) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:174:LYS:O	4:D:178:ARG:HB2	1.60	1.01
2:A:387:SER:O	2:A:391:GLU:HB2	1.65	0.95
5:E:367:PHE:O	5:E:371:VAL:HB	1.67	0.94
7:C:157:GLN:O	7:C:161:ILE:HB	1.68	0.94
6:F:367:GLN:O	6:F:371:ARG:HB3	1.68	0.93
5:E:216:ARG:O	5:E:220:ASN:HB2	1.71	0.90
6:F:381:TYR:O	6:F:385:ALA:HB3	1.74	0.88
2:A:184:ILE:O	2:A:188:ARG:HB2	1.79	0.82
7:C:162:LYS:O	7:C:166:GLU:HB2	1.78	0.82
3:B:235:LEU:O	3:B:239:VAL:HB	1.79	0.82
7:C:263:SER:O	7:C:267:SER:HB2	1.81	0.81
5:E:213:ARG:O	5:E:217:GLU:HB2	1.79	0.81
5:E:182:LEU:O	5:E:186:ALA:HB2	1.83	0.79
5:E:378:LYS:O	5:E:382:SER:HB3	1.82	0.79
6:F:274:LEU:O	6:F:278:LYS:HB2	1.83	0.79
4:D:252:ARG:O	4:D:256:GLU:HB2	1.86	0.75
6:F:272:PHE:O	6:F:276:LYS:HB2	1.90	0.72
1:G:57:GLU:O	1:G:61:GLN:HB2	1.92	0.69
2:A:388:VAL:O	2:A:392:ALA:CB	2.41	0.68
6:F:266:LYS:O	6:F:270:ASP:HB2	1.94	0.68
5:E:196:LEU:HD22	5:E:230:ILE:HG12	1.75	0.68
2:A:184:ILE:O	2:A:188:ARG:CB	2.42	0.68
4:D:360:LEU:O	4:D:364:VAL:HB	1.94	0.67
4:D:177:VAL:O	4:D:181:VAL:HB	1.96	0.66
3:B:395:ILE:O	3:B:399:CYS:HB2	1.96	0.65
2:A:300:LEU:O	2:A:304:ASN:HB2	1.97	0.65
6:F:382:GLU:O	6:F:386:ARG:HB2	1.97	0.65
7:C:174:LEU:O	7:C:178:LEU:HB2	1.98	0.64
2:A:388:VAL:O	2:A:392:ALA:HB2	1.97	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:231:GLY:O	3:B:235:LEU:HB2	1.97	0.64
3:B:312:LEU:O	3:B:316:LEU:HB2	1.97	0.64
3:B:398:ILE:O	3:B:402:ALA:HB2	1.98	0.64
3:B:409:GLU:O	3:B:411:ARG:NH2	2.32	0.63
5:E:368:MET:O	5:E:372:ARG:HB2	1.99	0.62
3:B:234:LEU:HD13	3:B:330:ALA:HB1	1.81	0.62
7:C:320:PRO:O	7:C:325:ARG:NH1	2.34	0.61
2:A:407:LYS:HA	2:A:410:LEU:HD23	1.83	0.61
6:F:381:TYR:O	6:F:385:ALA:CB	2.46	0.61
6:F:204:LEU:HG	6:F:205:PRO:HD3	1.83	0.61
4:D:280:GLY:O	4:D:284:GLU:HB2	2.02	0.60
4:D:244:PRO:O	4:D:248:ARG:CB	2.50	0.60
3:B:260:LEU:HD13	3:B:261:GLY:H	1.66	0.60
5:E:210:GLU:HG2	6:F:300:LYS:HE2	1.84	0.60
1:G:103:ASN:HD21	1:G:107:CYS:HB2	1.66	0.59
2:A:203:ASN:O	6:F:374:ASN:ND2	2.36	0.59
6:F:272:PHE:O	6:F:276:LYS:CB	2.49	0.59
6:F:379:VAL:HG13	6:F:384:LEU:HD21	1.84	0.59
7:C:263:SER:O	7:C:267:SER:CB	2.51	0.59
4:D:187:HIS:HE1	4:D:190:LEU:HD22	1.68	0.59
2:A:165:GLN:NE2	2:A:239:ARG:O	2.34	0.59
4:D:194:ILE:HG21	7:C:371:LEU:HD12	1.84	0.58
4:D:296:MET:HA	4:D:299:PHE:HB2	1.85	0.58
1:G:157:ILE:HA	1:G:160:TYR:HD2	1.68	0.58
2:A:185:GLU:OE1	2:A:188:ARG:NH2	2.37	0.58
2:A:200:ARG:O	2:A:204:LEU:HB2	2.04	0.58
2:A:398:ARG:HG2	3:B:349:ARG:HB2	1.86	0.57
6:F:341:ALA:O	6:F:347:ARG:NH2	2.37	0.57
6:F:281:SER:H	6:F:326:VAL:HG22	1.69	0.57
2:A:302:LEU:O	2:A:306:LEU:HB2	2.05	0.57
4:D:244:PRO:O	4:D:248:ARG:HB2	2.05	0.57
5:E:181:THR:O	5:E:185:ARG:HB3	2.05	0.57
5:E:279:THR:HG21	5:E:285:LEU:HD11	1.86	0.57
5:E:312:ILE:HG13	5:E:316:HIS:HD2	1.69	0.57
2:A:246:VAL:HG13	2:A:280:ILE:HG22	1.87	0.57
1:G:185:VAL:HG12	1:G:189:LYS:HE2	1.87	0.57
4:D:242:GLU:H	4:D:245:ARG:HH21	1.53	0.57
2:A:414:ASN:O	2:A:418:LYS:HB2	2.05	0.56
1:G:103:ASN:OD1	1:G:107:CYS:N	2.38	0.56
4:D:173:GLN:HG3	4:D:331:ILE:HD13	1.88	0.56
4:D:176:GLU:O	4:D:180:ALA:HB3	2.06	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:F:280:PRO:HA	6:F:326:VAL:HG22	1.86	0.56
5:E:286:ASP:O	5:E:289:LEU:N	2.35	0.56
3:B:393:ALA:O	3:B:397:ALA:HB2	2.05	0.56
2:A:417:ILE:O	2:A:421:ALA:HB2	2.06	0.55
3:B:288:ASP:OD2	3:B:332:ASN:ND2	2.39	0.55
3:B:381:ASP:HA	3:B:384:ILE:HG12	1.89	0.55
7:C:202:ALA:O	7:C:206:HIS:ND1	2.39	0.55
2:A:346:PRO:HG3	2:A:381:THR:HG22	1.88	0.55
3:B:346:ARG:HH21	3:B:350:LYS:HG2	1.72	0.55
4:D:179:GLU:HA	4:D:183:LEU:HD13	1.87	0.55
1:G:135:LYS:HE2	1:G:167:ILE:HG23	1.89	0.54
3:B:219:PRO:HB3	3:B:323:GLY:HA2	1.89	0.54
4:D:335:LEU:HD21	4:D:371:SER:HA	1.89	0.54
6:F:422:GLU:O	6:F:426:GLU:HB2	2.06	0.54
2:A:412:ALA:O	2:A:416:VAL:HB	2.07	0.54
5:E:181:THR:O	5:E:185:ARG:CB	2.55	0.54
5:E:182:LEU:O	5:E:186:ALA:CB	2.56	0.54
5:E:216:ARG:O	5:E:220:ASN:CB	2.52	0.54
2:A:351:ARG:NE	2:A:380:SER:O	2.38	0.54
2:A:191:VAL:HB	2:A:316:LYS:HE3	1.89	0.54
6:F:266:LYS:O	6:F:270:ASP:CB	2.55	0.53
7:C:167:LEU:HB3	7:C:168:PRO:HD3	1.89	0.53
5:E:345:ASN:O	5:E:349:GLU:HB2	2.08	0.53
4:D:252:ARG:O	4:D:256:GLU:CB	2.56	0.53
1:G:173:ASN:OD1	1:G:202:ASN:ND2	2.41	0.53
2:A:417:ILE:O	2:A:421:ALA:CB	2.57	0.53
7:C:277:LEU:O	7:C:281:ASP:HB3	2.09	0.53
4:D:346:SER:HA	4:D:349:THR:HG22	1.90	0.53
7:C:342:ILE:HD12	7:C:378:VAL:HB	1.90	0.53
1:G:177:HIS:O	1:G:181:ASP:HB2	2.08	0.53
2:A:161:VAL:O	2:A:165:GLN:HB2	2.09	0.53
6:F:362:ARG:NH2	6:F:388:THR:O	2.42	0.53
3:B:313:LEU:HD22	3:B:341:LEU:HD23	1.91	0.52
2:A:400:ARG:HD2	3:B:203:LEU:HD22	1.90	0.52
1:G:209:LEU:HD21	1:G:221:LYS:HB2	1.90	0.52
6:F:205:PRO:HA	6:F:212:PHE:HE2	1.74	0.52
3:B:270:LEU:HA	3:B:273:VAL:HG12	1.91	0.52
1:G:100:ASN:HD21	1:G:131:ASN:H	1.57	0.52
5:E:184:ALA:O	5:E:188:ALA:HB3	2.09	0.52
1:G:151:ASN:HB3	1:G:154:MET:HB3	1.92	0.52
2:A:415:LYS:O	2:A:419:SER:OG	2.15	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:300:LEU:O	2:A:304:ASN:CB	2.57	0.52
1:G:145:ARG:HD3	4:D:361:GLU:HB3	1.92	0.52
5:E:211:SER:OG	6:F:299:GLU:O	2.22	0.52
3:B:202:GLU:O	3:B:206:THR:OG1	2.27	0.51
3:B:216:ILE:HG22	3:B:218:PRO:HD3	1.93	0.51
1:G:13:LEU:HD21	1:G:21:GLU:HG2	1.93	0.51
1:G:126:LEU:HD23	1:G:130:ALA:HB3	1.91	0.51
1:G:141:THR:H	1:G:144:HIS:HD2	1.58	0.51
3:B:197:ILE:HD13	3:B:237:LYS:HB3	1.93	0.51
6:F:252:ALA:HB3	6:F:255:GLN:HG2	1.93	0.51
1:G:23:LYS:O	1:G:27:LEU:HB2	2.10	0.51
5:E:312:ILE:HG13	5:E:316:HIS:CD2	2.46	0.51
4:D:186:THR:HG23	4:D:187:HIS:CD2	2.46	0.50
2:A:411:GLU:O	2:A:415:LYS:CB	2.59	0.50
3:B:231:GLY:O	3:B:235:LEU:CB	2.58	0.50
1:G:116:LYS:O	1:G:118:ARG:NH1	2.44	0.50
3:B:194:ILE:HA	3:B:197:ILE:HG22	1.92	0.50
3:B:381:ASP:O	3:B:385:MET:HB3	2.11	0.50
4:D:174:LYS:O	4:D:178:ARG:CB	2.47	0.50
5:E:184:ALA:O	5:E:188:ALA:CB	2.58	0.50
3:B:343:ARG:HB2	3:B:344:PRO:HD3	1.93	0.50
3:B:398:ILE:O	3:B:402:ALA:CB	2.59	0.50
5:E:368:MET:O	5:E:372:ARG:CB	2.59	0.50
6:F:325:GLN:HG2	6:F:326:VAL:H	1.76	0.50
1:G:72:ALA:HB1	1:G:104:GLN:HB2	1.94	0.50
2:A:333:ARG:HH12	2:A:340:LYS:HD3	1.75	0.50
6:F:382:GLU:O	6:F:386:ARG:CB	2.59	0.50
6:F:228:PRO:HD2	6:F:354:PHE:HB2	1.92	0.50
4:D:235:PHE:HE2	4:D:285:VAL:HB	1.77	0.49
4:D:311:THR:HG21	4:D:317:LEU:HD11	1.93	0.49
4:D:366:ARG:HB3	4:D:367:PRO:HD3	1.93	0.49
5:E:209:GLY:HA2	6:F:300:LYS:HB3	1.94	0.49
7:C:184:LYS:NZ	7:C:284:GLU:OE2	2.45	0.49
7:C:277:LEU:O	7:C:281:ASP:CB	2.60	0.49
5:E:173:TYR:HE1	5:E:298:LYS:HB2	1.77	0.49
3:B:382:ASP:O	3:B:386:ALA:CB	2.61	0.49
2:A:176:ASP:HA	2:A:353:HIS:HB3	1.94	0.49
3:B:393:ALA:O	3:B:397:ALA:CB	2.60	0.49
6:F:192:ASP:O	6:F:196:GLN:CB	2.61	0.49
7:C:213:ARG:HH22	7:C:249:ASP:HB3	1.77	0.49
7:C:329:LEU:O	7:C:333:SER:OG	2.23	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:C:158:ILE:HA	7:C:161:ILE:HG22	1.94	0.49
2:A:397:ILE:O	2:A:400:ARG:NH1	2.37	0.48
2:A:206:ILE:HG23	2:A:207:GLU:H	1.78	0.48
5:E:371:VAL:O	5:E:375:ALA:CB	2.61	0.48
7:C:295:THR:HG21	7:C:299:ASP:HB2	1.95	0.48
4:D:210:CYS:N	4:D:374:ASP:OD2	2.43	0.48
4:D:355:SER:HB2	4:D:393:ILE:HG21	1.96	0.48
5:E:185:ARG:O	5:E:189:SER:CB	2.61	0.48
4:D:194:ILE:HD11	4:D:198:PRO:HD3	1.95	0.48
4:D:289:LEU:HD12	4:D:292:LEU:HD11	1.95	0.48
6:F:191:LEU:HG	6:F:194:GLN:HE21	1.78	0.48
2:A:172:VAL:HA	2:A:357:ILE:HD13	1.96	0.48
7:C:184:LYS:HG3	7:C:311:ILE:HD13	1.96	0.48
7:C:280:LEU:HD21	7:C:289:ILE:HG22	1.96	0.48
5:E:210:GLU:OE2	5:E:213:ARG:NH2	2.41	0.47
5:E:206:LYS:HD3	6:F:295:ARG:HD3	1.95	0.47
6:F:230:GLY:O	6:F:393:GLY:N	2.46	0.47
2:A:204:LEU:HD22	6:F:407:ALA:HB1	1.96	0.47
7:C:327:ASP:OD1	7:C:328:ILE:N	2.47	0.47
2:A:351:ARG:HD3	2:A:385:ILE:HG21	1.97	0.47
6:F:257:VAL:HG22	6:F:306:VAL:HG21	1.96	0.47
2:A:395:PHE:HA	2:A:398:ARG:HG3	1.96	0.47
2:A:395:PHE:CD1	2:A:398:ARG:HD2	2.49	0.47
1:G:189:LYS:O	1:G:193:SER:CB	2.63	0.47
7:C:329:LEU:O	7:C:333:SER:CB	2.63	0.47
2:A:194:PRO:HG3	2:A:201:PHE:HE2	1.80	0.47
2:A:388:VAL:O	2:A:392:ALA:HB3	2.13	0.47
2:A:393:GLY:O	2:A:397:ILE:HG13	2.14	0.46
5:E:188:ALA:HA	5:E:192:ASP:HB2	1.96	0.46
2:A:178:GLY:HA2	2:A:354:ILE:HD11	1.97	0.46
5:E:180:LYS:NZ	5:E:279:THR:O	2.48	0.46
1:G:75:SER:OG	1:G:78:HIS:ND1	2.40	0.46
2:A:189:GLU:HB2	6:F:408:LEU:HD23	1.97	0.46
1:G:60:LEU:HD13	1:G:95:LYS:HG3	1.98	0.46
1:G:198:ILE:HD13	1:G:224:VAL:HG21	1.97	0.46
2:A:386:ARG:O	2:A:390:THR:HB	2.16	0.46
3:B:361:LYS:NZ	3:B:387:LYS:O	2.39	0.46
7:C:313:ARG:NH1	7:C:314:LYS:O	2.48	0.46
1:G:10:VAL:HG11	1:G:32:LEU:HB3	1.97	0.46
2:A:411:GLU:O	2:A:415:LYS:HB3	2.16	0.45
2:A:328:ASP:HB3	2:A:329:PRO:HD3	1.98	0.45

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:70:ASP:OD1	1:G:74:TRP:N	2.43	0.45
6:F:267:LEU:O	6:F:271:ALA:HB2	2.16	0.45
5:E:204:VAL:HG23	5:E:205:ASP:H	1.81	0.45
6:F:221:LYS:HB2	6:F:346:GLY:HA2	1.98	0.45
3:B:387:LYS:HD2	3:B:390:LEU:HD11	1.99	0.45
6:F:255:GLN:O	6:F:258:GLN:NE2	2.49	0.45
1:G:69:LYS:HB3	1:G:73:GLY:HA2	1.99	0.45
1:G:111:HIS:HE2	1:G:141:THR:HA	1.82	0.45
3:B:407:LEU:HA	3:B:410:ARG:HH21	1.81	0.45
6:F:399:VAL:HG11	6:F:424:ILE:HG13	1.98	0.45
4:D:244:PRO:O	4:D:248:ARG:HB3	2.16	0.45
6:F:385:ALA:O	6:F:388:THR:OG1	2.31	0.45
2:A:270:CYS:SG	2:A:271:LEU:N	2.89	0.45
2:A:414:ASN:HA	2:A:417:ILE:HG12	1.99	0.45
7:C:236:VAL:HG22	7:C:239:ARG:HH12	1.82	0.45
2:A:214:LEU:HD22	2:A:343:PHE:HA	1.98	0.44
2:A:369:ARG:HH11	2:A:372:LEU:HD22	1.82	0.44
1:G:141:THR:HG23	1:G:167:ILE:HG21	1.99	0.44
4:D:297:ASP:OD1	4:D:326:ARG:NH1	2.49	0.44
1:G:7:ASN:OD1	1:G:8:LEU:N	2.51	0.44
4:D:238:LYS:H	4:D:238:LYS:HD2	1.83	0.44
7:C:156:LYS:O	7:C:160:GLU:HB2	2.18	0.44
4:D:207:PRO:N	4:D:208:PRO:HD3	2.33	0.44
3:B:260:LEU:HD13	3:B:261:GLY:N	2.31	0.44
5:E:191:LEU:HG	5:E:193:CYS:H	1.83	0.44
2:A:394:MET:HB3	3:B:348:ASP:HA	1.99	0.44
5:E:371:VAL:O	5:E:375:ALA:HB2	2.18	0.44
4:D:218:ALA:O	4:D:222:HIS:ND1	2.36	0.44
6:F:223:VAL:HG13	6:F:329:ILE:HG23	2.00	0.44
4:D:283:ARG:HA	4:D:286:GLN:HG2	1.99	0.44
7:C:329:LEU:HD21	7:C:344:LEU:HB3	2.00	0.43
2:A:191:VAL:HG13	2:A:192:GLU:HG3	2.01	0.43
5:E:346:VAL:HG12	5:E:371:VAL:HG22	2.00	0.43
6:F:251:LEU:HB3	6:F:285:ILE:HG22	2.00	0.43
4:D:242:GLU:HG3	4:D:246:MET:HG3	1.99	0.43
2:A:240:VAL:N	2:A:273:PHE:O	2.46	0.43
4:D:244:PRO:HA	4:D:247:VAL:HG22	2.01	0.43
4:D:323:ARG:HE	4:D:326:ARG:HE	1.66	0.43
4:D:391:ARG:NH2	4:D:398:ASP:OD2	2.51	0.43
5:E:194:ASN:ND2	5:E:227:PRO:O	2.52	0.43
1:G:181:ASP:HB3	4:D:338:ARG:HH22	1.83	0.43

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:207:PRO:N	4:D:208:PRO:CD	2.82	0.43
7:C:186:VAL:HG21	7:C:315:ILE:HD12	2.00	0.43
3:B:382:ASP:O	3:B:386:ALA:HB3	2.19	0.43
4:D:249:ASP:HA	4:D:252:ARG:HG2	2.00	0.43
5:E:360:ASP:N	5:E:360:ASP:OD1	2.52	0.43
1:G:188:ALA:HB1	1:G:220:LEU:HD21	2.01	0.42
5:E:322:LYS:HD2	5:E:364:GLN:HE21	1.84	0.42
7:C:298:ILE:HD12	7:C:298:ILE:H	1.84	0.42
2:A:277:ILE:HG22	2:A:321:THR:HB	2.00	0.42
4:D:283:ARG:HG3	4:D:286:GLN:HE21	1.84	0.42
2:A:413:VAL:O	2:A:416:VAL:HG12	2.19	0.42
3:B:398:ILE:HA	3:B:401:GLU:HG2	2.01	0.42
4:D:242:GLU:HA	4:D:245:ARG:HB2	2.01	0.42
4:D:265:ASP:OD1	4:D:266:GLU:N	2.53	0.42
4:D:335:LEU:HD21	4:D:372:GLY:H	1.84	0.42
1:G:57:GLU:O	1:G:61:GLN:CB	2.66	0.42
2:A:199:GLU:OE2	2:A:203:ASN:ND2	2.51	0.42
2:A:397:ILE:HD13	3:B:218:PRO:HB3	2.02	0.42
7:C:312:ASP:OD1	7:C:313:ARG:N	2.53	0.42
5:E:206:LYS:H	6:F:301:ALA:HB2	1.85	0.42
6:F:192:ASP:HA	6:F:195:ILE:HG22	2.02	0.42
4:D:358:VAL:HG13	4:D:399:PHE:HE2	1.84	0.42
5:E:185:ARG:O	5:E:189:SER:OG	2.29	0.42
4:D:211:GLY:H	4:D:374:ASP:HB3	1.85	0.41
6:F:192:ASP:O	6:F:196:GLN:HB2	2.21	0.41
7:C:167:LEU:HA	7:C:171:HIS:CE1	2.55	0.41
1:G:189:LYS:O	1:G:193:SER:HB3	2.19	0.41
7:C:201:ARG:HA	7:C:204:ALA:HB3	2.03	0.41
3:B:364:ILE:HG23	3:B:395:ILE:HD12	2.03	0.41
5:E:345:ASN:O	5:E:349:GLU:CB	2.68	0.41
3:B:396:LYS:O	3:B:400:THR:OG1	2.27	0.41
5:E:352:MET:SD	6:F:350:ARG:NH1	2.91	0.41
5:E:213:ARG:O	5:E:217:GLU:CB	2.59	0.41
7:C:362:VAL:HG13	7:C:386:ALA:HB3	2.03	0.41
2:A:232:ARG:HG2	2:A:236:CYS:HA	2.03	0.41
4:D:176:GLU:O	4:D:180:ALA:CB	2.68	0.41
4:D:214:MET:SD	4:D:344:ILE:HD11	2.61	0.41
7:C:211:PHE:HZ	7:C:247:PHE:HB3	1.86	0.41
2:A:188:ARG:HA	2:A:191:VAL:HG12	2.03	0.41
2:A:257:VAL:HA	2:A:260:LEU:HG	2.03	0.41
2:A:302:LEU:HD12	2:A:306:LEU:HD13	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:224:LEU:HD22	3:B:351:ILE:HG12	2.02	0.41
3:B:228:PRO:HG2	3:B:353:PHE:HE2	1.86	0.41
4:D:240:LEU:HB2	4:D:288:ILE:HD11	2.02	0.41
5:E:185:ARG:O	5:E:189:SER:HB3	2.21	0.41
6:F:219:PRO:O	6:F:221:LYS:HD2	2.21	0.41
2:A:375:ARG:HG3	2:A:376:LEU:HD12	2.03	0.40
3:B:191:ASP:HA	3:B:194:ILE:HG22	2.03	0.40
4:D:282:ASP:HA	4:D:285:VAL:HG22	2.03	0.40
4:D:401:LYS:HA	4:D:404:LYS:HE2	2.03	0.40
3:B:190:LEU:H	3:B:190:LEU:HG	1.75	0.40
5:E:265:ASP:HB2	5:E:294:ARG:NH2	2.37	0.40
4:D:197:ASP:N	4:D:197:ASP:OD1	2.54	0.40
3:B:268:ARG:HG2	3:B:315:GLN:HE22	1.87	0.40
4:D:262:ILE:HG22	4:D:264:ILE:HG13	2.03	0.40
5:E:173:TYR:C	5:E:175:PRO:HD3	2.42	0.40
6:F:246:ALA:HB1	6:F:281:SER:HA	2.03	0.40
6:F:272:PHE:HD1	6:F:272:PHE:HA	1.78	0.40
7:C:264:GLY:HA2	7:C:267:SER:HB3	2.03	0.40
2:A:187:LEU:HD21	2:A:224:LEU:HD13	2.03	0.40
7:C:198:LEU:O	7:C:202:ALA:HB2	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	222/224 (99%)	217 (98%)	5 (2%)	0	100	100
2	A	254/266 (96%)	226 (89%)	28 (11%)	0	100	100
3	B	221/266 (83%)	201 (91%)	20 (9%)	0	100	100
4	D	235/262 (90%)	215 (92%)	20 (8%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	E	205/262 (78%)	182 (89%)	23 (11%)	0	100	100
6	F	236/267 (88%)	216 (92%)	20 (8%)	0	100	100
7	C	232/266 (87%)	217 (94%)	15 (6%)	0	100	100
8	f	616/784 (79%)	560 (91%)	56 (9%)	0	100	100
All	All	2221/2597 (86%)	2034 (92%)	187 (8%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	178/178 (100%)	177 (99%)	1 (1%)	86	92
2	A	220/224 (98%)	218 (99%)	2 (1%)	78	87
3	B	197/231 (85%)	192 (98%)	5 (2%)	47	68
4	D	203/224 (91%)	200 (98%)	3 (2%)	65	80
5	E	177/225 (79%)	176 (99%)	1 (1%)	86	92
6	F	197/222 (89%)	195 (99%)	2 (1%)	76	86
7	C	198/225 (88%)	195 (98%)	3 (2%)	65	80
8	f	538/660 (82%)	527 (98%)	11 (2%)	55	74
All	All	1908/2189 (87%)	1880 (98%)	28 (2%)	66	80

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	117	ASN
2	A	246	VAL
2	A	416	VAL
3	B	190	LEU
3	B	260	LEU
3	B	355	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	B	357	ASP
3	B	411	ARG
4	D	229	ARG
4	D	238	LYS
4	D	364	VAL
5	E	262	ASN
6	F	323	ASN
6	F	356	MET
7	C	248	MET
7	C	293	MET
7	C	311	ILE
8	f	184	LEU
8	f	275	MET
8	f	314	TYR
8	f	460	ASP
8	f	473	ASN
8	f	493	ASN
8	f	565	ASN
8	f	569	LYS
8	f	639	LYS
8	f	745	LEU
8	f	788	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	100	ASN
1	G	117	ASN
1	G	144	HIS
3	B	315	GLN
4	D	175	GLN
4	D	187	HIS
4	D	286	GLN
4	D	304	ASN
4	D	390	ASN
5	E	194	ASN
5	E	316	HIS
5	E	339	ASN
6	F	323	ASN
6	F	374	ASN
6	F	428	GLN
7	C	270	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
8	f	102	HIS
8	f	301	HIS
8	f	325	GLN
8	f	327	ASN
8	f	475	ASN
8	f	493	ASN
8	f	565	ASN
8	f	752	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8681. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 183



Y Index: 170



Z Index: 192


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.004. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.5 Mask visualisation


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 308 nm<sup>3</sup>; this corresponds to an approximate mass of 278 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.127 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-8681 and PDB model 5VHP. Per-residue inclusion information can be found in section [3](#) on page [5](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.004 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.004).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.004) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7129	<div></div> 0.0790
A	<div></div> 0.7634	<div></div> 0.0980
B	<div></div> 0.6447	<div></div> 0.0760
C	<div></div> 0.7047	<div></div> 0.0890
D	<div></div> 0.6766	<div></div> 0.0920
E	<div></div> 0.7154	<div></div> 0.0760
F	<div></div> 0.7945	<div></div> 0.0930
G	<div></div> 0.7923	<div></div> 0.0910
f	<div></div> 0.6751	<div></div> 0.0530

1.0

0.0

<0.0