



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 05:38 am BST

PDB ID : 2VJ5
Title : Shigella flexneri MxiC
Authors : Deane, J.E.; Roversi, P.; King, C.; Johnson, S.; Lea, S.M.
Deposited on : 2007-12-06
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	294	<div> <div>5%</div> <div> <div></div> <div>58%</div> <div>32%</div> <div>6%</div> <div>.</div> </div> </div>
1	B	294	<div> <div>4%</div> <div> <div></div> <div>54%</div> <div>38%</div> <div>.</div> <div>.</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4583 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN MXIC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	0	0
			2285	1449	381	447	8			
1	B	283	Total	C	N	O	S	0	0	0
			2285	1449	381	447	8			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	7	Total	O	0	0
			7	7		
2	B	6	Total	O	0	0
			6	6		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROTEIN MXIC



• Molecule 1: PROTEIN MXIC



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	91.37Å 91.37Å 215.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.60 – 3.00 38.57 – 3.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (38.60-3.00) 97.6 (38.57-3.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.66 (at 3.01Å)	Xtriage
Refinement program	TNT 5.13.1.0	Depositor
R, R_{free}	0.246 , 0.270 0.261 , 0.291	Depositor DCC
R_{free} test set	1008 reflections (5.42%)	wwPDB-VP
Wilson B-factor (Å ²)	136.6	Xtriage
Anisotropy	0.361	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 122.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4583	wwPDB-VP
Average B, all atoms (Å ²)	139.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/2319	0.54	0/3121
1	B	0.33	0/2319	0.53	0/3121
All	All	0.33	0/4638	0.53	0/6242

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2285	0	2306	76	0
1	B	2285	0	2306	92	0
2	A	7	0	0	0	0
2	B	6	0	0	0	0
All	All	4583	0	4612	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:177:GLU:HB3	1:B:180:LEU:HD22	1.27	1.08

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:GLU:HB3	1:A:180:LEU:HD22	1.38	1.05
1:B:98:LYS:HB2	1:B:134:LEU:HD13	1.37	1.03
1:B:289:PRO:HB3	1:B:337:ALA:HB2	1.38	1.01
1:A:289:PRO:HB3	1:A:337:ALA:HB2	1.58	0.86
1:A:233:CYS:HB3	1:A:237:GLU:HB2	1.60	0.83
1:A:195:THR:HG21	1:A:247:ALA:HB3	1.60	0.83
1:B:233:CYS:HB3	1:B:237:GLU:HB2	1.64	0.79
1:B:195:THR:HG21	1:B:247:ALA:HB3	1.66	0.78
1:A:170:PHE:O	1:A:174:MET:HG3	1.85	0.77
1:B:177:GLU:O	1:B:180:LEU:HB2	1.85	0.76
1:B:208:PHE:O	1:B:211:ARG:HG2	1.85	0.76
1:B:195:THR:CG2	1:B:248:ILE:HG13	2.16	0.76
1:A:274:SER:HB3	1:A:277:GLN:HG2	1.68	0.75
1:B:195:THR:HG22	1:B:248:ILE:HG13	1.69	0.75
1:A:208:PHE:O	1:A:211:ARG:HG2	1.87	0.73
1:A:285:ILE:HD11	1:A:296:LEU:HD11	1.70	0.73
1:A:177:GLU:O	1:A:180:LEU:HB2	1.88	0.72
1:A:195:THR:HG22	1:A:248:ILE:HG13	1.72	0.72
1:A:195:THR:CG2	1:A:248:ILE:HG13	2.20	0.71
1:A:97:LEU:HD11	1:A:138:GLN:HE21	1.55	0.70
1:B:195:THR:HG21	1:B:247:ALA:CB	2.21	0.70
1:A:87:ASN:O	1:A:90:ILE:HG22	1.92	0.69
1:B:289:PRO:CB	1:B:337:ALA:HB2	2.21	0.69
1:B:105:ARG:HD3	1:B:106:ASP:H	1.58	0.68
1:B:110:ARG:HH11	1:B:113:ARG:HB3	1.59	0.68
1:A:111:LEU:O	1:A:111:LEU:HD22	1.94	0.68
1:A:195:THR:HG21	1:A:247:ALA:CB	2.23	0.67
1:A:330:SER:OG	1:A:333:GLU:HB2	1.96	0.66
1:B:170:PHE:O	1:B:174:MET:HG3	1.96	0.66
1:A:110:ARG:HH11	1:A:113:ARG:HB3	1.61	0.65
1:A:135:THR:HG22	1:A:136:ALA:N	2.11	0.65
1:A:242:LEU:HG	1:A:242:LEU:O	1.94	0.65
1:B:274:SER:HB3	1:B:277:GLN:HB2	1.78	0.65
1:B:87:ASN:O	1:B:90:ILE:HG22	1.97	0.64
1:B:289:PRO:HB3	1:B:337:ALA:CB	2.21	0.63
1:B:111:LEU:HD22	1:B:111:LEU:O	1.98	0.63
1:A:195:THR:HG22	1:A:248:ILE:CG1	2.29	0.63
1:B:97:LEU:HG	1:B:102:PRO:HG2	1.81	0.63
1:A:200:ILE:CG1	1:A:283:LEU:HD13	2.30	0.62
1:B:174:MET:CE	1:B:213:THR:HG22	2.30	0.61
1:A:262:LEU:HD13	1:A:278:LEU:HD23	1.81	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:273:LEU:HD22	1:B:278:LEU:HD11	1.83	0.61
1:B:98:LYS:CB	1:B:134:LEU:HD13	2.23	0.60
1:A:134:LEU:N	1:A:135:THR:HB	2.17	0.60
1:A:135:THR:HG22	1:A:136:ALA:H	1.67	0.59
1:B:96:THR:O	1:B:97:LEU:HB2	2.02	0.59
1:A:346:THR:HG22	1:A:350:LYS:HE2	1.83	0.59
1:A:119:SER:OG	1:A:186:ARG:NH1	2.36	0.59
1:B:195:THR:HG22	1:B:248:ILE:CG1	2.32	0.59
1:B:242:LEU:O	1:B:242:LEU:HG	2.01	0.58
1:B:129:LEU:HG	1:B:142:LEU:HD23	1.86	0.58
1:A:200:ILE:HG12	1:A:283:LEU:HD13	1.86	0.58
1:A:293:GLU:HG3	1:A:344:LEU:HD21	1.83	0.58
1:B:98:LYS:HE2	1:B:101:LEU:H	1.69	0.58
1:B:99:ASP:HB2	1:B:102:PRO:HB3	1.87	0.57
1:A:134:LEU:N	1:A:135:THR:CB	2.67	0.57
1:B:97:LEU:HG	1:B:102:PRO:CG	2.35	0.57
1:B:119:SER:OG	1:B:186:ARG:NH1	2.38	0.56
1:A:222:LEU:O	1:A:226:MET:HG3	2.05	0.56
1:B:211:ARG:HG2	1:B:211:ARG:HH11	1.70	0.56
1:B:174:MET:HE1	1:B:213:THR:HG22	1.87	0.56
1:B:347:SER:O	1:B:351:LYS:HG2	2.06	0.56
1:A:174:MET:HE1	1:A:213:THR:HG22	1.87	0.55
1:B:91:PHE:HA	1:B:94:LYS:HB2	1.88	0.55
1:B:266:SER:HB2	1:B:269:LYS:HB2	1.88	0.55
1:A:134:LEU:H	1:A:135:THR:CB	2.20	0.55
1:A:174:MET:CE	1:A:213:THR:HG22	2.37	0.55
1:B:99:ASP:H	1:B:102:PRO:HG3	1.70	0.55
1:B:105:ARG:HD3	1:B:106:ASP:N	2.21	0.54
1:B:144:LYS:O	1:B:148:GLU:HG3	2.08	0.54
1:B:75:GLN:HG3	1:B:127:GLU:HG3	1.89	0.53
1:B:101:LEU:N	1:B:102:PRO:HD3	2.23	0.53
1:A:135:THR:CG2	1:A:136:ALA:N	2.72	0.53
1:A:262:LEU:HD23	1:A:315:THR:HG21	1.91	0.52
1:A:91:PHE:HA	1:A:94:LYS:HB2	1.90	0.52
1:B:262:LEU:HD23	1:B:315:THR:HG21	1.92	0.52
1:A:100:ASN:O	1:A:101:LEU:HB2	2.10	0.52
1:B:97:LEU:HG	1:B:102:PRO:HB2	1.92	0.52
1:A:267:LEU:HD21	1:A:311:VAL:HG12	1.91	0.52
1:A:157:VAL:O	1:A:161:ILE:HG13	2.10	0.51
1:A:220:GLN:OE1	1:A:220:GLN:HA	2.10	0.51
1:A:144:LYS:HD3	1:A:144:LYS:C	2.32	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:281:THR:HG23	1:A:295:ILE:HG22	1.93	0.50
1:B:110:ARG:NH1	1:B:113:ARG:HB3	2.27	0.50
1:B:93:LEU:O	1:B:97:LEU:O	2.30	0.50
1:A:159:ALA:HB2	1:A:189:ILE:HD11	1.93	0.50
1:B:317:LEU:HA	1:B:341:LEU:HD13	1.93	0.50
1:A:308:GLU:HG3	1:A:309:ASP:H	1.77	0.50
1:A:101:LEU:N	1:A:102:PRO:HD3	2.27	0.49
1:B:338:ILE:O	1:B:342:ARG:HB2	2.12	0.49
1:A:233:CYS:HB3	1:A:237:GLU:CB	2.39	0.49
1:B:150:ILE:HG23	1:B:154:GLU:HG3	1.95	0.49
1:A:225:ASP:OD2	1:A:232:SER:OG	2.30	0.49
1:B:132:LYS:CB	1:B:133:ASP:HA	2.41	0.49
1:A:105:ARG:O	1:A:106:ASP:HB2	2.12	0.49
1:B:154:GLU:O	1:B:158:ASN:OD1	2.30	0.49
1:B:251:ILE:HA	1:B:327:ILE:HD11	1.95	0.49
1:A:255:ASP:O	1:A:259:MET:HG2	2.12	0.48
1:B:145:ILE:O	1:B:149:ILE:HG13	2.13	0.48
1:A:159:ALA:HB2	1:A:189:ILE:CD1	2.43	0.48
1:B:317:LEU:HB2	1:B:341:LEU:HB3	1.95	0.48
1:A:97:LEU:HD11	1:A:138:GLN:NE2	2.27	0.47
1:A:282:LEU:HA	1:A:285:ILE:HD12	1.96	0.47
1:B:242:LEU:O	1:B:246:ILE:HG12	2.15	0.47
1:A:170:PHE:HD2	1:A:174:MET:HE2	1.79	0.47
1:A:209:ASN:HB3	1:B:209:ASN:HB3	1.97	0.47
1:A:318:SER:O	1:A:322:GLU:HG2	2.14	0.47
1:B:100:ASN:O	1:B:101:LEU:HB2	2.15	0.46
1:A:277:GLN:HA	1:A:280:LEU:HD12	1.97	0.46
1:B:177:GLU:HG2	1:B:179:GLN:HE21	1.80	0.46
1:B:170:PHE:HD2	1:B:174:MET:HE2	1.80	0.46
1:B:77:ARG:NH2	1:B:161:ILE:O	2.48	0.46
1:A:129:LEU:CD2	1:A:142:LEU:HD23	2.46	0.45
1:B:211:ARG:HH11	1:B:211:ARG:CG	2.30	0.45
1:B:318:SER:O	1:B:322:GLU:OE2	2.34	0.45
1:B:265:SER:HB2	1:B:267:LEU:CD1	2.45	0.45
1:A:177:GLU:HG2	1:A:179:GLN:HE21	1.81	0.45
1:A:297:THR:O	1:A:301:GLU:HG2	2.17	0.45
1:B:342:ARG:HH21	1:B:342:ARG:HG3	1.80	0.45
1:B:97:LEU:HG	1:B:102:PRO:CB	2.46	0.45
1:B:89:LYS:HD3	1:B:115:PHE:CE1	2.52	0.45
1:B:159:ALA:HB2	1:B:189:ILE:HD11	1.98	0.45
1:A:177:GLU:HG3	1:A:179:GLN:HG3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:SER:HB3	1:A:302:VAL:HG12	1.99	0.44
1:B:225:ASP:O	1:B:228:SER:HB2	2.18	0.44
1:A:350:LYS:O	1:A:354:SER:HB2	2.17	0.44
1:A:215:VAL:HG22	1:A:252:ARG:NH1	2.33	0.44
1:B:225:ASP:OD2	1:B:232:SER:OG	2.36	0.43
1:A:77:ARG:NH2	1:A:161:ILE:O	2.52	0.43
1:B:97:LEU:CG	1:B:102:PRO:HG2	2.48	0.43
1:B:105:ARG:O	1:B:106:ASP:HB2	2.18	0.43
1:B:117:ASP:HA	1:B:118:PRO:HD3	1.79	0.43
1:B:129:LEU:CD2	1:B:142:LEU:HD23	2.48	0.43
1:B:165:ILE:O	1:B:169:LEU:HD13	2.17	0.43
1:B:155:LYS:HG3	1:B:232:SER:HB2	2.00	0.43
1:A:110:ARG:NH1	1:A:113:ARG:HB3	2.29	0.43
1:A:170:PHE:HB3	1:A:174:MET:HE3	2.01	0.43
1:B:354:SER:N	1:B:355:ARG:HA	2.33	0.43
1:B:132:LYS:HB3	1:B:133:ASP:CG	2.38	0.43
1:B:195:THR:HG23	1:B:248:ILE:HG13	1.95	0.43
1:B:332:SER:O	1:B:336:ILE:HG13	2.19	0.43
1:A:265:SER:HB2	1:A:267:LEU:CD1	2.49	0.43
1:A:125:LEU:HD13	1:A:146:ILE:HG13	2.01	0.43
1:B:186:ARG:O	1:B:190:MET:HG2	2.18	0.43
1:B:98:LYS:HA	1:B:98:LYS:HD2	1.89	0.42
1:B:342:ARG:NH2	1:B:342:ARG:HG3	2.34	0.42
1:A:312:VAL:O	1:A:316:TYR:HD2	2.02	0.42
1:B:231:PRO:HB3	1:B:238:PHE:HE2	1.84	0.42
1:A:338:ILE:HG22	1:A:342:ARG:HE	1.84	0.42
1:B:144:LYS:HA	1:B:144:LYS:HD2	1.80	0.42
1:A:117:ASP:HA	1:A:118:PRO:HD3	1.83	0.42
1:A:310:SER:O	1:A:314:GLN:HB2	2.20	0.42
1:B:255:ASP:O	1:B:259:MET:HG2	2.18	0.42
1:A:254:SER:HB3	1:A:323:SER:OG	2.20	0.41
1:B:150:ILE:CG2	1:B:154:GLU:HG3	2.50	0.41
1:B:170:PHE:HB3	1:B:174:MET:HE3	2.02	0.41
1:A:132:LYS:HB3	1:A:133:ASP:OD2	2.20	0.41
1:B:211:ARG:NH1	1:B:211:ARG:CG	2.83	0.41
1:B:176:LEU:HD23	1:B:181:LEU:HD21	2.03	0.41
1:B:261:LYS:HB3	1:B:315:THR:HG23	2.02	0.41
1:B:139:VAL:O	1:B:143:THR:HG23	2.20	0.41
1:B:312:VAL:O	1:B:316:TYR:HD2	2.04	0.41
1:A:261:LYS:HB3	1:A:315:THR:HG23	2.02	0.40
1:B:128:LEU:HB3	1:B:142:LEU:HD21	2.01	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:98:LYS:HG3	1:B:134:LEU:HB3	2.02	0.40
1:A:231:PRO:HB3	1:A:238:PHE:HE2	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	281/294 (96%)	261 (93%)	16 (6%)	4 (1%)	11	43
1	B	281/294 (96%)	255 (91%)	23 (8%)	3 (1%)	14	50
All	All	562/588 (96%)	516 (92%)	39 (7%)	7 (1%)	13	48

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	135	THR
1	A	137	GLU
1	B	135	THR
1	A	102	PRO
1	B	137	GLU
1	B	308	GLU
1	A	136	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/270 (97%)	233 (89%)	28 (11%)	6	26
1	B	261/270 (97%)	231 (88%)	30 (12%)	5	24
All	All	522/540 (97%)	464 (89%)	58 (11%)	6	25

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	83	GLU
1	A	95	ARG
1	A	105	ARG
1	A	107	PHE
1	A	110	ARG
1	A	111	LEU
1	A	113	ARG
1	A	133	ASP
1	A	135	THR
1	A	144	LYS
1	A	172	ASN
1	A	174	MET
1	A	180	LEU
1	A	184	CYS
1	A	195	THR
1	A	215	VAL
1	A	227	ASP
1	A	228	SER
1	A	232	SER
1	A	238	PHE
1	A	254	SER
1	A	263	GLU
1	A	268	LEU
1	A	273	LEU
1	A	278	LEU
1	A	279	LEU
1	A	342	ARG
1	A	350	LYS
1	B	79	LEU
1	B	83	GLU
1	B	95	ARG
1	B	105	ARG
1	B	107	PHE
1	B	110	ARG
1	B	111	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	113	ARG
1	B	117	ASP
1	B	172	ASN
1	B	174	MET
1	B	180	LEU
1	B	184	CYS
1	B	195	THR
1	B	203	LEU
1	B	215	VAL
1	B	227	ASP
1	B	232	SER
1	B	238	PHE
1	B	254	SER
1	B	263	GLU
1	B	270	ASP
1	B	279	LEU
1	B	296	LEU
1	B	301	GLU
1	B	302	VAL
1	B	322	GLU
1	B	326	ASP
1	B	331	GLU
1	B	349	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	GLN
1	B	138	GLN
1	B	158	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	283/294 (96%)	0.42	16 (5%) 23 8	96, 142, 190, 200	0
1	B	283/294 (96%)	0.39	12 (4%) 36 14	97, 129, 191, 201	0
All	All	566/588 (96%)	0.40	28 (4%) 29 11	96, 136, 190, 201	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	101	LEU	4.8
1	A	101	LEU	4.2
1	B	96	THR	4.1
1	B	354	SER	4.0
1	B	93	LEU	3.5
1	B	95	ARG	3.4
1	A	310	SER	3.1
1	A	337	ALA	2.9
1	A	341	LEU	2.8
1	A	103	LEU	2.8
1	A	129	LEU	2.7
1	B	128	LEU	2.6
1	A	304	ARG	2.6
1	A	104	ASP	2.5
1	A	93	LEU	2.5
1	B	349	TYR	2.5
1	A	136	ALA	2.4
1	B	113	ARG	2.4
1	B	138	GLN	2.3
1	A	350	LYS	2.3
1	A	131	GLU	2.3
1	B	97	LEU	2.3
1	A	97	LEU	2.2
1	A	86	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	99	ASP	2.2
1	B	353	LEU	2.2
1	A	90	ILE	2.1
1	A	74	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.