



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 16, 2021 – 12:10 PM JST

PDB ID : 7VQM
Title : GH2 beta-galacturonate AqGalA in complex with galacturonide
Authors : Yang, J.
Deposited on : 2021-10-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	605	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, orange 85%, yellow 11%, green 100%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> 2% 85% 11% .. </div> </div>
1	B	605	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, orange 82%, yellow 14%, green 100%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> 2% 82% 14% .. </div> </div>
1	C	605	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, orange 83%, yellow 13%, green 100%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> 2% 83% 13% .. </div> </div>
1	D	605	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, orange 80%, yellow 15%, green 100%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> 2% 80% 15% .. </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GTR	A	702	-	-	X	-
3	GTR	D	702	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 20710 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GH2 beta-galacturonate AqGalA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	584	Total	C	N	O	S	0	0	0
			4847	3103	835	895	14			
1	B	584	Total	C	N	O	S	0	0	0
			4847	3103	835	895	14			
1	C	584	Total	C	N	O	S	0	0	0
			4847	3103	835	895	14			
1	D	584	Total	C	N	O	S	0	0	0
			4847	3103	835	895	14			

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		
2	C	1	Total	Cl	0	0
			1	1		
2	D	1	Total	Cl	0	0
			1	1		

- Molecule 3 is beta-D-galactopyranuronic acid (three-letter code: GTR) (formula: C₆H₁₀O₇) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	6	7		
3	B	1	Total	C	O	0	0
			13	6	7		
3	C	1	Total	C	O	0	0
			13	6	7		
3	D	1	Total	C	O	0	0
			13	6	7		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	338	Total	O	0	0
			338	338		
4	B	299	Total	O	0	0
			299	299		
4	C	349	Total	O	0	0
			349	349		
4	D	280	Total	O	0	0
			280	280		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GH2 beta-galacturonate AqGalA




• Molecule 1: GH2 beta-galacturonate AqGalA





• Molecule 1: GH2 beta-galacturonate AqGalA





● Molecule 1: GH2 beta-galacturonate AqGalA



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	83.41Å 154.01Å 115.92Å 90.00° 109.78° 90.00°	Depositor
Resolution (Å)	19.95 – 2.40 19.94 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.7 (19.95-2.40) 98.9 (19.94-2.40)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.25 (at 2.41Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.200 , 0.257 0.205 , 0.258	Depositor DCC
R_{free} test set	5309 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	17.7	Xtriage
Anisotropy	0.618	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 43.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	20710	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTR, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/4973	0.86	3/6738 (0.0%)
1	B	0.66	0/4973	0.85	0/6738
1	C	0.66	0/4973	0.86	1/6738 (0.0%)
1	D	0.65	0/4973	0.83	0/6738
All	All	0.66	0/19892	0.85	4/26952 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	D	0	3
All	All	0	5

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	271	ARG	CG-CD-NE	7.15	126.82	111.80
1	A	59	ARG	NE-CZ-NH2	-6.23	117.18	120.30
1	C	613	GLU	CB-CA-C	5.31	121.03	110.40
1	A	274	ARG	NE-CZ-NH2	-5.05	117.77	120.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	524	GLU	Peptide
1	C	524	GLU	Peptide
1	D	370	LEU	Peptide
1	D	396	VAL	Peptide
1	D	524	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4847	0	4734	37	0
1	B	4847	0	4734	48	0
1	C	4847	0	4734	49	0
1	D	4847	0	4734	51	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	13	0	9	6	0
3	B	13	0	9	4	0
3	C	13	0	9	2	0
3	D	13	0	9	1	0
4	A	338	0	0	5	0
4	B	299	0	0	2	0
4	C	349	0	0	5	0
4	D	280	0	0	7	0
All	All	20710	0	18972	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:498:GLY:HA3	1:B:549:LEU:HD13	1.47	0.95
1:C:371:ALA:HB2	1:C:375:HIS:NE2	1.94	0.82
1:B:569:TRP:CZ2	3:B:702:GTR:H3	2.15	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:77:ALA:N	4:D:801:HOH:O	2.13	0.82
1:B:623:LYS:NZ	4:B:801:HOH:O	2.13	0.81
1:C:536:ASP:OD1	1:D:89:ARG:NH1	2.14	0.80
1:D:497:ILE:O	1:D:501:SER:O	2.00	0.80
1:B:525:PHE:CD1	1:B:553:GLN:HG2	2.18	0.79
1:C:159:VAL:HG21	1:C:173:ILE:HG22	1.65	0.77
1:B:48:LYS:HE2	1:B:102:GLU:OE2	1.86	0.76
1:B:498:GLY:HA3	1:B:549:LEU:CD1	2.17	0.74
1:A:569:TRP:CZ2	3:A:702:GTR:H3	2.23	0.74
1:A:497:ILE:O	1:A:501:SER:O	2.05	0.74
1:B:371:ALA:HB2	1:B:375:HIS:NE2	2.03	0.73
1:C:525:PHE:CD1	1:C:553:GLN:HG2	2.22	0.73
1:A:203:ASP:OD2	3:A:702:GTR:O4	2.04	0.73
1:A:495:GLU:OE2	1:A:553:GLN:OE1	2.08	0.71
1:C:617:LYS:NZ	4:C:1002:HOH:O	2.22	0.71
1:C:451:LYS:HG3	1:C:463:ILE:HG21	1.73	0.70
1:D:68:ASP:OD2	1:D:158:LYS:NZ	2.20	0.69
1:D:371:ALA:HB2	1:D:375:HIS:NE2	2.08	0.69
1:C:203:ASP:OD2	3:C:702:GTR:O4	2.12	0.68
1:D:49:TYR:HA	1:D:124:TRP:O	1.93	0.68
1:A:372:HIS:NE2	3:A:702:GTR:O2	2.27	0.67
1:B:29:THR:N	4:B:802:HOH:O	2.26	0.67
1:A:77:ALA:N	4:A:804:HOH:O	2.28	0.67
1:A:525:PHE:CD1	1:A:553:GLN:HG2	2.29	0.67
1:C:497:ILE:O	1:C:501:SER:O	2.13	0.66
1:C:191:ARG:HD3	1:C:193:GLU:OE2	1.96	0.66
1:A:191:ARG:HD3	1:A:193:GLU:OE2	1.97	0.65
1:A:498:GLY:HA3	1:A:549:LEU:HD13	1.80	0.64
1:B:159:VAL:HG11	1:B:173:ILE:HG22	1.77	0.64
1:B:497:ILE:O	1:B:501:SER:O	2.15	0.64
1:C:469:ARG:NH2	4:C:1006:HOH:O	2.29	0.64
1:D:267:THR:HG21	1:D:275:VAL:HG21	1.80	0.64
1:C:77:ALA:N	4:C:1009:HOH:O	2.32	0.63
1:A:49:TYR:HA	1:A:124:TRP:O	1.99	0.63
1:B:525:PHE:CE1	1:B:553:GLN:HG2	2.34	0.62
1:B:371:ALA:CB	1:B:375:HIS:NE2	2.63	0.61
1:A:203:ASP:CG	3:A:702:GTR:HO4	2.02	0.61
1:B:224:ILE:HD13	1:B:299:ILE:HG22	1.83	0.61
1:D:77:ALA:N	4:D:805:HOH:O	2.34	0.61
1:B:569:TRP:CE2	3:B:702:GTR:H3	2.36	0.60
1:A:371:ALA:HB2	1:A:375:HIS:NE2	2.17	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:281:ALA:O	1:B:283:LYS:N	2.35	0.59
1:B:333:GLY:HA2	1:B:367:PHE:O	2.02	0.59
1:B:372:HIS:NE2	3:B:702:GTR:O2	2.36	0.58
1:C:371:ALA:CB	1:C:375:HIS:NE2	2.64	0.58
1:B:495:GLU:OE2	1:B:553:GLN:OE1	2.21	0.58
1:B:228:ALA:O	1:B:241:GLY:HA3	2.04	0.57
1:D:445:GLU:OE1	4:D:802:HOH:O	2.17	0.57
1:B:138:ARG:HG2	1:B:138:ARG:HH11	1.71	0.56
1:B:49:TYR:HA	1:B:124:TRP:O	2.06	0.56
1:D:191:ARG:HD3	1:D:193:GLU:OE2	2.05	0.56
1:D:371:ALA:CB	1:D:375:HIS:NE2	2.69	0.56
1:C:49:TYR:HA	1:C:124:TRP:O	2.06	0.55
1:C:495:GLU:OE2	1:C:553:GLN:NE2	2.40	0.55
1:D:160:GLY:HA3	1:D:171:PHE:CE1	2.42	0.55
1:A:383:ALA:CB	1:A:390:LEU:HD11	2.37	0.55
1:A:261:ALA:O	1:A:262:LYS:HB2	2.06	0.55
1:D:443:ARG:O	1:D:446:PHE:HB3	2.07	0.54
1:C:89:ARG:NH1	1:D:536:ASP:OD1	2.41	0.54
1:B:371:ALA:HB1	1:B:373:TYR:CZ	2.43	0.54
1:D:447:LEU:HB3	1:D:484:PHE:CE2	2.41	0.54
1:B:191:ARG:HD3	1:B:193:GLU:OE2	2.07	0.54
1:D:87:LYS:NZ	4:D:810:HOH:O	2.38	0.54
1:C:186:VAL:HG21	1:C:210:ILE:HD11	1.91	0.53
1:A:371:ALA:CB	1:A:375:HIS:NE2	2.73	0.52
1:A:525:PHE:CE1	1:A:553:GLN:HG2	2.44	0.52
1:C:525:PHE:CE1	1:C:553:GLN:HG2	2.44	0.52
1:D:274:ARG:HD3	1:D:276:HIS:NE2	2.25	0.52
1:C:128:LYS:HA	1:C:182:ASN:O	2.09	0.52
1:D:322:ILE:HD12	1:D:564:ARG:HB3	1.92	0.51
1:D:29:THR:N	4:D:815:HOH:O	2.43	0.51
1:C:186:VAL:CG2	1:C:210:ILE:HD11	2.40	0.51
1:C:343:LYS:HG2	1:C:343:LYS:O	2.11	0.50
1:C:525:PHE:CG	1:C:553:GLN:HG2	2.47	0.50
1:B:397:TYR:OH	3:B:702:GTR:H2	2.13	0.49
1:B:331:LEU:HB2	1:B:565:GLY:HA3	1.95	0.49
1:C:261:ALA:O	1:C:283:LYS:HD2	2.12	0.49
1:C:498:GLY:HA3	1:C:549:LEU:CD1	2.43	0.49
1:D:221:SER:O	1:D:247:GLY:HA3	2.13	0.49
1:B:394:ILE:HD13	1:B:415:LEU:HB2	1.95	0.48
1:D:341:PRO:HG3	1:D:572:VAL:HG21	1.96	0.48
1:C:173:ILE:HD12	1:C:177:VAL:CG1	2.42	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:531:TYR:HB2	1:A:595:SER:HB3	1.94	0.48
1:C:498:GLY:HA3	1:C:549:LEU:HD13	1.94	0.48
1:D:128:LYS:HA	1:D:182:ASN:O	2.13	0.48
1:A:513:GLN:NE2	4:A:823:HOH:O	2.47	0.48
1:A:524:GLU:OE1	3:A:702:GTR:H1	2.14	0.47
1:C:159:VAL:CG2	1:C:173:ILE:HG22	2.41	0.47
1:A:160:GLY:HA3	1:A:171:PHE:CE1	2.49	0.47
1:C:479:LYS:HE3	1:C:513:GLN:NE2	2.29	0.47
1:B:147:ASN:HA	1:B:165:GLY:HA2	1.96	0.47
1:C:617:LYS:HG2	1:C:618:TYR:CD1	2.49	0.47
1:A:582:PRO:HA	1:A:586:ASP:OD1	2.14	0.47
1:B:580:ASN:O	1:B:582:PRO:HD3	2.15	0.47
1:D:147:ASN:HA	1:D:148:TYR:HA	1.76	0.47
1:B:147:ASN:HA	1:B:148:TYR:HA	1.71	0.46
1:C:540:ARG:NE	1:D:92:ARG:HB2	2.30	0.46
1:C:612:ASP:O	4:C:1001:HOH:O	2.21	0.46
1:B:141:ILE:O	1:B:170:ASN:HA	2.16	0.46
1:A:333:GLY:HA2	1:A:367:PHE:O	2.16	0.45
1:D:267:THR:CG2	1:D:275:VAL:HG21	2.46	0.45
1:D:391:TRP:CE3	1:D:430:VAL:HG11	2.51	0.45
1:B:476:ASP:OD1	1:B:476:ASP:N	2.49	0.45
1:D:339:GLU:OE2	1:D:574:PHE:HA	2.17	0.45
1:C:477:VAL:HG12	1:C:511:THR:OG1	2.16	0.45
1:D:191:ARG:NH1	4:D:835:HOH:O	2.49	0.45
1:D:477:VAL:HG12	1:D:511:THR:OG1	2.16	0.45
1:B:38:ARG:NH2	1:B:306:LEU:HD12	2.32	0.45
1:D:136:ASN:O	1:D:221:SER:HB3	2.17	0.45
1:D:436:GLU:OE2	3:D:702:GTR:H1	2.17	0.45
1:B:323:LEU:HA	1:B:327:GLN:O	2.17	0.45
1:D:376:ASN:OD1	1:D:378:ASN:HB2	2.17	0.45
1:D:435:ASN:HA	1:D:466:ALA:HB3	1.99	0.45
1:D:166:PHE:O	1:D:374:PRO:HG2	2.17	0.45
1:D:44:ASN:CG	1:D:106:PRO:HD3	2.38	0.44
1:D:57:GLY:HA3	1:D:80:TYR:CD2	2.52	0.44
1:B:327:GLN:HG2	1:B:620:TYR:CD1	2.52	0.44
1:C:147:ASN:HA	1:C:148:TYR:HA	1.59	0.44
1:D:141:ILE:O	1:D:170:ASN:HA	2.17	0.44
1:A:205:TRP:CE3	1:A:577:PRO:HD3	2.52	0.44
1:A:379:MET:HB2	1:A:380:PRO:CD	2.47	0.44
1:C:469:ARG:HD2	1:C:471:GLU:OE2	2.17	0.44
1:D:60:ASN:OD1	1:D:62:ARG:N	2.46	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147:ASN:HA	1:A:165:GLY:HA2	2.00	0.44
1:D:333:GLY:HA3	1:D:567:THR:HG22	2.00	0.44
1:A:128:LYS:HA	1:A:182:ASN:O	2.18	0.43
1:D:442:SER:HB2	4:D:999:HOH:O	2.18	0.43
1:A:77:ALA:HB2	4:A:1103:HOH:O	2.18	0.43
1:A:476:ASP:N	4:A:830:HOH:O	2.50	0.43
1:C:623:LYS:O	1:C:623:LYS:HG3	2.17	0.43
1:B:322:ILE:HD12	1:B:564:ARG:HB3	2.00	0.43
1:D:81:TYR:HA	1:D:185:MET:HG2	2.00	0.43
1:B:151:ASP:OD2	1:B:158:LYS:NZ	2.47	0.43
1:B:434:ALA:HB1	1:B:437:THR:HG21	2.01	0.43
1:B:444:LEU:HD21	1:B:448:ARG:NH1	2.34	0.43
1:C:541:TRP:CD2	1:C:584:ILE:HG21	2.54	0.43
1:D:369:ARG:HG3	1:D:391:TRP:CD1	2.53	0.43
1:D:371:ALA:HB1	1:D:373:TYR:CZ	2.54	0.42
1:A:383:ALA:HB2	1:A:390:LEU:HD11	2.00	0.42
1:B:541:TRP:CD2	1:B:584:ILE:HG21	2.55	0.42
1:A:569:TRP:CE2	3:A:702:GTR:H3	2.55	0.42
1:A:239:ILE:HD11	1:A:284:ILE:HD13	2.00	0.42
1:B:68:ASP:OD2	1:B:158:LYS:NZ	2.48	0.42
1:C:569:TRP:CE2	3:C:702:GTR:H4	2.54	0.42
1:A:224:ILE:HD13	1:A:299:ILE:HG22	2.00	0.42
1:C:369:ARG:HG3	1:C:391:TRP:CD1	2.54	0.42
1:D:323:LEU:HA	1:D:327:GLN:O	2.20	0.42
1:D:550:TYR:CZ	1:D:593:LEU:HD21	2.54	0.42
1:C:139:LEU:HD23	1:C:177:VAL:HG11	2.02	0.42
1:A:482:ASP:HA	1:A:483:PRO:HD2	1.84	0.41
1:B:153:TYR:HB2	1:B:185:MET:HB3	2.01	0.41
1:C:495:GLU:CD	1:C:553:GLN:HE22	2.24	0.41
1:A:175:ASN:HB2	4:A:907:HOH:O	2.19	0.41
1:C:412:LYS:HG3	1:C:453:ILE:HD13	2.01	0.41
1:D:433:VAL:HG22	1:D:450:LEU:HB3	2.02	0.41
1:B:327:GLN:HG2	1:B:620:TYR:CG	2.55	0.41
1:B:492:ALA:HA	1:B:521:PHE:O	2.21	0.41
1:C:394:ILE:HD13	1:C:415:LEU:HB2	2.03	0.41
1:C:561:PRO:HD2	4:C:1048:HOH:O	2.21	0.41
1:D:541:TRP:CD2	1:D:584:ILE:HG21	2.55	0.41
1:A:242:TYR:HA	1:A:275:VAL:O	2.20	0.41
1:D:78:LYS:N	1:D:79:PRO:CD	2.84	0.41
1:B:469:ARG:HB2	1:B:478:VAL:HG13	2.02	0.41
1:C:157:GLN:OE1	1:C:176:VAL:HG23	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:231:LEU:HG	1:C:312:LEU:HB3	2.01	0.41
1:A:367:PHE:HA	1:A:389:LEU:O	2.21	0.41
1:B:159:VAL:CG1	1:B:171:PHE:HB3	2.51	0.41
1:B:318:LYS:HB2	1:B:323:LEU:HD22	2.03	0.41
1:A:434:ALA:HB1	1:A:437:THR:HG21	2.03	0.41
1:B:238:ASN:HA	1:B:280:PRO:HA	2.03	0.40
1:C:44:ASN:CG	1:C:106:PRO:HD3	2.42	0.40
1:C:339:GLU:OE1	1:C:574:PHE:HA	2.21	0.40
1:D:580:ASN:O	1:D:582:PRO:HD3	2.20	0.40
1:C:400:ILE:HB	1:C:402:TYR:CZ	2.56	0.40
1:D:159:VAL:HG13	1:D:171:PHE:HB3	2.03	0.40
1:C:147:ASN:HA	1:C:165:GLY:HA2	2.01	0.40
1:C:371:ALA:HB1	1:C:373:TYR:CZ	2.57	0.40
1:D:245:LEU:HD12	1:D:269:THR:HG21	2.04	0.40
1:B:60:ASN:HB3	1:B:63:ASN:OD1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	576/605 (95%)	549 (95%)	27 (5%)	0	100	100
1	B	576/605 (95%)	543 (94%)	33 (6%)	0	100	100
1	C	576/605 (95%)	548 (95%)	27 (5%)	1 (0%)	47	62
1	D	576/605 (95%)	546 (95%)	29 (5%)	1 (0%)	47	62
All	All	2304/2420 (95%)	2186 (95%)	116 (5%)	2 (0%)	51	68

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	348	ARG
1	C	348	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	522/543 (96%)	506 (97%)	16 (3%)	40	60
1	B	522/543 (96%)	502 (96%)	20 (4%)	33	51
1	C	522/543 (96%)	502 (96%)	20 (4%)	33	51
1	D	522/543 (96%)	498 (95%)	24 (5%)	27	43
All	All	2088/2172 (96%)	2008 (96%)	80 (4%)	33	51

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	126	ARG
1	A	170	ASN
1	A	176	VAL
1	A	215	LYS
1	A	271	ARG
1	A	284	ILE
1	A	305	LYS
1	A	313	ARG
1	A	385	LYS
1	A	391	TRP
1	A	443	ARG
1	A	476	ASP
1	A	477	VAL
1	A	505	GLU
1	A	510	VAL
1	A	511	THR
1	B	126	ARG
1	B	138	ARG
1	B	170	ASN
1	B	176	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	186	VAL
1	B	233	LYS
1	B	237	LYS
1	B	268	THR
1	B	271	ARG
1	B	284	ILE
1	B	313	ARG
1	B	317	THR
1	B	391	TRP
1	B	433	VAL
1	B	442	SER
1	B	476	ASP
1	B	505	GLU
1	B	510	VAL
1	B	511	THR
1	B	623	LYS
1	C	126	ARG
1	C	159	VAL
1	C	170	ASN
1	C	240	LYS
1	C	249	SER
1	C	268	THR
1	C	271	ARG
1	C	283	LYS
1	C	298	GLN
1	C	313	ARG
1	C	361	LYS
1	C	391	TRP
1	C	433	VAL
1	C	442	SER
1	C	459	ASN
1	C	469	ARG
1	C	470	ASN
1	C	505	GLU
1	C	536	ASP
1	C	537	LYS
1	D	126	ARG
1	D	159	VAL
1	D	170	ASN
1	D	186	VAL
1	D	249	SER
1	D	266	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	271	ARG
1	D	272	THR
1	D	284	ILE
1	D	305	LYS
1	D	313	ARG
1	D	317	THR
1	D	344	ILE
1	D	385	LYS
1	D	391	TRP
1	D	433	VAL
1	D	442	SER
1	D	443	ARG
1	D	476	ASP
1	D	491	LEU
1	D	511	THR
1	D	517	ASP
1	D	536	ASP
1	D	619	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	449	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	GTR	D	702	-	10,13,13	2.11	2 (20%)	15,19,19	1.38	3 (20%)
3	GTR	B	702	-	10,13,13	2.50	3 (30%)	15,19,19	1.71	5 (33%)
3	GTR	A	702	-	10,13,13	2.79	3 (30%)	15,19,19	1.61	4 (26%)
3	GTR	C	702	-	10,13,13	2.10	2 (20%)	15,19,19	2.81	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GTR	D	702	-	-	0/0/24/24	0/1/1/1
3	GTR	B	702	-	-	0/0/24/24	0/1/1/1
3	GTR	A	702	-	-	0/0/24/24	0/1/1/1
3	GTR	C	702	-	-	0/0/24/24	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	702	GTR	O5-C5	6.64	1.52	1.44
3	D	702	GTR	O5-C5	5.04	1.50	1.44
3	B	702	GTR	O5-C5	5.01	1.50	1.44
3	C	702	GTR	O5-C5	4.42	1.49	1.44
3	B	702	GTR	O5-C1	4.36	1.53	1.42
3	A	702	GTR	O5-C1	4.23	1.53	1.42
3	B	702	GTR	O3-C3	3.91	1.52	1.43
3	D	702	GTR	O5-C1	3.65	1.52	1.42
3	C	702	GTR	O5-C1	3.59	1.51	1.42
3	A	702	GTR	O3-C3	3.41	1.51	1.43

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	702	GTR	C1-O5-C5	6.32	121.75	112.31
3	C	702	GTR	O5-C1-C2	4.88	119.00	110.28
3	C	702	GTR	O5-C5-C4	3.82	115.20	108.91
3	C	702	GTR	C1-C2-C3	3.68	117.96	110.31
3	B	702	GTR	O3-C3-C4	3.27	117.92	110.35
3	A	702	GTR	O4-C4-C5	-2.98	104.35	110.05
3	C	702	GTR	C4-C3-C2	2.89	115.87	110.82
3	C	702	GTR	C3-C4-C5	2.88	114.93	109.02
3	A	702	GTR	O3-C3-C4	2.80	116.83	110.35
3	B	702	GTR	O4-C4-C5	-2.68	104.92	110.05
3	D	702	GTR	C1-O5-C5	2.58	116.17	112.31
3	A	702	GTR	C3-C4-C5	2.43	114.01	109.02
3	B	702	GTR	O5-C1-C2	2.39	114.55	110.28
3	D	702	GTR	O5-C1-C2	2.24	114.28	110.28
3	B	702	GTR	C6-C5-C4	-2.24	107.45	113.04
3	B	702	GTR	O2-C2-C3	-2.23	105.20	110.35
3	D	702	GTR	C3-C4-C5	2.04	113.21	109.02
3	A	702	GTR	O2-C2-C3	-2.02	105.67	110.35

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


4 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	702	GTR	1	0
3	B	702	GTR	4	0
3	A	702	GTR	6	0
3	C	702	GTR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	584/605 (96%)	-0.45	5 (0%) 84 82	10, 19, 36, 66	0
1	B	584/605 (96%)	-0.33	8 (1%) 75 73	11, 20, 42, 77	0
1	C	584/605 (96%)	-0.44	5 (0%) 84 82	11, 19, 36, 73	0
1	D	584/605 (96%)	-0.23	13 (2%) 62 60	11, 24, 45, 93	0
All	All	2336/2420 (96%)	-0.36	31 (1%) 77 75	10, 20, 42, 93	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	621	GLN	5.9
1	D	623	LYS	3.9
1	C	471	GLU	3.5
1	B	517	ASP	3.5
1	B	621	GLN	3.4
1	A	271	ARG	3.1
1	A	621	GLN	3.0
1	D	622	ILE	3.0
1	C	470	ASN	2.8
1	D	271	ARG	2.8
1	D	620	TYR	2.7
1	A	623	LYS	2.7
1	D	470	ASN	2.7
1	C	271	ARG	2.6
1	A	371	ALA	2.5
1	D	441	GLU	2.5
1	B	622	ILE	2.4
1	D	517	ASP	2.4
1	B	283	LYS	2.4
1	B	619	ASN	2.3
1	D	135	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	283	LYS	2.3
1	D	616	LYS	2.1
1	D	305	LYS	2.1
1	D	619	ASN	2.1
1	B	471	GLU	2.1
1	B	623	LYS	2.1
1	B	476	ASP	2.1
1	C	283	LYS	2.0
1	A	619	ASN	2.0
1	C	476	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GTR	B	702	13/13	0.69	0.33	26,42,45,47	0
3	GTR	D	702	13/13	0.78	0.41	40,62,73,74	0
3	GTR	A	702	13/13	0.80	0.35	23,42,47,47	0
3	GTR	C	702	13/13	0.83	0.31	28,43,48,55	0
2	CL	C	701	1/1	0.98	0.08	18,18,18,18	0
2	CL	A	701	1/1	0.99	0.10	17,17,17,17	0
2	CL	D	701	1/1	0.99	0.11	20,20,20,20	0
2	CL	B	701	1/1	0.99	0.10	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GTR B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTR D 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTR A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GTR C 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.