



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 22, 2022 – 04:45 AM JST

PDB ID : 7VS4
Title : Crystal structure of PacII_M1M2S-DNA(m6A)-SAH complex
Authors : Zhu, J.; Gao, P.
Deposited on : 2021-10-25
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.3
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1284 (2.56-2.52)
Clashscore	141614	1332 (2.56-2.52)
Ramachandran outliers	138981	1315 (2.56-2.52)
Sidechain outliers	138945	1315 (2.56-2.52)
RSRZ outliers	127900	1272 (2.56-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	499	 2% 85% 14% .
2	B	504	 % 86% 12% .
3	C	383	 % 79% 17% . .
4	H	25	 64% 32% .
5	I	25	 64% 36%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12286 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Site-specific DNA-methyltransferase (adenine-specific).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	495	Total	C	N	O	S	0	0	0
			3909	2489	681	727	12			

- Molecule 2 is a protein called Site-specific DNA-methyltransferase (adenine-specific).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	494	Total	C	N	O	S	0	0	0
			3954	2525	682	734	13			

- Molecule 3 is a protein called Site-specific DNA recognition subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	374	Total	C	N	O	S	0	0	0
			2926	1873	498	545	10			


- Molecule 4 is a DNA chain called DNA (25-mer).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	25	Total	C	N	O	P	0	0	0
			509	242	97	145	25			

- Molecule 5 is a DNA chain called DNA (25-mer).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	I	25	Total	C	N	O	P	0	0	0
			517	247	90	155	25			

- Molecule 6 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula: C₁₄H₂₀N₆O₅S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total 26	C 14	N 6	O 5	S 1	0	0
6	B	1	Total 26	C 14	N 6	O 5	S 1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	102	Total O 102 102	0	0
7	B	162	Total O 162 162	0	0
7	C	96	Total O 96 96	0	0
7	H	33	Total O 33 33	0	0
7	I	26	Total O 26 26	0	0



● Molecule 4: DNA (25-mer)



● Molecule 5: DNA (25-mer)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	109.09Å 121.67Å 129.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.17 – 2.55 49.17 – 2.47	Depositor EDS
% Data completeness (in resolution range)	98.3 (49.17-2.55) 96.5 (49.17-2.47)	Depositor EDS
R_{merge}	0.02	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 2.48Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487, PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.181 , 0.237 0.182 , 0.237	Depositor DCC
R_{free} test set	2967 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 42.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12286	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAH, 6MA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/3996	0.59	1/5418 (0.0%)
2	B	0.45	0/4045	0.62	1/5471 (0.0%)
3	C	0.41	0/2987	0.59	0/4041
4	H	1.01	0/571	1.03	1/877 (0.1%)
5	I	0.98	0/552	1.07	0/849
All	All	0.51	0/12151	0.66	3/16656 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	20	DC	C1'-O4'-C4'	-5.79	104.31	110.10
1	A	230	LEU	CA-CB-CG	5.56	128.08	115.30
2	B	204	ASP	CB-CG-OD2	5.15	122.93	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3909	0	3797	43	0
2	B	3954	0	3874	34	0
3	C	2926	0	2947	39	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	H	509	0	280	6	0
5	I	517	0	287	7	0
6	A	26	0	19	1	0
6	B	26	0	17	3	0
7	A	102	0	0	1	0
7	B	162	0	0	2	0
7	C	96	0	0	0	0
7	H	33	0	0	0	0
7	I	26	0	0	0	0
All	All	12286	0	11221	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:PRO:HD2	1:A:275:ALA:HB2	1.62	0.80
3:C:31:THR:OG1	3:C:33:LEU:HD12	1.87	0.74
3:C:106:ILE:HG13	3:C:150:LEU:HD22	1.73	0.71
1:A:59:SER:HB3	1:A:62:LEU:HB3	1.76	0.67
2:B:2:ILE:N	7:B:701:HOH:O	2.29	0.65
1:A:170:GLU:O	6:A:501:SAH:H3'	1.97	0.65
1:A:319:LEU:HD21	1:A:325:MET:HB3	1.78	0.64
1:A:490:GLU:O	1:A:494:LYS:HG3	1.98	0.63
3:C:229:THR:OG1	3:C:244:LYS:NZ	2.32	0.62
3:C:195:TRP:CE2	3:C:345:PRO:HB3	2.35	0.61
1:A:380:ARG:NH2	1:A:387:HIS:O	2.32	0.60
3:C:315:ARG:NH2	3:C:341:GLU:O	2.29	0.60
3:C:174:LYS:HB2	3:C:365:ILE:HG21	1.84	0.60
1:A:473:ASP:OD2	3:C:176:SER:HB2	2.02	0.59
2:B:344:LEU:HB3	2:B:452:LEU:HB2	1.85	0.58
2:B:467:HIS:O	3:C:378:SER:OG	2.20	0.57
4:H:20:DC:H2''	4:H:21:DA:C8	2.40	0.57
1:A:193:VAL:HG22	1:A:272:CYS:HB2	1.86	0.57
1:A:57:VAL:HG23	1:A:59:SER:H	1.71	0.56
1:A:349:LYS:NZ	7:A:604:HOH:O	2.39	0.54
2:B:342:GLY:HA2	2:B:345:PHE:CE2	2.43	0.54
3:C:136:LYS:HD2	3:C:138:LYS:HE2	1.89	0.54
5:I:-24:DT:H2''	5:I:-23:DG:C8	2.43	0.54
1:A:53:VAL:O	1:A:57:VAL:HG22	2.07	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:345:PRO:HD2	3:C:350:GLN:HE21	1.73	0.53
1:A:40:LYS:HD3	1:A:79:TRP:CD2	2.44	0.52
3:C:43:ASP:OD1	3:C:51:ARG:NH2	2.36	0.51
3:C:328:ALA:HB1	5:I:-16:DT:C6	2.45	0.51
3:C:74:LYS:HD3	3:C:96:MET:HG3	1.92	0.51
3:C:80:ARG:HG2	3:C:120:MET:HG3	1.92	0.51
3:C:209:LYS:O	3:C:257:ARG:NH1	2.45	0.50
2:B:469:ILE:HG13	2:B:473:ILE:HD11	1.94	0.50
2:B:246:ARG:HG3	2:B:259:VAL:HB	1.94	0.50
3:C:344:LEU:HD12	3:C:350:GLN:HE22	1.77	0.49
2:B:366:ILE:HG12	2:B:400:ILE:HD12	1.94	0.49
2:B:203:TYR:HA	2:B:233:TYR:O	2.12	0.49
1:A:345:THR:HG22	1:A:448:PHE:CB	2.42	0.49
1:A:426:PRO:HA	1:A:437:TRP:CG	2.48	0.48
3:C:27:GLU:OE2	3:C:61:GLN:NE2	2.44	0.48
3:C:248:ASP:OD2	3:C:286:LYS:HE3	2.14	0.48
4:H:23:DC:H2''	4:H:24:DA:C8	2.48	0.48
2:B:386:ASN:HB3	2:B:389:LYS:HG2	1.96	0.48
2:B:409:GLU:HB3	2:B:412:HIS:O	2.13	0.48
2:B:18:GLU:HG2	2:B:164:TYR:CD1	2.49	0.47
3:C:129:GLY:HA3	3:C:132:SER:O	2.15	0.47
2:B:18:GLU:HG2	2:B:164:TYR:CE1	2.50	0.47
2:B:405:HIS:CD2	2:B:422:VAL:HG11	2.49	0.47
6:B:601:SAH:H4'	6:B:601:SAH:HG1	1.53	0.47
1:A:485:GLU:OE2	3:C:368:LYS:NZ	2.38	0.46
3:C:184:PHE:O	3:C:188:LEU:HB2	2.15	0.46
1:A:274:ILE:HA	1:A:326:ALA:O	2.16	0.46
1:A:159:ARG:HA	1:A:159:ARG:HD2	1.82	0.46
1:A:328:VAL:HG21	1:A:364:PHE:CZ	2.51	0.46
3:C:265:VAL:HG13	3:C:308:LEU:HD13	1.97	0.46
2:B:236:GLU:O	2:B:261:ARG:HA	2.17	0.45
3:C:190:ASN:N	3:C:190:ASN:OD1	2.50	0.45
1:A:240:LEU:HD12	1:A:250:ILE:HD11	1.97	0.45
2:B:87:ARG:HA	2:B:87:ARG:HD2	1.65	0.45
2:B:469:ILE:O	2:B:473:ILE:HG13	2.17	0.45
1:A:356:ILE:HD11	1:A:390:ILE:HG12	1.99	0.45
3:C:260:LEU:HB2	3:C:287:ALA:HB3	1.99	0.45
5:I:-25:DC:H2''	5:I:-24:DT:H71	2.00	0.44
1:A:169:GLY:O	1:A:170:GLU:HB2	2.16	0.44
2:B:442:ILE:O	2:B:446:ARG:HG3	2.17	0.44
2:B:206:THR:O	6:B:601:SAH:HB2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:ILE:HB	1:A:24:ILE:HD12	2.00	0.44
2:B:4:TYR:OH	3:C:219:GLU:HB2	2.17	0.44
4:H:1:DT:H2'	4:H:2:DC:C6	2.52	0.44
1:A:497:PHE:HE1	2:B:469:ILE:HG12	1.83	0.44
3:C:236:TRP:CZ3	3:C:308:LEU:HD23	2.53	0.44
1:A:401:ARG:NH2	5:I:-9:DG:N3	2.66	0.43
1:A:57:VAL:HG23	1:A:58:GLY:N	2.32	0.43
2:B:119:VAL:HG21	2:B:247:MET:CE	2.48	0.43
1:A:139:LEU:HD23	1:A:139:LEU:HA	1.83	0.43
4:H:9:DC:H2'	4:H:9:DC:O2	2.17	0.43
2:B:140:ILE:HD13	2:B:140:ILE:HA	1.84	0.43
3:C:58:VAL:HG21	3:C:62:LYS:HE2	2.01	0.43
3:C:189:LEU:HD11	3:C:354:MET:HE1	2.01	0.43
1:A:321:ASP:O	1:A:379:GLN:HG2	2.19	0.43
2:B:287:PRO:HG3	6:B:601:SAH:C8	2.49	0.42
3:C:185:ILE:O	3:C:189:LEU:HB2	2.19	0.42
1:A:319:LEU:HB3	1:A:323:GLY:HA3	2.01	0.42
3:C:18:ILE:HB	3:C:105:VAL:HG21	2.01	0.42
1:A:382:LYS:HA	1:A:385:ARG:NH2	2.34	0.42
1:A:475:GLN:HG3	2:B:491:PHE:CZ	2.54	0.42
1:A:345:THR:HG22	1:A:448:PHE:CG	2.55	0.42
5:I:-25:DC:H4'	5:I:-24:DT:OP1	2.20	0.42
5:I:-21:DT:H2''	5:I:-20:DG:C8	2.55	0.42
1:A:348:LEU:HD21	1:A:450:LEU:HD11	2.01	0.42
2:B:2:ILE:HD13	2:B:5:GLN:HB3	2.02	0.42
2:B:346:ARG:HG2	4:H:7:DA:H5''	2.02	0.42
3:C:25:ARG:HA	3:C:62:LYS:O	2.20	0.42
1:A:379:GLN:NE2	1:A:379:GLN:HA	2.35	0.41
2:B:469:ILE:HD11	3:C:375:ILE:HG23	2.03	0.41
1:A:339:ALA:O	1:A:343:ILE:HG13	2.20	0.41
1:A:415:TYR:CZ	1:A:419:LEU:HD13	2.56	0.41
5:I:-16:DT:H2''	5:I:-15:DA:C8	2.56	0.41
2:B:40:TYR:CE2	2:B:131:LEU:HD11	2.55	0.41
1:A:273:VAL:HG23	1:A:319:LEU:HD23	2.02	0.41
1:A:471:LEU:HD23	1:A:471:LEU:O	2.21	0.41
3:C:64:LEU:HG	3:C:65:VAL:N	2.34	0.41
3:C:306:TRP:CD2	3:C:350:GLN:HG2	2.56	0.41
1:A:341:GLY:O	1:A:345:THR:HG23	2.21	0.41
2:B:326:LYS:HB3	2:B:326:LYS:HE3	1.85	0.41
1:A:273:VAL:CG1	1:A:315:MET:HG2	2.51	0.41
2:B:253:GLU:HG3	7:B:834:HOH:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:15:LYS:HE3	2:B:19:ASP:OD2	2.21	0.41
1:A:41:ARG:O	1:A:45:VAL:HG23	2.20	0.40
2:B:470:GLU:HA	2:B:470:GLU:OE2	2.21	0.40
3:C:195:TRP:CZ2	3:C:349:ILE:HG21	2.56	0.40
1:A:240:LEU:HA	1:A:240:LEU:HD23	1.65	0.40
1:A:355:ALA:HB3	1:A:375:LEU:HD12	2.03	0.40
1:A:165:ASN:O	1:A:166:LYS:HB2	2.21	0.40
3:C:264:ASP:OD2	3:C:297:ARG:NH1	2.54	0.40
3:C:33:LEU:CD2	3:C:88:ASP:HB3	2.52	0.40
3:C:198:VAL:HG21	3:C:203:ALA:HB2	2.04	0.40
2:B:44:LEU:HD23	2:B:44:LEU:HA	1.90	0.40
2:B:474:GLU:O	2:B:478:VAL:HG23	2.21	0.40
3:C:131:LEU:HD22	4:H:8:DC:H2"	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/499 (98%)	472 (96%)	19 (4%)	0	100	100
2	B	490/504 (97%)	478 (98%)	12 (2%)	0	100	100
3	C	372/383 (97%)	355 (95%)	15 (4%)	2 (0%)	29	40
All	All	1353/1386 (98%)	1305 (96%)	46 (3%)	2 (0%)	51	65

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	102	SER
3	C	213	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/416 (96%)	388 (97%)	11 (3%)	43	58
2	B	413/432 (96%)	399 (97%)	14 (3%)	37	50
3	C	320/336 (95%)	305 (95%)	15 (5%)	26	35
All	All	1132/1184 (96%)	1092 (96%)	40 (4%)	36	49

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	98	LEU
1	A	122	LEU
1	A	147	ASP
1	A	170	GLU
1	A	324	ARG
1	A	377	ARG
1	A	417	THR
1	A	424	GLN
1	A	431	LEU
1	A	486	GLN
2	B	2	ILE
2	B	10	SER
2	B	35	SER
2	B	59	SER
2	B	76	MET
2	B	274	ASP
2	B	292	LYS
2	B	321	TYR
2	B	334	ARG
2	B	410	ARG
2	B	421	THR
2	B	465	GLU
2	B	468	ASP
2	B	493	SER
3	C	21	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	25	ARG
3	C	91	CYS
3	C	118	SER
3	C	144	SER
3	C	176	SER
3	C	178	GLN
3	C	188	LEU
3	C	189	LEU
3	C	190	ASN
3	C	249	GLU
3	C	257	ARG
3	C	283	SER
3	C	315	ARG
3	C	383	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	HIS
1	A	379	GLN
2	B	39	GLN
2	B	78	HIS
2	B	467	HIS
3	C	350	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	6MA	I	-17	5	18,24,25	3.43	7 (38%)	15,34,37	2.05	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	6MA	I	-17	5	-	0/5/23/24	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	I	-17	6MA	O4'-C4'	8.09	1.63	1.45
5	I	-17	6MA	C3'-C4'	-7.91	1.31	1.53
5	I	-17	6MA	C6-N6	6.38	1.45	1.35
5	I	-17	6MA	O4'-C1'	-4.14	1.33	1.42
5	I	-17	6MA	C5-C4	-2.57	1.34	1.40
5	I	-17	6MA	C2-N3	2.31	1.35	1.32
5	I	-17	6MA	O3'-C3'	2.18	1.48	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	-17	6MA	N3-C2-N1	-5.80	119.62	128.68
5	I	-17	6MA	C2-N1-C6	4.61	120.55	116.59
5	I	-17	6MA	C1-N6-C6	-2.09	121.07	122.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SAH	A	501	-	24,28,28	1.15	3 (12%)	25,40,40	1.84	5 (20%)
6	SAH	B	601	2	24,28,28	1.09	2 (8%)	25,40,40	1.94	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SAH	A	501	-	-	2/11/31/31	0/3/3/3
6	SAH	B	601	2	-	6/11/31/31	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	601	SAH	C2-N3	3.51	1.37	1.32
6	A	501	SAH	C2-N3	3.50	1.37	1.32
6	B	601	SAH	C2-N1	2.55	1.38	1.33
6	A	501	SAH	C2-N1	2.52	1.38	1.33
6	A	501	SAH	OXT-C	-2.31	1.23	1.30

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	501	SAH	N3-C2-N1	-5.74	119.70	128.68
6	B	601	SAH	N3-C2-N1	-4.95	120.93	128.68
6	A	501	SAH	C5'-SD-CG	-3.68	91.22	102.27
6	B	601	SAH	OXT-C-O	-3.61	115.89	124.09
6	B	601	SAH	CB-CA-C	-3.40	102.21	110.30
6	B	601	SAH	OXT-C-CA	3.30	124.64	113.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	501	SAH	O4'-C1'-C2'	-3.27	102.15	106.93
6	B	601	SAH	CB-CG-SD	3.05	120.15	113.31
6	A	501	SAH	OXT-C-O	-3.02	117.23	124.09
6	A	501	SAH	OXT-C-CA	2.15	120.69	113.38
6	B	601	SAH	O4'-C1'-C2'	-2.07	103.90	106.93

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	B	601	SAH	OXT-C-CA-N
6	B	601	SAH	O-C-CA-N
6	B	601	SAH	N-CA-CB-CG
6	B	601	SAH	C-CA-CB-CG
6	B	601	SAH	C4'-C5'-SD-CG
6	A	501	SAH	O-C-CA-CB
6	A	501	SAH	OXT-C-CA-CB
6	B	601	SAH	CA-CB-CG-SD

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	501	SAH	1	0
6	B	601	SAH	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	495/499 (99%)	-0.19	11 (2%) 62 68	25, 41, 65, 87	0
2	B	494/504 (98%)	-0.30	5 (1%) 82 86	19, 32, 65, 81	0
3	C	374/383 (97%)	-0.27	4 (1%) 80 85	21, 41, 64, 78	0
4	H	25/25 (100%)	-0.50	0 100 100	24, 31, 78, 86	0
5	I	24/25 (96%)	-0.58	0 100 100	25, 33, 81, 92	0
All	All	1412/1436 (98%)	-0.26	20 (1%) 75 81	19, 37, 66, 92	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	4	TYR	4.6
1	A	2	THR	3.7
3	C	322	LEU	3.6
2	B	58	TYR	3.1
2	B	71	TYR	3.0
1	A	443	ILE	2.9
1	A	1	MET	2.9
2	B	68	ASP	2.9
1	A	457	GLN	2.8
1	A	445	GLU	2.8
2	B	3	GLU	2.7
1	A	427	ASP	2.5
1	A	3	LEU	2.5
1	A	460	LEU	2.3
1	A	431	LEU	2.2
3	C	284	HIS	2.2
1	A	429	GLN	2.1
3	C	261	ARG	2.1
3	C	87	TRP	2.1
1	A	448	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	6MA	I	-17	22/23	0.98	0.13	23,27,29,30	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SAH	B	601	26/26	0.96	0.14	20,24,30,31	0
6	SAH	A	501	26/26	0.97	0.12	24,29,32,33	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SAH B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SAH A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.