



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2020 – 07:21 PM BST

PDB ID : 5VVT
Title : Structural Investigations of the Substrate Specificity of Human O-GlcNAcase
Authors : Li, B.; Jiang, J.; Li, H.; Hu, C.-W.
Deposited on : 2017-05-20
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	504	<div> <div>%</div> <div> <div></div> <div>63%</div> <div>19%</div> <div>•</div> <div>17%</div> </div> </div>
1	C	504	<div> <div>%</div> <div> <div></div> <div>60%</div> <div>22%</div> <div>•</div> <div>16%</div> </div> </div>
2	B	8	<div> <div>13%</div> <div>13%</div> <div>75%</div> </div>
2	D	8	<div> <div>13%</div> <div>13%</div> <div>25%</div> <div>50%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7040 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein O-GlcNAcase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	419	Total	C	N	O	S	0	0	0
			3443	2232	567	621	23			
1	C	423	Total	C	N	O	S	0	0	0
			3477	2250	575	628	24			


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	59	HIS	-	expression tag	UNP O60502
A	175	ASN	ASP	engineered mutation	UNP O60502
A	543	GLY	-	linker	UNP O60502
A	544	GLY	-	linker	UNP O60502
A	545	GLY	-	linker	UNP O60502
A	546	GLY	-	linker	UNP O60502
A	547	SER	-	linker	UNP O60502
A	548	GLY	-	linker	UNP O60502
A	549	GLY	-	linker	UNP O60502
A	550	GLY	-	linker	UNP O60502
A	551	GLY	-	linker	UNP O60502
A	552	SER	-	linker	UNP O60502
C	59	HIS	-	expression tag	UNP O60502
C	175	ASN	ASP	engineered mutation	UNP O60502
C	543	GLY	-	linker	UNP O60502
C	544	GLY	-	linker	UNP O60502
C	545	GLY	-	linker	UNP O60502
C	546	GLY	-	linker	UNP O60502
C	547	SER	-	linker	UNP O60502
C	548	GLY	-	linker	UNP O60502
C	549	GLY	-	linker	UNP O60502
C	550	GLY	-	linker	UNP O60502
C	551	GLY	-	linker	UNP O60502
C	552	SER	-	linker	UNP O60502

- Molecule 2 is a protein called ELK1 peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			15	10	2	3			
2	D	4	Total	C	N	O	0	0	0
			28	18	4	6			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	28	Total	O	0	0
			28	28		
4	C	21	Total	O	0	0
			21	21		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Protein O-GlcNAcase




• Molecule 1: Protein O-GlcNAcase





• Molecule 2: ELK1 peptide



• Molecule 2: ELK1 peptide



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.36 Å 95.79 Å 89.32 Å 90.00° 114.51° 90.00°	Depositor
Resolution (Å)	50.00 – 2.80 44.23 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (50.00-2.80) 99.9 (44.23-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.81 Å)	Xtriage
Refinement program	REFMAC 5.8.0131	Depositor
R, R_{free}	0.211 , 0.291 0.211 , 0.292	Depositor DCC
R_{free} test set	1484 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	67.1	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.034 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7040	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/3537	0.80	2/4788 (0.0%)
1	C	0.60	0/3571	0.77	3/4831 (0.1%)
2	B	1.24	0/14	2.03	1/18 (5.6%)
2	D	1.16	0/28	1.66	1/38 (2.6%)
All	All	0.63	0/7150	0.79	7/9675 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	171	LEU	CA-CB-CG	6.86	131.07	115.30
1	A	241	LEU	CA-CB-CG	6.21	129.59	115.30
2	D	381	THR	CB-CA-C	6.01	127.84	111.60
1	C	373	LEU	CA-CB-CG	5.69	128.39	115.30
2	B	382	LEU	CA-CB-CG	5.61	128.19	115.30
1	C	560	LEU	CA-CB-CG	5.29	127.47	115.30
1	C	242	LEU	CB-CG-CD1	5.12	119.70	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3443	0	3360	58	0
1	C	3477	0	3396	65	0
2	B	15	0	16	0	0
2	D	28	0	28	3	0
3	B	14	0	13	0	0
3	D	14	0	13	1	0
4	A	28	0	0	2	0
4	C	21	0	0	2	0
All	All	7040	0	6826	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:132:GLU:OE1	1:C:211:THR:HG21	1.58	1.01
1:C:663:CYS:HA	1:C:666:HIS:CE1	1.98	0.99
1:C:663:CYS:SG	4:C:819:HOH:O	2.21	0.96
1:C:663:CYS:SG	1:C:666:HIS:NE2	2.08	0.94
1:A:101:TYR:HE1	1:A:106:PHE:HB2	1.39	0.87
1:C:234:LEU:HD22	1:C:271:ILE:HD11	1.63	0.81
1:A:101:TYR:CE1	1:A:106:PHE:HB2	2.17	0.79
1:A:152:SER:HB3	1:A:156:ARG:HH11	1.49	0.78
1:C:132:GLU:OE1	1:C:211:THR:CG2	2.34	0.76
1:C:314:PRO:HB2	1:C:321:ASN:OD1	1.85	0.76
1:C:663:CYS:HG	1:C:666:HIS:CD2	2.00	0.70
1:C:108:ARG:NH1	1:C:142:ASP:OD2	2.20	0.68
1:A:108:ARG:NH2	1:A:142:ASP:OD1	2.27	0.67
1:C:155:LYS:HD2	1:C:205:TYR:CD2	2.31	0.65
1:A:554:THR:OG1	1:A:556:GLU:OE1	2.14	0.64
1:C:123:ILE:HD13	1:C:166:CYS:HB2	1.79	0.64
1:A:224:CYS:SG	1:A:228:VAL:HG12	2.38	0.64
1:A:584:TRP:CE2	1:A:588:ASN:ND2	2.67	0.63
1:C:67:GLY:HA2	1:C:96:ALA:O	2.01	0.61
1:C:264:ILE:HA	1:C:267:VAL:HG12	1.83	0.59
1:C:304:ILE:HD12	1:C:335:ASN:HB3	1.85	0.59
1:A:161:VAL:HA	1:A:164:PHE:CD2	2.37	0.58
1:A:553:VAL:N	4:A:801:HOH:O	2.36	0.58
1:C:204:GLN:HA	1:C:208:GLU:HG3	1.85	0.58
1:A:101:TYR:HD1	1:A:102:LYS:N	2.01	0.58
1:A:554:THR:HG22	1:A:557:ASP:OD2	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:401:NAG:H3	3:D:401:NAG:O7	2.06	0.56
2:D:382:LEU:HG	2:D:383:SER:N	2.21	0.56
1:C:277:ILE:HB	1:C:310:VAL:HG23	1.86	0.55
1:C:663:CYS:SG	1:C:666:HIS:CE1	2.96	0.55
1:C:145:PHE:HE1	1:C:198:ILE:HD11	1.72	0.54
1:A:200:ASN:ND2	1:A:242:LEU:HG	2.22	0.54
1:A:584:TRP:CD2	1:A:610:ARG:NH2	2.75	0.54
1:A:578:MET:HE3	1:A:617:MET:HB3	1.90	0.54
1:C:670:GLN:OE1	1:C:671:PHE:N	2.41	0.53
1:A:152:SER:HB3	1:A:156:ARG:NH1	2.22	0.53
1:A:152:SER:C	1:A:156:ARG:HD3	2.29	0.53
1:C:193:HIS:CD2	1:C:236:THR:HG21	2.44	0.52
1:A:80:GLU:OE1	1:A:83:ARG:NH2	2.41	0.52
1:C:145:PHE:CE1	1:C:198:ILE:HD11	2.44	0.52
1:A:107:TRP:O	1:A:157:LYS:HD2	2.09	0.52
1:A:66:GLU:HG2	1:A:97:PRO:HB3	1.92	0.51
1:A:108:ARG:NH1	1:A:150:GLU:OE2	2.44	0.51
1:C:580:ARG:HA	1:C:583:GLN:OE1	2.11	0.50
1:C:169:PHE:O	1:C:212:PHE:HA	2.12	0.50
1:C:606:GLU:O	1:C:609:SER:HB3	2.12	0.50
1:A:264:ILE:HA	1:A:267:VAL:HG12	1.93	0.50
1:A:567:LEU:HB3	1:A:568:PRO:HD2	1.93	0.49
1:C:120:MET:HG3	1:C:164:PHE:O	2.12	0.49
1:C:155:LYS:HG2	1:C:202:ILE:HD13	1.94	0.49
1:C:284:ASN:ND2	1:C:316:CYS:H	2.10	0.49
1:A:300:SER:OG	1:A:302:GLU:HG3	2.13	0.48
1:A:560:LEU:O	1:A:564:LEU:HG	2.13	0.48
1:A:200:ASN:HD22	1:A:242:LEU:HG	1.78	0.48
1:C:175:ASN:HB3	2:D:382:LEU:O	2.12	0.48
1:C:284:ASN:HD22	1:C:315:ASN:HA	1.78	0.48
1:A:152:SER:O	1:A:156:ARG:HD3	2.14	0.48
1:A:249:TRP:O	1:A:277:ILE:HA	2.14	0.47
1:A:627:ARG:NH2	4:A:802:HOH:O	2.45	0.47
1:C:561:LEU:HD22	1:C:628:LEU:HD11	1.95	0.47
1:C:560:LEU:O	1:C:564:LEU:HG	2.14	0.47
1:A:136:ALA:HA	1:A:170:ALA:O	2.15	0.47
1:A:74:VAL:O	1:A:78:ARG:HG3	2.14	0.47
1:A:242:LEU:HA	1:A:243:PRO:HD2	1.78	0.47
1:A:267:VAL:O	1:A:271:ILE:HG12	2.16	0.46
1:A:95:TYR:O	1:A:136:ALA:HB3	2.16	0.46
1:C:231:SER:O	1:C:235:ARG:HB2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:TYR:H	1:A:160:GLN:HE22	1.63	0.46
1:A:232:PRO:O	1:A:235:ARG:HG2	2.16	0.46
1:C:196:VAL:HG12	1:C:241:LEU:HD13	1.97	0.46
1:A:78:ARG:O	1:A:81:LEU:HB3	2.16	0.45
1:A:177:ASP:OD1	1:A:177:ASP:N	2.49	0.45
1:A:145:PHE:HB3	1:A:188:PHE:CE2	2.52	0.45
1:A:231:SER:HB3	1:A:234:LEU:HB2	1.99	0.45
1:C:584:TRP:CD2	1:C:610:ARG:NH1	2.84	0.45
1:C:663:CYS:CA	1:C:666:HIS:CE1	2.86	0.45
1:A:79:LYS:HE3	1:A:79:LYS:HB2	1.89	0.44
1:C:204:GLN:HB2	4:C:808:HOH:O	2.17	0.44
1:C:271:ILE:HG23	1:C:273:ARG:HD2	1.99	0.44
1:C:584:TRP:CE2	1:C:610:ARG:NH1	2.85	0.44
1:A:107:TRP:CD1	1:A:139:PRO:HA	2.53	0.44
1:A:225:TYR:HD1	1:A:226:PRO:HA	1.81	0.44
1:A:248:LEU:HA	1:A:276:VAL:O	2.17	0.44
1:C:62:CYS:O	1:C:90:LEU:HB3	2.17	0.44
1:A:111:TYR:N	1:A:160:GLN:HE22	2.16	0.44
1:A:225:TYR:HA	1:A:226:PRO:HA	1.76	0.44
1:C:69:TYR:OH	2:D:382:LEU:HB3	2.18	0.44
1:A:569:TYR:CZ	1:C:678:PRO:HG3	2.53	0.44
1:C:193:HIS:HD2	1:C:236:THR:HG21	1.81	0.44
1:C:127:ARG:HB2	1:C:127:ARG:HE	1.62	0.44
1:C:248:LEU:HA	1:C:276:VAL:O	2.18	0.43
1:A:155:LYS:HB3	1:A:205:TYR:CE2	2.53	0.43
1:C:264:ILE:HG13	1:C:307:LEU:HD21	1.99	0.43
1:C:301:THR:HB	1:C:335:ASN:HD22	1.83	0.43
1:A:648:LYS:HB3	1:A:648:LYS:HE3	1.68	0.43
1:A:70:GLY:HA2	1:C:641:TYR:CD2	2.54	0.43
1:A:180:MET:CE	1:A:191:PHE:HA	2.49	0.43
1:C:216:PRO:HG2	1:C:219:TYR:HA	2.01	0.43
1:A:215:CYS:HB2	1:A:248:LEU:HD12	2.00	0.43
1:A:256:SER:HB3	1:A:258:GLU:O	2.18	0.43
1:C:107:TRP:CZ3	1:C:108:ARG:HG3	2.54	0.43
1:A:686:ALA:HB1	1:C:650:ILE:HD12	2.01	0.42
1:A:331:TRP:C	1:A:333:LYS:H	2.23	0.42
1:C:329:ALA:O	1:C:333:LYS:HG3	2.19	0.42
1:A:279:ASP:OD2	1:A:296:TYR:OH	2.26	0.42
1:C:200:ASN:HD21	1:C:241:LEU:HD12	1.85	0.42
1:C:180:MET:O	1:C:185:LYS:HE2	2.19	0.42
1:C:249:TRP:O	1:C:277:ILE:HA	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:192:ALA:O	1:C:196:VAL:HG22	2.19	0.42
1:A:264:ILE:HG13	1:A:303:LEU:HD22	2.02	0.42
1:C:203:TYR:HB2	1:C:245:ILE:HD11	2.01	0.41
1:A:94:LEU:HD11	1:A:136:ALA:HB2	2.00	0.41
1:C:124:SER:HA	1:C:127:ARG:HH21	1.85	0.41
1:C:225:TYR:CD1	1:C:226:PRO:HA	2.55	0.41
1:C:147:ASN:HA	1:C:148:PRO:HD3	1.82	0.41
1:C:660:TRP:HZ2	1:C:670:GLN:HA	1.85	0.41
1:A:210:GLU:HG3	1:A:211:THR:N	2.36	0.41
1:C:102:LYS:NZ	1:C:115:GLU:OE2	2.43	0.40
1:C:94:LEU:HD11	1:C:136:ALA:HB2	2.03	0.40
1:C:319:GLU:HG3	1:C:635:THR:HG22	2.03	0.40
1:C:107:TRP:CE2	1:C:139:PRO:HB3	2.56	0.40
1:C:239:GLU:OE2	1:C:272:LYS:HE2	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/504 (81%)	378 (92%)	29 (7%)	2 (0%)	29	61
1	C	413/504 (82%)	384 (93%)	28 (7%)	1 (0%)	47	78
2	D	2/8 (25%)	1 (50%)	1 (50%)	0	100	100
All	All	824/1016 (81%)	763 (93%)	58 (7%)	3 (0%)	34	66

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	285	ASP
1	A	314	PRO
1	C	314	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/442 (84%)	351 (95%)	19 (5%)	24	55
1	C	376/442 (85%)	346 (92%)	30 (8%)	12	34
2	B	2/8 (25%)	1 (50%)	1 (50%)	0	0
2	D	4/8 (50%)	2 (50%)	2 (50%)	0	0
All	All	752/900 (84%)	700 (93%)	52 (7%)	15	41

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	TYR
1	A	120	MET
1	A	177	ASP
1	A	180	MET
1	A	273	ARG
1	A	278	TRP
1	A	301	THR
1	A	306	ARG
1	A	307	LEU
1	A	314	PRO
1	A	381	LYS
1	A	382	LEU
1	A	393	VAL
1	A	622	MET
1	A	629	SER
1	A	663	CYS
1	A	695	ILE
1	A	699	ASN
1	A	700	ASP
2	B	382	LEU
1	C	76	GLU
1	C	87	LYS
1	C	100	ASP
1	C	101	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	113	VAL
1	C	119	LEU
1	C	141	LEU
1	C	153	THR
1	C	154	LEU
1	C	156	ARG
1	C	163	GLN
1	C	178	HIS
1	C	210	GLU
1	C	211	THR
1	C	213	LEU
1	C	242	LEU
1	C	273	ARG
1	C	284	ASN
1	C	373	LEU
1	C	374	TYR
1	C	378	MET
1	C	553	VAL
1	C	586	ARG
1	C	589	SER
1	C	608	ARG
1	C	613	LYS
1	C	631	CYS
1	C	648	LYS
1	C	649	SER
1	C	682	ARG
2	D	382	LEU
2	D	383	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	160	GLN
1	C	175	ASN
1	C	193	HIS
1	C	200	ASN
1	C	335	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	B	401	2	14,14,15	3.82	6 (42%)	17,19,21	3.22	9 (52%)
3	NAG	D	401	2	14,14,15	3.05	6 (42%)	17,19,21	2.96	10 (58%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	401	2	-	2/6/23/26	0/1/1/1
3	NAG	D	401	2	-	1/6/23/26	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	NAG	C1-C2	11.30	1.69	1.52
3	D	401	NAG	C1-C2	8.45	1.65	1.52
3	B	401	NAG	C3-C2	4.50	1.62	1.52
3	B	401	NAG	C8-C7	4.46	1.59	1.50
3	D	401	NAG	C3-C2	4.21	1.61	1.52
3	B	401	NAG	O5-C1	3.78	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	401	NAG	C7-N2	3.16	1.45	1.34
3	D	401	NAG	C8-C7	2.99	1.56	1.50
3	B	401	NAG	C6-C5	2.80	1.61	1.51
3	B	401	NAG	O5-C5	2.51	1.48	1.43
3	D	401	NAG	C4-C5	2.41	1.58	1.53
3	D	401	NAG	C6-C5	2.20	1.59	1.51

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	NAG	C1-O5-C5	7.36	122.16	112.19
3	D	401	NAG	C3-C4-C5	-7.09	97.59	110.24
3	B	401	NAG	C8-C7-N2	5.35	125.15	116.10
3	B	401	NAG	C3-C4-C5	-5.30	100.78	110.24
3	D	401	NAG	C8-C7-N2	4.64	123.96	116.10
3	B	401	NAG	O3-C3-C2	-4.31	100.55	109.47
3	D	401	NAG	O5-C1-C2	4.04	117.67	111.29
3	D	401	NAG	C1-O5-C5	3.90	117.48	112.19
3	B	401	NAG	O5-C5-C4	-3.43	102.49	110.83
3	D	401	NAG	C6-C5-C4	-2.75	106.57	113.00
3	D	401	NAG	O7-C7-C8	-2.66	117.11	122.06
3	B	401	NAG	O3-C3-C4	-2.62	104.30	110.35
3	B	401	NAG	O7-C7-C8	-2.58	117.27	122.06
3	B	401	NAG	C6-C5-C4	-2.56	107.00	113.00
3	D	401	NAG	O5-C5-C4	-2.55	104.61	110.83
3	D	401	NAG	O4-C4-C3	-2.47	104.65	110.35
3	B	401	NAG	O7-C7-N2	-2.39	117.57	121.95
3	D	401	NAG	O3-C3-C2	-2.29	104.73	109.47
3	D	401	NAG	O5-C5-C6	2.24	110.72	107.20

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	401	NAG	C3-C2-N2-C7
3	B	401	NAG	C1-C2-N2-C7
3	B	401	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	401	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	419/504 (83%)	0.02	6 (1%) 75 70	29, 61, 105, 132	0
1	C	423/504 (83%)	-0.06	7 (1%) 70 63	42, 74, 101, 143	0
2	B	2/8 (25%)	1.10	0 100 100	76, 76, 76, 90	0
2	D	4/8 (50%)	1.08	0 100 100	93, 105, 112, 121	0
All	All	848/1024 (82%)	-0.01	13 (1%) 73 68	29, 70, 103, 143	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	VAL	5.8
1	C	694	PRO	4.1
1	A	101	TYR	3.9
1	A	187	VAL	3.6
1	A	182	ALA	2.9
1	C	177	ASP	2.8
1	C	662	GLY	2.8
1	C	144	THR	2.7
1	A	679	TRP	2.5
1	C	661	LEU	2.4
1	C	607	TRP	2.4
1	A	145	PHE	2.3
1	C	235	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	B	401	14/15	0.95	0.21	41,47,55,56	0
3	NAG	D	401	14/15	0.97	0.17	48,53,59,60	0

6.5 Other polymers [i](#)

There are no such residues in this entry.