



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 25, 2020 – 04:02 PM BST

PDB ID : 3VW0  
Title : Crystal Structure of The Dequalinum-bound Form of RamR (Transcriptional Regulator of TetR Family) From Salmonella Typhimurium  
Authors : Sakurai, K.; Yamasaki, S.; Nakashima, R.; Nikaido, E.; Yamaguchi, A.; Nishino, K.  
Deposited on : 2012-07-30  
Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	194	
1	B	194	
1	C	194	
1	D	194	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5993 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative regulatory protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	184	Total	C	N	O	S	0	0	0
			1462	922	258	271	11			
1	B	185	Total	C	N	O	S	0	0	0
			1468	926	259	272	11			
1	C	184	Total	C	N	O	S	0	0	0
			1462	922	258	271	11			
1	D	184	Total	C	N	O	S	0	0	0
			1459	921	258	269	11			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	EXPRESSION TAG	UNP D0ZP76
A	1	VAL	-	EXPRESSION TAG	UNP D0ZP76
B	0	MET	-	EXPRESSION TAG	UNP D0ZP76
B	1	VAL	-	EXPRESSION TAG	UNP D0ZP76
C	0	MET	-	EXPRESSION TAG	UNP D0ZP76
C	1	VAL	-	EXPRESSION TAG	UNP D0ZP76
D	0	MET	-	EXPRESSION TAG	UNP D0ZP76
D	1	VAL	-	EXPRESSION TAG	UNP D0ZP76

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is DEQUALINIUM (three-letter code: DEQ) (formula: C<sub>30</sub>H<sub>40</sub>N<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	N	0	0
			34	30	4		
3	D	1	Total	C	N	0	0
			34	30	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	8	Total	O	0	0
			8	8		
4	B	21	Total	O	0	0
			21	21		
4	C	13	Total	O	0	0
			13	13		
4	D	12	Total	O	0	0
			12	12		


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:
- 
- 3% 52% 36% 7% 5%
- Met Val Ala Arg Pro Lys Ser Glu D8 K9 K10 L13 L14 E15 Q23 S24 G25 I26 S29 I33 A34 R35 G38 V39 A40 T43 L44 F45 R46 Y47 F48 A49 E53 L54 I55 L60 K63 Q64 C67 Q68 S69 M70 I71 M72 E73 L74 D75 R76 S77 I78 A81 K82 M83 M84 T85 R86 F87 I88 M89 M90 M91 Y92 L97 H103 R104 A105 I106 R107 Q108 L109 L110 V111 S112 E113 K114 L115 E120 Q121 R122 A123 M126 F127 L130 H135 R136 S137 V138 L139 F142 M143 S144 D145 E146 Y147 R148 L156 M157 L158 T162 R168 D169 R172 E175 Y176 I177 A178 L179 G180 F181 M184 R185 R186 A187 L188 T189 R190 E191 G191 G191

- Chain B:
- 
- 61% 28% 5% 5%
- | Amino Acid | Percentage |
|------------|------------|
| MET        | 1%         |
| VAL        | 1%         |
| ALA        | 1%         |
| ARG        | 1%         |
| PRO        | 1%         |
| LYS        | 1%         |
| SER        | 1%         |
| E7         | 1%         |
| D8         | 1%         |
| K9         | 1%         |
| K10        | 1%         |
| L14        | 1%         |
| A40        | 1%         |
| T43        | 1%         |
| F48        | 1%         |
| E53        | 1%         |
| L54        | 1%         |
| L58        | 1%         |
| Y59        | 1%         |
| L60        | 1%         |
| H61        | 1%         |
| L62        | 1%         |
| K63        | 1%         |
| Q64        | 1%         |
| D65        | 1%         |
| L66        | 1%         |
| C67        | 1%         |
| Q68        | 1%         |
| S69        | 1%         |
| W70        | 1%         |
| D75        | 1%         |
| R76        | 1%         |
| S77        | 1%         |
| I78        | 1%         |
| M83        | 1%         |
| M84        | 1%         |
| T85        | 1%         |
| R86        | 1%         |
| F87        | 1%         |
| I88        | 1%         |
| P100       | 1%         |
| A101       | 1%         |
| R102       | 1%         |
| H103       | 1%         |
| R104       | 1%         |
| L109       | 1%         |
| A110       | 1%         |
| V111       | 1%         |
| S112       | 1%         |
| F112       | 1%         |
| K114       | 1%         |
| E118       | 1%         |
| T119       | 1%         |
| E120       | 1%         |
| D124       | 1%         |
| P125       | 1%         |
| M126       | 1%         |
| F127       | 1%         |
| P128       | 1%         |
| E129       | 1%         |
| L130       | 1%         |
| R131       | 1%         |
| D132       | 1%         |
| L133       | 1%         |
| V141       | 1%         |
| F142       | 1%         |
| M143       | 1%         |
| S144       | 1%         |
| D145       | 1%         |
| E146       | 1%         |
| Y147       | 1%         |
| R148       | 1%         |
| L156       | 1%         |
| A157       | 1%         |
| L158       | 1%         |
| A159       | 1%         |
| E160       | 1%         |
| D164       | 1%         |
| F165       | 1%         |
| R168       | 1%         |
| E175       | 1%         |
| L179       | 1%         |
| W185       | 1%         |
| R186       | 1%         |
| A187       | 1%         |
| L188       | 1%         |
| T189       | 1%         |
| F190       | 1%         |
| E191       | 1%         |
| GLU        | 1%         |
| GLN        | 1%         |

- Chain C: 

● Molecule 1: Putative regulatory protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	187.34Å 43.55Å 106.69Å 90.00° 100.21° 90.00°	Depositor
Resolution (Å)	38.15 – 2.60 38.15 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.4 (38.15-2.60) 99.4 (38.15-2.60)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.98 (at 2.61Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.224 , 0.267 0.228 , 0.268	Depositor DCC
$R_{free}$ test set	1334 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	49.4	Xtriage
Anisotropy	0.017	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 52.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5993	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: DEQ, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.94	0/1488	0.81	0/2006
1	B	1.02	1/1494 (0.1%)	0.87	2/2014 (0.1%)
1	C	0.96	1/1488 (0.1%)	0.78	0/2006
1	D	0.97	0/1485	0.84	1/2002 (0.0%)
All	All	0.97	2/5955 (0.0%)	0.83	3/8028 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	146	GLU	CG-CD	5.97	1.60	1.51
1	B	53	GLU	CD-OE2	5.10	1.31	1.25

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	102	ARG	NE-CZ-NH2	-6.40	117.10	120.30
1	B	179	LEU	CA-CB-CG	5.76	128.55	115.30
1	D	164	ASP	CB-CG-OD2	-5.30	113.53	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1462	0	1450	74	0
1	B	1468	0	1454	53	0
1	C	1462	0	1450	59	0
1	D	1459	0	1448	50	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	1	0
3	B	34	0	40	10	0
3	D	34	0	40	5	0
4	A	8	0	0	0	0
4	B	21	0	0	5	0
4	C	13	0	0	3	0
4	D	12	0	0	3	0
All	All	5993	0	5882	238	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

The worst 5 of 238 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:301:DEQ:H201	3:B:301:DEQ:C18	1.46	1.25
3:D:301:DEQ:C20	3:D:301:DEQ:H181	1.62	1.24
3:B:301:DEQ:C20	3:B:301:DEQ:H181	1.72	1.13
3:D:301:DEQ:C18	3:D:301:DEQ:H201	1.75	1.10
1:B:84:MET:SD	1:B:133:LEU:HD11	1.92	1.09

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	182/194 (94%)	162 (89%)	15 (8%)	5 (3%)	5	8
1	B	183/194 (94%)	172 (94%)	10 (6%)	1 (0%)	29	52
1	C	182/194 (94%)	172 (94%)	9 (5%)	1 (0%)	29	52
1	D	182/194 (94%)	173 (95%)	8 (4%)	1 (0%)	29	52
All	All	729/776 (94%)	679 (93%)	42 (6%)	8 (1%)	14	30

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	LYS
1	D	124	ASP
1	A	39	VAL
1	A	77	SER
1	B	125	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	149/158 (94%)	134 (90%)	15 (10%)	7	14
1	B	149/158 (94%)	131 (88%)	18 (12%)	5	9
1	C	149/158 (94%)	131 (88%)	18 (12%)	5	9
1	D	148/158 (94%)	133 (90%)	15 (10%)	7	14
All	All	595/632 (94%)	529 (89%)	66 (11%)	6	11

5 of 66 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	156	LEU
1	C	62	LEU
1	D	124	ASP
1	B	158	LEU
1	C	10	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	64	GLN
1	B	68	GLN
1	D	23	GLN
1	B	61	HIS
1	D	36	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	C	201	-	4,4,4	0.34	0	6,6,6	0.55	0
3	DEQ	D	301	-	35,37,37	1.82	11 (31%)	42,50,50	2.70	12 (28%)
2	SO4	D	302	-	4,4,4	0.36	0	6,6,6	0.43	0
3	DEQ	B	301	-	35,37,37	1.75	11 (31%)	42,50,50	2.62	11 (26%)
2	SO4	B	302	-	4,4,4	0.27	0	6,6,6	0.74	0
2	SO4	A	201	-	4,4,4	0.16	0	6,6,6	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DEQ	B	301	-	-	7/13/13/13	0/4/4/4
3	DEQ	D	301	-	-	7/13/13/13	0/4/4/4

The worst 5 of 22 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	301	DEQ	C6-C5	-4.75	1.35	1.42
3	B	301	DEQ	C6-C5	-3.95	1.36	1.42
3	B	301	DEQ	C8-C7	-3.52	1.34	1.39
3	D	301	DEQ	C15-C10	-3.40	1.35	1.42
3	D	301	DEQ	C4-C6	-3.36	1.35	1.42

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	301	DEQ	C28-N1-C5	-9.82	110.14	118.90
3	B	301	DEQ	C28-N1-C5	-9.57	110.37	118.90
3	B	301	DEQ	C9-N1-C5	-8.07	114.19	122.15
3	D	301	DEQ	C9-N1-C5	-7.45	114.81	122.15
3	D	301	DEQ	C6-C5-N1	5.00	123.45	118.69

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	301	DEQ	C27-C28-N1-C5
3	D	301	DEQ	C20-C19-N2-C11
3	D	301	DEQ	C20-C19-N2-C12
3	B	301	DEQ	C27-C28-N1-C5
3	B	301	DEQ	C20-C19-N2-C11

There are no ring outliers.

3 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	301	DEQ	5	0
2	D	302	SO4	1	0


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	301	DEQ	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	184/194 (94%)	0.05	5 (2%) 54 48	23, 53, 80, 93	6 (3%)
1	B	185/194 (95%)	-0.10	0 100 100	21, 46, 68, 75	5 (2%)
1	C	184/194 (94%)	0.07	7 (3%) 40 33	22, 50, 82, 99	5 (2%)
1	D	184/194 (94%)	0.13	6 (3%) 46 39	24, 48, 69, 81	5 (2%)
All	All	737/776 (94%)	0.04	18 (2%) 59 53	21, 49, 77, 99	21 (2%)

The worst 5 of 18 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	38	GLY	4.2
1	D	190	ARG	3.8
1	A	8	ASP	3.7
1	D	26	ILE	3.3
1	C	10	LYS	3.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


### 6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	DEQ	D	301	34/34	0.90	0.24	10,10,10,10	0
3	DEQ	B	301	34/34	0.90	0.29	10,10,10,10	0
2	SO4	A	201	5/5	0.96	0.12	68,68,68,70	0
2	SO4	C	201	5/5	0.97	0.10	58,59,59,61	0
2	SO4	D	302	5/5	0.97	0.14	49,49,51,52	0
2	SO4	B	302	5/5	0.98	0.12	43,46,50,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.