



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 16, 2020 – 08:12 PM BST

PDB ID : 6VZS  
Title : Engineered TTLL6 mutant bound to gamma-elongation analog  
Authors : Mahalingan, K.K.; Keenen, E.K.; Strickland, M.; Li, Y.; Liu, Y.; Ball, H.L.;  
Tanner, M.E.; Tjandra, N.; Roll-Mecak, A.  
Deposited on : 2020-02-28  
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	453	<div> <div>2%</div> <div> <div></div> <div>83%</div> <div>7%</div> <div>11%</div> </div> </div>
1	B	453	<div> <div>%</div> <div> <div></div> <div>79%</div> <div>9%</div> <div>11%</div> </div> </div>
1	C	453	<div> <div>%</div> <div> <div></div> <div>80%</div> <div>9%</div> <div>11%</div> </div> </div>
1	D	453	<div> <div>%</div> <div> <div></div> <div>82%</div> <div>8%</div> <div>11%</div> </div> </div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13000 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin polyglutamylase TTL6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	404	Total	C	N	O	S	0	0	0
			3100	1982	531	567	20			
1	B	401	Total	C	N	O	S	0	0	0
			3056	1957	526	554	19			
1	C	404	Total	C	N	O	S	0	1	0
			3131	2011	535	566	19			
1	D	404	Total	C	N	O	S	0	0	0
			3079	1973	520	566	20			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	179	ALA	CYS	engineered mutation	UNP A4Q9E8
A	180	ARG	GLN	engineered mutation	UNP A4Q9E8
A	362	ILE	HIS	engineered mutation	UNP A4Q9E8
B	179	ALA	CYS	engineered mutation	UNP A4Q9E8
B	180	ARG	GLN	engineered mutation	UNP A4Q9E8
B	362	ILE	HIS	engineered mutation	UNP A4Q9E8
C	179	ALA	CYS	engineered mutation	UNP A4Q9E8
C	180	ARG	GLN	engineered mutation	UNP A4Q9E8
C	362	ILE	HIS	engineered mutation	UNP A4Q9E8
D	179	ALA	CYS	engineered mutation	UNP A4Q9E8
D	180	ARG	GLN	engineered mutation	UNP A4Q9E8
D	362	ILE	HIS	engineered mutation	UNP A4Q9E8

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	D	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 3 is (2 {S})-2-[[[(3 {R})-3-acetamido-4-oxidanyl-4-oxidanylidene-butyl]-phosphono oxy-phosphoryl)methyl]pentanedioic acid (three-letter code: S3A) (formula: C<sub>12</sub>H<sub>21</sub>N<sub>1</sub>O<sub>12</sub>P<sub>2</sub>) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	12	1	12	2		
3	B	1	Total	C	N	O	P	0	0
			27	12	1	12	2		
3	C	1	Total	C	N	O	P	0	0
			27	12	1	12	2		
3	D	1	Total	C	N	O	P	0	0
			27	12	1	12	2		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by author).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	2	Total	Mg	0	0
			2	2		
5	A	2	Total	Mg	0	0
			2	2		
5	D	2	Total	Mg	0	0
			2	2		
5	C	2	Total	Mg	0	0
			2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	80	Total	O	0	0
			80	80		
6	B	37	Total	O	0	0
			37	37		
6	C	57	Total	O	0	0
			57	57		
6	D	38	Total	O	0	0
			38	38		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin polyglutamylase TTL6



- Molecule 1: Tubulin polyglutamylase TTL6





- Molecule 1: Tubulin polyglutamylase TTL6



- Molecule 1: Tubulin polyglutamylase TTLL6



Chain D:  82% 8% 11%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.74Å 108.65Å 170.89Å 90.00° 90.02° 90.00°	Depositor
Resolution (Å)	45.84 – 2.66 45.84 – 2.66	Depositor EDS
% Data completeness (in resolution range)	98.6 (45.84-2.66) 99.7 (45.84-2.66)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.70 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, $R_{free}$	0.218 , 0.256 0.216 , 0.251	Depositor DCC
$R_{free}$ test set	3914 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.2	Xtriage
Anisotropy	0.602	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 52.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.459 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13000	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.20 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8265e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, S3A, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.24	0/3176	0.39	0/4316
1	B	0.24	0/3129	0.39	0/4251
1	C	0.24	0/3211	0.39	0/4359
1	D	0.24	0/3155	0.39	0/4292
All	All	0.24	0/12671	0.39	0/17218

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3100	0	2844	18	0
1	B	3056	0	2799	25	0
1	C	3131	0	2917	26	0
1	D	3079	0	2812	21	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
3	A	27	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	27	0	0	0	0
3	C	27	0	0	0	0
3	D	27	0	0	0	0
4	A	60	0	80	2	0
4	B	24	0	32	2	0
4	C	108	0	144	6	0
4	D	6	0	8	1	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	2	0	0	0	0
6	A	80	0	0	1	0
6	B	37	0	0	2	0
6	C	57	0	0	0	0
6	D	38	0	0	0	0
All	All	13000	0	11684	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:121:GLU:HG3	1:B:131:ASN:HD21	1.57	0.70
1:C:208:PRO:HA	1:C:350:ASP:HA	1.79	0.65
1:A:208:PRO:HA	1:A:350:ASP:HA	1.79	0.64
1:A:119:MET:HG3	1:A:341:GLU:OE2	1.97	0.64
1:D:208:PRO:HA	1:D:350:ASP:HA	1.79	0.63
1:B:208:PRO:HA	1:B:350:ASP:HA	1.80	0.63
1:B:351:ARG:HE	4:B:603:GOL:H11	1.65	0.60
1:C:124:ARG:HA	4:C:1204:GOL:H31	1.87	0.57
1:A:387:LEU:HD13	1:A:441:CYS:HA	1.87	0.56
1:B:57:LYS:N	6:B:701:HOH:O	2.38	0.56
1:A:207:LYS:HB3	1:A:351:ARG:HD3	1.88	0.55
1:C:387:LEU:HD13	1:C:441:CYS:HA	1.89	0.55
1:C:362:ILE:HG22	4:C:1204:GOL:H11	1.89	0.55
1:A:195:PRO:HG3	4:C:1213:GOL:H31	1.90	0.54
1:B:366:PHE:HA	1:B:377:LYS:HD3	1.89	0.54
1:C:306:GLY:HA2	4:C:1217:GOL:H31	1.90	0.53
1:D:387:LEU:HD13	1:D:441:CYS:HA	1.90	0.52
1:B:387:LEU:HD13	1:B:441:CYS:HA	1.92	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:222:VAL:HG22	1:D:234:VAL:HG22	1.91	0.51
1:D:359:GLU:HG2	1:D:360:VAL:N	2.27	0.50
1:C:359:GLU:HG2	1:C:360:VAL:N	2.25	0.50
1:B:119:MET:HG3	1:B:341:GLU:OE2	2.11	0.50
1:B:126:ASP:O	1:B:130:ARG:HG2	2.13	0.49
1:A:112:LYS:NZ	1:A:337:SER:O	2.45	0.49
1:D:227:CYS:O	1:D:319:HIS:NE2	2.46	0.48
1:B:223:LEU:HD23	1:B:387:LEU:HD23	1.95	0.48
1:B:368:THR:HB	1:B:374:LYS:HG3	1.96	0.48
1:A:147:PRO:HG3	1:A:205:ILE:HD11	1.95	0.48
4:A:608:GOL:H32	1:C:175:PRO:HG3	1.95	0.48
1:B:359:GLU:HG2	1:B:360:VAL:N	2.28	0.48
1:B:115:HIS:ND1	1:B:341:GLU:OE1	2.43	0.48
1:A:368:THR:HB	1:A:374:LYS:HG3	1.97	0.47
1:C:147:PRO:HG3	1:C:205:ILE:HD11	1.96	0.47
1:A:222:VAL:HG22	1:A:234:VAL:HG22	1.96	0.47
4:C:1214:GOL:H32	4:C:1215:GOL:H31	1.97	0.47
1:D:223:LEU:HD23	1:D:387:LEU:HD23	1.96	0.47
1:A:147:PRO:HB2	1:A:202:GLN:HG2	1.96	0.47
1:C:85:GLY:H	1:C:88:ASP:HB2	1.81	0.46
1:D:207:LYS:HB3	1:D:351:ARG:HD3	1.97	0.46
1:B:236:ASN:HD22	4:B:605:GOL:H2	1.79	0.46
1:C:244:THR:HB	1:C:273:ASN:HB2	1.98	0.46
1:D:99:VAL:HG13	1:D:115:HIS:HB2	1.97	0.46
1:C:186:ILE:HG22	1:C:255:LEU:HD22	1.96	0.46
1:D:147:PRO:HG3	1:D:205:ILE:HD11	1.97	0.46
1:B:244:THR:HB	1:B:273:ASN:HB2	1.97	0.46
1:C:368:THR:HB	1:C:374:LYS:HG3	1.97	0.46
1:B:186:ILE:HG22	1:B:255:LEU:HD22	1.97	0.45
1:A:148:ARG:NH1	6:A:706:HOH:O	2.48	0.45
1:C:161:THR:HG22	1:C:164:ARG:HH22	1.81	0.45
1:D:368:THR:HB	1:D:374:LYS:HG3	1.99	0.45
4:D:603:GOL:O3	4:D:603:GOL:O1	2.21	0.45
1:A:227:CYS:O	1:A:319:HIS:NE2	2.49	0.44
1:C:366:PHE:HA	1:C:377:LYS:HD3	1.99	0.44
1:D:147:PRO:HB2	1:D:202:GLN:HG2	1.99	0.44
1:C:66:ASN:ND2	1:C:93:TYR:OH	2.48	0.43
1:D:244:THR:HB	1:D:273:ASN:HB2	2.00	0.43
1:D:366:PHE:HA	1:D:377:LYS:HD3	2.00	0.43
1:B:242:PHE:HB2	1:B:282:SER:HA	2.01	0.43
1:D:244:THR:HG23	1:D:268:ASN:HB3	1.99	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:356:TRP:HZ2	4:C:1209:GOL:H31	1.83	0.43
1:B:182:ARG:NH2	6:B:702:HOH:O	2.50	0.43
1:B:175:PRO:HG2	1:B:178:GLY:HA3	2.01	0.43
1:B:301:GLU:O	1:B:305:ARG:HG2	2.19	0.43
1:A:223:LEU:HD23	1:A:387:LEU:HD23	2.00	0.42
1:B:453:LEU:HD23	1:B:453:LEU:H	1.84	0.42
1:C:453:LEU:HD23	1:C:453:LEU:H	1.84	0.42
1:B:147:PRO:HG3	1:B:205:ILE:HD11	2.01	0.42
1:A:197:GLU:HG2	1:C:177:SER:O	2.20	0.42
1:A:214:PHE:CZ	4:A:609:GOL:H12	2.55	0.42
1:C:147:PRO:HB2	1:C:202:GLN:HG2	2.01	0.42
1:B:231:ARG:NE	1:B:437:GLU:OE1	2.31	0.42
1:A:366:PHE:HA	1:A:377:LYS:HD3	2.02	0.42
1:B:333:HIS:CG	1:B:338:ALA:HB2	2.54	0.42
1:A:244:THR:HB	1:A:273:ASN:HB2	2.01	0.42
1:C:231:ARG:NE	1:C:437:GLU:OE1	2.37	0.42
1:C:122:ILE:HG23	1:C:318:ALA:HB2	2.02	0.41
1:D:90:TRP:CZ3	1:D:93:TYR:HB2	2.55	0.41
1:B:90:TRP:CZ3	1:B:93:TYR:HB2	2.55	0.41
1:D:239:LEU:HD13	1:D:283:LYS:HE2	2.02	0.41
1:A:298:TYR:CD1	1:A:353:LEU:HD11	2.55	0.41
1:D:305:ARG:HD3	1:D:305:ARG:HA	1.96	0.41
1:C:112:LYS:HE2	1:C:337:SER:O	2.21	0.41
1:D:298:TYR:CD1	1:D:353:LEU:HD11	2.55	0.41
1:B:294:LYS:HA	1:B:294:LYS:HD2	1.79	0.41
1:D:237:GLU:OE2	1:D:285:LYS:HB3	2.21	0.41
1:C:69:TYR:CG	1:C:366:PHE:HB2	2.56	0.41
1:D:207:LYS:HD2	1:D:351:ARG:HD3	2.04	0.40
1:C:298:TYR:CD1	1:C:353:LEU:HD11	2.56	0.40
1:D:298:TYR:HD1	1:D:353:LEU:HD11	1.85	0.40
1:C:125:LYS:HE3	1:C:359:GLU:HG3	2.02	0.40
1:C:126:ASP:N	1:C:126:ASP:OD1	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/453 (89%)	395 (98%)	7 (2%)	0	100	100
1	B	397/453 (88%)	389 (98%)	8 (2%)	0	100	100
1	C	403/453 (89%)	393 (98%)	10 (2%)	0	100	100
1	D	402/453 (89%)	391 (97%)	11 (3%)	0	100	100
All	All	1604/1812 (88%)	1568 (98%)	36 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/415 (74%)	307 (100%)	0	100	100
1	B	297/415 (72%)	297 (100%)	0	100	100
1	C	313/415 (75%)	313 (100%)	0	100	100
1	D	305/415 (74%)	305 (100%)	0	100	100
All	All	1222/1660 (74%)	1222 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	131	ASN
1	C	66	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 49 ligands modelled in this entry, 8 are monoatomic - leaving 41 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	GOL	B	604	-	5,5,5	0.89	0	5,5,5	0.99	0
2	ADP	A	601	5	24,29,29	0.95	1 (4%)	29,45,45	1.33	4 (13%)
4	GOL	A	606	-	5,5,5	0.90	0	5,5,5	1.00	0
4	GOL	C	1215	-	5,5,5	0.92	0	5,5,5	0.99	0
4	GOL	C	1204	-	5,5,5	0.94	0	5,5,5	0.83	0
4	GOL	C	1207	-	5,5,5	0.93	0	5,5,5	0.98	0
4	GOL	C	1210	-	5,5,5	0.90	0	5,5,5	1.01	0
4	GOL	C	1219	-	5,5,5	0.92	0	5,5,5	1.01	0
3	S3A	A	602	5	12,26,26	0.61	0	14,37,37	0.86	1 (7%)
3	S3A	C	1203	5	12,26,26	0.57	0	14,37,37	1.04	2 (14%)
2	ADP	B	601	5	24,29,29	0.98	1 (4%)	29,45,45	1.31	4 (13%)
4	GOL	C	1214	-	5,5,5	0.93	0	5,5,5	0.97	0
2	ADP	C	1202	5	24,29,29	0.96	1 (4%)	29,45,45	1.35	4 (13%)
4	GOL	A	609	-	5,5,5	0.90	0	5,5,5	0.97	0
4	GOL	A	605	-	5,5,5	0.91	0	5,5,5	0.98	0
4	GOL	C	1212	-	5,5,5	0.91	0	5,5,5	0.98	0
4	GOL	C	1216	-	5,5,5	0.91	0	5,5,5	0.98	0
4	GOL	C	1218	-	5,5,5	0.90	0	5,5,5	1.01	0
3	S3A	B	602	5	12,26,26	0.56	0	14,37,37	0.90	1 (7%)
2	ADP	D	601	5	24,29,29	0.96	1 (4%)	29,45,45	1.36	4 (13%)
4	GOL	C	1208	-	5,5,5	0.91	0	5,5,5	0.99	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	A	607	-	5,5,5	0.91	0	5,5,5	0.99	0
4	GOL	A	612	-	5,5,5	0.92	0	5,5,5	0.99	0
4	GOL	C	1201	-	5,5,5	0.93	0	5,5,5	0.99	0
4	GOL	C	1220	-	5,5,5	0.89	0	5,5,5	1.00	0
4	GOL	C	1205	-	5,5,5	0.91	0	5,5,5	1.00	0
4	GOL	A	610	-	5,5,5	0.90	0	5,5,5	1.00	0
3	S3A	D	602	5	12,26,26	0.58	0	14,37,37	1.05	1 (7%)
4	GOL	C	1206	-	5,5,5	0.91	0	5,5,5	0.99	0
4	GOL	D	603	-	5,5,5	0.99	0	5,5,5	0.84	0
4	GOL	B	603	-	5,5,5	0.93	0	5,5,5	0.96	0
4	GOL	C	1211	-	5,5,5	0.91	0	5,5,5	1.00	0
4	GOL	B	605	-	5,5,5	0.91	0	5,5,5	1.01	0
4	GOL	C	1209	-	5,5,5	0.91	0	5,5,5	0.98	0
4	GOL	A	608	-	5,5,5	0.93	0	5,5,5	0.99	0
4	GOL	B	606	-	5,5,5	0.91	0	5,5,5	1.00	0
4	GOL	A	604	-	5,5,5	0.91	0	5,5,5	0.99	0
4	GOL	C	1213	-	5,5,5	0.91	0	5,5,5	1.00	0
4	GOL	C	1217	-	5,5,5	0.90	0	5,5,5	0.99	0
4	GOL	A	611	-	5,5,5	0.90	0	5,5,5	1.00	0
4	GOL	A	603	-	5,5,5	0.93	0	5,5,5	0.96	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	604	-	-	0/4/4/4	-
2	ADP	A	601	5	-	2/12/32/32	0/3/3/3
4	GOL	A	606	-	-	2/4/4/4	-
4	GOL	C	1215	-	-	0/4/4/4	-
4	GOL	C	1204	-	-	2/4/4/4	-
4	GOL	C	1207	-	-	1/4/4/4	-
4	GOL	C	1210	-	-	0/4/4/4	-
4	GOL	C	1219	-	-	1/4/4/4	-
3	S3A	A	602	5	-	2/20/34/34	-
3	S3A	C	1203	5	-	2/20/34/34	-
2	ADP	B	601	5	-	3/12/32/32	0/3/3/3
4	GOL	C	1214	-	-	0/4/4/4	-
2	ADP	C	1202	5	-	0/12/32/32	0/3/3/3
4	GOL	A	609	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	605	-	-	0/4/4/4	-
4	GOL	C	1212	-	-	0/4/4/4	-
4	GOL	C	1216	-	-	0/4/4/4	-
4	GOL	C	1218	-	-	0/4/4/4	-
3	S3A	B	602	5	-	2/20/34/34	-
2	ADP	D	601	5	-	1/12/32/32	0/3/3/3
4	GOL	C	1208	-	-	0/4/4/4	-
4	GOL	A	607	-	-	0/4/4/4	-
4	GOL	A	612	-	-	0/4/4/4	-
4	GOL	C	1201	-	-	0/4/4/4	-
4	GOL	C	1220	-	-	0/4/4/4	-
4	GOL	C	1205	-	-	0/4/4/4	-
4	GOL	A	610	-	-	0/4/4/4	-
3	S3A	D	602	5	-	2/20/34/34	-
4	GOL	C	1206	-	-	0/4/4/4	-
4	GOL	D	603	-	-	2/4/4/4	-
4	GOL	B	603	-	-	0/4/4/4	-
4	GOL	C	1211	-	-	0/4/4/4	-
4	GOL	B	605	-	-	0/4/4/4	-
4	GOL	C	1209	-	-	0/4/4/4	-
4	GOL	A	608	-	-	0/4/4/4	-
4	GOL	B	606	-	-	0/4/4/4	-
4	GOL	A	604	-	-	0/4/4/4	-
4	GOL	C	1213	-	-	0/4/4/4	-
4	GOL	C	1217	-	-	0/4/4/4	-
4	GOL	A	611	-	-	0/4/4/4	-
4	GOL	A	603	-	-	0/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	ADP	C5-C4	2.50	1.47	1.40
2	C	1202	ADP	C5-C4	2.50	1.47	1.40
2	B	601	ADP	C5-C4	2.49	1.47	1.40
2	D	601	ADP	C5-C4	2.49	1.47	1.40

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	ADP	C3'-C2'-C1'	3.19	105.78	100.98
2	C	1202	ADP	C3'-C2'-C1'	3.18	105.76	100.98

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1202	ADP	N3-C2-N1	-3.13	123.78	128.68
2	D	601	ADP	N3-C2-N1	-3.13	123.78	128.68
2	D	601	ADP	C3'-C2'-C1'	3.12	105.67	100.98
2	A	601	ADP	N3-C2-N1	-3.11	123.81	128.68
2	B	601	ADP	N3-C2-N1	-3.11	123.82	128.68
2	B	601	ADP	C3'-C2'-C1'	3.10	105.64	100.98
3	C	1203	S3A	C19-C20-C21	-2.75	107.67	113.59
3	D	602	S3A	C19-C20-C21	-2.73	107.72	113.59
2	D	601	ADP	PA-O3A-PB	-2.66	123.69	132.83
2	B	601	ADP	C4-C5-N7	-2.65	106.64	109.40
2	D	601	ADP	C4-C5-N7	-2.63	106.66	109.40
2	C	1202	ADP	C4-C5-N7	-2.54	106.76	109.40
3	B	602	S3A	C19-C20-C21	-2.53	108.15	113.59
2	A	601	ADP	C4-C5-N7	-2.51	106.79	109.40
2	C	1202	ADP	PA-O3A-PB	-2.44	124.46	132.83
2	A	601	ADP	PA-O3A-PB	-2.41	124.56	132.83
3	A	602	S3A	C19-C20-C21	-2.38	108.48	113.59
3	C	1203	S3A	O26-P24-O12	2.16	111.87	104.64
2	B	601	ADP	PA-O3A-PB	-2.10	125.61	132.83

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	1204	GOL	C1-C2-C3-O3
4	C	1204	GOL	O2-C2-C3-O3
2	B	601	ADP	PA-O3A-PB-O2B
2	B	601	ADP	PA-O3A-PB-O3B
4	D	603	GOL	O1-C1-C2-O2
4	D	603	GOL	O1-C1-C2-C3
4	C	1207	GOL	O1-C1-C2-C3
3	C	1203	S3A	C16-C15-C19-C20
3	C	1203	S3A	C14-C15-C19-C20
2	A	601	ADP	PB-O3A-PA-O1A
4	A	606	GOL	C1-C2-C3-O3
2	B	601	ADP	PA-O3A-PB-O1B
3	A	602	S3A	C16-C15-C19-C20
3	B	602	S3A	C16-C15-C19-C20
4	A	606	GOL	O2-C2-C3-O3
2	D	601	ADP	PB-O3A-PA-O1A
4	C	1219	GOL	O1-C1-C2-C3
2	A	601	ADP	C5'-O5'-PA-O1A

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	A	602	S3A	P11-C14-C15-C16
3	B	602	S3A	P11-C14-C15-C16
3	D	602	S3A	P11-C14-C15-C16
3	D	602	S3A	C16-C15-C19-C20


There are no ring outliers.


11 monomers are involved in 11 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1215	GOL	1	0
4	C	1204	GOL	2	0
4	C	1214	GOL	1	0
4	A	609	GOL	1	0
4	D	603	GOL	1	0
4	B	603	GOL	1	0
4	B	605	GOL	1	0
4	C	1209	GOL	1	0
4	A	608	GOL	1	0
4	C	1213	GOL	1	0
4	C	1217	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	404/453 (89%)	0.24	7 (1%) 70 67	32, 55, 113, 156	0
1	B	401/453 (88%)	0.31	5 (1%) 79 77	50, 73, 119, 146	0
1	C	404/453 (89%)	0.22	4 (0%) 82 81	30, 55, 114, 140	0
1	D	404/453 (89%)	0.31	5 (1%) 79 77	52, 74, 112, 135	0
All	All	1613/1812 (89%)	0.27	21 (1%) 77 75	30, 66, 115, 156	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	409	LEU	5.1
1	C	417	ILE	4.5
1	A	409	LEU	3.2
1	A	413	PRO	3.2
1	D	97	TYR	3.0
1	A	412	CYS	2.9
1	B	417	ILE	2.9
1	A	430	LEU	2.8
1	A	403	ARG	2.6
1	B	424	GLY	2.6
1	D	441	CYS	2.5
1	C	419	LEU	2.5
1	D	279	PHE	2.4
1	D	278	ALA	2.4
1	B	408	PHE	2.3
1	B	57	LYS	2.2
1	B	105	MET	2.2
1	D	105	MET	2.2
1	A	414	ASN	2.1
1	C	278	ALA	2.1
1	A	86	ASP	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	GOL	A	612	6/6	0.75	0.25	81,84,90,92	0
4	GOL	C	1207	6/6	0.77	0.33	54,72,72,74	0
4	GOL	B	605	6/6	0.78	0.22	92,98,99,100	0
4	GOL	C	1219	6/6	0.79	0.29	68,87,88,88	0
4	GOL	C	1214	6/6	0.82	0.26	65,76,82,84	0
4	GOL	A	608	6/6	0.82	0.35	70,73,80,83	0
4	GOL	C	1213	6/6	0.82	0.23	79,87,90,92	0
4	GOL	C	1209	6/6	0.83	0.33	72,76,82,85	0
4	GOL	A	610	6/6	0.83	0.26	61,74,80,84	0
4	GOL	A	606	6/6	0.83	0.24	86,88,96,98	0
4	GOL	A	605	6/6	0.84	0.20	47,70,72,75	0
4	GOL	C	1212	6/6	0.84	0.19	48,60,65,69	0
4	GOL	C	1201	6/6	0.85	0.32	77,79,88,89	0
4	GOL	A	603	6/6	0.85	0.31	74,81,91,99	0
4	GOL	C	1211	6/6	0.86	0.18	60,83,89,91	0
4	GOL	B	604	6/6	0.86	0.22	82,86,89,96	0
4	GOL	B	606	6/6	0.87	0.18	72,81,83,84	0
4	GOL	C	1204	6/6	0.88	0.18	69,70,73,75	0
4	GOL	A	611	6/6	0.89	0.33	90,93,96,96	0
4	GOL	A	607	6/6	0.90	0.22	66,75,76,78	0
4	GOL	B	603	6/6	0.90	0.17	86,88,90,90	0
5	MG	A	614	1/1	0.91	0.18	30,30,30,30	0
5	MG	D	605	1/1	0.91	0.19	47,47,47,47	0
4	GOL	C	1216	6/6	0.91	0.22	67,81,88,90	0
4	GOL	A	609	6/6	0.92	0.38	48,67,71,77	0
4	GOL	C	1210	6/6	0.92	0.35	66,77,85,96	0
5	MG	B	607	1/1	0.92	0.12	56,56,56,56	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	GOL	D	603	6/6	0.92	0.28	85,87,90,97	0
4	GOL	C	1208	6/6	0.92	0.30	56,71,79,82	0
5	MG	C	1222	1/1	0.93	0.21	32,32,32,32	0
4	GOL	A	604	6/6	0.93	0.18	46,64,68,74	0
4	GOL	C	1217	6/6	0.94	0.16	87,90,95,96	0
4	GOL	C	1220	6/6	0.95	0.24	49,63,70,77	0
4	GOL	C	1218	6/6	0.95	0.20	63,67,69,73	0
5	MG	B	608	1/1	0.95	0.19	44,44,44,44	0
3	S3A	C	1203	27/27	0.95	0.22	19,46,59,71	0
4	GOL	C	1206	6/6	0.96	0.26	38,54,62,64	0
3	S3A	B	602	27/27	0.96	0.24	43,67,87,92	0
5	MG	C	1221	1/1	0.96	0.14	48,48,48,48	0
4	GOL	C	1205	6/6	0.96	0.18	62,68,74,74	0
4	GOL	C	1215	6/6	0.96	0.22	47,61,63,66	0
3	S3A	D	602	27/27	0.97	0.18	40,68,83,90	0
3	S3A	A	602	27/27	0.97	0.21	18,45,60,67	0
2	ADP	B	601	27/27	0.97	0.19	34,46,57,71	0
2	ADP	D	601	27/27	0.97	0.18	40,50,60,70	0
5	MG	D	604	1/1	0.97	0.09	48,48,48,48	0
2	ADP	A	601	27/27	0.98	0.20	16,29,50,51	0
2	ADP	C	1202	27/27	0.99	0.18	9,26,40,47	0
5	MG	A	613	1/1	0.99	0.13	24,24,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around MG A 614:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MG D 605:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG B 607:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG C 1222:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG B 608:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around S3A C 1203:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around S3A B 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG C 1221:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around S3A D 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around S3A A 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ADP B 601:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ADP D 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG D 604:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around ADP A 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ADP C 1202:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers ⓘ

There are no such residues in this entry.