



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 21, 2022 – 06:24 PM JST

PDB ID : 7VZE
Title : Crystal structure of PTPN4 PDZ bound to the PBM of HPV16 E6
Authors : Lee, H.S.; Yun, H.-Y.; Ku, B.
Deposited on : 2021-11-16
Resolution : 2.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.26
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.26

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2691 (2.90-2.86)
Clashscore	141614	2947 (2.90-2.86)
Ramachandran outliers	138981	2868 (2.90-2.86)
Sidechain outliers	138945	2871 (2.90-2.86)
RSRZ outliers	127900	2629 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	94	<div><div></div><div><div></div><div>61%</div><div></div><div>33%</div><div></div><div>• 5%</div></div></div>
1	B	94	<div><div></div><div><div></div><div>51%</div><div></div><div>38%</div><div></div><div>• 9%</div></div></div>
1	C	94	<div><div></div><div><div></div><div>64%</div><div></div><div>29%</div><div></div><div>• •</div></div></div>
1	D	94	<div><div></div><div><div></div><div>45%</div><div></div><div>48%</div><div></div><div>• •</div></div></div>
2	E	7	<div><div></div><div><div></div><div>57%</div><div></div><div>43%</div><div></div></div></div>
2	F	7	<div><div></div><div><div></div><div>43%</div><div></div><div>14%</div><div></div><div>14%</div><div></div><div>29%</div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	7	<div><div></div><div></div><div></div></div> <div>29%43%29%</div>
2	H	7	<div><div></div><div></div><div></div><div></div></div> <div>43%14%14%29%</div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2944 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosine-protein phosphatase non-receptor type 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	89	Total	C	N	O	S	0	0	0
			686	432	125	124	5			
1	B	86	Total	C	N	O	S	0	0	0
			659	418	117	119	5			
1	C	91	Total	C	N	O	S	0	0	0
			698	437	127	129	5			
1	D	91	Total	C	N	O	S	0	0	0
			693	436	125	127	5			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	510	GLY	-	expression tag	UNP P29074
A	511	HIS	-	expression tag	UNP P29074
A	512	MET	-	expression tag	UNP P29074
B	510	GLY	-	expression tag	UNP P29074
B	511	HIS	-	expression tag	UNP P29074
B	512	MET	-	expression tag	UNP P29074
C	510	GLY	-	expression tag	UNP P29074
C	511	HIS	-	expression tag	UNP P29074
C	512	MET	-	expression tag	UNP P29074
D	510	GLY	-	expression tag	UNP P29074
D	511	HIS	-	expression tag	UNP P29074
D	512	MET	-	expression tag	UNP P29074

- Molecule 2 is a protein called the PDZ-binding motif of HPV16 E6.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	7	Total	C	N	O	0	0	0
			63	36	14	13			
2	F	5	Total	C	N	O	0	0	0
			45	26	9	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	G	5	Total	C	N	O	0	0	0
			45	26	9	10			
2	H	5	Total	C	N	O	0	0	0
			41	24	8	9			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	O	0	0
			2	2		
3	B	4	Total	O	0	0
			4	4		
3	C	6	Total	O	0	0
			6	6		
3	D	1	Total	O	0	0
			1	1		
3	E	1	Total	O	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tyrosine-protein phosphatase non-receptor type 4




- Molecule 1: Tyrosine-protein phosphatase non-receptor type 4



- Molecule 1: Tyrosine-protein phosphatase non-receptor type 4



- Molecule 1: Tyrosine-protein phosphatase non-receptor type 4



- Molecule 2: the PDZ-binding motif of HPV16 E6






- Molecule 2: the PDZ-binding motif of HPV16 E6



- Molecule 2: the PDZ-binding motif of HPV16 E6



- Molecule 2: the PDZ-binding motif of HPV16 E6



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.97Å 51.92Å 190.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.74 – 2.88 47.74 – 2.88	Depositor EDS
% Data completeness (in resolution range)	98.7 (47.74-2.88) 97.7 (47.74-2.88)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 2.86Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.195 , 0.234 0.188 , 0.225	Depositor DCC
R_{free} test set	1222 reflections (10.07%)	wwPDB-VP
Wilson B-factor (Å ²)	57.8	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 13.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.20$	Xtriage
Estimated twinning fraction	0.438 for k,h,-l	Xtriage
Reported twinning fraction	0.480 for k,h,-l	Depositor
Outliers	0 of 12140 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2944	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	2/697 (0.3%)	0.67	1/942 (0.1%)
1	B	0.51	0/669	0.61	0/904
1	C	0.46	0/709	0.62	0/960
1	D	0.59	1/704 (0.1%)	0.63	0/953
2	E	0.65	0/62	0.71	0/80
2	F	0.52	0/44	0.59	0/56
2	G	0.39	0/44	0.63	0/56
2	H	0.34	0/40	0.62	0/51
All	All	0.55	3/2969 (0.1%)	0.63	1/4002 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	589	SER	CA-CB	-8.38	1.40	1.52
1	A	546	ARG	CZ-NH1	-7.41	1.23	1.33
1	A	546	ARG	NE-CZ	-6.66	1.24	1.33

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	546	ARG	NE-CZ-NH1	-7.05	116.78	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	686	0	700	24	0
1	B	659	0	672	36	0
1	C	698	0	699	26	0
1	D	693	0	697	51	0
2	E	63	0	64	5	0
2	F	45	0	44	1	0
2	G	45	0	44	4	0
2	H	41	0	38	5	0
3	A	2	0	0	0	0
3	B	4	0	0	0	0
3	C	6	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
All	All	2944	0	2958	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:518:ILE:HG12	1:B:558:PRO:HG2	1.58	0.86
1:B:559:ARG:NH1	1:B:560:LEU:O	2.12	0.82
1:D:568:LEU:HD12	1:D:568:LEU:O	1.80	0.80
1:D:515:LEU:HD23	1:D:602:ARG:HB2	1.65	0.79
1:D:554:ASP:OD1	1:D:559:ARG:NH2	2.15	0.78
1:A:554:ASP:OD2	1:A:559:ARG:NH2	2.17	0.76
1:D:533:LYS:HG3	1:D:545:SER:HB2	1.67	0.74
1:B:570:ASN:HA	1:B:598:MET:HG3	1.70	0.73
1:D:542:VAL:HG21	1:D:574:ILE:CD1	2.19	0.72
1:C:518:ILE:HG12	1:C:558:PRO:HG2	1.72	0.71
1:D:572:ARG:O	1:D:574:ILE:HG23	1.91	0.71
1:D:591:GLU:O	1:D:595:GLY:HA2	1.90	0.70
1:A:529:GLY:HA3	1:A:551:THR:OG1	1.92	0.70
1:D:548:ALA:O	1:D:551:THR:OG1	2.10	0.67
1:D:583:VAL:HG12	1:D:587:LYS:HE3	1.76	0.66
1:A:538:GLN:HE22	2:E:154:ARG:N	1.96	0.64
1:B:566:VAL:HA	1:B:601:VAL:HG12	1.79	0.64
1:B:544:VAL:HG21	1:B:560:LEU:HD11	1.80	0.64
1:D:523:ASP:OD1	1:D:527:ARG:N	2.22	0.63
1:A:528:PHE:O	1:A:551:THR:OG1	2.10	0.63
1:B:515:LEU:HD21	1:B:602:ARG:CZ	2.27	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:533:LYS:HB3	2:F:155:GLU:HB2	1.81	0.63
1:D:533:LYS:HG2	2:H:155:GLU:HB3	1.80	0.62
1:A:538:GLN:HE22	2:E:154:ARG:H	1.48	0.62
1:C:578:THR:O	1:C:582:VAL:HG23	2.00	0.61
1:C:537:ASP:N	1:C:537:ASP:OD1	2.35	0.60
1:C:566:VAL:HA	1:C:601:VAL:HG12	1.85	0.59
1:A:537:ASP:N	1:A:537:ASP:OD1	2.31	0.59
1:B:554:ASP:O	1:B:559:ARG:HG3	2.02	0.59
1:B:570:ASN:HD21	1:B:589:SER:HB2	1.69	0.58
1:C:586:ILE:HD13	2:G:158:LEU:HD13	1.86	0.57
1:C:589:SER:OG	1:D:591:GLU:N	2.36	0.57
1:D:548:ALA:HB3	1:D:551:THR:HG21	1.87	0.57
1:D:513:ASP:HB2	1:D:515:LEU:HG	1.85	0.57
1:B:515:LEU:HD21	1:B:602:ARG:NH1	2.19	0.57
1:B:550:GLY:HA2	1:B:555:LEU:HD11	1.87	0.56
1:D:523:ASP:OD2	1:D:527:ARG:HB2	2.04	0.56
1:B:578:THR:HG23	1:B:581:GLN:H	1.71	0.56
1:B:548:ALA:O	1:B:554:ASP:HB2	2.04	0.56
1:C:554:ASP:O	1:C:559:ARG:HG3	2.06	0.56
1:D:583:VAL:HG13	2:H:158:LEU:HD21	1.87	0.56
1:B:577:HIS:CD2	1:B:585:PHE:HE2	2.24	0.55
1:A:534:GLY:HA2	1:A:540:MET:HB2	1.88	0.55
1:D:569:ILE:HG23	1:D:599:LEU:HD21	1.87	0.55
1:C:559:ARG:HD3	1:C:561:ASN:OD1	2.07	0.55
1:C:559:ARG:NH1	1:C:560:LEU:O	2.40	0.54
1:D:568:LEU:HD12	1:D:568:LEU:C	2.27	0.54
1:A:572:ARG:NH2	1:A:591:GLU:OE1	2.39	0.54
1:A:586:ILE:HD12	2:E:158:LEU:HD13	1.89	0.54
1:C:590:CYS:HB2	1:D:587:LYS:HB3	1.88	0.54
1:B:520:MET:CE	1:B:553:ALA:HA	2.38	0.53
1:D:542:VAL:HB	1:D:566:VAL:HB	1.89	0.53
1:D:545:SER:O	1:D:546:ARG:HG2	2.08	0.53
1:C:559:ARG:HG2	1:C:560:LEU:N	2.23	0.53
1:C:584:LEU:HB3	1:D:584:LEU:HD13	1.91	0.53
1:D:528:PHE:CZ	1:D:597:LEU:HB2	2.44	0.53
1:C:517:LEU:HD11	1:C:598:MET:HG2	1.91	0.52
1:D:517:LEU:HD13	1:D:600:LEU:HB2	1.91	0.52
1:B:520:MET:HE2	1:B:553:ALA:HA	1.90	0.52
1:D:541:PRO:HG2	1:D:543:ILE:HD11	1.91	0.52
1:A:540:MET:HE3	1:A:541:PRO:HD2	1.91	0.52
1:C:570:ASN:HD21	1:C:597:LEU:HA	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:583:VAL:HG13	2:G:158:LEU:HD21	1.92	0.51
1:D:554:ASP:O	1:D:559:ARG:HG3	2.11	0.51
1:A:589:SER:OG	1:B:590:CYS:HB2	2.11	0.51
1:A:551:THR:OG1	1:A:552:PRO:HD2	2.10	0.51
1:B:578:THR:OG1	1:B:579:HIS:N	2.44	0.51
1:A:582:VAL:HA	1:A:585:PHE:CD2	2.46	0.50
1:D:516:VAL:O	1:D:600:LEU:HD12	2.11	0.49
1:D:545:SER:C	1:D:546:ARG:HG2	2.33	0.49
1:D:548:ALA:O	1:D:554:ASP:HB2	2.12	0.48
1:D:517:LEU:HD12	1:D:518:ILE:H	1.77	0.48
1:D:569:ILE:HD13	1:D:586:ILE:HG12	1.95	0.48
1:B:515:LEU:HD23	1:B:602:ARG:HB2	1.95	0.48
1:A:582:VAL:HA	1:A:585:PHE:HD2	1.78	0.48
1:B:579:HIS:O	1:B:582:VAL:HG22	2.13	0.48
1:B:518:ILE:HG23	1:B:558:PRO:O	2.15	0.47
1:B:578:THR:HG22	1:B:581:GLN:OE1	2.14	0.47
1:C:574:ILE:HA	1:C:577:HIS:ND1	2.30	0.47
1:D:559:ARG:HG2	1:D:560:LEU:H	1.79	0.47
1:B:578:THR:O	1:B:582:VAL:HG13	2.14	0.47
1:D:577:HIS:CD2	1:D:585:PHE:HE2	2.32	0.47
1:D:532:VAL:O	2:H:155:GLU:HA	2.14	0.47
1:C:579:HIS:NE2	2:G:156:THR:OG1	2.44	0.46
1:B:514:ASN:C	1:B:515:LEU:HG	2.34	0.46
1:B:531:ASN:N	1:B:531:ASN:OD1	2.48	0.46
1:D:534:GLY:H	1:D:538:GLN:HE21	1.63	0.46
1:C:533:LYS:HE3	2:G:155:GLU:HG2	1.97	0.46
1:B:568:LEU:HD23	1:B:573:ASP:HA	1.97	0.46
1:D:582:VAL:O	1:D:586:ILE:HG13	2.16	0.46
1:C:589:SER:HG	1:D:591:GLU:N	2.13	0.45
1:C:590:CYS:HA	1:D:590:CYS:HB2	1.98	0.45
1:C:589:SER:HA	1:C:592:ARG:NE	2.31	0.45
1:C:522:PRO:HB2	1:C:526:GLY:HA2	1.97	0.45
1:C:579:HIS:O	1:C:583:VAL:HG23	2.17	0.45
1:D:599:LEU:HA	1:D:599:LEU:HD23	1.65	0.45
1:C:590:CYS:HB2	1:D:587:LYS:CB	2.46	0.45
1:D:524:GLU:H	1:D:524:GLU:HG2	1.58	0.44
1:B:547:VAL:HG22	1:B:560:LEU:HD23	2.00	0.44
1:B:577:HIS:HB3	1:B:581:GLN:HB3	2.00	0.44
1:B:537:ASP:OD2	1:B:578:THR:OG1	2.36	0.44
1:A:582:VAL:O	1:A:585:PHE:N	2.51	0.44
1:D:559:ARG:HG2	1:D:560:LEU:N	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:567:VAL:O	1:A:568:LEU:HD23	2.17	0.44
1:D:517:LEU:HD12	1:D:599:LEU:O	2.18	0.44
1:D:513:ASP:HB2	1:D:515:LEU:CG	2.49	0.43
1:D:557:VAL:HA	1:D:558:PRO:C	2.38	0.43
1:B:579:HIS:O	1:B:583:VAL:HG23	2.19	0.43
1:C:527:ARG:HH11	1:C:527:ARG:HG2	1.83	0.43
1:A:580:ASP:CG	2:E:154:ARG:HH22	2.22	0.42
1:B:528:PHE:CE2	1:B:597:LEU:HD22	2.54	0.42
1:D:529:GLY:HA3	1:D:551:THR:HG21	2.01	0.42
1:A:523:ASP:OD1	1:A:527:ARG:N	2.50	0.42
1:D:533:LYS:HE2	2:H:155:GLU:HG2	2.01	0.42
1:D:577:HIS:HD2	1:D:581:GLN:NE2	2.17	0.42
1:A:542:VAL:O	1:A:566:VAL:HG12	2.20	0.42
1:A:554:ASP:CG	1:A:559:ARG:HH21	2.19	0.42
1:D:533:LYS:HE2	2:H:155:GLU:HB3	2.00	0.42
1:A:580:ASP:O	1:A:584:LEU:HG	2.19	0.42
1:D:584:LEU:HD23	1:D:584:LEU:HA	1.91	0.42
1:B:544:VAL:HG11	1:B:560:LEU:HD21	2.02	0.41
1:B:574:ILE:C	1:B:574:ILE:HD12	2.40	0.41
1:B:582:VAL:HG23	1:B:583:VAL:N	2.35	0.41
1:B:520:MET:HE2	1:B:556:CYS:SG	2.61	0.41
1:A:565:GLN:O	1:A:601:VAL:HA	2.20	0.41
1:B:589:SER:O	1:B:589:SER:OG	2.38	0.41
1:A:559:ARG:HD3	1:A:561:ASN:OD1	2.21	0.41
1:A:533:LYS:HD3	2:E:155:GLU:HB3	2.02	0.40
1:C:528:PHE:O	1:C:552:PRO:HD2	2.21	0.40
1:D:568:LEU:HD11	1:D:598:MET:HE1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	87/94 (93%)	82 (94%)	5 (6%)	0	100	100
1	B	82/94 (87%)	74 (90%)	8 (10%)	0	100	100
1	C	89/94 (95%)	82 (92%)	7 (8%)	0	100	100
1	D	89/94 (95%)	79 (89%)	10 (11%)	0	100	100
2	E	5/7 (71%)	5 (100%)	0	0	100	100
2	F	3/7 (43%)	3 (100%)	0	0	100	100
2	G	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	H	3/7 (43%)	3 (100%)	0	0	100	100
All	All	361/404 (89%)	330 (91%)	31 (9%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	76/81 (94%)	73 (96%)	3 (4%)	32	64
1	B	73/81 (90%)	70 (96%)	3 (4%)	30	62
1	C	77/81 (95%)	72 (94%)	5 (6%)	17	42
1	D	76/81 (94%)	71 (93%)	5 (7%)	16	41
2	E	7/7 (100%)	7 (100%)	0	100	100
2	F	5/7 (71%)	3 (60%)	2 (40%)	0	0
2	G	5/7 (71%)	5 (100%)	0	100	100
2	H	4/7 (57%)	3 (75%)	1 (25%)	0	1
All	All	323/352 (92%)	304 (94%)	19 (6%)	19	47

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	519	ARG
1	A	545	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	546	ARG
1	B	521	LYS
1	B	531	ASN
1	B	533	LYS
1	C	517	LEU
1	C	524	GLU
1	C	527	ARG
1	C	537	ASP
1	C	589	SER
1	D	514	ASN
1	D	515	LEU
1	D	527	ARG
1	D	545	SER
1	D	559	ARG
2	F	155	GLU
2	F	158	LEU
2	H	155	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	538	GLN
1	C	538	GLN
1	C	570	ASN
1	D	514	ASN
1	D	577	HIS
1	D	581	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	89/94 (94%)	-0.15	1 (1%) 80 80	43, 52, 69, 74	0
1	B	86/94 (91%)	-0.04	0 100 100	44, 54, 72, 86	0
1	C	91/94 (96%)	-0.30	0 100 100	33, 46, 62, 70	0
1	D	91/94 (96%)	-0.34	0 100 100	36, 48, 65, 81	0
2	E	7/7 (100%)	-0.12	0 100 100	46, 51, 61, 63	0
2	F	5/7 (71%)	-0.33	0 100 100	50, 53, 57, 62	0
2	G	5/7 (71%)	-0.69	0 100 100	42, 42, 53, 61	0
2	H	5/7 (71%)	-0.46	0 100 100	53, 54, 57, 58	0
All	All	379/404 (93%)	-0.22	1 (0%) 94 94	33, 51, 68, 86	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	534	GLY	2.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.