



# Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 02:05 am BST

PDB ID : 2W65  
Title : Anti citrullinated Collagen type 2 antibody acc4 in complex with a citrullinated peptide  
Authors : Uysal, H.; Bockermann, R.; Nandakumar, K.S.; Sehnert, B.; Bajtner, E.; Engstrom, A.; Serre, G.; Burkhardt, H.; Thunnissen, M.M.G.M.; Holmdahl, R.  
Deposited on : 2008-12-17  
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11

i

## X-RAY DIFFRACTION

A.

 $R_{free}$ representing fractions  $\leq 5\%$ 1

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CIR	E	2	X	-	-	-
3	HYP	E	8	X	-	-	-
3	CIR	F	2	X	-	-	-
3	HYP	F	8	X	-	-	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6893 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANTI-CITRULLINATED COLLAGEN TYPE II FAB ACC4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	212	Total	C	N	O	S	0	0	0
			1603	1026	257	314	6			
1	C	211	Total	C	N	O	S	0	0	0
			1599	1024	256	313	6			

- Molecule 2 is a protein called ANTI-CITRULLINATED COLLAGEN TYPE II FAB ACC4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	217	Total	C	N	O	S	0	0	0
			1678	1053	282	337	6			
2	D	217	Total	C	N	O	S	0	0	0
			1678	1053	282	337	6			

- Molecule 3 is a protein called COLLAGEN DERIVED PEPTIDE PCII-CIT1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	E	9	Total	C	N	O	0	0	0
			62	36	14	12			
3	F	7	Total	C	N	O	0	0	0
			53	31	12	10			

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	55	Total	O	0	0
			55	55		
5	B	57	Total	O	0	0
			57	57		
5	C	45	Total	O	0	0
			45	45		
5	D	52	Total	O	0	0
			52	52		
5	F	1	Total	O	0	0
			1	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ANTI-CITRULLINATED COLLAGEN TYPE II FAB ACC4




- Molecule 1: ANTI-CITRULLINATED COLLAGEN TYPE II FAB ACC4




- Molecule 2: ANTI-CITRULLINATED COLLAGEN TYPE II FAB ACC4




- Molecule 2: ANTI-CITRULLINATED COLLAGEN TYPE II FAB ACC4




- Molecule 3: COLLAGEN DERIVED PEPTIDE PCII-CIT1



- Molecule 3: COLLAGEN DERIVED PEPTIDE PCII-CIT1

Chain F:  78% 22%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.20 Å 127.80 Å 71.90 Å 90.00° 106.00° 90.00°	Depositor
Resolution (Å)	24.23 – 2.21 24.23 – 2.21	Depositor EDS
% Data completeness (in resolution range)	100.0 (24.23-2.21) 97.2 (24.23-2.21)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.67 (at 2.22 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.234 , 0.285 0.278 , 0.317	Depositor DCC
$R_{free}$ test set	2407 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.1	Xtriage
Anisotropy	0.374	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 35.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	6893	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	10.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.72% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HYP, CIR, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.72	0/1647	0.87	2/2254 (0.1%)
1	C	0.60	0/1643	0.92	4/2249 (0.2%)
2	B	0.60	0/1715	0.85	0/2330
2	D	0.66	0/1715	0.85	0/2330
3	E	0.82	0/40	1.38	1/48 (2.1%)
3	F	0.73	0/33	1.16	0/42
All	All	0.65	0/6793	0.88	7/9253 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	E	2	0
3	F	2	0
All	All	4	0

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	C	75	SER	CB-CA-C	-14.40	82.73	110.10
1	C	73	GLU	CB-CA-C	-9.52	91.36	110.40
1	C	73	GLU	N-CA-C	6.02	127.26	111.00
1	A	33	SER	CB-CA-C	-5.98	98.73	110.10
1	C	74	SER	CB-CA-C	5.94	121.38	110.10
1	A	177	SER	N-CA-C	5.59	126.11	111.00
3	E	4	LEU	CA-CB-CG	5.20	127.27	115.30

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	E	2	CIR	C2
3	E	8	HYP	CG
3	F	2	CIR	C2
3	F	8	HYP	CG

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1603	0	1572	27	0
1	C	1599	0	1569	27	0
2	B	1678	0	1639	22	0
2	D	1678	0	1639	48	0
3	E	62	0	62	3	0
3	F	53	0	54	0	0
4	A	5	0	0	0	0
4	C	5	0	0	0	0
5	A	55	0	0	1	0
5	B	57	0	0	0	0
5	C	45	0	0	2	0
5	D	52	0	0	5	0
5	F	1	0	0	0	0
All	All	6893	0	6535	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:100:THR:CG2	1:C:103:THR:HG23	1.90	1.00
1:C:100:THR:HG22	1:C:103:THR:HG23	1.49	0.95
1:A:158:THR:HG22	1:A:201:ASN:HB2	1.50	0.90

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:100:THR:CG2	1:C:103:THR:CG2	2.53	0.86
1:A:31:ASP:O	3:E:9:GLY:HA3	1.76	0.83
1:A:174:VAL:CG1	2:B:165:LEU:HD21	2.10	0.82
1:C:100:THR:HG21	1:C:103:THR:HG23	1.63	0.80
1:A:174:VAL:HG12	2:B:165:LEU:HD21	1.65	0.79
2:D:6:GLN:NE2	2:D:107:THR:HG22	1.97	0.79
1:C:100:THR:HG21	1:C:103:THR:CG2	2.13	0.79
2:D:150:ASN:HB2	5:D:2041:HOH:O	1.85	0.76
2:D:21:ILE:HG21	2:D:107:THR:HG21	1.66	0.76
1:C:158:THR:HG23	1:C:201:ASN:HB2	1.69	0.75
1:A:140:MET:CE	1:A:187:THR:HG22	2.17	0.75
1:A:140:MET:HE3	1:A:187:THR:HG22	1.67	0.74
1:C:201:ASN:HD22	1:C:212:ASP:CG	1.90	0.73
2:D:200:GLU:HG2	2:D:211:VAL:HG22	1.70	0.73
2:D:60:ASP:OD1	2:D:61:SER:N	2.22	0.72
2:D:38:LEU:HD22	2:D:76:PHE:CG	2.25	0.72
2:D:66:ARG:HD2	2:D:82:ARG:O	1.92	0.69
2:D:38:LEU:HD22	2:D:76:PHE:CD2	2.28	0.68
1:A:158:THR:CG2	1:A:201:ASN:HB2	2.23	0.68
1:C:158:THR:CG2	1:C:201:ASN:HB2	2.24	0.68
1:C:100:THR:HG22	1:C:103:THR:CG2	2.20	0.67
1:C:183:SER:HB3	5:C:2036:HOH:O	1.95	0.65
2:D:19:ALA:HB3	2:D:80:ILE:HB	1.78	0.65
1:A:3:GLN:C	1:A:4:LEU:HD12	2.16	0.65
2:D:91:TYR:CD1	2:D:109:LEU:HD13	2.32	0.65
1:A:197:THR:HG23	1:A:214:LYS:HE2	1.78	0.64
2:B:51:ARG:HG2	2:B:60:ASP:OD2	2.00	0.61
2:D:6:GLN:HE22	2:D:107:THR:HG22	1.63	0.61
2:D:33:ASP:OD2	2:D:37:TYR:OH	2.15	0.61
1:C:140:MET:CE	1:C:187:THR:HG22	2.31	0.61
1:A:182:LEU:HD23	1:A:183:SER:N	2.16	0.60
2:B:195:ASN:OD1	2:B:215:ASN:HB3	2.02	0.59
1:A:73:GLU:OE1	1:A:73:GLU:HA	2.03	0.58
2:D:42:LEU:HD13	2:D:91:TYR:CZ	2.38	0.58
2:D:63:VAL:HG13	2:D:64:PRO:HD2	1.86	0.57
1:C:100:THR:HG22	1:C:103:THR:O	2.05	0.57
1:A:174:VAL:HG11	2:B:165:LEU:HD21	1.85	0.57
2:B:59:LEU:HD21	2:B:67:PHE:O	2.05	0.56
1:C:100:THR:CG2	1:C:103:THR:HG22	2.35	0.56
2:B:124:PRO:HB3	2:B:214:PHE:CE2	2.40	0.56
2:B:152:LYS:HB3	2:B:200:GLU:HB2	1.87	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:LEU:HD23	1:A:182:LEU:C	2.26	0.56
1:C:178:ASP:O	1:C:179:LEU:HD13	2.04	0.56
2:D:21:ILE:CG2	2:D:107:THR:HG21	2.37	0.55
2:B:203:HIS:CE1	2:B:205:THR:HG23	2.43	0.54
2:D:21:ILE:HD13	2:D:107:THR:CG2	2.38	0.54
1:A:176:GLN:OE1	2:B:165:LEU:HD22	2.08	0.53
2:D:91:TYR:CE1	2:D:109:LEU:HD13	2.44	0.53
1:C:11:LEU:HD11	1:C:151:PHE:HZ	1.74	0.53
2:D:198:THR:CG2	2:D:211:VAL:HG13	2.39	0.53
1:A:3:GLN:O	1:A:4:LEU:HD12	2.09	0.52
1:C:140:MET:HE2	1:C:187:THR:HG22	1.90	0.52
2:D:21:ILE:HD13	2:D:107:THR:HG21	1.92	0.52
2:B:166:ASN:HB3	2:B:180:MET:HE3	1.93	0.51
2:D:189:ASP:O	2:D:193:ARG:HG3	2.10	0.51
1:A:46:LYS:NZ	1:A:63:ASP:OD2	2.29	0.51
2:D:18:PRO:HA	2:D:81:SER:O	2.11	0.50
1:C:201:ASN:ND2	1:C:212:ASP:CG	2.62	0.49
1:A:124:PRO:HB3	1:A:150:TYR:HB3	1.93	0.49
1:A:131:PRO:HD3	1:A:143:LEU:HD23	1.95	0.49
2:B:13:VAL:HG22	2:B:110:GLU:O	2.13	0.48
2:D:204:LYS:HB2	5:D:2037:HOH:O	2.13	0.48
1:C:182:LEU:HD23	1:C:183:SER:N	2.29	0.47
1:A:91:THR:O	1:A:92:ALA:HB2	2.15	0.47
3:E:2:CIR:HN6	3:E:9:GLY:C	2.18	0.47
1:A:73:GLU:HG2	5:A:2024:HOH:O	2.15	0.47
1:A:174:VAL:HG11	2:B:165:LEU:CD2	2.44	0.46
2:B:17:GLN:HB3	2:B:18:PRO:HD2	1.96	0.46
1:C:3:GLN:N	5:C:2002:HOH:O	2.49	0.46
2:D:66:ARG:CD	2:D:82:ARG:O	2.63	0.46
1:C:182:LEU:HD23	1:C:182:LEU:C	2.36	0.46
1:C:73:GLU:HG3	1:C:76:ALA:O	2.16	0.46
2:B:115:ASP:OD2	2:B:204:LYS:HE3	2.16	0.46
1:C:3:GLN:C	1:C:4:LEU:HD12	2.37	0.45
2:D:42:LEU:CB	2:D:52:LEU:HD11	2.47	0.45
2:D:83:VAL:HG12	2:D:83:VAL:O	2.16	0.45
2:D:21:ILE:HD11	2:D:109:LEU:HD11	1.97	0.45
1:C:35:HIS:ND1	1:C:50:TRP:HB3	2.31	0.45
2:D:7:THR:HG22	5:D:2005:HOH:O	2.17	0.45
2:D:14:THR:HG21	5:D:2009:HOH:O	2.17	0.45
1:A:159:TRP:CZ3	1:A:200:CYS:HB3	2.51	0.44
1:A:197:THR:HG23	1:A:214:LYS:CE	2.47	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:50:LYS:HB2	2:D:50:LYS:HE3	1.88	0.44
1:C:72:LEU:HG	1:C:73:GLU:H	1.82	0.44
2:D:128:GLU:OE1	2:D:128:GLU:N	2.51	0.44
2:D:52:LEU:HA	2:D:63:VAL:HG21	2.00	0.44
2:D:42:LEU:HB3	2:D:52:LEU:HD11	1.99	0.44
1:A:17:THR:HG22	1:A:18:VAL:N	2.32	0.43
2:D:138:VAL:HG22	2:D:183:THR:HG23	1.98	0.43
1:A:171:PHE:CD2	2:B:169:THR:HG23	2.53	0.43
2:D:53:ILE:HD12	2:D:78:LEU:CD1	2.49	0.43
2:D:51:ARG:NH2	2:D:60:ASP:OD1	2.52	0.43
1:C:152:PRO:HD2	1:C:206:ALA:CB	2.48	0.43
2:D:60:ASP:HB3	2:D:63:VAL:CG2	2.48	0.43
2:D:63:VAL:CG1	2:D:64:PRO:HD2	2.48	0.43
2:D:2:VAL:HG22	2:D:27:GLN:CG	2.49	0.43
2:D:200:GLU:CG	2:D:211:VAL:HG22	2.45	0.43
2:D:123:PHE:HE1	2:D:140:PHE:HD2	1.67	0.43
1:C:150:TYR:CE1	1:C:155:VAL:HG13	2.54	0.42
2:D:112:LYS:HA	2:D:145:TYR:OH	2.19	0.42
2:D:58:LYS:NZ	5:D:2018:HOH:O	2.51	0.42
2:B:29:LEU:HD12	2:B:76:PHE:CE1	2.54	0.42
2:D:155:ILE:HD12	2:D:197:TYR:CD2	2.53	0.42
2:B:50:LYS:HB2	2:B:50:LYS:HE3	1.83	0.42
2:B:91:TYR:HE1	2:B:109:LEU:HD22	1.85	0.41
2:B:33:ASP:OD2	2:B:37:TYR:OH	2.32	0.41
1:A:174:VAL:CG1	2:B:165:LEU:CD2	2.88	0.41
1:A:140:MET:HE2	1:A:187:THR:HG22	1.96	0.41
2:D:60:ASP:HB3	2:D:63:VAL:HG21	2.01	0.41
1:C:65:LYS:HE2	3:E:4:LEU:HD22	2.03	0.41
2:D:131:THR:HG22	2:D:131:THR:O	2.21	0.41
2:D:17:GLN:HB3	2:D:18:PRO:HD2	2.02	0.41
2:D:159:GLU:HG2	2:D:160:ARG:H	1.86	0.40
2:B:195:ASN:O	2:B:215:ASN:HA	2.22	0.40
2:D:14:THR:O	2:D:15:ILE:C	2.58	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	208/218 (95%)	198 (95%)	10 (5%)	0	100	100
1	C	207/218 (95%)	188 (91%)	19 (9%)	0	100	100
2	B	215/217 (99%)	209 (97%)	6 (3%)	0	100	100
2	D	215/217 (99%)	201 (94%)	14 (6%)	0	100	100
3	E	4/9 (44%)	4 (100%)	0	0	100	100
3	F	4/9 (44%)	4 (100%)	0	0	100	100
All	All	853/888 (96%)	804 (94%)	49 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/185 (97%)	177 (98%)	3 (2%)	60	73
1	C	180/185 (97%)	178 (99%)	2 (1%)	73	84
2	B	193/194 (100%)	193 (100%)	0	100	100
2	D	193/194 (100%)	191 (99%)	2 (1%)	76	85
3	E	3/3 (100%)	3 (100%)	0	100	100
3	F	3/3 (100%)	3 (100%)	0	100	100
All	All	752/764 (98%)	745 (99%)	7 (1%)	78	87

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	103	THR
1	A	178	ASP
1	A	182	LEU
1	C	145	CYS
1	C	182	LEU
2	D	75	ASP
2	D	107	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	194	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	HYP	F	8	3	6,8,9	0.75	0	5,10,12	0.91	0
3	HYP	E	8	3	6,8,9	0.78	0	5,10,12	2.14	3 (60%)
3	CIR	F	2	3	9,10,11	0.61	0	6,11,13	2.57	2 (33%)
3	CIR	E	2	3	9,10,11	0.64	0	6,11,13	2.10	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HYP	F	8	3	1/1/2/4	0/0/11/13	0/1/1/1
3	HYP	E	8	3	1/1/2/4	0/0/11/13	0/1/1/1
3	CIR	F	2	3	1/1/2/4	4/8/9/11	-
3	CIR	E	2	3	1/1/2/4	1/8/9/11	-

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	2	CIR	N8-C7-N6	4.20	121.28	116.85
3	F	2	CIR	O7-C7-N6	-3.80	118.92	121.74
3	E	2	CIR	O7-C7-N6	3.68	124.47	121.74
3	E	8	HYP	CB-CG-CD	3.22	107.21	103.27
3	E	2	CIR	C5-N6-C7	2.58	125.81	122.73
3	E	8	HYP	OD1-CG-CD	-2.51	104.87	110.35
3	E	2	CIR	O7-C7-N8	-2.45	119.02	123.22
3	E	8	HYP	CG-CB-CA	2.02	106.51	103.96

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	F	8	HYP	CG
3	E	8	HYP	CG
3	F	2	CIR	C2
3	E	2	CIR	C2

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	2	CIR	C1-C2-C3-C4
3	E	2	CIR	N2-C2-C3-C4
3	F	2	CIR	C3-C4-C5-N6
3	F	2	CIR	O7-C7-N6-C5
3	F	2	CIR	N8-C7-N6-C5

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	2	CIR	1	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	SO4	C	1219	-	4,4,4	0.17	0	6,6,6	0.34	0
4	SO4	A	1219	-	4,4,4	0.24	0	6,6,6	0.67	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.