



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2020 – 03:18 PM BST

PDB ID : 3W6C  
Title : Crystal structure of catalytic domain of chitinase from *Ralstonia* sp. A-471 in complex with disaccharide  
Authors : Arimori, T.; Kawamoto, N.; Okazaki, N.; Nakazawa, M.; Miyatake, K.; Fukamizo, T.; Ueda, M.; Tamada, T.  
Deposited on : 2013-02-14  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	183	
1	B	183	
1	C	183	
1	D	183	
2	E	2	
2	F	2	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	G	2	 50%50%
2	H	2	 100%
2	I	2	 100%
2	J	2	 100%
2	K	2	 50%50%

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5220 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysozyme-like chitinolytic enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	151	Total	C	N	O	S	0	0	0
			1178	751	195	229	3			
1	B	153	Total	C	N	O	S	0	0	0
			1196	760	200	233	3			
1	C	153	Total	C	N	O	S	0	0	0
			1195	760	200	232	3			
1	D	153	Total	C	N	O	S	0	0	0
			1196	760	200	233	3			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	72	MET	-	expression tag	UNP B7XCV4
A	73	ASN	-	expression tag	UNP B7XCV4
A	74	HIS	-	expression tag	UNP B7XCV4
A	75	LYS	-	expression tag	UNP B7XCV4
A	76	VAL	-	expression tag	UNP B7XCV4
A	77	HIS	-	expression tag	UNP B7XCV4
A	78	HIS	-	expression tag	UNP B7XCV4
A	79	HIS	-	expression tag	UNP B7XCV4
A	80	HIS	-	expression tag	UNP B7XCV4
A	81	HIS	-	expression tag	UNP B7XCV4
A	82	HIS	-	expression tag	UNP B7XCV4
A	83	ILE	-	expression tag	UNP B7XCV4
A	84	GLU	-	expression tag	UNP B7XCV4
A	85	GLY	-	expression tag	UNP B7XCV4
A	86	ARG	-	expression tag	UNP B7XCV4
A	87	HIS	-	expression tag	UNP B7XCV4
A	88	MET	-	expression tag	UNP B7XCV4
A	253	SER	-	expression tag	UNP B7XCV4
A	254	ARG	-	expression tag	UNP B7XCV4
B	72	MET	-	expression tag	UNP B7XCV4
B	73	ASN	-	expression tag	UNP B7XCV4

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	74	HIS	-	expression tag	UNP B7XCV4
B	75	LYS	-	expression tag	UNP B7XCV4
B	76	VAL	-	expression tag	UNP B7XCV4
B	77	HIS	-	expression tag	UNP B7XCV4
B	78	HIS	-	expression tag	UNP B7XCV4
B	79	HIS	-	expression tag	UNP B7XCV4
B	80	HIS	-	expression tag	UNP B7XCV4
B	81	HIS	-	expression tag	UNP B7XCV4
B	82	HIS	-	expression tag	UNP B7XCV4
B	83	ILE	-	expression tag	UNP B7XCV4
B	84	GLU	-	expression tag	UNP B7XCV4
B	85	GLY	-	expression tag	UNP B7XCV4
B	86	ARG	-	expression tag	UNP B7XCV4
B	87	HIS	-	expression tag	UNP B7XCV4
B	88	MET	-	expression tag	UNP B7XCV4
B	253	SER	-	expression tag	UNP B7XCV4
B	254	ARG	-	expression tag	UNP B7XCV4
C	72	MET	-	expression tag	UNP B7XCV4
C	73	ASN	-	expression tag	UNP B7XCV4
C	74	HIS	-	expression tag	UNP B7XCV4
C	75	LYS	-	expression tag	UNP B7XCV4
C	76	VAL	-	expression tag	UNP B7XCV4
C	77	HIS	-	expression tag	UNP B7XCV4
C	78	HIS	-	expression tag	UNP B7XCV4
C	79	HIS	-	expression tag	UNP B7XCV4
C	80	HIS	-	expression tag	UNP B7XCV4
C	81	HIS	-	expression tag	UNP B7XCV4
C	82	HIS	-	expression tag	UNP B7XCV4
C	83	ILE	-	expression tag	UNP B7XCV4
C	84	GLU	-	expression tag	UNP B7XCV4
C	85	GLY	-	expression tag	UNP B7XCV4
C	86	ARG	-	expression tag	UNP B7XCV4
C	87	HIS	-	expression tag	UNP B7XCV4
C	88	MET	-	expression tag	UNP B7XCV4
C	253	SER	-	expression tag	UNP B7XCV4
C	254	ARG	-	expression tag	UNP B7XCV4
D	72	MET	-	expression tag	UNP B7XCV4
D	73	ASN	-	expression tag	UNP B7XCV4
D	74	HIS	-	expression tag	UNP B7XCV4
D	75	LYS	-	expression tag	UNP B7XCV4
D	76	VAL	-	expression tag	UNP B7XCV4
D	77	HIS	-	expression tag	UNP B7XCV4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	78	HIS	-	expression tag	UNP B7XCV4
D	79	HIS	-	expression tag	UNP B7XCV4
D	80	HIS	-	expression tag	UNP B7XCV4
D	81	HIS	-	expression tag	UNP B7XCV4
D	82	HIS	-	expression tag	UNP B7XCV4
D	83	ILE	-	expression tag	UNP B7XCV4
D	84	GLU	-	expression tag	UNP B7XCV4
D	85	GLY	-	expression tag	UNP B7XCV4
D	86	ARG	-	expression tag	UNP B7XCV4
D	87	HIS	-	expression tag	UNP B7XCV4
D	88	MET	-	expression tag	UNP B7XCV4
D	253	SER	-	expression tag	UNP B7XCV4
D	254	ARG	-	expression tag	UNP B7XCV4

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	2	Total	C	N	O	0	0	0
			29	16	2	11			
2	F	2	Total	C	N	O	0	0	0
			29	16	2	11			
2	G	2	Total	C	N	O	0	0	0
			29	16	2	11			
2	H	2	Total	C	N	O	0	0	0
			29	16	2	11			
2	I	2	Total	C	N	O	0	0	0
			29	16	2	11			
2	J	2	Total	C	N	O	0	0	0
			29	16	2	11			
2	K	2	Total	C	N	O	0	0	0
			29	16	2	11			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	41	Total	O	0	0
			41	41		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	79	Total 79	O 79	0	0
3	C	53	Total 53	O 53	0	0
3	D	79	Total 79	O 79	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lysozyme-like chitinolytic enzyme




- Molecule 1: Lysozyme-like chitinolytic enzyme



- Molecule 1: Lysozyme-like chitinolytic enzyme



- Molecule 1: Lysozyme-like chitinolytic enzyme





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

NAG1  
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

NAG1  
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50%  50%

NAG1  
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

NAG1  
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

NAG1  
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

NAG1  
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50%  50%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	99.04Å 99.04Å 242.14Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.62 – 2.00 34.62 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.2 (34.62-2.00) 97.2 (34.62-2.00)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.01 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.180 , 0.226 0.181 , 0.227	Depositor DCC
$R_{free}$ test set	2388 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.0	Xtriage
Anisotropy	0.091	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 40.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5220	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.37% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.97	2/1211 (0.2%)	0.90	0/1643
1	B	1.08	1/1229 (0.1%)	0.92	1/1665 (0.1%)
1	C	1.02	0/1228	0.86	0/1665
1	D	1.20	1/1229 (0.1%)	0.93	0/1665
All	All	1.07	4/4897 (0.1%)	0.90	1/6638 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	141	GLU	CB-CG	5.52	1.62	1.52
1	D	228	TYR	CE2-CZ	5.20	1.45	1.38
1	B	237	TYR	CD1-CE1	5.17	1.47	1.39
1	A	181	TYR	CD2-CE2	5.09	1.47	1.39

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	218	ASP	CB-CG-OD2	5.57	123.31	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1178	0	1107	10	0
1	B	1196	0	1125	9	0
1	C	1195	0	1125	9	0
1	D	1196	0	1125	5	0
2	E	29	0	27	0	0
2	F	29	0	27	0	0
2	G	29	0	27	0	0
2	H	29	0	27	0	0
2	I	29	0	27	0	0
2	J	29	0	27	0	0
2	K	29	0	27	1	0
3	A	41	0	0	0	0
3	B	79	0	0	1	0
3	C	53	0	0	0	0
3	D	79	0	0	0	0
All	All	5220	0	4671	33	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (33) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:TRP:CZ2	1:A:118:MET:CE	2.84	0.60
1:A:114:TRP:CZ2	1:A:118:MET:HE2	2.38	0.58
1:B:215:ASN:HD22	1:B:234:ALA:HA	1.69	0.57
1:C:196:ILE:O	1:C:200:LYS:HG2	2.04	0.57
1:B:105:LYS:HG2	1:B:106:PRO:O	2.07	0.55
1:C:200:LYS:NZ	1:C:218:ASP:OD1	2.36	0.54
1:A:153:SER:OG	1:A:160:GLN:NE2	2.40	0.54
1:B:124:TYR:CZ	1:B:176:LYS:HE2	2.43	0.54
1:B:106:PRO:HB2	1:B:109:VAL:HG23	1.96	0.47
1:D:206:SER:HB3	1:D:254:ARG:HG3	1.98	0.46
1:B:216:GLY:HA2	1:B:232:ILE:HG21	1.96	0.46
1:D:216:GLY:HA2	1:D:232:ILE:HG21	1.98	0.45
1:D:215:ASN:HD22	1:D:234:ALA:HA	1.81	0.45
1:C:246:LYS:HA	1:C:246:LYS:HD2	1.77	0.45
1:C:208:TYR:HE1	1:C:239:ASN:HD22	1.63	0.45
1:B:137:VAL:HG22	1:B:241:VAL:HG11	2.00	0.44
1:A:108:GLU:OE2	1:A:139:LYS:NZ	2.37	0.44
1:A:203:ARG:HH11	1:A:203:ARG:HG2	1.83	0.44
1:C:195:LEU:C	1:C:195:LEU:HD23	2.38	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:TRP:CE2	1:A:118:MET:HE2	2.53	0.44
1:C:216:GLY:HA2	1:C:232:ILE:HG21	2.00	0.44
1:D:140:LYS:HE3	2:K:2:NAG:O6	2.18	0.44
1:A:216:GLY:HA2	1:A:232:ILE:HG21	2.00	0.43
1:B:215:ASN:HB2	1:B:237:TYR:CD2	2.55	0.42
1:C:201:ILE:HG12	1:C:207:ILE:HA	2.02	0.42
1:C:215:ASN:HD22	1:C:234:ALA:HA	1.84	0.42
1:D:156:ASP:OD1	1:D:163:PRO:HD3	2.19	0.42
1:A:203:ARG:NH1	1:A:203:ARG:HG2	2.34	0.41
1:B:164:ASN:HB2	3:B:434:HOH:O	2.19	0.41
1:A:162:GLU:OE2	1:A:226:ASP:HB2	2.19	0.41
1:B:172:GLN:HE21	1:B:172:GLN:HB3	1.68	0.41
1:A:246:LYS:HD2	1:A:246:LYS:HA	1.85	0.41
1:C:126:LYS:HG3	1:C:130:PHE:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	149/183 (81%)	146 (98%)	3 (2%)	0	100	100
1	B	151/183 (82%)	148 (98%)	3 (2%)	0	100	100
1	C	151/183 (82%)	148 (98%)	3 (2%)	0	100	100
1	D	151/183 (82%)	150 (99%)	1 (1%)	0	100	100
All	All	602/732 (82%)	592 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	120/150 (80%)	115 (96%)	5 (4%)	30	27
1	B	122/150 (81%)	118 (97%)	4 (3%)	38	37
1	C	122/150 (81%)	117 (96%)	5 (4%)	30	28
1	D	122/150 (81%)	122 (100%)	0	100	100
All	All	486/600 (81%)	472 (97%)	14 (3%)	42	43

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	102	THR
1	A	176	LYS
1	A	199	GLU
1	A	209	SER
1	A	251	ARG
1	B	140	LYS
1	B	143	TYR
1	B	246	LYS
1	B	254	ARG
1	C	102	THR
1	C	112	ARG
1	C	199	GLU
1	C	227	SER
1	C	247	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	160	GLN
1	A	239	ASN
1	B	160	GLN
1	B	172	GLN
1	B	213	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	215	ASN
1	C	160	GLN
1	C	215	ASN
1	C	239	ASN
1	D	160	GLN
1	D	167	ASN
1	D	198	ASN
1	D	215	ASN
1	D	239	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	E	1	2	15,15,15	1.19	2 (13%)	21,21,21	2.31	7 (33%)
2	NAG	E	2	2	14,14,15	0.93	1 (7%)	17,19,21	2.49	4 (23%)
2	NAG	F	1	2	15,15,15	0.84	0	21,21,21	2.93	7 (33%)
2	NAG	F	2	2	14,14,15	0.77	0	17,19,21	2.52	4 (23%)
2	NAG	G	1	2	15,15,15	0.64	0	21,21,21	1.40	4 (19%)
2	NAG	G	2	2	14,14,15	0.70	0	17,19,21	0.84	0
2	NAG	H	1	2	15,15,15	0.81	0	21,21,21	3.13	9 (42%)
2	NAG	H	2	2	14,14,15	0.99	0	17,19,21	2.18	8 (47%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	I	1	2	15,15,15	0.77	0	21,21,21	1.19	2 (9%)
2	NAG	I	2	2	14,14,15	0.74	0	17,19,21	3.35	6 (35%)
2	NAG	J	1	2	15,15,15	0.82	0	21,21,21	1.42	3 (14%)
2	NAG	J	2	2	14,14,15	1.00	1 (7%)	17,19,21	2.45	6 (35%)
2	NAG	K	1	2	15,15,15	0.91	0	21,21,21	3.26	10 (47%)
2	NAG	K	2	2	14,14,15	0.99	0	17,19,21	1.58	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2	-	0/6/26/26	0/1/1/1
2	NAG	E	2	2	-	1/6/23/26	0/1/1/1
2	NAG	F	1	2	-	2/6/26/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	G	1	2	-	2/6/26/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	NAG	H	1	2	-	0/6/26/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1
2	NAG	I	1	2	-	0/6/26/26	0/1/1/1
2	NAG	I	2	2	-	2/6/23/26	0/1/1/1
2	NAG	J	1	2	-	0/6/26/26	0/1/1/1
2	NAG	J	2	2	-	2/6/23/26	0/1/1/1
2	NAG	K	1	2	-	0/6/26/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	1	NAG	C1-C2	2.79	1.56	1.52
2	J	2	NAG	C1-C2	2.76	1.56	1.52
2	E	2	NAG	O5-C1	-2.65	1.39	1.43
2	E	1	NAG	C2-N2	-2.56	1.41	1.45

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1	NAG	O5-C1-C2	9.23	118.79	109.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	2	NAG	C4-C3-C2	-8.85	98.04	111.02
2	K	1	NAG	C1-C2-C3	-8.53	98.91	110.54
2	H	1	NAG	C1-O5-C5	-8.30	98.01	113.66
2	E	2	NAG	C1-O5-C5	7.98	123.01	112.19
2	I	2	NAG	C1-O5-C5	6.57	121.09	112.19
2	K	1	NAG	C1-O5-C5	-6.20	101.96	113.66
2	F	1	NAG	O4-C4-C3	-6.01	96.45	110.35
2	F	2	NAG	O5-C5-C6	-5.96	97.86	107.20
2	H	1	NAG	C1-C2-C3	-5.87	102.54	110.54
2	H	1	NAG	O4-C4-C3	-5.70	97.17	110.35
2	F	2	NAG	C1-O5-C5	5.65	119.85	112.19
2	K	1	NAG	C3-C4-C5	5.19	119.50	110.24
2	F	1	NAG	C1-C2-C3	5.12	117.53	110.54
2	E	1	NAG	O4-C4-C5	5.10	121.95	109.30
2	K	1	NAG	C1-C2-N2	4.88	116.38	110.73
2	H	2	NAG	C1-O5-C5	4.78	118.67	112.19
2	J	2	NAG	C1-O5-C5	4.71	118.57	112.19
2	J	2	NAG	C6-C5-C4	-4.61	102.21	113.00
2	I	2	NAG	O5-C1-C2	4.27	118.03	111.29
2	E	1	NAG	C1-C2-N2	-4.10	105.97	110.73
2	E	1	NAG	O5-C1-C2	4.04	113.58	109.52
2	E	1	NAG	C1-C2-C3	4.00	116.00	110.54
2	H	1	NAG	O4-C4-C5	3.95	119.12	109.30
2	J	2	NAG	O5-C5-C6	-3.89	101.11	107.20
2	H	1	NAG	O1-C1-C2	3.77	117.05	109.22
2	I	2	NAG	O5-C5-C6	-3.66	101.47	107.20
2	I	1	NAG	O4-C4-C3	3.64	118.77	110.35
2	E	1	NAG	C3-C4-C5	3.57	116.61	110.24
2	K	2	NAG	C1-C2-N2	-3.49	104.53	110.49
2	F	2	NAG	O4-C4-C5	3.44	117.85	109.30
2	J	2	NAG	O5-C5-C4	3.43	119.17	110.83
2	K	2	NAG	O5-C5-C6	-3.31	102.01	107.20
2	K	1	NAG	O1-C1-O5	3.28	120.21	110.38
2	K	1	NAG	O1-C1-C2	3.26	115.98	109.22
2	I	2	NAG	C1-C2-N2	-3.22	104.98	110.49
2	J	2	NAG	C3-C4-C5	3.15	115.85	110.24
2	H	1	NAG	O5-C1-C2	-3.11	106.39	109.52
2	H	2	NAG	C1-C2-N2	-3.10	105.20	110.49
2	K	1	NAG	C3-C2-N2	3.05	116.38	110.62
2	F	1	NAG	O3-C3-C2	-3.04	103.53	109.66
2	E	2	NAG	O5-C5-C6	-3.02	102.47	107.20
2	E	2	NAG	C3-C4-C5	3.01	115.61	110.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	2	NAG	C8-C7-N2	2.95	121.09	116.10
2	E	1	NAG	C2-N2-C7	-2.94	116.04	123.18
2	H	1	NAG	C1-C2-N2	2.93	114.13	110.73
2	F	2	NAG	O3-C3-C4	-2.92	103.60	110.35
2	G	1	NAG	C1-O5-C5	-2.85	108.29	113.66
2	K	1	NAG	C4-C3-C2	-2.80	106.25	110.34
2	I	1	NAG	C2-N2-C7	-2.75	116.48	123.18
2	H	2	NAG	O6-C6-C5	-2.74	101.90	111.29
2	E	1	NAG	O5-C5-C4	2.71	114.62	109.69
2	J	1	NAG	C1-C2-N2	2.58	113.72	110.73
2	H	2	NAG	O5-C5-C6	-2.53	103.24	107.20
2	H	2	NAG	O5-C1-C2	2.51	115.26	111.29
2	I	2	NAG	C2-N2-C7	2.50	126.46	122.90
2	H	2	NAG	O7-C7-C8	-2.47	117.47	122.06
2	H	2	NAG	C4-C3-C2	-2.43	107.45	111.02
2	F	1	NAG	C1-O5-C5	2.43	118.24	113.66
2	H	1	NAG	C3-C4-C5	2.34	114.42	110.24
2	J	1	NAG	C1-C2-C3	2.32	113.71	110.54
2	F	1	NAG	C2-N2-C7	-2.29	117.61	123.18
2	J	2	NAG	O4-C4-C3	2.20	115.44	110.35
2	G	1	NAG	C1-C2-N2	2.20	113.28	110.73
2	G	1	NAG	O6-C6-C5	-2.19	103.78	111.29
2	F	1	NAG	O1-C1-O5	-2.16	103.89	110.38
2	K	1	NAG	O4-C4-C3	-2.15	105.38	110.35
2	K	1	NAG	O5-C1-C2	-2.14	107.37	109.52
2	E	2	NAG	O3-C3-C2	2.10	113.82	109.47
2	G	1	NAG	C3-C2-N2	2.09	114.57	110.62
2	J	1	NAG	O7-C7-C8	-2.05	118.25	122.06
2	H	1	NAG	O5-C5-C4	-2.04	105.99	109.69

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	J	2	NAG	O5-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
2	I	2	NAG	O5-C5-C6-O6
2	I	2	NAG	C4-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
2	G	1	NAG	O5-C5-C6-O6
2	G	1	NAG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	E	2	NAG	O5-C5-C6-O6


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	K	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









## Oligosaccharide Chain H








## Oligosaccharide Chain J





## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	151/183 (82%)	-0.48	0 <b>100</b> <b>100</b>	26, 36, 58, 72	0
1	B	153/183 (83%)	-0.33	3 (1%) 65 63	17, 30, 49, 73	0
1	C	153/183 (83%)	-0.59	1 (0%) 87 87	21, 32, 54, 61	0
1	D	153/183 (83%)	-0.69	1 (0%) 87 87	15, 24, 36, 57	0
All	All	610/732 (83%)	-0.53	5 (0%) 86 85	15, 31, 54, 73	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	102	THR	4.7
1	D	102	THR	3.7
1	B	103	VAL	2.2
1	C	252	TYR	2.1
1	B	251	ARG	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	F	1	15/15	0.87	0.23	43,63,71,73	0
2	NAG	I	2	14/15	0.89	0.14	52,56,60,62	0

*Continued on next page...*

*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NAG	E	1	15/15	0.91	0.10	34,38,42,45	0
2	NAG	F	2	14/15	0.91	0.13	25,37,44,47	0
2	NAG	E	2	14/15	0.93	0.15	48,54,58,58	0
2	NAG	K	1	15/15	0.94	0.14	20,36,54,55	0
2	NAG	J	2	14/15	0.95	0.13	29,33,41,43	0
2	NAG	H	1	15/15	0.95	0.09	20,35,44,46	0
2	NAG	G	2	14/15	0.95	0.16	29,38,42,42	0
2	NAG	I	1	15/15	0.95	0.09	34,40,45,49	0
2	NAG	H	2	14/15	0.96	0.07	23,26,30,30	0
2	NAG	G	1	15/15	0.97	0.07	29,31,35,35	0
2	NAG	J	1	15/15	0.97	0.08	16,26,28,30	0
2	NAG	K	2	14/15	0.98	0.06	14,17,22,24	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around Chain F:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain I:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain J:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.