



# Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 08:40 am BST

PDB ID : 5WAI  
Title : Crystal Structure of a Suz12-Rbbp4-Jarid2-Aebp2 Heterotetrameric Complex  
Authors : Chen, S.; Jiao, L.; Liu, X.  
Deposited on : 2017-06-26  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	439	<div> <div>3%</div> <div> <div></div> <div>74%</div> <div>15%</div> <div>•</div> <div>10%</div> </div> </div>
1	E	439	<div> <div>3%</div> <div> <div></div> <div>73%</div> <div>14%</div> <div>•</div> <div>11%</div> </div> </div>
2	B	478	<div> <div>13%</div> <div> <div></div> <div>50%</div> <div>12%</div> <div>•</div> <div>37%</div> </div> </div>
2	F	478	<div> <div>9%</div> <div> <div></div> <div>49%</div> <div>11%</div> <div>•</div> <div>40%</div> </div> </div>
3	C	100	<div> <div>13%</div> <div> <div></div> <div>74%</div> <div>16%</div> <div>•</div> <div>9%</div> </div> </div>
3	G	100	<div> <div>10%</div> <div> <div></div> <div>65%</div> <div>19%</div> <div>•</div> <div>14%</div> </div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	D	19	 74% 5% 21%
4	H	19	 53% 26% 21%

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12890 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone-binding protein RBBP4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	397	Total	C	N	O	S	0	0	0
			3157	1992	536	619	10			
1	E	391	Total	C	N	O	S	0	0	0
			3112	1961	530	611	10			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	initiating methionine	UNP Q09028
A	-12	SER	-	expression tag	UNP Q09028
A	-11	HIS	-	expression tag	UNP Q09028
A	-10	HIS	-	expression tag	UNP Q09028
A	-9	HIS	-	expression tag	UNP Q09028
A	-8	HIS	-	expression tag	UNP Q09028
A	-7	HIS	-	expression tag	UNP Q09028
A	-6	HIS	-	expression tag	UNP Q09028
A	-5	LEU	-	expression tag	UNP Q09028
A	-4	VAL	-	expression tag	UNP Q09028
A	-3	PRO	-	expression tag	UNP Q09028
A	-2	ARG	-	expression tag	UNP Q09028
A	-1	GLY	-	expression tag	UNP Q09028
A	0	SER	-	expression tag	UNP Q09028
E	-13	MET	-	initiating methionine	UNP Q09028
E	-12	SER	-	expression tag	UNP Q09028
E	-11	HIS	-	expression tag	UNP Q09028
E	-10	HIS	-	expression tag	UNP Q09028
E	-9	HIS	-	expression tag	UNP Q09028
E	-8	HIS	-	expression tag	UNP Q09028
E	-7	HIS	-	expression tag	UNP Q09028
E	-6	HIS	-	expression tag	UNP Q09028
E	-5	LEU	-	expression tag	UNP Q09028
E	-4	VAL	-	expression tag	UNP Q09028
E	-3	PRO	-	expression tag	UNP Q09028

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	ARG	-	expression tag	UNP Q09028
E	-1	GLY	-	expression tag	UNP Q09028
E	0	SER	-	expression tag	UNP Q09028

- Molecule 2 is a protein called Polycomb protein SUZ12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	300	Total	C	N	O	S	0	1	0
			2504	1599	456	433	16			
2	F	289	Total	C	N	O	S	0	1	0
			2405	1535	440	415	15			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	546	TRP	-	expression tag	UNP Q15022
B	547	SER	-	expression tag	UNP Q15022
B	548	HIS	-	expression tag	UNP Q15022
B	549	PRO	-	expression tag	UNP Q15022
B	550	GLN	-	expression tag	UNP Q15022
B	551	PHE	-	expression tag	UNP Q15022
B	552	GLU	-	expression tag	UNP Q15022
B	553	LYS	-	expression tag	UNP Q15022
F	546	TRP	-	expression tag	UNP Q15022
F	547	SER	-	expression tag	UNP Q15022
F	548	HIS	-	expression tag	UNP Q15022
F	549	PRO	-	expression tag	UNP Q15022
F	550	GLN	-	expression tag	UNP Q15022
F	551	PHE	-	expression tag	UNP Q15022
F	552	GLU	-	expression tag	UNP Q15022
F	553	LYS	-	expression tag	UNP Q15022

- Molecule 3 is a protein called Zinc finger protein AEBP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	91	Total	C	N	O	S	0	0	0
			744	478	136	128	2			
3	G	86	Total	C	N	O	S	0	0	0
			706	453	130	121	2			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	404	SER	-	expression tag	UNP Q6ZN18
C	405	ASN	-	expression tag	UNP Q6ZN18
C	406	ALA	-	expression tag	UNP Q6ZN18
G	404	SER	-	expression tag	UNP Q6ZN18
G	405	ASN	-	expression tag	UNP Q6ZN18
G	406	ALA	-	expression tag	UNP Q6ZN18

- Molecule 4 is a protein called Jumonji, AT-rich interactive domain 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	15	Total	C	N	O	S	0	0	0
			130	85	23	21	1			
4	H	15	Total	C	N	O	S	0	0	0
			130	85	23	21	1			


- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Zn	0	0
			1	1		
5	F	1	Total	Zn	0	0
			1	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Histone-binding protein RBBP4




#### • Molecule 1: Histone-binding protein RBBP4




#### • Molecule 2: Polycomb protein SUZ12






### • Molecule 2: Polycomb protein SUZ12



### • Molecule 3: Zinc finger protein AEBP2








● Molecule 3: Zinc finger protein AEBP2



● Molecule 4: Jumonji, AT-rich interactive domain 2



● Molecule 4: Jumonji, AT-rich interactive domain 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.30Å 111.43Å 253.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.10 – 2.90 48.10 – 2.90	Depositor EDS
% Data completeness (in resolution range)	94.1 (48.10-2.90) 94.4 (48.10-2.90)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.30 (at 2.91Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, $R_{free}$	0.171 , 0.216 0.181 , 0.228	Depositor DCC
$R_{free}$ test set	2867 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	52.5	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 69.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	12890	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.89% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	0/3243	0.76	0/4418
1	E	0.49	0/3195	0.75	0/4353
2	B	0.52	0/2559	0.74	1/3435 (0.0%)
2	F	0.50	0/2460	0.71	0/3307
3	C	0.47	0/761	0.72	0/1026
3	G	0.45	0/722	0.71	0/973
4	D	0.52	0/132	0.64	0/175
4	H	0.49	0/132	0.55	0/175
All	All	0.51	0/13204	0.73	1/17862 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	457	CYS	C-N-CA	-5.42	108.16	121.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3157	0	2989	38	0
1	E	3112	0	2954	35	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	2504	0	2533	29	0
2	F	2405	0	2434	20	0
3	C	744	0	781	8	0
3	G	706	0	745	10	0
4	D	130	0	138	1	0
4	H	130	0	138	1	0
5	B	1	0	0	0	0
5	F	1	0	0	0	0
All	All	12890	0	12712	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:295:PHE:HE2	2:B:353:PRO:CG	1.52	1.23
2:B:295:PHE:CE2	2:B:353:PRO:HG2	1.79	1.16
2:B:295:PHE:HE2	2:B:353:PRO:HG2	1.14	1.02
2:B:295:PHE:CE2	2:B:353:PRO:CG	2.40	0.99
2:B:295:PHE:HA	2:B:320:GLN:O	1.68	0.92
1:E:150:LEU:HD22	1:E:169:PRO:HG3	1.67	0.77
1:A:26:LYS:HG2	1:A:105:PHE:HD1	1.52	0.74
1:A:350:ILE:HG12	1:A:365:GLU:HG2	1.70	0.74
1:A:26:LYS:HG2	1:A:105:PHE:CD1	2.24	0.72
3:C:481:PRO:HB2	3:C:484:THR:HG22	1.72	0.72
1:E:144:THR:HG22	1:E:146:SER:H	1.56	0.71
1:A:150:LEU:HD22	1:A:169:PRO:HG3	1.72	0.69
1:A:144:THR:HG22	1:A:146:SER:H	1.57	0.69
2:F:483:LYS:H	2:F:484:GLY:HA2	1.57	0.69
1:A:350:ILE:HG12	1:A:365:GLU:CG	2.26	0.66
1:A:121:ILE:HD11	1:A:152:PHE:CD1	2.32	0.65
2:B:295:PHE:HE2	2:B:353:PRO:CB	2.11	0.64
1:A:294:ALA:HA	1:A:319:GLU:HG2	1.82	0.62
2:B:253:ARG:HB3	2:B:296:VAL:HG22	1.80	0.62
2:B:295:PHE:HE2	2:B:353:PRO:HG3	1.60	0.62
1:A:48:GLN:NE2	1:A:131:ARG:HA	2.14	0.62
1:A:38:HIS:HD2	2:B:526:THR:OG1	1.83	0.61
3:C:440:GLU:HG3	3:C:442:SER:H	1.66	0.60
2:B:296:VAL:CG1	2:B:297:ALA:N	2.63	0.60
2:B:431[A]:GLN:HE22	2:B:441:GLN:HE21	1.49	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:ALA:O	2:B:524:PRO:HA	2.02	0.60
2:B:295:PHE:CE2	2:B:353:PRO:CB	2.83	0.60
2:B:187:LEU:HD13	2:B:251:LEU:HD23	1.84	0.60
2:B:435:ASN:HD22	2:B:439:ARG:HH21	1.48	0.60
1:A:55:ARG:HB2	2:B:544:LEU:HD11	1.84	0.59
1:E:186:ASN:HD22	1:E:188:ASN:H	1.50	0.59
2:B:296:VAL:HG12	2:B:297:ALA:N	2.18	0.58
2:F:182:VAL:HG23	2:F:213:VAL:HG13	1.86	0.57
3:C:456:ILE:O	3:C:484:THR:HG21	2.06	0.55
1:A:49:TRP:HD1	1:A:381:SER:HG	1.52	0.55
1:E:48:GLN:HE22	1:E:132:TYR:H	1.54	0.55
1:E:48:GLN:HE22	1:E:131:ARG:HA	1.72	0.54
1:A:313:PHE:HZ	1:A:347:LEU:HD22	1.72	0.54
1:A:48:GLN:HE22	1:A:131:ARG:HA	1.72	0.53
1:E:114:LYS:HG2	2:F:528:ILE:HD11	1.90	0.52
3:G:476:HIS:HD2	3:G:478:SER:H	1.56	0.52
1:A:25:LYS:HD2	1:A:105:PHE:CE2	2.45	0.52
2:F:164:PHE:HE1	2:F:319:MET:HG3	1.75	0.52
1:A:323:VAL:HG13	1:A:333:LEU:HD11	1.92	0.52
1:A:226:HIS:CE1	1:A:253:MET:HG3	2.44	0.51
1:E:350:ILE:HG12	1:E:365:GLU:HG2	1.92	0.51
3:G:418:HIS:CE1	3:G:429:VAL:H	2.29	0.51
1:A:48:GLN:HE22	1:A:132:TYR:H	1.59	0.50
2:F:428:ILE:HD12	2:F:447:ASP:HB2	1.93	0.50
1:E:298:VAL:HB	1:E:313:PHE:HB2	1.94	0.50
1:E:269:VAL:HG21	1:E:306:LEU:HD22	1.93	0.49
1:E:354:GLN:HB3	1:E:358:ASP:HB3	1.95	0.49
3:C:476:HIS:HD2	3:C:478:SER:OG	1.96	0.49
1:E:36:MET:HG2	2:F:528:ILE:HG12	1.93	0.49
3:G:462:VAL:HG13	3:G:466:GLU:HB3	1.95	0.49
1:E:350:ILE:HG12	1:E:365:GLU:CG	2.43	0.48
1:A:48:GLN:NE2	1:A:132:TYR:H	2.11	0.48
2:B:163:GLY:HA3	2:B:217:PRO:HG3	1.95	0.48
3:C:489:ASP:HB3	3:C:492:ILE:HG13	1.95	0.48
3:C:438:ARG:HH11	3:C:446:LYS:HD2	1.78	0.48
1:E:347:LEU:HD12	2:F:134:VAL:HG12	1.96	0.48
2:F:483:LYS:N	2:F:484:GLY:HA2	2.28	0.48
1:E:121:ILE:HD13	1:E:157:HIS:CD2	2.49	0.47
1:A:144:THR:HG23	1:A:145:PRO:HD2	1.96	0.47
2:F:138:LEU:HD22	2:F:142:GLU:HG3	1.96	0.47
2:B:431[A]:GLN:NE2	2:B:441:GLN:HE21	2.13	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:HIS:ND1	1:A:126:GLU:HG2	2.30	0.46
1:E:253:MET:HE3	1:E:255:TRP:CZ2	2.51	0.46
2:B:537:LYS:HE2	2:B:537:LYS:H	1.80	0.46
1:E:39:ALA:O	2:F:524:PRO:HA	2.16	0.46
3:G:462:VAL:HG11	3:G:470:LEU:HD12	1.97	0.45
1:E:141:ALA:HB2	1:E:185:TRP:CZ2	2.51	0.45
1:A:151:VAL:HB	1:A:171:LEU:HB2	1.97	0.45
1:A:302:ASP:HB2	1:A:310:LEU:HD11	1.99	0.45
1:A:55:ARG:HD3	1:A:62:SER:HB3	1.99	0.45
2:B:299:MET:HG2	2:B:310:LEU:HD21	1.99	0.45
1:E:247:ALA:C	1:E:249:ASP:H	2.21	0.45
1:A:143:LYS:HE3	1:A:149:VAL:HG22	1.98	0.44
1:E:147:SER:HB2	1:E:176:HIS:O	2.17	0.44
1:E:71:HIS:ND1	1:E:126:GLU:HG2	2.32	0.44
2:F:299:MET:HG2	2:F:310:LEU:HD21	2.00	0.44
1:A:197:SER:HB3	1:A:199:ASP:OD1	2.17	0.44
1:E:144:THR:HG23	1:E:145:PRO:HD2	1.98	0.44
1:E:188:ASN:HB2	1:E:240:GLU:HB3	1.99	0.44
2:F:162:THR:HA	2:F:228:PRO:HD2	1.99	0.44
1:E:253:MET:HE3	1:E:255:TRP:HZ2	1.83	0.44
1:A:36:MET:HG2	2:B:528:ILE:HG12	1.99	0.44
1:E:315:SER:HB2	1:E:345:TRP:HH2	1.83	0.44
2:F:93:PRO:HA	2:F:96:ILE:HD12	2.00	0.44
2:F:433:LEU:HD22	2:F:438:THR:HB	2.00	0.43
1:A:284:TYR:CB	1:A:330:GLU:HB3	2.49	0.43
2:B:101:ARG:HG3	2:B:453:CYS:HA	2.00	0.43
2:F:434:TYR:HB3	2:F:439:ARG:HG3	2.00	0.43
2:F:449:HIS:NE2	2:F:456:ASN:HB2	2.33	0.43
2:B:431[A]:GLN:HG3	2:B:486:ARG:HD3	2.00	0.43
1:A:173:LEU:HB3	1:A:205:TRP:CE2	2.53	0.43
1:A:313:PHE:CZ	1:A:347:LEU:HD22	2.53	0.43
1:A:20:GLU:OE1	2:B:103:ARG:HD3	2.19	0.43
1:E:294:ALA:HA	1:E:319:GLU:HG2	2.01	0.43
1:E:121:ILE:HD11	1:E:152:PHE:CE2	2.53	0.42
1:E:48:GLN:NE2	1:E:131:ARG:HA	2.34	0.42
1:E:80:VAL:HG13	1:E:117:ILE:HG23	2.01	0.42
2:F:443:GLU:O	4:H:153:LYS:HA	2.18	0.42
1:A:157:HIS:HE1	1:A:170:ASP:OD2	2.03	0.42
1:E:284:TYR:CB	1:E:330:GLU:HB3	2.50	0.42
1:E:308:LEU:HD21	2:F:145:LYS:HG2	2.00	0.42
1:A:350:ILE:HA	1:A:365:GLU:HG3	2.00	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:PHE:HB3	1:A:106:GLY:H	1.48	0.42
2:B:451:PRO:HB2	4:D:158:LEU:HD12	2.02	0.42
2:B:164:PHE:HE1	2:B:319:MET:HG3	1.84	0.41
1:E:57:GLU:HA	1:E:58:GLY:HA2	1.77	0.41
1:E:177:GLN:HB2	1:E:177:GLN:HE21	1.73	0.41
2:F:295:PHE:HB3	2:F:319:MET:HB3	2.03	0.41
3:G:434:VAL:HG11	3:G:447:LEU:HD22	2.03	0.41
3:G:456:ILE:HA	3:G:484:THR:OG1	2.20	0.41
1:A:13:GLU:CD	2:B:103:ARG:HH12	2.23	0.41
1:E:226:HIS:CE1	1:E:253:MET:HG3	2.55	0.41
1:E:339:ASP:HA	3:G:493:TYR:OH	2.20	0.41
3:G:432:SER:HB3	3:G:451:TRP:CZ3	2.56	0.41
1:E:315:SER:HB2	1:E:345:TRP:CH2	2.56	0.41
1:A:298:VAL:HB	1:A:313:PHE:HB2	2.02	0.41
3:C:476:HIS:CD2	3:C:478:SER:H	2.39	0.41
3:C:476:HIS:CD2	3:C:478:SER:OG	2.73	0.41
2:F:475:ILE:HD12	2:F:492:ASN:HA	2.03	0.41
1:A:121:ILE:HD13	1:A:121:ILE:HG21	1.87	0.41
3:G:481:PRO:HB2	3:G:484:THR:HG22	2.04	0.40
2:B:449:HIS:NE2	2:B:456:ASN:HB2	2.37	0.40
3:G:484:THR:HA	3:G:487:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	391/439 (89%)	372 (95%)	18 (5%)	1 (0%)	41	71
1	E	385/439 (88%)	372 (97%)	12 (3%)	1 (0%)	41	71
2	B	283/478 (59%)	263 (93%)	20 (7%)	0	100	100
2	F	276/478 (58%)	259 (94%)	16 (6%)	1 (0%)	34	66

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	89/100 (89%)	85 (96%)	4 (4%)	0	100	100
3	G	84/100 (84%)	78 (93%)	6 (7%)	0	100	100
4	D	13/19 (68%)	11 (85%)	2 (15%)	0	100	100
4	H	13/19 (68%)	13 (100%)	0	0	100	100
All	All	1534/2072 (74%)	1453 (95%)	78 (5%)	3 (0%)	47	78

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	315	SER
2	F	153	LEU
1	A	315	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/388 (91%)	328 (93%)	25 (7%)	14	40
1	E	349/388 (90%)	324 (93%)	25 (7%)	14	39
2	B	283/442 (64%)	251 (89%)	32 (11%)	6	18
2	F	273/442 (62%)	243 (89%)	30 (11%)	6	19
3	C	85/92 (92%)	78 (92%)	7 (8%)	11	32
3	G	81/92 (88%)	74 (91%)	7 (9%)	10	30
4	D	15/18 (83%)	15 (100%)	0	100	100
4	H	15/18 (83%)	11 (73%)	4 (27%)	0	1
All	All	1454/1880 (77%)	1324 (91%)	130 (9%)	9	29

All (130) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LYS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	14	GLU
1	A	25	LYS
1	A	55	ARG
1	A	71	HIS
1	A	105	PHE
1	A	111	VAL
1	A	112	SER
1	A	114	LYS
1	A	121	ILE
1	A	136	ASN
1	A	160	LYS
1	A	177	GLN
1	A	186	ASN
1	A	200	HIS
1	A	207	ILE
1	A	218	ASP
1	A	221	THR
1	A	249	ASP
1	A	279	LEU
1	A	324	GLN
1	A	347	LEU
1	A	353	GLU
1	A	357	GLU
1	A	410	ASN
2	B	82	ASP
2	B	95	GLN
2	B	101	ARG
2	B	123	SER
2	B	128	LYS
2	B	138	LEU
2	B	156	HIS
2	B	184	LEU
2	B	191	VAL
2	B	197	LYS
2	B	212	GLN
2	B	215	LEU
2	B	219	LEU
2	B	230	LEU
2	B	236	GLU
2	B	308	LEU
2	B	312	ASP
2	B	320	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	322	MET
2	B	351	GLN
2	B	354	THR
2	B	360	ARG
2	B	437	ASN
2	B	438	THR
2	B	472	SER
2	B	483	LYS
2	B	496	ASP
2	B	516	ARG
2	B	517	ASN
2	B	521	LYS
2	B	534	LYS
2	B	537	LYS
3	C	416	SER
3	C	420	GLU
3	C	437	LYS
3	C	442	SER
3	C	467	ARG
3	C	468	HIS
3	C	499	LYS
1	E	4	LYS
1	E	5	GLU
1	E	25	LYS
1	E	37	THR
1	E	89	ASP
1	E	108	PHE
1	E	121	ILE
1	E	136	ASN
1	E	160	LYS
1	E	177	GLN
1	E	186	ASN
1	E	200	HIS
1	E	221	THR
1	E	238	LEU
1	E	249	ASP
1	E	279	LEU
1	E	286	GLU
1	E	289	LEU
1	E	308	LEU
1	E	312	SER
1	E	326	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	347	LEU
1	E	357	GLU
1	E	398	ILE
1	E	412	GLU
2	F	88	GLN
2	F	91	GLU
2	F	103	ARG
2	F	124	ARG
2	F	127	ILE
2	F	128	LYS
2	F	131	THR
2	F	138	LEU
2	F	145	LYS
2	F	151	HIS
2	F	184	LEU
2	F	191	VAL
2	F	194	LYS
2	F	197	LYS
2	F	210	LYS
2	F	218	ASP
2	F	230	LEU
2	F	233	SER
2	F	242	SER
2	F	300	THR
2	F	306	ARG
2	F	322	MET
2	F	354	THR
2	F	359	LEU
2	F	360	ARG
2	F	433	LEU
2	F	438	THR
2	F	472	SER
2	F	477	ASN
2	F	483	LYS
3	G	418	HIS
3	G	424	LYS
3	G	444	LYS
3	G	452	MET
3	G	462	VAL
3	G	467	ARG
3	G	501	LEU
4	H	150	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	H	151	LYS
4	H	161	LEU
4	H	164	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	HIS
1	A	48	GLN
1	A	76	GLN
1	A	77	ASN
1	A	78	HIS
1	A	88	ASN
1	A	136	ASN
1	A	157	HIS
1	A	177	GLN
1	A	186	ASN
1	A	239	HIS
1	A	328	HIS
1	A	354	GLN
1	A	400	GLN
1	A	403	GLN
2	B	88	GLN
2	B	216	ASN
2	B	435	ASN
3	C	476	HIS
1	E	38	HIS
1	E	48	GLN
1	E	77	ASN
1	E	136	ASN
1	E	177	GLN
1	E	186	ASN
1	E	400	GLN
1	E	410	ASN
2	F	80	GLN
2	F	83	HIS
2	F	216	ASN
2	F	235	ASN
2	F	298	GLN
2	F	309	GLN
2	F	456	ASN
3	G	476	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	397/439 (90%)	-0.04	12 (3%)	50	45	16, 44, 104, 135	0
1	E	391/439 (89%)	-0.01	13 (3%)	46	41	22, 56, 112, 146	0
2	B	300/478 (62%)	0.83	60 (20%)	1	0	18, 77, 135, 160	0
2	F	289/478 (60%)	0.52	41 (14%)	2	2	27, 73, 142, 162	0
3	C	91/100 (91%)	0.55	13 (14%)	2	2	37, 84, 137, 145	0
3	G	86/100 (86%)	0.55	10 (11%)	4	3	41, 88, 139, 147	0
4	D	15/19 (78%)	-0.12	0	100	100	33, 41, 78, 90	0
4	H	15/19 (78%)	-0.14	0	100	100	37, 48, 77, 109	0
All	All	1584/2072 (76%)	0.30	149 (9%)	8	6	16, 60, 127, 162	0

All (149) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	208	THR	6.2
1	A	110	SER	6.1
2	B	186	VAL	6.1
1	A	109	GLY	6.0
2	B	183	THR	5.9
2	B	184	LEU	5.7
2	B	161	PHE	5.2
3	C	443	GLY	4.7
2	B	536	THR	4.6
1	E	107	GLY	4.6
1	E	108	PHE	4.6
1	E	110	SER	4.5
2	F	164	PHE	4.4
2	B	166	HIS	4.4
2	B	253	ARG	4.4
2	B	295	PHE	4.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	F	356	GLN	4.3
2	F	352	GLY	4.3
2	B	436	ASN	4.2
2	B	148	GLN	4.2
2	F	166	HIS	4.2
2	B	232	VAL	4.2
2	F	515	SER	4.2
2	B	206	VAL	4.2
1	A	105	PHE	4.2
2	B	155	ALA	4.2
2	B	322	MET	4.2
2	B	546	TRP	4.1
2	B	80	GLN	4.1
1	A	108	PHE	4.0
2	F	214	PRO	4.0
2	B	185	GLU	3.9
2	F	153	LEU	3.9
1	E	209	ALA	3.9
2	B	233	SER	3.9
1	E	5	GLU	3.9
1	E	109	GLY	3.8
2	B	544	LEU	3.8
1	E	6	ALA	3.8
2	B	230	LEU	3.7
2	F	217	PRO	3.7
1	E	7	ALA	3.7
2	B	545	GLU	3.7
2	F	167	LYS	3.7
3	G	501	LEU	3.7
2	B	320	GLN	3.7
3	C	445	ILE	3.6
2	B	205	GLN	3.5
2	F	295	PHE	3.5
3	C	444	LYS	3.4
3	C	464	GLU	3.4
2	B	354	THR	3.4
2	F	213	VAL	3.4
3	G	442	SER	3.4
1	E	112	SER	3.3
2	F	215	LEU	3.3
3	G	441	ASP	3.3
2	F	361	TRP	3.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	361	TRP	3.2
1	A	210	VAL	3.2
2	B	250	LEU	3.2
2	B	207	PRO	3.2
1	A	107	GLY	3.2
2	F	253	ARG	3.1
2	B	188	LEU	3.1
3	C	446	LYS	3.1
2	B	211	LYS	3.1
1	E	111	VAL	3.1
2	F	322	MET	3.0
2	B	182	VAL	3.0
2	B	296	VAL	3.0
2	F	78	HIS	3.0
2	B	187	LEU	3.0
2	F	147	GLU	3.0
2	B	164	PHE	3.0
3	G	423	GLY	3.0
3	G	445	ILE	3.0
2	B	538	ALA	2.9
1	A	3	ASP	2.9
1	E	411	ASP	2.9
2	B	310	LEU	2.9
2	F	144	MET	2.9
3	C	440	GLU	2.8
2	B	312	ASP	2.8
2	F	355	LEU	2.8
2	B	231	ALA	2.8
3	C	447	LEU	2.8
2	B	297	ALA	2.8
1	A	4	LYS	2.7
2	B	213	VAL	2.7
2	F	359	LEU	2.7
2	B	353	PRO	2.7
3	C	465	SER	2.7
2	B	239	PRO	2.7
3	C	449	LEU	2.7
2	B	234	SER	2.6
2	F	154	SER	2.6
2	B	228	PRO	2.6
2	B	438	THR	2.6
2	B	299	MET	2.6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	311	LEU	2.6
2	F	312	ASP	2.6
2	F	148	GLN	2.5
1	A	111	VAL	2.5
2	B	156	HIS	2.5
2	F	360	ARG	2.5
2	F	159	LEU	2.5
1	E	210	VAL	2.5
2	B	308	LEU	2.4
2	F	353	PRO	2.4
3	C	441	ASP	2.4
3	C	463	ASN	2.4
2	B	159	LEU	2.4
3	G	464	GLU	2.3
3	G	474	VAL	2.3
2	B	252	PHE	2.3
2	F	211	LYS	2.3
2	F	161	PHE	2.3
3	C	442	SER	2.3
2	F	143	LYS	2.3
2	F	317	VAL	2.3
1	A	89	ASP	2.2
2	B	149	GLU	2.2
2	B	189	VAL	2.2
2	B	209	GLY	2.2
2	B	251	LEU	2.2
2	F	316	GLU	2.2
2	B	321	GLU	2.2
3	C	414	ASN	2.2
3	G	439	LYS	2.2
2	F	150	SER	2.2
2	F	152	SER	2.2
2	F	319	MET	2.2
1	A	57	GLU	2.2
2	F	149	GLU	2.2
2	F	165	PHE	2.2
2	F	81	ALA	2.1
2	B	229	SER	2.1
2	F	151	HIS	2.1
3	G	443	GLY	2.1
2	F	184	LEU	2.1
2	B	302	PHE	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	260	ASN	2.1
2	F	315	TYR	2.0
2	B	163	GLY	2.0
2	F	146	GLY	2.0
2	B	317	VAL	2.0
1	E	8	PHE	2.0
3	G	434	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	ZN	B	1001	1/1	0.99	0.14	30,30,30,30	0
5	ZN	F	1001	1/1	1.00	0.12	39,39,39,39	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.