



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 04:44 pm BST

PDB ID : 2WE5
Title : Carbamate kinase from *Enterococcus faecalis* bound to MgADP
Authors : Ramon-Maiques, S.; Marina, A.; Rubio, V.
Deposited on : 2009-03-27
Resolution : 1.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1714 (1.40-1.40)
Clashscore	141614	1812 (1.40-1.40)
Ramachandran outliers	138981	1763 (1.40-1.40)
Sidechain outliers	138945	1762 (1.40-1.40)
RSRZ outliers	127900	1674 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	<div> <div>12%</div> <div>88%</div> <div>10%</div> </div>
1	B	310	<div> <div>6%</div> <div>82%</div> <div>17%</div> </div>
1	C	310	<div> <div>12%</div> <div>84%</div> <div>15%</div> </div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8015 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBAMATE KINASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	309	Total	C	N	O	S	0	10	0
			2374	1497	401	467	9			
1	B	309	Total	C	N	O	S	0	6	0
			2347	1479	397	462	9			
1	C	309	Total	C	N	O	S	0	7	0
			2366	1487	404	466	9			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	310	Total	O	0	0
			310	310		
5	B	282	Total	O	0	0
			282	282		
5	C	248	Total	O	0	0
			248	248		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CARBAMATE KINASE 1



• Molecule 1: CARBAMATE KINASE 1



• Molecule 1: CARBAMATE KINASE 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	103.52Å 103.52Å 155.41Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.39 29.88 – 1.39	Depositor EDS
% Data completeness (in resolution range)	89.7 (20.00-1.39) 89.7 (29.88-1.39)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.60 (at 1.39Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.201 , 0.210 0.195 , 0.206	Depositor DCC
R_{free} test set	8670 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	18.8	Xtriage
Anisotropy	0.022	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.023 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8015	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.27	0/2410	0.58	0/3272
1	B	0.27	0/2382	0.57	0/3231
1	C	0.26	0/2401	0.55	0/3256
All	All	0.26	0/7193	0.57	0/9759

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2374	0	2411	32	0
1	B	2347	0	2383	45	0
1	C	2366	0	2395	32	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	4	0	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	310	0	0	4	0
5	B	282	0	0	3	0
5	C	248	0	0	1	0
All	All	8015	0	7228	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:6:VAL:HA	1:B:46:ILE:HG23	1.47	0.95
1:B:112[B]:THR:HG21	1:B:187:SER:HB2	1.64	0.79
1:C:151:GLU:HG2	1:C:153:ALA:H	1.49	0.75
1:C:4:LYS:HE3	1:C:179:ILE:HG21	1.69	0.75
1:A:175:ILE:O	1:A:179[A]:ILE:HG12	1.88	0.74
1:B:46:ILE:HD12	1:B:179:ILE:HD11	1.70	0.73
1:B:35:LEU:HD12	1:B:94[B]:LEU:HD21	1.71	0.72
1:B:236:ILE:HD11	1:B:244:LYS:HD3	1.73	0.69
1:B:255:GLU:O	1:B:259:GLN:HG2	1.93	0.69
1:A:137:ALA:O	1:A:141:GLU:HG2	1.94	0.67
1:C:152:ASP:OD2	1:C:155:ARG:HD3	1.95	0.66
1:A:46:ILE:HG12	1:A:179[A]:ILE:HD12	1.77	0.66
1:C:2:GLY:HA2	1:C:42:GLY:O	1.97	0.65
1:B:46:ILE:HD11	1:B:216:LEU:HD21	1.80	0.64
1:B:198:GLN:HE21	1:C:99:ASN:HB3	1.62	0.64
1:C:236:ILE:HD11	1:C:244:LYS:HD3	1.80	0.63
1:C:176[A]:ASN:ND2	1:C:180:LYS:HE3	2.13	0.63
1:B:4:LYS:HE3	1:B:179:ILE:HG21	1.82	0.62
1:B:252:ALA:H	1:B:310:LYS:NZ	1.99	0.60
1:C:173[A]:GLU:HG3	5:C:2146:HOH:O	2.02	0.60
1:A:118:PRO:HB3	1:A:196[B]:VAL:HG11	1.83	0.59
1:B:91[B]:SER:OG	1:B:186:ILE:HD12	2.03	0.58
1:B:309:THR:O	1:B:310:LYS:HB2	2.03	0.58
1:C:233:TYR:CE2	1:C:305:GLY:HA2	2.41	0.56
1:C:116:VAL:HG11	1:C:164:PRO:HG2	1.86	0.56
1:B:200:LEU:HD12	5:B:2110:HOH:O	2.07	0.55
1:C:21:ALA:O	1:C:25:GLN:HG3	2.07	0.55
1:B:250:THR:HB	1:B:310:LYS:HD3	1.87	0.55
1:B:165:LYS:HE2	1:B:211:PHE:CE1	2.43	0.54
1:A:104:LYS:NZ	1:C:106:GLN:HG2	2.23	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179[A]:ILE:HD13	5:A:2067:HOH:O	2.07	0.54
1:A:46:ILE:HG12	1:A:179[A]:ILE:CD1	2.39	0.53
1:B:233:TYR:CE2	1:B:305:GLY:HA2	2.45	0.52
1:A:233:TYR:CE2	1:A:305:GLY:HA2	2.45	0.52
1:A:310:LYS:O	1:A:310:LYS:HE3	2.09	0.51
1:B:78:CYS:HA	1:B:81:MET:HE3	1.92	0.51
1:A:124:LYS:HB3	1:A:124:LYS:NZ	2.26	0.51
1:A:63[B]:GLN:CD	1:A:132:PRO:HG3	2.31	0.51
1:B:32:SER:O	1:B:36:VAL:HG23	2.10	0.51
1:C:269:LEU:HB3	1:C:270:PRO:HD3	1.92	0.50
1:A:310:LYS:HG3	5:A:2137:HOH:O	2.10	0.50
1:C:251:VAL:HG13	1:C:276:ILE:HG23	1.93	0.49
1:A:116:VAL:HG23	1:A:196[A]:VAL:HG12	1.94	0.49
1:C:269:LEU:O	1:C:273:GLU:HG3	2.12	0.49
1:B:173:GLU:HB3	5:B:2188:HOH:O	2.11	0.49
1:C:250:THR:OG1	1:C:253:GLU:HG3	2.13	0.49
1:A:118:PRO:HD3	1:A:196[B]:VAL:HG13	1.95	0.48
1:B:116:VAL:HG11	1:B:164:PRO:HG2	1.96	0.48
1:B:175:ILE:O	1:B:179:ILE:HG13	2.13	0.48
1:A:16:SER:O	1:A:17:ASN:HB3	2.14	0.47
1:B:252:ALA:CB	1:B:310:LYS:HZ1	2.28	0.47
1:C:139:ALA:O	1:C:143:MET:HG3	2.14	0.47
1:B:5:MET:O	1:B:46:ILE:HG22	2.15	0.47
1:C:26:GLN:NE2	1:C:26:GLN:HA	2.30	0.47
1:C:208:ASP:HB3	1:C:211:PHE:CD2	2.50	0.46
1:C:128:LYS:HG2	1:C:163:SER:HB2	1.96	0.46
1:B:252:ALA:H	1:B:310:LYS:HZ1	1.62	0.46
1:B:112[B]:THR:CG2	1:B:187:SER:HB2	2.42	0.46
1:A:51:ASN:ND2	1:A:51:ASN:C	2.69	0.46
1:B:198:GLN:NE2	1:C:99:ASN:HB3	2.30	0.46
1:A:152:ASP:O	1:A:153:ALA:C	2.55	0.45
1:C:176[A]:ASN:HD21	1:C:180:LYS:HE3	1.80	0.45
1:B:258:LYS:NZ	1:B:259:GLN:HE22	2.14	0.45
1:A:121:GLU:O	1:A:124:LYS:HG2	2.15	0.45
1:A:169[B]:ILE:HD12	1:A:216:LEU:HA	1.99	0.45
1:A:39:ILE:HD11	1:A:45:LEU:HG	1.98	0.45
1:B:6:VAL:CA	1:B:46:ILE:HG23	2.34	0.45
1:C:51:ASN:N	1:C:51:ASN:HD22	2.14	0.45
1:C:57:ASN:HD22	1:C:57:ASN:HA	1.59	0.45
1:B:28:LEU:HD22	1:B:90:LEU:HD13	1.98	0.44
1:B:151:GLU:HB2	1:B:157:TRP:CE2	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:282:GLN:HB3	1:C:283:PRO:HD2	1.99	0.44
1:B:116:VAL:HG23	1:B:196:VAL:HG12	2.00	0.44
1:B:251:VAL:HG13	1:B:276:ILE:HG23	2.00	0.43
1:B:46:ILE:HD11	1:B:216:LEU:CD2	2.48	0.43
1:A:129:PRO:HB2	1:A:158:ARG:HD3	2.00	0.43
1:A:58:LEU:O	1:A:62:GLN:HG2	2.18	0.43
1:C:58:LEU:O	1:C:62:GLN:HG2	2.19	0.43
1:C:264:ALA:HA	1:C:265:PRO:HD3	1.93	0.42
1:B:46:ILE:HG13	5:B:2196:HOH:O	2.20	0.42
1:A:179[A]:ILE:CD1	5:A:2067:HOH:O	2.66	0.42
1:A:175:ILE:O	1:A:179[B]:ILE:HG13	2.20	0.42
1:B:40:LYS:HE2	1:B:101:ALA:HB1	2.01	0.42
1:B:258:LYS:NZ	1:B:259:GLN:NE2	2.68	0.42
1:C:51:ASN:C	1:C:51:ASN:ND2	2.74	0.42
1:B:282:GLN:HG2	1:B:283:PRO:HD2	2.02	0.42
1:C:126:PRO:HG3	1:C:148:ILE:HD12	2.02	0.42
1:A:139:ALA:O	1:A:143:MET:HG2	2.20	0.41
1:A:149:PHE:CZ	1:A:159:LYS:HB2	2.55	0.41
1:B:236:ILE:CG1	1:B:244:LYS:HB3	2.50	0.41
1:B:51:ASN:HD22	1:B:51:ASN:N	2.18	0.41
1:A:51:ASN:N	1:A:51:ASN:HD22	2.18	0.41
1:A:121:GLU:HG2	5:A:2159:HOH:O	2.20	0.41
1:B:73:MET:HG3	1:B:81:MET:HE2	2.02	0.41
1:C:151:GLU:HB2	1:C:157:TRP:CE2	2.56	0.41
1:C:32:SER:O	1:C:36:VAL:HG23	2.21	0.41
1:A:57:ASN:O	1:A:61:GLN:HG3	2.21	0.41
1:B:46:ILE:O	1:B:46:ILE:HG23	2.21	0.41
1:B:169[A]:ILE:HB	1:B:172:ALA:HB2	2.03	0.40
1:B:51:ASN:ND2	1:B:51:ASN:C	2.72	0.40
1:B:6:VAL:HG22	1:B:46:ILE:CG2	2.52	0.40
1:A:51:ASN:H	1:A:51:ASN:HD22	1.69	0.40
1:C:142:ALA:C	1:C:144:GLN:H	2.23	0.40
1:A:63[A]:GLN:HG3	1:A:132:PRO:HG3	2.03	0.40
1:B:105:LYS:HG2	1:B:184:ILE:CD1	2.52	0.40
1:A:118:PRO:HD3	1:A:196[B]:VAL:CG1	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/310 (102%)	307 (97%)	9 (3%)	1 (0%)	41	18
1	B	313/310 (101%)	305 (97%)	8 (3%)	0	100	100
1	C	314/310 (101%)	304 (97%)	9 (3%)	1 (0%)	41	18
All	All	944/930 (102%)	916 (97%)	26 (3%)	2 (0%)	47	21

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	153	ALA
1	C	153	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	258/249 (104%)	255 (99%)	3 (1%)	71	47
1	B	254/249 (102%)	250 (98%)	4 (2%)	62	33
1	C	255/249 (102%)	253 (99%)	2 (1%)	81	62
All	All	767/747 (103%)	758 (99%)	9 (1%)	71	47

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	124	LYS
1	A	310	LYS
1	B	17	ASN
1	B	51	ASN
1	B	176	ASN
1	B	286	GLN
1	C	51	ASN
1	C	57	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	99	ASN
1	A	125	ASN
1	A	286	GLN
1	B	17	ASN
1	B	51	ASN
1	B	99	ASN
1	B	176	ASN
1	B	181	ASN
1	B	198	GLN
1	B	259	GLN
1	C	25	GLN
1	C	26	GLN
1	C	51	ASN
1	C	57	ASN
1	C	144	GLN
1	C	277	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	B	1311	3	24,29,29	1.91	7 (29%)	29,45,45	1.82	6 (20%)
4	ACT	A	1313	-	1,3,3	3.25	1 (100%)	0,3,3	0.00	-
2	ADP	C	1311	3	24,29,29	1.89	5 (20%)	29,45,45	1.87	7 (24%)
2	ADP	A	1311	3	24,29,29	1.87	6 (25%)	29,45,45	1.88	6 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	B	1311	3	-	2/12/32/32	0/3/3/3
2	ADP	C	1311	3	-	2/12/32/32	0/3/3/3
2	ADP	A	1311	3	-	3/12/32/32	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1311	ADP	O4'-C1'	4.08	1.46	1.41
2	C	1311	ADP	C2-N1	4.08	1.41	1.33
2	C	1311	ADP	O4'-C1'	4.04	1.46	1.41
2	B	1311	ADP	O4'-C1'	4.04	1.46	1.41
2	A	1311	ADP	C2-N1	3.91	1.41	1.33
2	B	1311	ADP	C2-N1	3.83	1.41	1.33
2	C	1311	ADP	C4-N3	3.80	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1311	ADP	C4-N3	3.72	1.40	1.35
2	B	1311	ADP	C4-N3	3.71	1.40	1.35
4	A	1313	ACT	CH3-C	3.25	1.52	1.48
2	B	1311	ADP	C2-N3	3.03	1.37	1.32
2	C	1311	ADP	C2-N3	2.77	1.36	1.32
2	A	1311	ADP	C2-N3	2.69	1.36	1.32
2	B	1311	ADP	C2'-C1'	-2.50	1.50	1.53
2	B	1311	ADP	O2'-C2'	2.40	1.48	1.43
2	C	1311	ADP	O2'-C2'	2.37	1.48	1.43
2	B	1311	ADP	C3'-C4'	-2.16	1.47	1.53
2	A	1311	ADP	O2'-C2'	2.14	1.48	1.43
2	A	1311	ADP	C2'-C1'	-2.09	1.50	1.53

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1311	ADP	C5-C6-N6	6.50	130.22	120.35
2	C	1311	ADP	C5-C6-N6	6.43	130.12	120.35
2	B	1311	ADP	C5-C6-N6	6.22	129.80	120.35
2	A	1311	ADP	N6-C6-N1	-3.65	110.99	118.57
2	C	1311	ADP	N6-C6-N1	-3.55	111.20	118.57
2	B	1311	ADP	N6-C6-N1	-3.46	111.39	118.57
2	C	1311	ADP	C1'-N9-C4	3.37	132.56	126.64
2	A	1311	ADP	C1'-N9-C4	3.36	132.55	126.64
2	B	1311	ADP	C1'-N9-C4	3.31	132.46	126.64
2	A	1311	ADP	O3'-C3'-C2'	2.24	119.07	111.82
2	C	1311	ADP	O3'-C3'-C2'	2.23	119.03	111.82
2	B	1311	ADP	N3-C2-N1	-2.17	125.28	128.68
2	A	1311	ADP	O3B-PB-O3A	2.17	111.91	104.64
2	B	1311	ADP	O3'-C3'-C2'	2.16	118.81	111.82
2	C	1311	ADP	N3-C2-N1	-2.13	125.34	128.68
2	B	1311	ADP	C4-C5-N7	2.07	111.56	109.40
2	A	1311	ADP	N3-C2-N1	-2.05	125.48	128.68
2	C	1311	ADP	O3B-PB-O3A	2.03	111.44	104.64
2	C	1311	ADP	O3'-C3'-C4'	2.02	116.88	111.05

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1311	ADP	C4'-C5'-O5'-PA
2	C	1311	ADP	C4'-C5'-O5'-PA

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1311	ADP	C4'-C5'-O5'-PA
2	C	1311	ADP	PB-O3A-PA-O2A
2	A	1311	ADP	PB-O3A-PA-O2A
2	B	1311	ADP	PB-O3A-PA-O2A
2	A	1311	ADP	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	309/310 (99%)	0.76	38 (12%) 4 3	14, 19, 45, 65	0
1	B	309/310 (99%)	0.54	19 (6%) 21 19	14, 22, 36, 42	0
1	C	309/310 (99%)	0.83	37 (11%) 4 4	14, 22, 47, 63	0
All	All	927/930 (99%)	0.71	94 (10%) 7 6	14, 21, 39, 65	0

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	157	TRP	10.0
1	A	153	ALA	9.7
1	A	137	ALA	8.6
1	B	15	LEU	7.5
1	C	153	ALA	7.2
1	A	154	GLY	7.0
1	C	147	ALA	6.7
1	A	17	ASN	6.7
1	A	155	ARG	6.4
1	A	151	GLU	6.2
1	A	198	GLN	6.2
1	C	154	GLY	6.0
1	C	152	ASP	6.0
1	C	145	ALA	5.5
1	B	17	ASN	5.2
1	A	134	LEU	5.2
1	A	135	THR	5.2
1	C	133	PHE	5.0
1	A	133	PHE	4.9
1	C	157	TRP	4.9
1	C	144	GLN	4.8
1	A	152	ASP	4.8
1	C	142	ALA	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	309	THR	4.4
1	C	148	ILE	4.3
1	B	2	GLY	4.2
1	C	2	GLY	4.2
1	C	137	ALA	4.2
1	B	310	LYS	4.1
1	B	104	LYS	4.0
1	C	155	ARG	3.9
1	C	140	LYS	3.7
1	C	143	MET	3.6
1	A	199	GLU	3.6
1	C	139	ALA	3.6
1	B	299	SER	3.4
1	A	138	GLU	3.4
1	C	146	GLY	3.3
1	A	197	GLY	3.3
1	A	156	GLY	3.3
1	C	151	GLU	3.2
1	C	149	PHE	3.1
1	A	132	PRO	3.1
1	C	141	GLU	3.1
1	B	284	ASN	3.0
1	A	239	GLY	3.0
1	B	46	ILE	3.0
1	B	283	PRO	3.0
1	A	141	GLU	2.9
1	C	310	LYS	2.9
1	A	272	ILE	2.8
1	A	68	GLU	2.8
1	B	186	ILE	2.8
1	A	140	LYS	2.8
1	A	149	PHE	2.8
1	C	6	VAL	2.7
1	C	134	LEU	2.7
1	C	309	THR	2.7
1	C	7	VAL	2.7
1	C	239	GLY	2.6
1	C	22	HIS	2.6
1	A	146	GLY	2.6
1	A	227	ILE	2.6
1	A	16	SER	2.5
1	C	17	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	266	GLY	2.5
1	A	125	ASN	2.4
1	C	304	VAL	2.4
1	A	148	ILE	2.4
1	A	111	LEU	2.4
1	B	289	ILE	2.3
1	C	211	PHE	2.3
1	C	16	SER	2.3
1	C	136	GLU	2.3
1	A	169[A]	ILE	2.3
1	B	121	GLU	2.3
1	B	259	GLN	2.2
1	B	101	ALA	2.2
1	A	94[A]	LEU	2.2
1	B	94[A]	LEU	2.2
1	C	135	THR	2.2
1	A	283	PRO	2.2
1	A	136	GLU	2.2
1	B	145	ALA	2.2
1	C	47	VAL	2.2
1	B	112[A]	THR	2.1
1	C	15	LEU	2.1
1	B	256	GLU	2.1
1	A	79	VAL	2.1
1	C	186	ILE	2.1
1	C	299	SER	2.0
1	A	22	HIS	2.0
1	A	150	LYS	2.0
1	A	173	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	ACT	A	1313	4/4	0.93	0.09	22,27,27,28	0
3	MG	C	1312	1/1	0.96	0.06	24,24,24,24	0
2	ADP	C	1311	27/27	0.97	0.07	21,23,26,29	0
2	ADP	B	1311	27/27	0.98	0.07	16,18,20,20	0
2	ADP	A	1311	27/27	0.99	0.06	15,17,18,21	0
3	MG	B	1312	1/1	0.99	0.04	18,18,18,18	0
3	MG	A	1312	1/1	1.00	0.04	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ADP C 1311:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP B 1311:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP A 1311:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.