



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2020 – 04:35 AM BST

PDB ID : 4WEF
Title : Structure of the Hemagglutinin-neuraminidase from Human parainfluenza virus type III: complex with difluorosialic acid
Authors : Streltsov, V.A.; Pilling, P.; Barrett, S.; McKimm-Breschkin, J.
Deposited on : 2014-09-10
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	431	<div> <div>87%</div> <div>12%</div> <div>.</div> </div>
1	B	431	<div> <div>86%</div> <div>13%</div> </div>
2	C	4	<div> <div>100%</div> </div>
2	E	4	<div> <div>75%</div> <div>25%</div> </div>
3	D	3	<div> <div>67%</div> <div>33%</div> </div>
3	F	3	<div> <div>33%</div> <div>67%</div> </div>

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 7765 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin-neuraminidase glycoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	431	Total	C	N	O	S	0	1	0
			3378	2138	580	640	20			
1	B	431	Total	C	N	O	S	0	0	0
			3375	2137	579	639	20			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	408	GLY	SER	engineered mutation	UNP Q6WJ03
B	408	GLY	SER	engineered mutation	UNP Q6WJ03

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	4	Total	C	N	O	0	0	0
			50	28	2	20			
2	E	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	3	Total	C	N	O	0	0	0
			38	22	2	14			
3	F	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is 5-acetamido-3,5-dideoxy-3-fluoro-D-erythro-alpha-L-manno-non-2-ulopyranosonic acid (three-letter code: FSI) (formula: $C_{11}H_{18}FNO_9$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 21	C 11	F 1	N 1	O 8	0	1
5	B	1	Total 21	C 11	F 1	N 1	O 8	0	1

- Molecule 6 is (3R,4R,5R,6R)-5-(acetylamino)-3-fluoro-4-hydroxy-6-[(1R,2R)-1,2,3-trihydroxypropyl]-3,4,5,6-tetrahydropyranium-2-carboxylate (three-letter code: DF4) (formula: C₁₁H₁₆FN₂O₈).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	F	N	O	0	1
			21	11	1	1	8		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	F	N	O	0	1
			21	11	1	1	8		

- Molecule 7 is (2R,3R,4R,5R,6R)-5-acetamido-2,3-difluoro-4-hydroxy-6-[(1R,2R)-1,2,3-trihydroxypropyl]tetrahydro-2H-pyran-2-carboxylic acid (three-letter code: SFJ) (formula: $C_{11}H_{17}F_2NO_8$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	F	N	O	0	0
			22	11	2	1	8		
7	A	1	Total	C	F	N	O	0	0
			22	11	2	1	8		
7	B	1	Total	C	F	N	O	0	0
			22	11	2	1	8		

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		
8	B	1	Total	O	S	0	0
			5	4	1		
8	B	1	Total	O	S	0	0
			5	4	1		
8	B	1	Total	O	S	0	0
			5	4	1		
8	B	1	Total	O	S	0	0
			5	4	1		
8	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total 1	Ca 1	0	0
9	A	1	Total 1	Ca 1	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	293	Total 293	O 293	0	0
10	B	298	Total 298	O 298	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemagglutinin-neuraminidase glycoprotein




- Molecule 1: Hemagglutinin-neuraminidase glycoprotein




- Molecule 2: beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  67% 33%

HA01
HA02
FUC3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  33% 67%

HA01
HA02
FUC3

4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, α , β , γ	218.67Å 218.67Å 109.77Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	77.46 – 2.50 77.46 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (77.46-2.50) 99.9 (77.46-2.50)	Depositor EDS
R_{merge}	0.29	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.189 , 0.258 0.196 , 0.260	Depositor DCC
R_{free} test set	2666 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	33.4	Xtriage
Anisotropy	0.042	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 52.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7765	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, FSI, CA, SFJ, FUC, DF4, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	1/3464 (0.0%)	0.84	1/4723 (0.0%)
1	B	0.69	0/3456	0.84	1/4712 (0.0%)
All	All	0.71	1/6920 (0.0%)	0.84	2/9435 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	465	TRP	CB-CG	-5.07	1.41	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	361	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	B	180	LEU	CB-CG-CD2	5.29	120.00	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3378	0	3344	23	0
1	B	3375	0	3342	34	0
2	C	50	0	43	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	50	0	43	1	0
3	D	38	0	34	1	0
3	F	38	0	34	2	0
4	A	14	0	13	1	0
4	B	14	0	13	0	0
5	A	21	0	16	0	0
5	B	21	0	16	0	0
6	A	21	0	16	1	0
6	B	21	0	16	1	0
7	A	44	0	0	0	0
7	B	22	0	0	3	0
8	A	30	0	0	0	0
8	B	35	0	0	1	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
10	A	293	0	0	3	0
10	B	298	0	0	16	0
All	All	7765	0	6930	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:540:ASN:HB2	10:B:843:HOH:O	1.85	0.77
1:B:416:GLY:HA3	10:B:716:HOH:O	1.92	0.69
1:B:277:ARG:HD2	10:B:703:HOH:O	1.94	0.68
1:B:530:TYR:OH	6:B:611[B]:DF4:C2	2.45	0.64
7:B:612:SFJ:O9	10:B:701:HOH:O	2.15	0.64
1:B:540:ASN:CB	10:B:843:HOH:O	2.41	0.64
1:A:219:LYS:HB2	1:A:249:ILE:HG12	1.81	0.62
3:F:1:NAG:H62	3:F:3:FUC:O2	2.01	0.60
1:A:296:ASP:C	1:A:296:ASP:OD1	2.41	0.58
1:B:342:HIS:HD2	10:B:747:HOH:O	1.86	0.58
1:A:311:PHE:HB3	1:A:313:GLN:O	2.05	0.57
1:B:366:ALA:HB2	7:B:612:SFJ:O1B	2.04	0.57
1:A:156:PHE:O	1:A:569:LYS:NZ	2.35	0.56
1:B:346:GLU:O	1:B:364:ASN:ND2	2.39	0.56
1:A:313:GLN:HB2	1:A:314:PRO:HD2	1.89	0.55
1:B:347:ASN:HA	1:B:364:ASN:HD21	1.72	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:524:ARG:NH2	8:B:618:SO4:O2	2.39	0.53
10:B:929:HOH:O	2:E:2:NAG:H83	2.06	0.53
1:B:148:ILE:HD13	1:B:229:ILE:HG22	1.90	0.53
4:A:601:NAG:H82	10:A:812:HOH:O	2.10	0.52
1:A:527:SER:HB2	1:A:551:ASN:HB3	1.92	0.51
6:A:610[B]:DF4:H2	10:A:717:HOH:O	2.10	0.51
1:A:180:LEU:HD23	1:B:180:LEU:HD13	1.91	0.51
1:B:397:TRP:CD2	1:B:442:TYR:HB3	2.46	0.51
1:A:465:TRP:CD1	1:A:465:TRP:C	2.86	0.49
1:B:145:ASP:HB2	1:B:148:ILE:HD12	1.95	0.48
1:A:333:ILE:CG2	1:A:381:ILE:HG23	2.43	0.47
1:B:219:LYS:HB2	1:B:249:ILE:HG12	1.97	0.47
1:B:485:ASN:HB2	1:B:486:PRO:HD2	1.97	0.46
1:B:268:LEU:HD22	1:B:334:PHE:CD1	2.51	0.46
1:B:456:SER:HB3	1:B:465:TRP:CD2	2.51	0.46
1:A:352:THR:O	1:A:355:CYS:HB2	2.16	0.46
1:B:438:ASP:OD1	1:B:440:THR:OG1	2.29	0.46
1:A:475:THR:HG23	1:A:476:GLY:N	2.32	0.45
1:B:173:ARG:HD3	10:B:727:HOH:O	2.15	0.45
1:B:277:ARG:NH1	10:B:703:HOH:O	2.32	0.45
1:B:402:ARG:NH1	10:B:720:HOH:O	2.50	0.44
1:A:266:TYR:CE2	1:A:292:ILE:HD13	2.52	0.44
1:A:145:ASP:HB2	1:A:148:ILE:HD12	1.99	0.43
1:A:368:HIS:ND1	1:A:374:ASP:OD1	2.34	0.43
1:B:151:LEU:HD23	1:B:151:LEU:C	2.38	0.43
1:A:148:ILE:HD13	1:A:229:ILE:HG22	2.00	0.43
1:A:277:ARG:HD2	1:A:371:TRP:CE2	2.54	0.43
1:B:278:SER:O	1:B:281:ALA:HB3	2.20	0.42
1:B:504:ASN:HB2	1:B:524:ARG:HA	2.00	0.42
1:B:174:LEU:HG	1:B:519:LEU:HD21	2.02	0.42
1:B:446:ARG:NH1	10:B:725:HOH:O	2.52	0.42
10:B:774:HOH:O	3:F:1:NAG:H82	2.17	0.42
1:B:173:ARG:NE	10:B:727:HOH:O	2.52	0.42
1:B:321:SER:OG	1:B:335:LEU:HB3	2.19	0.42
1:B:321:SER:HB2	1:B:410:GLY:H	1.83	0.42
1:B:224:LEU:O	1:B:244:SER:HA	2.19	0.42
1:A:243:ILE:HG13	10:B:840:HOH:O	2.19	0.41
1:A:524:ARG:HE	1:A:524:ARG:H	1.67	0.41
1:A:522:LEU:HD21	3:D:1:NAG:H62	2.02	0.41
1:A:267:GLN:HB3	1:A:291:ASP:HB2	2.03	0.41
1:A:343:PRO:O	1:A:344:ILE:C	2.57	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324:PRO:HD2	1:A:411:ARG:CD	2.50	0.41
1:B:152:ASN:OD1	1:B:152:ASN:C	2.59	0.41
1:B:446:ARG:NH1	10:B:715:HOH:O	2.47	0.41
1:A:146:VAL:N	10:A:704:HOH:O	2.32	0.41
1:B:546:HIS:HB2	1:B:563:PHE:HB2	2.03	0.40
7:B:612:SFJ:C9	10:B:701:HOH:O	2.67	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	430/431 (100%)	401 (93%)	25 (6%)	4 (1%)	17	31
1	B	429/431 (100%)	399 (93%)	28 (6%)	2 (0%)	29	48
All	All	859/862 (100%)	800 (93%)	53 (6%)	6 (1%)	22	39

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	233	SER
1	A	160	THR
1	A	416	GLY
1	B	287	ASP
1	A	350	CYS
1	B	522	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/389 (100%)	373 (96%)	17 (4%)	28	52
1	B	389/389 (100%)	370 (95%)	19 (5%)	25	47
All	All	779/778 (100%)	743 (95%)	36 (5%)	27	50

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	154	ASP
1	A	160	THR
1	A	168	LYS
1	A	171	LYS
1	A	187	VAL
1	A	219	LYS
1	A	240	ASN
1	A	295	TYR
1	A	296	ASP
1	A	331	LYS
1	A	380	SER
1	A	393	LYS
1	A	446	ARG
1	A	457	ARG
1	A	495	ILE
1	A	519	LEU
1	A	524	ARG
1	B	146	VAL
1	B	167	MET
1	B	171	LYS
1	B	180	LEU
1	B	219	LYS
1	B	300	SER
1	B	306	ASN
1	B	307	ASN
1	B	344	ILE
1	B	380	SER
1	B	385	ASP
1	B	391	ILE
1	B	417	ASN
1	B	440	THR
1	B	457	ARG
1	B	501	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	553	LYS
1	B	564	LYS
1	B	566	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	215	GLN
1	A	240	ASN
1	A	245	HIS
1	A	250	ASN
1	A	262	ASN
1	A	347	ASN
1	B	262	ASN
1	B	294	ASN
1	B	345	ASN
1	B	360	GLN
1	B	364	ASN
1	B	417	ASN
1	B	504	ASN
1	B	551	ASN
1	B	556	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.88	0	17,19,21	1.92	4 (23%)
3	NAG	D	1	1,3	14,14,15	0.99	1 (7%)	17,19,21	1.46	3 (17%)
2	NAG	C	2	2	14,14,15	0.51	0	17,19,21	1.78	4 (23%)
2	NAG	E	2	2	14,14,15	0.42	0	17,19,21	1.42	4 (23%)
4	NAG	A	601	1	14,14,15	0.52	0	17,19,21	2.00	3 (17%)
3	NAG	F	2	3	14,14,15	0.87	1 (7%)	17,19,21	2.39	4 (23%)
3	NAG	D	2	3	14,14,15	0.57	0	17,19,21	1.71	4 (23%)
2	NAG	E	1	1,2	14,14,15	0.62	0	17,19,21	1.92	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	4/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
4	NAG	A	601	1	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	2	NAG	C1-C2	2.39	1.55	1.52
3	D	1	NAG	O5-C1	-2.10	1.40	1.43

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	2	NAG	C1-O5-C5	5.99	120.31	112.19
4	A	601	NAG	C1-O5-C5	5.62	119.81	112.19
2	E	1	NAG	C1-O5-C5	5.17	119.20	112.19
3	F	2	NAG	C1-C2-N2	5.00	119.03	110.49
2	C	1	NAG	C2-N2-C7	4.43	129.20	122.90
4	A	601	NAG	O5-C5-C6	3.94	113.38	107.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	NAG	C1-O5-C5	3.63	117.11	112.19
2	C	2	NAG	C8-C7-N2	3.49	122.02	116.10
2	C	1	NAG	C4-C3-C2	3.49	116.13	111.02
3	F	2	NAG	O7-C7-C8	-3.42	115.71	122.06
2	E	1	NAG	O5-C1-C2	-3.38	105.96	111.29
3	D	2	NAG	O5-C5-C6	3.23	112.26	107.20
2	C	1	NAG	C8-C7-N2	3.14	121.42	116.10
2	E	2	NAG	C1-O5-C5	3.09	116.38	112.19
3	D	2	NAG	O7-C7-C8	-2.94	116.60	122.06
2	C	2	NAG	C2-N2-C7	2.83	126.93	122.90
2	C	2	NAG	C3-C4-C5	2.77	115.18	110.24
4	A	601	NAG	C1-C2-N2	2.73	115.15	110.49
2	E	1	NAG	C3-C4-C5	2.64	114.94	110.24
3	D	2	NAG	C1-C2-N2	2.63	114.99	110.49
3	D	1	NAG	O4-C4-C3	-2.57	104.42	110.35
3	D	1	NAG	O5-C5-C6	-2.53	103.24	107.20
3	F	2	NAG	C6-C5-C4	-2.49	107.17	113.00
3	D	1	NAG	O3-C3-C2	2.44	114.51	109.47
3	D	2	NAG	O5-C1-C2	-2.39	107.52	111.29
2	C	1	NAG	O5-C5-C4	-2.34	105.12	110.83
2	E	2	NAG	O5-C5-C6	2.33	110.85	107.20
2	E	2	NAG	C6-C5-C4	-2.13	108.03	113.00
2	E	1	NAG	O4-C4-C3	-2.09	105.52	110.35
2	E	2	NAG	O4-C4-C3	2.05	115.08	110.35

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	1	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2
3	D	1	NAG	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1	NAG	1	0
2	E	2	NAG	1	0
4	A	601	NAG	1	0

5.5 Carbohydrates

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.88	0	17,19,21	1.92	4 (23%)
2	NAG	C	2	2	14,14,15	0.51	0	17,19,21	1.78	4 (23%)
2	BMA	C	3	2	11,11,12	0.57	0	15,15,17	1.26	2 (13%)
2	BMA	C	4	2	11,11,12	0.79	0	15,15,17	1.46	3 (20%)
3	NAG	D	1	1,3	14,14,15	0.99	1 (7%)	17,19,21	1.46	3 (17%)
3	NAG	D	2	3	14,14,15	0.57	0	17,19,21	1.71	4 (23%)
3	FUC	D	3	3	10,10,11	0.68	0	14,14,16	2.70	6 (42%)
2	NAG	E	1	1,2	14,14,15	0.62	0	17,19,21	1.92	4 (23%)
2	NAG	E	2	2	14,14,15	0.42	0	17,19,21	1.42	4 (23%)
2	BMA	E	3	2	11,11,12	0.67	0	15,15,17	1.21	2 (13%)
2	BMA	E	4	2	11,11,12	0.86	0	15,15,17	2.68	7 (46%)
3	NAG	F	1	1,3	14,14,15	1.10	1 (7%)	17,19,21	2.36	4 (23%)
3	NAG	F	2	3	14,14,15	0.87	1 (7%)	17,19,21	2.39	4 (23%)
3	FUC	F	3	3	10,10,11	1.09	1 (10%)	14,14,16	2.41	5 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	BMA	C	4	2	-	2/2/19/22	0/1/1/1
3	NAG	D	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
3	FUC	D	3	3	-	-	0/1/1/1
2	NAG	E	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	BMA	E	3	2	-	2/2/19/22	0/1/1/1
2	BMA	E	4	2	-	0/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	FUC	F	3	3	-	-	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	1	NAG	O5-C1	-3.37	1.38	1.43
3	F	3	FUC	C1-C2	2.83	1.58	1.52
3	F	2	NAG	C1-C2	2.39	1.55	1.52
3	D	1	NAG	O5-C1	-2.10	1.40	1.43

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	3	FUC	C1-C2-C3	7.94	119.42	109.67
3	F	1	NAG	O5-C5-C6	-6.05	97.71	107.20
3	F	2	NAG	C1-O5-C5	5.99	120.31	112.19
3	F	1	NAG	O5-C1-C2	-5.42	102.73	111.29
3	F	3	FUC	C1-C2-C3	5.36	116.25	109.67
2	E	1	NAG	C1-O5-C5	5.17	119.20	112.19
2	E	4	BMA	C1-C2-C3	5.07	115.90	109.67
3	F	2	NAG	C1-C2-N2	5.00	119.03	110.49
2	E	4	BMA	C1-O5-C5	4.95	118.90	112.19
2	C	1	NAG	C2-N2-C7	4.43	129.20	122.90
2	E	4	BMA	C3-C4-C5	-4.23	102.70	110.24
3	F	3	FUC	O2-C2-C1	4.15	117.65	109.15
3	F	3	FUC	O5-C1-C2	3.77	116.58	110.77
2	C	2	NAG	C1-O5-C5	3.63	117.11	112.19
2	C	2	NAG	C8-C7-N2	3.49	122.02	116.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1	NAG	C4-C3-C2	3.49	116.13	111.02
3	F	1	NAG	C2-N2-C7	-3.48	117.95	122.90
2	E	4	BMA	O5-C1-C2	3.47	116.12	110.77
3	F	2	NAG	O7-C7-C8	-3.42	115.71	122.06
2	E	1	NAG	O5-C1-C2	-3.38	105.96	111.29
2	C	4	BMA	C3-C4-C5	3.37	116.25	110.24
3	D	2	NAG	O5-C5-C6	3.23	112.26	107.20
2	C	1	NAG	C8-C7-N2	3.14	121.42	116.10
2	E	2	NAG	C1-O5-C5	3.09	116.38	112.19
3	D	3	FUC	O5-C1-C2	3.06	115.49	110.77
3	D	2	NAG	O7-C7-C8	-2.94	116.60	122.06
3	D	3	FUC	O5-C5-C6	2.87	113.52	107.33
2	E	4	BMA	O4-C4-C5	2.85	116.37	109.30
2	C	3	BMA	C3-C4-C5	2.84	115.31	110.24
3	F	3	FUC	C2-C3-C4	2.84	115.81	110.89
2	C	2	NAG	C2-N2-C7	2.83	126.93	122.90
3	F	1	NAG	O4-C4-C3	-2.82	103.83	110.35
2	C	2	NAG	C3-C4-C5	2.77	115.18	110.24
2	C	4	BMA	O5-C1-C2	-2.74	106.53	110.77
2	E	1	NAG	C3-C4-C5	2.64	114.94	110.24
3	D	2	NAG	C1-C2-N2	2.63	114.99	110.49
2	E	3	BMA	C1-O5-C5	-2.60	108.67	112.19
3	D	1	NAG	O4-C4-C3	-2.57	104.42	110.35
3	D	1	NAG	O5-C5-C6	-2.53	103.24	107.20
3	D	3	FUC	C3-C4-C5	-2.52	105.85	109.77
3	F	2	NAG	C6-C5-C4	-2.49	107.17	113.00
3	D	1	NAG	O3-C3-C2	2.44	114.51	109.47
3	D	2	NAG	O5-C1-C2	-2.39	107.52	111.29
2	C	4	BMA	C2-C3-C4	2.35	114.95	110.89
2	C	1	NAG	O5-C5-C4	-2.34	105.12	110.83
2	E	2	NAG	O5-C5-C6	2.33	110.85	107.20
3	F	3	FUC	O2-C2-C3	-2.32	105.49	110.14
2	E	4	BMA	O3-C3-C2	2.29	114.38	109.99
2	E	4	BMA	O5-C5-C6	2.17	110.61	107.20
2	E	3	BMA	O5-C5-C6	2.14	110.55	107.20
2	E	2	NAG	C6-C5-C4	-2.13	108.03	113.00
3	D	3	FUC	O2-C2-C3	-2.09	105.95	110.14
2	E	1	NAG	O4-C4-C3	-2.09	105.52	110.35
2	E	2	NAG	O4-C4-C3	2.05	115.08	110.35
3	D	3	FUC	C1-O5-C5	2.03	117.38	112.78
2	C	3	BMA	O3-C3-C4	-2.01	105.70	110.35

There are no chirality outliers.

All (18) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	E	3	BMA	O5-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
2	E	3	BMA	C4-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2
3	D	1	NAG	O5-C5-C6-O6
2	C	4	BMA	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
2	C	4	BMA	C4-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1	NAG	1	0
2	E	2	NAG	1	0
3	F	1	NAG	2	0
3	F	3	FUC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 2 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	SFJ	A	611	-	16,22,22	0.87	1 (6%)	19,33,33	1.51	4 (21%)
8	SO4	A	614	-	4,4,4	0.58	0	6,6,6	0.72	0
4	NAG	A	601	1	14,14,15	0.52	0	17,19,21	2.00	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	SO4	A	618	-	4,4,4	0.41	0	6,6,6	0.33	0
7	SFJ	A	612	-	16,22,22	0.96	1 (6%)	19,33,33	2.46	8 (42%)
8	SO4	B	615	-	4,4,4	0.44	0	6,6,6	0.38	0
8	SO4	B	601	-	4,4,4	0.37	0	6,6,6	0.23	0
5	FSI	B	610[A]	1	18,21,22	0.97	2 (11%)	18,30,33	1.28	3 (16%)
8	SO4	B	616	-	4,4,4	0.50	0	6,6,6	0.25	0
7	SFJ	B	612	-	16,22,22	1.75	2 (12%)	19,33,33	3.16	6 (31%)
6	DF4	B	611[B]	-	14,21,21	0.40	0	17,30,30	0.89	0
8	SO4	B	617	-	4,4,4	0.42	0	6,6,6	0.21	0
8	SO4	A	616	-	4,4,4	0.39	0	6,6,6	0.91	0
8	SO4	B	613	-	4,4,4	0.47	0	6,6,6	0.31	0
8	SO4	B	614	-	4,4,4	0.38	0	6,6,6	0.38	0
6	DF4	A	610[B]	-	14,21,21	0.35	0	17,30,30	1.12	1 (5%)
8	SO4	B	618	-	4,4,4	0.31	0	6,6,6	0.31	0
8	SO4	A	617	-	4,4,4	0.35	0	6,6,6	0.20	0
8	SO4	A	613	-	4,4,4	0.42	0	6,6,6	0.21	0
8	SO4	A	615	-	4,4,4	0.48	0	6,6,6	0.56	0
4	NAG	B	602	1	14,14,15	0.49	0	17,19,21	1.52	4 (23%)
5	FSI	A	609[A]	1	18,21,22	0.67	0	18,30,33	1.51	3 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	DF4	A	610[B]	-	-	2/14/38/38	0/0/1/1
5	FSI	B	610[A]	1	-	2/14/38/43	0/1/1/1
4	NAG	B	602	1	-	0/6/23/26	0/1/1/1
7	SFJ	A	611	-	-	2/14/43/43	0/1/1/1
4	NAG	A	601	1	-	0/6/23/26	0/1/1/1
6	DF4	B	611[B]	-	-	3/14/38/38	0/0/1/1
5	FSI	A	609[A]	1	-	0/14/38/43	0/1/1/1
7	SFJ	A	612	-	-	4/14/43/43	0/1/1/1
7	SFJ	B	612	-	-	6/14/43/43	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	612	SFJ	C7-C6	4.74	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	612	SFJ	C3-C4	3.99	1.56	1.52
7	A	612	SFJ	C3-C4	2.51	1.54	1.52
7	A	611	SFJ	C7-C6	2.47	1.56	1.53
5	B	610[A]	FSI	O6-C2	-2.20	1.41	1.44
5	B	610[A]	FSI	F1-C3	-2.09	1.35	1.40

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	612	SFJ	FAI-C3-C4	8.17	116.11	108.85
7	B	612	SFJ	C3-C4-C5	6.86	118.68	109.83
7	A	612	SFJ	C3-C4-C5	6.22	117.85	109.83
4	A	601	NAG	C1-O5-C5	5.62	119.81	112.19
7	B	612	SFJ	O7-C7-C6	4.95	120.18	109.50
7	B	612	SFJ	O6-C6-C5	-4.62	105.27	109.78
7	A	612	SFJ	O6-C6-C5	4.22	113.90	109.78
5	A	609[A]	FSI	F1-C3-C2	-4.05	103.38	108.26
4	A	601	NAG	O5-C5-C6	3.94	113.38	107.20
7	A	612	SFJ	O6-C6-C7	-3.85	101.36	107.29
7	B	612	SFJ	O6-C6-C7	3.50	112.69	107.29
7	A	611	SFJ	O7-C7-C6	3.15	116.30	109.50
7	B	612	SFJ	C4-C5-N5	-3.08	104.80	110.62
5	A	609[A]	FSI	F1-C3-C4	2.98	111.50	108.85
6	A	610[B]	DF4	C8-C7-C6	-2.88	107.57	113.03
7	A	612	SFJ	C8-C7-C6	-2.87	107.59	113.03
4	B	602	NAG	C4-C3-C2	2.83	115.17	111.02
7	A	611	SFJ	C5-N5-C10	-2.74	116.52	123.18
4	A	601	NAG	C1-C2-N2	2.73	115.15	110.49
7	A	611	SFJ	C3-C4-C5	-2.62	106.46	109.83
5	B	610[A]	FSI	F1-C3-C2	-2.55	105.18	108.26
7	A	611	SFJ	O7-C7-C8	-2.50	102.77	108.81
7	A	612	SFJ	C6-C5-N5	-2.48	106.79	110.91
4	B	602	NAG	O5-C5-C6	2.34	110.88	107.20
7	A	612	SFJ	FAI-C3-C4	-2.28	106.83	108.85
5	A	609[A]	FSI	C11-C10-N5	-2.28	112.24	116.10
4	B	602	NAG	C1-O5-C5	2.21	115.18	112.19
7	A	612	SFJ	O9-C9-C8	2.18	115.81	111.07
7	A	612	SFJ	O4-C4-C3	-2.17	105.37	109.68
5	B	610[A]	FSI	F1-C3-C4	-2.17	106.93	108.85
5	B	610[A]	FSI	C8-C7-C6	-2.15	108.95	113.03
4	B	602	NAG	O7-C7-N2	2.06	125.74	121.95

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	612	SFJ	O8-C8-C9-O9
7	B	612	SFJ	C6-C7-C8-O8
7	B	612	SFJ	O7-C7-C8-C9
7	B	612	SFJ	O7-C7-C8-O8
6	A	610[B]	DF4	C7-C8-C9-O9
6	A	610[B]	DF4	O8-C8-C9-O9
7	A	612	SFJ	C7-C8-C9-O9
7	A	611	SFJ	C11-C10-N5-C5
7	B	612	SFJ	C6-C7-C8-C9
7	A	611	SFJ	O10-C10-N5-C5
7	B	612	SFJ	C6-C5-N5-C10
6	B	611[B]	DF4	C7-C8-C9-O9
6	B	611[B]	DF4	O8-C8-C9-O9
5	B	610[A]	FSI	O6-C6-C7-O7
7	A	612	SFJ	C4-C5-N5-C10
7	B	612	SFJ	C4-C5-N5-C10
7	A	612	SFJ	C6-C5-N5-C10
6	B	611[B]	DF4	C4-C5-N5-C10
5	B	610[A]	FSI	O8-C8-C9-O9


There are no ring outliers.


5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	601	NAG	1	0
7	B	612	SFJ	3	0
6	B	611[B]	DF4	1	0
6	A	610[B]	DF4	1	0
8	B	618	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	431/431 (100%)	-0.20	1 (0%) 95 95	17, 32, 55, 86	0
1	B	431/431 (100%)	-0.18	2 (0%) 91 91	19, 32, 58, 90	0
All	All	862/862 (100%)	-0.19	3 (0%) 94 94	17, 32, 56, 90	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	572	SER	3.8
1	B	142	ILE	2.8
1	B	354	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	D	1	14/15	0.69	0.17	70,81,97,99	0
3	NAG	D	2	14/15	0.72	0.29	96,114,124,129	0
4	NAG	A	601	14/15	0.75	0.26	82,92,101,105	0
2	NAG	C	1	14/15	0.83	0.23	72,84,90,94	0
3	NAG	F	2	14/15	0.85	0.27	72,80,94,99	0
2	NAG	E	2	14/15	0.88	0.21	58,75,79,99	0
2	NAG	C	2	14/15	0.90	0.22	73,85,90,97	0
2	NAG	E	1	14/15	0.93	0.21	71,74,86,92	0

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	D	1	14/15	0.69	0.17	70,81,97,99	0
3	NAG	D	2	14/15	0.72	0.29	96,114,124,129	0
2	BMA	E	4	11/12	0.73	0.29	84,98,102,105	0
2	BMA	C	3	11/12	0.74	0.27	94,102,106,108	0
2	BMA	C	4	11/12	0.75	0.28	70,93,102,104	0
2	BMA	E	3	11/12	0.76	0.36	98,111,114,115	0
3	FUC	D	3	10/11	0.79	0.34	97,105,111,111	0
3	FUC	F	3	10/11	0.81	0.22	57,62,64,66	0
2	NAG	C	1	14/15	0.83	0.23	72,84,90,94	0
3	NAG	F	2	14/15	0.85	0.27	72,80,94,99	0
2	NAG	E	2	14/15	0.88	0.21	58,75,79,99	0
2	NAG	C	2	14/15	0.90	0.22	73,85,90,97	0
3	NAG	F	1	14/15	0.90	0.15	52,60,71,72	0
2	NAG	E	1	14/15	0.93	0.21	71,74,86,92	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain E:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	601	14/15	0.75	0.26	82,92,101,105	0
7	SFJ	A	612	22/22	0.80	0.29	54,76,87,91	0
7	SFJ	B	612	22/22	0.85	0.31	51,67,74,80	0
8	SO4	B	616	5/5	0.90	0.26	77,77,84,92	0
7	SFJ	A	611	22/22	0.91	0.14	36,49,55,57	0
8	SO4	B	615	5/5	0.91	0.15	79,82,85,89	0
8	SO4	A	613	5/5	0.91	0.19	64,80,83,84	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	SO4	A	615	5/5	0.91	0.23	79,79,87,88	0
4	NAG	B	602	14/15	0.91	0.14	46,66,79,80	0
8	SO4	B	613	5/5	0.92	0.24	75,77,87,88	0
8	SO4	B	617	5/5	0.92	0.24	72,79,82,93	0
8	SO4	A	616	5/5	0.95	0.16	64,65,69,70	0
8	SO4	B	614	5/5	0.95	0.16	70,71,73,77	0
8	SO4	B	618	5/5	0.95	0.22	85,85,89,91	0
8	SO4	A	617	5/5	0.96	0.18	77,83,83,92	0
8	SO4	A	614	5/5	0.96	0.18	52,54,62,69	0
6	DF4	A	610[B]	21/21	0.97	0.15	17,18,19,20	21
8	SO4	B	601	5/5	0.97	0.11	70,71,75,75	0
5	FSI	A	609[A]	21/22	0.97	0.12	21,24,29,30	21
5	FSI	B	610[A]	21/22	0.98	0.14	23,25,30,31	21
9	CA	A	619	1/1	0.98	0.07	37,37,37,37	0
6	DF4	B	611[B]	21/21	0.98	0.14	13,13,14,14	21
8	SO4	A	618	5/5	0.98	0.13	61,61,64,64	0
9	CA	B	619	1/1	0.99	0.07	32,32,32,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SFJ A 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SFJ B 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SFJ A 611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around DF4 A 610 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FSI A 609 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FSI B 610 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DF4 B 611 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.