



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 07:32 pm BST

PDB ID : 5WED
Title : Structure of bacterial type II NADH dehydrogenase from *Caldalkalibacillus thermarum* at 2.15Å resolution
Authors : Nakatani, Y.; Aragao, D.; Cook, G.M.
Deposited on : 2017-07-09
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	405	<div> <div>5%</div> <div> <div></div> <div>94%</div> <div></div> </div> <div></div> </div>
1	B	405	<div> <div>4%</div> <div> <div></div> <div>93%</div> <div></div> </div> <div></div> </div>
1	C	405	<div> <div>7%</div> <div> <div></div> <div>93%</div> <div></div> </div> <div></div> </div>
1	D	405	<div> <div>7%</div> <div> <div></div> <div>94%</div> <div></div> </div> <div></div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12435 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FAD-dependent pyridine nucleotide-disulfide oxidoreductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	394	Total	C	N	O	S	0	0	0
			2948	1882	509	549	8			
1	A	394	Total	C	N	O	S	0	0	0
			2946	1880	509	549	8			
1	C	394	Total	C	N	O	S	0	0	0
			2933	1876	496	552	9			
1	D	394	Total	C	N	O	S	0	0	0
			2894	1855	506	525	8			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	400	HIS	-	expression tag	UNP F5L3B8
B	401	HIS	-	expression tag	UNP F5L3B8
B	402	HIS	-	expression tag	UNP F5L3B8
B	403	HIS	-	expression tag	UNP F5L3B8
B	404	HIS	-	expression tag	UNP F5L3B8
B	405	HIS	-	expression tag	UNP F5L3B8
A	400	HIS	-	expression tag	UNP F5L3B8
A	401	HIS	-	expression tag	UNP F5L3B8
A	402	HIS	-	expression tag	UNP F5L3B8
A	403	HIS	-	expression tag	UNP F5L3B8
A	404	HIS	-	expression tag	UNP F5L3B8
A	405	HIS	-	expression tag	UNP F5L3B8
C	400	HIS	-	expression tag	UNP F5L3B8
C	401	HIS	-	expression tag	UNP F5L3B8
C	402	HIS	-	expression tag	UNP F5L3B8
C	403	HIS	-	expression tag	UNP F5L3B8
C	404	HIS	-	expression tag	UNP F5L3B8
C	405	HIS	-	expression tag	UNP F5L3B8
D	400	HIS	-	expression tag	UNP F5L3B8
D	401	HIS	-	expression tag	UNP F5L3B8
D	402	HIS	-	expression tag	UNP F5L3B8

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	403	HIS	-	expression tag	UNP F5L3B8
D	404	HIS	-	expression tag	UNP F5L3B8
D	405	HIS	-	expression tag	UNP F5L3B8

- # FAD

- Molecule 3 is water.

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	99	Total	O	0	0
			99	99		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: FAD-dependent pyridine nucleotide-disulfide oxidoreductase




- Molecule 1: FAD-dependent pyridine nucleotide-disulfide oxidoreductase



- Molecule 1: FAD-dependent pyridine nucleotide-disulfide oxidoreductase



- Molecule 1: FAD-dependent pyridine nucleotide-disulfide oxidoreductase



I359				
Y368				
H374				
L384				
K395				
K396				
GLY				
ARG				
PHE				
HIS				
HIS				
HIS				
HIS				
HIS				
HIS				

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.80 Å 113.57 Å 129.78 Å 90.00° 91.02° 90.00°	Depositor
Resolution (Å)	48.87 – 2.15 48.87 – 2.15	Depositor EDS
% Data completeness (in resolution range)	91.7 (48.87-2.15) 91.8 (48.87-2.15)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 2.16 Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.208 , 0.238 0.211 , 0.239	Depositor DCC
R_{free} test set	5250 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.106	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 45.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.022 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12435	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.22	0/3004	0.41	0/4088
1	B	0.22	0/3005	0.42	0/4089
1	C	0.22	0/2989	0.41	0/4068
1	D	0.21	0/2952	0.40	0/4022
All	All	0.22	0/11950	0.41	0/16267

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2946	0	2899	9	0
1	B	2948	0	2914	10	0
1	C	2933	0	2891	8	0
1	D	2894	0	2844	7	0
2	A	53	0	31	1	0
2	B	53	0	31	2	0
2	C	53	0	31	0	0
2	D	53	0	31	2	0
3	A	122	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	154	0	0	0	0
3	C	127	0	0	0	0
3	D	99	0	0	1	0
All	All	12435	0	11672	33	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (33) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215:ALA:HB2	1:A:359:ILE:HD13	1.84	0.58
1:B:302:LEU:HD11	1:B:311:PRO:HB3	1.86	0.57
1:D:215:ALA:HB2	1:D:359:ILE:HD13	1.86	0.57
1:B:215:ALA:HB2	1:B:359:ILE:HD13	1.85	0.57
1:A:227:LYS:NZ	3:A:702:HOH:O	2.37	0.57
1:D:232:ILE:HD13	1:D:242:ILE:HG22	1.87	0.56
1:D:316:ALA:HB2	2:D:601:FAD:H2'	1.93	0.51
1:C:4:PRO:HG3	1:C:334:ILE:HD12	1.93	0.51
1:C:215:ALA:HB2	1:C:359:ILE:HD13	1.93	0.51
1:B:27:ASN:N	1:B:30:GLU:OE2	2.35	0.49
1:C:230:THR:HG21	1:C:242:ILE:HD12	1.94	0.48
1:C:330:LEU:O	1:C:334:ILE:HG12	2.13	0.48
1:A:234:ARG:HG2	1:A:241:VAL:HB	1.98	0.46
1:C:25:ARG:O	1:C:335:ARG:NH2	2.48	0.46
1:A:316:ALA:HB2	2:A:601:FAD:H2'	1.97	0.46
1:C:302:LEU:HD11	1:C:311:PRO:HB3	1.97	0.45
1:B:330:LEU:O	1:B:334:ILE:HG12	2.17	0.45
1:D:119:LEU:HD21	1:D:258:TRP:CE3	2.53	0.44
1:B:315:THR:HB	2:B:601:FAD:O2	2.17	0.44
1:C:176:ASP:OD2	1:C:355:ARG:N	2.42	0.44
1:B:316:ALA:HB2	2:B:601:FAD:H2'	1.99	0.44
1:B:119:LEU:HD21	1:B:258:TRP:CE3	2.52	0.43
1:A:4:PRO:HG3	1:A:334:ILE:HD12	1.99	0.43
1:A:310:ARG:HA	1:A:311:PRO:HD3	1.92	0.42
1:B:348:GLY:HA3	1:B:361:ILE:O	2.18	0.42
1:C:119:LEU:HD21	1:C:258:TRP:CE3	2.55	0.42
1:A:362:VAL:HG21	1:A:375:LEU:HD13	2.01	0.41
1:D:287:ARG:NH1	3:D:703:HOH:O	2.41	0.41
1:A:308:ASN:OD1	1:A:310:ARG:HG2	2.21	0.41
1:D:315:THR:HB	2:D:601:FAD:O2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:138:HIS:HE1	1:B:254:ALA:O	2.04	0.41
1:D:208:ASP:HA	1:D:209:PRO:HD3	1.96	0.41
1:B:138:HIS:HD2	1:A:141:TYR:OH	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/405 (97%)	383 (98%)	9 (2%)	0	100	100
1	B	392/405 (97%)	382 (97%)	10 (3%)	0	100	100
1	C	392/405 (97%)	382 (97%)	10 (3%)	0	100	100
1	D	392/405 (97%)	384 (98%)	8 (2%)	0	100	100
All	All	1568/1620 (97%)	1531 (98%)	37 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	297/329 (90%)	296 (100%)	1 (0%)	92	95
1	B	298/329 (91%)	297 (100%)	1 (0%)	92	95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	297/329 (90%)	296 (100%)	1 (0%)	92	95
1	D	283/329 (86%)	282 (100%)	1 (0%)	91	93
All	All	1175/1316 (89%)	1171 (100%)	4 (0%)	92	95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	196	ASN
1	A	196	ASN
1	C	196	ASN
1	D	196	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	89	GLN
1	B	138	HIS
1	B	196	ASN
1	B	213	ASN
1	A	39	ASN
1	A	89	GLN
1	A	196	ASN
1	A	213	ASN
1	C	89	GLN
1	C	196	ASN
1	C	213	ASN
1	D	122	HIS
1	D	196	ASN
1	D	213	ASN
1	D	317	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	D	601	-	51,58,58	4.29	20 (39%)	60,89,89	2.50	14 (23%)
2	FAD	C	601	-	51,58,58	4.31	20 (39%)	60,89,89	2.45	15 (25%)
2	FAD	B	601	-	51,58,58	4.28	19 (37%)	60,89,89	2.49	13 (21%)
2	FAD	A	601	-	51,58,58	4.29	20 (39%)	60,89,89	2.46	14 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	D	601	-	-	3/30/50/50	0/6/6/6
2	FAD	C	601	-	-	5/30/50/50	0/6/6/6
2	FAD	B	601	-	-	2/30/50/50	0/6/6/6
2	FAD	A	601	-	-	2/30/50/50	0/6/6/6

All (79) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	FAD	C2B-C1B	-16.23	1.29	1.53
2	C	601	FAD	C2B-C1B	-16.22	1.29	1.53
2	A	601	FAD	C2B-C1B	-16.07	1.29	1.53
2	B	601	FAD	C2B-C1B	-15.96	1.29	1.53
2	B	601	FAD	O4B-C1B	14.24	1.61	1.41
2	C	601	FAD	O4B-C1B	14.05	1.60	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	FAD	O4B-C1B	14.03	1.60	1.41
2	D	601	FAD	O4B-C1B	14.00	1.60	1.41
2	A	601	FAD	C5X-N5	8.31	1.49	1.35
2	D	601	FAD	C5X-N5	8.11	1.48	1.35
2	C	601	FAD	C5X-N5	8.10	1.48	1.35
2	B	601	FAD	C5X-N5	8.09	1.48	1.35
2	C	601	FAD	C10-N1	7.92	1.43	1.33
2	B	601	FAD	C10-N1	7.85	1.43	1.33
2	D	601	FAD	C10-N1	7.84	1.43	1.33
2	A	601	FAD	C10-N1	7.80	1.43	1.33
2	D	601	FAD	O4B-C4B	-7.05	1.29	1.45
2	C	601	FAD	O4B-C4B	-6.99	1.29	1.45
2	A	601	FAD	O4B-C4B	-6.94	1.29	1.45
2	B	601	FAD	O4B-C4B	-6.91	1.29	1.45
2	C	601	FAD	C4X-N5	6.76	1.43	1.33
2	A	601	FAD	C4X-N5	6.75	1.43	1.33
2	D	601	FAD	C4X-N5	6.53	1.42	1.33
2	B	601	FAD	C4X-N5	6.48	1.42	1.33
2	A	601	FAD	C4-N3	5.82	1.43	1.33
2	C	601	FAD	C4-N3	5.80	1.43	1.33
2	D	601	FAD	C4-N3	5.74	1.43	1.33
2	B	601	FAD	C4-N3	5.59	1.42	1.33
2	B	601	FAD	C9A-N10	5.59	1.46	1.38
2	D	601	FAD	C9A-N10	5.56	1.46	1.38
2	C	601	FAD	C9A-N10	5.55	1.46	1.38
2	A	601	FAD	C9A-N10	5.40	1.45	1.38
2	C	601	FAD	C4-C4X	4.87	1.49	1.41
2	A	601	FAD	C4-C4X	4.87	1.49	1.41
2	B	601	FAD	C4-C4X	4.79	1.49	1.41
2	D	601	FAD	C4-C4X	4.79	1.49	1.41
2	C	601	FAD	C4X-C10	4.71	1.43	1.38
2	D	601	FAD	C4X-C10	4.65	1.43	1.38
2	B	601	FAD	C4X-C10	4.62	1.43	1.38
2	A	601	FAD	C4X-C10	4.58	1.43	1.38
2	D	601	FAD	C2-N1	4.45	1.47	1.38
2	B	601	FAD	O2B-C2B	4.43	1.53	1.43
2	B	601	FAD	C2-N1	4.40	1.46	1.38
2	C	601	FAD	C2-N1	4.40	1.46	1.38
2	A	601	FAD	O2B-C2B	4.38	1.53	1.43
2	D	601	FAD	O2B-C2B	4.37	1.53	1.43
2	C	601	FAD	O2B-C2B	4.37	1.53	1.43
2	A	601	FAD	C2-N1	4.28	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	FAD	C2-N3	4.22	1.46	1.38
2	C	601	FAD	C2-N3	4.22	1.46	1.38
2	B	601	FAD	C2-N3	4.19	1.46	1.38
2	D	601	FAD	C2-N3	4.13	1.46	1.38
2	B	601	FAD	O4-C4	-3.68	1.15	1.24
2	A	601	FAD	O4-C4	-3.67	1.15	1.24
2	D	601	FAD	O4-C4	-3.64	1.15	1.24
2	C	601	FAD	O4-C4	-3.64	1.15	1.24
2	A	601	FAD	C6A-N6A	3.30	1.46	1.34
2	B	601	FAD	C6A-N6A	3.29	1.46	1.34
2	D	601	FAD	C6A-N6A	3.25	1.45	1.34
2	D	601	FAD	C2A-N3A	3.25	1.37	1.32
2	C	601	FAD	C6A-N6A	3.25	1.45	1.34
2	C	601	FAD	C2A-N3A	3.21	1.37	1.32
2	B	601	FAD	C2A-N3A	3.19	1.37	1.32
2	A	601	FAD	C2A-N3A	3.12	1.37	1.32
2	A	601	FAD	C8M-C8	3.12	1.57	1.51
2	C	601	FAD	C8M-C8	3.04	1.57	1.51
2	D	601	FAD	C8M-C8	3.01	1.57	1.51
2	B	601	FAD	C8M-C8	3.01	1.57	1.51
2	D	601	FAD	O4'-C4'	-2.78	1.37	1.43
2	C	601	FAD	C7M-C7	2.75	1.56	1.51
2	A	601	FAD	C7M-C7	2.73	1.56	1.51
2	A	601	FAD	O4'-C4'	-2.71	1.37	1.43
2	D	601	FAD	C7M-C7	2.70	1.56	1.51
2	B	601	FAD	O4'-C4'	-2.70	1.37	1.43
2	B	601	FAD	C7M-C7	2.70	1.56	1.51
2	C	601	FAD	O4'-C4'	-2.67	1.37	1.43
2	D	601	FAD	C5'-C4'	2.05	1.54	1.51
2	A	601	FAD	C5'-C4'	2.04	1.54	1.51
2	C	601	FAD	C5'-C4'	2.01	1.54	1.51

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	FAD	C5A-C6A-N6A	8.81	133.74	120.35
2	D	601	FAD	C5A-C6A-N6A	8.66	133.51	120.35
2	A	601	FAD	C5A-C6A-N6A	8.57	133.38	120.35
2	C	601	FAD	C5A-C6A-N6A	8.51	133.28	120.35
2	B	601	FAD	C7M-C7-C8	7.76	136.63	120.74
2	D	601	FAD	C7M-C7-C8	7.57	136.25	120.74
2	A	601	FAD	C7M-C7-C8	7.56	136.23	120.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	FAD	C7M-C7-C8	7.40	135.91	120.74
2	B	601	FAD	C7M-C7-C6	-7.03	103.53	120.34
2	A	601	FAD	C7M-C7-C6	-6.99	103.63	120.34
2	D	601	FAD	C7M-C7-C6	-6.96	103.70	120.34
2	C	601	FAD	C7M-C7-C6	-6.78	104.13	120.34
2	B	601	FAD	N6A-C6A-N1A	-5.88	106.38	118.57
2	D	601	FAD	N6A-C6A-N1A	-5.77	106.59	118.57
2	A	601	FAD	N6A-C6A-N1A	-5.73	106.67	118.57
2	A	601	FAD	C4-N3-C2	5.71	119.96	115.14
2	C	601	FAD	N3A-C2A-N1A	-5.68	119.81	128.68
2	B	601	FAD	C4-N3-C2	5.67	119.93	115.14
2	C	601	FAD	N6A-C6A-N1A	-5.66	106.83	118.57
2	C	601	FAD	C4-N3-C2	5.56	119.84	115.14
2	D	601	FAD	C4-N3-C2	5.55	119.83	115.14
2	A	601	FAD	N3A-C2A-N1A	-5.51	120.07	128.68
2	B	601	FAD	N3A-C2A-N1A	-5.50	120.09	128.68
2	D	601	FAD	N3A-C2A-N1A	-5.48	120.11	128.68
2	C	601	FAD	C5X-C9A-N10	3.68	120.38	117.72
2	A	601	FAD	C5X-C9A-N10	3.54	120.28	117.72
2	B	601	FAD	C5X-C9A-N10	3.44	120.21	117.72
2	D	601	FAD	C5X-C9A-N10	3.42	120.19	117.72
2	A	601	FAD	C4X-N5-C5X	3.35	120.12	116.77
2	D	601	FAD	C4X-N5-C5X	3.32	120.09	116.77
2	C	601	FAD	C4X-N5-C5X	3.24	120.01	116.77
2	B	601	FAD	C4X-N5-C5X	3.24	120.01	116.77
2	C	601	FAD	C8M-C8-C7	-3.11	114.37	120.74
2	D	601	FAD	C8M-C8-C7	-3.09	114.41	120.74
2	D	601	FAD	C3B-C2B-C1B	2.99	105.48	100.98
2	D	601	FAD	C4X-C4-N3	-2.89	119.47	123.43
2	B	601	FAD	C4X-C4-N3	-2.89	119.48	123.43
2	B	601	FAD	C8M-C8-C7	-2.86	114.87	120.74
2	A	601	FAD	C4X-C4-N3	-2.83	119.56	123.43
2	C	601	FAD	C4X-C4-N3	-2.77	119.64	123.43
2	A	601	FAD	C8M-C8-C7	-2.69	115.22	120.74
2	D	601	FAD	P-O3P-PA	-2.37	124.69	132.83
2	C	601	FAD	C1'-N10-C9A	2.35	120.14	118.29
2	D	601	FAD	C1'-N10-C9A	2.31	120.11	118.29
2	C	601	FAD	C4'-C3'-C2'	-2.30	108.58	113.36
2	B	601	FAD	C1'-N10-C9A	2.22	120.04	118.29
2	A	601	FAD	C1'-N10-C9A	2.21	120.03	118.29
2	B	601	FAD	C4'-C3'-C2'	-2.21	108.77	113.36
2	A	601	FAD	P-O3P-PA	-2.16	125.42	132.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	FAD	C3B-C2B-C1B	2.11	104.15	100.98
2	C	601	FAD	C3B-C2B-C1B	2.08	104.12	100.98
2	C	601	FAD	C8M-C8-C9	2.07	125.30	120.34
2	D	601	FAD	C8M-C8-C9	2.05	125.26	120.34
2	C	601	FAD	P-O3P-PA	-2.02	125.88	132.83
2	A	601	FAD	C10-C4X-N5	-2.02	119.86	121.26
2	A	601	FAD	C4'-C3'-C2'	-2.02	109.17	113.36

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	601	FAD	O4B-C4B-C5B-O5B
2	D	601	FAD	C3B-C4B-C5B-O5B
2	C	601	FAD	O4B-C4B-C5B-O5B
2	B	601	FAD	O4B-C4B-C5B-O5B
2	C	601	FAD	C3B-C4B-C5B-O5B
2	A	601	FAD	O4B-C4B-C5B-O5B
2	B	601	FAD	C3B-C4B-C5B-O5B
2	A	601	FAD	C3B-C4B-C5B-O5B
2	C	601	FAD	C2'-C3'-C4'-O4'
2	C	601	FAD	O3'-C3'-C4'-C5'
2	C	601	FAD	O3'-C3'-C4'-O4'
2	D	601	FAD	C5B-O5B-PA-O1A


There are no ring outliers.


3 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	601	FAD	2	0
2	B	601	FAD	2	0
2	A	601	FAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	394/405 (97%)	0.32	22 (5%) 24 33	29, 51, 83, 114	0
1	B	394/405 (97%)	0.29	15 (3%) 40 49	29, 47, 79, 97	0
1	C	394/405 (97%)	0.42	29 (7%) 14 20	33, 50, 84, 112	0
1	D	394/405 (97%)	0.43	27 (6%) 16 23	34, 57, 92, 113	0
All	All	1576/1620 (97%)	0.37	93 (5%) 22 30	29, 51, 86, 114	0

All (93) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	374	TRP	6.1
1	D	336	GLY	5.4
1	A	390	LEU	5.3
1	A	374	TRP	5.0
1	C	394	LEU	4.9
1	D	332	ALA	4.5
1	D	205	PRO	4.5
1	C	365	ARG	4.4
1	D	368	TYR	4.2
1	A	368	TYR	4.2
1	D	32	ASP	4.2
1	B	362	VAL	4.2
1	C	356	ASN	4.2
1	B	368	TYR	4.1
1	D	98	LEU	4.1
1	D	394	LEU	4.1
1	D	203	VAL	3.8
1	B	370	HIS	3.8
1	A	363	GLY	3.7
1	A	203	VAL	3.6
1	D	346	ILE	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	363	GLY	3.3
1	C	26	LEU	3.3
1	A	244	VAL	3.2
1	C	355	ARG	3.0
1	C	215	ALA	3.0
1	C	368	TYR	3.0
1	A	371	ALA	2.9
1	C	390	LEU	2.9
1	C	221	GLY	2.9
1	A	394	LEU	2.9
1	C	347	ARG	2.9
1	B	204	LEU	2.9
1	A	245	ASP	2.8
1	B	207	PHE	2.8
1	D	244	VAL	2.8
1	A	206	GLY	2.7
1	D	246	GLY	2.7
1	D	290	GLY	2.7
1	D	31	ALA	2.7
1	C	346	ILE	2.6
1	C	332	ALA	2.6
1	D	331	ALA	2.6
1	C	378	LEU	2.6
1	A	249	GLU	2.6
1	A	356	ASN	2.5
1	C	207	PHE	2.5
1	B	211	LEU	2.5
1	A	362	VAL	2.5
1	A	204	LEU	2.5
1	A	375	LEU	2.5
1	D	27	ASN	2.5
1	A	361	ILE	2.5
1	D	245	ASP	2.5
1	C	292	GLU	2.5
1	D	359	ILE	2.4
1	B	120	ARG	2.4
1	D	28	TYR	2.3
1	D	337	GLY	2.3
1	C	358	ALA	2.3
1	C	396	LYS	2.3
1	B	208	ASP	2.3
1	A	364	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	206	GLY	2.3
1	C	203	VAL	2.2
1	D	335	ARG	2.2
1	C	348	GLY	2.2
1	D	277	ARG	2.2
1	C	393	VAL	2.2
1	B	359	ILE	2.2
1	D	221	GLY	2.2
1	B	203	VAL	2.2
1	C	208	ASP	2.2
1	D	338	SER	2.2
1	D	374	TRP	2.2
1	B	3	LYS	2.2
1	C	370	HIS	2.2
1	C	30	GLU	2.2
1	C	211	LEU	2.1
1	A	335	ARG	2.1
1	A	382	ARG	2.1
1	C	334	ILE	2.1
1	C	204	LEU	2.1
1	A	247	GLU	2.1
1	D	249	GLU	2.1
1	C	357	ASP	2.1
1	B	214	TYR	2.1
1	A	3	LYS	2.1
1	D	247	GLU	2.0
1	B	366	LYS	2.0
1	A	367	VAL	2.0
1	C	217	ASP	2.0
1	B	217	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FAD	B	601	53/53	0.94	0.15	31,36,47,59	0
2	FAD	D	601	53/53	0.95	0.13	30,45,51,58	0
2	FAD	C	601	53/53	0.96	0.14	32,39,49,57	0
2	FAD	A	601	53/53	0.97	0.14	31,38,43,76	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around FAD D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.