



## Full wwPDB EM Validation Report ⓘ

Nov 5, 2022 – 10:46 PM EDT

PDB ID : 5WFS  
EMDB ID : EMD-8829  
Title : 70S ribosome-EF-Tu H84A complex with GTP and near-cognate tRNA (Complex C4)  
Authors : Fislage, M.; Frank, J.  
Deposited on : 2017-07-12  
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2903	
2	B	120	
3	C	271	
4	D	208	
5	E	200	
6	F	177	
7	G	174	
8	H	149	


























Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
9	I	141	 24% 92% 7%
10	J	141	 98%
11	K	122	 94% 6%
12	L	143	 90% 9%
13	M	136	 97%
14	N	119	 96%
15	O	116	 99%
16	P	114	 98%
17	Q	115	 97%
18	R	102	 95% 5%
19	S	109	 98%
20	T	92	 95% 5%
21	U	102	 94% 6%
22	V	92	 98%
23	W	75	 97%
24	X	77	 99%
25	Y	60	 97%
26	Z	56	 100%
27	0	55	 96%
28	1	51	 100%
29	2	45	 96%
30	3	64	 97%
31	4	38	 100%
32	5	131	 89% 92% 8%
33	6	66	 95% 5%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	a	1540	
35	b	218	
36	c	206	
37	d	205	
38	e	157	
39	f	100	
40	g	151	
41	h	129	
42	i	127	
43	j	98	
44	k	116	
45	l	121	
46	m	115	
47	n	101	
48	o	88	
49	p	82	
50	q	80	
51	r	65	
52	s	79	
53	t	85	
54	u	65	
55	v	77	
55	w	77	
56	x	12	
57	y	76	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	z	393	<div><div></div><div>96%</div><div></div></div>

## 2 Entry composition

There are 64 unique types of molecules in this entry. The entry contains 155100 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	2900	Total	C	N	O	P	0	0
			62277	27788	11459	20130	2900		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	747	5MC	U	conflict	GB 216643
A	1723	G	A	conflict	GB 216643
A	1847	G	A	conflict	GB 216643

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	120	Total	C	N	O	P	0	0
			2572	1145	471	836	120		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	120	A	U	conflict	GB 1199817771

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	208	Total	C	N	O	S	0	0
			1557	974	287	293	3		

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	200	Total	C	N	O	S	0	0
			1544	969	282	289	4		

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	174	Total	C	N	O	S	0	0
			1304	820	239	243	2		

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 9 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 10 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	141	Total	C	N	O	S	0	0
			1120	708	211	197	4		

- Molecule 11 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 12 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	143	Total	C	N	O	S	0	0
			1043	649	206	186	2		

- Molecule 13 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 14 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 15 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 16 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 17 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	Q	115	Total	C	N	O	0	0
			933	595	190	148		

- Molecule 18 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	102	Total	C	N	O	S	0	0
			810	513	152	143	2		

- Molecule 19 is a protein called 50S ribosomal protein L22.



Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	109	Total	C	N	O	S	0	0
			845	526	162	154	3		

- Molecule 20 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	92	Total	C	N	O	S	0	0
			730	461	138	130	1		

- Molecule 21 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	102	Total	C	N	O		0	0
			779	492	146	141			

- Molecule 22 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	92	Total	C	N	O	S	0	0
			739	471	135	131	2		

- Molecule 23 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	75	Total	C	N	O	S	0	0
			572	355	116	100	1		

- Molecule 24 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 25 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	60	Total	C	N	O	S	0	0
			494	305	96	91	2		

- Molecule 26 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	56	Total	C	N	O	S	0	0
			434	273	85	74	2		

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	0	55	Total	C	N	O	S	0	0
			434	263	92	78	1		

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	1	51	Total	C	N	O	S	0	0
			417	269	76	72			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	2	45	Total	C	N	O	S	0	0
			367	222	88	55	2		

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 31 is a protein called 50S ribosomal protein L36 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 32 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	5	131	Total	C	N	O	S	0	0
			988	625	175	183	5		

- Molecule 33 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	6	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 34 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	a	1540	Total	C	N	O	P	0	0
			33050	14748	6057	10705	1540		

- Molecule 35 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 36 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	c	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 37 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	d	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 38 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	e	157	Total	C	N	O	S	1	0
			1164	724	221	213	6		

- Molecule 39 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	f	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	g	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 41 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	h	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 42 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	i	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 43 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	j	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 44 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	k	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 45 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	l	121	Total	C	N	O	S	0	0
			940	581	193	162	4		

- Molecule 46 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	m	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 47 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	n	101	Total	C	N	O	S	0	0
			810	502	165	140	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
n	35	ALA	-	insertion	UNP B7MCS2

- Molecule 48 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	o	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 49 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	p	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	q	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 51 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	r	65	Total	C	N	O	S	0	0
			535	339	100	95	1		

- Molecule 52 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	s	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 53 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	t	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 54 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	u	65	Total	C	N	O	S	0	0
			544	335	117	91	1		

- Molecule 55 is a RNA chain called tRNA-fMet.

Mol	Chain	Residues	Atoms						AltConf	Trace
55	v	77	Total 1644	C 733	N 297	O 536	P 77	S 1	0	0
55	w	77	Total 1644	C 733	N 297	O 536	P 77	S 1	0	0

- Molecule 56 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	x	12	Total	C	N	O	P	0	0
			252	113	43	84	12		

- Molecule 57 is a RNA chain called Phe-tRNA-Phe.

Mol	Chain	Residues	Atoms						AltConf	Trace
57	y	76	Total	C	N	O	P	S	0	0
			1632	731	290	533	76	2		


- Molecule 58 is a protein called Elongation factor Tu 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	z	393	Total	C	N	O	S	0	0
			3031	1915	522	581	13		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
z	84	ALA	HIS	engineered mutation	UNP A7ZUJ2

- Molecule 59 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C<sub>6</sub>H<sub>11</sub>NO<sub>3</sub>S).



Mol	Chain	Residues	Atoms					AltConf
59	A	1	Total	C	N	O	S	0
			10	6	1	2	1	

- Molecule 60 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
60	A	1011	Total	Mg	0
			1011	1011	
60	B	37	Total	Mg	0
			37	37	
60	C	1	Total	Mg	0
			1	1	
60	D	2	Total	Mg	0
			2	2	
60	E	1	Total	Mg	0
			1	1	
60	M	2	Total	Mg	0
			2	2	
60	N	1	Total	Mg	0
			1	1	
60	Q	1	Total	Mg	0
			1	1	
60	T	1	Total	Mg	0
			1	1	
60	W	1	Total	Mg	0
			1	1	
60	0	3	Total	Mg	0
			3	3	

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms		AltConf
60	2	1	Total 1	Mg 1	0
60	a	392	Total 392	Mg 392	0
60	d	1	Total 1	Mg 1	0
60	e	1	Total 1	Mg 1	0
60	i	1	Total 1	Mg 1	0
60	u	1	Total 1	Mg 1	0
60	v	6	Total 6	Mg 6	0
60	w	2	Total 2	Mg 2	0
60	x	1	Total 1	Mg 1	0
60	y	2	Total 2	Mg 2	0
60	z	2	Total 2	Mg 2	0

- Molecule 61 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
61	A	6	Total 6	K 6	0
61	a	1	Total 1	K 1	0


- Molecule 62 is PHENYLALANINE (three-letter code: PHE) (formula: C<sub>9</sub>H<sub>11</sub>NO<sub>2</sub>).





Mol	Chain	Residues	Atoms				AltConf
62	z	1	Total	C	N	O	0
			11	9	1	1	

- Molecule 63 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms					AltConf
63	z	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 64 is water.

Mol	Chain	Residues	Atoms	AltConf
64	A	828	Total O 828 828	0
64	B	29	Total O 29 29	0
64	C	5	Total O 5 5	0
64	D	6	Total O 6 6	0
64	E	5	Total O 5 5	0
64	J	4	Total O 4 4	0
64	L	5	Total O 5 5	0
64	N	1	Total O 1 1	0
64	O	1	Total O 1 1	0
64	Q	3	Total O 3 3	0
64	R	1	Total O 1 1	0
64	S	3	Total O 3 3	0
64	W	2	Total O 2 2	0
64	X	3	Total O 3 3	0
64	Y	1	Total O 1 1	0
64	0	2	Total O 2 2	0
64	1	1	Total O 1 1	0
64	2	2	Total O 2 2	0
64	3	1	Total O 1 1	0
64	a	253	Total O 253 253	0
64	c	1	Total O 1 1	0
64	i	1	Total O 1 1	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		AltConf
64	j	1	Total 1	O 1	0
64	l	2	Total 2	O 2	0
64	m	1	Total 1	O 1	0
64	o	1	Total 1	O 1	0
64	q	1	Total 1	O 1	0
64	s	3	Total 3	O 3	0
64	u	1	Total 1	O 1	0
64	v	3	Total 3	O 3	0
64	w	1	Total 1	O 1	0
64	x	1	Total 1	O 1	0
64	y	2	Total 2	O 2	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 23S rRNA



A2835	G2723	A2435	G2320	A2191	G2069	U1939	G1835	A1679	G1540	C1437	G1288
A2836	U2724	G2436	U2321	U2192	C2072	U1940	G1836		C1541		C1289
A2837	A2725	A2725	A2322	G2193		C1941	G1839	U1693	G1542	C1451	
U2845	A2726	U2441		U2194	A2077	C1942	G1839	G1695	G1543	G1452	
			G2325			U1955	G1842		G1546	A1453	
U2849	G2729	G2445	C2326	A2198	A2080			G1703		G1456	
		G2446	A2327	A2199		C1962	G1847		G1555	U1457	
C2853	G2732	A2602	G2331	G2204	U2092	U1963		G1715	G1558	A1321	
G2857	U2739	G2603	G2332		U2093	G1964	U1853	U1716	C1558	G1459	
C2858	A2740	U2604	A2333	A2211	A2094	C1965	A1853	A1717	U1559	U1460	
G2859	U2605	U2457	A2333		A2095	U1966	G1857		U1544	U1344	
		G2458	A2336	C2214	C2096	C1967	A1858	G1721	A1566	C1461	
A2860	U2609	A2459	G2337		A2097			A1722	G1475		
U2861	C2610		G2337	U2220	U2098	U1970	G1863	G1723	A1569	G1346	
	U2613	A2469	G2345	G2223	U2099	U1971		G1724			
G2867			A2346	G2223	G2100	G1972	A1866	G1725	A1572		
A2868	A2753	G2472	C2347	G2224	U2106	U1976	G1867	G1726	U1578		
		U2473	C2347	A2225	G2107			A1727			
A2872	G2768	U2474	C2350	C2226	U2107	U1982	C1870	C1728	A1579	U1481	
A2873	G2769	U2475	G2351	G2238	A2108	U1991	A1871	U1729	C1580	G1482	
C2874	A2761	C2475	A2352	G2239	U2109	G1991	A1872	U1730	G1581	G1483	
		A2476		G2239	U2110	U1992	G1873	G1731	C1582	U1484	
			G2357	G2246	U2111	G1992	C1874	G1732	A1583	A1365	
A2879	A2764	G2481	G2357		G2112	U1993	G1875	U1733	U1584	G1368	
C2880	A2765		G2361	G2246	U2113	U1997	A1876	U1735	C1585		
U2881		U2491	G2361	G2251	U2118	C1997	A1877	G1735		A1490	
A2882	U2769	U2492	G2373	G2263	A2119	G2004	G1878	G1738	U1589	A1378	
A2883	G2770	U2493	G2373	C2263	G2120			A1739	A1590	U1379	
U2884	C2771	G2494	A2377		G2121	G2004	C1881		A1591	C1386	
C2885			A2378	A2267		C2021		G1750	C1607	A1387	
A2886	A2778	C2498	A2378	A2268	G2127	U2022	G1884		A1608		
		G2502	G2383	A2278		C2023	A1885	C1764	A1503	A1392	
U2891	G2782	G2655	U2384		U2131	G2027	A1890		A1609		
C2892	U2783	A2503	C2384	A2788	U2132	U2028		A1773	C1611	A1395	
A2893	U2784	U2504	C2385	C2283	G2133	G2029	G1896		C1611	U1396	
C2894		G2668	G2391	C2283	A2134	A2030		G1776	C1612	U1397	
	U2790	G2669	A2392	G2286			C1902		A1616	U1506	
U2897	G2791	A2670	A2392	A2287	G2141	A2033		A1780	C1617	C1507	
	A2792	G2671	G2396		U2292		C1905	A1781	A1509	C1399	
C2793	C2793	A2518		U2292	C2145	A2033	G1905	U1781	A1618	A1403	
	G2796	G2823	U2401	G2293	C2146	C2036	G1906	U1782	G1622	G1407	
U2797	U2797	U2689	A2402	G2294	A2147		G1907	A1784		G1408	
U2798	G2799	G2529	C2403	C2295	G2147	C2043			C1644	U1409	
C2691	G2799	A2530	U2404	U2296	G2157	G2049	U1911			G1410	
G2692	G2692		G2405	A2297	G2162	C2050	A1912	A1791	U1522		
G2801		G2535	A2406		A2163	A2051	C1913		U1523	G1416	
A2802	G2802		A2407	U2302	G2164	C2055	C1914	C1800	A1524	C1417	
		A2547	U2408	G2306	C2164	G2056	3TD1915	A1801	G1524	G1418	
C2806		U2552	G2409	U2305	G2170		A1916	A1802		A1419	
G2807	G2807	G2553	G2410	G2307	A2170	G2056	U1917	A1908	G1529	A1420	
G2808	U2712		G2414	G2308	A2171	A2059		A1927			
A2809	U2713	U2554	G2414	A2309	G2171	A2060	A1928	G1811	C1533	A1427	
	G2714	A2566	U2423	A2310	U2172	G2061	G1929	U1812	A1672	C1428	
		G2567	C2424	A2311	A2173	A2062	G1930		G1673	G1432	
	G2718			G2186	G2186	C2063		C1816	C1675	A1433	
U2818		A2572	G2429	G2315	U2189	G2067	A1936	G1817		G1537	
A2820	G2820	C2573		G2319	U2190	U2068	A1937	U1818	A1378	A1434	
A2821		G2574	A2430	G2316	U2190	G2067	A1938	U1819	A1678	U1435	

• Molecule 2: 5S rRNA

Chain B:  62% 38%

U1	C4	U5	G6	C11	C12	G13	U14	A15	U22	G23	G24	G33	A34	C35	C36	U40	G41	C42	C43	G44	A45	U46	G51	A52	A53	G56	A57	A58	A59	G60	G61	G64	U65	A66	G67	C70	G81	U87	C88	U89	C90	C91	U95	G96	G100
----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------




- Molecule 3: 50S ribosomal protein L2

Chain C: 96% .



- Molecule 4: 50S ribosomal protein L3

Chain D: 95% 5%



- Molecule 5: 50S ribosomal protein L4

Chain E: 94% 6%



- Molecule 6: 50S ribosomal protein L5

Chain F: 98% ..




- Molecule 7: 50S ribosomal protein L6

Chain G: 99% .




- Molecule 8: 50S ribosomal protein L9

Chain H: 10% 94% 5% .



- Molecule 9: 50S ribosomal protein L11

Chain I: 24% 92% 7% .



- Molecule 10: 50S ribosomal protein L13

Chain J:  98%




- Molecule 11: 50S ribosomal protein L14

Chain K:  94%




- Molecule 12: 50S ribosomal protein L15

Chain L:  90%



- Molecule 13: 50S ribosomal protein L16

Chain M:  97%



- Molecule 14: 50S ribosomal protein L17

Chain N:  96%



- Molecule 15: 50S ribosomal protein L18

Chain O:  99%




- Molecule 16: 50S ribosomal protein L19

Chain P:  98% .



- Molecule 17: 50S ribosomal protein L20

Chain Q:  97% .



- Molecule 18: 50S ribosomal protein L21

Chain R:  95% 5%



- Molecule 19: 50S ribosomal protein L22

Chain S:  98% .



- Molecule 20: 50S ribosomal protein L23

Chain T:  95% 5%



- Molecule 21: 50S ribosomal protein L24

Chain U:  94% 6%



- Molecule 22: 50S ribosomal protein L25

Chain V:  98% .



- Molecule 23: 50S ribosomal protein L27




Chain W:  97% .



- Molecule 24: 50S ribosomal protein L28

Chain X:  99% .



- Molecule 25: 50S ribosomal protein L29

Chain Y:  97% .



- Molecule 26: 50S ribosomal protein L30

Chain Z:  100%

There are no outlier residues recorded for this chain.

- Molecule 27: 50S ribosomal protein L32

Chain 0:  96% .



- Molecule 28: 50S ribosomal protein L33

Chain 1:  100%

There are no outlier residues recorded for this chain.

- Molecule 29: 50S ribosomal protein L34

Chain 2:  96% .



- Molecule 30: 50S ribosomal protein L35

Chain 3:  97% .





- Molecule 31: 50S ribosomal protein L36 1

Chain 4:  100%

There are no outlier residues recorded for this chain.

- Molecule 32: 50S ribosomal protein L10

Chain 5:  89% 92% 8%




- Molecule 33: 50S ribosomal protein L31


Chain 6:  95% 5%



- Molecule 34: 16S rRNA

Chain a:  67% 32%





• Molecule 35: 30S ribosomal protein S2

Chain b: 96%




• Molecule 36: 30S ribosomal protein S3

Chain c: 96%




• Molecule 37: 30S ribosomal protein S4

Chain d: 97%




• Molecule 38: 30S ribosomal protein S5

Chain e:  96% .



- Molecule 39: 30S ribosomal protein S6

Chain f:  93% 7%



- Molecule 40: 30S ribosomal protein S7

Chain g:  92% 8%



- Molecule 41: 30S ribosomal protein S8

Chain h:  98% .



- Molecule 42: 30S ribosomal protein S9

Chain i:  94% 5% .



- Molecule 43: 30S ribosomal protein S10

Chain j:  94% 6%



- Molecule 44: 30S ribosomal protein S11

Chain k:  93% 7%



- Molecule 45: 30S ribosomal protein S12

Chain l:  93% 7%




- Molecule 46: 30S ribosomal protein S13

Chain m:  97%



- Molecule 47: 30S ribosomal protein S14

Chain n:  94% 6%



- Molecule 48: 30S ribosomal protein S15

Chain o:  94% 6%




- Molecule 49: 30S ribosomal protein S16

Chain p:  95% 5%





- Molecule 50: 30S ribosomal protein S17

Chain q:  92% 8%



- Molecule 51: 30S ribosomal protein S18

Chain r:  86% 14%



- Molecule 52: 30S ribosomal protein S19

Chain s:  97% .




- Molecule 53: 30S ribosomal protein S20

Chain t:  95% 5%



- Molecule 54: 30S ribosomal protein S21

Chain u:  82% 18%



- Molecule 55: tRNA-fMet

Chain v:  66% 31% .




- Molecule 55: tRNA-fMet

Chain w:  8% 53% 42% 5%




- Molecule 56: mRNA

Chain x:  67% 33%




- Molecule 57: Phe-tRNA-Phe

Chain y:  53% 42% 5%



- Molecule 58: Elongation factor Tu 2



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	58475	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	67	Depositor
Minimum defocus (nm)	300	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	51020	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.288	Depositor
Minimum map value	-0.143	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.00532	Depositor
Map size (Å)	390.04, 390.04, 390.04	wwPDB
Map dimensions	398, 398, 398	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.98, 0.98, 0.98	Depositor



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, H2U, OMG, OMU, PSU, 2MA, 5MU, UR3, OMC, 5MC, 4OC, MIA, MG, MA6, 4SU, FME, 7MG, K, 2MG, 3TD, 1MG, 6MZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	1/69174 (0.0%)	0.70	16/107907 (0.0%)
2	B	0.30	1/2876 (0.0%)	0.71	0/4483
3	C	0.35	0/2121	0.70	0/2852
4	D	0.35	0/1578	0.60	0/2124
5	E	0.35	0/1563	0.64	0/2103
6	F	0.38	0/1434	0.61	0/1926
7	G	0.35	0/1324	0.56	0/1794
8	H	0.39	0/1122	0.57	0/1515
9	I	0.43	0/1046	0.60	0/1410
10	J	0.34	0/1143	0.61	0/1540
11	K	0.35	0/947	0.68	0/1268
12	L	0.36	0/1052	0.71	0/1401
13	M	0.37	0/1093	0.63	0/1460
14	N	0.38	0/964	0.71	0/1289
15	O	0.36	0/902	0.63	0/1209
16	P	0.36	0/929	0.64	0/1242
17	Q	0.36	0/946	0.67	0/1260
18	R	0.35	0/823	0.60	0/1100
19	S	0.33	0/852	0.67	0/1142
20	T	0.35	0/736	0.61	0/984
21	U	0.34	0/787	0.57	0/1051
22	V	0.35	0/752	0.55	0/1008
23	W	0.35	0/579	0.64	0/767
24	X	0.36	0/635	0.65	0/848
25	Y	0.38	0/495	0.59	0/658
26	Z	0.36	0/438	0.60	0/586
27	0	0.33	0/440	0.67	0/588
28	1	0.35	0/424	0.56	0/565
29	2	0.38	0/370	0.78	0/487
30	3	0.33	0/513	0.62	0/676
31	4	0.33	0/303	0.65	0/397

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	5	0.43	0/1001	0.58	0/1350
33	6	0.40	0/531	0.54	0/709
34	a	0.26	7/36725 (0.0%)	0.71	10/57285 (0.0%)
35	b	0.37	0/1735	0.54	0/2338
36	c	0.36	0/1651	0.59	0/2225
37	d	0.40	0/1665	0.61	0/2227
38	e	0.35	0/1180	0.61	0/1587
39	f	0.36	0/835	0.59	0/1128
40	g	0.36	0/1195	0.60	0/1602
41	h	0.34	0/989	0.61	0/1326
42	i	0.38	0/1034	0.69	0/1375
43	j	0.36	0/796	0.65	0/1077
44	k	0.36	0/885	0.60	0/1195
45	l	0.37	0/954	0.67	0/1282
46	m	0.36	0/900	0.64	0/1204
47	n	0.37	0/822	0.66	0/1095
48	o	0.35	0/722	0.61	0/964
49	p	0.38	0/659	0.58	0/884
50	q	0.37	0/657	0.65	0/881
51	r	0.40	0/544	0.61	0/731
52	s	0.37	0/652	0.62	0/877
53	t	0.36	0/671	0.61	0/888
54	u	0.45	0/550	0.75	0/728
55	v	0.33	1/1747 (0.1%)	0.68	0/2721
55	w	0.34	1/1747 (0.1%)	0.96	4/2721 (0.1%)
56	x	0.23	0/280	0.73	0/433
57	y	0.33	1/1607 (0.1%)	0.68	0/2501
58	z	0.37	0/3086	0.56	0/4175
All	All	0.30	12/164181 (0.0%)	0.69	30/245149 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
34	a	0	2
All	All	0	3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	v	0	C	OP3-P	-10.16	1.49	1.61
2	B	1	U	OP3-P	-10.16	1.49	1.61
1	A	1	G	OP3-P	-10.15	1.49	1.61
55	w	1	C	OP3-P	-10.12	1.49	1.61
57	y	1	G	OP3-P	-10.07	1.49	1.61
34	a	141	G	C2-N2	-6.71	1.27	1.34
34	a	222	C	C4-N4	-6.31	1.28	1.33
34	a	141	G	N1-C2	-6.20	1.32	1.37
34	a	222	C	N3-C4	-5.32	1.30	1.33
34	a	222	C	N1-C2	5.26	1.45	1.40
34	a	141	G	C6-N1	-5.15	1.35	1.39
34	a	141	G	C5-C6	5.05	1.47	1.42

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	w	117	U	P-O3'-C3'	28.03	153.34	119.70
55	w	117	U	O3'-P-O5'	18.55	139.25	104.00
55	w	117	U	OP1-P-O3'	-9.49	84.33	105.20
34	a	222	C	N1-C2-O2	8.24	123.84	118.90
1	A	1484	U	N1-C1'-C2'	8.16	124.61	114.00
1	A	2407	A	C2'-C3'-O3'	7.93	126.94	109.50
34	a	222	C	C2-N1-C1'	6.92	126.41	118.80
34	a	1399	C	C2'-C3'-O3'	6.86	124.67	113.70
34	a	141	G	O4'-C1'-N9	6.84	113.67	108.20
34	a	141	G	C5-C6-O6	6.66	132.59	128.60
34	a	1305	G	C2'-C3'-O3'	6.60	124.27	113.70
1	A	1051	G	N9-C1'-C2'	6.28	122.17	114.00
34	a	384	G	N9-C1'-C2'	6.14	121.98	114.00
1	A	242	G	C2'-C3'-O3'	6.14	123.52	113.70
1	A	614	A	C4'-C3'-O3'	-5.96	96.89	109.40
1	A	1022	G	C2'-C3'-O3'	5.96	123.23	113.70
1	A	2475	C	N1-C1'-C2'	5.69	121.40	114.00
1	A	2391	G	C4'-C3'-O3'	5.59	124.17	113.00
34	a	222	C	C6-N1-C1'	-5.51	114.18	120.80
34	a	1448	C	N1-C1'-C2'	5.32	120.92	114.00
1	A	1475	G	C2'-C3'-O3'	5.28	122.15	113.70
1	A	301	G	C4'-C3'-O3'	5.28	123.55	113.00
1	A	1050	A	C2'-C3'-O3'	5.27	122.14	113.70
1	A	1536	C	C2'-C3'-O3'	5.22	122.06	113.70
34	a	1432	G	C2'-C3'-O3'	5.18	121.99	113.70
1	A	710	U	C2'-C3'-O3'	5.14	121.93	113.70
55	w	17	C	P-O3'-C3'	5.14	125.87	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	614	A	O4'-C1'-N9	-5.08	104.14	108.20
1	A	1126	A	N9-C1'-C2'	5.07	120.58	114.00
1	A	204	A	C4'-C3'-O3'	5.06	123.12	113.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1054	A	Sidechain
34	a	141	G	Sidechain
34	a	222	C	Sidechain

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	269/271 (99%)	239 (89%)	27 (10%)	3 (1%)	14	50
4	D	206/208 (99%)	190 (92%)	15 (7%)	1 (0%)	29	68
5	E	198/200 (99%)	178 (90%)	18 (9%)	2 (1%)	15	53
6	F	175/177 (99%)	157 (90%)	16 (9%)	2 (1%)	14	50
7	G	172/174 (99%)	158 (92%)	14 (8%)	0	100	100
8	H	147/149 (99%)	128 (87%)	15 (10%)	4 (3%)	5	26
9	I	139/141 (99%)	109 (78%)	23 (16%)	7 (5%)	2	12
10	J	139/141 (99%)	130 (94%)	8 (6%)	1 (1%)	22	60
11	K	120/122 (98%)	106 (88%)	10 (8%)	4 (3%)	4	21

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	L	141/143 (99%)	117 (83%)	18 (13%)	6 (4%)	2	15
13	M	134/136 (98%)	128 (96%)	5 (4%)	1 (1%)	22	60
14	N	117/119 (98%)	101 (86%)	14 (12%)	2 (2%)	9	39
15	O	114/116 (98%)	105 (92%)	8 (7%)	1 (1%)	17	55
16	P	112/114 (98%)	99 (88%)	12 (11%)	1 (1%)	17	55
17	Q	113/115 (98%)	111 (98%)	2 (2%)	0	100	100
18	R	100/102 (98%)	85 (85%)	12 (12%)	3 (3%)	4	24
19	S	107/109 (98%)	100 (94%)	6 (6%)	1 (1%)	17	55
20	T	90/92 (98%)	81 (90%)	7 (8%)	2 (2%)	6	31
21	U	100/102 (98%)	87 (87%)	9 (9%)	4 (4%)	3	17
22	V	90/92 (98%)	86 (96%)	3 (3%)	1 (1%)	14	50
23	W	73/75 (97%)	68 (93%)	5 (7%)	0	100	100
24	X	75/77 (97%)	69 (92%)	6 (8%)	0	100	100
25	Y	58/60 (97%)	54 (93%)	3 (5%)	1 (2%)	9	39
26	Z	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
27	0	53/55 (96%)	44 (83%)	8 (15%)	1 (2%)	8	36
28	1	49/51 (96%)	43 (88%)	6 (12%)	0	100	100
29	2	43/45 (96%)	40 (93%)	2 (5%)	1 (2%)	6	30
30	3	62/64 (97%)	59 (95%)	3 (5%)	0	100	100
31	4	36/38 (95%)	31 (86%)	5 (14%)	0	100	100
32	5	129/131 (98%)	99 (77%)	21 (16%)	9 (7%)	1	6
33	6	64/66 (97%)	58 (91%)	4 (6%)	2 (3%)	4	23
35	b	216/218 (99%)	186 (86%)	25 (12%)	5 (2%)	6	30
36	c	204/206 (99%)	183 (90%)	15 (7%)	6 (3%)	4	24
37	d	203/205 (99%)	183 (90%)	17 (8%)	3 (2%)	10	42
38	e	156/157 (99%)	133 (85%)	21 (14%)	2 (1%)	12	45
39	f	98/100 (98%)	85 (87%)	9 (9%)	4 (4%)	3	16
40	g	149/151 (99%)	131 (88%)	11 (7%)	7 (5%)	2	14
41	h	127/129 (98%)	116 (91%)	11 (9%)	0	100	100
42	i	125/127 (98%)	97 (78%)	24 (19%)	4 (3%)	4	22
43	j	96/98 (98%)	73 (76%)	18 (19%)	5 (5%)	2	12

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
44	k	114/116 (98%)	97 (85%)	11 (10%)	6 (5%)	2	11
45	l	119/121 (98%)	93 (78%)	19 (16%)	7 (6%)	1	9
46	m	113/115 (98%)	102 (90%)	9 (8%)	2 (2%)	8	37
47	n	99/101 (98%)	84 (85%)	10 (10%)	5 (5%)	2	12
48	o	86/88 (98%)	79 (92%)	4 (5%)	3 (4%)	3	20
49	p	80/82 (98%)	70 (88%)	8 (10%)	2 (2%)	5	28
50	q	78/80 (98%)	67 (86%)	7 (9%)	4 (5%)	2	12
51	r	63/65 (97%)	54 (86%)	6 (10%)	3 (5%)	2	13
52	s	77/79 (98%)	67 (87%)	10 (13%)	0	100	100
53	t	83/85 (98%)	77 (93%)	4 (5%)	2 (2%)	6	29
54	u	63/65 (97%)	41 (65%)	12 (19%)	10 (16%)	0	1
58	z	391/393 (100%)	357 (91%)	22 (6%)	12 (3%)	4	23
All	All	6219/6322 (98%)	5486 (88%)	581 (9%)	152 (2%)	9	29

All (152) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	70	LYS
5	E	83	VAL
6	F	11	VAL
11	K	89	ASN
16	P	65	ASN
32	5	123	ILE
36	c	96	VAL
36	c	156	LEU
42	i	90	ASP
43	j	57	VAL
44	k	88	PRO
44	k	94	SER
53	t	39	GLU
54	u	13	VAL
54	u	14	ALA
54	u	37	TYR
5	E	8	ALA
8	H	3	VAL
8	H	122	LEU
9	I	7	TYR
9	I	38	CYS

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
10	J	81	ILE
12	L	92	LEU
14	N	117	ASP
15	O	66	GLY
18	R	54	VAL
18	R	55	ASP
20	T	37	ASP
32	5	60	LEU
38	e	77	ASN
40	g	20	GLU
40	g	64	ALA
40	g	129	ASN
42	i	57	VAL
42	i	108	ARG
43	j	29	ALA
44	k	51	PHE
44	k	103	GLY
45	l	75	GLU
46	m	7	ASN
47	n	22	LYS
47	n	55	SER
47	n	90	ARG
48	o	2	LEU
51	r	10	CYS
51	r	17	VAL
54	u	9	GLU
54	u	30	GLU
58	z	161	ASP
8	H	15	LEU
8	H	41	LYS
9	I	6	ALA
9	I	64	ARG
11	K	110	GLU
13	M	69	PRO
14	N	59	SER
22	V	58	SER
25	Y	24	GLU
27	0	2	VAL
32	5	48	ALA
32	5	88	HIS
33	6	4	ASP
35	b	63	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
35	b	73	ARG
36	c	95	GLY
37	d	191	SER
39	f	33	GLU
42	i	124	PRO
44	k	118	ASN
45	l	42	LYS
45	l	88	ASP
47	n	2	LYS
47	n	38	ASP
50	q	17	GLU
51	r	46	THR
54	u	11	PHE
58	z	249	GLU
3	C	150	GLY
4	D	149	ASN
6	F	20	ASN
9	I	10	LEU
12	L	15	ALA
12	L	29	LYS
12	L	31	GLY
18	R	43	ASN
20	T	38	ALA
21	U	6	ARG
21	U	97	SER
32	5	118	ILE
35	b	151	LYS
36	c	147	GLY
37	d	166	LYS
38	e	93	VAL
39	f	63	ASN
40	g	18	GLY
40	g	19	SER
40	g	112	ASP
43	j	35	GLN
44	k	13	LYS
45	l	46	SER
48	o	13	GLU
50	q	49	ASN
50	q	69	THR
50	q	79	GLU
58	z	332	PHE

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
9	I	92	PRO
11	K	35	VAL
19	S	65	ASP
29	2	2	LYS
32	5	55	VAL
32	5	113	PHE
35	b	11	ALA
35	b	192	PRO
36	c	144	GLY
37	d	34	GLU
39	f	92	THR
40	g	56	SER
45	l	33	CYS
45	l	77	SER
48	o	45	HIS
49	p	64	GLY
53	t	44	ALA
54	u	12	ASP
54	u	36	PHE
54	u	65	ARG
58	z	9	LYS
58	z	82	PRO
58	z	126	GLY
58	z	137	CYS
58	z	180	GLY
12	L	115	GLU
21	U	75	ALA
32	5	22	ALA
32	5	108	VAL
39	f	56	LYS
43	j	6	ILE
43	j	75	ASP
45	l	2	THR
46	m	102	LYS
49	p	49	GLY
54	u	24	LYS
58	z	2	LYS
58	z	207	ASP
58	z	248	LYS
11	K	93	GLN
12	L	85	VAL
36	c	148	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	168	GLY
58	z	52	ALA
9	I	12	VAL
21	U	38	ILE
33	6	55	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	216/216 (100%)	207 (96%)	9 (4%)	30	66
4	D	163/163 (100%)	154 (94%)	9 (6%)	21	57
5	E	164/164 (100%)	154 (94%)	10 (6%)	18	53
6	F	148/148 (100%)	145 (98%)	3 (2%)	55	83
7	G	135/135 (100%)	133 (98%)	2 (2%)	65	87
8	H	114/114 (100%)	108 (95%)	6 (5%)	22	58
9	I	109/109 (100%)	104 (95%)	5 (5%)	27	64
10	J	115/115 (100%)	113 (98%)	2 (2%)	60	85
11	K	103/103 (100%)	100 (97%)	3 (3%)	42	76
12	L	102/102 (100%)	93 (91%)	9 (9%)	10	36
13	M	109/109 (100%)	106 (97%)	3 (3%)	43	77
14	N	99/99 (100%)	95 (96%)	4 (4%)	31	68
15	O	86/86 (100%)	86 (100%)	0	100	100
16	P	99/99 (100%)	98 (99%)	1 (1%)	76	91
17	Q	88/88 (100%)	85 (97%)	3 (3%)	37	72
18	R	84/84 (100%)	82 (98%)	2 (2%)	49	79
19	S	92/92 (100%)	91 (99%)	1 (1%)	73	90
20	T	79/79 (100%)	76 (96%)	3 (4%)	33	69
21	U	83/83 (100%)	81 (98%)	2 (2%)	49	79
22	V	77/77 (100%)	76 (99%)	1 (1%)	69	89

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	W	57/57 (100%)	55 (96%)	2 (4%)	36	71
24	X	67/67 (100%)	66 (98%)	1 (2%)	65	87
25	Y	55/55 (100%)	54 (98%)	1 (2%)	59	85
26	Z	47/47 (100%)	47 (100%)	0	100	100
27	0	46/46 (100%)	45 (98%)	1 (2%)	52	81
28	1	46/46 (100%)	46 (100%)	0	100	100
29	2	37/37 (100%)	36 (97%)	1 (3%)	44	77
30	3	51/51 (100%)	49 (96%)	2 (4%)	32	69
31	4	34/34 (100%)	34 (100%)	0	100	100
32	5	100/100 (100%)	99 (99%)	1 (1%)	76	91
33	6	59/59 (100%)	58 (98%)	1 (2%)	60	85
35	b	180/180 (100%)	177 (98%)	3 (2%)	60	85
36	c	170/170 (100%)	168 (99%)	2 (1%)	71	90
37	d	172/172 (100%)	169 (98%)	3 (2%)	60	85
38	e	120/119 (101%)	115 (96%)	5 (4%)	30	66
39	f	87/87 (100%)	84 (97%)	3 (3%)	37	72
40	g	124/124 (100%)	119 (96%)	5 (4%)	31	68
41	h	104/104 (100%)	102 (98%)	2 (2%)	57	84
42	i	105/105 (100%)	101 (96%)	4 (4%)	33	69
43	j	86/86 (100%)	85 (99%)	1 (1%)	71	90
44	k	89/89 (100%)	87 (98%)	2 (2%)	52	81
45	l	102/102 (100%)	99 (97%)	3 (3%)	42	76
46	m	93/93 (100%)	91 (98%)	2 (2%)	52	81
47	n	83/83 (100%)	82 (99%)	1 (1%)	71	90
48	o	76/76 (100%)	74 (97%)	2 (3%)	46	78
49	p	65/65 (100%)	63 (97%)	2 (3%)	40	75
50	q	74/74 (100%)	72 (97%)	2 (3%)	44	77
51	r	56/56 (100%)	50 (89%)	6 (11%)	6	26
52	s	70/70 (100%)	68 (97%)	2 (3%)	42	76
53	t	65/65 (100%)	63 (97%)	2 (3%)	40	75
54	u	55/55 (100%)	53 (96%)	2 (4%)	35	70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
58	z	325/325 (100%)	323 (99%)	2 (1%)	86	95
All	All	5165/5164 (100%)	5021 (97%)	144 (3%)	46	77

All (144) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	C	35	LYS
3	C	42	ARG
3	C	69	ASN
3	C	101	ARG
3	C	104	LEU
3	C	110	LYS
3	C	200	MET
3	C	212	TRP
3	C	263	ASP
4	D	12	THR
4	D	30	GLU
4	D	33	ARG
4	D	39	ASP
4	D	51	THR
4	D	55	LYS
4	D	151	THR
4	D	189	VAL
4	D	204	LYS
5	E	2	GLU
5	E	57	LYS
5	E	69	ARG
5	E	117	ARG
5	E	136	GLN
5	E	139	LYS
5	E	144	GLU
5	E	158	PHE
5	E	165	HIS
5	E	188	MET
6	F	11	VAL
6	F	67	THR
6	F	114	ARG
7	G	94	ARG
7	G	169	ARG
8	H	17	ASP
8	H	77	THR
8	H	96	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
8	H	122	LEU
8	H	134	VAL
8	H	145	ASN
9	I	9	LYS
9	I	12	VAL
9	I	30	GLN
9	I	67	THR
9	I	134	SER
10	J	12	LYS
10	J	138	GLN
11	K	31	ARG
11	K	58	LEU
11	K	61	VAL
12	L	1	MET
12	L	2	ARG
12	L	3	LEU
12	L	14	LYS
12	L	41	ARG
12	L	60	ARG
12	L	63	LYS
12	L	92	LEU
12	L	125	LEU
13	M	6	ARG
13	M	40	ARG
13	M	100	LYS
14	N	34	ILE
14	N	46	ARG
14	N	117	ASP
14	N	118	ARG
16	P	67	GLU
17	Q	8	ILE
17	Q	40	LYS
17	Q	101	ASP
18	R	66	HIS
18	R	73	LYS
19	S	29	VAL
20	T	69	ARG
20	T	76	ARG
20	T	91	GLN
21	U	65	GLN
21	U	73	ASN
22	V	42	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
23	W	8	ASN
23	W	16	ARG
24	X	59	ASP
25	Y	2	LYS
27	0	45	ASP
29	2	22	MET
30	3	53	ASP
30	3	61	LEU
32	5	29	ASP
33	6	37	CYS
35	b	21	TYR
35	b	99	MET
35	b	122	ASP
36	c	138	GLN
36	c	174	LEU
37	d	33	ILE
37	d	140	ASP
37	d	158	LEU
38	e	11	GLN
38	e	45	VAL
38	e	121	ASN
38	e	136	VAL
38	e	141	ASP
39	f	38	ARG
39	f	39	LEU
39	f	91	ARG
40	g	2	ARG
40	g	11	ILE
40	g	76	SER
40	g	89	GLU
40	g	147	ASN
41	h	111	THR
41	h	120	LEU
42	i	41	GLU
42	i	42	THR
42	i	65	THR
42	i	108	ARG
43	j	45	ARG
44	k	28	ASN
44	k	126	ARG
45	l	38	THR
45	l	77	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
45	l	93	ARG
46	m	13	HIS
46	m	89	ARG
47	n	17	ASP
48	o	17	ASP
48	o	88	ARG
49	p	31	ARG
49	p	34	GLU
50	q	3	LYS
50	q	52	CYS
51	r	9	PHE
51	r	11	ARG
51	r	13	THR
51	r	27	THR
51	r	41	SER
51	r	42	ARG
52	s	5	LYS
52	s	6	LYS
53	t	7	LYS
53	t	42	ASP
54	u	32	ARG
54	u	62	GLU
58	z	22	HIS
58	z	181	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	59	GLN
7	G	37	ASN
7	G	103	ASN
8	H	18	GLN
9	I	42	ASN
18	R	11	GLN
21	U	65	GLN
32	5	4	ASN
35	b	18	GLN
37	d	151	GLN
39	f	63	ASN
44	k	39	ASN
48	o	27	GLN
53	t	69	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
58	z	135	ASN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2893/2903 (99%)	815 (28%)	91 (3%)
2	B	119/120 (99%)	44 (36%)	7 (5%)
34	a	1536/1540 (99%)	492 (32%)	0
55	v	76/77 (98%)	23 (30%)	0
55	w	76/77 (98%)	33 (43%)	0
56	x	11/12 (91%)	4 (36%)	0
57	y	74/76 (97%)	30 (40%)	0
All	All	4785/4805 (99%)	1441 (30%)	98 (2%)

All (1441) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	2	G
1	A	3	U
1	A	5	A
1	A	10	A
1	A	12	U
1	A	13	A
1	A	15	G
1	A	23	G
1	A	26	G
1	A	34	U
1	A	35	G
1	A	36	G
1	A	45	G
1	A	46	G
1	A	52	A
1	A	60	G
1	A	63	A
1	A	71	A
1	A	74	A
1	A	75	G
1	A	76	C
1	A	80	G
1	A	81	G
1	A	85	G

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	86	G
1	A	96	C
1	A	100	U
1	A	101	A
1	A	102	U
1	A	103	A
1	A	118	A
1	A	119	A
1	A	120	U
1	A	125	A
1	A	126	A
1	A	135	U
1	A	138	U
1	A	139	U
1	A	140	C
1	A	141	G
1	A	146	A
1	A	147	C
1	A	148	U
1	A	149	A
1	A	157	C
1	A	158	U
1	A	159	G
1	A	160	A
1	A	161	A
1	A	162	U
1	A	163	C
1	A	166	U
1	A	170	U
1	A	171	U
1	A	181	A
1	A	196	A
1	A	199	A
1	A	205	G
1	A	215	G
1	A	216	A
1	A	219	A
1	A	221	A
1	A	222	A
1	A	228	C
1	A	229	C
1	A	231	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	233	A
1	A	242	G
1	A	243	U
1	A	248	G
1	A	249	C
1	A	255	A
1	A	266	G
1	A	267	C
1	A	272	A
1	A	275	C
1	A	276	U
1	A	277	G
1	A	278	A
1	A	280	U
1	A	281	C
1	A	282	A
1	A	283	G
1	A	284	U
1	A	285	G
1	A	287	G
1	A	288	U
1	A	289	G
1	A	291	G
1	A	294	A
1	A	301	G
1	A	302	C
1	A	305	C
1	A	306	U
1	A	311	A
1	A	313	G
1	A	315	G
1	A	317	G
1	A	323	C
1	A	329	G
1	A	330	A
1	A	343	C
1	A	350	G
1	A	351	C
1	A	352	A
1	A	354	A
1	A	357	C
1	A	358	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	361	G
1	A	362	A
1	A	365	U
1	A	366	C
1	A	367	G
1	A	368	A
1	A	369	U
1	A	371	A
1	A	372	G
1	A	383	C
1	A	386	G
1	A	387	U
1	A	390	U
1	A	396	G
1	A	404	A
1	A	405	U
1	A	406	G
1	A	411	G
1	A	412	A
1	A	417	C
1	A	420	C
1	A	422	A
1	A	451	U
1	A	455	C
1	A	456	C
1	A	457	A
1	A	459	U
1	A	473	G
1	A	474	G
1	A	479	A
1	A	481	G
1	A	487	C
1	A	491	G
1	A	492	A
1	A	496	G
1	A	503	A
1	A	504	A
1	A	505	A
1	A	509	C
1	A	513	A
1	A	518	G
1	A	526	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	527	C
1	A	529	A
1	A	532	A
1	A	533	G
1	A	535	G
1	A	542	U
1	A	543	G
1	A	544	C
1	A	545	U
1	A	546	U
1	A	547	A
1	A	548	G
1	A	549	G
1	A	550	C
1	A	557	C
1	A	563	A
1	A	573	U
1	A	575	A
1	A	586	A
1	A	603	A
1	A	613	A
1	A	614	A
1	A	615	U
1	A	616	A
1	A	622	G
1	A	627	A
1	A	637	A
1	A	640	C
1	A	644	A
1	A	645	C
1	A	646	U
1	A	647	G
1	A	651	G
1	A	652	U
1	A	653	U
1	A	654	A
1	A	655	A
1	A	656	G
1	A	659	G
1	A	661	A
1	A	668	A
1	A	678	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	685	A
1	A	686	U
1	A	694	U
1	A	695	G
1	A	696	G
1	A	710	U
1	A	711	G
1	A	713	G
1	A	714	U
1	A	717	C
1	A	730	A
1	A	734	A
1	A	738	G
1	A	747	5MC
1	A	752	A
1	A	763	G
1	A	765	C
1	A	771	G
1	A	775	G
1	A	776	G
1	A	782	A
1	A	783	A
1	A	784	G
1	A	785	G
1	A	788	A
1	A	805	G
1	A	812	C
1	A	816	C
1	A	819	A
1	A	827	U
1	A	828	U
1	A	830	G
1	A	843	G
1	A	844	A
1	A	845	A
1	A	846	C
1	A	847	U
1	A	858	G
1	A	859	G
1	A	860	U
1	A	866	A
1	A	868	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	869	G
1	A	870	U
1	A	872	U
1	A	873	C
1	A	877	A
1	A	878	A
1	A	880	G
1	A	882	G
1	A	892	A
1	A	896	A
1	A	897	C
1	A	899	A
1	A	900	A
1	A	901	C
1	A	903	C
1	A	906	U
1	A	907	G
1	A	909	A
1	A	910	A
1	A	914	G
1	A	915	C
1	A	925	A
1	A	934	U
1	A	935	C
1	A	940	G
1	A	941	A
1	A	946	C
1	A	951	C
1	A	961	C
1	A	968	C
1	A	974	G
1	A	982	C
1	A	983	A
1	A	984	A
1	A	985	C
1	A	989	G
1	A	990	A
1	A	995	C
1	A	996	A
1	A	999	U
1	A	1003	G
1	A	1005	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1009	A
1	A	1012	U
1	A	1013	C
1	A	1019	U
1	A	1020	A
1	A	1021	A
1	A	1022	G
1	A	1023	U
1	A	1025	G
1	A	1026	G
1	A	1033	U
1	A	1042	G
1	A	1043	C
1	A	1044	C
1	A	1045	C
1	A	1046	A
1	A	1047	G
1	A	1049	C
1	A	1050	A
1	A	1051	G
1	A	1052	C
1	A	1053	C
1	A	1054	A
1	A	1055	G
1	A	1057	A
1	A	1059	G
1	A	1060	U
1	A	1061	U
1	A	1062	G
1	A	1064	C
1	A	1065	U
1	A	1066	U
1	A	1067	A
1	A	1068	G
1	A	1069	A
1	A	1070	A
1	A	1071	G
1	A	1073	A
1	A	1075	C
1	A	1076	C
1	A	1079	C
1	A	1084	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1087	G
1	A	1088	A
1	A	1090	A
1	A	1096	A
1	A	1097	U
1	A	1101	U
1	A	1103	A
1	A	1104	C
1	A	1105	U
1	A	1106	G
1	A	1110	G
1	A	1112	G
1	A	1114	C
1	A	1115	G
1	A	1116	G
1	A	1117	C
1	A	1119	U
1	A	1121	C
1	A	1130	U
1	A	1131	G
1	A	1132	U
1	A	1135	C
1	A	1136	G
1	A	1139	G
1	A	1140	C
1	A	1141	U
1	A	1142	A
1	A	1144	A
1	A	1149	G
1	A	1151	A
1	A	1168	G
1	A	1169	A
1	A	1171	G
1	A	1172	C
1	A	1174	U
1	A	1175	A
1	A	1176	U
1	A	1177	G
1	A	1178	C
1	A	1180	U
1	A	1195	G
1	A	1203	U

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1204	A
1	A	1205	A
1	A	1218	G
1	A	1236	G
1	A	1248	G
1	A	1250	G
1	A	1253	A
1	A	1256	G
1	A	1271	G
1	A	1272	A
1	A	1273	U
1	A	1287	A
1	A	1289	C
1	A	1300	G
1	A	1301	A
1	A	1306	C
1	A	1321	A
1	A	1343	G
1	A	1345	C
1	A	1346	G
1	A	1350	C
1	A	1352	U
1	A	1353	A
1	A	1360	G
1	A	1365	A
1	A	1368	G
1	A	1378	A
1	A	1379	U
1	A	1386	C
1	A	1387	A
1	A	1392	A
1	A	1395	A
1	A	1397	U
1	A	1403	A
1	A	1407	G
1	A	1409	U
1	A	1410	G
1	A	1416	G
1	A	1418	G
1	A	1419	A
1	A	1420	A
1	A	1427	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1428	C
1	A	1434	A
1	A	1437	C
1	A	1451	C
1	A	1452	G
1	A	1453	A
1	A	1456	G
1	A	1458	U
1	A	1459	G
1	A	1461	C
1	A	1476	U
1	A	1478	G
1	A	1479	G
1	A	1480	C
1	A	1481	U
1	A	1482	G
1	A	1484	U
1	A	1485	U
1	A	1490	A
1	A	1491	G
1	A	1493	C
1	A	1494	A
1	A	1498	C
1	A	1503	A
1	A	1504	A
1	A	1506	U
1	A	1508	A
1	A	1509	A
1	A	1510	G
1	A	1515	A
1	A	1519	G
1	A	1522	A
1	A	1524	G
1	A	1528	A
1	A	1529	G
1	A	1533	C
1	A	1535	A
1	A	1536	C
1	A	1537	G
1	A	1538	G
1	A	1540	G
1	A	1542	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1543	G
1	A	1546	G
1	A	1555	G
1	A	1558	C
1	A	1559	U
1	A	1566	A
1	A	1569	A
1	A	1572	A
1	A	1578	U
1	A	1579	A
1	A	1581	G
1	A	1582	C
1	A	1584	U
1	A	1585	C
1	A	1589	U
1	A	1590	A
1	A	1591	A
1	A	1607	C
1	A	1608	A
1	A	1609	A
1	A	1610	A
1	A	1612	C
1	A	1616	A
1	A	1617	C
1	A	1622	G
1	A	1644	C
1	A	1647	U
1	A	1648	U
1	A	1649	G
1	A	1651	G
1	A	1654	A
1	A	1672	A
1	A	1674	G
1	A	1675	C
1	A	1678	A
1	A	1679	A
1	A	1693	U
1	A	1695	G
1	A	1703	G
1	A	1715	G
1	A	1716	U
1	A	1717	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1721	G
1	A	1722	A
1	A	1723	G
1	A	1724	G
1	A	1725	C
1	A	1726	G
1	A	1728	C
1	A	1729	U
1	A	1731	G
1	A	1733	U
1	A	1734	C
1	A	1735	G
1	A	1738	G
1	A	1739	A
1	A	1750	G
1	A	1764	C
1	A	1773	A
1	A	1776	G
1	A	1780	A
1	A	1782	U
1	A	1784	A
1	A	1791	A
1	A	1800	C
1	A	1801	A
1	A	1802	A
1	A	1808	A
1	A	1811	G
1	A	1812	U
1	A	1816	C
1	A	1818	U
1	A	1819	A
1	A	1839	G
1	A	1842	G
1	A	1847	G
1	A	1853	A
1	A	1857	G
1	A	1858	A
1	A	1863	G
1	A	1866	A
1	A	1867	G
1	A	1870	C
1	A	1871	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1872	A
1	A	1873	G
1	A	1875	G
1	A	1876	A
1	A	1877	A
1	A	1878	G
1	A	1881	C
1	A	1884	G
1	A	1885	A
1	A	1890	A
1	A	1896	G
1	A	1902	C
1	A	1905	C
1	A	1906	G
1	A	1907	G
1	A	1913	A
1	A	1914	C
1	A	1916	A
1	A	1927	A
1	A	1929	G
1	A	1930	G
1	A	1936	A
1	A	1937	A
1	A	1938	A
1	A	1939	5MU
1	A	1940	U
1	A	1941	C
1	A	1942	C
1	A	1955	U
1	A	1962	5MC
1	A	1964	G
1	A	1965	C
1	A	1967	C
1	A	1970	A
1	A	1971	U
1	A	1972	G
1	A	1982	U
1	A	1991	U
1	A	1993	U
1	A	1997	C
1	A	2004	G
1	A	2021	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	2022	U
1	A	2023	C
1	A	2027	G
1	A	2029	G
1	A	2033	A
1	A	2036	C
1	A	2043	C
1	A	2049	G
1	A	2051	A
1	A	2055	C
1	A	2056	G
1	A	2059	A
1	A	2060	A
1	A	2061	G
1	A	2062	A
1	A	2063	C
1	A	2067	G
1	A	2069	7MG
1	A	2072	C
1	A	2077	A
1	A	2080	A
1	A	2092	U
1	A	2093	G
1	A	2095	A
1	A	2097	A
1	A	2098	U
1	A	2099	U
1	A	2100	G
1	A	2106	U
1	A	2108	A
1	A	2110	G
1	A	2111	U
1	A	2112	G
1	A	2113	U
1	A	2118	U
1	A	2119	A
1	A	2121	G
1	A	2127	G
1	A	2131	U
1	A	2132	U
1	A	2133	G
1	A	2134	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	2141	G
1	A	2145	C
1	A	2147	A
1	A	2157	G
1	A	2162	G
1	A	2164	C
1	A	2170	A
1	A	2172	U
1	A	2173	A
1	A	2186	G
1	A	2189	U
1	A	2190	G
1	A	2191	A
1	A	2192	U
1	A	2193	G
1	A	2194	U
1	A	2198	A
1	A	2199	A
1	A	2204	G
1	A	2211	A
1	A	2214	C
1	A	2220	U
1	A	2223	G
1	A	2225	A
1	A	2226	C
1	A	2238	G
1	A	2239	G
1	A	2246	G
1	A	2263	C
1	A	2267	A
1	A	2268	A
1	A	2278	A
1	A	2283	C
1	A	2286	G
1	A	2287	A
1	A	2292	U
1	A	2293	G
1	A	2295	C
1	A	2296	U
1	A	2297	A
1	A	2302	U
1	A	2305	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	2307	G
1	A	2309	A
1	A	2311	A
1	A	2315	G
1	A	2319	G
1	A	2321	U
1	A	2322	A
1	A	2325	G
1	A	2326	C
1	A	2327	A
1	A	2331	G
1	A	2333	A
1	A	2336	A
1	A	2337	G
1	A	2345	G
1	A	2347	C
1	A	2350	C
1	A	2352	A
1	A	2357	G
1	A	2361	G
1	A	2373	G
1	A	2377	A
1	A	2378	A
1	A	2383	G
1	A	2385	C
1	A	2391	G
1	A	2392	A
1	A	2396	G
1	A	2402	U
1	A	2403	C
1	A	2404	U
1	A	2406	A
1	A	2407	A
1	A	2408	U
1	A	2409	G
1	A	2410	G
1	A	2414	G
1	A	2423	U
1	A	2424	C
1	A	2429	G
1	A	2430	A
1	A	2435	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	2436	G
1	A	2441	U
1	A	2445	2MG
1	A	2447	G
1	A	2448	A
1	A	2459	A
1	A	2469	A
1	A	2472	G
1	A	2473	U
1	A	2474	U
1	A	2475	C
1	A	2476	A
1	A	2481	G
1	A	2491	U
1	A	2492	U
1	A	2494	G
1	A	2502	G
1	A	2504	PSU
1	A	2505	G
1	A	2506	U
1	A	2518	A
1	A	2523	G
1	A	2529	G
1	A	2530	A
1	A	2535	G
1	A	2547	A
1	A	2554	U
1	A	2566	A
1	A	2567	G
1	A	2572	A
1	A	2573	C
1	A	2574	G
1	A	2577	A
1	A	2585	U
1	A	2586	U
1	A	2602	A
1	A	2609	U
1	A	2610	C
1	A	2613	U
1	A	2623	G
1	A	2624	G
1	A	2629	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	2636	C
1	A	2647	U
1	A	2649	C
1	A	2654	A
1	A	2656	U
1	A	2668	G
1	A	2669	G
1	A	2671	G
1	A	2685	G
1	A	2689	U
1	A	2690	U
1	A	2692	G
1	A	2702	G
1	A	2707	U
1	A	2708	G
1	A	2713	U
1	A	2714	G
1	A	2718	G
1	A	2721	A
1	A	2722	G
1	A	2724	U
1	A	2726	A
1	A	2729	G
1	A	2732	G
1	A	2739	U
1	A	2740	A
1	A	2744	G
1	A	2748	A
1	A	2753	A
1	A	2758	A
1	A	2759	G
1	A	2761	A
1	A	2764	A
1	A	2765	A
1	A	2769	U
1	A	2771	C
1	A	2778	A
1	A	2782	G
1	A	2783	U
1	A	2784	U
1	A	2790	U
1	A	2791	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	2793	C
1	A	2796	C
1	A	2798	U
1	A	2799	G
1	A	2801	G
1	A	2803	G
1	A	2806	C
1	A	2809	A
1	A	2818	U
1	A	2820	A
1	A	2821	A
1	A	2835	A
1	A	2837	A
1	A	2845	U
1	A	2853	C
1	A	2857	G
1	A	2859	G
1	A	2861	U
1	A	2867	G
1	A	2868	A
1	A	2872	A
1	A	2874	C
1	A	2879	A
1	A	2880	C
1	A	2881	U
1	A	2883	A
1	A	2884	U
1	A	2886	A
1	A	2891	U
1	A	2894	G
1	A	2897	U
1	A	2900	A
1	A	2901	C
1	A	2902	C
1	A	2903	U
2	B	4	C
2	B	5	U
2	B	6	G
2	B	11	C
2	B	12	C
2	B	13	G
2	B	15	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	22	U
2	B	23	G
2	B	24	G
2	B	33	G
2	B	34	A
2	B	35	C
2	B	36	C
2	B	40	U
2	B	42	C
2	B	44	G
2	B	46	A
2	B	51	G
2	B	53	A
2	B	56	G
2	B	57	A
2	B	59	A
2	B	61	G
2	B	64	G
2	B	66	A
2	B	67	G
2	B	70	C
2	B	81	G
2	B	87	U
2	B	88	C
2	B	89	U
2	B	90	C
2	B	91	C
2	B	95	U
2	B	96	G
2	B	100	G
2	B	105	G
2	B	106	G
2	B	109	A
2	B	112	G
2	B	117	G
2	B	118	C
2	B	119	A
34	a	2	A
34	a	3	A
34	a	4	U
34	a	5	U
34	a	6	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	7	A
34	a	9	G
34	a	10	A
34	a	28	A
34	a	31	G
34	a	32	A
34	a	38	G
34	a	39	G
34	a	41	G
34	a	45	G
34	a	47	C
34	a	48	C
34	a	50	A
34	a	51	A
34	a	61	G
34	a	63	C
34	a	64	G
34	a	66	A
34	a	67	C
34	a	68	G
34	a	69	G
34	a	70	U
34	a	72	A
34	a	73	C
34	a	76	G
34	a	77	A
34	a	78	A
34	a	79	G
34	a	80	A
34	a	83	C
34	a	85	U
34	a	86	G
34	a	87	C
34	a	89	U
34	a	94	G
34	a	95	C
34	a	96	U
34	a	97	G
34	a	98	A
34	a	99	C
34	a	100	G
34	a	102	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	107	G
34	a	112	G
34	a	115	G
34	a	116	A
34	a	121	U
34	a	122	G
34	a	129	A
34	a	130	A
34	a	131	A
34	a	140	U
34	a	141	G
34	a	142	G
34	a	144	G
34	a	145	G
34	a	146	G
34	a	149	A
34	a	151	A
34	a	152	A
34	a	161	A
34	a	163	C
34	a	164	G
34	a	165	G
34	a	166	U
34	a	169	C
34	a	173	U
34	a	179	A
34	a	181	A
34	a	182	A
34	a	183	C
34	a	184	G
34	a	185	U
34	a	187	G
34	a	188	C
34	a	189	A
34	a	191	G
34	a	193	C
34	a	195	A
34	a	196	A
34	a	197	A
34	a	202	G
34	a	203	G
34	a	207	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	209	U
34	a	210	C
34	a	211	G
34	a	212	G
34	a	213	G
34	a	215	C
34	a	216	U
34	a	218	U
34	a	222	C
34	a	226	G
34	a	230	G
34	a	232	G
34	a	245	U
34	a	247	G
34	a	248	C
34	a	251	G
34	a	254	G
34	a	255	G
34	a	264	C
34	a	266	G
34	a	267	C
34	a	271	C
34	a	279	A
34	a	280	C
34	a	281	G
34	a	282	A
34	a	289	G
34	a	300	A
34	a	305	G
34	a	306	A
34	a	308	C
34	a	319	G
34	a	321	A
34	a	323	U
34	a	324	G
34	a	328	C
34	a	329	A
34	a	330	C
34	a	331	G
34	a	335	C
34	a	341	C
34	a	343	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	345	C
34	a	346	G
34	a	349	A
34	a	352	C
34	a	354	G
34	a	366	A
34	a	367	U
34	a	368	U
34	a	370	C
34	a	372	C
34	a	373	A
34	a	376	G
34	a	380	G
34	a	381	C
34	a	382	A
34	a	383	A
34	a	384	G
34	a	385	C
34	a	386	C
34	a	387	U
34	a	388	G
34	a	392	C
34	a	394	G
34	a	397	A
34	a	398	U
34	a	404	G
34	a	405	U
34	a	406	G
34	a	411	A
34	a	412	A
34	a	413	G
34	a	414	A
34	a	415	A
34	a	418	C
34	a	420	U
34	a	421	U
34	a	422	C
34	a	424	G
34	a	425	G
34	a	428	G
34	a	429	U
34	a	433	G

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
34	a	434	U
34	a	435	A
34	a	436	C
34	a	437	U
34	a	439	U
34	a	441	A
34	a	443	C
34	a	445	G
34	a	446	G
34	a	447	G
34	a	449	G
34	a	453	G
34	a	458	U
34	a	464	U
34	a	466	A
34	a	467	U
34	a	468	A
34	a	475	C
34	a	477	C
34	a	480	U
34	a	484	G
34	a	485	U
34	a	486	U
34	a	490	C
34	a	491	G
34	a	492	C
34	a	495	A
34	a	496	A
34	a	497	G
34	a	499	A
34	a	500	G
34	a	509	A
34	a	510	A
34	a	511	C
34	a	513	C
34	a	517	G
34	a	518	C
34	a	520	A
34	a	521	G
34	a	525	C
34	a	527	7MG
34	a	531	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	542	G
34	a	545	C
34	a	546	A
34	a	547	A
34	a	548	G
34	a	550	G
34	a	572	A
34	a	573	A
34	a	575	G
34	a	576	C
34	a	577	G
34	a	579	A
34	a	594	U
34	a	596	A
34	a	601	G
34	a	602	A
34	a	608	A
34	a	612	C
34	a	613	C
34	a	614	C
34	a	615	G
34	a	617	G
34	a	618	C
34	a	620	C
34	a	621	A
34	a	626	G
34	a	627	G
34	a	628	G
34	a	632	U
34	a	633	G
34	a	635	A
34	a	636	U
34	a	637	C
34	a	639	G
34	a	642	A
34	a	648	A
34	a	653	U
34	a	654	G
34	a	659	U
34	a	660	C
34	a	665	A
34	a	671	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	687	A
34	a	695	A
34	a	700	G
34	a	703	G
34	a	704	A
34	a	709	U
34	a	711	G
34	a	712	A
34	a	713	G
34	a	720	C
34	a	721	G
34	a	722	G
34	a	723	U
34	a	724	G
34	a	731	G
34	a	733	G
34	a	737	C
34	a	742	G
34	a	753	A
34	a	754	C
34	a	755	G
34	a	758	C
34	a	759	A
34	a	769	G
34	a	777	A
34	a	793	U
34	a	794	A
34	a	802	A
34	a	815	A
34	a	817	C
34	a	818	G
34	a	819	A
34	a	821	G
34	a	832	G
34	a	836	G
34	a	840	C
34	a	843	U
34	a	844	G
34	a	846	G
34	a	848	C
34	a	849	G
34	a	852	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	872	A
34	a	885	G
34	a	899	C
34	a	902	G
34	a	914	A
34	a	926	G
34	a	932	C
34	a	934	C
34	a	935	A
34	a	939	G
34	a	951	G
34	a	960	U
34	a	961	U
34	a	966	2MG
34	a	969	A
34	a	971	G
34	a	974	A
34	a	975	A
34	a	976	G
34	a	977	A
34	a	978	A
34	a	982	U
34	a	984	C
34	a	989	U
34	a	991	U
34	a	992	U
34	a	993	G
34	a	998	C
34	a	999	C
34	a	1001	C
34	a	1003	G
34	a	1004	A
34	a	1006	G
34	a	1016	A
34	a	1020	G
34	a	1027	C
34	a	1028	C
34	a	1030	U
34	a	1031	C
34	a	1033	G
34	a	1034	G
34	a	1035	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	1043	G
34	a	1044	A
34	a	1045	C
34	a	1053	G
34	a	1056	U
34	a	1065	U
34	a	1070	U
34	a	1088	G
34	a	1094	G
34	a	1095	U
34	a	1096	C
34	a	1098	C
34	a	1101	A
34	a	1104	G
34	a	1108	G
34	a	1124	G
34	a	1125	U
34	a	1126	U
34	a	1132	C
34	a	1133	G
34	a	1134	G
34	a	1136	C
34	a	1137	C
34	a	1138	G
34	a	1139	G
34	a	1142	G
34	a	1143	G
34	a	1146	A
34	a	1151	A
34	a	1152	A
34	a	1154	G
34	a	1157	A
34	a	1158	C
34	a	1159	U
34	a	1160	G
34	a	1162	C
34	a	1167	A
34	a	1168	U
34	a	1169	A
34	a	1171	A
34	a	1182	G
34	a	1184	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	1190	G
34	a	1191	A
34	a	1196	A
34	a	1197	A
34	a	1201	A
34	a	1202	U
34	a	1206	G
34	a	1211	U
34	a	1212	U
34	a	1213	A
34	a	1217	C
34	a	1219	A
34	a	1220	G
34	a	1225	A
34	a	1226	C
34	a	1227	A
34	a	1228	C
34	a	1236	A
34	a	1238	A
34	a	1241	G
34	a	1244	G
34	a	1247	U
34	a	1256	A
34	a	1257	A
34	a	1258	G
34	a	1260	G
34	a	1261	A
34	a	1263	C
34	a	1266	G
34	a	1269	A
34	a	1270	G
34	a	1272	G
34	a	1273	C
34	a	1274	A
34	a	1275	A
34	a	1280	A
34	a	1281	C
34	a	1282	C
34	a	1285	A
34	a	1286	U
34	a	1287	A
34	a	1293	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	1294	G
34	a	1296	C
34	a	1297	G
34	a	1298	U
34	a	1300	G
34	a	1301	U
34	a	1302	C
34	a	1304	G
34	a	1305	G
34	a	1306	A
34	a	1308	U
34	a	1312	G
34	a	1317	C
34	a	1318	A
34	a	1320	C
34	a	1321	U
34	a	1331	G
34	a	1338	G
34	a	1340	A
34	a	1345	U
34	a	1346	A
34	a	1348	U
34	a	1352	C
34	a	1353	G
34	a	1360	A
34	a	1363	A
34	a	1368	A
34	a	1370	G
34	a	1371	G
34	a	1379	G
34	a	1380	U
34	a	1381	U
34	a	1382	C
34	a	1383	C
34	a	1397	C
34	a	1398	A
34	a	1399	C
34	a	1400	C
34	a	1419	G
34	a	1429	A
34	a	1433	A
34	a	1434	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	a	1438	G
34	a	1441	A
34	a	1442	G
34	a	1445	U
34	a	1446	A
34	a	1448	C
34	a	1450	U
34	a	1452	C
34	a	1458	G
34	a	1487	G
34	a	1492	A
34	a	1497	G
34	a	1502	A
34	a	1503	A
34	a	1506	U
34	a	1517	G
34	a	1529	G
34	a	1530	G
34	a	1533	C
34	a	1534	A
34	a	1535	C
34	a	1536	C
34	a	1537	U
34	a	1538	C
34	a	1539	C
55	v	4	G
55	v	6	G
55	v	7	4SU
55	v	8	G
55	v	10	A
55	v	13	A
55	v	15	C
55	v	17	U
55	v	18	G
55	v	20	H2U
55	v	21	A
55	v	22	G
55	v	25	C
55	v	31	G
55	v	42	G
55	v	47	U
55	v	52	G

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
55	v	60	U
55	v	66	C
55	v	67	C
55	v	69	C
55	v	73	A
55	v	76	A
55	w	3	C
55	w	5	G
55	w	8	4SU
55	w	9	G
55	w	14	A
55	w	16	C
55	w	17	C
55	w	117	U
55	w	18	G
55	w	19	G
55	w	20	H2U
55	w	21	A
55	w	22	G
55	w	24	U
55	w	25	C
55	w	28	C
55	w	30	G
55	w	34	C
55	w	37	A
55	w	38	A
55	w	42	G
55	w	48	C
55	w	49	G
55	w	56	C
55	w	57	A
55	w	59	A
55	w	67	C
55	w	69	C
55	w	70	G
55	w	71	C
55	w	73	A
55	w	75	C
55	w	76	A
56	x	14	C
56	x	15	U
56	x	23	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
56	x	24	G
57	y	3	C
57	y	4	C
57	y	5	G
57	y	8	4SU
57	y	9	A
57	y	10	G
57	y	11	C
57	y	16	H2U
57	y	17	C
57	y	18	G
57	y	20	H2U
57	y	21	A
57	y	24	G
57	y	28	G
57	y	30	G
57	y	31	A
57	y	33	U
57	y	36	A
57	y	44	G
57	y	45	U
57	y	46	7MG
57	y	47	U
57	y	48	C
57	y	52	G
57	y	56	C
57	y	59	U
57	y	61	C
57	y	65	G
57	y	75	C
57	y	76	A

All (98) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	51	G
1	A	84	A
1	A	85	G
1	A	101	A
1	A	119	A
1	A	141	G
1	A	162	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	196	A
1	A	204	A
1	A	242	G
1	A	265	A
1	A	282	A
1	A	290	U
1	A	301	G
1	A	362	A
1	A	411	G
1	A	547	A
1	A	555	G
1	A	645	C
1	A	652	U
1	A	653	U
1	A	710	U
1	A	747	5MC
1	A	764	A
1	A	775	G
1	A	784	G
1	A	859	G
1	A	872	U
1	A	884	U
1	A	899	A
1	A	984	A
1	A	1020	A
1	A	1022	G
1	A	1046	A
1	A	1050	A
1	A	1069	A
1	A	1070	A
1	A	1089	A
1	A	1124	G
1	A	1130	U
1	A	1140	C
1	A	1190	G
1	A	1211	U
1	A	1240	U
1	A	1399	C
1	A	1419	A
1	A	1420	A
1	A	1432	G
1	A	1451	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1452	G
1	A	1458	U
1	A	1475	G
1	A	1481	U
1	A	1490	A
1	A	1507	C
1	A	1508	A
1	A	1536	C
1	A	1538	G
1	A	1555	G
1	A	1607	C
1	A	1608	A
1	A	1730	U
1	A	1818	U
1	A	1857	G
1	A	1875	G
1	A	1884	G
1	A	1939	5MU
1	A	1940	U
1	A	1964	G
1	A	1976	U
1	A	2099	U
1	A	2192	U
1	A	2296	U
1	A	2326	C
1	A	2391	G
1	A	2401	U
1	A	2407	A
1	A	2430	A
1	A	2517	C
1	A	2529	G
1	A	2566	A
1	A	2645	G
1	A	2712	C
1	A	2790	U
1	A	2808	G
1	A	2820	A
1	A	2849	U
1	A	2873	A
1	A	2893	A
1	A	2900	A
1	A	2902	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	4	C
2	B	34	A
2	B	41	G
2	B	44	G
2	B	46	A
2	B	56	G
2	B	89	U

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

52 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
57	PSU	y	39	57	18,21,22	1.41	2 (11%)	22,30,33	1.86	4 (18%)
1	PSU	A	2605	1,60	18,21,22	1.39	2 (11%)	22,30,33	2.04	4 (18%)
55	4SU	v	7	55	18,21,22	1.66	4 (22%)	26,30,33	2.34	5 (19%)
1	PSU	A	955	1	18,21,22	1.38	2 (11%)	22,30,33	1.95	4 (18%)
34	2MG	a	1516	34	18,26,27	0.96	1 (5%)	16,38,41	1.16	2 (12%)
34	MA6	a	1519	34	19,26,27	1.22	2 (10%)	18,38,41	1.68	4 (22%)
1	7MG	A	2069	1,60	22,26,27	1.53	4 (18%)	29,39,42	2.45	10 (34%)
1	5MC	A	1962	1	18,22,23	0.90	1 (5%)	26,32,35	1.19	3 (11%)
1	2MA	A	2503	1,60	17,25,26	1.02	1 (5%)	17,37,40	1.15	2 (11%)
1	PSU	A	2604	1	18,21,22	1.40	3 (16%)	22,30,33	1.85	4 (18%)
34	7MG	a	527	34	22,26,27	1.48	4 (18%)	29,39,42	2.39	8 (27%)
57	H2U	y	16	57	18,21,22	0.81	1 (5%)	21,30,33	1.49	4 (19%)
55	H2U	w	20	55	18,21,22	0.81	0	21,30,33	1.69	3 (14%)
34	2MG	a	966	34	18,26,27	0.93	0	16,38,41	1.32	3 (18%)
1	6MZ	A	1618	1	18,25,26	1.03	1 (5%)	16,36,39	2.29	5 (31%)
57	5MU	y	54	57	19,22,23	1.40	4 (21%)	28,32,35	2.09	8 (28%)
57	PSU	y	32	57	18,21,22	1.33	2 (11%)	22,30,33	1.91	5 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	PSU	A	2504	1	18,21,22	1.37	2 (11%)	22,30,33	1.79	4 (18%)
1	PSU	A	746	1,60	18,21,22	1.38	3 (16%)	22,30,33	1.92	4 (18%)
1	OMC	A	2498	1,60	19,22,23	0.90	1 (5%)	26,31,34	1.18	2 (7%)
1	6MZ	A	2030	1	18,25,26	1.01	1 (5%)	16,36,39	2.28	5 (31%)
55	4SU	w	8	55	18,21,22	1.71	5 (27%)	26,30,33	2.14	5 (19%)
1	2MG	A	1835	1	18,26,27	1.01	1 (5%)	16,38,41	1.14	1 (6%)
55	5MU	v	54	55	19,22,23	1.48	5 (26%)	28,32,35	1.88	8 (28%)
34	4OC	a	1402	60,34	20,23,24	0.81	0	26,32,35	1.31	5 (19%)
34	5MC	a	967	34	18,22,23	1.06	1 (5%)	26,32,35	1.23	4 (15%)
1	OMU	A	2552	1,60	19,22,23	1.36	3 (15%)	26,31,34	2.14	8 (30%)
55	5MU	w	54	55	19,22,23	1.48	4 (21%)	28,32,35	2.04	10 (35%)
34	PSU	a	516	34	18,21,22	1.40	2 (11%)	22,30,33	1.96	5 (22%)
34	2MG	a	1207	60,34	18,26,27	0.98	0	16,38,41	1.11	2 (12%)
57	PSU	y	55	57	18,21,22	1.36	2 (11%)	22,30,33	1.90	5 (22%)
34	5MC	a	1407	34	18,22,23	1.00	1 (5%)	26,32,35	1.29	4 (15%)
1	PSU	A	1911	1	18,21,22	1.35	2 (11%)	22,30,33	1.93	4 (18%)
1	OMG	A	2251	55,1,60	18,26,27	1.04	2 (11%)	19,38,41	1.22	3 (15%)
1	PSU	A	2457	1	18,21,22	1.52	3 (16%)	22,30,33	1.85	5 (22%)
1	H2U	A	2449	1	18,21,22	1.02	2 (11%)	21,30,33	1.51	4 (19%)
34	UR3	a	1498	34	19,22,23	1.08	2 (10%)	26,32,35	1.72	3 (11%)
1	PSU	A	1917	1	18,21,22	1.38	2 (11%)	22,30,33	1.94	4 (18%)
55	H2U	v	20	55	18,21,22	0.90	1 (5%)	21,30,33	1.59	5 (23%)
57	7MG	y	46	57	22,26,27	1.44	4 (18%)	29,39,42	2.36	7 (24%)
1	PSU	A	2580	1	18,21,22	1.47	3 (16%)	22,30,33	1.93	5 (22%)
1	5MC	A	747	1	18,22,23	0.97	2 (11%)	26,32,35	1.60	6 (23%)
1	3TD	A	1915	1,60	18,22,23	7.19	13 (72%)	22,32,35	1.96	3 (13%)
1	5MU	A	1939	1	19,22,23	1.38	5 (26%)	28,32,35	2.00	8 (28%)
34	MA6	a	1518	34	19,26,27	1.34	3 (15%)	18,38,41	1.77	4 (22%)
1	1MG	A	745	1	18,26,27	0.89	0	19,39,42	1.48	3 (15%)
57	H2U	y	20	57	18,21,22	0.84	1 (5%)	21,30,33	1.58	4 (19%)
57	MIA	y	37	57	24,31,32	2.37	6 (25%)	26,44,47	2.65	10 (38%)
1	2MG	A	2445	1	18,26,27	1.11	1 (5%)	16,38,41	1.20	2 (12%)
55	PSU	w	55	55	18,21,22	1.30	2 (11%)	22,30,33	1.93	5 (22%)
55	PSU	v	55	55,60	18,21,22	1.34	3 (16%)	22,30,33	1.85	5 (22%)
57	4SU	y	8	57	18,21,22	1.71	5 (27%)	26,30,33	2.28	7 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	PSU	y	39	57	-	2/7/25/26	0/2/2/2
1	PSU	A	2605	1,60	-	0/7/25/26	0/2/2/2
55	4SU	v	7	55	-	2/7/25/26	0/2/2/2
1	PSU	A	955	1	-	0/7/25/26	0/2/2/2
34	2MG	a	1516	34	-	0/5/27/28	0/3/3/3
34	MA6	a	1519	34	-	3/7/29/30	0/3/3/3
1	7MG	A	2069	1,60	-	2/7/37/38	0/3/3/3
1	5MC	A	1962	1	-	2/7/25/26	0/2/2/2
1	2MA	A	2503	1,60	-	0/3/25/26	0/3/3/3
1	PSU	A	2604	1	-	2/7/25/26	0/2/2/2
34	7MG	a	527	34	-	2/7/37/38	0/3/3/3
57	H2U	y	16	57	-	2/7/38/39	0/2/2/2
55	H2U	w	20	55	-	2/7/38/39	0/2/2/2
34	2MG	a	966	34	-	3/5/27/28	0/3/3/3
1	6MZ	A	1618	1	-	3/5/27/28	0/3/3/3
57	5MU	y	54	57	-	0/7/25/26	0/2/2/2
57	PSU	y	32	57	-	2/7/25/26	0/2/2/2
1	PSU	A	2504	1	-	2/7/25/26	0/2/2/2
1	PSU	A	746	1,60	-	3/7/25/26	0/2/2/2
1	OMC	A	2498	1,60	-	0/9/27/28	0/2/2/2
1	6MZ	A	2030	1	-	3/5/27/28	0/3/3/3
55	4SU	w	8	55	-	6/7/25/26	0/2/2/2
1	2MG	A	1835	1	-	0/5/27/28	0/3/3/3
55	5MU	v	54	55	-	0/7/25/26	0/2/2/2
34	4OC	a	1402	60,34	-	2/9/29/30	0/2/2/2
34	5MC	a	967	34	-	0/7/25/26	0/2/2/2
1	OMU	A	2552	1,60	-	2/9/27/28	0/2/2/2
55	5MU	w	54	55	-	0/7/25/26	0/2/2/2
34	PSU	a	516	34	-	0/7/25/26	0/2/2/2
34	2MG	a	1207	60,34	-	0/5/27/28	0/3/3/3
57	PSU	y	55	57	-	0/7/25/26	0/2/2/2
34	5MC	a	1407	34	-	0/7/25/26	0/2/2/2
1	PSU	A	1911	1	-	0/7/25/26	0/2/2/2
1	OMG	A	2251	55,1,60	-	0/5/27/28	0/3/3/3

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	A	2457	1	-	2/7/25/26	0/2/2/2
1	H2U	A	2449	1	-	0/7/38/39	0/2/2/2
34	UR3	a	1498	34	-	2/7/25/26	0/2/2/2
1	PSU	A	1917	1	-	2/7/25/26	0/2/2/2
55	H2U	v	20	55	-	5/7/38/39	0/2/2/2
57	7MG	y	46	57	-	4/7/37/38	0/3/3/3
1	PSU	A	2580	1	-	0/7/25/26	0/2/2/2
1	5MC	A	747	1	-	0/7/25/26	0/2/2/2
1	3TD	A	1915	1,60	-	2/7/25/26	0/2/2/2
1	5MU	A	1939	1	-	2/7/25/26	0/2/2/2
34	MA6	a	1518	34	-	2/7/29/30	0/3/3/3
1	1MG	A	745	1	-	0/3/25/26	0/3/3/3
57	H2U	y	20	57	-	2/7/38/39	0/2/2/2
57	MIA	y	37	57	-	5/11/33/34	0/3/3/3
1	2MG	A	2445	1	-	2/5/27/28	0/3/3/3
55	PSU	w	55	55	-	1/7/25/26	0/2/2/2
55	PSU	v	55	55,60	-	2/7/25/26	0/2/2/2
57	4SU	y	8	57	-	2/7/25/26	0/2/2/2

All (127) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1915	3TD	O4'-C1'	16.38	1.66	1.43
1	A	1915	3TD	C6-C5	15.22	1.53	1.35
1	A	1915	3TD	C2'-C1'	-15.08	1.34	1.53
1	A	1915	3TD	C2-N1	7.61	1.47	1.37
57	y	37	MIA	C13-C14	7.49	1.53	1.32
57	y	37	MIA	C2-S10	-6.46	1.70	1.75
1	A	1915	3TD	C2-N3	6.08	1.52	1.38
1	A	1915	3TD	O4'-C4'	-6.00	1.31	1.45
1	A	1915	3TD	C6-N1	4.96	1.44	1.36
1	A	2069	7MG	C4-N9	-4.70	1.32	1.37
55	w	8	4SU	C4-S4	-4.43	1.60	1.68
57	y	8	4SU	C4-S4	-4.37	1.60	1.68
55	v	7	4SU	C4-S4	-4.28	1.60	1.68
34	a	516	PSU	C6-C5	4.23	1.40	1.35
57	y	39	PSU	C6-C5	4.19	1.40	1.35
57	y	55	PSU	C6-C5	4.11	1.40	1.35
1	A	1911	PSU	C6-C5	4.04	1.40	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2457	PSU	C6-C5	4.01	1.40	1.35
55	v	55	PSU	C6-C5	4.00	1.40	1.35
1	A	2580	PSU	C6-C5	3.95	1.39	1.35
1	A	1917	PSU	C6-C5	3.94	1.39	1.35
1	A	2605	PSU	C6-C5	3.89	1.39	1.35
57	y	32	PSU	C6-C5	3.88	1.39	1.35
55	w	55	PSU	C6-C5	3.87	1.39	1.35
1	A	2504	PSU	C6-C5	3.78	1.39	1.35
34	a	527	7MG	C4-N9	-3.77	1.33	1.37
1	A	746	PSU	C6-C5	3.52	1.39	1.35
1	A	955	PSU	C6-C5	3.49	1.39	1.35
1	A	2604	PSU	C6-C5	3.43	1.39	1.35
34	a	967	5MC	C6-C5	3.40	1.40	1.34
57	y	46	7MG	C4-N9	-3.38	1.33	1.37
55	v	54	5MU	C6-C5	3.30	1.40	1.34
1	A	2552	OMU	C2-N1	3.17	1.43	1.38
57	y	46	7MG	C5-C4	3.16	1.48	1.38
55	w	54	5MU	C6-C5	3.14	1.39	1.34
34	a	1407	5MC	C6-C5	3.09	1.39	1.34
1	A	1915	3TD	O2'-C2'	3.07	1.50	1.43
34	a	527	7MG	C5-C4	3.03	1.48	1.38
55	w	54	5MU	C2-N1	3.01	1.43	1.38
34	a	1518	MA6	C5-C4	3.00	1.48	1.40
57	y	54	5MU	C2-N1	2.96	1.43	1.38
55	w	8	4SU	C2-N1	2.96	1.43	1.38
57	y	8	4SU	C2-N1	2.88	1.43	1.38
1	A	1915	3TD	O2-C2	-2.81	1.17	1.23
57	y	8	4SU	C4-N3	-2.75	1.34	1.37
1	A	2552	OMU	C4-N3	-2.75	1.33	1.38
1	A	2580	PSU	C4-N3	-2.75	1.33	1.38
55	w	8	4SU	C4-N3	-2.74	1.34	1.37
1	A	2604	PSU	C4-N3	-2.73	1.33	1.38
57	y	54	5MU	C6-C5	2.72	1.39	1.34
1	A	1915	3TD	C10-N3	-2.72	1.42	1.47
1	A	746	PSU	C4-N3	-2.71	1.33	1.38
1	A	2069	7MG	C5-C4	2.71	1.46	1.38
55	w	54	5MU	C4-C5	2.70	1.49	1.44
55	v	7	4SU	C2-N1	2.70	1.42	1.38
1	A	2504	PSU	C4-N3	-2.69	1.33	1.38
1	A	1915	3TD	O3'-C3'	-2.69	1.36	1.43
57	y	37	MIA	C5-C4	2.65	1.47	1.40
1	A	747	5MC	C6-C5	2.64	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	v	7	4SU	C4-N3	-2.64	1.34	1.37
55	v	54	5MU	C4-N3	-2.63	1.34	1.38
1	A	2605	PSU	C4-N3	-2.57	1.34	1.38
1	A	2457	PSU	C4-N3	-2.56	1.34	1.38
34	a	1518	MA6	C6-N1	2.53	1.36	1.33
34	a	1519	MA6	C5-C4	2.53	1.47	1.40
1	A	1915	3TD	C4-N3	2.53	1.45	1.40
55	v	54	5MU	C2-N1	2.52	1.42	1.38
1	A	1618	6MZ	C5-C4	2.51	1.47	1.40
1	A	955	PSU	C4-N3	-2.51	1.34	1.38
1	A	2030	6MZ	C5-C4	2.50	1.47	1.40
57	y	37	MIA	C6-N1	2.50	1.36	1.32
1	A	2445	2MG	C6-N1	-2.47	1.34	1.37
1	A	1939	5MU	C6-C5	2.46	1.38	1.34
55	v	54	5MU	C4-C5	2.46	1.48	1.44
1	A	2580	PSU	C2-N3	-2.46	1.33	1.37
1	A	1939	5MU	C6-N1	-2.41	1.33	1.38
1	A	2449	H2U	C2-N3	-2.40	1.33	1.38
57	y	8	4SU	C5-C4	-2.40	1.39	1.42
1	A	2069	7MG	C5-N7	-2.40	1.32	1.35
1	A	1939	5MU	C4-N3	-2.39	1.34	1.38
57	y	54	5MU	C4-C5	2.38	1.48	1.44
1	A	1915	3TD	C3'-C4'	2.38	1.59	1.53
1	A	1962	5MC	C6-C5	2.36	1.38	1.34
1	A	2449	H2U	C4-N3	-2.36	1.33	1.37
1	A	2457	PSU	C2-N3	-2.36	1.33	1.37
1	A	2503	2MA	C2-N3	2.34	1.36	1.31
1	A	1835	2MG	C6-N1	-2.34	1.34	1.37
1	A	747	5MC	C6-N1	-2.30	1.34	1.38
55	v	7	4SU	C5-C4	-2.29	1.39	1.42
57	y	54	5MU	C4-N3	-2.29	1.34	1.38
34	a	516	PSU	C4-N3	-2.28	1.34	1.38
1	A	1917	PSU	C4-N3	-2.27	1.34	1.38
55	w	54	5MU	C4-N3	-2.26	1.34	1.38
57	y	32	PSU	C4-N3	-2.25	1.34	1.38
34	a	527	7MG	C8-N9	2.25	1.47	1.46
1	A	1911	PSU	C4-N3	-2.25	1.34	1.38
57	y	46	7MG	C8-N9	2.25	1.47	1.46
55	w	8	4SU	C5-C4	-2.24	1.39	1.42
57	y	55	PSU	C4-N3	-2.23	1.34	1.38
55	v	55	PSU	C4-N3	-2.22	1.34	1.38
1	A	2251	OMG	O4'-C1'	2.21	1.44	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	a	1519	MA6	O4'-C1'	2.21	1.44	1.41
1	A	1939	5MU	C4-C5	2.21	1.48	1.44
55	w	55	PSU	C4-N3	-2.18	1.34	1.38
57	y	37	MIA	C2-N1	2.17	1.37	1.34
1	A	2069	7MG	C6-N1	-2.17	1.34	1.38
1	A	2251	OMG	C6-N1	-2.15	1.34	1.37
1	A	746	PSU	C2-N3	-2.12	1.33	1.37
57	y	37	MIA	O4'-C1'	2.10	1.44	1.41
57	y	39	PSU	C4-N3	-2.10	1.34	1.38
55	w	8	4SU	C6-C5	2.09	1.39	1.35
1	A	2498	OMC	C5-C4	-2.08	1.38	1.42
57	y	20	H2U	C2-N3	-2.08	1.34	1.38
57	y	16	H2U	C2-N3	-2.07	1.34	1.38
55	v	54	5MU	C2-N3	-2.05	1.34	1.38
57	y	46	7MG	C5-C6	2.04	1.48	1.43
1	A	1939	5MU	C2-N1	2.04	1.41	1.38
1	A	2604	PSU	C2-N3	-2.04	1.34	1.37
55	v	55	PSU	C4-C5	2.04	1.50	1.44
34	a	1498	UR3	C2-N1	2.03	1.41	1.38
34	a	1518	MA6	O4'-C1'	2.03	1.43	1.41
55	v	20	H2U	C2-N3	-2.03	1.34	1.38
57	y	8	4SU	C6-C5	2.02	1.39	1.35
34	a	527	7MG	C6-N1	-2.02	1.35	1.38
34	a	1498	UR3	C5-C4	-2.02	1.38	1.43
34	a	1516	2MG	C6-N1	-2.02	1.34	1.37
1	A	2552	OMU	C6-C5	2.02	1.39	1.35

All (247) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	y	46	7MG	N9-C4-N3	7.89	137.26	125.47
34	a	527	7MG	N9-C4-N3	7.73	137.04	125.47
57	y	37	MIA	C12-C13-C14	-7.64	112.26	127.14
1	A	2069	7MG	N9-C4-N3	7.18	136.21	125.47
55	v	7	4SU	C4-N3-C2	-6.84	120.70	127.34
57	y	8	4SU	C4-N3-C2	-6.32	121.20	127.34
1	A	2605	PSU	N1-C2-N3	6.12	122.07	115.13
55	w	8	4SU	C4-N3-C2	-6.05	121.47	127.34
1	A	1618	6MZ	C2-N1-C6	5.96	121.70	116.59
1	A	2030	6MZ	C2-N1-C6	5.96	121.70	116.59
1	A	2580	PSU	N1-C2-N3	5.90	121.82	115.13
1	A	2457	PSU	N1-C2-N3	5.82	121.72	115.13

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2504	PSU	N1-C2-N3	5.81	121.71	115.13
55	w	55	PSU	N1-C2-N3	5.74	121.64	115.13
1	A	1911	PSU	N1-C2-N3	5.74	121.64	115.13
1	A	1917	PSU	N1-C2-N3	5.74	121.63	115.13
57	y	32	PSU	N1-C2-N3	5.73	121.62	115.13
34	a	1498	UR3	C4-N3-C2	-5.68	119.22	124.56
55	v	7	4SU	C5-C4-N3	5.67	119.95	114.69
1	A	1915	3TD	N1-C2-N3	5.66	120.60	116.14
1	A	746	PSU	N1-C2-N3	5.63	121.51	115.13
57	y	55	PSU	N1-C2-N3	5.55	121.42	115.13
1	A	955	PSU	N1-C2-N3	5.55	121.42	115.13
1	A	2604	PSU	N1-C2-N3	5.54	121.40	115.13
57	y	39	PSU	N1-C2-N3	5.53	121.39	115.13
1	A	1915	3TD	C4-N3-C2	-5.53	118.61	124.61
55	v	55	PSU	N1-C2-N3	5.47	121.33	115.13
57	y	8	4SU	C5-C4-N3	5.36	119.66	114.69
34	a	516	PSU	N1-C2-N3	5.34	121.18	115.13
55	w	8	4SU	C5-C4-N3	5.33	119.63	114.69
1	A	2552	OMU	N3-C2-N1	5.31	121.93	114.89
55	v	54	5MU	N3-C2-N1	5.09	121.64	114.89
1	A	2552	OMU	C4-N3-C2	-4.98	120.01	126.58
57	y	46	7MG	C5-C4-N3	-4.96	118.68	128.13
1	A	2069	7MG	C5-C4-N3	-4.93	118.73	128.13
34	a	527	7MG	C5-C4-N3	-4.88	118.83	128.13
1	A	1939	5MU	C4-N3-C2	-4.87	121.05	127.35
1	A	1939	5MU	N3-C2-N1	4.86	121.34	114.89
55	w	54	5MU	N3-C2-N1	4.79	121.25	114.89
57	y	8	4SU	N3-C2-N1	4.73	121.17	114.89
55	v	7	4SU	N3-C2-N1	4.66	121.08	114.89
55	w	20	H2U	O4'-C1'-N1	4.63	115.61	109.30
1	A	2069	7MG	C2-N3-C4	4.59	120.49	112.30
1	A	2069	7MG	N9-C8-N7	-4.55	96.87	103.38
57	y	37	MIA	C5-C6-N1	-4.53	117.05	120.81
57	y	54	5MU	N3-C2-N1	4.50	120.87	114.89
57	y	46	7MG	N9-C8-N7	-4.49	96.96	103.38
57	y	37	MIA	C2-N3-C4	4.47	121.49	115.32
55	w	54	5MU	C4-N3-C2	-4.46	121.58	127.35
57	y	46	7MG	C2-N3-C4	4.46	120.24	112.30
57	y	54	5MU	C4-N3-C2	-4.44	121.61	127.35
55	w	8	4SU	N3-C2-N1	4.38	120.70	114.89
57	y	54	5MU	C5-C4-N3	4.37	119.04	115.31
1	A	2605	PSU	C4-N3-C2	-4.34	120.09	126.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	a	527	7MG	N9-C8-N7	-4.30	97.23	103.38
55	v	54	5MU	C4-N3-C2	-4.25	121.85	127.35
34	a	527	7MG	C2-N3-C4	4.19	119.77	112.30
55	w	54	5MU	C5-C4-N3	4.17	118.87	115.31
1	A	747	5MC	CM5-C5-C6	-4.11	117.36	122.85
1	A	955	PSU	C6-C5-C4	-4.04	115.37	118.20
55	v	54	5MU	C5-C4-N3	4.04	118.76	115.31
34	a	1519	MA6	C4-C5-N7	-3.98	105.25	109.40
57	y	37	MIA	C16-C14-C13	-3.94	111.25	122.65
1	A	2449	H2U	N3-C2-N1	3.94	120.82	116.65
57	y	39	PSU	O2-C2-N1	-3.92	118.47	122.79
1	A	746	PSU	C4-N3-C2	-3.91	120.70	126.34
57	y	54	5MU	O4-C4-C5	-3.91	120.37	124.90
1	A	955	PSU	C4-N3-C2	-3.90	120.72	126.34
55	v	7	4SU	C5-C4-S4	-3.84	119.52	124.47
55	w	20	H2U	C4-N3-C2	-3.82	122.62	125.79
1	A	1917	PSU	C4-N3-C2	-3.82	120.84	126.34
1	A	1911	PSU	C4-N3-C2	-3.78	120.90	126.34
57	y	55	PSU	C4-N3-C2	-3.74	120.94	126.34
34	a	1518	MA6	N3-C2-N1	-3.74	122.83	128.68
57	y	8	4SU	C5-C4-S4	-3.72	119.67	124.47
1	A	1939	5MU	C5-C4-N3	3.71	118.48	115.31
1	A	1939	5MU	O4-C4-C5	-3.70	120.61	124.90
55	w	55	PSU	C4-N3-C2	-3.70	121.01	126.34
1	A	2604	PSU	C4-N3-C2	-3.69	121.02	126.34
1	A	2552	OMU	C1'-N1-C2	3.66	124.19	117.57
1	A	747	5MC	C5-C4-N3	-3.65	117.73	121.67
57	y	32	PSU	C4-N3-C2	-3.64	121.10	126.34
34	a	1518	MA6	C3'-C2'-C1'	3.63	106.44	100.98
57	y	37	MIA	C4-C5-N7	-3.59	105.66	109.40
55	v	55	PSU	C4-N3-C2	-3.57	121.20	126.34
34	a	1498	UR3	C1'-N1-C2	3.54	122.97	116.99
57	y	37	MIA	C15-C14-C13	-3.52	112.49	122.65
57	y	20	H2U	C4-N3-C2	-3.51	122.88	125.79
1	A	2504	PSU	C4-N3-C2	-3.48	121.32	126.34
34	a	516	PSU	C4-N3-C2	-3.48	121.33	126.34
57	y	54	5MU	C5M-C5-C4	3.47	122.58	118.77
1	A	1618	6MZ	C3'-C2'-C1'	3.44	106.16	100.98
1	A	2030	6MZ	C3'-C2'-C1'	3.43	106.15	100.98
34	a	516	PSU	C3'-C2'-C1'	3.43	105.63	101.64
1	A	746	PSU	O2-C2-N1	-3.40	119.04	122.79
55	w	8	4SU	C5-C4-S4	-3.40	120.09	124.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1618	6MZ	C9-N6-C6	-3.38	119.96	122.87
57	y	16	H2U	C4-N3-C2	-3.37	123.00	125.79
1	A	2605	PSU	O2-C2-N1	-3.35	119.11	122.79
1	A	2030	6MZ	C9-N6-C6	-3.34	120.00	122.87
1	A	2552	OMU	C5-C4-N3	3.33	119.83	114.84
1	A	2580	PSU	C4-N3-C2	-3.32	121.55	126.34
1	A	955	PSU	O2-C2-N1	-3.31	119.15	122.79
1	A	1911	PSU	O2-C2-N1	-3.31	119.15	122.79
57	y	39	PSU	C6-C5-C4	-3.29	115.90	118.20
55	w	55	PSU	O2-C2-N1	-3.29	119.17	122.79
57	y	39	PSU	C4-N3-C2	-3.28	121.61	126.34
1	A	1917	PSU	C6-C5-C4	-3.27	115.91	118.20
57	y	32	PSU	O2-C2-N1	-3.26	119.20	122.79
55	w	54	5MU	C5M-C5-C4	3.23	122.32	118.77
34	a	1519	MA6	N3-C2-N1	-3.21	123.67	128.68
55	v	20	H2U	C3'-C2'-C1'	3.20	107.51	101.43
1	A	1618	6MZ	N3-C2-N1	-3.18	123.71	128.68
57	y	55	PSU	O2-C2-N1	-3.17	119.30	122.79
1	A	745	1MG	O6-C6-C5	-3.15	118.61	124.19
1	A	2457	PSU	C4-N3-C2	-3.15	121.80	126.34
1	A	2030	6MZ	N3-C2-N1	-3.15	123.76	128.68
34	a	516	PSU	C6-C5-C4	-3.14	116.00	118.20
55	w	54	5MU	O4-C4-C5	-3.14	121.26	124.90
57	y	20	H2U	O4'-C1'-N1	3.13	113.57	109.30
1	A	1911	PSU	C6-C5-C4	-3.12	116.01	118.20
55	v	55	PSU	O2-C2-N1	-3.11	119.37	122.79
1	A	1917	PSU	O2-C2-N1	-3.09	119.39	122.79
1	A	1962	5MC	O2-C2-N3	-3.05	117.37	122.33
1	A	746	PSU	C6-C5-C4	-3.04	116.07	118.20
34	a	967	5MC	O2-C2-N3	-3.03	117.40	122.33
1	A	2498	OMC	O2-C2-N3	-3.03	117.41	122.33
34	a	1407	5MC	O2-C2-N3	-3.02	117.42	122.33
1	A	1939	5MU	C5-C6-N1	-3.00	120.25	123.34
55	w	55	PSU	C3'-C2'-C1'	2.97	105.10	101.64
55	v	20	H2U	N3-C2-N1	2.97	119.80	116.65
57	y	55	PSU	C6-C5-C4	-2.95	116.13	118.20
1	A	2457	PSU	O2-C2-N1	-2.95	119.54	122.79
1	A	2069	7MG	C5-C6-N1	2.94	116.16	110.99
34	a	527	7MG	C5-C6-N1	2.92	116.14	110.99
55	v	54	5MU	O4-C4-C5	-2.91	121.53	124.90
57	y	8	4SU	C6-N1-C2	-2.90	117.28	120.99
1	A	2605	PSU	C6-C5-C4	-2.89	116.18	118.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	y	46	7MG	C5-C6-N1	2.89	116.08	110.99
1	A	2552	OMU	O4-C4-C5	-2.88	120.10	125.16
1	A	2504	PSU	O2-C2-N1	-2.86	119.64	122.79
1	A	2503	2MA	C5-C6-N1	2.85	118.94	114.02
57	y	37	MIA	C2-N1-C6	2.84	122.28	117.19
34	a	1407	5MC	C5-C4-N3	-2.84	118.61	121.67
1	A	2552	OMU	O2-C2-N3	-2.83	116.22	121.50
34	a	967	5MC	C5-C4-N3	-2.83	118.62	121.67
34	a	966	2MG	C5-C6-N1	2.79	118.87	113.95
55	v	20	H2U	C5-C4-N3	2.78	119.78	116.65
1	A	2449	H2U	C4-N3-C2	-2.78	123.49	125.79
1	A	2580	PSU	C3'-C2'-C1'	2.77	104.86	101.64
55	v	55	PSU	C6-C5-C4	-2.77	116.26	118.20
34	a	1518	MA6	C4-C5-N7	-2.77	106.52	109.40
1	A	745	1MG	C5-C6-N1	2.75	118.03	113.90
34	a	1519	MA6	C10-N6-C6	-2.70	111.35	119.51
34	a	516	PSU	O2-C2-N1	-2.70	119.82	122.79
1	A	2030	6MZ	C4-C5-N7	-2.68	106.61	109.40
34	a	1402	4OC	C6-C5-C4	2.67	120.22	116.96
1	A	1618	6MZ	C4-C5-N7	-2.66	106.63	109.40
1	A	1962	5MC	C5-C4-N3	-2.65	118.81	121.67
55	w	20	H2U	C5-C6-N1	-2.64	102.91	111.61
57	y	20	H2U	C5-C4-N3	2.61	119.58	116.65
34	a	1207	2MG	C8-N7-C5	2.61	107.96	102.99
57	y	37	MIA	C16-C14-C15	-2.60	108.86	114.60
34	a	1516	2MG	C5-C6-N1	2.59	118.52	113.95
1	A	2604	PSU	C6-C5-C4	-2.56	116.41	118.20
1	A	2604	PSU	O2-C2-N1	-2.56	119.97	122.79
1	A	747	5MC	O2-C2-N3	-2.55	118.18	122.33
57	y	32	PSU	C3'-C2'-C1'	2.55	104.61	101.64
55	v	20	H2U	O4'-C1'-N1	2.55	112.77	109.30
34	a	1498	UR3	C3U-N3-C2	2.53	121.75	117.31
1	A	747	5MC	C5-C6-N1	-2.53	120.73	123.34
34	a	1516	2MG	C8-N7-C5	2.50	107.75	102.99
1	A	2251	OMG	O6-C6-C5	-2.50	119.50	124.37
55	w	8	4SU	C6-N1-C2	-2.49	117.81	120.99
1	A	2445	2MG	C5-C6-N1	2.48	118.34	113.95
1	A	1835	2MG	C5-C6-N1	2.48	118.32	113.95
57	y	37	MIA	C3'-C2'-C1'	2.47	104.70	100.98
34	a	527	7MG	CM7-N7-C5	2.47	132.77	126.40
57	y	16	H2U	C5-C4-N3	2.47	119.42	116.65
57	y	16	H2U	O4'-C1'-N1	2.46	112.65	109.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2580	PSU	C6-C5-C4	-2.45	116.49	118.20
34	a	527	7MG	O4'-C1'-N9	2.45	112.63	109.30
57	y	32	PSU	C6-C5-C4	-2.45	116.49	118.20
1	A	2552	OMU	C6-N1-C2	-2.45	117.86	120.99
34	a	1518	MA6	C9-N6-C6	-2.42	112.18	119.51
1	A	747	5MC	C3'-C2'-C1'	2.42	106.03	101.43
1	A	2580	PSU	O2-C2-N3	-2.42	117.26	121.82
34	a	1402	4OC	O4'-C1'-N1	2.42	113.88	108.36
57	y	20	H2U	C3'-C2'-C1'	2.41	106.00	101.43
1	A	2069	7MG	O4'-C1'-N9	2.41	112.58	109.30
1	A	2069	7MG	N2-C2-N3	-2.41	115.05	119.73
1	A	1962	5MC	CM5-C5-C6	-2.40	119.64	122.85
34	a	966	2MG	C8-N7-C5	2.40	107.55	102.99
1	A	2498	OMC	O4'-C1'-N1	2.39	113.83	108.36
57	y	37	MIA	N3-C2-N1	-2.38	122.59	126.98
34	a	1207	2MG	C5-C6-N1	2.38	118.15	113.95
1	A	2457	PSU	C6-C5-C4	-2.37	116.54	118.20
55	v	7	4SU	C6-N1-C2	-2.37	117.96	120.99
34	a	967	5MC	C3'-C2'-C1'	2.37	105.93	101.43
1	A	2445	2MG	C8-N7-C5	2.35	107.47	102.99
1	A	1915	3TD	C3'-C2'-C1'	2.34	104.36	101.64
55	w	55	PSU	C6-C5-C4	-2.33	116.57	118.20
34	a	1407	5MC	C5-C6-N1	-2.33	120.94	123.34
34	a	1402	4OC	C2'-C1'-N1	-2.32	109.72	114.22
55	w	54	5MU	C5M-C5-C6	-2.32	119.75	122.85
55	v	54	5MU	C5-C6-N1	-2.31	120.96	123.34
55	v	54	5MU	C6-N1-C2	-2.31	118.96	121.30
57	y	54	5MU	C1'-N1-C2	2.30	121.74	117.57
1	A	2449	H2U	C5-C4-N3	2.29	119.23	116.65
57	y	54	5MU	C5M-C5-C6	-2.29	119.79	122.85
1	A	1939	5MU	O2-C2-N1	-2.29	119.75	122.79
34	a	1402	4OC	O2-C2-N3	-2.28	118.62	122.33
1	A	2552	OMU	O4'-C1'-N1	2.28	113.58	108.36
57	y	8	4SU	O2-C2-N3	-2.28	117.26	121.50
57	y	16	H2U	C3'-C2'-C1'	2.28	105.75	101.43
34	a	1407	5MC	O4'-C1'-N1	2.27	113.55	108.36
55	w	54	5MU	C3'-C2'-C1'	2.27	105.73	101.43
57	y	46	7MG	CM7-N7-C5	2.26	132.24	126.40
34	a	527	7MG	O6-C6-C5	-2.25	122.01	127.54
34	a	1402	4OC	C5-C4-N3	-2.25	118.97	122.59
55	w	54	5MU	O4'-C1'-N1	2.23	113.47	108.36
1	A	745	1MG	C8-N7-C5	2.23	107.23	102.99

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	y	8	4SU	C1'-N1-C2	2.22	121.58	117.57
1	A	2504	PSU	C6-C5-C4	-2.21	116.65	118.20
55	w	54	5MU	C5-C6-N1	-2.20	121.07	123.34
1	A	1939	5MU	C5M-C5-C4	2.19	121.18	118.77
1	A	2069	7MG	N2-C2-N1	2.19	121.37	116.71
1	A	2069	7MG	O6-C6-C5	-2.18	122.19	127.54
34	a	966	2MG	O6-C6-C5	-2.18	120.12	124.37
34	a	1519	MA6	C10-N6-C9	-2.18	109.11	116.12
55	v	20	H2U	C4-N3-C2	-2.17	123.99	125.79
1	A	2251	OMG	C5-C6-N1	2.16	117.76	113.95
57	y	55	PSU	C3'-C2'-C1'	2.13	104.12	101.64
1	A	2251	OMG	O2'-C2'-C1'	2.12	113.29	109.09
55	v	55	PSU	C3'-C2'-C1'	2.11	104.09	101.64
1	A	2457	PSU	C3'-C2'-C1'	2.10	104.08	101.64
1	A	2503	2MA	C8-N7-C5	2.10	106.99	102.99
34	a	967	5MC	C5-C6-N1	-2.10	121.18	123.34
57	y	46	7MG	O6-C6-C5	-2.10	122.39	127.54
55	v	54	5MU	O4'-C1'-N1	2.09	113.13	108.36
1	A	2069	7MG	CM7-N7-C5	2.08	131.77	126.40
55	v	54	5MU	O2-C2-N3	-2.07	117.64	121.50
1	A	2449	H2U	O4'-C1'-N1	2.05	112.10	109.30
57	y	54	5MU	C6-N1-C2	-2.04	119.23	121.30
55	w	54	5MU	O2-C2-N3	-2.04	117.71	121.50
1	A	1939	5MU	C5M-C5-C6	-2.03	120.13	122.85
1	A	747	5MC	N1-C2-N3	2.03	122.51	118.81

There are no chirality outliers.

All (80) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	746	PSU	C2'-C1'-C5-C4
1	A	746	PSU	O4'-C1'-C5-C6
1	A	2030	6MZ	C4'-C5'-O5'-P
1	A	2030	6MZ	C3'-C4'-C5'-O5'
1	A	2069	7MG	O4'-C4'-C5'-O5'
1	A	2069	7MG	C3'-C4'-C5'-O5'
1	A	2445	2MG	O4'-C4'-C5'-O5'
1	A	2445	2MG	C3'-C4'-C5'-O5'
1	A	2552	OMU	O4'-C1'-N1-C2
1	A	2552	OMU	O4'-C1'-N1-C6
34	a	1498	UR3	O4'-C1'-N1-C6
34	a	1498	UR3	O4'-C1'-N1-C2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
34	a	1518	MA6	C5-C6-N6-C9
34	a	1519	MA6	C5-C6-N6-C10
55	v	20	H2U	O4'-C1'-N1-C2
55	v	20	H2U	O4'-C1'-N1-C6
55	v	55	PSU	O4'-C1'-C5-C4
55	v	55	PSU	O4'-C1'-C5-C6
55	w	8	4SU	C3'-C4'-C5'-O5'
55	w	8	4SU	O4'-C4'-C5'-O5'
57	y	20	H2U	O4'-C1'-N1-C2
57	y	20	H2U	O4'-C1'-N1-C6
57	y	37	MIA	O4'-C4'-C5'-O5'
57	y	37	MIA	C12-C13-C14-C15
57	y	37	MIA	C12-C13-C14-C16
57	y	46	7MG	O4'-C4'-C5'-O5'
1	A	1962	5MC	O4'-C4'-C5'-O5'
1	A	2504	PSU	O4'-C4'-C5'-O5'
34	a	1402	4OC	O4'-C4'-C5'-O5'
34	a	1402	4OC	C3'-C4'-C5'-O5'
57	y	37	MIA	C3'-C4'-C5'-O5'
1	A	1917	PSU	O4'-C4'-C5'-O5'
1	A	1962	5MC	C3'-C4'-C5'-O5'
1	A	2030	6MZ	O4'-C4'-C5'-O5'
1	A	2504	PSU	C3'-C4'-C5'-O5'
57	y	46	7MG	C3'-C4'-C5'-O5'
34	a	1518	MA6	N1-C6-N6-C9
34	a	1519	MA6	N1-C6-N6-C10
55	w	8	4SU	C2'-C1'-N1-C6
55	w	8	4SU	C2'-C1'-N1-C2
1	A	1915	3TD	C3'-C4'-C5'-O5'
1	A	1917	PSU	C3'-C4'-C5'-O5'
1	A	2604	PSU	O4'-C4'-C5'-O5'
57	y	16	H2U	O4'-C4'-C5'-O5'
57	y	16	H2U	C3'-C4'-C5'-O5'
1	A	1915	3TD	O4'-C4'-C5'-O5'
55	v	7	4SU	O4'-C4'-C5'-O5'
55	v	20	H2U	O4'-C4'-C5'-O5'
55	v	20	H2U	C4'-C5'-O5'-P
55	w	8	4SU	O4'-C1'-N1-C6
1	A	2604	PSU	C3'-C4'-C5'-O5'
57	y	46	7MG	C2'-C1'-N9-C8
55	w	8	4SU	O4'-C1'-N1-C2
1	A	1618	6MZ	C3'-C4'-C5'-O5'

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
55	v	20	H2U	C3'-C4'-C5'-O5'
1	A	1618	6MZ	O4'-C4'-C5'-O5'
34	a	527	7MG	C3'-C4'-C5'-O5'
34	a	1519	MA6	C4'-C5'-O5'-P
34	a	527	7MG	C4'-C5'-O5'-P
34	a	966	2MG	C3'-C4'-C5'-O5'
34	a	966	2MG	C4'-C5'-O5'-P
55	v	7	4SU	C3'-C4'-C5'-O5'
55	w	20	H2U	C2'-C1'-N1-C6
1	A	746	PSU	O4'-C1'-C5-C4
57	y	32	PSU	O4'-C1'-C5-C4
57	y	39	PSU	O4'-C1'-C5-C4
57	y	46	7MG	O4'-C1'-N9-C8
1	A	2457	PSU	O4'-C4'-C5'-O5'
1	A	1939	5MU	O4'-C4'-C5'-O5'
57	y	37	MIA	N3-C2-S10-C11
57	y	8	4SU	C2'-C1'-N1-C2
55	w	20	H2U	C2'-C1'-N1-C2
55	w	55	PSU	O4'-C1'-C5-C6
57	y	32	PSU	O4'-C1'-C5-C6
57	y	39	PSU	O4'-C1'-C5-C6
1	A	1939	5MU	C3'-C4'-C5'-O5'
1	A	2457	PSU	C3'-C4'-C5'-O5'
34	a	966	2MG	O4'-C4'-C5'-O5'
57	y	8	4SU	O4'-C4'-C5'-O5'
1	A	1618	6MZ	C4'-C5'-O5'-P

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 1481 ligands modelled in this entry, 1478 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
62	PHE	z	401	-	10,11,12	0.38	0	10,13,15	0.29	0
63	GTP	z	402	60	26,34,34	0.95	1 (3%)	32,54,54	1.47	5 (15%)
59	FME	A	3001	-	8,9,10	0.53	0	7,9,11	1.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
62	PHE	z	401	-	-	1/5/6/8	0/1/1/1
63	GTP	z	402	60	-	7/18/38/38	0/3/3/3
59	FME	A	3001	-	-	0/7/9/11	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
63	z	402	GTP	C6-N1	-2.71	1.33	1.37

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
63	z	402	GTP	PA-O3A-PB	-3.58	120.55	132.83
63	z	402	GTP	PB-O3B-PG	-3.46	120.95	132.83
63	z	402	GTP	C3'-C2'-C1'	3.14	105.71	100.98
63	z	402	GTP	C5-C6-N1	2.46	118.30	113.95
63	z	402	GTP	C8-N7-C5	2.19	107.16	102.99

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
62	z	401	PHE	O-C-CA-CB
63	z	402	GTP	C5'-O5'-PA-O1A
63	z	402	GTP	C5'-O5'-PA-O2A
63	z	402	GTP	C3'-C4'-C5'-O5'

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
63	z	402	GTP	O4'-C4'-C5'-O5'
63	z	402	GTP	C4'-C5'-O5'-PA
63	z	402	GTP	PB-O3B-PG-O1G
63	z	402	GTP	C5'-O5'-PA-O3A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8829. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 199




Y Index: 199




Z Index: 199


### 6.2.2 Raw map



X Index: 199



Y Index: 199




Z Index: 199

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 199




Y Index: 207




Z Index: 190


### 6.3.2 Raw map



X Index: 199



Y Index: 207




Z Index: 190


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.00532. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.4.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_8829\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2339 nm<sup>3</sup>; this corresponds to an approximate mass of 2113 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.333  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.333 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	3.05	3.53	3.10
Unmasked-calculated*	3.61	4.75	3.76


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.61 differs from the reported value 3.0 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8829 and PDB model 5WFS. Per-residue inclusion information can be found in section [3](#) on page [20](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.00532 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00532).







































































## 9.4 Atom inclusion ⓘ



At the recommended contour level, 95% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ



















































The table lists the average atom inclusion at the recommended contour level (0.00532) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9570	 0.4750
0	 0.9620	 0.5080
1	 0.9242	 0.4640
2	 0.9884	 0.5860
3	 0.9837	 0.5760
4	 0.9521	 0.4940
5	 0.1116	 -0.0200
6	 0.8885	 0.3120
A	 0.9874	 0.5350
B	 0.9935	 0.5140
C	 0.9742	 0.5550
D	 0.9661	 0.5260
E	 0.9689	 0.5080
F	 0.9359	 0.4310
G	 0.9366	 0.3790
H	 0.7354	 0.2180
I	 0.6194	 0.0210
J	 0.9652	 0.5270
K	 0.9518	 0.5180
L	 0.9645	 0.5170
M	 0.9693	 0.5180
N	 0.9858	 0.5530
O	 0.9676	 0.4480
P	 0.9572	 0.5080
Q	 0.9564	 0.5500
R	 0.9393	 0.4830
S	 0.9516	 0.5230
T	 0.9343	 0.4560
U	 0.9452	 0.4450
V	 0.9489	 0.4600
W	 0.9641	 0.5480
X	 0.9551	 0.5170
Y	 0.9378	 0.4430
Z	 0.9645	 0.5020
a	 0.9870	 0.4800



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
b	 0.8955	 0.3360
c	 0.9423	 0.4360
d	 0.8994	 0.2860
e	 0.9533	 0.4820
f	 0.9234	 0.4070
g	 0.9161	 0.3700
h	 0.9490	 0.4840
i	 0.9224	 0.3850
j	 0.8962	 0.3370
k	 0.9456	 0.4300
l	 0.9084	 0.4010
m	 0.9441	 0.4280
n	 0.9499	 0.4390
o	 0.9406	 0.4440
p	 0.8931	 0.2610
q	 0.9146	 0.3710
r	 0.8969	 0.4030
s	 0.9517	 0.4260
t	 0.9200	 0.3290
u	 0.8205	 0.2580
v	 0.9721	 0.4880
w	 0.7454	 0.0740
x	 0.9842	 0.4960
y	 0.9162	 0.2870
z	 0.8294	 0.2520