



## Full wwPDB EM Validation Report ⓘ

Nov 16, 2022 – 11:44 PM EST

PDB ID : 6WJ2  
EMDB ID : EMD-21686  
Title : CryoEM structure of the SLC38A9-RagA-RagC-Ragulator complex in the pre-GAP state  
Authors : Fromm, S.A.; Hurley, J.H.  
Deposited on : 2020-04-11  
Resolution : 3.20 Å(reported)  
Based on initial model : 6NZD

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	166	
2	B	127	
3	C	124	
4	D	99	
5	E	173	
6	F	336	
7	G	404	
8	H	122	

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 8909 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Regulator complex protein LAMTOR1.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	96	Total	C	N	O	0	0
			640	404	110	126		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	SER	-	expression tag	UNP Q6IAA8
A	-3	ASN	-	expression tag	UNP Q6IAA8
A	-2	ALA	-	expression tag	UNP Q6IAA8
A	-1	GLU	-	expression tag	UNP Q6IAA8
A	0	PHE	-	expression tag	UNP Q6IAA8
A	2	ALA	GLY	engineered mutation	UNP Q6IAA8

- Molecule 2 is a protein called Regulator complex protein LAMTOR2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	120	Total	C	N	O	S	0	0
			905	569	155	174	7		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	GLY	-	expression tag	UNP Q9Y2Q5
B	0	ALA	-	expression tag	UNP Q9Y2Q5

- Molecule 3 is a protein called Regulator complex protein LAMTOR3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	119	Total	C	N	O	S	0	0
			925	596	156	172	1		

- Molecule 4 is a protein called Regulator complex protein LAMTOR4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	94	Total	C	N	O	S	0	0
			650	409	119	120	2		

- Molecule 5 is a protein called Regulator complex protein LAMTOR5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	91	Total	C	N	O	S	0	0
			663	404	115	137	7		

- Molecule 6 is a protein called Ras-related GTP-binding protein A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	281	Total	C	N	O	S	0	0
			2167	1390	374	390	13		

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	-22	MET	-	expression tag	UNP Q7L523
F	-21	SER	-	expression tag	UNP Q7L523
F	-20	TRP	-	expression tag	UNP Q7L523
F	-19	SER	-	expression tag	UNP Q7L523
F	-18	HIS	-	expression tag	UNP Q7L523
F	-17	PRO	-	expression tag	UNP Q7L523
F	-16	GLN	-	expression tag	UNP Q7L523
F	-15	PHE	-	expression tag	UNP Q7L523
F	-14	GLU	-	expression tag	UNP Q7L523
F	-13	LYS	-	expression tag	UNP Q7L523
F	-12	GLY	-	expression tag	UNP Q7L523
F	-11	GLY	-	expression tag	UNP Q7L523
F	-10	PHE	-	expression tag	UNP Q7L523
F	-9	ASP	-	expression tag	UNP Q7L523
F	-8	ILE	-	expression tag	UNP Q7L523
F	-7	ASP	-	expression tag	UNP Q7L523
F	-6	TYR	-	expression tag	UNP Q7L523
F	-5	LYS	-	expression tag	UNP Q7L523
F	-4	ASP	-	expression tag	UNP Q7L523
F	-3	ASP	-	expression tag	UNP Q7L523
F	-2	ASP	-	expression tag	UNP Q7L523
F	-1	ASP	-	expression tag	UNP Q7L523
F	0	LYS	-	expression tag	UNP Q7L523

- Molecule 7 is a protein called Ras-related GTP-binding protein C.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	308	Total	C	N	O	S	0	0
			2487	1602	401	470	14		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	-4	GLY	-	expression tag	UNP Q9HB90
G	-3	ALA	-	expression tag	UNP Q9HB90
G	-2	ASP	-	expression tag	UNP Q9HB90
G	-1	SER	-	expression tag	UNP Q9HB90
G	0	ARG	-	expression tag	UNP Q9HB90
G	181	ASN	ASP	engineered mutation	UNP Q9HB90


- Molecule 8 is a protein called Sodium-coupled neutral amino acid transporter 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	58	Total	C	N	O	S	0	0
			411	262	75	72	2		


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	GLY	-	expression tag	UNP Q8NBW4
H	-1	GLY	-	expression tag	UNP Q8NBW4
H	0	THR	-	expression tag	UNP Q8NBW4

- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>11</sub>P<sub>2</sub>).



- Molecule 10 is 9-{5-O-[(S)-hydroxy{[(R)-hydroxy(thiophosphonoxy)phosphoryl]oxy}phosphoryl]-alpha-L-arabinofuranosyl}-3,9-dihydro-1H-purine-2,6-dione (three-letter code: L8S) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>4</sub>O<sub>14</sub>P<sub>3</sub>S).




- Molecule 11 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
11	G	1	Total	Mg	0
			1	1	


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Regulator complex protein LAMTOR1




- Molecule 2: Regulator complex protein LAMTOR2




- Molecule 3: Regulator complex protein LAMTOR3



- Molecule 4: Regulator complex protein LAMTOR4











• Molecule 5: Ragulator complex protein LAMTOR5

Chain E: 42% 9% 47%





• Molecule 6: Ras-related GTP-binding protein A

Chain F: 74% 9% 16%




• Molecule 7: Ras-related GTP-binding protein C

Chain G: 68% 8% 24%



• Molecule 8: Sodium-coupled neutral amino acid transporter 9

Chain H: 46% 52%



ALA  
TYR  
LYS  
LEU  
GLN  
SER  
TYR  
THR  
GLU  
GLY  
TYR  
GLY  
LYS  
ASN  
THR  
SER

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	129553	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	59	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	29000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	19.071	Depositor
Minimum map value	-12.078	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	1.5	Depositor
Map size (Å)	104.820595, 128.68219, 178.10979	wwPDB
Map dimensions	209, 151, 123	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8522, 0.8521999, 0.8521999	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: L8S, MG, GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/648	0.40	0/891
2	B	0.24	0/914	0.43	0/1236
3	C	0.24	0/942	0.42	0/1278
4	D	0.25	0/659	0.47	0/895
5	E	0.23	0/669	0.42	0/906
6	F	0.24	0/2207	0.42	0/2988
7	G	0.25	0/2540	0.41	0/3430
8	H	0.23	0/421	0.39	0/578
All	All	0.24	0/9000	0.42	0/12202

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	640	0	548	6	0
2	B	905	0	921	3	0
3	C	925	0	952	13	0
4	D	650	0	610	6	0
5	E	663	0	659	13	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	F	2167	0	2066	20	0
7	G	2487	0	2453	16	0
8	H	411	0	374	1	0
9	F	28	0	12	0	0
10	G	32	0	0	1	0
11	G	1	0	0	0	0
All	All	8909	0	8595	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:G:98:LYS:HE3	7:G:99:ILE:HG12	1.72	0.70
4:D:77:VAL:HG12	4:D:86:VAL:HG22	1.74	0.69
6:F:267:THR:HG22	6:F:268:SER:H	1.63	0.63
5:E:88:GLU:OE1	5:E:116:ARG:NH2	2.31	0.62
1:A:124:ILE:HG23	1:A:125:PRO:HD2	1.80	0.62
3:C:102:LEU:HD22	5:E:129:VAL:HG11	1.83	0.60
3:C:24:VAL:HA	3:C:90:VAL:HA	1.83	0.60
2:B:0:ALA:O	6:F:292:ASN:ND2	2.35	0.59
7:G:244:GLU:O	7:G:248:ASN:ND2	2.36	0.58
7:G:247:LEU:O	7:G:251:ILE:HG12	2.04	0.57
6:F:241:SER:OG	7:G:287:ASP:OD2	2.22	0.57
3:C:79:GLN:NE2	3:C:95:SER:O	2.39	0.54
4:D:20:VAL:HG23	4:D:27:LEU:HB3	1.87	0.54
1:A:61:THR:HG21	7:G:362:ALA:HB2	1.92	0.52
6:F:267:THR:HB	6:F:270:THR:HB	1.91	0.52
6:F:22:SER:O	6:F:26:ILE:HG12	2.10	0.51
7:G:208:LEU:HB3	7:G:211:LEU:HD13	1.93	0.51
5:E:120:SER:OG	5:E:121:ASP:N	2.44	0.51
5:E:144:ILE:HD13	5:E:144:ILE:H	1.74	0.50
2:B:61:ASN:ND2	2:B:66:GLU:OE2	2.45	0.50
2:B:6:ALA:O	2:B:10:VAL:HG23	2.12	0.50
6:F:183:ASN:N	6:F:183:ASN:OD1	2.45	0.50
7:G:170:ASP:OD1	7:G:170:ASP:N	2.43	0.49
5:E:103:VAL:HG13	5:E:168:VAL:HG12	1.93	0.49
7:G:148:ASP:N	7:G:148:ASP:OD1	2.46	0.49
5:E:112:ASN:ND2	5:E:121:ASP:OD1	2.43	0.49
6:F:284:ALA:O	6:F:288:ILE:HG13	2.13	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:G:181:ASN:OD1	10:G:500:L8S:N1	2.46	0.49
3:C:21:ALA:HB3	3:C:93:ILE:HB	1.94	0.48
7:G:110:VAL:HG12	7:G:112:PHE:HD2	1.78	0.48
6:F:15:LYS:O	6:F:20:LYS:NZ	2.46	0.48
6:F:127:HIS:CD2	6:F:128:LYS:H	2.31	0.48
3:C:66:SER:OG	3:C:67:LYS:N	2.46	0.48
6:F:87:VAL:HA	6:F:121:LYS:HB2	1.96	0.48
6:F:130:ASP:OD1	6:F:131:LEU:N	2.47	0.47
7:G:178:HIS:HD2	7:G:179:LYS:HG3	1.79	0.47
1:A:151:LYS:HB3	1:A:152:GLU:OE2	2.15	0.47
4:D:64:LYS:HG2	5:E:151:SER:HA	1.95	0.47
3:C:3:ASP:N	3:C:3:ASP:OD1	2.48	0.46
5:E:150:GLU:HG3	5:E:155:ASN:HD22	1.82	0.45
5:E:106:THR:OG1	5:E:111:LEU:O	2.24	0.45
3:C:86:LEU:O	3:C:88:LEU:N	2.39	0.45
6:F:234:ILE:HG12	8:H:66:LYS:HE2	1.98	0.45
6:F:121:LYS:HD3	6:F:121:LYS:HA	1.88	0.45
7:G:63:ARG:HB2	7:G:137:THR:HG22	1.97	0.45
6:F:156:GLU:N	6:F:156:GLU:OE1	2.50	0.44
3:C:95:SER:OG	3:C:96:SER:N	2.50	0.44
5:E:106:THR:OG1	5:E:107:ASP:N	2.50	0.43
6:F:130:ASP:OD1	6:F:130:ASP:C	2.56	0.43
7:G:327:TYR:OH	7:G:329:LYS:NZ	2.51	0.43
6:F:144:ARG:NH1	6:F:147:ASP:OD1	2.52	0.43
3:C:120:VAL:HG12	3:C:121:VAL:HG13	2.00	0.42
6:F:119:ASP:N	6:F:119:ASP:OD1	2.52	0.42
6:F:266:PHE:HB2	6:F:272:VAL:HB	2.01	0.42
1:A:132:VAL:HG11	5:E:157:MET:HG3	2.02	0.42
6:F:167:GLU:OE1	6:F:226:HIS:NE2	2.53	0.42
3:C:34:LYS:NZ	3:C:45:LEU:HD23	2.35	0.42
1:A:109:PRO:HB2	4:D:61:VAL:HG12	2.02	0.41
5:E:120:SER:H	5:E:123:HIS:CE1	2.38	0.41
1:A:124:ILE:HG23	1:A:125:PRO:CD	2.49	0.41
7:G:98:LYS:HD2	7:G:98:LYS:HA	1.72	0.41
3:C:45:LEU:HD12	3:C:45:LEU:HA	1.91	0.41
5:E:129:VAL:O	5:E:133:GLN:HG2	2.20	0.41
3:C:37:ASN:HD22	3:C:39:ASN:H	1.69	0.41
7:G:70:ARG:O	7:G:71:ARG:HG2	2.21	0.41
4:D:22:SER:O	4:D:22:SER:OG	2.33	0.41
3:C:23:VAL:HG11	3:C:45:LEU:HD11	2.03	0.40
7:G:122:ASP:OD1	7:G:123:PHE:N	2.54	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:F:211:PHE:CZ	6:F:235:ILE:HG21	2.56	0.40
4:D:66:LEU:HB3	4:D:77:VAL:HG23	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	92/166 (55%)	90 (98%)	2 (2%)	0	100	100
2	B	116/127 (91%)	111 (96%)	5 (4%)	0	100	100
3	C	117/124 (94%)	110 (94%)	7 (6%)	0	100	100
4	D	92/99 (93%)	89 (97%)	3 (3%)	0	100	100
5	E	89/173 (51%)	80 (90%)	9 (10%)	0	100	100
6	F	277/336 (82%)	259 (94%)	18 (6%)	0	100	100
7	G	306/404 (76%)	285 (93%)	21 (7%)	0	100	100
8	H	54/122 (44%)	51 (94%)	3 (6%)	0	100	100
All	All	1143/1551 (74%)	1075 (94%)	68 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	52/145 (36%)	52 (100%)	0	100	100
2	B	94/98 (96%)	89 (95%)	5 (5%)	22	58
3	C	104/108 (96%)	101 (97%)	3 (3%)	42	74
4	D	60/83 (72%)	59 (98%)	1 (2%)	60	83
5	E	76/140 (54%)	72 (95%)	4 (5%)	22	58
6	F	220/308 (71%)	218 (99%)	2 (1%)	78	91
7	G	280/343 (82%)	270 (96%)	10 (4%)	35	69
8	H	38/107 (36%)	37 (97%)	1 (3%)	46	76
All	All	924/1332 (69%)	898 (97%)	26 (3%)	46	74

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	25	LEU
2	B	56	TYR
2	B	61	ASN
2	B	71	PHE
2	B	101	PHE
3	C	19	LEU
3	C	20	HIS
3	C	46	ARG
4	D	20	VAL
5	E	126	VAL
5	E	144	ILE
5	E	150	GLU
5	E	155	ASN
6	F	88	LEU
6	F	296	HIS
7	G	104	ILE
7	G	152	GLU
7	G	229	PHE
7	G	294	ASP
7	G	303	GLU
7	G	327	TYR
7	G	332	THR
7	G	348	ARG
7	G	354	TYR
7	G	367	PHE
8	H	40	PHE



Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	145	GLN
2	B	61	ASN
2	B	109	GLN
2	B	113	GLN
3	C	37	ASN
3	C	59	GLN
5	E	123	HIS
5	E	155	ASN
6	F	115	GLN
6	F	127	HIS
6	F	237	GLN
7	G	178	HIS
7	G	197	GLN
7	G	253	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	GDP	F	500	-	24,30,30	0.95	1 (4%)	30,47,47	1.31	4 (13%)
10	L8S	G	500	11	24,34,34	3.60	10 (41%)	28,54,54	2.90	11 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GDP	F	500	-	-	0/12/32/32	0/3/3/3
10	L8S	G	500	11	-	4/17/38/38	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	G	500	L8S	O6-C6	8.28	1.40	1.23
10	G	500	L8S	O2-C2	8.02	1.40	1.23
10	G	500	L8S	C2-N3	6.33	1.48	1.36
10	G	500	L8S	C2-N1	6.09	1.47	1.37
10	G	500	L8S	O4'-C1'	5.34	1.48	1.41
10	G	500	L8S	C6-N1	4.62	1.44	1.37
10	G	500	L8S	C2'-C1'	-2.91	1.49	1.53
10	G	500	L8S	PG-O1G	-2.67	1.46	1.54
10	G	500	L8S	PG-O2G	-2.66	1.46	1.54
9	F	500	GDP	C6-N1	-2.47	1.34	1.37
10	G	500	L8S	C3'-C2'	-2.35	1.46	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	G	500	L8S	C6-N1-C2	-9.33	119.52	126.88
10	G	500	L8S	N3-C2-N1	6.75	119.82	115.90
10	G	500	L8S	C4-N3-C2	-5.55	119.44	128.11
10	G	500	L8S	C3'-C2'-C1'	3.66	106.49	100.98
9	F	500	GDP	PA-O3A-PB	-3.53	120.73	132.83
10	G	500	L8S	C5-C6-N1	3.24	119.67	113.95
9	F	500	GDP	C3'-C2'-C1'	3.12	105.67	100.98
10	G	500	L8S	O2G-PG-O3B	2.97	114.54	104.64
10	G	500	L8S	O1G-PG-O3B	2.72	113.74	104.64
10	G	500	L8S	PB-O3A-PA	-2.40	124.60	132.83
9	F	500	GDP	C8-N7-C5	2.35	107.46	102.99

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	F	500	GDP	C5-C6-N1	2.34	118.08	113.95
10	G	500	L8S	O1A-PA-O2A	-2.28	100.97	112.24
10	G	500	L8S	O6-C6-C5	-2.20	120.07	124.37
10	G	500	L8S	O1B-PB-O2B	-2.11	101.80	112.24

There are no chirality outliers.

All (4) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
10	G	500	L8S	C5'-O5'-PA-O2A
10	G	500	L8S	C5'-O5'-PA-O3A
10	G	500	L8S	C4'-C5'-O5'-PA
10	G	500	L8S	PB-O3A-PA-O2A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	G	500	L8S	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21686. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)

### 6.2.1 Primary map



X Index: 61




Y Index: 75




Z Index: 104


### 6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 65




Y Index: 66




Z Index: 162


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_21686\_msk\_2.map [i](#)



X




Y




Z


### 6.5.2 emd\_21686\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 64  $\text{nm}^3$ ; this corresponds to an approximate mass of 58 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.


## 7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.312 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.20	3.65	3.24
Unmasked-calculated*	4.52	8.69	6.79

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.52 differs from the reported value 3.2 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21686 and PDB model 6WJ2. Per-residue inclusion information can be found in section 3 on page 8.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.5).



## 9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8096	<div></div> 0.4790
A	<div></div> 0.6167	<div></div> 0.4070
B	<div></div> 0.8650	<div></div> 0.5040
C	<div></div> 0.7508	<div></div> 0.4190
D	<div></div> 0.5055	<div></div> 0.3680
E	<div></div> 0.7867	<div></div> 0.4790
F	<div></div> 0.8711	<div></div> 0.4990
G	<div></div> 0.8842	<div></div> 0.5200
H	<div></div> 0.8543	<div></div> 0.4930

