



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 16, 2020 – 12:04 PM EST

PDB ID : 6WL3
Title : preTCRbeta-pMHC complex crystal structure
Authors : Li, X.; Mallis, R.J.; Mizsei, R.; Tan, K.; Reinherz, E.L.; Wang, J.
Deposited on : 2020-04-18
Resolution : 3.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.15.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.15.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	130704	1291 (3.52-3.40)
Clashscore	141614	1372 (3.52-3.40)
Ramachandran outliers	138981	1337 (3.52-3.40)
Sidechain outliers	138945	1338 (3.52-3.40)
RSRZ outliers	127900	1205 (3.52-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	185	<div><div>%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>75%20% . .</div></div>
1	D	185	<div><div>%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>73%21% . .</div></div>
1	G	185	<div><div>3%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>65%28% . .</div></div>
2	B	8	<div><div></div><div><div></div><div></div><div></div><div></div><div></div></div><div>50%50%</div></div>
2	E	8	<div><div></div><div><div></div><div></div><div></div><div></div><div></div></div><div>63%38%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	8	<div><div></div><div>13%</div><div>63%</div><div>25%</div><div>13%</div></div>
3	C	239	<div><div></div><div>75%</div><div>23%</div><div>..</div></div>
3	F	239	<div><div></div><div>2%</div><div>77%</div><div>23%</div></div>
3	I	239	<div><div></div><div>10%</div><div>65%</div><div>31%</div><div>..</div></div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10292 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H-2 class I histocompatibility antigen, K-B alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	179	Total	C	N	O	S	0	0	0
			1461	914	260	281	6			
1	D	177	Total	C	N	O	S	0	0	0
			1446	904	258	278	6			
1	G	177	Total	C	N	O	S	0	0	0
			1446	904	258	278	6			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	56	CYS	GLY	engineered mutation	UNP P01901
A	121	GLN	CYS	engineered mutation	UNP P01901
D	56	CYS	GLY	engineered mutation	UNP P01901
D	121	GLN	CYS	engineered mutation	UNP P01901
G	56	CYS	GLY	engineered mutation	UNP P01901
G	121	GLN	CYS	engineered mutation	UNP P01901

- Molecule 2 is a protein called ARG-GLY-TYR-LEU-TYR-GLN-GLY-LEU.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	8	Total	C	N	O	0	0	0
			69	45	12	12			
2	E	8	Total	C	N	O	0	0	0
			69	45	12	12			
2	H	8	Total	C	N	O	0	0	0
			69	45	12	12			

- Molecule 3 is a protein called N15 preTCR beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	237	Total	C	N	O	S	0	0	0
			1913	1206	341	358	8			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	F	238	Total	C	N	O	S	0	0	0
			1919	1209	342	360	8			
3	I	235	Total	C	N	O	S	0	0	0
			1900	1199	339	354	8			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: H-2 class I histocompatibility antigen, K-B alpha chain



- Molecule 1: H-2 class I histocompatibility antigen, K-B alpha chain



- Molecule 1: H-2 class I histocompatibility antigen, K-B alpha chain



- Molecule 2: ARG-GLY-TYR-LEU-TYR-GLN-GLY-LEU




- Molecule 2: ARG-GLY-TYR-LEU-TYR-GLN-GLY-LEU

Chain E: 




- Molecule 2: ARG-GLY-TYR-LEU-TYR-GLN-GLY-LEU

Chain H: 





- Molecule 3: N15 preTCR beta

Chain C: 




- Molecule 3: N15 preTCR beta

Chain F: 



- Molecule 3: N15 preTCR beta

Chain I: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	109.43Å 109.43Å 316.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.94 – 3.45 48.99 – 3.45	Depositor EDS
% Data completeness (in resolution range)	98.4 (48.94-3.45) 98.6 (48.99-3.45)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 3.48Å)	Xtriage
Refinement program	PHENIX 1.17.1 _3660	Depositor
R, R_{free}	0.220 , 0.256 0.221 , 0.256	Depositor DCC
R_{free} test set	1308 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	92.4	Xtriage
Anisotropy	0.432	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 45.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	10292	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/1496	0.44	0/2023
1	D	0.24	0/1481	0.43	0/2002
1	G	0.25	0/1481	0.44	0/2002
2	B	0.34	0/70	0.60	0/91
2	E	0.23	0/70	0.49	0/91
2	H	0.39	0/70	0.55	0/91
3	C	0.26	0/1967	0.43	0/2664
3	F	0.24	0/1973	0.43	0/2672
3	I	0.28	0/1954	0.50	0/2646
All	All	0.25	0/10562	0.45	0/14282

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1461	0	1381	30	0
1	D	1446	0	1363	32	0
1	G	1446	0	1363	41	0
2	B	69	0	69	5	0
2	E	69	0	69	3	0
2	H	69	0	69	4	0
3	C	1913	0	1828	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	1919	0	1833	34	0
3	I	1900	0	1819	59	0
All	All	10292	0	9794	226	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (226) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:13:SER:HB3	1:G:78:LEU:HD21	1.50	0.94
1:G:9:VAL:HG22	1:G:97:VAL:HG12	1.58	0.84
1:G:5:LEU:HD22	1:G:168:LEU:HB2	1.63	0.80
3:C:86:SER:HB3	3:C:111:VAL:H	1.50	0.77
1:A:15:PRO:HG3	1:A:91:GLY:H	1.50	0.77
3:F:178:SER:HB3	3:F:181:SER:HB3	1.69	0.74
1:G:81:LEU:HD11	2:H:8:LEU:HD23	1.67	0.74
3:C:169:SER:HB2	3:C:187:ARG:HG3	1.71	0.73
1:D:61:GLU:OE1	1:D:61:GLU:O	2.08	0.72
3:F:4:VAL:HG12	3:F:25:PRO:HA	1.72	0.72
3:I:9:ARG:HD3	3:I:9:ARG:H	1.54	0.72
3:C:52:LYS:HE2	3:C:70:ASP:HA	1.73	0.70
1:G:98:ILE:HG12	1:G:115:GLN:HB2	1.74	0.70
1:D:6:ARG:NH2	1:D:29:ASP:O	2.25	0.69
1:G:35:ARG:HG2	1:G:48:ARG:HD3	1.75	0.69
1:G:14:ARG:NH2	1:G:21:ARG:HD2	2.08	0.68
1:A:14:ARG:HG3	1:A:17:LEU:HB2	1.76	0.68
3:I:122:LYS:HE3	3:I:146:ARG:HB2	1.76	0.67
3:I:14:GLU:HB3	3:I:115:LEU:HB2	1.76	0.67
3:I:152:HIS:HB3	3:I:209:HIS:HB2	1.75	0.67
3:I:47:ILE:HG21	3:I:66:VAL:HG11	1.76	0.67
3:F:86:SER:HB3	3:F:111:VAL:H	1.61	0.65
1:D:45:TYR:HE2	1:D:67:ALA:HB2	1.62	0.64
1:G:157:ARG:CZ	3:I:42:GLU:OE2	2.45	0.64
1:D:9:VAL:HG22	1:D:24:GLU:HG3	1.79	0.64
1:D:155:ARG:NH1	2:E:3:TYR:OH	2.31	0.64
3:I:95:LEU:H	3:I:95:LEU:HD23	1.63	0.64
3:F:35:TYR:HB3	3:F:43:LEU:HD21	1.79	0.63
3:I:86:SER:HB3	3:I:111:VAL:H	1.64	0.63
3:C:13:LYS:NZ	3:C:18:ARG:O	2.23	0.63
3:C:145:ALA:HB2	3:C:206:VAL:HG21	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:152:GLU:OE2	1:D:155:ARG:NH1	2.32	0.62
1:A:68:LYS:O	1:A:72:GLN:NE2	2.33	0.61
3:C:139:ALA:HB3	3:C:190:VAL:HG23	1.83	0.61
3:C:133:ILE:HD13	3:C:196:HIS:HE2	1.66	0.61
3:C:126:ARG:HB2	3:C:142:GLN:HB2	1.81	0.60
3:C:203:ARG:NH1	3:C:205:GLN:OE1	2.34	0.60
3:I:211:LEU:H	3:I:211:LEU:HD23	1.66	0.60
1:G:67:ALA:HA	1:G:70:ASN:HD22	1.67	0.60
1:G:12:VAL:HG23	1:G:94:THR:HB	1.83	0.60
3:C:38:THR:HG23	3:C:41:LYS:HB2	1.83	0.59
3:I:148:PHE:O	3:I:182:TYR:N	2.30	0.59
1:G:66:LYS:O	1:G:70:ASN:ND2	2.37	0.58
1:G:23:MET:HB3	1:G:37:ASP:HB3	1.86	0.58
1:D:33:PHE:CD2	1:D:34:VAL:HG13	2.39	0.58
1:A:5:LEU:HB2	1:A:168:LEU:HD13	1.86	0.58
1:G:103:VAL:HG12	1:G:109:LEU:HA	1.85	0.58
1:A:50:ARG:HD2	1:A:179:LEU:HD21	1.84	0.58
1:D:111:ARG:NH1	1:D:128:GLU:OE1	2.37	0.57
3:I:86:SER:HB3	3:I:111:VAL:HG12	1.86	0.57
3:I:46:LEU:HB3	3:I:60:LEU:HB2	1.86	0.57
1:G:11:ALA:HB2	1:G:22:TYR:HD1	1.69	0.57
3:F:83:LEU:HD23	3:F:111:VAL:HG12	1.87	0.57
1:D:66:LYS:NZ	2:E:2:GLY:O	2.39	0.56
1:G:5:LEU:HB3	1:G:168:LEU:HD13	1.86	0.56
1:G:14:ARG:HH22	1:G:21:ARG:HD2	1.69	0.55
1:A:81:LEU:HD11	2:B:8:LEU:HD11	1.88	0.55
1:D:45:TYR:H	1:D:64:THR:HG22	1.72	0.55
1:G:155:ARG:NH1	2:H:6:GLN:OE1	2.38	0.55
3:I:46:LEU:HD23	3:I:60:LEU:HA	1.89	0.54
1:D:44:ARG:HG2	1:D:64:THR:HG21	1.89	0.54
3:I:145:ALA:O	3:I:184:LEU:N	2.41	0.54
3:I:171:ASP:OD1	3:I:185:SER:OG	2.24	0.54
3:I:196:HIS:HA	3:I:236:ARG:HB3	1.88	0.54
1:D:5:LEU:HB2	1:D:168:LEU:HD23	1.90	0.53
2:H:4:LEU:O	2:H:4:LEU:HD22	2.09	0.53
3:C:47:ILE:HG13	3:C:57:LYS:HA	1.91	0.53
1:G:2:PRO:HB3	1:G:104:GLY:HA2	1.90	0.53
3:C:4:VAL:HG23	3:C:25:PRO:HA	1.91	0.53
1:A:155:ARG:NH1	2:B:4:LEU:O	2.42	0.52
1:D:157:ARG:NH1	3:F:42:GLU:OE1	2.43	0.52
3:F:46:LEU:HD22	3:F:60:LEU:HD12	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:I:117:ASN:HB3	3:I:180:TYR:HD2	1.75	0.52
3:F:159:VAL:HG12	3:F:164:VAL:HB	1.91	0.52
3:F:223:LYS:HG2	3:F:225:VAL:HG22	1.91	0.52
3:I:13:LYS:O	3:I:111:VAL:HA	2.09	0.51
3:I:60:LEU:HD12	3:I:61:PRO:HD2	1.91	0.51
3:F:189:ARG:NH2	1:G:115:GLN:OE1	2.43	0.51
3:I:146:ARG:HG2	3:I:183:SER:HB2	1.93	0.51
3:I:91:CYS:O	3:I:104:GLY:N	2.43	0.51
3:F:6:GLN:NE2	3:F:89:TYR:O	2.44	0.50
1:G:166:GLU:HG2	1:G:170:ARG:HH22	1.75	0.50
3:C:132:GLU:O	3:C:136:LYS:HB2	2.11	0.50
3:C:197:ASN:HB3	3:C:200:ASN:HD22	1.76	0.50
3:C:26:ILE:HB	3:C:29:HIS:CD2	2.47	0.50
1:G:13:SER:HB2	1:G:20:PRO:HG3	1.93	0.50
3:I:35:TYR:HB3	3:I:43:LEU:HD11	1.93	0.50
3:C:51:GLU:HB3	1:D:142:ILE:HD12	1.93	0.50
3:F:145:ALA:HB2	3:F:206:VAL:HG21	1.94	0.50
1:D:9:VAL:HB	1:D:97:VAL:HG13	1.94	0.50
3:C:78:MET:HB3	3:C:81:LEU:HD21	1.93	0.49
3:F:71:ASP:OD1	3:F:71:ASP:N	2.44	0.49
1:G:86:ASN:ND2	1:G:86:ASN:O	2.44	0.49
1:A:22:TYR:OH	1:A:24:GLU:OE2	2.29	0.49
3:I:63:ARG:HG3	3:I:64:PHE:CD1	2.47	0.49
1:D:33:PHE:HD2	1:D:34:VAL:HG13	1.77	0.49
1:A:81:LEU:HD23	1:A:118:TYR:CD2	2.47	0.49
3:I:117:ASN:HB3	3:I:180:TYR:CD2	2.48	0.49
3:F:209:HIS:HA	3:F:226:THR:HG22	1.94	0.49
1:G:15:PRO:HB3	1:G:90:GLY:HA2	1.95	0.49
1:D:52:MET:HG3	1:D:60:TRP:CH2	2.47	0.49
3:F:4:VAL:HG13	3:F:26:ILE:HG13	1.93	0.49
3:C:66:VAL:HG12	3:C:76:MET:HA	1.95	0.48
3:I:82:GLU:O	3:I:111:VAL:HG11	2.14	0.48
1:D:159:TYR:HD2	1:D:160:LEU:HD23	1.78	0.48
1:A:116:TYR:HB2	1:A:124:ILE:HG22	1.95	0.48
1:D:55:GLU:OE1	1:D:170:ARG:NH2	2.47	0.48
1:A:33:PHE:CD2	1:A:34:VAL:HG13	2.48	0.48
3:C:133:ILE:HG22	3:C:139:ALA:HB2	1.95	0.48
2:B:6:GLN:OE1	3:C:97:TRP:HB2	2.13	0.48
1:A:152:GLU:OE2	2:B:3:TYR:OH	2.29	0.48
1:A:33:PHE:O	1:A:48:ARG:N	2.35	0.48
3:C:52:LYS:HA	3:C:68:GLN:HB3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:29:HIS:HA	3:F:95:LEU:HA	1.96	0.48
3:C:51:GLU:OE2	3:C:72:TYR:OH	2.28	0.48
3:F:121:PRO:HB3	3:F:148:PHE:HB3	1.96	0.47
3:I:122:LYS:O	3:I:145:ALA:HA	2.14	0.47
3:F:178:SER:OG	3:F:179:ASN:N	2.48	0.47
1:D:155:ARG:NH2	2:E:4:LEU:O	2.48	0.47
3:I:9:ARG:CD	3:I:9:ARG:H	2.23	0.47
3:C:13:LYS:HE3	3:C:19:SER:HB2	1.96	0.47
3:F:186:SER:OG	3:F:187:ARG:N	2.46	0.47
1:A:81:LEU:HD22	1:A:95:ILE:HD11	1.96	0.47
3:F:9:ARG:HH21	3:F:105:PRO:HG3	1.80	0.47
3:I:136:LYS:HG3	3:I:136:LYS:O	2.15	0.47
3:I:83:LEU:HD11	3:I:113:GLU:HG2	1.95	0.47
1:D:27:TYR:CE2	1:D:32:GLU:HB3	2.50	0.47
1:G:37:ASP:OD1	1:G:40:ALA:HB2	2.15	0.47
3:C:139:ALA:N	3:C:190:VAL:O	2.39	0.46
3:C:136:LYS:HE3	3:C:136:LYS:HB3	1.50	0.46
3:I:67:GLN:HG2	3:I:69:PHE:HE1	1.80	0.46
1:G:157:ARG:NE	1:G:161:GLU:OE2	2.42	0.46
3:F:128:PRO:HD3	3:F:141:LEU:HD22	1.98	0.46
1:A:14:ARG:O	1:A:14:ARG:HG2	2.16	0.46
3:C:213:GLU:CD	3:C:213:GLU:H	2.16	0.46
3:I:45:PHE:O	3:I:59:PHE:HB2	2.16	0.46
1:D:61:GLU:C	1:D:61:GLU:OE1	2.54	0.46
3:F:198:PRO:HA	3:F:235:GLY:O	2.16	0.46
1:G:33:PHE:CD2	1:G:34:VAL:HG13	2.51	0.46
1:D:5:LEU:HD11	1:D:7:TYR:CE1	2.51	0.45
3:F:37:GLN:NE2	3:F:42:GLU:O	2.44	0.45
3:F:25:PRO:HD2	3:F:73:HIS:HA	1.97	0.45
3:I:67:GLN:N	3:I:67:GLN:OE1	2.48	0.45
1:G:62:ARG:O	1:G:66:LYS:HG2	2.17	0.45
1:G:74:PHE:HD1	1:G:95:ILE:HD11	1.81	0.45
3:C:197:ASN:HB3	3:C:200:ASN:ND2	2.31	0.45
2:H:4:LEU:CD2	2:H:4:LEU:C	2.85	0.45
3:C:121:PRO:HB3	3:C:148:PHE:CD1	2.52	0.45
1:D:28:VAL:HG23	1:D:33:PHE:CE1	2.51	0.45
3:I:121:PRO:CA	3:I:148:PHE:HB3	2.46	0.45
3:I:96:ARG:O	3:I:96:ARG:HG3	2.16	0.45
3:I:37:GLN:HB2	3:I:43:LEU:HD13	1.99	0.45
3:I:78:MET:HB2	3:I:78:MET:HE2	1.82	0.45
3:I:153:VAL:HA	3:I:207:GLN:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:111:ARG:HD2	1:D:128:GLU:OE2	2.16	0.44
1:D:82:LEU:HA	1:D:82:LEU:HD12	1.88	0.44
1:G:57:PRO:HA	1:G:60:TRP:HD1	1.82	0.44
3:I:133:ILE:HG13	3:I:139:ALA:HB2	1.99	0.44
3:I:177:GLU:HG2	3:I:183:SER:HB3	1.98	0.44
3:I:82:GLU:HG2	3:I:83:LEU:H	1.81	0.44
3:F:138:LYS:HD2	3:F:191:SER:HA	2.00	0.44
1:G:149:GLN:HG2	3:I:100:GLU:OE1	2.18	0.44
3:I:60:LEU:HD11	3:I:64:PHE:HB2	2.00	0.44
3:I:96:ARG:O	3:I:98:GLY:N	2.51	0.44
1:A:134:THR:OG1	1:A:134:THR:O	2.36	0.43
1:G:45:TYR:HE1	1:G:67:ALA:HB2	1.83	0.43
3:I:121:PRO:HA	3:I:148:PHE:HB3	2.01	0.43
1:D:6:ARG:HA	1:D:100:GLY:HA3	2.00	0.43
3:F:31:ASN:OD1	3:F:48:GLN:NE2	2.45	0.43
3:I:92:ALA:HB1	3:I:101:GLN:HG2	2.01	0.43
1:A:155:ARG:HG3	3:C:45:PHE:CZ	2.53	0.43
1:A:25:VAL:HG22	1:A:35:ARG:HG3	2.00	0.43
1:G:72:GLN:O	1:G:76:VAL:HG23	2.19	0.43
3:I:13:LYS:HA	3:I:13:LYS:HE2	2.01	0.43
3:F:128:PRO:HD3	3:F:141:LEU:CD2	2.49	0.43
1:G:21:ARG:NE	1:G:39:ASP:OD1	2.43	0.43
3:F:227:GLN:HG3	3:F:229:ILE:HD11	2.00	0.43
3:C:176:LYS:HE3	3:C:176:LYS:HB2	1.86	0.42
1:A:28:VAL:HG11	1:A:51:TRP:CH2	2.55	0.42
1:G:17:LEU:HA	1:G:17:LEU:HD23	1.84	0.42
3:C:133:ILE:HD13	3:C:196:HIS:NE2	2.33	0.42
1:G:11:ALA:HB2	1:G:22:TYR:CD1	2.50	0.42
3:I:128:PRO:HB2	3:I:139:ALA:HB1	2.00	0.42
1:D:173:LYS:HA	1:D:173:LYS:HD2	1.73	0.42
3:F:127:GLU:HB3	3:F:128:PRO:HD2	2.01	0.42
1:A:15:PRO:HG3	1:A:91:GLY:N	2.27	0.42
3:F:121:PRO:HD2	3:F:229:ILE:HD13	2.01	0.42
3:F:34:TRP:O	3:F:46:LEU:HB2	2.20	0.42
1:G:166:GLU:HG2	1:G:170:ARG:NH2	2.35	0.42
3:I:136:LYS:NZ	3:I:138:LYS:HE3	2.35	0.42
3:I:61:PRO:HG2	3:I:64:PHE:CD1	2.55	0.42
3:I:76:MET:HG2	3:I:78:MET:HG2	2.02	0.42
3:F:195:TRP:CZ3	3:F:235:GLY:HA2	2.55	0.42
1:G:28:VAL:HG23	1:G:33:PHE:CE1	2.54	0.42
1:A:51:TRP:CD1	1:A:179:LEU:HD12	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:GLN:HG2	1:A:117:ALA:HB3	2.02	0.42
3:C:153:VAL:HA	3:C:207:GLN:O	2.20	0.42
1:A:13:SER:HB2	1:A:78:LEU:HD23	2.02	0.41
3:C:49:HIS:NE2	3:C:66:VAL:HG23	2.35	0.41
3:I:121:PRO:HG2	3:I:229:ILE:HD11	2.02	0.41
3:I:6:GLN:HA	3:I:23:CYS:HA	2.02	0.41
3:I:217:TRP:HE1	3:I:221:SER:HB3	1.84	0.41
1:D:11:ALA:HB2	1:D:22:TYR:HD1	1.85	0.41
1:A:81:LEU:HD23	1:A:118:TYR:CE2	2.56	0.41
1:A:81:LEU:CD1	2:B:8:LEU:HD11	2.51	0.41
1:D:32:GLU:OE2	1:D:48:ARG:HG2	2.21	0.41
1:A:72:GLN:HG2	1:D:85:TYR:CE1	2.56	0.41
3:F:152:HIS:HB3	3:F:209:HIS:HB2	2.03	0.41
3:F:41:LYS:HG3	3:F:41:LYS:O	2.19	0.41
3:I:47:ILE:HG13	3:I:57:LYS:HB2	2.02	0.41
1:A:84:TYR:HB3	1:A:139:ALA:HB1	2.02	0.41
1:A:32:GLU:OE2	1:A:48:ARG:HD2	2.21	0.41
3:C:118:VAL:HG11	3:C:211:LEU:HD13	2.02	0.41
1:G:41:GLU:HG2	1:G:41:GLU:H	1.59	0.41
3:I:197:ASN:HB3	3:I:200:ASN:ND2	2.36	0.41
3:I:168:VAL:HG12	3:I:188:LEU:HD13	2.02	0.41
1:G:13:SER:HA	1:G:20:PRO:HA	2.02	0.41
3:I:83:LEU:HD21	3:I:113:GLU:HG2	2.03	0.41
1:D:45:TYR:H	1:D:64:THR:CG2	2.31	0.41
1:A:157:ARG:NH1	3:C:42:GLU:HG3	2.35	0.40
3:C:159:VAL:HG23	3:C:202:PHE:CD2	2.57	0.40
1:G:19:GLU:N	1:G:19:GLU:OE2	2.52	0.40
3:I:50:TYR:N	3:I:53:VAL:O	2.44	0.40
3:I:50:TYR:HE2	3:I:96:ARG:HA	1.86	0.40
1:A:72:GLN:O	1:A:76:VAL:HG23	2.22	0.40
1:G:85:TYR:HB3	1:G:87:GLN:HE21	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/185 (96%)	173 (98%)	4 (2%)	0	100	100
1	D	175/185 (95%)	169 (97%)	6 (3%)	0	100	100
1	G	175/185 (95%)	169 (97%)	6 (3%)	0	100	100
2	B	6/8 (75%)	6 (100%)	0	0	100	100
2	E	6/8 (75%)	6 (100%)	0	0	100	100
2	H	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
3	C	235/239 (98%)	223 (95%)	12 (5%)	0	100	100
3	F	236/239 (99%)	227 (96%)	9 (4%)	0	100	100
3	I	233/239 (98%)	214 (92%)	17 (7%)	2 (1%)	17	54
All	All	1249/1296 (96%)	1192 (95%)	55 (4%)	2 (0%)	47	80

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	I	97	TRP
3	I	218	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	149/155 (96%)	140 (94%)	9 (6%)	19	51
1	D	147/155 (95%)	140 (95%)	7 (5%)	25	58
1	G	147/155 (95%)	140 (95%)	7 (5%)	25	58
2	B	6/6 (100%)	6 (100%)	0	100	100
2	E	6/6 (100%)	6 (100%)	0	100	100
2	H	6/6 (100%)	5 (83%)	1 (17%)	2	11
3	C	210/212 (99%)	203 (97%)	7 (3%)	38	68

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	F	211/212 (100%)	207 (98%)	4 (2%)	57 80
3	I	209/212 (99%)	196 (94%)	13 (6%)	18 50
All	All	1091/1119 (98%)	1043 (96%)	48 (4%)	28 61

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ARG
1	A	30	ASP
1	A	44	ARG
1	A	45	TYR
1	A	72	GLN
1	A	96	GLN
1	A	111	ARG
1	A	154	GLU
1	A	157	ARG
3	C	18	ARG
3	C	57	LYS
3	C	77	ASN
3	C	108	ARG
3	C	116	ARG
3	C	194	PHE
3	C	216	LYS
1	D	45	TYR
1	D	48	ARG
1	D	50	ARG
1	D	51	TRP
1	D	56	CYS
1	D	79	ARG
1	D	111	ARG
3	F	18	ARG
3	F	108	ARG
3	F	194	PHE
3	F	216	LYS
1	G	14	ARG
1	G	19	GLU
1	G	35	ARG
1	G	45	TYR
1	G	87	GLN
1	G	106	ASP
1	G	146	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	4	LEU
3	I	9	ARG
3	I	41	LYS
3	I	70	ASP
3	I	95	LEU
3	I	96	ARG
3	I	116	ARG
3	I	122	LYS
3	I	175	TYR
3	I	176	LYS
3	I	178	SER
3	I	201	HIS
3	I	211	LEU
3	I	236	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
3	F	31	ASN
3	F	48	GLN
3	F	200	ASN
3	I	142	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	179/185 (96%)	-0.01	2 (1%) 80 77	45, 74, 122, 169	0
1	D	177/185 (95%)	0.20	2 (1%) 80 77	56, 95, 136, 160	0
1	G	177/185 (95%)	0.37	6 (3%) 45 43	75, 108, 165, 177	0
2	B	8/8 (100%)	0.24	0 100 100	56, 68, 89, 102	0
2	E	8/8 (100%)	0.43	0 100 100	73, 87, 94, 110	0
2	H	8/8 (100%)	0.49	1 (12%) 3 6	104, 109, 118, 126	0
3	C	237/239 (99%)	0.16	1 (0%) 92 90	40, 74, 125, 157	0
3	F	238/239 (99%)	0.18	4 (1%) 70 67	55, 89, 130, 146	0
3	I	235/239 (98%)	0.66	23 (9%) 7 9	71, 121, 164, 191	0
All	All	1267/1296 (97%)	0.27	39 (3%) 49 47	40, 92, 150, 191	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	I	74	SER	6.2
3	I	99	ASP	6.2
1	G	85	TYR	5.4
3	I	219	GLU	4.8
3	I	68	GLN	4.0
1	G	84	TYR	4.0
3	I	220	GLY	3.9
3	I	101	GLN	3.8
3	I	32	VAL	3.7
1	G	38	SER	3.5
3	I	22	THR	3.4
3	F	74	SER	3.4
3	I	102	TYR	3.3
1	G	87	GLN	3.2
2	H	8	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	I	21	LEU	3.0
3	I	33	VAL	2.9
1	D	52	MET	2.7
3	I	78	MET	2.7
3	I	34	TRP	2.6
3	F	177	GLU	2.6
3	I	14	GLU	2.6
3	I	218	PRO	2.5
3	I	73	HIS	2.5
1	A	178	THR	2.3
1	G	13	SER	2.3
3	C	133	ILE	2.2
3	I	55	ARG	2.2
1	D	68	LYS	2.2
3	F	174	ALA	2.2
3	I	216	LYS	2.2
3	F	152	HIS	2.2
3	I	107	THR	2.2
1	G	123	TYR	2.2
3	I	90	PHE	2.2
1	A	45	TYR	2.1
3	I	31	ASN	2.1
3	I	103	PHE	2.1
3	I	109	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.