



wwPDB EM Validation Summary Report ⓘ

Nov 14, 2022 – 12:55 AM EST

PDB ID : 6WOO
EMDB ID : EMD-21859
Title : CryoEM structure of yeast 80S ribosome with Met-tRNAⁱMet, eIF5B, and GDP
Authors : Wang, J.; Wang, J.; Puglisi, J.; Fernandez, I.S.
Deposited on : 2020-04-25
Resolution : 2.90 Å(reported)
Based on initial model : 4V8Y

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |
| RNA backbone | 4643 | 859 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | 5 | 3271 | |
| 2 | 7 | 121 | |
| 3 | 8 | 157 | |
| 4 | A | 249 | |
| 5 | B | 384 | |
| 6 | C | 359 | |
| 7 | D | 295 | |
| 8 | E | 175 | |


























Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 9 | F | 222 | |
| 10 | G | 233 | |
| 11 | H | 191 | |
| 12 | I | 216 | |
| 13 | J | 168 | |
| 14 | L | 198 | |
| 15 | M | 136 | |
| 16 | N | 202 | |
| 17 | O | 197 | |
| 18 | P | 180 | |
| 19 | Q | 184 | |
| 20 | R | 188 | |
| 21 | S | 169 | |
| 22 | T | 158 | |
| 23 | U | 100 | |
| 24 | V | 132 | |
| 25 | W | 62 | |
| 26 | X | 121 | |
| 27 | Y | 125 | |
| 28 | Z | 134 | |
| 29 | a | 147 | |
| 30 | b | 57 | |
| 31 | c | 97 | |
| 32 | d | 106 | |
| 33 | e | 122 | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 34 | f | 105 |  |
| 35 | g | 121 |  |
| 36 | h | 116 |  |
| 37 | i | 98 |  |
| 38 | j | 85 |  |
| 39 | k | 76 |  |
| 40 | l | 49 |  |
| 41 | m | 51 |  |
| 42 | n | 23 |  |
| 43 | o | 101 |  |
| 44 | p | 87 |  |
| 45 | q | 217 |  |
| 46 | r | 195 |  |
| 47 | K | 152 |  |
| 48 | AA | 206 |  |
| 49 | BB | 214 |  |
| 50 | CC | 217 |  |
| 51 | DD | 223 |  |
| 52 | EE | 257 |  |
| 53 | FF | 206 |  |
| 54 | GG | 226 |  |
| 55 | HH | 184 |  |
| 56 | II | 199 |  |
| 57 | JJ | 182 |  |
| 58 | KK | 96 |  |


Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|----------------------|
| 59 | LL | 145 | 25% 97% . |
| 60 | MM | 124 | 99% 93% 7% |
| 61 | NN | 150 | 33% 94% 5% . |
| 62 | OO | 127 | 13% 90% 10% |
| 63 | PP | 103 | 33% 92% 8% |
| 64 | QQ | 141 | 15% 91% 9% |
| 65 | RR | 123 | 53% 91% 9% |
| 66 | SS | 136 | 23% 93% 7% |
| 67 | TT | 143 | 17% 92% 7% . |
| 68 | UU | 106 | 44% 98% . |
| 69 | VV | 87 | 25% 92% 8% |
| 70 | WW | 129 | 10% 93% 7% |
| 71 | XX | 144 | 10% 91% 9% |
| 72 | YY | 134 | 26% 97% . |
| 73 | ZZ | 70 | 36% 96% . |
| 74 | aa | 97 | 13% 90% 10% |
| 75 | bb | 81 | 44% 90% 10% |
| 76 | cc | 63 | 21% 94% 6% |
| 77 | dd | 53 | 9% 91% 9% |
| 78 | ee | 53 | 25% 94% 6% |
| 79 | ff | 57 | 70% 72% 5% 23% |
| 80 | gg | 318 | 60% 92% 8% . |
| 81 | 2 | 1796 | 15% 68% 31% . |
| 82 | 1 | 600 | 29% 87% 12% . |
| 83 | 3 | 76 | 14% 78% 22% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 84 | 4 | 6 |  100% |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|-----|-----------|----------|---------|------------------|
| 87 | U6A | 3 | 101 | - | X | - | - |

2 Entry composition

There are 88 unique types of molecules in this entry. The entry contains 211119 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S ribosomal RNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|-------|------|---------|-------|
| 1 | 5 | 3271 | Total | C | N | O | P | 0 | 0 |
| | | | 69936 | 31236 | 12597 | 22832 | 3271 | | |

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 2 | 7 | 121 | Total | C | N | O | P | 0 | 0 |
| | | | 2579 | 1152 | 461 | 845 | 121 | | |

- Molecule 3 is a RNA chain called 5.8S ribosomal rRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|------|-----|---------|-------|
| 3 | 8 | 157 | Total | C | N | O | P | 0 | 0 |
| | | | 3333 | 1491 | 584 | 1101 | 157 | | |

- Molecule 4 is a protein called uL2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 4 | A | 249 | Total | C | N | O | S | 0 | 0 |
| | | | 1893 | 1178 | 384 | 330 | 1 | | |

- Molecule 5 is a protein called uL3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 5 | B | 384 | Total | C | N | O | S | 0 | 0 |
| | | | 3065 | 1946 | 582 | 529 | 8 | | |

- Molecule 6 is a protein called uL4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 6 | C | 359 | Total | C | N | O | S | 0 | 0 |
| | | | 2735 | 1723 | 520 | 489 | 3 | | |

- Molecule 7 is a protein called uL18.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 7 | D | 295 | Total | C | N | O | S | 0 | 0 |
| | | | 2370 | 1498 | 413 | 457 | 2 | | |

- Molecule 8 is a protein called eL6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 8 | E | 156 | Total | C | N | O | S | 0 | 0 |
| | | | 1239 | 800 | 222 | 216 | 1 | | |

- Molecule 9 is a protein called uL30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 9 | F | 222 | Total | C | N | O | S | 0 | 0 |
| | | | 1784 | 1151 | 324 | 308 | 1 | | |

- Molecule 10 is a protein called eL8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 10 | G | 233 | Total | C | N | O | S | 0 | 0 |
| | | | 1809 | 1154 | 324 | 328 | 3 | | |

- Molecule 11 is a protein called uL6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 11 | H | 191 | Total | C | N | O | S | 0 | 0 |
| | | | 1524 | 966 | 274 | 280 | 4 | | |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------|------------|
| H | 191 | GLU | - | insertion | UNP P51401 |

- Molecule 12 is a protein called uL16.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 12 | I | 216 | Total | C | N | O | S | 0 | 0 |
| | | | 1750 | 1109 | 331 | 303 | 7 | | |

- Molecule 13 is a protein called uL5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 13 | J | 168 | Total | C | N | O | S | 0 | 0 |
| | | | 1344 | 841 | 251 | 248 | 4 | | |

- Molecule 14 is a protein called eL13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--|---------|-------|
| 14 | L | 198 | Total | C | N | O | | 0 | 0 |
| | | | 1584 | 988 | 323 | 273 | | | |

- Molecule 15 is a protein called eL14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15 | M | 136 | Total | C | N | O | S | 0 | 0 |
| | | | 1054 | 675 | 199 | 178 | 2 | | |

- Molecule 16 is a protein called eL15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 16 | N | 202 | Total | C | N | O | S | 0 | 0 |
| | | | 1711 | 1071 | 359 | 280 | 1 | | |

- Molecule 17 is a protein called uL13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 17 | O | 197 | Total | C | N | O | S | 0 | 0 |
| | | | 1555 | 1003 | 289 | 262 | 1 | | |

- Molecule 18 is a protein called uL22.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--|---------|-------|
| 18 | P | 180 | Total | C | N | O | | 0 | 0 |
| | | | 1427 | 887 | 284 | 256 | | | |

- Molecule 19 is a protein called eL18.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 19 | Q | 184 | Total | C | N | O | S | 0 | 0 |
| | | | 1437 | 906 | 289 | 240 | 2 | | |

- Molecule 20 is a protein called eL19.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 20 | R | 188 | Total | C | N | O | 0 | 0 |
| | | | 1521 | 935 | 326 | 260 | | |

- Molecule 21 is a protein called eL20.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 21 | S | 169 | Total | C | N | O | S | 0 | 0 |
| | | | 1422 | 916 | 262 | 241 | 3 | | |

- Molecule 22 is a protein called eL21.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 22 | T | 158 | Total | C | N | O | S | 0 | 0 |
| | | | 1268 | 799 | 245 | 220 | 4 | | |

- Molecule 23 is a protein called eL22.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 23 | U | 100 | Total | C | N | O | 0 | 0 |
| | | | 796 | 516 | 131 | 149 | | |

- Molecule 24 is a protein called uL14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 24 | V | 132 | Total | C | N | O | S | 0 | 0 |
| | | | 978 | 614 | 184 | 173 | 7 | | |

- Molecule 25 is a protein called eL24.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---------|-------|
| 25 | W | 62 | Total | C | N | O | 0 | 0 |
| | | | 513 | 331 | 101 | 81 | | |

- Molecule 26 is a protein called uL23.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 26 | X | 121 | Total | C | N | O | S | 0 | 0 |
| | | | 968 | 623 | 170 | 173 | 2 | | |

- Molecule 27 is a protein called uL24.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 27 | Y | 125 | Total | C | N | O | 0 | 0 |
| | | | 988 | 622 | 191 | 175 | | |

- Molecule 28 is a protein called eL27.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 28 | Z | 134 | Total | C | N | O | 0 | 0 |
| | | | 1087 | 707 | 201 | 179 | | |

- Molecule 29 is a protein called uL15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 29 | a | 147 | Total | C | N | O | S | 0 | 0 |
| | | | 1168 | 746 | 230 | 189 | 3 | | |

- Molecule 30 is a protein called eL29.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 30 | b | 57 | Total | C | N | O | 0 | 0 |
| | | | 457 | 286 | 99 | 72 | | |

- Molecule 31 is a protein called eL30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 31 | c | 97 | Total | C | N | O | S | 0 | 0 |
| | | | 743 | 479 | 124 | 139 | 1 | | |

- Molecule 32 is a protein called eL31.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 32 | d | 106 | Total | C | N | O | S | 0 | 0 |
| | | | 865 | 550 | 165 | 149 | 1 | | |

- Molecule 33 is a protein called eL32.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 33 | e | 122 | Total | C | N | O | S | 0 | 0 |
| | | | 988 | 626 | 200 | 161 | 1 | | |

- Molecule 34 is a protein called eL33.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 34 | f | 105 | Total | C | N | O | S | 0 | 0 |
| | | | 842 | 534 | 164 | 143 | 1 | | |

- Molecule 35 is a protein called eL34.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 35 | g | 121 | Total | C | N | O | S | 0 | 0 |
| | | | 954 | 592 | 194 | 164 | 4 | | |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------|------------|
| g | 122 | LYS | - | insertion | UNP P87262 |

- Molecule 36 is a protein called uL29.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 36 | h | 116 | Total | C | N | O | S | 0 | 0 |
| | | | 950 | 603 | 182 | 164 | 1 | | |

- Molecule 37 is a protein called eL36.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 37 | i | 98 | Total | C | N | O | S | 0 | 0 |
| | | | 764 | 477 | 155 | 130 | 2 | | |

- Molecule 38 is a protein called eL37.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 38 | j | 85 | Total | C | N | O | S | 0 | 0 |
| | | | 673 | 410 | 147 | 111 | 5 | | |

There are 3 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------|------------|
| j | 84 | LYS | - | insertion | UNP P49166 |
| j | 85 | ALA | - | insertion | UNP P49166 |
| j | 86 | GLN | - | insertion | UNP P49166 |

- Molecule 39 is a protein called eL38.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 39 | k | 76 | Total | C | N | O | 0 | 0 |
| | | | 607 | 388 | 114 | 105 | | |

- Molecule 40 is a protein called eL39.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 40 | l | 49 | Total | C | N | O | S | 0 | 0 |
| | | | 428 | 266 | 96 | 64 | 2 | | |

- Molecule 41 is a protein called eL40.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 41 | m | 51 | Total | C | N | O | S | 0 | 0 |
| | | | 409 | 253 | 85 | 66 | 5 | | |

- Molecule 42 is a protein called eL41.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 42 | n | 23 | Total | C | N | O | S | 0 | 0 |
| | | | 218 | 133 | 60 | 24 | 1 | | |

- Molecule 43 is a protein called eL42.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 43 | o | 101 | Total | C | N | O | S | 0 | 0 |
| | | | 814 | 511 | 165 | 133 | 5 | | |

- Molecule 44 is a protein called eL43.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 44 | p | 87 | Total | C | N | O | S | 0 | 0 |
| | | | 668 | 413 | 134 | 115 | 6 | | |

- Molecule 45 is a protein called uL1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 45 | q | 217 | Total | C | N | O | S | 0 | 0 |
| | | | 1718 | 1097 | 299 | 312 | 10 | | |

- Molecule 46 is a protein called uL10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 46 | r | 195 | Total | C | N | O | S | 0 | 0 |
| | | | 1512 | 968 | 261 | 279 | 4 | | |

- Molecule 47 is a protein called L10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 47 | K | 147 | Total | C | N | O | S | 0 | 0 |
| | | | 735 | 441 | 147 | 147 | | | |

- Molecule 48 is a protein called uS2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 48 | AA | 206 | Total | C | N | O | S | 0 | 0 |
| | | | 1615 | 1037 | 286 | 290 | 2 | | |

- Molecule 49 is a protein called eS1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 49 | BB | 214 | Total | C | N | O | S | 0 | 0 |
| | | | 1716 | 1086 | 314 | 312 | 4 | | |

- Molecule 50 is a protein called uS5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 50 | CC | 217 | Total | C | N | O | S | 0 | 0 |
| | | | 1635 | 1047 | 289 | 297 | 2 | | |

- Molecule 51 is a protein called uS3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 51 | DD | 223 | Total | C | N | O | S | 0 | 0 |
| | | | 1734 | 1101 | 313 | 314 | 6 | | |

- Molecule 52 is a protein called eS4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 52 | EE | 257 | Total | C | N | O | S | 0 | 0 |
| | | | 2047 | 1303 | 385 | 356 | 3 | | |

- Molecule 53 is a protein called uS7.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 53 | FF | 201 | Total | C | N | O | S | 0 | 0 |
| | | | 1588 | 996 | 295 | 294 | 3 | | |

- Molecule 54 is a protein called eS6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 54 | GG | 226 | Total | C | N | O | S | 0 | 0 |
| | | | 1820 | 1142 | 350 | 325 | 3 | | |

- Molecule 55 is a protein called eS7.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 55 | HH | 184 | Total | C | N | O | S | 0 | 0 |
| | | | 1481 | 951 | 265 | 265 | | | |

- Molecule 56 is a protein called eS8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 56 | II | 187 | Total | C | N | O | S | 0 | 0 |
| | | | 1480 | 919 | 296 | 263 | 2 | | |

- Molecule 57 is a protein called uS4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 57 | JJ | 182 | Total | C | N | O | S | 0 | 0 |
| | | | 1477 | 933 | 288 | 255 | 1 | | |

- Molecule 58 is a protein called eS10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 58 | KK | 96 | Total | C | N | O | S | 0 | 0 |
| | | | 818 | 530 | 133 | 153 | 2 | | |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| KK | 89 | ALA | GLY | conflict | UNP Q08745 |

- Molecule 59 is a protein called uS17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 59 | LL | 145 | Total | C | N | O | S | 0 | 0 |
| | | | 1166 | 746 | 220 | 197 | 3 | | |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------|------------|
| LL | 146 | THR | - | insertion | UNP P0CX47 |

- Molecule 60 is a protein called eS12.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 60 | MM | 124 | Total | C | N | O | S | 0 | 0 |
| | | | 934 | 587 | 165 | 180 | 2 | | |

- Molecule 61 is a protein called uS15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 61 | NN | 150 | Total | C | N | O | S | 0 | 0 |
| | | | 1192 | 759 | 224 | 207 | 2 | | |

- Molecule 62 is a protein called uS11.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 62 | OO | 127 | Total | C | N | O | S | 0 | 0 |
| | | | 941 | 578 | 186 | 174 | 3 | | |

- Molecule 63 is a protein called uS19.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 63 | PP | 103 | Total | C | N | O | S | 0 | 0 |
| | | | 814 | 520 | 149 | 138 | 7 | | |

- Molecule 64 is a protein called uS19.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 64 | QQ | 141 | Total | C | N | O | 0 | 0 |
| | | | 1105 | 708 | 203 | 194 | | |

- Molecule 65 is a protein called eS17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 65 | RR | 123 | Total | C | N | O | S | 0 | 0 |
| | | | 989 | 619 | 186 | 182 | 2 | | |

- Molecule 66 is a protein called uS13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 66 | SS | 136 | Total | C | N | O | S | 0 | 0 |
| | | | 1121 | 700 | 223 | 196 | 2 | | |

- Molecule 67 is a protein called eS19.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 67 | TT | 143 | Total | C | N | O | S | 0 | 0 |
| | | | 1112 | 694 | 208 | 208 | 2 | | |

- Molecule 68 is a protein called uS10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 68 | UU | 106 | Total | C | N | O | S | 0 | 0 |
| | | | 847 | 535 | 154 | 157 | 1 | | |

- Molecule 69 is a protein called eS21.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 69 | VV | 87 | Total | C | N | O | S | 0 | 0 |
| | | | 684 | 420 | 125 | 137 | 2 | | |

- Molecule 70 is a protein called uS8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 70 | WW | 129 | Total | C | N | O | S | 0 | 0 |
| | | | 1021 | 650 | 188 | 180 | 3 | | |

- Molecule 71 is a protein called uS12.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 71 | XX | 144 | Total | C | N | O | S | 0 | 0 |
| | | | 1123 | 710 | 220 | 190 | 3 | | |

- Molecule 72 is a protein called eS24.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 72 | YY | 134 | Total | C | N | O | 0 | 0 |
| | | | 1073 | 676 | 208 | 189 | | |

- Molecule 73 is a protein called eS25.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---------|-------|
| 73 | ZZ | 70 | Total | C | N | O | 0 | 0 |
| | | | 563 | 360 | 104 | 99 | | |

- Molecule 74 is a protein called eS26.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 74 | aa | 97 | Total | C | N | O | S | 0 | 0 |
| | | | 769 | 475 | 160 | 129 | 5 | | |

- Molecule 75 is a protein called eS27.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 75 | bb | 81 | Total | C | N | O | S | 0 | 0 |
| | | | 610 | 382 | 110 | 113 | 5 | | |

- Molecule 76 is a protein called eS28.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 76 | cc | 63 | Total | C | N | O | S | 0 | 0 |
| | | | 497 | 306 | 99 | 91 | 1 | | |

- Molecule 77 is a protein called uS14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 77 | dd | 53 | Total | C | N | O | S | 0 | 0 |
| | | | 443 | 275 | 92 | 72 | 4 | | |

- Molecule 78 is a protein called eS30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 78 | ee | 53 | Total | C | N | O | S | 0 | 0 |
| | | | 426 | 268 | 88 | 69 | 1 | | |

- Molecule 79 is a protein called eS31.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 79 | ff | 44 | Total | C | N | O | S | 0 | 0 |
| | | | 344 | 216 | 68 | 56 | 4 | | |

- Molecule 80 is a protein called RACK1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 80 | gg | 318 | Total | C | N | O | S | 0 | 0 |
| | | | 2444 | 1546 | 419 | 471 | 8 | | |

- Molecule 81 is a RNA chain called 18S ribosomal RNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|-------|
| 81 | 2 | 1780 | Total | C | N | O | P | 0 | 0 |
| | | | 37790 | 16890 | 6651 | 12469 | 1780 | | |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|---------------|
| 2 | 677 | A | G | conflict | GB 1329886537 |
| 2 | 678 | U | A | conflict | GB 1329886537 |

- Molecule 82 is a protein called eIF5B.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 82 | 1 | 600 | Total | C | N | O | S | 0 | 0 |
| | | | 4704 | 2989 | 801 | 893 | 21 | | |

- Molecule 83 is a RNA chain called Met-tRNA-iMet.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 83 | 3 | 76 | Total | C | N | O | P | 0 | 0 |
| | | | 1630 | 726 | 302 | 526 | 76 | | |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------|-----------|
| 3 | 17 | G | - | insertion | GB 176433 |


- Molecule 84 is a RNA chain called mRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|-------|
| 84 | 4 | 6 | Total | C | N | O | P | 0 | 0 |
| | | | 131 | 59 | 27 | 39 | 6 | | |

- Molecule 85 is ZINC ION (three-letter code: ZN) (formula: Zn).


| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 85 | j | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 85 | m | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 85 | o | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 85 | aa | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 85 | bb | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 85 | ff | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |

- Molecule 86 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|----|---|----|---|---------|
| 86 | 1 | 1 | Total | C | N | O | P | 0 |
| | | | 28 | 10 | 5 | 11 | 2 | |

- Molecule 87 is N-carboxy-L-threonine (three-letter code: U6A) (formula: C₅H₉NO₅).



| Mol | Chain | Residues | Atoms | | | | AltConf |
|-----|-------|----------|-------|---|---|---|---------|
| 87 | 3 | 1 | Total | C | N | O | 0 |
| | | | 10 | 5 | 1 | 4 | |

- Molecule 88 is METHIONINE (three-letter code: MET) (formula: $C_5H_{11}NO_2S$).




| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|---|---|---|---|---------|
| 88 | 3 | 1 | Total | C | N | O | S | 0 |
| | | | 8 | 5 | 1 | 1 | 1 | |

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: 25S ribosomal RNA





| | | | | | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| G3176 | U2996 | G2814 | U2655 | A2524 | A2459 | C2308 | A2166 | C2062 | C1866 | U1895 | G1565 | G1392 |
| U3179 | C2997 | A2817 | A2656 | G2525 | U2460 | A2309 | G2169 | C2063 | U1871 | A1696 | A1566 | A1399 |
| A3180 | G3004 | U2818 | A2657 | C2531 | A2461 | U2310 | U2170 | U2064 | G1878 | U1705 | U1567 | G1408 |
| G3182 | A3005 | G2843 | G2662 | G2534 | A2462 | A2313 | G2171 | U2065 | A1879 | A1715 | U1568 | A1418 |
| A3187 | G3006 | G2844 | G2663 | A2535 | G2463 | G2315 | A2168 | G2067 | U1880 | U1716 | U1569 | A1419 |
| C3194 | A3011 | A2845 | A2674 | A2536 | U2464 | G2316 | U2105 | U2068 | A1881 | U1717 | A1570 | C1420 |
| U3195 | A3012 | U2846 | G2677 | U2537 | G2465 | U2327 | U2208 | U2069 | A1884 | U1724 | U1572 | G1421 |
| U3196 | A3021 | A2847 | A2678 | U2538 | G2466 | U2334 | U2209 | A2069 | U1885 | G1573 | G1574 | G1434 |
| G3200 | U3042 | A2853 | A2689 | C2539 | A2468 | U2335 | A2208 | G2070 | A1886 | G1728 | C1574 | G1437 |
| C3201 | U3057 | G2856 | G2690 | A2540 | G2469 | G2336 | U2210 | G2072 | A1889 | A1729 | A1575 | G1443 |
| U3202 | G3058 | U2861 | A2691 | U2541 | C2470 | A2372 | G2211 | C2073 | A1896 | A1750 | G1576 | G1446 |
| U3203 | G3059 | U2862 | A2692 | U2542 | U2471 | A2373 | U2211 | U2074 | A1896 | G1751 | G1577 | A1446 |
| C3204 | A2693 | G2863 | A2693 | U2543 | U2472 | G2374 | A2223 | C2075 | G1906 | C1759 | C1578 | G1450 |
| U3207 | G3069 | G2864 | A2694 | U2544 | C2473 | G2375 | A2229 | U2076 | G1935 | A1760 | C1579 | A1454 |
| A3210 | U3078 | U2871 | C2545 | C2546 | G2474 | G2385 | A2230 | U2077 | G1935 | C1761 | C1581 | G1454 |
| A3213 | U3079 | G2874 | C2546 | A2547 | G2475 | U2388 | C2231 | G2078 | G1953 | U1763 | C1582 | A1475 |
| U3214 | G3080 | U2875 | U2550 | U2551 | G2477 | G2393 | C2235 | U2079 | G1954 | U1764 | A1583 | A1481 |
| A3215 | A3086 | G2887 | U2551 | C2552 | C2478 | A2397 | G2239 | A2080 | U1955 | U1765 | A1589 | A1482 |
| G3216 | C3092 | U2887 | U2552 | U2553 | C2479 | A2398 | G2244 | G2081 | A1956 | G1766 | A1593 | G1483 |
| A3218 | C3093 | C2889 | U2553 | A2554 | A2480 | A2401 | A2248 | U2082 | G1957 | U1775 | G1604 | A1605 |
| G3219 | A3094 | G2890 | A2554 | C2555 | G2481 | A2402 | C2248 | G2083 | U1958 | G1775 | U1606 | U1484 |
| C3224 | G3109 | U2891 | C2555 | A2556 | U2482 | G2403 | C2249 | U2084 | G1959 | G1780 | U1607 | G1485 |
| A3227 | C3115 | G2894 | U2556 | C2557 | G2483 | A2404 | G2250 | U2085 | A1960 | C1788 | C1608 | U1495 |
| G3228 | G3116 | U2895 | U2557 | C2558 | A2484 | U2411 | G2253 | A2087 | G1961 | C1788 | A1612 | U1508 |
| C3229 | C3117 | G2896 | U2558 | A2559 | G2485 | G2418 | C2257 | C2088 | G1962 | A1797 | U1620 | U1523 |
| U3235 | U3121 | U2897 | U2559 | C2560 | A2486 | A2419 | U2266 | A2089 | G1963 | G1808 | C1628 | C1527 |
| G3236 | A3122 | G2898 | U2560 | U2570 | U2487 | G2442 | C2267 | A2090 | C1964 | U1814 | U1629 | U1630 |
| U3237 | G3123 | C2899 | U2571 | C2572 | A2488 | A2443 | U2268 | U2091 | U1966 | U1815 | C1631 | U1533 |
| G3238 | A3124 | U2900 | C2572 | C2573 | C2489 | U2434 | U2269 | U2092 | U1967 | G1817 | C1632 | G1536 |
| C3239 | U3125 | G2901 | G2574 | G2575 | C2490 | G2444 | G2270 | A2093 | G1968 | U1818 | A1632 | G1537 |
| A3240 | G3130 | U2902 | C2575 | C2576 | A2491 | G2445 | A2261 | C2094 | U1969 | G1819 | C1639 | G1538 |
| G3241 | U3131 | G2903 | U2576 | A2580 | C2492 | A2441 | A2262 | U2097 | C1971 | U1819 | A1642 | G1547 |
| C3242 | A3142 | U2904 | U2581 | C2580 | U2493 | G2442 | U2266 | A2100 | A1972 | U1820 | A1643 | C1548 |
| A3243 | G3154 | G2905 | U2581 | U2582 | A2494 | A2443 | C2267 | C2101 | G1973 | U1821 | C1644 | U1549 |
| C3244 | U3155 | U2906 | G2582 | C2583 | C2495 | C2444 | U2268 | U2102 | A1974 | A1823 | U1645 | G1646 |
| G3245 | G3156 | G2907 | U2583 | C2584 | C2496 | A2445 | U2270 | G2110 | C1975 | G1833 | C1657 | U1554 |
| C3246 | U3157 | U2908 | U2584 | C2585 | U2497 | U2446 | A2271 | G2111 | G1976 | U1837 | G1658 | U1555 |
| U3247 | G3158 | G2909 | U2585 | C2586 | U2498 | A2447 | G2272 | U2112 | C1977 | U1841 | U1659 | C1556 |
| C3248 | U3159 | U2910 | G2586 | C2587 | A2500 | A2448 | G2273 | A2113 | A1978 | A1842 | G1662 | G1560 |
| G3249 | G3166 | U2911 | G2587 | C2588 | U2501 | G2450 | U2274 | G2116 | G1979 | C1846 | A1683 | C1562 |
| C3250 | U3173 | G2912 | U2588 | C2589 | A2502 | G2451 | A2281 | G2121 | C1980 | C1849 | U1688 | U1564 |
| G3251 | G3174 | U2913 | G2589 | C2590 | G2503 | G2452 | U2282 | G2122 | U2051 | A1850 | U1689 | |
| U3252 | C3261 | G2914 | U2590 | C2591 | U2504 | U2453 | U2286 | A2131 | U2052 | | | |
| C3253 | | G2915 | G2591 | C2592 | U2505 | G2454 | C2306 | G2140 | G2054 | | | |
| G3254 | | U2916 | U2592 | C2593 | U2506 | U2455 | G2307 | U2145 | G2055 | | | |
| U3255 | | G2917 | U2593 | C2594 | C2507 | A2456 | | A2144 | A2056 | | | |
| C3256 | | U2918 | U2594 | C2595 | U2508 | A2457 | | A2145 | G2057 | | | |
| U3257 | | G2919 | U2595 | C2596 | U2509 | | | A2158 | A2058 | | | |
| G3258 | | U2920 | U2596 | C2597 | U2510 | | | U2159 | G2059 | | | |
| C3259 | | G2921 | U2597 | C2598 | U2511 | | | G2160 | G2060 | | | |
| U3260 | | U2922 | U2598 | C2599 | U2512 | | | | G2061 | | | |
| G3261 | | G2923 | U2599 | C2600 | U2513 | | | | G2062 | | | |
| U3262 | | U2924 | U2600 | C2601 | U2514 | | | | G2063 | | | |
| C3263 | | G2925 | U2601 | C2602 | U2515 | | | | G2064 | | | |
| G3264 | | U2926 | U2602 | C2603 | U2516 | | | | G2065 | | | |
| U3265 | | G2927 | U2603 | C2604 | U2517 | | | | G2066 | | | |
| C3266 | | U2928 | U2604 | C2605 | U2518 | | | | G2067 | | | |
| U3267 | | G2929 | U2605 | C2606 | U2519 | | | | G2068 | | | |
| G3268 | | U2930 | U2606 | C2607 | U2520 | | | | G2069 | | | |
| C3269 | | G2931 | U2607 | C2608 | U2521 | | | | G2070 | | | |
| U3270 | | U2932 | U2608 | C2609 | U2522 | | | | G2071 | | | |
| G3271 | | G2933 | U2609 | C2610 | U2523 | | | | G2072 | | | |
| C3272 | | U2934 | U2610 | C2611 | U2524 | | | | G2073 | | | |
| U3273 | | G2935 | U2611 | C2612 | U2525 | | | | G2074 | | | |
| G3274 | | U2936 | U2612 | C2613 | U2526 | | | | G2075 | | | |
| C3275 | | G2937 | U2613 | C2614 | U2527 | | | | G2076 | | | |
| U3276 | | U2938 | U2614 | C2615 | U2528 | | | | G2077 | | | |
| G3277 | | G2939 | U2615 | C2616 | U2529 | | | | G2078 | | | |
| C3278 | | U2940 | U2616 | C2617 | U2530 | | | | G2079 | | | |
| U3279 | | G2941 | U2617 | C2618 | U2531 | | | | G2080 | | | |
| G3280 | | U2942 | U2618 | C2619 | U2532 | | | | G2081 | | | |
| C3281 | | G2943 | U2619 | C2620 | U2533 | | | | G2082 | | | |
| U3282 | | U2944 | U2620 | C2621 | U2534 | | | | G2083 | | | |
| G3283 | | G2945 | U2621 | C2622 | U2535 | | | | G2084 | | | |
| U3284 | | U2946 | U2622 | C2623 | U2536 | | | | G2085 | | | |
| C3285 | | G2947 | U2623 | C2624 | U2537 | | | | G2086 | | | |
| U3286 | | U2948 | U2624 | C2625 | U2538 | | | | G2087 | | | |
| G3287 | | G2949 | U2625 | C2626 | U2539 | | | | G2088 | | | |
| C3288 | | U2950 | U2626 | C2627 | U2540 | | | | G2089 | | | |
| U3289 | | G2951 | U2627 | C2628 | U2541 | | | | G2090 | | | |
| G3290 | | U2952 | U2628 | C2629 | U2542 | | | | G2091 | | | |
| C3291 | | G2953 | U2629 | C2630 | U2543 | | | | G2092 | | | |
| U3292 | | U2954 | U2630 | C2631 | U2544 | | | | G2093 | | | |
| G3293 | | G2955 | U2631 | C2632 | U2545 | | | | G2094 | | | |
| C3294 | | U2956 | U2632 | C2633 | U2546 | | | | U2097 | | | |
| U3295 | | G2957 | U2633 | C2634 | U2547 | | | | A2100 | | | |
| G3296 | | U2958 | U2634 | C2635 | U2548 | | | | C2101 | | | |
| C3297 | | G2959 | U2635 | C2636 | U2549 | | | | U2102 | | | |
| U3298 | | U2960 | U2636 | C2637 | U2550 | | | | G2110 | | | |
| G3299 | | G2961 | U2637 | C2638 | U2551 | | | | G2111 | | | |
| C3300 | | U2962 | U2638 | C2639 | U2552 | | | | U2112 | | | |
| U3301 | | G2963 | U2639 | C2640 | U2553 | | | | A2113 | | | |
| G3302 | | U2964 | U2640 | C2641 | U2554 | | | | G2116 | | | |
| C3303 | | G2965 | U2641 | C2642 | U2555 | | | | G2121 | | | |
| U3304 | | U2966 | U2642 | C2643 | U2556 | | | | G2122 | | | |
| G3305 | | G2967 | U2643 | C2644 | U2557 | | | | A2131 | | | |
| C3306 | | U2968 | U2644 | C2645 | U2558 | | | | U2140 | | | |
| U3307 | | G2969 | U2645 | C2646 | U2559 | | | | A2144 | | | |
| C3308 | | U2970 | U2646 | C2647 | U2560 | | | | A2145 | | | |
| U3309 | | G2971 | U2647 | C2648 | U2561 | | | | A2158 | | | |
| G3310 | | U2972 | U2648 | C2649 | U2562 | | | | U2159 | | | |
| C3311 | | G2973 | U2649 | C2650 | U2563 | | | | G2160 | | | |
| U3312 | | U2974 | U2650 | C2651 | U2564 | | | | | | | |
| G3313 | | G2975 | U2651 | C2652 | U2565 | | | | | | | |
| C3314 | | U2976 | U2652 | C2653 | U2566 | | | | | | | |
| U3315 | | G2977 | U2653 | C2654 | U2567 | | | | | | | |
| G3316 | | U2978 | U2654 | C2655 | U2568 | | | | | | | |
| C3317 | | G2979 | U2655 | C2656 | U2569 | | | | | | | |
| U3318 | | U2980 | U2656 | C2657 | U2570 | | | | | | | |
| G3319 | | G2981 | U2657 | C2658 | U2571 | | | | | | | |
| C3320 | | U2982 | U2658 | C2659 | U2572 | | | | | | | |
| U3321 | | G2983 | U2659 | C2660 | U2573 | | | | | | | |
| G3322 | | U2984 | U2660 | C2661 | U2574 | | | | | | | |
| C3323 | | G2985 | U2661 | C2662 | U2575 | | | | | | | |
| U3324 | | U2986 | U2662 | C2663 | U2576 | | | | | | | |
| G3325 | | G2987 | U2663 | C2664 | U2577 | | | | | | | |
| C3326 | | U2988 | U2664 | C2665 | U2578 | | | | | | | |
| U3327 | | G2989 | U2665 | C2666 | U2579 | | | | | | | |
| G3328 | | U2990 | U2666 | C2667 | U2580 | | | | | | | |
| C3329 | | G2991 | U2667 | C2668 | U2581 | | | | | | | |
| U3330 | | U2992 | U2668 | C2669 | U2582 | | | | | </ | | |




• Molecule 2: 5S ribosomal RNA




• Molecule 3: 5.8S ribosomal rRNA




• Molecule 4: uL2




• Molecule 5: uL3




• Molecule 6: uL4









• Molecule 12: uL16




• Molecule 13: uL5




• Molecule 14: eL13




• Molecule 15: eL14



• Molecule 16: eL15



- Molecule 17: uL13




- Molecule 18: uL22



- Molecule 19: eL18





- Molecule 20: eL19




- Molecule 21: eL20




- Molecule 22: eL21




- Molecule 23: eL22




- Molecule 24: uL14




- Molecule 25: eL24




- Molecule 26: uL23




- Molecule 27: uL24




- Molecule 28: eL27




- Molecule 29: uL15







- Molecule 30: eL29




- Molecule 31: eL30



- Molecule 32: eL31





- Molecule 33: eL32




- Molecule 34: eL33





- Molecule 35: eL34



- Molecule 36: uL29




- Molecule 37: eL36





- Molecule 38: eL37




- Molecule 39: eL38





- Molecule 40: eL39





- Molecule 41: eL40





- Molecule 42: eL41





- Molecule 43: eL42





- Molecule 44: eL43




- Molecule 45: uL1




- Molecule 46: uL10




- Molecule 47: L10




- Molecule 48: uS2



- Molecule 49: eS1




- Molecule 50: uS5




- Molecule 51: uS3








- Molecule 52: eS4




- Molecule 53: uS7




- Molecule 54: eS6





- Molecule 55: eS7

Chain HH: 




• Molecule 56: eS8

Chain II: 





• Molecule 57: uS4

Chain JJ: 




• Molecule 58: eS10



Chain KK: 




• Molecule 59: uS17





• Molecule 60: eS12




• Molecule 61: uS15





• Molecule 62: uS11




• Molecule 63: uS19




• Molecule 64: uS19




• Molecule 65: eS17




• Molecule 66: uS13



• Molecule 67: eS19



• Molecule 68: uS10




• Molecule 69: eS21







- Molecule 70: uS8




- Molecule 71: uS12




- Molecule 72: eS24





- Molecule 73: eS25





- Molecule 74: eS26




- Molecule 75: eS27




- Molecule 76: eS28





• Molecule 77: uS14







• Molecule 78: eS30




• Molecule 79: eS31




• Molecule 80: RACK1





● Molecule 81: 18S ribosomal RNA







• Molecule 82: eIF5B



• Molecule 83: Met-tRNA-iMet



• Molecule 84: mRNA

Chain 4:  100%

There are no outlier residues recorded for this chain.

4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 107000 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | TFS KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 60 | Depositor |
| Minimum defocus (nm) | Not provided | |
| Maximum defocus (nm) | Not provided | |
| Magnification | Not provided | |
| Image detector | GATAN K3 BIOQUANTUM (6k x 4k) | Depositor |
| Maximum map value | 0.258 | Depositor |
| Minimum map value | -0.092 | Depositor |
| Average map value | 0.002 | Depositor |
| Map value standard deviation | 0.010 | Depositor |
| Recommended contour level | 0.042 | Depositor |
| Map size (Å) | 424.8, 424.8, 424.8 | wwPDB |
| Map dimensions | 300, 300, 300 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 1.416, 1.416, 1.416 | Depositor |

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GDP, U6A

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-------------|-------------|------------------|
| | | RMSZ | $\# Z > 5$ | RMSZ | $\# Z > 5$ |
| 1 | 5 | 0.27 | 0/78264 | 0.70 | 10/121981 (0.0%) |
| 2 | 7 | 0.24 | 0/2883 | 0.68 | 0/4491 |
| 3 | 8 | 0.26 | 0/3724 | 0.69 | 0/5798 |
| 4 | A | 0.66 | 0/1927 | 0.84 | 0/2589 |
| 5 | B | 0.65 | 0/3136 | 0.83 | 0/4217 |
| 6 | C | 0.66 | 0/2787 | 0.84 | 1/3773 (0.0%) |
| 7 | D | 0.67 | 0/2420 | 0.80 | 0/3264 |
| 8 | E | 0.67 | 0/1260 | 0.80 | 0/1694 |
| 9 | F | 0.65 | 0/1821 | 0.81 | 0/2451 |
| 10 | G | 0.67 | 0/1841 | 0.79 | 0/2486 |
| 11 | H | 0.67 | 0/1545 | 0.82 | 0/2081 |
| 12 | I | 0.65 | 0/1787 | 0.81 | 0/2397 |
| 13 | J | 0.68 | 0/1365 | 0.82 | 0/1831 |
| 14 | L | 0.65 | 0/1609 | 0.86 | 0/2158 |
| 15 | M | 0.67 | 0/1069 | 0.83 | 0/1439 |
| 16 | N | 0.62 | 0/1748 | 0.82 | 0/2343 |
| 17 | O | 0.65 | 0/1585 | 0.80 | 0/2128 |
| 18 | P | 0.66 | 0/1450 | 0.84 | 0/1947 |
| 19 | Q | 0.65 | 0/1461 | 0.82 | 0/1960 |
| 20 | R | 0.67 | 0/1538 | 0.84 | 0/2050 |
| 21 | S | 0.63 | 0/1457 | 0.81 | 0/1958 |
| 22 | T | 0.66 | 0/1292 | 0.82 | 0/1732 |
| 23 | U | 0.68 | 0/812 | 0.80 | 0/1099 |
| 24 | V | 0.67 | 0/993 | 0.83 | 0/1335 |
| 25 | W | 0.65 | 0/525 | 0.81 | 0/697 |
| 26 | X | 0.65 | 0/983 | 0.78 | 0/1325 |
| 27 | Y | 0.67 | 0/999 | 0.82 | 0/1334 |
| 28 | Z | 0.66 | 0/1113 | 0.82 | 0/1490 |
| 29 | a | 0.63 | 0/1199 | 0.82 | 0/1605 |
| 30 | b | 0.64 | 0/468 | 0.82 | 0/622 |
| 31 | c | 0.70 | 0/751 | 0.79 | 0/1008 |
| 32 | d | 0.66 | 0/879 | 0.80 | 0/1179 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|--------------|-------------|---------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 33 | e | 0.66 | 0/1009 | 0.85 | 1/1349 (0.1%) |
| 34 | f | 0.64 | 0/860 | 0.82 | 0/1157 |
| 35 | g | 0.67 | 0/964 | 0.86 | 0/1282 |
| 36 | h | 0.66 | 0/959 | 0.82 | 0/1276 |
| 37 | i | 0.68 | 0/770 | 0.86 | 0/1021 |
| 38 | j | 0.65 | 0/688 | 0.88 | 0/912 |
| 39 | k | 0.69 | 1/613 (0.2%) | 0.87 | 0/819 |
| 40 | l | 0.63 | 0/435 | 0.80 | 0/577 |
| 41 | m | 0.64 | 0/415 | 0.82 | 0/551 |
| 42 | n | 0.64 | 0/219 | 0.95 | 0/281 |
| 43 | o | 0.63 | 0/826 | 0.84 | 0/1090 |
| 44 | p | 0.70 | 0/675 | 0.86 | 0/898 |
| 45 | q | 0.71 | 0/1744 | 0.84 | 0/2339 |
| 46 | r | 0.71 | 0/1538 | 0.86 | 0/2079 |
| 48 | AA | 0.66 | 0/1656 | 0.81 | 0/2266 |
| 49 | BB | 0.68 | 0/1742 | 0.81 | 0/2346 |
| 50 | CC | 0.68 | 0/1665 | 0.81 | 1/2263 (0.0%) |
| 51 | DD | 0.69 | 0/1759 | 0.83 | 0/2368 |
| 52 | EE | 0.66 | 0/2088 | 0.82 | 0/2811 |
| 53 | FF | 0.68 | 0/1607 | 0.82 | 0/2172 |
| 54 | GG | 0.67 | 0/1844 | 0.83 | 0/2464 |
| 55 | HH | 0.68 | 0/1506 | 0.83 | 0/2028 |
| 56 | II | 0.67 | 0/1505 | 0.87 | 0/2010 |
| 57 | JJ | 0.67 | 0/1502 | 0.83 | 0/2013 |
| 58 | KK | 0.66 | 0/838 | 0.79 | 0/1133 |
| 59 | LL | 0.66 | 0/1192 | 0.82 | 0/1608 |
| 60 | MM | 0.74 | 0/942 | 0.85 | 0/1274 |
| 61 | NN | 0.68 | 0/1215 | 0.81 | 0/1638 |
| 62 | OO | 0.69 | 0/952 | 0.87 | 0/1279 |
| 63 | PP | 0.67 | 0/831 | 0.81 | 0/1117 |
| 64 | QQ | 0.67 | 0/1125 | 0.83 | 0/1510 |
| 65 | RR | 0.69 | 0/998 | 0.84 | 0/1337 |
| 66 | SS | 0.67 | 0/1140 | 0.84 | 0/1532 |
| 67 | TT | 0.68 | 0/1130 | 0.82 | 0/1517 |
| 68 | UU | 0.69 | 0/857 | 0.82 | 0/1158 |
| 69 | VV | 0.69 | 0/693 | 0.84 | 0/935 |
| 70 | WW | 0.67 | 0/1038 | 0.84 | 0/1395 |
| 71 | XX | 0.66 | 0/1141 | 0.82 | 0/1520 |
| 72 | YY | 0.68 | 0/1087 | 0.83 | 0/1449 |
| 73 | ZZ | 0.69 | 0/571 | 0.82 | 0/768 |
| 74 | aa | 0.66 | 0/782 | 0.87 | 0/1047 |
| 75 | bb | 0.70 | 0/620 | 0.83 | 0/838 |
| 76 | cc | 0.68 | 0/499 | 0.87 | 0/670 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|------------------|-------------|------------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 77 | dd | 0.66 | 0/453 | 0.85 | 0/602 |
| 78 | ee | 0.65 | 0/433 | 0.81 | 0/576 |
| 79 | ff | 0.69 | 0/349 | 0.88 | 0/463 |
| 80 | gg | 0.68 | 0/2495 | 0.81 | 0/3392 |
| 81 | 2 | 0.25 | 0/42249 | 0.69 | 6/65802 (0.0%) |
| 82 | 1 | 0.96 | 30/4776 (0.6%) | 0.93 | 12/6454 (0.2%) |
| 83 | 3 | 0.21 | 0/1823 | 0.67 | 0/2842 |
| 84 | 4 | 0.23 | 0/147 | 0.61 | 0/227 |
| All | All | 0.49 | 31/225656 (0.0%) | 0.75 | 31/330917 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 4 | A | 0 | 1 |
| 6 | C | 0 | 2 |
| 7 | D | 0 | 1 |
| 9 | F | 0 | 2 |
| 11 | H | 0 | 1 |
| 13 | J | 0 | 1 |
| 17 | O | 0 | 1 |
| 21 | S | 0 | 1 |
| 30 | b | 0 | 1 |
| 33 | e | 0 | 1 |
| 34 | f | 0 | 1 |
| 37 | i | 0 | 1 |
| 39 | k | 0 | 1 |
| 44 | p | 0 | 2 |
| 46 | r | 0 | 3 |
| 49 | BB | 0 | 1 |
| 50 | CC | 0 | 1 |
| 51 | DD | 0 | 1 |
| 52 | EE | 0 | 1 |
| 53 | FF | 0 | 2 |
| 54 | GG | 0 | 1 |
| 55 | HH | 0 | 1 |
| 56 | II | 0 | 3 |
| 57 | JJ | 0 | 1 |
| 58 | KK | 0 | 1 |
| 59 | LL | 0 | 1 |

Continued on next page...

Continued from previous page...

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 64 | QQ | 0 | 2 |
| 66 | SS | 0 | 1 |
| 67 | TT | 0 | 1 |
| 71 | XX | 0 | 2 |
| 72 | YY | 0 | 1 |
| 82 | 1 | 0 | 7 |
| All | All | 0 | 48 |

The worst 5 of 31 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|--------|--------|-------------|----------|
| 82 | 1 | 463 | GLU | CD-OE1 | -13.34 | 1.10 | 1.25 |
| 82 | 1 | 458 | VAL | CA-C | -10.00 | 1.26 | 1.52 |
| 82 | 1 | 461 | GLU | C-O | -9.97 | 1.04 | 1.23 |
| 82 | 1 | 459 | MET | CA-CB | -9.84 | 1.32 | 1.53 |
| 82 | 1 | 462 | TYR | CB-CG | -9.81 | 1.36 | 1.51 |

The worst 5 of 31 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|-------|-------------|----------|
| 82 | 1 | 458 | VAL | CG1-CB-CG2 | -9.46 | 95.76 | 110.90 |
| 82 | 1 | 464 | LYS | N-CA-C | 9.16 | 135.74 | 111.00 |
| 82 | 1 | 463 | GLU | CB-CA-C | -9.05 | 92.30 | 110.40 |
| 82 | 1 | 461 | GLU | N-CA-CB | -8.50 | 95.31 | 110.60 |
| 1 | 5 | 1607 | U | C2'-C3'-O3' | 8.22 | 127.58 | 109.50 |

There are no chirality outliers.

5 of 48 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 4 | A | 196 | TRP | Peptide |
| 6 | C | 148 | ILE | Peptide |
| 6 | C | 349 | THR | Peptide |
| 7 | D | 258 | LYS | Peptide |
| 9 | F | 157 | ASN | Peptide |

5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|----------|-------------|-----|
| 4 | A | 247/249 (99%) | 223 (90%) | 17 (7%) | 7 (3%) | 5 | 19 |
| 5 | B | 382/384 (100%) | 325 (85%) | 54 (14%) | 3 (1%) | 19 | 51 |
| 6 | C | 357/359 (99%) | 287 (80%) | 54 (15%) | 16 (4%) | 2 | 9 |
| 7 | D | 293/295 (99%) | 266 (91%) | 24 (8%) | 3 (1%) | 15 | 45 |
| 8 | E | 152/175 (87%) | 142 (93%) | 8 (5%) | 2 (1%) | 12 | 37 |
| 9 | F | 220/222 (99%) | 194 (88%) | 22 (10%) | 4 (2%) | 8 | 29 |
| 10 | G | 231/233 (99%) | 210 (91%) | 19 (8%) | 2 (1%) | 17 | 48 |
| 11 | H | 189/191 (99%) | 165 (87%) | 21 (11%) | 3 (2%) | 9 | 32 |
| 12 | I | 214/216 (99%) | 191 (89%) | 18 (8%) | 5 (2%) | 6 | 23 |
| 13 | J | 166/168 (99%) | 149 (90%) | 16 (10%) | 1 (1%) | 25 | 58 |
| 14 | L | 196/198 (99%) | 173 (88%) | 19 (10%) | 4 (2%) | 7 | 27 |
| 15 | M | 134/136 (98%) | 118 (88%) | 14 (10%) | 2 (2%) | 10 | 34 |
| 16 | N | 200/202 (99%) | 183 (92%) | 16 (8%) | 1 (0%) | 29 | 61 |
| 17 | O | 195/197 (99%) | 184 (94%) | 9 (5%) | 2 (1%) | 15 | 45 |
| 18 | P | 178/180 (99%) | 158 (89%) | 18 (10%) | 2 (1%) | 14 | 42 |
| 19 | Q | 182/184 (99%) | 169 (93%) | 12 (7%) | 1 (0%) | 29 | 61 |
| 20 | R | 186/188 (99%) | 174 (94%) | 11 (6%) | 1 (0%) | 29 | 61 |
| 21 | S | 167/169 (99%) | 152 (91%) | 12 (7%) | 3 (2%) | 8 | 29 |
| 22 | T | 156/158 (99%) | 141 (90%) | 13 (8%) | 2 (1%) | 12 | 37 |
| 23 | U | 98/100 (98%) | 89 (91%) | 9 (9%) | 0 | 100 | 100 |
| 24 | V | 130/132 (98%) | 115 (88%) | 13 (10%) | 2 (2%) | 10 | 34 |
| 25 | W | 60/62 (97%) | 54 (90%) | 6 (10%) | 0 | 100 | 100 |
| 26 | X | 119/121 (98%) | 108 (91%) | 10 (8%) | 1 (1%) | 19 | 51 |
| 27 | Y | 123/125 (98%) | 111 (90%) | 12 (10%) | 0 | 100 | 100 |
| 28 | Z | 132/134 (98%) | 114 (86%) | 16 (12%) | 2 (2%) | 10 | 34 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 29 | a | 145/147 (99%) | 122 (84%) | 19 (13%) | 4 (3%) | 5 | 19 |
| 30 | b | 55/57 (96%) | 46 (84%) | 7 (13%) | 2 (4%) | 3 | 14 |
| 31 | c | 95/97 (98%) | 91 (96%) | 4 (4%) | 0 | 100 | 100 |
| 32 | d | 104/106 (98%) | 99 (95%) | 5 (5%) | 0 | 100 | 100 |
| 33 | e | 120/122 (98%) | 110 (92%) | 8 (7%) | 2 (2%) | 9 | 31 |
| 34 | f | 103/105 (98%) | 92 (89%) | 9 (9%) | 2 (2%) | 8 | 28 |
| 35 | g | 119/121 (98%) | 106 (89%) | 10 (8%) | 3 (2%) | 5 | 21 |
| 36 | h | 114/116 (98%) | 108 (95%) | 5 (4%) | 1 (1%) | 17 | 48 |
| 37 | i | 94/98 (96%) | 79 (84%) | 13 (14%) | 2 (2%) | 7 | 26 |
| 38 | j | 83/85 (98%) | 75 (90%) | 8 (10%) | 0 | 100 | 100 |
| 39 | k | 74/76 (97%) | 64 (86%) | 10 (14%) | 0 | 100 | 100 |
| 40 | l | 47/49 (96%) | 39 (83%) | 7 (15%) | 1 (2%) | 7 | 26 |
| 41 | m | 49/51 (96%) | 46 (94%) | 3 (6%) | 0 | 100 | 100 |
| 42 | n | 21/23 (91%) | 19 (90%) | 2 (10%) | 0 | 100 | 100 |
| 43 | o | 99/101 (98%) | 79 (80%) | 12 (12%) | 8 (8%) | 1 | 2 |
| 44 | p | 85/87 (98%) | 70 (82%) | 12 (14%) | 3 (4%) | 3 | 14 |
| 45 | q | 213/217 (98%) | 163 (76%) | 45 (21%) | 5 (2%) | 6 | 23 |
| 46 | r | 191/195 (98%) | 144 (75%) | 41 (22%) | 6 (3%) | 4 | 16 |
| 48 | AA | 204/206 (99%) | 166 (81%) | 31 (15%) | 7 (3%) | 3 | 15 |
| 49 | BB | 212/214 (99%) | 187 (88%) | 23 (11%) | 2 (1%) | 17 | 48 |
| 50 | CC | 215/217 (99%) | 188 (87%) | 21 (10%) | 6 (3%) | 5 | 19 |
| 51 | DD | 221/223 (99%) | 189 (86%) | 26 (12%) | 6 (3%) | 5 | 19 |
| 52 | EE | 255/257 (99%) | 217 (85%) | 33 (13%) | 5 (2%) | 7 | 27 |
| 53 | FF | 197/206 (96%) | 155 (79%) | 36 (18%) | 6 (3%) | 4 | 17 |
| 54 | GG | 224/226 (99%) | 201 (90%) | 22 (10%) | 1 (0%) | 34 | 66 |
| 55 | HH | 182/184 (99%) | 157 (86%) | 22 (12%) | 3 (2%) | 9 | 32 |
| 56 | II | 183/199 (92%) | 153 (84%) | 25 (14%) | 5 (3%) | 5 | 19 |
| 57 | JJ | 180/182 (99%) | 156 (87%) | 17 (9%) | 7 (4%) | 3 | 12 |
| 58 | KK | 94/96 (98%) | 81 (86%) | 10 (11%) | 3 (3%) | 4 | 16 |
| 59 | LL | 143/145 (99%) | 127 (89%) | 15 (10%) | 1 (1%) | 22 | 54 |
| 60 | MM | 122/124 (98%) | 85 (70%) | 34 (28%) | 3 (2%) | 5 | 21 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-------------------|-------------|------------|----------|-------------|-----|
| 61 | NN | 148/150 (99%) | 137 (93%) | 7 (5%) | 4 (3%) | 5 | 19 |
| 62 | OO | 125/127 (98%) | 106 (85%) | 16 (13%) | 3 (2%) | 6 | 22 |
| 63 | PP | 101/103 (98%) | 88 (87%) | 12 (12%) | 1 (1%) | 15 | 45 |
| 64 | QQ | 139/141 (99%) | 126 (91%) | 11 (8%) | 2 (1%) | 11 | 36 |
| 65 | RR | 119/123 (97%) | 99 (83%) | 19 (16%) | 1 (1%) | 19 | 51 |
| 66 | SS | 134/136 (98%) | 116 (87%) | 17 (13%) | 1 (1%) | 22 | 54 |
| 67 | TT | 141/143 (99%) | 128 (91%) | 10 (7%) | 3 (2%) | 7 | 26 |
| 68 | UU | 104/106 (98%) | 94 (90%) | 10 (10%) | 0 | 100 | 100 |
| 69 | VV | 85/87 (98%) | 71 (84%) | 14 (16%) | 0 | 100 | 100 |
| 70 | WW | 127/129 (98%) | 114 (90%) | 10 (8%) | 3 (2%) | 6 | 22 |
| 71 | XX | 142/144 (99%) | 125 (88%) | 14 (10%) | 3 (2%) | 7 | 26 |
| 72 | YY | 132/134 (98%) | 119 (90%) | 12 (9%) | 1 (1%) | 19 | 51 |
| 73 | ZZ | 68/70 (97%) | 59 (87%) | 8 (12%) | 1 (2%) | 10 | 34 |
| 74 | aa | 95/97 (98%) | 76 (80%) | 14 (15%) | 5 (5%) | 2 | 6 |
| 75 | bb | 79/81 (98%) | 63 (80%) | 15 (19%) | 1 (1%) | 12 | 37 |
| 76 | cc | 61/63 (97%) | 54 (88%) | 7 (12%) | 0 | 100 | 100 |
| 77 | dd | 51/53 (96%) | 49 (96%) | 2 (4%) | 0 | 100 | 100 |
| 78 | ee | 51/53 (96%) | 44 (86%) | 7 (14%) | 0 | 100 | 100 |
| 79 | ff | 40/57 (70%) | 20 (50%) | 19 (48%) | 1 (2%) | 5 | 21 |
| 80 | gg | 312/318 (98%) | 265 (85%) | 43 (14%) | 4 (1%) | 12 | 37 |
| 82 | 1 | 598/600 (100%) | 476 (80%) | 94 (16%) | 28 (5%) | 2 | 8 |
| All | All | 11802/12025 (98%) | 10238 (87%) | 1339 (11%) | 225 (2%) | 11 | 28 |

5 of 225 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 4 | A | 181 | LYS |
| 4 | A | 196 | TRP |
| 6 | C | 54 | GLU |
| 6 | C | 148 | ILE |
| 6 | C | 316 | ASN |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|-------------|----|
| 4 | A | 191/191 (100%) | 178 (93%) | 13 (7%) | 16 | 42 |
| 5 | B | 320/320 (100%) | 301 (94%) | 19 (6%) | 19 | 49 |
| 6 | C | 286/286 (100%) | 269 (94%) | 17 (6%) | 19 | 49 |
| 7 | D | 244/244 (100%) | 222 (91%) | 22 (9%) | 9 | 29 |
| 8 | E | 134/152 (88%) | 127 (95%) | 7 (5%) | 23 | 55 |
| 9 | F | 186/186 (100%) | 178 (96%) | 8 (4%) | 29 | 62 |
| 10 | G | 189/191 (99%) | 182 (96%) | 7 (4%) | 34 | 68 |
| 11 | H | 172/172 (100%) | 163 (95%) | 9 (5%) | 23 | 55 |
| 12 | I | 184/185 (100%) | 175 (95%) | 9 (5%) | 25 | 57 |
| 13 | J | 146/146 (100%) | 138 (94%) | 8 (6%) | 21 | 53 |
| 14 | L | 158/158 (100%) | 149 (94%) | 9 (6%) | 20 | 51 |
| 15 | M | 108/108 (100%) | 102 (94%) | 6 (6%) | 21 | 52 |
| 16 | N | 174/174 (100%) | 169 (97%) | 5 (3%) | 42 | 76 |
| 17 | O | 160/160 (100%) | 158 (99%) | 2 (1%) | 69 | 90 |
| 18 | P | 145/145 (100%) | 139 (96%) | 6 (4%) | 30 | 64 |
| 19 | Q | 150/150 (100%) | 147 (98%) | 3 (2%) | 55 | 82 |
| 20 | R | 153/153 (100%) | 143 (94%) | 10 (6%) | 17 | 45 |
| 21 | S | 154/154 (100%) | 147 (96%) | 7 (4%) | 27 | 61 |
| 22 | T | 135/135 (100%) | 123 (91%) | 12 (9%) | 9 | 29 |
| 23 | U | 87/87 (100%) | 83 (95%) | 4 (5%) | 27 | 60 |
| 24 | V | 101/101 (100%) | 93 (92%) | 8 (8%) | 12 | 34 |
| 25 | W | 54/54 (100%) | 52 (96%) | 2 (4%) | 34 | 68 |
| 26 | X | 105/105 (100%) | 100 (95%) | 5 (5%) | 25 | 58 |
| 27 | Y | 109/109 (100%) | 103 (94%) | 6 (6%) | 21 | 53 |
| 28 | Z | 115/115 (100%) | 106 (92%) | 9 (8%) | 12 | 34 |
| 29 | a | 118/118 (100%) | 112 (95%) | 6 (5%) | 24 | 56 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|-------------|-----|
| 30 | b | 46/46 (100%) | 46 (100%) | 0 | 100 | 100 |
| 31 | c | 81/81 (100%) | 75 (93%) | 6 (7%) | 13 | 38 |
| 32 | d | 93/93 (100%) | 90 (97%) | 3 (3%) | 39 | 73 |
| 33 | e | 106/106 (100%) | 97 (92%) | 9 (8%) | 10 | 31 |
| 34 | f | 89/89 (100%) | 87 (98%) | 2 (2%) | 52 | 81 |
| 35 | g | 103/103 (100%) | 92 (89%) | 11 (11%) | 6 | 20 |
| 36 | h | 103/103 (100%) | 102 (99%) | 1 (1%) | 76 | 92 |
| 37 | i | 80/80 (100%) | 74 (92%) | 6 (8%) | 13 | 37 |
| 38 | j | 69/69 (100%) | 66 (96%) | 3 (4%) | 29 | 62 |
| 39 | k | 68/68 (100%) | 61 (90%) | 7 (10%) | 7 | 22 |
| 40 | l | 44/44 (100%) | 42 (96%) | 2 (4%) | 27 | 61 |
| 41 | m | 46/46 (100%) | 46 (100%) | 0 | 100 | 100 |
| 42 | n | 21/21 (100%) | 19 (90%) | 2 (10%) | 8 | 26 |
| 43 | o | 87/87 (100%) | 80 (92%) | 7 (8%) | 12 | 33 |
| 44 | p | 69/69 (100%) | 64 (93%) | 5 (7%) | 14 | 39 |
| 45 | q | 198/198 (100%) | 172 (87%) | 26 (13%) | 4 | 12 |
| 46 | r | 165/165 (100%) | 143 (87%) | 22 (13%) | 4 | 11 |
| 48 | AA | 173/173 (100%) | 167 (96%) | 6 (4%) | 36 | 70 |
| 49 | BB | 192/192 (100%) | 178 (93%) | 14 (7%) | 14 | 38 |
| 50 | CC | 176/176 (100%) | 165 (94%) | 11 (6%) | 18 | 46 |
| 51 | DD | 182/182 (100%) | 171 (94%) | 11 (6%) | 19 | 49 |
| 52 | EE | 219/219 (100%) | 207 (94%) | 12 (6%) | 21 | 53 |
| 53 | FF | 173/173 (100%) | 163 (94%) | 10 (6%) | 20 | 50 |
| 54 | GG | 193/193 (100%) | 188 (97%) | 5 (3%) | 46 | 77 |
| 55 | HH | 165/165 (100%) | 156 (94%) | 9 (6%) | 21 | 53 |
| 56 | II | 149/160 (93%) | 138 (93%) | 11 (7%) | 13 | 38 |
| 57 | JJ | 156/156 (100%) | 148 (95%) | 8 (5%) | 24 | 56 |
| 58 | KK | 89/89 (100%) | 76 (85%) | 13 (15%) | 3 | 9 |
| 59 | LL | 130/130 (100%) | 127 (98%) | 3 (2%) | 50 | 80 |
| 60 | MM | 100/100 (100%) | 94 (94%) | 6 (6%) | 19 | 49 |
| 61 | NN | 127/127 (100%) | 121 (95%) | 6 (5%) | 26 | 59 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|--------------------|------------|----------|-------------|----|
| 62 | OO | 96/96 (100%) | 86 (90%) | 10 (10%) | 7 | 21 |
| 63 | PP | 86/86 (100%) | 79 (92%) | 7 (8%) | 11 | 33 |
| 64 | QQ | 117/117 (100%) | 109 (93%) | 8 (7%) | 16 | 42 |
| 65 | RR | 112/112 (100%) | 102 (91%) | 10 (9%) | 9 | 29 |
| 66 | SS | 120/120 (100%) | 113 (94%) | 7 (6%) | 20 | 50 |
| 67 | TT | 115/115 (100%) | 106 (92%) | 9 (8%) | 12 | 34 |
| 68 | UU | 99/99 (100%) | 97 (98%) | 2 (2%) | 55 | 82 |
| 69 | VV | 74/74 (100%) | 67 (90%) | 7 (10%) | 8 | 26 |
| 70 | WW | 110/110 (100%) | 104 (94%) | 6 (6%) | 21 | 53 |
| 71 | XX | 119/119 (100%) | 111 (93%) | 8 (7%) | 16 | 43 |
| 72 | YY | 112/112 (100%) | 110 (98%) | 2 (2%) | 59 | 85 |
| 73 | ZZ | 61/61 (100%) | 59 (97%) | 2 (3%) | 38 | 72 |
| 74 | aa | 83/83 (100%) | 78 (94%) | 5 (6%) | 19 | 49 |
| 75 | bb | 70/70 (100%) | 63 (90%) | 7 (10%) | 7 | 23 |
| 76 | cc | 56/56 (100%) | 52 (93%) | 4 (7%) | 14 | 40 |
| 77 | dd | 47/47 (100%) | 42 (89%) | 5 (11%) | 6 | 20 |
| 78 | ee | 46/46 (100%) | 43 (94%) | 3 (6%) | 17 | 45 |
| 79 | ff | 38/49 (78%) | 36 (95%) | 2 (5%) | 22 | 54 |
| 80 | gg | 261/261 (100%) | 237 (91%) | 24 (9%) | 9 | 27 |
| 82 | 1 | 524/524 (100%) | 479 (91%) | 45 (9%) | 10 | 30 |
| All | All | 10116/10159 (100%) | 9487 (94%) | 629 (6%) | 22 | 47 |

5 of 629 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 62 | OO | 125 | SER |
| 80 | gg | 194 | ILE |
| 64 | QQ | 43 | ILE |
| 62 | OO | 124 | ASP |
| 70 | WW | 115 | GLU |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 122 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 33 | e | 31 | ASN |
| 73 | ZZ | 95 | HIS |
| 48 | AA | 83 | GLN |
| 72 | YY | 110 | GLN |
| 82 | 1 | 569 | GLN |

5.3.3 RNA ⓘ

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1 | 5 | 3250/3271 (99%) | 786 (24%) | 76 (2%) |
| 2 | 7 | 120/121 (99%) | 21 (17%) | 0 |
| 3 | 8 | 156/157 (99%) | 34 (21%) | 2 (1%) |
| 81 | 2 | 1767/1796 (98%) | 554 (31%) | 32 (1%) |
| 83 | 3 | 75/76 (98%) | 17 (22%) | 0 |
| 84 | 4 | 5/6 (83%) | 0 | 0 |
| All | All | 5373/5427 (99%) | 1412 (26%) | 110 (2%) |

5 of 1412 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | 5 | 3 | U |
| 1 | 5 | 6 | A |
| 1 | 5 | 14 | U |
| 1 | 5 | 15 | C |
| 1 | 5 | 17 | G |

5 of 110 RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 1 | 5 | 2941 | A |
| 1 | 5 | 3289 | G |
| 81 | 2 | 1755 | A |
| 81 | 2 | 1344 | A |
| 1 | 5 | 3057 | U |

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 88 | MET | 3 | 102 | 83 | 6,7,8 | 0.46 | 0 | 2,7,9 | 2.12 | 1 (50%) |
| 87 | U6A | 3 | 101 | 83 | 9,9,10 | 1.95 | 2 (22%) | 10,11,13 | 2.55 | 1 (10%) |
| 86 | GDP | 1 | 1101 | - | 24,30,30 | 0.96 | 1 (4%) | 30,47,47 | 1.39 | 4 (13%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-------------|---------|
| 88 | MET | 3 | 102 | 83 | - | 1/5/6/8 | - |
| 87 | U6A | 3 | 101 | 83 | - | 10/11/11/12 | - |
| 86 | GDP | 1 | 1101 | - | - | 3/12/32/32 | 0/3/3/3 |

All (3) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|-------|-------------|----------|
| 87 | 3 | 101 | U6A | O1-C1 | 4.49 | 1.36 | 1.22 |
| 87 | 3 | 101 | U6A | C3-N2 | 2.80 | 1.49 | 1.45 |
| 86 | 1 | 1101 | GDP | C6-N1 | -2.41 | 1.34 | 1.37 |

The worst 5 of 6 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|------|-------------|----------|
| 87 | 3 | 101 | U6A | O1-C1-N2 | 7.50 | 145.02 | 125.27 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|-------|-------------|----------|
| 88 | 3 | 102 | MET | CE-SD-CG | 2.95 | 110.52 | 100.40 |
| 86 | 1 | 1101 | GDP | C3'-C2'-C1' | 2.90 | 105.35 | 100.98 |
| 86 | 1 | 1101 | GDP | PA-O3A-PB | -2.75 | 123.38 | 132.83 |
| 86 | 1 | 1101 | GDP | C8-N7-C5 | 2.75 | 108.22 | 102.99 |

There are no chirality outliers.


5 of 14 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|----------------|
| 86 | 1 | 1101 | GDP | PA-O3A-PB-O2B |
| 86 | 1 | 1101 | GDP | C5'-O5'-PA-O1A |
| 87 | 3 | 101 | U6A | O1-C1-N2-C3 |
| 87 | 3 | 101 | U6A | C4-C3-C6-C7 |
| 87 | 3 | 101 | U6A | C4-C3-C6-O8 |

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

| Mol | Chain | Number of breaks |
|-----|-------|------------------|
| 1 | 5 | 18 |
| 81 | 2 | 11 |
| 80 | gg | 2 |
| 45 | q | 1 |
| 37 | i | 1 |
| 65 | RR | 1 |
| 46 | r | 1 |

The worst 5 of 35 chain breaks are listed below:

| Model | Chain | Residue-1 | Atom-1 | Residue-2 | Atom-2 | Distance (Å) |
|-------|-------|-----------|--------|-----------|--------|--------------|
| 1 | 5 | 1980:C | O3' | 2051:G | P | 18.54 |
| 1 | 5 | 2083:U | O3' | 2084:G | P | 11.15 |
| 1 | 5 | 1954:G | O3' | 1955:U | P | 7.40 |
| 1 | 5 | 439:C | O3' | 495:G | P | 7.21 |
| 1 | 2 | 856:A | O3' | 857:U | P | 7.17 |


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21859. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 172




Y Index: 117




Z Index: 132


6.3.2 Raw map



X Index: 172



Y Index: 117




Z Index: 132

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.042. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_21859_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1033 nm³; this corresponds to an approximate mass of 933 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8.2 Resolution estimates [i](#)


| Resolution estimate (Å) | Estimation criterion (FSC cut-off) | | |
|---------------------------|------------------------------------|------|----------|
| | 0.143 | 0.5 | Half-bit |
| Reported by author | 2.90 | - | - |
| Author-provided FSC curve | 2.89 | 3.39 | 2.91 |
| Unmasked-calculated* | 3.63 | 5.02 | 3.76 |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.63 differs from the reported value 2.9 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21859 and PDB model 6WOO. Per-residue inclusion information can be found in [section 3](#) on [page 22](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.042 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.042).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 67% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.042) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.6675 |  0.4870 |
| 1 |  0.5101 |  0.4650 |
| 2 |  0.7064 |  0.4640 |
| 3 |  0.6177 |  0.4540 |
| 4 |  0.8168 |  0.5400 |
| 5 |  0.7776 |  0.5030 |
| 7 |  0.8313 |  0.5330 |
| 8 |  0.8587 |  0.5460 |
| A |  0.7070 |  0.5420 |
| AA |  0.4635 |  0.4490 |
| B |  0.6685 |  0.5200 |
| BB |  0.5380 |  0.4660 |
| C |  0.7026 |  0.5290 |
| CC |  0.5746 |  0.4890 |
| D |  0.5691 |  0.4800 |
| DD |  0.4778 |  0.4570 |
| E |  0.6101 |  0.4800 |
| EE |  0.6252 |  0.5100 |
| F |  0.6774 |  0.5210 |
| FF |  0.5535 |  0.4630 |
| G |  0.5656 |  0.4780 |
| GG |  0.4584 |  0.4370 |
| H |  0.6370 |  0.5020 |
| HH |  0.2824 |  0.4220 |
| I |  0.6614 |  0.5220 |
| II |  0.5193 |  0.4780 |
| J |  0.4786 |  0.4670 |
| JJ |  0.6030 |  0.4770 |
| K |  0.0531 |  0.2380 |
| KK |  0.4482 |  0.4130 |
| L |  0.6682 |  0.5220 |
| LL |  0.5463 |  0.4990 |
| M |  0.6290 |  0.5010 |
| MM |  0.0543 |  0.2660 |
| N |  0.7635 |  0.5580 |



















Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|----------------|---------|
| NN | 0.5074 | 0.4820 |
| O | 0.6803 | 0.5310 |
| OO | 0.6103 | 0.4860 |
| P | 0.6886 | 0.5270 |
| PP | 0.5436 | 0.4390 |
| Q | 0.7211 | 0.5410 |
| QQ | 0.5829 | 0.4990 |
| R | 0.5730 | 0.4900 |
| RR | 0.4142 | 0.4480 |
| S | 0.6744 | 0.5260 |
| SS | 0.5677 | 0.4960 |
| T | 0.6453 | 0.5250 |
| TT | 0.5735 | 0.4920 |
| U | 0.4847 | 0.4440 |
| UU | 0.4315 | 0.4500 |
| V | 0.6593 | 0.5440 |
| VV | 0.5060 | 0.4740 |
| W | 0.6398 | 0.5310 |
| WW | 0.6102 | 0.5140 |
| X | 0.6395 | 0.5150 |
| XX | 0.6378 | 0.5260 |
| Y | 0.6743 | 0.5300 |
| YY | 0.5110 | 0.4650 |
| Z | 0.5629 | 0.4800 |
| ZZ | 0.5009 | 0.4620 |
| a | 0.7643 | 0.5600 |
| aa | 0.6527 | 0.4900 |
| b | 0.6286 | 0.5090 |
| bb | 0.4336 | 0.4650 |
| c | 0.5527 | 0.4570 |
| cc | 0.5430 | 0.4810 |
| d | 0.6257 | 0.5090 |
| dd | 0.6698 | 0.5000 |
| e | 0.7183 | 0.5390 |
| ee | 0.5341 | 0.4690 |
| f | 0.7232 | 0.5520 |
| ff | 0.1365 | 0.3230 |
| g | 0.5838 | 0.4980 |
| gg | 0.3408 | 0.4240 |
| h | 0.6537 | 0.5170 |
| i | 0.6220 | 0.4850 |
| j | 0.7762 | 0.5620 |

Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| k |  0.4495 |  0.4400 |
| l |  0.7297 |  0.5520 |
| m |  0.6768 |  0.5280 |
| n |  0.6396 |  0.5120 |
| o |  0.6683 |  0.5240 |
| p |  0.6439 |  0.5060 |
| q |  0.0230 |  0.2450 |
| r |  0.0936 |  0.2690 |