



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 03:04 pm BST

PDB ID : 1WVC
Title : alpha-D-glucose-1-phosphate cytidyltransferase complexed with CTP
Authors : Koropatkin, N.M.; Cleland, W.W.; Holden, H.M.
Deposited on : 2004-12-14
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	259	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2119 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucose-1-phosphate cytidyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	254	Total	C	N	O	S	0	0	0
			1996	1287	332	364	13			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	CLONING ARTIFACT	UNP P26396
A	2	ALA	-	CLONING ARTIFACT	UNP P26396
A	3	SER	-	CLONING ARTIFACT	UNP P26396


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		

- Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ni	0	0
			1	1		

- Molecule 4 is CYTIDINE-5'-TRIPHOSPHATE (three-letter code: CTP) (formula: C₉H₁₆N₃O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			29	9	3	14	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	91	Total	O	0	0
			91	91		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glucose-1-phosphate cytidylyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	84.20 Å 84.20 Å 157.40 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	25.00 – 2.50 19.83 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.4 (25.00-2.50) 97.8 (19.83-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.90 (at 2.50 Å)	Xtriage
Refinement program	TNT	Depositor
R, R_{free}	0.199 , 0.272 0.297 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.201	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 94.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	2119	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NI, MG, CTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.98	16/2048 (0.8%)	1.42	32/2768 (1.2%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	117	GLU	CD-OE2	7.14	1.33	1.25
1	A	259	GLU	CD-OE2	7.07	1.33	1.25
1	A	64	GLU	CD-OE2	7.04	1.33	1.25
1	A	212	GLU	CA-C	-6.96	1.34	1.52
1	A	183	ASP	N-CA	-6.42	1.33	1.46
1	A	184	GLY	CA-C	6.16	1.61	1.51
1	A	82	GLU	CD-OE2	6.08	1.32	1.25
1	A	245	GLU	CD-OE2	5.99	1.32	1.25
1	A	222	GLU	CD-OE2	5.93	1.32	1.25
1	A	249	GLU	CD-OE2	5.93	1.32	1.25
1	A	227	GLU	CD-OE2	5.92	1.32	1.25
1	A	93	GLU	CD-OE2	5.86	1.32	1.25
1	A	19	GLU	CD-OE2	5.62	1.31	1.25
1	A	123	GLU	CD-OE2	5.62	1.31	1.25
1	A	29	GLU	CD-OE2	5.60	1.31	1.25
1	A	18	GLU	CD-OE2	5.47	1.31	1.25

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	183	ASP	CB-CA-C	-9.17	92.06	110.40
1	A	101	ASP	CB-CG-OD1	8.69	126.12	118.30
1	A	205	ASP	CB-CG-OD2	-8.24	110.89	118.30
1	A	236	ASP	CB-CG-OD1	8.00	125.50	118.30
1	A	135	ASP	CB-CG-OD2	-7.51	111.54	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	131	ASP	CB-CG-OD1	7.50	125.05	118.30
1	A	240	ASP	CB-CG-OD2	-7.42	111.62	118.30
1	A	131	ASP	CB-CG-OD2	-6.96	112.03	118.30
1	A	101	ASP	CB-CG-OD2	-6.74	112.23	118.30
1	A	50	ASP	CB-CG-OD2	-6.65	112.32	118.30
1	A	236	ASP	CB-CG-OD2	-6.64	112.32	118.30
1	A	205	ASP	CB-CG-OD1	6.57	124.21	118.30
1	A	114	ARG	NE-CZ-NH1	6.45	123.52	120.30
1	A	135	ASP	CB-CG-OD1	6.29	123.97	118.30
1	A	143	ASP	CB-CG-OD1	6.29	123.96	118.30
1	A	137	ASP	CB-CG-OD2	-6.29	112.64	118.30
1	A	167	ASP	CB-CG-OD2	-6.22	112.70	118.30
1	A	200	ASP	CB-CG-OD2	-6.08	112.83	118.30
1	A	184	GLY	CA-C-N	-5.99	104.03	117.20
1	A	121	ASP	CB-CG-OD1	5.87	123.58	118.30
1	A	200	ASP	CB-CG-OD1	5.87	123.58	118.30
1	A	137	ASP	CB-CG-OD1	5.82	123.54	118.30
1	A	121	ASP	CB-CG-OD2	-5.78	113.10	118.30
1	A	239	ARG	NE-CZ-NH1	5.77	123.19	120.30
1	A	183	ASP	N-CA-CB	5.73	120.92	110.60
1	A	15	ARG	NE-CZ-NH1	5.73	123.16	120.30
1	A	203	ASP	CB-CG-OD2	-5.61	113.25	118.30
1	A	143	ASP	CB-CG-OD2	-5.58	113.28	118.30
1	A	114	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	A	184	GLY	O-C-N	5.36	131.27	122.70
1	A	203	ASP	CB-CG-OD1	5.35	123.12	118.30
1	A	155	THR	CA-CB-CG2	-5.06	105.32	112.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1996	0	1948	158	0
2	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
4	A	29	0	10	4	0
5	A	91	0	0	3	0
All	All	2119	0	1958	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 40.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:GLN:O	1:A:215:MET:SD	2.15	1.04
1:A:212:GLU:H	1:A:213:PRO:HD2	1.27	0.99
1:A:43:TYR:HB3	1:A:48:ILE:HB	1.46	0.97
1:A:212:GLU:N	1:A:213:PRO:HD2	1.90	0.86
1:A:183:ASP:OD1	1:A:184:GLY:N	2.15	0.79
1:A:209:TRP:HA	1:A:213:PRO:HG2	1.64	0.78
1:A:212:GLU:N	1:A:213:PRO:CD	2.46	0.77
1:A:212:GLU:H	1:A:213:PRO:CD	1.97	0.77
1:A:239:ARG:HG2	1:A:239:ARG:HH11	1.48	0.77
1:A:17:SER:O	1:A:21:ILE:HG12	1.85	0.76
1:A:49:LYS:HB3	1:A:95:TRP:HD1	1.50	0.76
1:A:110:GLY:O	1:A:114:ARG:HG2	1.85	0.76
1:A:107:MET:HB2	1:A:207:THR:O	1.86	0.75
1:A:110:GLY:HA3	1:A:205:ASP:HA	1.71	0.72
1:A:233:GLN:HG2	1:A:244:LEU:HD21	1.72	0.72
1:A:246:GLY:O	1:A:250:LYS:HG3	1.90	0.71
1:A:237:THR:O	1:A:240:ASP:HB2	1.91	0.70
1:A:137:ASP:O	1:A:141:THR:HG23	1.92	0.70
1:A:52:ILE:O	1:A:53:ILE:HD13	1.92	0.69
1:A:17:SER:HA	1:A:20:THR:OG1	1.93	0.69
1:A:79:HIS:O	1:A:82:GLU:HG2	1.92	0.69
1:A:53:ILE:HB	1:A:99:LEU:HD22	1.74	0.68
1:A:44:SER:HB2	1:A:95:TRP:HE1	1.57	0.68
1:A:52:ILE:C	1:A:53:ILE:HD13	2.14	0.68
1:A:151:LYS:HE2	1:A:222:GLU:HG3	1.75	0.67
1:A:255:TRP:O	1:A:257:THR:HG23	1.95	0.67
1:A:249:GLU:HG3	1:A:250:LYS:HG2	1.77	0.67
1:A:62:ILE:HG22	1:A:66:PHE:HE1	1.58	0.66
1:A:199:ILE:HA	1:A:202:ILE:CD1	2.25	0.66
1:A:201:LEU:N	1:A:201:LEU:HD23	2.10	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:THR:HB	1:A:193:VAL:HB	1.76	0.65
1:A:211:GLN:O	1:A:215:MET:HB2	1.97	0.65
1:A:102:THR:OG1	1:A:111:ARG:HG2	1.97	0.65
1:A:27:MET:HE2	1:A:65:TYR:HB2	1.79	0.64
1:A:145:HIS:HA	1:A:148:HIS:NE2	2.13	0.62
1:A:109:GLY:C	1:A:202:ILE:HG21	2.19	0.62
1:A:113:LYS:NZ	1:A:204:ASN:HA	2.14	0.62
1:A:87:VAL:HB	1:A:90:LYS:HE2	1.80	0.62
1:A:243:TYR:CE2	1:A:247:LEU:HD11	2.35	0.62
1:A:102:THR:CB	1:A:111:ARG:HG2	2.31	0.61
1:A:139:LYS:O	1:A:142:ILE:HB	2.01	0.60
1:A:239:ARG:HH11	1:A:239:ARG:CG	2.15	0.60
1:A:199:ILE:HA	1:A:202:ILE:HD12	1.84	0.59
1:A:98:THR:HG22	1:A:100:VAL:HG23	1.85	0.58
1:A:45:VAL:CG2	1:A:258:TRP:HB3	2.32	0.58
1:A:216:THR:O	1:A:220:GLN:HB2	2.04	0.58
1:A:62:ILE:HG22	1:A:66:PHE:CE1	2.38	0.58
1:A:8:LEU:HB3	4:A:401:CTP:H1'	1.86	0.57
1:A:126:LEU:HD21	1:A:142:ILE:HD11	1.86	0.56
1:A:93:GLU:OE1	1:A:93:GLU:HA	2.05	0.56
1:A:16:LEU:HD12	1:A:18:GLU:OE1	2.05	0.56
1:A:15:ARG:HG3	4:A:401:CTP:O3G	2.05	0.56
1:A:84:ARG:HG3	5:A:701:HOH:O	2.04	0.56
1:A:41:LYS:O	1:A:45:VAL:HG23	2.05	0.56
1:A:247:LEU:HB3	1:A:252:LYS:O	2.06	0.56
1:A:29:GLU:HB3	1:A:33:LYS:C	2.26	0.56
1:A:253:ALA:O	1:A:256:LYS:N	2.30	0.55
1:A:112:LEU:O	1:A:115:VAL:HG22	2.07	0.55
1:A:113:LYS:HZ1	1:A:204:ASN:HA	1.71	0.54
1:A:111:ARG:O	1:A:114:ARG:HB2	2.07	0.54
1:A:198:VAL:CG1	1:A:217:LEU:HD11	2.36	0.54
1:A:151:LYS:O	1:A:195:ASN:HB2	2.07	0.54
1:A:14:THR:HG23	4:A:401:CTP:O2G	2.08	0.54
1:A:198:VAL:HG11	1:A:217:LEU:HD11	1.90	0.53
1:A:218:ALA:HA	1:A:223:LEU:HB3	1.90	0.53
1:A:235:MET:HA	1:A:240:ASP:HB3	1.90	0.53
1:A:199:ILE:HG23	1:A:202:ILE:HD12	1.91	0.53
1:A:46:HIS:CE1	1:A:137:ASP:HA	2.43	0.53
1:A:233:GLN:CG	1:A:244:LEU:HD21	2.38	0.53
1:A:25:LYS:NZ	4:A:401:CTP:O1A	2.37	0.53
1:A:2:ALA:N	1:A:123:GLU:HG3	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:136:LEU:HG	1:A:137:ASP:N	2.23	0.52
1:A:166:LEU:HD12	1:A:168:ILE:HD11	1.92	0.52
1:A:20:THR:HA	1:A:23:LYS:O	2.10	0.52
1:A:199:ILE:HA	1:A:202:ILE:HD11	1.90	0.51
1:A:74:SER:OG	1:A:75:ASP:N	2.43	0.51
1:A:202:ILE:CG2	1:A:207:THR:HB	2.41	0.51
1:A:29:GLU:HG3	5:A:1704:HOH:O	2.09	0.51
1:A:141:THR:O	1:A:144:PHE:HB3	2.11	0.51
1:A:199:ILE:O	1:A:202:ILE:HD12	2.11	0.51
1:A:109:GLY:N	1:A:207:THR:O	2.42	0.51
1:A:245:GLU:HA	1:A:245:GLU:OE2	2.11	0.51
1:A:33:LYS:O	1:A:38:HIS:HE1	1.93	0.51
1:A:111:ARG:HH11	1:A:111:ARG:CG	2.24	0.51
1:A:62:ILE:CG2	1:A:66:PHE:HE1	2.24	0.50
1:A:246:GLY:O	1:A:249:GLU:HG2	2.10	0.50
1:A:195:ASN:HB3	1:A:197:SER:OG	2.11	0.50
1:A:243:TYR:CZ	1:A:247:LEU:HD11	2.47	0.50
1:A:195:ASN:O	1:A:196:PRO:C	2.50	0.49
1:A:45:VAL:HG22	1:A:258:TRP:HB3	1.93	0.49
1:A:49:LYS:HB3	1:A:95:TRP:CD1	2.39	0.49
1:A:146:LYS:O	1:A:147:ALA:C	2.51	0.49
1:A:212:GLU:HB2	1:A:213:PRO:HD3	1.96	0.48
1:A:148:HIS:NE2	1:A:153:THR:OG1	2.45	0.48
1:A:104:ASP:OD2	1:A:104:ASP:N	2.46	0.48
1:A:27:MET:CE	1:A:65:TYR:HB2	2.42	0.48
1:A:134:ALA:HB2	1:A:232:TRP:HD1	1.79	0.48
1:A:102:THR:HB	1:A:111:ARG:HG2	1.96	0.48
1:A:110:GLY:CA	1:A:205:ASP:HA	2.41	0.47
1:A:123:GLU:H	1:A:123:GLU:HG2	1.34	0.47
1:A:102:THR:OG1	1:A:111:ARG:NH1	2.44	0.47
1:A:144:PHE:CE2	1:A:148:HIS:CD2	3.02	0.47
1:A:196:PRO:HB2	5:A:2305:HOH:O	2.15	0.47
1:A:70:PHE:CD2	1:A:90:LYS:HG2	2.49	0.47
1:A:107:MET:HB2	1:A:207:THR:C	2.35	0.47
1:A:53:ILE:HB	1:A:99:LEU:CD2	2.45	0.47
1:A:211:GLN:O	1:A:215:MET:CG	2.63	0.47
1:A:253:ALA:O	1:A:254:PRO:C	2.54	0.46
1:A:199:ILE:CA	1:A:202:ILE:HD12	2.45	0.46
1:A:36:LEU:O	1:A:40:MET:HG3	2.15	0.46
1:A:102:THR:HB	1:A:111:ARG:CG	2.46	0.45
1:A:183:ASP:CG	1:A:184:GLY:N	2.66	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:ALA:HA	1:A:187:ILE:O	2.15	0.45
1:A:127:PHE:HB3	1:A:194:LEU:HD11	1.98	0.45
1:A:231:PHE:CD1	1:A:254:PRO:HG2	2.52	0.45
1:A:33:LYS:HE2	1:A:33:LYS:HB2	1.70	0.45
1:A:127:PHE:O	1:A:192:PHE:HD1	1.99	0.45
1:A:5:ALA:HB2	1:A:48:ILE:HG21	1.98	0.45
1:A:202:ILE:HG23	1:A:207:THR:HB	1.99	0.45
1:A:243:TYR:CE2	1:A:247:LEU:CD1	3.00	0.45
1:A:145:HIS:CB	1:A:193:VAL:HG11	2.47	0.45
1:A:23:LYS:HB2	1:A:24:PRO:HD2	1.99	0.45
1:A:141:THR:HA	1:A:226:PHE:CD1	2.51	0.45
1:A:129:TYR:CE1	1:A:190:GLY:CA	3.00	0.44
1:A:145:HIS:HB3	1:A:193:VAL:HG11	1.98	0.44
1:A:212:GLU:O	1:A:213:PRO:C	2.54	0.44
1:A:111:ARG:NH1	1:A:111:ARG:CG	2.80	0.44
1:A:127:PHE:HB3	1:A:192:PHE:HB2	2.00	0.43
1:A:134:ALA:HB1	1:A:231:PHE:O	2.18	0.43
1:A:93:GLU:C	1:A:95:TRP:H	2.21	0.43
1:A:190:GLY:O	1:A:191:PHE:C	2.56	0.43
1:A:154:LEU:HD12	1:A:154:LEU:O	2.18	0.43
1:A:193:VAL:C	1:A:194:LEU:HG	2.39	0.43
1:A:209:TRP:CE3	1:A:213:PRO:HB2	2.53	0.43
1:A:43:TYR:O	1:A:46:HIS:N	2.46	0.43
1:A:6:VAL:HB	1:A:127:PHE:HD1	1.84	0.42
1:A:131:ASP:O	1:A:234:PRO:HA	2.19	0.42
1:A:7:ILE:HB	1:A:53:ILE:HD12	2.01	0.42
1:A:45:VAL:HG11	1:A:257:THR:OG1	2.19	0.42
1:A:129:TYR:HE1	1:A:190:GLY:CA	2.33	0.42
1:A:30:ILE:N	1:A:30:ILE:HD12	2.34	0.42
1:A:199:ILE:HG23	1:A:202:ILE:CD1	2.50	0.42
1:A:43:TYR:HD2	1:A:48:ILE:HG13	1.85	0.42
1:A:211:GLN:O	1:A:215:MET:CB	2.65	0.42
1:A:253:ALA:HB1	1:A:255:TRP:CZ2	2.54	0.42
1:A:172:GLN:HE21	1:A:172:GLN:HB2	1.62	0.42
1:A:212:GLU:OE1	1:A:212:GLU:N	2.53	0.42
1:A:110:GLY:HA3	1:A:205:ASP:CA	2.47	0.41
1:A:62:ILE:O	1:A:66:PHE:HD1	2.03	0.41
1:A:113:LYS:HZ2	1:A:204:ASN:HA	1.86	0.41
1:A:238:LEU:O	1:A:242:VAL:HG23	2.19	0.41
1:A:116:ALA:O	1:A:118:TYR:N	2.54	0.41
1:A:92:VAL:HG12	1:A:93:GLU:N	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:134:ALA:HB2	1:A:232:TRP:CD1	2.54	0.41
1:A:154:LEU:C	1:A:154:LEU:HD12	2.41	0.41
1:A:24:PRO:HG3	1:A:58:LYS:O	2.21	0.41
1:A:126:LEU:HD12	1:A:126:LEU:N	2.36	0.40
1:A:119:VAL:O	1:A:122:ASP:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	248 / 259 (96%)	207 (84%)	37 (15%)	4 (2%)	9 17

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	117	GLU
1	A	250	LYS
1	A	230	GLY
1	A	213	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	207/215 (96%)	174 (84%)	33 (16%)	2 4

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LYS
1	A	14	THR
1	A	15	ARG
1	A	17	SER
1	A	19	GLU
1	A	29	GLU
1	A	33	LYS
1	A	49	LYS
1	A	50	ASP
1	A	74	SER
1	A	80	MET
1	A	82	GLU
1	A	91	ARG
1	A	104	ASP
1	A	105	SER
1	A	106	SER
1	A	111	ARG
1	A	114	ARG
1	A	117	GLU
1	A	122	ASP
1	A	123	GLU
1	A	146	LYS
1	A	166	LEU
1	A	169	GLN
1	A	174	ARG
1	A	175	SER
1	A	194	LEU
1	A	201	LEU
1	A	202	ILE
1	A	220	GLN
1	A	239	ARG
1	A	250	LYS
1	A	259	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	172	GLN
1	A	177	GLN
1	A	195	ASN
1	A	219	GLN
1	A	233	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	CTP	A	401	2	23,30,30	1.42	3 (13%)	30,47,47	2.76	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CTP	A	401	2	-	4/20/38/38	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	401	CTP	C4-N4	-4.10	1.23	1.35
4	A	401	CTP	C6-C5	-3.23	1.30	1.38
4	A	401	CTP	C4-N3	2.17	1.39	1.35

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	401	CTP	C2-N3-C4	11.03	127.52	116.34
4	A	401	CTP	C5-C4-N3	-7.92	112.58	121.72
4	A	401	CTP	C5-C4-N4	4.00	128.08	121.14
4	A	401	CTP	O3G-PG-O3B	2.25	112.19	104.64

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	401	CTP	PB-O3B-PG-O1G
4	A	401	CTP	PA-O3A-PB-O2B
4	A	401	CTP	PB-O3B-PG-O2G
4	A	401	CTP	PB-O3B-PG-O3G

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	401	CTP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

Unable to reproduce the depositor's R factor - this section is therefore empty.