



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 06:29 am BST

PDB ID : 2WXP
Title : The crystal structure of the murine class IA PI 3-kinase p110delta in complex with GDC-0941.
Authors : Berndt, A.; Miller, S.; Williams, O.; Lee, D.D.; Houseman, B.T.; Pacold, J.I.; Gorrec, F.; Hon, W.-C.; Liu, Y.; Rommel, C.; Gaillard, P.; Ruckle, T.; Schwarz, M.K.; Shokat, K.M.; Shaw, J.P.; Williams, R.L.
Deposited on : 2009-11-09
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	940	<div> <div>5%</div> <div> <div></div> <div>68%</div> <div>17%</div> <div>•</div> <div>13%</div> </div> </div>

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE 3-KINASE CATALYTIC SUBUNIT DELTA ISOFORM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	822	Total	C	N	O	S	0	0	0
			6633	4254	1126	1199	54			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	105	GLY	-	expression tag	UNP Q3UDT3

- Molecule 2 is 2-(1H-indazol-4-yl)-6-[[4-(methylsulfonyl)piperazin-1-yl]methyl]-4-morpholin-4-yl-thieno[3,2-d]pyrimidine (three-letter code: GD9) (formula: C₂₃H₂₇N₇O₃S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			35	23	7	3	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	43	Total 43	O 43	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE 3-KINASE CATALYTIC SUBUNIT DELTA ISOFORM



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.72Å 64.04Å 117.74Å 90.00° 103.62° 90.00°	Depositor
Resolution (Å)	58.12 – 2.30 58.14 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.5 (58.12-2.30) 99.5 (58.14-2.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0046	Depositor
R, R_{free}	0.220 , 0.279 0.226 , 0.285	Depositor DCC
R_{free} test set	1422 reflections (3.09%)	wwPDB-VP
Wilson B-factor (Å ²)	45.7	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 61.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6711	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GD9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	0/6776	0.71	4/9142 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	902	ARG	NE-CZ-NH2	-6.02	117.29	120.30
1	A	423	LEU	CA-CB-CG	5.39	127.69	115.30
1	A	634	LEU	CA-CB-CG	5.17	127.18	115.30
1	A	652	ARG	NE-CZ-NH2	-5.01	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6633	0	6615	131	0
2	A	35	0	27	2	0
3	A	43	0	0	11	0
All	All	6711	0	6642	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:745:CYS:HB2	3:A:2025:HOH:O	1.35	1.25
1:A:834:ILE:CD1	1:A:901:ILE:HD11	1.66	1.24
1:A:962:ARG:HG2	1:A:962:ARG:HH11	1.15	1.12
1:A:1009:GLU:HG2	3:A:2042:HOH:O	1.53	1.06
1:A:834:ILE:HD13	1:A:901:ILE:HD11	1.38	1.01
1:A:834:ILE:HD11	1:A:901:ILE:HD11	1.50	0.93
1:A:367:SER:HB3	1:A:368:GLU:HB3	1.52	0.91
1:A:617:GLN:HE21	1:A:984:ALA:HA	1.40	0.87
2:A:1500:GD9:S1	2:A:1500:GD9:H14A	2.15	0.86
1:A:617:GLN:NE2	1:A:984:ALA:HA	1.91	0.85
1:A:962:ARG:HG2	1:A:962:ARG:NH1	1.89	0.82
1:A:367:SER:CB	1:A:368:GLU:HB3	2.09	0.81
1:A:367:SER:HB3	1:A:368:GLU:CB	2.09	0.81
1:A:245:GLY:HA3	1:A:768:ALA:HB2	1.63	0.80
1:A:367:SER:HB3	1:A:368:GLU:CA	2.10	0.80
1:A:745:CYS:CB	3:A:2025:HOH:O	2.05	0.77
1:A:834:ILE:CD1	1:A:901:ILE:CD1	2.58	0.74
1:A:895:HIS:H	1:A:898:ASN:HD21	1.36	0.73
1:A:834:ILE:HD11	1:A:901:ILE:CD1	2.19	0.73
1:A:841:LYS:CD	1:A:841:LYS:H	2.02	0.72
1:A:549:LEU:HG	1:A:564:MET:CE	2.21	0.71
1:A:549:LEU:HG	1:A:564:MET:HE3	1.73	0.71
1:A:367:SER:HB3	1:A:368:GLU:C	2.12	0.70
1:A:745:CYS:SG	3:A:2025:HOH:O	2.46	0.69
1:A:830:HIS:HD2	3:A:2037:HOH:O	1.77	0.67
1:A:334:ASN:CG	1:A:335:ALA:H	2.00	0.64
1:A:756:MET:HE2	1:A:781:GLY:HA3	1.79	0.63
1:A:246:ARG:NH1	1:A:248:GLU:OE1	2.32	0.63
1:A:435:GLY:HA2	1:A:475:LEU:O	1.99	0.63
1:A:847:THR:HB	3:A:2034:HOH:O	1.98	0.62
1:A:929:ARG:N	3:A:2038:HOH:O	2.31	0.62
1:A:278:HIS:HD2	1:A:280:SER:OG	1.82	0.61
1:A:343:VAL:H	1:A:360:SER:HB2	1.66	0.61
1:A:110:LYS:NZ	1:A:144:ARG:HH12	1.99	0.61
1:A:195:LYS:HG3	1:A:275:THR:HG23	1.83	0.60
1:A:915:PHE:CD2	1:A:915:PHE:C	2.75	0.59
1:A:224:LYS:O	1:A:228:PHE:HB2	2.03	0.59
1:A:534:MET:O	1:A:538:VAL:HG23	2.03	0.58
1:A:699:VAL:HG21	1:A:715:MET:HE2	1.85	0.58
1:A:915:PHE:HD2	1:A:915:PHE:C	2.07	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:841:LYS:HD3	1:A:841:LYS:H	1.70	0.57
1:A:742:GLU:HG3	1:A:765:SER:HB2	1.88	0.56
1:A:917:GLY:C	1:A:919:PHE:H	2.07	0.56
1:A:123:LYS:NZ	1:A:127:GLU:OE1	2.35	0.55
1:A:343:VAL:H	1:A:360:SER:CB	2.20	0.55
1:A:617:GLN:HE21	1:A:984:ALA:CA	2.17	0.54
1:A:332:LYS:HE3	1:A:333:VAL:N	2.22	0.54
1:A:139:PHE:CE2	1:A:666:LEU:HB3	2.43	0.54
1:A:110:LYS:HZ1	1:A:144:ARG:HH12	1.56	0.54
1:A:344:GLN:HB2	1:A:395:TYR:OH	2.08	0.54
1:A:699:VAL:HG21	1:A:715:MET:CE	2.38	0.53
1:A:787:ASP:OD1	1:A:912:PHE:O	2.26	0.52
1:A:512:ARG:NH1	1:A:534:MET:HB3	2.24	0.52
1:A:895:HIS:H	1:A:898:ASN:ND2	2.06	0.51
1:A:271:THR:O	1:A:273:HIS:HD2	1.93	0.51
1:A:756:MET:CE	1:A:781:GLY:HA3	2.41	0.51
1:A:621:TYR:CZ	1:A:983:ALA:HB2	2.46	0.51
2:A:1500:GD9:H11A	3:A:2043:HOH:O	2.11	0.50
1:A:834:ILE:HD13	1:A:901:ILE:CD1	2.25	0.50
1:A:328:ILE:HD11	1:A:474:TYR:HB2	1.93	0.50
1:A:533:LYS:HG3	1:A:534:MET:HE2	1.92	0.50
1:A:335:ALA:C	1:A:365:VAL:HG21	2.32	0.50
1:A:715:MET:HE1	1:A:751:PHE:HB3	1.93	0.50
1:A:982:ARG:NH2	1:A:991:CYS:HA	2.28	0.49
1:A:841:LYS:CG	1:A:844:MET:HG3	2.43	0.49
1:A:387:MET:HE3	1:A:590:CYS:HB3	1.94	0.48
1:A:191:LEU:O	1:A:272:PRO:HD2	2.13	0.48
1:A:208:SER:OG	1:A:210:LYS:HG2	2.12	0.48
1:A:387:MET:HE2	1:A:590:CYS:SG	2.54	0.48
1:A:843:ASN:C	1:A:844:MET:HG2	2.34	0.48
1:A:192:VAL:HG13	1:A:272:PRO:HB2	1.95	0.47
1:A:364:ASN:O	1:A:366:CYS:N	2.47	0.47
1:A:756:MET:HG3	1:A:780:ASN:O	2.13	0.47
1:A:859:LEU:HD21	1:A:905:GLY:HA2	1.97	0.47
1:A:618:VAL:HG12	1:A:629:LEU:CD2	2.44	0.47
1:A:431:GLN:HB2	1:A:484:TYR:CE1	2.49	0.47
1:A:328:ILE:HG22	1:A:329:GLU:HG2	1.97	0.46
1:A:371:TRP:O	1:A:373:GLN:HG2	2.14	0.46
1:A:696:ASN:HD22	1:A:778:PHE:HD2	1.62	0.46
1:A:679:MET:O	1:A:683:MET:HG3	2.16	0.46
1:A:846:ALA:HA	1:A:857:ASN:HB3	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:553:THR:HG21	1:A:564:MET:HG2	1.97	0.46
1:A:439:LEU:N	1:A:471:LEU:O	2.44	0.46
1:A:489:GLU:HG3	1:A:490:LYS:N	2.31	0.46
1:A:838:GLN:NE2	1:A:937:ASP:OD2	2.48	0.46
1:A:332:LYS:HA	3:A:2004:HOH:O	2.15	0.46
1:A:603:LEU:HD22	1:A:607:GLU:HB3	1.99	0.45
1:A:285:MET:O	1:A:289:GLN:HG3	2.16	0.45
1:A:247:HIS:HB2	1:A:738:SER:HA	1.97	0.45
1:A:367:SER:OG	1:A:368:GLU:HB3	2.16	0.45
1:A:213:PRO:HD3	1:A:254:TYR:O	2.16	0.45
1:A:550:LEU:O	1:A:553:THR:HG23	2.17	0.45
1:A:532:TRP:HZ3	1:A:564:MET:HE2	1.80	0.45
1:A:987:PRO:HD2	3:A:2028:HOH:O	2.16	0.45
1:A:162:TRP:CE3	1:A:286:ARG:HG3	2.52	0.45
1:A:332:LYS:HB2	1:A:333:VAL:H	1.56	0.45
1:A:962:ARG:CG	1:A:962:ARG:NH1	2.67	0.45
1:A:368:GLU:HG3	1:A:368:GLU:O	2.17	0.44
1:A:617:GLN:HE22	1:A:620:LYS:NZ	2.15	0.44
1:A:154:ARG:HG2	1:A:154:ARG:HH11	1.83	0.44
1:A:334:ASN:CG	1:A:335:ALA:N	2.71	0.44
1:A:617:GLN:HE22	1:A:620:LYS:HZ2	1.65	0.44
1:A:953:PHE:O	1:A:956:PHE:HB3	2.18	0.43
1:A:289:GLN:HG2	1:A:677:HIS:CD2	2.54	0.43
1:A:955:ARG:CZ	1:A:959:TYR:OH	2.66	0.43
1:A:938:PHE:N	1:A:938:PHE:CD1	2.86	0.43
1:A:842:SER:O	1:A:844:MET:HG2	2.18	0.43
1:A:225:ALA:O	1:A:230:GLN:N	2.52	0.43
1:A:839:LEU:HD23	1:A:839:LEU:HA	1.92	0.43
1:A:917:GLY:C	1:A:919:PHE:N	2.72	0.42
1:A:976:HIS:O	1:A:980:LEU:HG	2.19	0.42
1:A:211:ASP:O	1:A:256:LEU:HG	2.19	0.42
1:A:929:ARG:HH22	1:A:1001:SER:CB	2.33	0.42
1:A:291:ASN:O	3:A:2003:HOH:O	2.21	0.42
1:A:955:ARG:NH2	1:A:959:TYR:OH	2.52	0.42
1:A:368:GLU:N	1:A:369:PRO:CD	2.83	0.41
1:A:435:GLY:O	1:A:475:LEU:N	2.49	0.41
1:A:915:PHE:HD2	1:A:915:PHE:O	2.03	0.41
1:A:356:LYS:HE2	1:A:378:ASP:OD2	2.20	0.41
1:A:984:ALA:HB1	1:A:986:LEU:HD13	2.02	0.41
1:A:437:ARG:O	1:A:472:VAL:HA	2.21	0.41
1:A:768:ALA:HB3	1:A:772:GLY:HA3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:620:LYS:HE2	1:A:660:VAL:HG11	2.01	0.41
1:A:512:ARG:NH2	1:A:538:VAL:HG22	2.36	0.41
1:A:278:HIS:CD2	1:A:280:SER:H	2.38	0.41
1:A:432:LEU:HG	1:A:433:LYS:N	2.35	0.41
1:A:525:GLU:O	1:A:528:LYS:HB2	2.21	0.41
1:A:187:ASN:N	1:A:210:LYS:HD3	2.36	0.41
1:A:513:GLU:O	1:A:517:ARG:HD2	2.21	0.41
1:A:898:ASN:HD22	1:A:898:ASN:C	2.24	0.40
1:A:952:LYS:HD3	1:A:952:LYS:HA	1.95	0.40
1:A:256:LEU:O	1:A:262:ILE:HB	2.21	0.40
1:A:532:TRP:CZ3	1:A:553:THR:HB	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	800/940 (85%)	762 (95%)	34 (4%)	4 (0%)	29	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	365	VAL
1	A	478	VAL
1	A	332	LYS
1	A	366	CYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	728/827 (88%)	679 (93%)	49 (7%)	16	21

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	LYS
1	A	188	ARG
1	A	190	LEU
1	A	200	GLU
1	A	228	PHE
1	A	263	CYS
1	A	264	SER
1	A	270	LEU
1	A	281	SER
1	A	291	ASN
1	A	317	TRP
1	A	319	LEU
1	A	331	ARG
1	A	332	LYS
1	A	333	VAL
1	A	339	MET
1	A	340	LYS
1	A	352	GLU
1	A	356	LYS
1	A	367	SER
1	A	374	ARG
1	A	395	TYR
1	A	397	VAL
1	A	423	LEU
1	A	453	LEU
1	A	467	SER
1	A	475	LEU
1	A	511	LEU
1	A	514	ILE
1	A	517	ARG
1	A	530	LEU
1	A	553	THR
1	A	599	SER
1	A	634	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	726	GLU
1	A	731	LEU
1	A	743	GLU
1	A	756	MET
1	A	795	GLN
1	A	841	LYS
1	A	855	LEU
1	A	898	ASN
1	A	901	ILE
1	A	915	PHE
1	A	919	PHE
1	A	951	GLU
1	A	962	ARG
1	A	1004	LEU
1	A	1009	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	116	GLN
1	A	156	GLN
1	A	206	GLN
1	A	273	HIS
1	A	278	HIS
1	A	291	ASN
1	A	344	GLN
1	A	617	GLN
1	A	780	ASN
1	A	830	HIS
1	A	898	ASN
1	A	914	HIS
1	A	918	ASN
1	A	943	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GD9	A	1500	-	37,40,40	2.42	8 (21%)	43,59,59	2.47	16 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GD9	A	1500	-	-	7/17/36/36	0/6/6/6

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1500	GD9	N7-N6	-7.17	1.23	1.37
2	A	1500	GD9	S2-N5	5.91	1.70	1.63
2	A	1500	GD9	O1-S2	5.27	1.51	1.43
2	A	1500	GD9	C5-S1	-4.54	1.65	1.74
2	A	1500	GD9	O2-S2	4.38	1.50	1.43
2	A	1500	GD9	C8-C3	-4.18	1.38	1.48
2	A	1500	GD9	C23-C22	-3.49	1.33	1.40
2	A	1500	GD9	C2-N1	-2.05	1.34	1.37

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1500	GD9	O1-S2-O2	-6.48	109.35	118.59
2	A	1500	GD9	C3-N1-C2	5.72	120.38	116.50
2	A	1500	GD9	N1-C3-N2	-5.24	121.99	126.11
2	A	1500	GD9	C12-C11-N5	4.41	112.29	108.91
2	A	1500	GD9	C10-N5-S2	-4.36	110.95	116.30
2	A	1500	GD9	C2-C1-S1	-4.30	106.28	111.84
2	A	1500	GD9	C17-N3-C14	3.79	119.89	111.52
2	A	1500	GD9	C13-S2-N5	3.47	110.36	107.36
2	A	1500	GD9	O1-S2-N5	3.43	109.91	107.03
2	A	1500	GD9	C11-N5-S2	-2.61	113.10	116.30
2	A	1500	GD9	C9-C10-N5	2.39	110.74	108.91
2	A	1500	GD9	O3-C16-C17	2.37	117.01	111.80
2	A	1500	GD9	C16-O3-C15	2.31	117.60	109.89
2	A	1500	GD9	C3-C8-C22	-2.28	120.79	123.46
2	A	1500	GD9	C12-N4-C9	2.21	113.81	108.83
2	A	1500	GD9	C4-N2-C3	2.04	120.96	116.17

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1500	GD9	N2-C4-N3-C14
2	A	1500	GD9	C1-C4-N3-C14
2	A	1500	GD9	C5-C7-N4-C9
2	A	1500	GD9	C10-N5-S2-C13
2	A	1500	GD9	C10-N5-S2-O2
2	A	1500	GD9	C5-C7-N4-C12
2	A	1500	GD9	C11-N5-S2-O2


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1500	GD9	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	822/940 (87%)	0.51	50 (6%)	21 27	9, 22, 37, 56	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	317	TRP	7.0
1	A	334	ASN	6.4
1	A	341	LEU	5.4
1	A	846	ALA	5.2
1	A	377	PHE	4.5
1	A	367	SER	4.5
1	A	488	LEU	4.5
1	A	342	VAL	4.1
1	A	366	CYS	3.9
1	A	205	PHE	3.8
1	A	559	GLU	3.8
1	A	492	LEU	3.5
1	A	394	LEU	3.4
1	A	478	VAL	3.4
1	A	425	LEU	3.1
1	A	493	GLU	3.0
1	A	418	ILE	3.0
1	A	512	ARG	3.0
1	A	319	LEU	2.9
1	A	767	GLU	2.9
1	A	323	PHE	2.8
1	A	335	ALA	2.8
1	A	522	GLU	2.8
1	A	471	LEU	2.7
1	A	395	TYR	2.7
1	A	370	VAL	2.7
1	A	381	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	533	LYS	2.6
1	A	515	LEU	2.5
1	A	379	ILE	2.5
1	A	1027	TRP	2.4
1	A	591	TYR	2.4
1	A	839	LEU	2.4
1	A	330	GLY	2.4
1	A	270	LEU	2.4
1	A	523	LEU	2.3
1	A	491	ILE	2.2
1	A	329	GLU	2.2
1	A	227	VAL	2.1
1	A	374	ARG	2.1
1	A	322	PRO	2.1
1	A	913	GLY	2.1
1	A	475	LEU	2.1
1	A	358	VAL	2.1
1	A	842	SER	2.1
1	A	993	LYS	2.1
1	A	192	VAL	2.1
1	A	482	PRO	2.0
1	A	372	LYS	2.0
1	A	393	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GD9	A	1500	35/35	0.95	0.16	34,40,70,72	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.