



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 29, 2020 – 09:01 PM BST

PDB ID : 5WX3  
Title : Alkyldiketide-CoA synthase from Evodia rutaecarpa  
Authors : Matsui, T.; Kodama, T.; Tadakoshi, T.; Morita, H.  
Deposited on : 2017-01-06  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	
1	B	396	
1	C	396	
1	D	396	

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 12075 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alkyldiketide-CoA synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	375	Total	C	N	O	S	0	0	0
			2920	1859	496	539	26			
1	B	363	Total	C	N	O	S	0	1	0
			2845	1815	484	520	26			
1	C	353	Total	C	N	O	S	0	1	0
			2761	1764	466	507	24			
1	D	370	Total	C	N	O	S	0	0	0
			2883	1837	491	529	26			

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P S	0	0
			48	21	7	16	3 1		
2	B	1	Total	C	N	O	P S	0	0
			48	21	7	16	3 1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	140	Total	O	0	0
			140	140		
4	B	122	Total	O	0	0
			122	122		
4	C	130	Total	O	0	0
			130	130		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	62	Total	O	0	0
			62	62		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alkyldiketide-CoA synthase




- Molecule 1: Alkyldiketide-CoA synthase



- Molecule 1: Alkyldiketide-CoA synthase



● Molecule 1: Alkyldiketide-CoA synthase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	164.59 Å   84.12 Å   138.67 Å 90.00°   124.74°   90.00°	Depositor
Resolution (Å)	39.74 – 1.80 39.74 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.5 (39.74-1.80) 99.5 (39.74-1.80)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.83 (at 1.81 Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, $R_{free}$	0.192 , 0.226 0.190 , 0.226	Depositor DCC
$R_{free}$ test set	7147 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.5	Xtriage
Anisotropy	0.013	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 44.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.016 for h,-k,-h-l	Xtriage
Reported twinning fraction	0.040 for h,-k,-h-l	Depositor
Outliers	1 of 142922 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	12075	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: COA, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/2983	0.57	1/4040 (0.0%)
1	B	0.40	0/2906	0.56	1/3929 (0.0%)
1	C	0.42	1/2820 (0.0%)	0.55	0/3815
1	D	0.37	0/2945	0.50	0/3985
All	All	0.40	1/11654 (0.0%)	0.54	2/15769 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	297	HIS	C-N	5.23	1.44	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	202	LEU	CA-CB-CG	5.13	127.09	115.30
1	B	340	LEU	CA-CB-CG	5.09	127.00	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2920	0	2923	13	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2845	0	2844	24	0
1	C	2761	0	2774	32	0
1	D	2883	0	2886	31	0
2	A	48	0	32	2	0
2	B	48	0	32	2	0
2	C	48	0	32	2	0
2	D	48	0	32	2	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	A	140	0	0	1	0
4	B	122	0	0	0	0
4	C	130	0	0	0	0
4	D	62	0	0	0	0
All	All	12075	0	11555	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:401:COA:O4B	2:A:401:COA:C1B	1.67	1.28
2:B:401:COA:C1B	2:B:401:COA:O4B	1.67	1.27
2:D:401:COA:O4B	2:D:401:COA:C1B	1.66	1.14
2:C:401:COA:O4B	2:C:401:COA:C1B	1.66	1.13
1:D:360:GLU:OE2	1:D:379:ARG:NH1	2.21	0.73
1:B:360:GLU:OE2	1:B:379:ARG:NH1	2.25	0.70
1:D:110:TRP:NE1	1:D:227:GLU:OE1	2.25	0.69
1:A:360:GLU:OE1	1:A:379:ARG:NH1	2.27	0.67
1:D:212:GLY:HA3	1:D:331:MET:HE3	1.77	0.66
1:C:303:VAL:HG11	1:C:367:PHE:HZ	1.60	0.66
1:C:226:THR:HG23	1:C:227:GLU:HG3	1.78	0.65
1:C:52:MET:HE1	1:C:203:LEU:HG	1.81	0.63
1:C:104:LEU:O	1:C:108:LYS:HG2	1.98	0.63
1:D:331:MET:HE1	1:D:338:PHE:CZ	2.34	0.63
1:C:202:LEU:HD23	1:C:259[A]:TYR:O	1.99	0.62
1:D:234:VAL:HG21	1:D:361:TRP:HZ3	1.64	0.61
1:B:295:ILE:HD11	1:B:343:MET:HE2	1.84	0.59
1:D:51:ARG:O	1:D:55:LYS:HG2	2.03	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:GLU:OE2	1:B:228:ARG:NH2	2.32	0.57
1:C:202:LEU:O	1:C:259[A]:TYR:OH	2.09	0.57
1:B:186:GLU:HG3	1:B:332:TRP:HB2	1.85	0.57
1:A:176:GLY:HA2	1:A:221:ASP:HB2	1.86	0.56
1:C:176:GLY:HA2	1:C:221:ASP:HB2	1.88	0.56
1:D:212:GLY:HA3	1:D:331:MET:CE	2.36	0.56
1:C:157:CYS:HB2	1:C:367:PHE:O	2.05	0.55
1:C:205:GLY:HA3	1:C:259[A]:TYR:CE1	2.42	0.55
1:D:199:TYR:HB3	1:D:202:LEU:HD12	1.88	0.54
1:D:186:GLU:HG3	1:D:332:TRP:HB2	1.89	0.54
1:C:186:GLU:HG3	1:C:332:TRP:HB2	1.92	0.52
1:D:107:ILE:HD13	1:D:114:LEU:HD21	1.91	0.51
1:B:298:PRO:HD3	1:B:339:ILE:HD11	1.93	0.51
1:D:157:CYS:HB2	1:D:367:PHE:O	2.10	0.51
1:C:191:CYS:HB2	1:C:259[A]:TYR:HD2	1.77	0.50
1:D:191:CYS:O	1:D:259:TYR:HE2	1.95	0.50
1:A:157:CYS:HB2	1:A:367:PHE:O	2.12	0.50
1:C:209:PHE:HE2	1:C:259[A]:TYR:CD1	2.30	0.49
1:D:100:LYS:HG3	1:D:141:MET:HG2	1.94	0.49
1:B:281:PHE:CZ	1:B:363:VAL:HB	2.47	0.49
1:B:157:CYS:HB2	1:B:367:PHE:O	2.12	0.49
1:B:308:GLU:HG2	1:B:318:MET:HG3	1.95	0.49
1:C:308:GLU:HG2	1:C:318:MET:HG3	1.94	0.49
1:C:308:GLU:CG	1:C:318:MET:HG3	2.42	0.49
1:D:202:LEU:O	1:D:206:ASN:ND2	2.46	0.48
1:B:278:ARG:HA	1:B:289:TRP:HH2	1.78	0.48
1:C:132:SER:HB2	1:C:134:ASP:OD1	2.13	0.48
1:B:110:TRP:NE1	1:B:227:GLU:OE2	2.40	0.48
1:B:234:VAL:HG21	1:B:361:TRP:HZ3	1.79	0.48
1:C:49:PHE:HA	1:C:52:MET:HE3	1.96	0.47
1:A:209:PHE:CE2	1:A:259:TYR:HD2	2.33	0.47
1:C:49:PHE:HD2	1:C:52:MET:CE	2.29	0.46
1:A:157:CYS:SG	4:A:502:HOH:O	2.34	0.46
1:B:274:VAL:HG21	1:B:310:LYS:HB2	1.97	0.46
1:A:107:ILE:HD13	1:A:114:LEU:HD23	1.96	0.46
1:B:250:GLY:HA3	1:D:130:MET:HE2	1.97	0.46
1:D:328:TYR:HB3	1:D:331:MET:SD	2.56	0.46
1:C:107:ILE:HD13	1:C:114:LEU:CD2	2.46	0.46
1:D:317:ARG:NE	1:D:317:ARG:HA	2.31	0.46
1:D:282:THR:OG1	1:D:283:PRO:HD3	2.16	0.45
1:B:204:VAL:HG13	2:B:401:COA:H133	1.96	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:303:VAL:HG11	1:C:367:PHE:CZ	2.46	0.45
1:C:317:ARG:NE	1:C:317:ARG:HA	2.31	0.45
1:A:186:GLU:HG3	1:A:332:TRP:HB2	1.98	0.45
1:D:228:ARG:NH1	1:D:229:PRO:HD2	2.32	0.45
1:B:201:ASP:N	1:B:201:ASP:OD2	2.48	0.45
1:D:205:GLY:HA3	1:D:259:TYR:CE1	2.52	0.44
1:C:248:ILE:HD11	2:C:401:COA:H22	2.00	0.44
1:A:208:ILE:HD13	2:A:401:COA:H71	2.00	0.44
1:C:258:LYS:HE2	1:C:260:TYR:OH	2.17	0.44
1:A:139:LYS:NZ	1:C:245:GLU:OE2	2.31	0.44
1:C:61:ARG:HD2	1:C:210:SER:HB3	2.00	0.44
1:D:17:THR:HB	1:D:338:PHE:CZ	2.52	0.44
1:A:258:LYS:HE2	1:A:260:TYR:OH	2.18	0.43
1:B:304:LEU:O	1:B:308:GLU:HG3	2.18	0.43
1:C:100:LYS:HG3	1:C:141:MET:HG2	2.00	0.43
1:D:193:GLN:HG3	1:D:202:LEU:HD22	2.00	0.43
1:D:26:GLN:HG3	1:D:53:CYS:HB3	2.00	0.43
1:C:201:ASP:N	1:C:201:ASP:OD2	2.50	0.42
1:B:139:LYS:NZ	1:D:245:GLU:OE2	2.45	0.42
1:B:240:THR:OG1	1:D:149:ARG:NH2	2.43	0.42
1:D:202:LEU:HD23	1:D:259:TYR:CE2	2.55	0.42
1:D:79:LEU:HD22	1:D:196:SER:HB2	2.02	0.42
1:B:176:GLY:O	1:B:179:ARG:NH1	2.52	0.42
1:D:261:LEU:O	2:D:401:COA:N6A	2.51	0.42
1:B:231:PHE:CE2	1:B:340:LEU:HD22	2.55	0.42
1:B:295:ILE:HD11	1:B:343:MET:CE	2.48	0.42
1:B:228:ARG:HD3	1:B:228:ARG:O	2.20	0.42
1:A:231:PHE:CE1	1:A:340:LEU:HD22	2.55	0.41
1:C:311:LEU:HB2	1:C:313:LEU:HG	2.03	0.41
1:B:295:ILE:HG23	1:B:339:ILE:HB	2.02	0.41
1:C:49:PHE:HA	1:C:52:MET:CE	2.51	0.41
1:B:315:LYS:HG2	1:B:316:GLU:N	2.35	0.41
1:C:182:ILE:O	1:C:215:ALA:HA	2.20	0.41
1:C:331:MET:O	1:C:334:PRO:HD2	2.21	0.41
1:C:295:ILE:O	1:C:364:MET:HA	2.21	0.41
1:A:49:PHE:HD1	1:A:203:LEU:HG	1.85	0.40
1:D:228:ARG:CZ	1:D:229:PRO:HD2	2.51	0.40
1:C:168:LYS:HD2	1:C:233:ILE:HG22	2.03	0.40
1:D:64:TYR:HB2	1:D:187:LEU:HD22	2.02	0.40
1:A:281:PHE:HD1	1:A:286:ILE:HD13	1.87	0.40
1:D:114:LEU:HD13	1:D:143:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	373/396 (94%)	363 (97%)	10 (3%)	0	100	100
1	B	358/396 (90%)	351 (98%)	7 (2%)	0	100	100
1	C	350/396 (88%)	341 (97%)	9 (3%)	0	100	100
1	D	366/396 (92%)	357 (98%)	9 (2%)	0	100	100
All	All	1447/1584 (91%)	1412 (98%)	35 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	317/335 (95%)	310 (98%)	7 (2%)	52	39
1	B	307/335 (92%)	299 (97%)	8 (3%)	46	32
1	C	298/335 (89%)	292 (98%)	6 (2%)	55	44
1	D	312/335 (93%)	307 (98%)	5 (2%)	62	54
All	All	1234/1340 (92%)	1208 (98%)	26 (2%)	55	42

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	162	THR
1	A	202	LEU
1	A	228	ARG
1	A	262	SER
1	A	277	CYS
1	A	340	LEU
1	A	344	ARG
1	B	162	THR
1	B	228	ARG
1	B	259[A]	TYR
1	B	259[B]	TYR
1	B	277	CYS
1	B	315	LYS
1	B	340	LEU
1	B	344	ARG
1	C	162	THR
1	C	228	ARG
1	C	306	MET
1	C	307	MET
1	C	340	LEU
1	C	344	ARG
1	D	162	THR
1	D	203	LEU
1	D	264	THR
1	D	340	LEU
1	D	344	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	275	GLN
1	D	19	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	COA	D	401	-	41,50,50	4.28	13 (31%)	52,75,75	1.98	9 (17%)
3	SO4	C	402	-	4,4,4	0.17	0	6,6,6	0.16	0
2	COA	B	401	-	41,50,50	4.35	14 (34%)	52,75,75	1.90	7 (13%)
3	SO4	A	402	-	4,4,4	0.17	0	6,6,6	0.11	0
3	SO4	B	402	-	4,4,4	0.17	0	6,6,6	0.17	0
2	COA	A	401	-	41,50,50	4.30	12 (29%)	52,75,75	1.95	9 (17%)
3	SO4	D	402	-	4,4,4	0.14	0	6,6,6	0.20	0
2	COA	C	401	-	41,50,50	4.27	13 (31%)	52,75,75	2.00	6 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	D	401	-	-	6/44/64/64	0/3/3/3
2	COA	A	401	-	-	8/44/64/64	0/3/3/3
2	COA	C	401	-	-	6/44/64/64	0/3/3/3
2	COA	B	401	-	-	17/44/64/64	0/3/3/3

All (52) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	COA	O4B-C1B	18.71	1.67	1.41
2	A	401	COA	O4B-C1B	18.69	1.67	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	COA	O4B-C1B	18.54	1.66	1.41
2	D	401	COA	O4B-C1B	18.30	1.66	1.41
2	D	401	COA	C2B-C1B	-13.75	1.32	1.53
2	B	401	COA	C2B-C1B	-13.50	1.33	1.53
2	A	401	COA	C2B-C1B	-13.11	1.33	1.53
2	C	401	COA	C2B-C1B	-13.01	1.34	1.53
2	B	401	COA	C9P-N8P	6.96	1.48	1.33
2	B	401	COA	C5P-N4P	6.73	1.48	1.33
2	A	401	COA	C9P-N8P	6.72	1.48	1.33
2	D	401	COA	C9P-N8P	6.64	1.48	1.33
2	C	401	COA	C9P-N8P	6.56	1.47	1.33
2	C	401	COA	C5P-N4P	6.53	1.48	1.33
2	D	401	COA	C5P-N4P	6.50	1.48	1.33
2	A	401	COA	C5P-N4P	6.32	1.47	1.33
2	C	401	COA	O4B-C4B	-6.28	1.31	1.45
2	B	401	COA	O4B-C4B	-6.25	1.31	1.45
2	A	401	COA	O4B-C4B	-6.06	1.31	1.45
2	D	401	COA	O4B-C4B	-5.98	1.31	1.45
2	A	401	COA	P3B-O3B	5.17	1.69	1.59
2	B	401	COA	C6A-N6A	5.00	1.52	1.34
2	C	401	COA	P3B-O3B	4.95	1.68	1.59
2	D	401	COA	C6A-N6A	4.84	1.51	1.34
2	C	401	COA	C6A-N6A	4.78	1.51	1.34
2	A	401	COA	C6A-N6A	4.75	1.51	1.34
2	D	401	COA	P3B-O3B	4.18	1.67	1.59
2	B	401	COA	P3B-O3B	4.13	1.67	1.59
2	B	401	COA	C2A-N3A	3.03	1.37	1.32
2	A	401	COA	C2A-N3A	3.00	1.36	1.32
2	D	401	COA	C2A-N3A	2.93	1.36	1.32
2	C	401	COA	C2A-N3A	2.79	1.36	1.32
2	D	401	COA	O3B-C3B	-2.68	1.34	1.44
2	A	401	COA	C3B-C4B	2.62	1.59	1.52
2	B	401	COA	O3B-C3B	-2.62	1.34	1.44
2	A	401	COA	P2A-O6A	2.60	1.69	1.59
2	C	401	COA	O9P-C9P	-2.53	1.18	1.23
2	B	401	COA	C3B-C4B	2.50	1.59	1.52
2	D	401	COA	P2A-O6A	2.48	1.69	1.59
2	C	401	COA	P2A-O6A	2.46	1.69	1.59
2	B	401	COA	P2A-O6A	2.45	1.69	1.59
2	D	401	COA	C3B-C4B	2.42	1.59	1.52
2	C	401	COA	C3B-C4B	2.39	1.59	1.52
2	A	401	COA	O3B-C3B	-2.35	1.35	1.44

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	COA	O3B-C3B	-2.34	1.35	1.44
2	B	401	COA	C2A-N1A	2.34	1.38	1.33
2	A	401	COA	C2A-N1A	2.22	1.38	1.33
2	B	401	COA	O9P-C9P	-2.13	1.19	1.23
2	C	401	COA	C2A-N1A	2.12	1.37	1.33
2	D	401	COA	C2A-N1A	2.11	1.37	1.33
2	D	401	COA	O9P-C9P	-2.06	1.19	1.23
2	B	401	COA	P1A-O5B	2.01	1.67	1.59

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	COA	C5A-C6A-N6A	8.85	133.81	120.35
2	C	401	COA	C5A-C6A-N6A	8.71	133.58	120.35
2	D	401	COA	C5A-C6A-N6A	8.53	133.32	120.35
2	A	401	COA	C5A-C6A-N6A	7.92	132.39	120.35
2	C	401	COA	N6A-C6A-N1A	-5.87	106.39	118.57
2	B	401	COA	N6A-C6A-N1A	-5.81	106.50	118.57
2	D	401	COA	N6A-C6A-N1A	-5.81	106.52	118.57
2	D	401	COA	N3A-C2A-N1A	-5.54	120.02	128.68
2	C	401	COA	N3A-C2A-N1A	-5.36	120.30	128.68
2	A	401	COA	N3A-C2A-N1A	-5.34	120.33	128.68
2	A	401	COA	N6A-C6A-N1A	-5.26	107.65	118.57
2	B	401	COA	N3A-C2A-N1A	-4.88	121.05	128.68
2	C	401	COA	C7P-C6P-C5P	-4.49	104.88	112.36
2	A	401	COA	P2A-O3A-P1A	-3.66	120.28	132.83
2	A	401	COA	C7P-C6P-C5P	-3.57	106.41	112.36
2	A	401	COA	CDP-CBP-CAP	3.21	114.39	108.82
2	D	401	COA	P2A-O3A-P1A	-3.12	122.11	132.83
2	D	401	COA	C7P-C6P-C5P	-3.03	107.30	112.36
2	A	401	COA	O6A-CCP-CBP	-2.91	105.86	110.55
2	C	401	COA	C7P-N8P-C9P	-2.87	117.48	122.59
2	B	401	COA	P2A-O3A-P1A	-2.69	123.60	132.83
2	D	401	COA	O4B-C1B-C2B	-2.66	103.05	106.93
2	D	401	COA	C2P-C3P-N4P	-2.56	106.45	112.31
2	B	401	COA	O6A-CCP-CBP	-2.40	106.69	110.55
2	D	401	COA	C7P-N8P-C9P	-2.37	118.36	122.59
2	B	401	COA	CDP-CBP-CCP	2.31	111.99	108.23
2	A	401	COA	C2P-C3P-N4P	-2.26	107.15	112.31
2	C	401	COA	O4B-C1B-C2B	-2.14	103.80	106.93
2	A	401	COA	C7P-N8P-C9P	-2.12	118.80	122.59
2	D	401	COA	C6P-C7P-N8P	-2.10	107.65	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	COA	C6P-C7P-N8P	-2.07	107.72	111.90

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	401	COA	C5B-O5B-P1A-O1A
2	D	401	COA	C5B-O5B-P1A-O2A
2	D	401	COA	S1P-C2P-C3P-N4P
2	B	401	COA	CCP-O6A-P2A-O3A
2	B	401	COA	CDP-CBP-CCP-O6A
2	B	401	COA	CEP-CBP-CCP-O6A
2	B	401	COA	CAP-CBP-CCP-O6A
2	B	401	COA	O9P-C9P-CAP-CBP
2	B	401	COA	N8P-C9P-CAP-CBP
2	B	401	COA	N8P-C9P-CAP-OAP
2	A	401	COA	C3B-O3B-P3B-O9A
2	A	401	COA	C5P-C6P-C7P-N8P
2	A	401	COA	S1P-C2P-C3P-N4P
2	C	401	COA	N8P-C9P-CAP-OAP
2	C	401	COA	O9P-C9P-CAP-OAP
2	B	401	COA	OAP-CAP-CBP-CDP
2	B	401	COA	OAP-CAP-CBP-CEP
2	B	401	COA	P2A-O3A-P1A-O5B
2	B	401	COA	C5P-C6P-C7P-N8P
2	B	401	COA	C9P-CAP-CBP-CDP
2	D	401	COA	C5B-O5B-P1A-O3A
2	A	401	COA	CCP-O6A-P2A-O3A
2	A	401	COA	P1A-O3A-P2A-O4A
2	B	401	COA	CCP-O6A-P2A-O4A
2	A	401	COA	CCP-O6A-P2A-O5A
2	B	401	COA	OAP-CAP-CBP-CCP
2	D	401	COA	P1A-O3A-P2A-O4A
2	C	401	COA	C5P-C6P-C7P-N8P
2	B	401	COA	P1A-O3A-P2A-O4A
2	B	401	COA	C9P-CAP-CBP-CEP
2	A	401	COA	C5B-O5B-P1A-O3A
2	D	401	COA	CBP-CCP-O6A-P2A
2	C	401	COA	CBP-CCP-O6A-P2A
2	B	401	COA	C5B-O5B-P1A-O1A
2	A	401	COA	C5B-O5B-P1A-O1A
2	C	401	COA	C5B-O5B-P1A-O1A

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	C	401	COA	CCP-O6A-P2A-O4A



There are no ring outliers.


4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	401	COA	2	0
2	B	401	COA	2	0
2	A	401	COA	2	0
2	C	401	COA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	375/396 (94%)	0.00	15 (4%)	38 32	14, 22, 40, 68	0
1	B	363/396 (91%)	0.03	15 (4%)	37 31	15, 24, 50, 70	0
1	C	353/396 (89%)	0.17	24 (6%)	17 13	13, 23, 52, 82	0
1	D	370/396 (93%)	0.35	26 (7%)	16 13	17, 37, 60, 80	0
All	All	1461/1584 (92%)	0.14	80 (5%)	25 20	13, 25, 52, 82	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	199	TYR	6.6
1	B	259[A]	TYR	6.2
1	C	223	ASP	5.7
1	C	224	THR	5.5
1	D	176	GLY	5.4
1	C	312	GLY	5.4
1	C	259[A]	TYR	5.2
1	A	225	THR	5.1
1	C	225	THR	4.9
1	D	202	LEU	4.4
1	C	311	LEU	4.3
1	B	278	ARG	4.2
1	B	199	TYR	4.0
1	D	175	GLY	4.0
1	D	348	MET	3.9
1	D	259	TYR	3.8
1	C	309	GLU	3.7
1	A	224	THR	3.6
1	D	383	ILE	3.6
1	B	289	TRP	3.5
1	A	177	HIS	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	221	ASP	3.3
1	D	177	HIS	3.3
1	A	226	THR	3.2
1	D	44	GLN	3.2
1	C	222	LEU	3.1
1	D	228	ARG	3.0
1	B	267	GLN	3.0
1	D	347	SER	3.0
1	D	287	ASN	3.0
1	C	383	ILE	2.9
1	C	226	THR	2.9
1	B	221	ASP	2.8
1	B	277	CYS	2.8
1	C	177	HIS	2.8
1	D	285	GLY	2.7
1	A	111	GLY	2.7
1	C	267	GLN	2.6
1	C	228	ARG	2.6
1	B	291	SER	2.6
1	C	176	GLY	2.6
1	C	315	LYS	2.6
1	D	21	PRO	2.6
1	C	152	ILE	2.6
1	C	348	MET	2.5
1	D	309	GLU	2.5
1	A	228	ARG	2.5
1	D	283	PRO	2.5
1	C	314	SER	2.5
1	D	351	GLY	2.4
1	D	312	GLY	2.4
1	D	43	THR	2.4
1	C	306	MET	2.4
1	D	108	LYS	2.4
1	A	199	TYR	2.3
1	B	312	GLY	2.3
1	A	221	ASP	2.3
1	A	121	ILE	2.2
1	B	202	LEU	2.2
1	B	280	THR	2.2
1	C	310	LYS	2.2
1	D	198	THR	2.2
1	A	175	GLY	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	290	ASN	2.2
1	C	221	ASP	2.2
1	D	47	ASP	2.2
1	A	152	ILE	2.1
1	A	282	THR	2.1
1	B	263	ARG	2.1
1	C	150	THR	2.1
1	A	223	ASP	2.1
1	A	284	LEU	2.1
1	B	309	GLU	2.1
1	D	284	LEU	2.1
1	D	289	TRP	2.1
1	A	158	PHE	2.1
1	B	281	PHE	2.1
1	D	45	LEU	2.1
1	C	269	ILE	2.0
1	C	153	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	COA	B	401	48/48	0.78	0.19	46,64,76,79	0
2	COA	D	401	48/48	0.80	0.20	59,73,75,76	0
2	COA	A	401	48/48	0.85	0.16	21,43,56,61	0
2	COA	C	401	48/48	0.86	0.19	37,50,57,72	0
3	SO4	C	402	5/5	0.92	0.13	51,55,57,58	0
3	SO4	D	402	5/5	0.94	0.14	50,57,59,61	0


*Continued on next page...*



*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	B	402	5/5	0.95	0.13	56,58,62,64	0
3	SO4	A	402	5/5	0.96	0.10	40,48,50,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around COA D 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around COA A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.