



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 12:22 PM BST

PDB ID : 5WZN  
Title : Alpha-N-acetylgalactosaminidase NagBb from Bifidobacterium bifidum - GalNAc complex  
Authors : Sato, M.; Arakawa, T.; Ashida, H.; Fushinobu, S.  
Deposited on : 2017-01-18  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	640	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 1%, green 87%, grey 9%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>87%</span> <span>9% . .</span> </div> </div>
1	B	640	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 3%, orange 1%, yellow 13%, green 82%, grey 1%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>3%</span> <span>82%</span> <span>13% . .</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ZN	A	701	-	-	X	-
2	ZN	B	701	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10363 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-N-acetylgalactosaminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	621	Total	C	N	O	S	0	0	0
			4922	3089	878	917	38			
1	B	619	Total	C	N	O	S	0	0	0
			4912	3085	876	914	37			


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	635	HIS	-	expression tag	UNP G5ELM1
A	636	HIS	-	expression tag	UNP G5ELM1
A	637	HIS	-	expression tag	UNP G5ELM1
A	638	HIS	-	expression tag	UNP G5ELM1
A	639	HIS	-	expression tag	UNP G5ELM1
A	640	HIS	-	expression tag	UNP G5ELM1
B	635	HIS	-	expression tag	UNP G5ELM1
B	636	HIS	-	expression tag	UNP G5ELM1
B	637	HIS	-	expression tag	UNP G5ELM1
B	638	HIS	-	expression tag	UNP G5ELM1
B	639	HIS	-	expression tag	UNP G5ELM1
B	640	HIS	-	expression tag	UNP G5ELM1

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is 2-acetamido-2-deoxy-alpha-D-galactopyranose (three-letter code: A2G) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			15	8	1	6		
3	B	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Ca	0	0
			1	1		
4	A	1	Total	Ca	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	279	Total	O	0	0
			279	279		
5	B	216	Total	O	0	0
			216	216		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Alpha-N-acetylgalactosaminidase



#### • Molecule 1: Alpha-N-acetylgalactosaminidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.64Å 127.62Å 176.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.29 – 2.10 44.29 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.9 (44.29-2.10) 99.9 (44.29-2.10)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.59 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, $R_{free}$	0.194 , 0.246 0.194 , 0.246	Depositor DCC
$R_{free}$ test set	4324 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.2	Xtriage
Anisotropy	0.064	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 44.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	10363	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CA, A2G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.98	0/5060	0.93	2/6874 (0.0%)
1	B	0.91	1/5051 (0.0%)	0.90	0/6863
All	All	0.95	1/10111 (0.0%)	0.92	2/13737 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	493	TYR	CE1-CZ	5.12	1.45	1.38

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	322	ASP	CB-CG-OD1	7.80	125.32	118.30
1	A	322	ASP	CB-CG-OD2	-5.40	113.44	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	197	ALA	Peptide



## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4922	0	4614	41	0
1	B	4912	0	4606	58	0
2	A	1	0	0	2	0
2	B	1	0	0	2	0
3	A	15	0	12	0	0
3	B	15	0	12	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	279	0	0	6	0
5	B	216	0	0	3	0
All	All	10363	0	9244	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:407:CYS:HG	2:A:701:ZN:ZN	0.67	0.97
1:B:44:ARG:HG3	1:B:45:SER:N	1.86	0.90
1:A:14:ASP:HB3	1:A:17:THR:CG2	2.11	0.81
1:B:407:CYS:SG	2:B:701:ZN:ZN	1.70	0.79
1:B:407:CYS:HG	2:B:701:ZN:ZN	0.94	0.70
1:B:416:ARG:O	1:B:420:SER:HB2	1.93	0.69
5:A:1057:HOH:O	1:B:451:ARG:HD2	1.93	0.69
1:B:44:ARG:HG3	1:B:45:SER:H	1.58	0.68
1:A:265:LEU:HD22	1:A:590:GLY:HA3	1.76	0.67
1:A:14:ASP:CG	1:A:17:THR:HG22	2.17	0.65
1:B:124:ALA:O	1:B:126:ALA:N	2.29	0.64
1:B:451:ARG:HD3	5:B:805:HOH:O	2.00	0.60
1:A:587:ARG:HD2	5:A:1040:HOH:O	2.00	0.59
1:B:539:MET:SD	1:B:578:ARG:HB3	2.43	0.59
1:A:17:THR:HG23	1:A:19:ARG:H	1.67	0.59
1:A:14:ASP:HB3	1:A:17:THR:HG23	1.85	0.58
1:A:353:ILE:HD13	1:A:427:ILE:HG23	1.84	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:ARG:HG2	1:B:591:MET:CE	2.34	0.57
1:A:476:SER:HA	1:A:490:PHE:O	2.04	0.57
1:B:144:TRP:O	1:B:198:GLY:HA2	2.05	0.56
1:B:145:PRO:O	1:B:197:ALA:HB1	2.05	0.56
1:B:353:ILE:CD1	1:B:427:ILE:HG23	2.37	0.55
1:B:44:ARG:CG	1:B:45:SER:H	2.17	0.55
1:A:531:ARG:HE	1:A:572:THR:HB	1.72	0.55
1:B:262:ARG:HA	1:B:591:MET:CE	2.38	0.54
1:A:14:ASP:HB3	1:A:17:THR:HG22	1.89	0.54
1:A:407:CYS:SG	2:A:701:ZN:ZN	1.82	0.54
1:A:20:PHE:CE2	1:A:22:PHE:CE2	2.96	0.53
1:A:20:PHE:HE2	1:A:22:PHE:CE2	2.27	0.53
1:B:109:ARG:HB3	1:B:109:ARG:HH21	1.73	0.53
1:B:125:ASP:O	1:B:127:HIS:N	2.39	0.53
1:A:574:ASN:OD1	1:A:574:ASN:N	2.38	0.53
1:B:4:PHE:CD1	1:B:11:LEU:HD23	2.44	0.52
1:B:236:LYS:NZ	1:B:593:GLU:OE2	2.32	0.52
1:A:353:ILE:CD1	1:A:427:ILE:HG23	2.39	0.52
1:A:14:ASP:CB	1:A:17:THR:CG2	2.87	0.52
1:A:614:GLY:O	1:A:632:GLY:HA2	2.09	0.52
1:A:289:GLN:HB3	1:A:292:LYS:HB2	1.91	0.51
1:A:3:GLN:NE2	1:A:10:MET:SD	2.83	0.51
1:A:14:ASP:CB	1:A:17:THR:HG22	2.41	0.51
1:B:14:ASP:HB3	1:B:17:THR:HG23	1.93	0.51
1:B:144:TRP:O	1:B:198:GLY:CA	2.59	0.51
1:B:262:ARG:HG2	1:B:591:MET:HE1	1.93	0.49
1:B:428:VAL:HG12	1:B:428:VAL:O	2.13	0.49
1:B:280:PRO:HA	1:B:285:TYR:CD2	2.48	0.49
1:A:42:GLU:HG3	1:A:109:ARG:HH11	1.77	0.49
1:B:537:ASP:OD2	1:B:578:ARG:NH2	2.40	0.49
1:A:89:ARG:HD3	5:A:845:HOH:O	2.13	0.48
1:B:125:ASP:C	1:B:127:HIS:H	2.16	0.48
1:B:32:CYS:HG	1:B:203:HIS:CE1	2.32	0.48
1:A:59:ILE:HD12	1:A:68:ARG:HB2	1.96	0.47
1:B:115:TRP:CG	1:B:116:PRO:HA	2.50	0.47
1:B:280:PRO:HA	1:B:285:TYR:CG	2.49	0.47
1:B:451:ARG:NH1	5:B:805:HOH:O	2.44	0.47
1:B:98:TRP:HB2	1:B:115:TRP:CZ3	2.50	0.46
1:B:159:PHE:CD1	1:B:167:PRO:HA	2.51	0.46
1:A:224:ARG:NH1	5:A:804:HOH:O	2.43	0.46
1:B:109:ARG:NH2	1:B:111:ASP:OD1	2.49	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:476:SER:HA	1:B:490:PHE:O	2.16	0.46
1:A:355:ALA:O	1:A:359:GLN:HG2	2.15	0.46
1:A:271:HIS:CD2	1:A:320:HIS:CD2	3.04	0.46
1:A:236:LYS:NZ	1:A:594:LEU:O	2.48	0.45
1:B:586:HIS:HE1	5:B:963:HOH:O	2.00	0.45
1:B:171:GLN:HB2	1:B:179:TYR:CE2	2.52	0.45
1:A:382:ARG:HD2	5:A:855:HOH:O	2.16	0.45
1:B:51:ALA:HB2	1:B:74:PHE:CZ	2.51	0.45
1:A:159:PHE:CD1	1:A:167:PRO:HA	2.53	0.44
1:B:133:THR:HG21	1:B:166:MET:HB2	2.00	0.44
1:A:22:PHE:CE1	1:A:225:LEU:HD11	2.53	0.44
1:A:333:HIS:CE1	1:A:368:GLN:HB3	2.52	0.44
1:B:266:GLY:H	1:B:586:HIS:HD2	1.66	0.44
1:A:90:SER:HB3	1:B:417:ARG:HA	1.99	0.43
1:B:270:VAL:HG11	1:B:306:MET:CE	2.48	0.43
1:B:225:LEU:HD12	1:B:225:LEU:N	2.32	0.43
1:B:286:ASP:H	1:B:293:ASN:HD21	1.66	0.43
1:B:271:HIS:CD2	1:B:320:HIS:CD2	3.06	0.43
1:B:262:ARG:HA	1:B:591:MET:HE3	2.01	0.43
1:A:2:MET:HE3	1:A:58:ARG:HB2	2.00	0.43
1:A:22:PHE:CD1	1:A:225:LEU:HD11	2.53	0.42
1:A:290:PRO:HD2	5:A:983:HOH:O	2.19	0.42
1:B:499:GLN:HB3	1:B:528:MET:SD	2.59	0.42
1:B:269:TRP:HB3	1:B:550:TYR:CD1	2.54	0.42
1:B:135:GLU:HB3	1:B:495:PRO:O	2.19	0.42
1:B:270:VAL:HG11	1:B:306:MET:HE3	2.00	0.42
1:B:333:HIS:CE1	1:B:368:GLN:HB3	2.54	0.42
1:A:407:CYS:SG	1:A:450:HIS:ND1	2.92	0.42
1:A:21:SER:HB3	1:A:30:SER:HB3	2.02	0.42
1:B:537:ASP:CG	1:B:578:ARG:HH22	2.23	0.42
1:B:79:TYR:CE1	1:B:103:GLU:HG2	2.55	0.41
1:B:64:GLY:HA2	1:B:89:ARG:HG3	2.03	0.41
1:A:199:GLY:HA3	1:A:200:PRO:HA	1.84	0.41
1:A:42:GLU:HG3	1:A:109:ARG:NH1	2.36	0.41
1:A:308:THR:O	1:A:312:MET:HG3	2.20	0.41
1:B:123:ARG:HG2	1:B:125:ASP:OD2	2.20	0.41
1:B:22:PHE:HD1	1:B:225:LEU:HD21	1.86	0.41
1:B:387:LEU:HD13	1:B:393:PRO:HD3	2.02	0.41
1:B:144:TRP:HA	1:B:145:PRO:HD3	1.94	0.40
1:B:115:TRP:CD1	1:B:116:PRO:HA	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	615/640 (96%)	586 (95%)	27 (4%)	2 (0%)	41	41
1	B	613/640 (96%)	566 (92%)	44 (7%)	3 (0%)	29	26
All	All	1228/1280 (96%)	1152 (94%)	71 (6%)	5 (0%)	34	32

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	125	ASP
1	B	126	ALA
1	A	126	ALA
1	A	436	VAL
1	B	436	VAL

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	506/520 (97%)	490 (97%)	16 (3%)	39	41
1	B	505/520 (97%)	479 (95%)	26 (5%)	24	22
All	All	1011/1040 (97%)	969 (96%)	42 (4%)	30	30

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	22	PHE
1	A	23	SER
1	A	30	SER
1	A	67	VAL
1	A	109	ARG
1	A	123	ARG
1	A	192	ASP
1	A	204	VAL
1	A	292	LYS
1	A	294	ASP
1	A	320	HIS
1	A	428	VAL
1	A	493	TYR
1	A	501	ARG
1	A	544	LEU
1	B	3	GLN
1	B	17	THR
1	B	33	ASP
1	B	44	ARG
1	B	102	ARG
1	B	109	ARG
1	B	110	ILE
1	B	116	PRO
1	B	125	ASP
1	B	192	ASP
1	B	214	ARG
1	B	294	ASP
1	B	297	VAL
1	B	320	HIS
1	B	358	GLU
1	B	377	ARG
1	B	387	LEU
1	B	436	VAL
1	B	493	TYR
1	B	517	LEU
1	B	540	LEU
1	B	544	LEU
1	B	553	ARG
1	B	565	ASN
1	B	599	LEU
1	B	604	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no

such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	A2G	A	702	-	15,15,15	1.05	1 (6%)	21,21,21	1.22	1 (4%)
3	A2G	B	702	-	15,15,15	0.90	1 (6%)	21,21,21	1.17	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A2G	A	702	-	-	0/6/26/26	0/1/1/1
3	A2G	B	702	-	-	0/6/26/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	702	A2G	C3-C2	2.60	1.58	1.53
3	A	702	A2G	C1-C2	2.32	1.55	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	702	A2G	C1-O5-C5	2.50	118.39	113.66
3	B	702	A2G	C3-C2-N2	2.44	115.22	110.62
3	A	702	A2G	C3-C2-N2	2.41	115.17	110.62

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	621/640 (97%)	-0.20	7 (1%) 80 84	22, 37, 62, 106	0
1	B	619/640 (96%)	0.07	20 (3%) 47 54	24, 44, 70, 106	0
All	All	1240/1280 (96%)	-0.07	27 (2%) 62 66	22, 41, 67, 106	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	109	ARG	3.6
1	B	43	ASP	3.1
1	B	621	PHE	2.9
1	B	42	GLU	2.9
1	A	42	GLU	2.9
1	A	43	ASP	2.8
1	A	288	ALA	2.8
1	B	630	ALA	2.8
1	B	535	GLY	2.7
1	A	631	ASN	2.7
1	A	573	GLU	2.6
1	B	565	ASN	2.6
1	B	201	TYR	2.4
1	B	600	VAL	2.4
1	B	306	MET	2.4
1	B	628	VAL	2.3
1	B	485	VAL	2.3
1	B	35	ILE	2.3
1	B	629	ALA	2.2
1	B	123	ARG	2.2
1	B	622	HIS	2.2
1	B	469	LEU	2.1
1	B	462	ALA	2.1
1	B	623	ALA	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	102	ARG	2.1
1	A	632	GLY	2.0
1	B	315	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	A2G	B	702	15/15	0.92	0.11	39,43,47,50	0
3	A2G	A	702	15/15	0.96	0.08	25,37,42,42	0
2	ZN	A	701	1/1	0.99	0.07	27,27,27,27	0
4	CA	B	703	1/1	0.99	0.16	31,31,31,31	0
4	CA	A	703	1/1	1.00	0.14	21,21,21,21	0
2	ZN	B	701	1/1	1.00	0.05	33,33,33,33	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.