



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 03:02 pm BST

PDB ID : 2X05
Title : Inhibition of the exo-beta-D-glucosaminidase CsxA by a glucosamine- configured castanospermine and an amino-australine analogue
Authors : Pluvinae, B.; Ghinet, M.G.; Brzezinski, R.; Boraston, A.B.; Stubbs, K.A.
Deposited on : 2009-12-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1032	<div> <div>%</div> <div> <div></div> <div>72%</div> <div>9%</div> <div>17%</div> </div> </div>
1	B	1032	<div> <div></div> <div>72%</div> <div>10%</div> <div>17%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CD	A	1902	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 14302 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called EXO-BETA-D-GLUCOSAMINIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	852	Total	C	N	O	S	4	1	1
			6520	4095	1127	1281	17			
1	B	852	Total	C	N	O	S	0	3	1
			6532	4104	1128	1282	18			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	750	ASN	TRP	conflict	UNP Q56F26
B	750	ASN	TRP	conflict	UNP Q56F26

- Molecule 2 is AMINO-CASTANOSPERMINE (three-letter code: X05) (formula: $C_8H_{16}N_2O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			13	8	2	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			13	8	2	3		

- Molecule 3 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	10	Total	Cd	0	0
			10	10		
3	A	9	Total	Cd	0	0
			9	9		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	604	Total	O	0	0
			604	604		
4	B	601	Total	O	0	0
			601	601		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: EXO-BETA-D-GLUCOSAMINIDASE



• Molecule 1: EXO-BETA-D-GLUCOSAMINIDASE



VAL	SER	K839	N634
THR	VAL		L639
LEU	GLU	K846	
ALA	TRP	P847	N642
GLY	THR	V848	N643
VAL	VAL	L877	
ASN	VAL	S880	N648
LYS	PRO		
ILE	SER	N889	H652
LYS	ALA		
ALA	GLY		F656
VAL	THR	T895	
ALA	TTR		N660
THR	ASP	D899	D661
THR	VAL	GLY	
ALA	VAL	SER	L676
ASN	VAL	GLY	
GLY	ARG	PRO	S681
GLY	TTR	GLY	H682
PRO	ALA	PRO	
ASN	ASN	SER	T701
VAL	GLY	ASP	A702
ASP	THR	PRO	T703
LYS	THR	VAL	T704
ILE	THR	ASP	
THR	SER	TTR	L709
LEU	ARG	GLN	
	PRO	ALA	K714
	LEU	GLU	
	ASP	ASP	T724
	PHE	ALA	
	SER	THR	T744
	VAL	ILE	T745
	VAL	VAL	
	ASN	GLN	A748
	GLY	GLN	
	SER	GLY	
	ILE	ALA	
	SER	VAL	Y765
	ALA	GLU	M766
	SER	THR	L767
	ALA	SER	S768
	GLY	ASN	T769
	VAL	HIS	K770
	ALA	ALA	
	PHE	GLY	M781
	GLY	TTR	
	SER	THR	A790
	THR	GLY	
	GLY	THR	G804
	THR	GLY	
	TRP	PHE	N808
	PRO	VAL	S809
	ALA	ASN	
	TRP	THR	L823
	THR	ASP	K824
	THR	ASN	
	LYS	VAL	R830
	VAL	ALA	
	VAL	GLY	F834
	ARG	SER	

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.12Å 121.80Å 91.56Å 90.00° 90.51° 90.00°	Depositor
Resolution (Å)	43.79 – 2.30 43.79 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.0 (43.79-2.30) 99.0 (43.79-2.30)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.37 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.184 , 0.248 0.185 , 0.247	Depositor DCC
R_{free} test set	4151 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	20.3	Xtriage
Anisotropy	0.201	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 34.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.025 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14302	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: X05, CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	1/6686 (0.0%)	0.68	3/9123 (0.0%)
1	B	0.56	0/6701	0.68	4/9143 (0.0%)
All	All	0.57	1/13387 (0.0%)	0.68	7/18266 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	430	GLU	CB-CG	13.47	1.77	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	430	GLU	CA-CB-CG	-7.71	96.45	113.40
1	B	230	ARG	NE-CZ-NH2	-6.84	116.88	120.30
1	B	144	LEU	CA-CB-CG	6.45	130.13	115.30
1	A	335	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	A	144	LEU	CA-CB-CG	5.15	127.16	115.30
1	B	335	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	B	392	ARG	NE-CZ-NH2	-5.11	117.74	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6520	0	6295	65	0
1	B	6532	0	6312	60	3
2	A	13	0	16	4	0
2	B	13	0	16	5	0
3	A	9	0	0	0	3
3	B	10	0	0	0	0
4	A	604	0	0	7	0
4	B	601	0	0	9	0
All	All	14302	0	12639	125	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:TRP:HE1	1:B:212:ASN:HD21	1.03	1.01
1:A:246:ASP:HB3	1:A:292:LEU:HD11	1.53	0.91
1:A:608:ARG:HG3	1:A:889:TRP:CZ3	2.07	0.90
1:A:201:TRP:HE1	1:A:212:ASN:ND2	1.69	0.90
1:A:541:GLU:OE1	2:A:1900:X05:HAG2	1.76	0.84
1:A:577:ARG:HG2	1:A:583:PHE:O	1.76	0.84
1:B:246:ASP:HB3	1:B:292:LEU:HD11	1.59	0.83
1:B:608:ARG:HG3	1:B:889:TRP:CZ3	2.15	0.81
1:A:139:ASP:OD2	1:A:222:ARG:NH1	2.17	0.77
1:B:531:ASP:HB2	4:B:2385:HOH:O	1.84	0.77
1:B:336:ASP:H	1:B:352:ASN:ND2	1.85	0.73
1:B:201:TRP:HE1	1:B:212:ASN:ND2	1.85	0.69
1:A:201:TRP:HE1	1:A:212:ASN:HD21	0.85	0.69
1:B:335:ARG:HA	1:B:352:ASN:HD21	1.58	0.69
1:B:311:ARG:HD3	4:B:2302:HOH:O	1.92	0.68
1:B:311:ARG:HD2	1:B:407:ASP:HB3	1.77	0.66
1:B:605:ASP:HA	1:B:608:ARG:HD3	1.77	0.65
1:A:458:HIS:NE2	4:A:2341:HOH:O	2.30	0.65
1:A:846:LYS:HD3	1:A:847:PRO:HD2	1.79	0.62
1:A:821:VAL:HG13	1:A:868:LEU:HB2	1.81	0.62
1:A:701:THR:HB	1:A:720:THR:HA	1.83	0.61
1:A:335:ARG:HA	1:A:352:ASN:HD21	1.67	0.59
1:A:566:MET:HG3	1:A:586:LEU:HD11	1.84	0.59
1:A:577:ARG:HD2	1:A:652:HIS:ND1	2.18	0.58
1:B:139:ASP:OD2	1:B:222:ARG:NH1	2.37	0.58
1:A:541:GLU:OE2	2:A:1900:X05:NAA	2.37	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:577:ARG:HD2	1:A:652:HIS:CG	2.39	0.58
1:A:685:ARG:HB2	1:A:685:ARG:HH11	1.70	0.57
1:A:419:CYS:SG	2:A:1900:X05:HAH	2.45	0.57
1:A:137:TYR:HB2	1:A:222:ARG:HB2	1.86	0.57
1:A:530:LYS:HG3	4:A:2384:HOH:O	2.05	0.57
1:B:804:GLY:HA3	1:B:824:LYS:O	2.06	0.56
1:A:578:SER:HB3	1:A:583:PHE:O	2.06	0.56
1:B:193:PRO:O	1:B:421:ASP:HB2	2.06	0.55
1:B:187:LYS:NZ	4:B:2113:HOH:O	2.10	0.55
1:A:336:ASP:H	1:A:352:ASN:ND2	2.04	0.55
1:A:682:HIS:HE1	4:A:2438:HOH:O	1.90	0.54
1:B:714:LYS:HE3	4:B:2492:HOH:O	2.08	0.54
1:A:804:GLY:HA3	1:A:824:LYS:O	2.08	0.54
1:B:808:ASN:HD22	1:B:809:SER:H	1.58	0.52
1:B:139:ASP:HA	1:B:169:HIS:O	2.10	0.52
1:B:597:TYR:O	1:B:609:LYS:HE2	2.10	0.52
1:A:839:LYS:HE2	4:A:2460:HOH:O	2.10	0.52
1:B:766:TRP:CE3	1:B:834:PHE:HZ	2.28	0.52
1:B:426:GLN:O	1:B:426:GLN:HG3	2.10	0.51
1:A:83:PRO:HD2	1:A:97:ASN:OD1	2.11	0.51
1:B:704:THR:CG2	4:B:2485:HOH:O	2.58	0.51
1:B:622:PHE:CD1	1:B:639:LEU:HD23	2.46	0.51
1:B:661:ASP:OD1	1:B:839:LYS:NZ	2.42	0.50
1:A:428:ASN:ND2	4:A:2316:HOH:O	2.45	0.49
1:B:877:LEU:HG	1:B:880:SER:O	2.13	0.49
1:A:529:GLN:HG3	1:A:776:TRP:CE3	2.48	0.49
1:A:144:LEU:HD22	1:A:165:ALA:HB2	1.93	0.48
1:A:821:VAL:CG1	1:A:868:LEU:HB2	2.44	0.48
1:B:201:TRP:O	1:B:202:ILE:C	2.51	0.48
1:B:578:SER:HB3	1:B:583:PHE:O	2.13	0.48
1:A:144:LEU:HD22	1:A:165:ALA:CB	2.43	0.48
1:B:246:ASP:CB	1:B:292:LEU:HD11	2.38	0.47
1:B:411:VAL:O	1:B:460:SER:HB2	2.14	0.47
1:B:394:GLU:HG2	1:B:418:GLU:HA	1.95	0.47
1:B:804:GLY:O	1:B:823:LEU:HA	2.14	0.47
1:A:50:ASN:HB3	1:A:223:ARG:HB2	1.97	0.47
1:A:687:VAL:HG21	1:A:704:THR:HG21	1.97	0.47
1:B:704:THR:HG22	4:B:2485:HOH:O	2.14	0.47
1:A:54:ILE:HG21	1:A:125:THR:HG21	1.98	0.46
1:B:526:ASP:O	1:B:534:GLY:HA3	2.15	0.46
1:A:781:TRP:HZ3	2:A:1900:X05:HAE1	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:ALA:HB1	1:A:489:PHE:HB2	1.97	0.46
1:B:781:TRP:CZ3	2:B:1900:X05:HAE1	2.51	0.46
1:B:137:TYR:HB2	1:B:222:ARG:HB2	1.98	0.45
1:B:614:GLN:O	1:B:618:VAL:HG23	2.16	0.45
1:B:682:HIS:HE1	4:B:2445:HOH:O	1.99	0.45
1:B:744:THR:O	1:B:768:SER:HA	2.16	0.45
1:B:848:VAL:HG21	1:B:877:LEU:CD1	2.46	0.45
1:B:541:GLU:OE1	2:B:1900:X05:HAG2	2.16	0.45
1:B:781:TRP:HZ3	2:B:1900:X05:HAE1	1.82	0.45
1:A:611:GLN:OE1	1:A:663:ASN:HB2	2.16	0.45
1:A:357:LEU:HB2	1:A:629:TYR:CD1	2.51	0.45
1:B:541:GLU:OE2	2:B:1900:X05:NAA	2.50	0.44
1:A:887:SER:HA	1:A:892:GLY:O	2.18	0.44
1:B:899:ASP:N	4:B:2600:HOH:O	2.51	0.44
1:B:418:GLU:OE2	1:B:421:ASP:OD2	2.35	0.44
1:A:338:LYS:HD2	4:A:2259:HOH:O	2.17	0.44
1:B:516:TYR:CZ	2:B:1900:X05:HAF2	2.52	0.44
1:B:301:TRP:CZ2	1:B:410:GLY:HA2	2.53	0.44
1:B:709:LEU:HG	1:B:745:THR:O	2.18	0.44
1:A:577:ARG:CG	1:A:583:PHE:O	2.59	0.43
1:B:464:PHE:HB3	1:B:484:MET:HE1	2.01	0.43
1:A:131:ASP:OD2	1:A:133:SER:HB2	2.19	0.43
1:A:151:VAL:HG22	1:A:184:VAL:HG22	2.01	0.43
1:B:748:ALA:HB3	1:B:765:TYR:HB2	2.01	0.43
1:B:656:PHE:CE1	1:B:660[A]:MET:HE1	2.54	0.42
1:B:642:TRP:HA	1:B:643:MET:HA	1.79	0.42
1:A:605:ASP:HA	1:A:608:ARG:HD3	2.00	0.42
1:A:609:LYS:NZ	1:A:796:ASN:HD21	2.17	0.42
1:B:72:SER:O	1:B:183:SER:HB2	2.19	0.42
1:A:677:HIS:HD2	1:A:679:GLN:HE21	1.66	0.42
1:A:272:LYS:HG3	1:A:293:VAL:HG11	2.00	0.42
1:A:144:LEU:HA	1:A:145:SER:HA	1.80	0.42
1:B:770:LYS:O	1:B:790:ALA:HA	2.20	0.42
1:A:608:ARG:HG3	1:A:889:TRP:HZ3	1.74	0.41
1:B:548:ILE:H	1:B:614:GLN:NE2	2.18	0.41
1:B:627:ARG:NH1	1:B:681:SER:HB3	2.36	0.41
1:A:569:ASN:ND2	1:A:572:ALA:HB2	2.35	0.41
1:A:676:LEU:HD23	1:A:760:VAL:HG21	2.03	0.41
1:A:608:ARG:HG3	1:A:889:TRP:CH2	2.54	0.41
1:A:885:ARG:HG3	1:A:895:THR:HG22	2.01	0.41
1:A:252:ASP:HA	1:A:286:LYS:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:656:PHE:CD1	1:B:660[A]:MET:HE1	2.55	0.41
1:A:551:MET:HE1	1:A:603:LEU:HG	2.02	0.41
1:A:701:THR:HA	1:A:719:LYS:O	2.20	0.41
1:B:703:THR:HG22	4:B:2522:HOH:O	2.21	0.41
1:A:700:LEU:HD23	1:A:754:ASP:HA	2.03	0.41
1:B:60:GLN:HB2	1:B:81:TRP:CD2	2.55	0.41
1:A:642:TRP:CD2	1:A:643:MET:HG2	2.55	0.41
1:B:530:LYS:O	1:B:530:LYS:HD2	2.20	0.41
1:A:144:LEU:N	1:A:144:LEU:HD23	2.36	0.40
1:A:173:ILE:O	1:A:177:VAL:HG23	2.21	0.40
1:A:280:LEU:HD21	1:A:286:LYS:HB2	2.01	0.40
1:A:774:LEU:HD13	1:A:776:TRP:CZ2	2.56	0.40
1:A:547:ASP:H	1:A:652:HIS:HA	1.87	0.40
1:A:678:ILE:HB	1:A:752:LEU:HB2	2.03	0.40
1:B:144:LEU:HA	1:B:145:SER:HA	1.68	0.40
1:A:465:HIS:HD2	4:A:2343:HOH:O	2.04	0.40
1:B:69:SER:HA	1:B:150:TRP:CZ3	2.55	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:ASP:OD1	3:A:1902:CD:CD[2_557]	1.99	0.21
1:B:244:HIS:NE2	3:A:1902:CD:CD[2_557]	2.09	0.11
1:B:296:ASP:OD2	3:A:1905:CD:CD[2_557]	2.12	0.08

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	851/1032 (82%)	824 (97%)	26 (3%)	1 (0%)	51 64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	853/1032 (83%)	817 (96%)	33 (4%)	3 (0%)	34	42
All	All	1704/2064 (83%)	1641 (96%)	59 (4%)	4 (0%)	47	58

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	202	ILE
1	B	202	ILE
1	B	541	GLU
1	B	205	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	700/834 (84%)	667 (95%)	33 (5%)	26	37
1	B	702/834 (84%)	678 (97%)	24 (3%)	37	51
All	All	1402/1668 (84%)	1345 (96%)	57 (4%)	30	43

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	LEU
1	A	131	ASP
1	A	133	SER
1	A	144	LEU
1	A	237	LYS
1	A	238	LEU
1	A	335	ARG
1	A	337	VAL
1	A	341	LEU
1	A	356	LEU
1	A	364	THR
1	A	428	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	430	GLU
1	A	432	LYS
1	A	530	LYS
1	A	577	ARG
1	A	586	LEU
1	A	608	ARG
1	A	648	TRP
1	A	652	HIS
1	A	685	ARG
1	A	701	THR
1	A	704	THR
1	A	724	VAL
1	A	774	LEU
1	A	780	ASP
1	A	783	TYR
1	A	806	THR
1	A	830	ARG
1	A	877	LEU
1	A	887	SER
1	A	894	GLN
1	A	895	THR
1	B	79	SER
1	B	85	SER
1	B	143	VAL
1	B	144	LEU
1	B	236	GLN
1	B	237	LYS
1	B	247	LEU
1	B	253	VAL
1	B	356	LEU
1	B	432	LYS
1	B	539	ASN
1	B	608	ARG
1	B	634	ASN
1	B	648	TRP
1	B	652	HIS
1	B	676	LEU
1	B	701	THR
1	B	704	THR
1	B	724	VAL
1	B	808	ASN
1	B	830	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	846	LYS
1	B	877	LEU
1	B	895	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	194	ASN
1	A	212	ASN
1	A	262	GLN
1	A	352	ASN
1	A	428	ASN
1	A	465	HIS
1	A	529	GLN
1	A	679	GLN
1	A	682	HIS
1	A	750	ASN
1	A	796	ASN
1	A	808	ASN
1	B	128	ASN
1	B	176	GLN
1	B	194	ASN
1	B	212	ASN
1	B	299	ASN
1	B	348	GLN
1	B	352	ASN
1	B	465	HIS
1	B	614	GLN
1	B	682	HIS
1	B	750	ASN
1	B	796	ASN
1	B	808	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 19 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	X05	A	1900	-	14,14,14	1.18	1 (7%)	14,21,21	1.06	1 (7%)
2	X05	B	1900	-	14,14,14	0.94	0	14,21,21	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	X05	A	1900	-	-	-	0/2/2/2
2	X05	B	1900	-	-	-	0/2/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1900	X05	CAI-CAL	-2.27	1.52	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1900	X05	CAE-CAI-CAL	-2.28	99.95	102.80

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1900	X05	4	0
2	B	1900	X05	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	852/1032 (82%)	-0.19	9 (1%) 80 85	8, 18, 28, 47	1 (0%)
1	B	852/1032 (82%)	-0.23	5 (0%) 89 92	8, 18, 27, 42	0
All	All	1704/2064 (82%)	-0.21	14 (0%) 86 89	8, 18, 28, 47	1 (0%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	48	ALA	3.5
1	A	48	ALA	3.1
1	A	181	VAL	3.0
1	A	49	GLY	2.9
1	A	128	ASN	2.9
1	B	178	HIS	2.9
1	B	279	SER	2.4
1	A	320	VAL	2.3
1	A	131	ASP	2.2
1	A	129	VAL	2.2
1	A	133	SER	2.2
1	B	50	ASN	2.1
1	B	128	ASN	2.1
1	A	130	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	CD	A	1907	1/1	0.76	0.18	118,118,118,118	0
3	CD	B	1910	1/1	0.81	0.17	154,154,154,154	0
3	CD	A	1908	1/1	0.86	0.26	169,169,169,169	0
3	CD	B	1908	1/1	0.88	0.15	146,146,146,146	0
2	X05	A	1900	13/13	0.89	0.17	14,17,20,21	0
2	X05	B	1900	13/13	0.91	0.16	15,16,18,19	0
3	CD	A	1904	1/1	0.93	0.12	76,76,76,76	0
3	CD	B	1903	1/1	0.94	0.17	93,93,93,93	0
3	CD	B	1907	1/1	0.94	0.18	139,139,139,139	0
3	CD	B	1909	1/1	0.94	0.16	112,112,112,112	0
3	CD	B	1906	1/1	0.94	0.21	132,132,132,132	0
3	CD	B	1904	1/1	0.95	0.24	97,97,97,97	0
3	CD	B	1901	1/1	0.95	0.08	69,69,69,69	0
3	CD	A	1906	1/1	0.96	0.22	116,116,116,116	0
3	CD	B	1902	1/1	0.97	0.12	60,60,60,60	0
3	CD	A	1903	1/1	0.98	0.09	60,60,60,60	0
3	CD	B	1905	1/1	0.98	0.26	93,93,93,93	0
3	CD	A	1901	1/1	0.99	0.03	29,29,29,29	0
3	CD	A	1902	1/1	0.99	0.02	11,11,11,11	0
3	CD	A	1909	1/1	1.00	0.03	14,14,14,14	0
3	CD	A	1905	1/1	1.00	0.02	12,12,12,12	0

6.5 Other polymers [i](#)

There are no such residues in this entry.