



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 16, 2020 – 07:11 PM BST

PDB ID : 6X2M
Title : Crystal Structure of unliganded CRM1-Ran-RanBP1
Authors : Baumhardt, J.M.
Deposited on : 2020-05-20
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	
2	B	140	
3	C	1024	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 11210 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTP-binding nuclear protein Ran.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	3	0
			1694	1093	291	304	6			

- Molecule 2 is a protein called Ran-specific GTPase-activating protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	123	Total	C	N	O	S	0	2	0
			1029	652	181	191	5			

- Molecule 3 is a protein called Exportin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	1011	Total	C	N	O	S	8	25	0
			8310	5336	1367	1562	45			

There are 45 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP P30822
C	-1	GLY	-	expression tag	UNP P30822
C	0	SER	-	expression tag	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	ARG	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	MET	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	LEU	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	ASN	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	TYR	deletion	UNP P30822
C	?	-	MET	deletion	UNP P30822
C	?	-	LYS	deletion	UNP P30822
C	?	-	ARG	deletion	UNP P30822
C	?	-	PHE	deletion	UNP P30822
C	537	GLY	ASP	conflict	UNP P30822
C	539	CYS	THR	conflict	UNP P30822
C	540	GLU	VAL	conflict	UNP P30822
C	541	GLN	LYS	conflict	UNP P30822
C	1022	CYS	TYR	conflict	UNP P30822

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: $C_{10}H_{17}N_6O_{13}P_3$) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			32	10	6	13	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	6	0
			6	3	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	25	Total	O	0	0
			25	25		
7	B	8	Total	O	0	0
			8	8		
7	C	105	Total	O	0	0
			105	105		

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	105.31Å 105.31Å 306.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.23 – 2.35 49.80 – 2.35	Depositor EDS
% Data completeness (in resolution range)	64.1 (37.23-2.35) 82.2 (49.80-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.73 (at 2.34Å)	Xtriage
Refinement program	PHENIX 1.10.1 _2155	Depositor
R, R_{free}	0.232 , 0.261 0.229 , 0.256	Depositor DCC
R_{free} test set	57847 reflections (96.66%)	wwPDB-VP
Wilson B-factor (Å ²)	31.2	Xtriage
Anisotropy	0.199	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	11210	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, GNP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/1736	0.44	0/2356
2	B	0.24	0/1047	0.43	0/1397
3	C	0.25	0/8477	0.39	0/11484
All	All	0.25	0/11260	0.41	0/15237

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	203	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1694	0	1693	15	0
2	B	1029	0	1029	7	0
3	C	8310	0	8387	60	0
4	A	32	0	12	1	0
5	A	1	0	0	0	0
6	C	6	0	7	0	0
7	A	25	0	0	3	0
7	B	8	0	0	2	0
7	C	105	0	0	11	0
All	All	11210	0	11128	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:376:GLU:O	7:C:1201:HOH:O	1.94	0.86
3:C:679:ILE:HD12	3:C:699:ILE:HG12	1.65	0.79
3:C:1048:ASP:O	7:C:1202:HOH:O	2.06	0.72
2:B:95[B]:ARG:NH1	7:B:301:HOH:O	2.22	0.71
3:C:178:LYS:NZ	7:C:1210:HOH:O	2.23	0.71
3:C:600:ILE:HG12	3:C:647:ALA:HB2	1.73	0.71
3:C:204[B]:GLY:HA2	3:C:210:ILE:HD11	1.75	0.69
3:C:204[A]:GLY:HA2	3:C:210:ILE:HD11	1.76	0.67
1:A:9:VAL:N	7:A:402:HOH:O	2.30	0.64
3:C:607:LYS:NZ	3:C:654:GLU:OE1	2.30	0.64
3:C:619:GLU:OE1	3:C:627:ARG:NH2	2.31	0.63
3:C:465:TYR:OH	3:C:557:TYR:OH	2.07	0.62
2:B:87:TYR:OH	2:B:186:LYS:NZ	2.32	0.61
3:C:931:TYR:OH	7:C:1203:HOH:O	2.14	0.60
1:A:23:LYS:NZ	4:A:301:GNP:O2G	2.31	0.60
3:C:207[A]:SER:O	3:C:210:ILE:N	2.36	0.59
3:C:173:GLN:NE2	7:C:1216:HOH:O	2.37	0.58
3:C:356:ARG:HD2	3:C:464:LEU:HD22	1.87	0.57
3:C:325:ARG:NH1	7:C:1217:HOH:O	2.38	0.56
3:C:688:THR:O	3:C:691:LEU:HG	2.06	0.55
3:C:261:ASN:OD1	3:C:325:ARG:NH1	2.41	0.54
1:A:196:GLN:O	1:A:196:GLN:NE2	2.39	0.54
3:C:484:GLU:OE2	3:C:526:ARG:NH2	2.40	0.54
3:C:452:VAL:HG22	3:C:453:ARG:H	1.74	0.53
3:C:925:ASN:OD1	7:C:1206:HOH:O	2.18	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:200:ASP:OD1	1:A:200:ASP:N	2.42	0.53
3:C:455:PHE:HD2	3:C:456:VAL:HG22	1.74	0.53
3:C:64:LYS:HD2	3:C:114:LEU:HD21	1.91	0.53
3:C:495:ILE:HD11	3:C:534:ASP:HB3	1.90	0.52
3:C:789:GLU:HG3	3:C:790:PRO:HD3	1.92	0.52
1:A:10:GLN:OE1	1:A:60:LYS:NZ	2.43	0.52
3:C:207[B]:SER:O	3:C:210:ILE:N	2.42	0.51
3:C:191:GLU:O	3:C:195:LYS:HG2	2.09	0.51
1:A:95:ARG:HD3	1:A:130:LYS:HB3	1.94	0.49
1:A:196:GLN:C	1:A:198:GLU:H	2.16	0.49
3:C:779:ASN:ND2	3:C:782:ASP:OD2	2.46	0.48
3:C:746:GLU:HB2	3:C:750:ALA:HB2	1.94	0.48
3:C:883:LYS:HG3	3:C:931:TYR:OH	2.13	0.48
3:C:366:TRP:O	3:C:370:VAL:HG22	2.14	0.47
3:C:782:ASP:OD2	7:C:1209:HOH:O	2.20	0.47
3:C:222:HIS:NE2	7:C:1215:HOH:O	2.34	0.46
1:A:190:ASP:OD2	1:A:193:LEU:N	2.48	0.46
1:A:31:LEU:HD23	1:A:50:LEU:HD13	1.97	0.46
3:C:539:CYS:SG	3:C:548:LYS:HG3	2.56	0.46
3:C:236:GLU:O	3:C:240:THR:OG1	2.25	0.46
2:B:95[A]:ARG:NE	7:B:302:HOH:O	2.33	0.45
3:C:105:ASP:O	3:C:109:LYS:HG2	2.17	0.44
3:C:779:ASN:HB3	7:C:1209:HOH:O	2.15	0.44
3:C:679:ILE:O	3:C:683:SER:OG	2.27	0.44
3:C:203:GLN:HB3	3:C:203:GLN:HE21	1.62	0.44
1:A:76:ARG:NH2	7:A:409:HOH:O	2.51	0.44
1:A:197:TYR:HB3	7:A:410:HOH:O	2.18	0.44
2:B:80:GLU:OE1	2:B:127:ARG:NH2	2.44	0.44
1:A:189:MET:O	1:A:191:PRO:HD3	2.18	0.43
3:C:580:LEU:O	3:C:584:MET:HG3	2.18	0.43
3:C:848:ASP:O	3:C:856:ARG:NH2	2.43	0.43
3:C:986:SER:OG	3:C:988:GLN:OE1	2.35	0.43
2:B:124:ILE:HG13	2:B:140:ILE:HG12	2.00	0.43
3:C:688:THR:O	3:C:690:LEU:N	2.52	0.43
2:B:191:PHE:O	2:B:195:GLN:HG3	2.18	0.42
3:C:239:SER:HB2	3:C:281:ASN:HB2	2.00	0.42
3:C:735[B]:VAL:HG13	3:C:759:LEU:HB3	2.02	0.42
3:C:748:LEU:HA	3:C:748:LEU:HD23	1.89	0.42
1:A:191:PRO:HA	1:A:194:ALA:HB3	2.02	0.42
3:C:796:LEU:HA	3:C:796:LEU:HD23	1.86	0.42
1:A:204:ALA:HB1	2:B:103:TRP:CZ2	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:789:GLU:CG	3:C:790:PRO:HD3	2.49	0.42
3:C:179:ALA:O	3:C:183:LYS:HB2	2.20	0.41
3:C:604:GLN:HG3	3:C:650:ILE:HD13	2.02	0.41
3:C:946:SER:HA	3:C:949:LYS:HE3	2.02	0.41
1:A:111:VAL:HA	3:C:113[B]:ASN:ND2	2.35	0.41
3:C:718:TYR:HD1	3:C:773:TYR:HH	1.66	0.41
3:C:183:LYS:NZ	7:C:1229:HOH:O	2.52	0.41
3:C:75:ILE:O	3:C:128:GLN:NE2	2.54	0.41
3:C:570:TRP:CE2	3:C:614:GLN:HG3	2.56	0.41
3:C:734:ALA:O	3:C:738:MET:HG3	2.21	0.41
3:C:290:VAL:HG11	3:C:311:PHE:CE2	2.55	0.41
3:C:535:LEU:HB3	3:C:555:ILE:HG12	2.03	0.41
3:C:613:GLN:NE2	3:C:617:GLU:O	2.54	0.41
3:C:120:LEU:O	3:C:124:GLN:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/216 (97%)	200 (96%)	9 (4%)	0	100	100
2	B	123/140 (88%)	117 (95%)	6 (5%)	0	100	100
3	C	1030/1024 (101%)	992 (96%)	32 (3%)	6 (1%)	25	27
All	All	1362/1380 (99%)	1309 (96%)	47 (4%)	6 (0%)	34	38

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	205[A]	SER
3	C	205[B]	SER
3	C	208	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	689	LEU
3	C	266	GLN
3	C	265	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	183/185 (99%)	178 (97%)	5 (3%)	44	55
2	B	107/121 (88%)	107 (100%)	0	100	100
3	C	944/933 (101%)	934 (99%)	10 (1%)	73	84
All	All	1234/1239 (100%)	1219 (99%)	15 (1%)	71	82

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69[A]	GLN
1	A	69[B]	GLN
1	A	76	ARG
1	A	196	GLN
1	A	200	ASP
3	C	183	LYS
3	C	455	PHE
3	C	456	VAL
3	C	488	ILE
3	C	534	ASP
3	C	546	ASP
3	C	572	PHE
3	C	579	LYS
3	C	656	ARG
3	C	689	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	C	1101	-	5,5,5	0.48	0	5,5,5	0.24	0
4	GNP	A	301	5	28,34,34	4.37	19 (67%)	30,54,54	1.30	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	C	1101	-	-	4/4/4/4	-
4	GNP	A	301	5	-	8/17/38/38	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	301	GNP	C4-N9	-11.05	1.33	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	301	GNP	C5-C6	-8.99	1.37	1.52
4	A	301	GNP	O4'-C1'	8.35	1.61	1.42
4	A	301	GNP	C2'-C1'	-6.97	1.31	1.53
4	A	301	GNP	PB-O3A	6.83	1.67	1.59
4	A	301	GNP	PB-O1B	5.49	1.54	1.46
4	A	301	GNP	O4'-C4'	-5.35	1.33	1.45
4	A	301	GNP	O2'-C2'	4.20	1.52	1.43
4	A	301	GNP	PG-O1G	3.87	1.52	1.46
4	A	301	GNP	C2-N2	3.64	1.54	1.36
4	A	301	GNP	C5-C4	-3.16	1.33	1.53
4	A	301	GNP	O3'-C3'	-3.11	1.35	1.43
4	A	301	GNP	C8-N9	-2.74	1.36	1.45
4	A	301	GNP	PB-N3B	2.71	1.70	1.63
4	A	301	GNP	PA-O5'	2.37	1.68	1.59
4	A	301	GNP	O6-C6	-2.36	1.18	1.23
4	A	301	GNP	PG-N3B	2.36	1.69	1.63
4	A	301	GNP	C2-N1	-2.04	1.36	1.44
4	A	301	GNP	PB-O2B	-2.03	1.51	1.56

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	301	GNP	C4-C5-N7	4.16	107.97	102.46
4	A	301	GNP	PA-O3A-PB	-2.68	123.19	132.62

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	C	1101	GOL	C1-C2-C3-O3
4	A	301	GNP	PG-N3B-PB-O1B
4	A	301	GNP	C5'-O5'-PA-O3A
4	A	301	GNP	C2'-C1'-N9-C4
4	A	301	GNP	C3'-C4'-C5'-O5'
6	C	1101	GOL	O1-C1-C2-C3
6	C	1101	GOL	O2-C2-C3-O3
4	A	301	GNP	O4'-C4'-C5'-O5'
6	C	1101	GOL	O1-C1-C2-O2
4	A	301	GNP	C5'-O5'-PA-O1A
4	A	301	GNP	C5'-O5'-PA-O2A
4	A	301	GNP	PG-N3B-PB-O3A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	301	GNP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	208/216 (96%)	0.27	11 (5%) 26 38	10, 22, 97, 161	0
2	B	123/140 (87%)	0.34	3 (2%) 59 68	25, 41, 61, 83	0
3	C	1011/1024 (98%)	0.27	62 (6%) 21 31	4, 32, 66, 95	1 (0%)
All	All	1342/1380 (97%)	0.28	76 (5%) 23 34	4, 32, 66, 161	1 (0%)

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	195	ALA	9.7
3	C	684	THR	7.7
1	A	190	ASP	6.9
1	A	194	ALA	6.4
3	C	981	VAL	5.1
1	A	188	VAL	4.9
3	C	206[A]	SER	4.8
1	A	197	TYR	4.8
3	C	543	ARG	4.7
3	C	-1	GLY	4.7
3	C	8	SER	4.3
3	C	616	ARG	4.1
3	C	983	GLN	4.1
1	A	187	VAL	4.0
3	C	205[A]	SER	4.0
2	B	162	ALA	3.9
1	A	189	MET	3.9
3	C	545	LYS	3.8
3	C	540	GLU	3.8
2	B	79	MET	3.7
3	C	542	LYS	3.6
3	C	204[A]	GLY	3.6
3	C	541	GLN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	179	MET	3.4
3	C	273	ARG	3.3
3	C	93	PHE	3.3
3	C	682	GLN	3.3
3	C	967	TYR	3.2
1	A	180	PRO	3.2
3	C	455	PHE	3.1
3	C	686	ASN	3.1
3	C	291[A]	MET	3.1
3	C	539	CYS	3.0
3	C	664	LEU	3.0
3	C	679	ILE	3.0
3	C	982	PRO	3.0
2	B	199	LYS	3.0
3	C	690	LEU	2.9
3	C	670	GLN	2.8
3	C	611	VAL	2.8
3	C	270	LEU	2.8
3	C	974	PRO	2.7
1	A	191	PRO	2.7
3	C	269	ASP	2.7
3	C	778	ARG	2.7
3	C	317	MET	2.6
3	C	691	LEU	2.6
3	C	570	TRP	2.6
3	C	572	PHE	2.6
3	C	525	LYS	2.6
3	C	668	LEU	2.5
3	C	977	GLN	2.5
3	C	629	ILE	2.5
3	C	9	ASN	2.5
3	C	975	LEU	2.5
3	C	1052	ALA	2.4
3	C	172	GLU	2.4
3	C	264	ILE	2.3
3	C	268	ASN	2.3
3	C	589	GLU	2.3
3	C	571	ASN	2.3
3	C	663	ARG	2.3
3	C	538	LEU	2.3
3	C	976	TYR	2.3
3	C	495	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	230	TYR	2.2
3	C	689	LEU	2.2
1	A	192	ALA	2.2
3	C	969	ASN	2.1
3	C	614	GLN	2.1
3	C	52	ASP	2.1
3	C	909	LEU	2.1
3	C	726	TYR	2.1
3	C	18	GLN	2.1
3	C	665	LEU	2.0
3	C	263	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MG	A	302	1/1	0.84	0.24	38,38,38,38	0
4	GNP	A	301	32/32	0.95	0.17	17,23,25,41	0
6	GOL	C	1101	6/6	-	-	11,14,18,21	6

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.