



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 07:12 pm BST

PDB ID : 5X6C
Title : Crystal structure of SepRS-SepCysE from Methanocaldococcus jannaschii
Authors : Chen, M.; Kato, K.; Yao, M.
Deposited on : 2017-02-21
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	553	<div> <div>80%</div> <div>16%</div> <div>••</div> </div>
1	B	553	<div> <div>81%</div> <div>16%</div> <div>•</div> </div>
2	E	216	<div> <div>7%</div> <div>•</div> <div>88%</div> </div>
2	F	216	<div> <div>8%</div> <div>•</div> <div>88%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9363 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called O-phosphoserine--tRNA(Cys) ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	539	Total	C	N	O	S	0	0	0
			4379	2826	727	807	19			
1	B	539	Total	C	N	O	S	0	0	0
			4379	2826	727	807	19			

- Molecule 2 is a protein called Uncharacterized protein MJ1481.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	26	Total	C	N	O	S	0	0	0
			212	133	41	37	1			
2	F	26	Total	C	N	O	S	0	0	0
			212	133	41	37	1			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	MET	-	initiating methionine	UNP Q58876
E	-1	ASN	-	expression tag	UNP Q58876
E	0	HIS	-	expression tag	UNP Q58876
F	-2	MET	-	initiating methionine	UNP Q58876
F	-1	ASN	-	expression tag	UNP Q58876
F	0	HIS	-	expression tag	UNP Q58876

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
3	B	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total 5	O 4	S 1	0	0
4	B	1	Total 5	O 4	S 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	53	Total 53	O 53	0	0
5	B	56	Total 56	O 56	0	0

- Molecule 1: O-phosphoserine--tRNA(Cys) ligase



LYS	ASN	LYS	LYS	ASN	PRO	ASN	LEU	LYS	VAL	VAL	CYS	THR	GLU	GLY	NET	LEU	ASP	ILE	GLU	ASP	NET	ARG	ALA	ILE	GLY	VAL	PRO	GLU	LYS	ALA	LEU	GLY	LEU	LYS	LYS	VAL	GLU	ILE	ILE	ALA	ARG	LYS	ASN	LYS	VAL	GLU	GLU	ARG	PHE	ILE	ILE	GLU	LYS	TYR	LYS	PRO	GLU	LYS	ILE	PHE	VAL	VAL
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

VAL	GLU	ASP	ASP	LYS	ASP	GLU	LEU	LEU	TYR	LEU	ARG	ALA	ALA	LYS	ASN	LEU	TYR	ASN	ALA	GLU	LYS	LEU	LEU	ASP	ALA	ASP	GLU	ILE	LEU	LEU	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 2: Uncharacterized protein MJ1481

Chain F:  8% . 88%

MET	N-1	HO	R1	R2	V3		K7		R11	K12		S15		S18		K21	K22	K23	K24	I1E	ARG	VAL	GLU	LYS	ASP	ASP	LYS	LYS	LYS	ILE	SER	TYR	LYS	ASP	ASP	ALA	LYS	LYS	PRO	GLY	LYS	ILE	ILE	ASP	VAL	ASN	GLU	PHE	LYS	LYS	LYS	ALA	ILE	ILE	TYR	LEU	LEU	ILE	GLU	ALA	ASP	ASP	PHE	PHE	LYS	LEU	TYR
-----	-----	----	----	----	----	--	----	--	-----	-----	--	-----	--	-----	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

[illegible]

LYS	ASN	LYS	LYS	ASN	PRO	ASN	LEU	LYS	VAL	VAL	CYS	THR	GLU	GLY	NET	LEU	ASP	ILE	GLU	ASP	NET	ARG	ALA	ILE	GLY	VAL	PRO	GLU	LYS	ALA	LEU	GLY	LEU	LYS	LYS	VAL	GLU	ILE	ILE	ALA	ARG	LYS	ASN	LYS	VAL	GLU	GLU	ARG	PHE	ILE	GLU	LYS	TYR	LYS	PRO	GLU	LYS	ILE	PHE	VAL	VAL
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

VAL	GLU	ASP	ASP	LYS	ASP	GLU	LEU	LEU	TYR	LEU	ARG	ALA	LYS	ASN	LEU	TYR	ASN	ALA	GLU	LYS	LEU	ASP	ALA	ASP	GLU	ILE	LEU	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	I 21 3	Depositor
Cell constants a, b, c, α , β , γ	279.82Å 279.82Å 279.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.99 – 3.10 47.99 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.99-3.10) 99.9 (47.99-3.10)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 3.12Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.185 , 0.209 0.192 , 0.217	Depositor DCC
R_{free} test set	3331 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	68.8	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 23.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.477 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9363	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/4468	0.64	1/6023 (0.0%)
1	B	0.64	0/4468	0.63	0/6023
2	E	0.44	0/213	0.64	0/280
2	F	0.47	0/213	0.62	0/280
All	All	0.64	0/9362	0.64	1/12606 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	363	ARG	NE-CZ-NH2	5.81	123.20	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	118	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4379	0	4462	67	0
1	B	4379	0	4462	57	0
2	E	212	0	236	11	0
2	F	212	0	236	7	0
3	A	31	0	12	0	0
3	B	31	0	12	0	0
4	A	5	0	0	1	0
4	B	5	0	0	1	0
5	A	53	0	0	1	0
5	B	56	0	0	1	0
All	All	9363	0	9420	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:ASN:HD22	1:A:330:LEU:N	1.77	0.83
1:A:386:GLU:OE1	1:A:407:ARG:NH1	2.10	0.83
1:A:363:ARG:HH21	1:A:363:ARG:HG3	1.48	0.77
1:A:118:GLY:HA2	1:A:122:VAL:HG23	1.70	0.72
1:B:394:ASN:HD22	1:B:403:VAL:HG21	1.55	0.71
1:B:411:PHE:O	2:E:15:SER:OG	2.10	0.69
1:A:509:VAL:HG21	1:A:515:ILE:HG23	1.75	0.68
1:B:67:ARG:NH1	1:B:77:GLU:OE1	2.27	0.68
1:A:379:GLU:OE2	2:F:11:ARG:NE	2.23	0.67
1:A:386:GLU:OE2	1:A:407:ARG:NH2	2.30	0.65
1:A:411:PHE:O	2:F:15:SER:OG	2.15	0.64
1:A:397:LYS:HB3	1:A:401:CYS:SG	2.38	0.64
1:A:29:ALA:O	1:A:33:THR:HB	1.97	0.64
1:A:372:ASP:O	2:E:2:ARG:NH2	2.31	0.64
1:B:397:LYS:HB3	1:B:401:CYS:SG	2.39	0.62
1:A:498:ASN:OD1	2:F:21:LYS:HD3	1.99	0.62
1:A:364:ASP:O	1:A:368:MET:HG3	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:379:GLU:OE2	2:E:11:ARG:NE	2.25	0.61
1:B:412:ASN:HD22	2:E:12:LYS:HE2	1.67	0.59
1:A:509:VAL:HG12	1:A:538:GLY:O	2.03	0.58
1:B:364:ASP:O	1:B:368:MET:HG3	2.04	0.58
1:A:418:ILE:HD12	1:A:548:ILE:HG12	1.86	0.58
1:B:386:GLU:OE1	1:B:407:ARG:NH1	2.38	0.57
1:A:414:GLU:HG3	2:F:18:SER:HB3	1.86	0.56
1:A:458:LYS:HE2	1:A:460:GLN:NE2	2.20	0.56
1:A:540:VAL:O	1:A:540:VAL:HG12	2.05	0.55
1:B:207:LEU:O	1:B:211:ILE:HG12	2.06	0.55
2:E:3:VAL:HG12	2:E:7:LYS:HE3	1.89	0.55
1:A:207:LEU:O	1:A:211:ILE:HG12	2.06	0.55
1:A:255:VAL:HG22	1:A:310:PHE:HE2	1.72	0.55
1:B:25:ASP:OD1	1:B:28:THR:OG1	2.19	0.55
2:F:3:VAL:HG12	2:F:7:LYS:HE3	1.88	0.54
1:B:394:ASN:HD22	1:B:403:VAL:CG2	2.18	0.54
1:B:344:TYR:CG	1:B:350:MET:HB2	2.43	0.54
1:A:373:LYS:NZ	1:A:493:GLU:OE1	2.40	0.54
1:A:264:GLY:O	1:A:268:GLN:HG3	2.08	0.53
1:B:386:GLU:CD	1:B:407:ARG:HH12	2.11	0.52
1:B:414:GLU:HG3	2:E:18:SER:HB3	1.91	0.52
1:A:329:ASN:HD22	1:A:329:ASN:C	2.13	0.52
1:B:199:MET:N	4:B:602:SO4:O1	2.42	0.51
1:B:518:LYS:HD3	2:F:1:MET:HE1	1.92	0.51
1:A:209:SER:O	1:A:213:LYS:HE3	2.11	0.51
1:B:434:PRO:HD2	1:B:539:PRO:HG2	1.92	0.51
1:A:422:ILE:O	1:A:422:ILE:HG13	2.10	0.50
1:A:446:ASN:OD1	1:A:532:LYS:HB3	2.12	0.50
1:B:459:GLU:HG2	1:B:462:ILE:HD12	1.93	0.50
1:B:264:GLY:O	1:B:268:GLN:HG3	2.10	0.50
1:B:509:VAL:O	1:B:537:ARG:HA	2.12	0.50
1:A:96:GLU:HG2	1:A:100:VAL:HG23	1.94	0.49
1:B:412:ASN:ND2	2:E:12:LYS:HE2	2.26	0.49
1:A:43:ASP:OD1	2:E:2:ARG:NH1	2.45	0.49
1:B:122:VAL:HG13	1:B:132:ILE:HD12	1.94	0.49
1:B:498:ASN:OD1	2:E:21:LYS:HE2	2.13	0.49
1:B:379:GLU:HG3	1:B:379:GLU:H	1.24	0.48
1:B:234:ASP:HB3	1:B:236:SER:H	1.77	0.48
1:A:434:PRO:HD2	1:A:539:PRO:HG2	1.94	0.48
1:A:38:LYS:HB3	1:A:38:LYS:HE2	1.74	0.47
1:B:300:LYS:HD2	1:B:343:GLY:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:458:LYS:HE3	1:B:460:GLN:NE2	2.29	0.47
1:B:59:VAL:O	1:B:63:ILE:HG13	2.15	0.47
1:B:368:MET:HB3	1:B:520:ASP:HB2	1.97	0.46
1:A:235:ARG:N	1:A:235:ARG:HD3	2.30	0.46
1:B:388:ILE:O	1:B:392:ILE:HG13	2.15	0.46
1:A:509:VAL:HG23	1:A:514:ASP:CB	2.46	0.46
1:A:92:GLN:HE22	1:A:201:SER:HA	1.81	0.46
1:B:489:ALA:O	1:B:493:GLU:HG3	2.16	0.45
1:A:101:LEU:HD13	1:A:106:TYR:OH	2.17	0.45
1:A:235:ARG:HD3	1:A:235:ARG:H	1.82	0.45
1:A:509:VAL:O	1:A:537:ARG:HA	2.17	0.45
1:B:339:MET:SD	1:B:347:VAL:HG13	2.57	0.45
1:B:363:ARG:HD2	1:B:363:ARG:O	2.17	0.45
2:E:17:ILE:O	2:E:21:LYS:HG3	2.17	0.45
1:A:234:ASP:HB3	1:A:236:SER:H	1.80	0.45
1:B:110:LEU:HA	1:B:111:PRO:HD3	1.83	0.44
1:B:426:GLU:HA	1:B:427:PRO:HD3	1.79	0.44
1:B:209:SER:O	1:B:213:LYS:HE3	2.17	0.44
1:A:133:ASP:HB2	1:A:136:LYS:H	1.81	0.44
1:A:300:LYS:HD2	1:A:343:GLY:O	2.16	0.44
1:A:460:GLN:O	1:A:463:PRO:HD2	2.17	0.44
1:B:139:ARG:NH2	5:B:701:HOH:O	2.49	0.44
1:A:443:TYR:CE1	1:A:471:GLU:HB2	2.52	0.44
1:B:96:GLU:HG2	1:B:100:VAL:HG23	2.00	0.44
1:B:329:ASN:OD1	1:B:330:LEU:N	2.51	0.43
1:A:20:GLU:O	1:A:24:LYS:HG2	2.17	0.43
1:A:231:GLN:HG2	1:A:232:ARG:HG3	1.99	0.43
1:A:335:GLU:O	1:A:339:MET:HG3	2.19	0.43
1:A:59:VAL:O	1:A:63:ILE:HG13	2.18	0.43
1:B:77:GLU:HB2	1:B:221:PHE:CE2	2.53	0.43
1:B:77:GLU:HB2	1:B:221:PHE:CZ	2.54	0.43
1:A:235:ARG:CD	1:A:235:ARG:H	2.31	0.43
1:A:432:LEU:HB3	1:A:436:VAL:HG11	1.99	0.43
1:A:368:MET:HB3	1:A:520:ASP:HB2	2.00	0.43
1:B:460:GLN:HG3	1:B:460:GLN:H	1.36	0.43
1:B:545:LYS:HE3	1:B:547:GLU:OE2	2.19	0.43
1:A:170:GLU:O	1:B:27:GLU:HG2	2.19	0.43
1:B:133:ASP:HB2	1:B:136:LYS:H	1.84	0.43
1:A:27:GLU:HG2	1:B:170:GLU:O	2.18	0.43
1:A:70:TYR:CZ	1:A:265:LEU:HD11	2.54	0.42
2:F:18:SER:O	2:F:22:LYS:HG3	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:ARG:NH2	5:A:701:HOH:O	2.51	0.42
1:B:316:ILE:O	1:B:320:LYS:HG3	2.20	0.42
1:B:316:ILE:HG22	1:B:320:LYS:HE3	2.02	0.42
1:A:27:GLU:N	1:A:27:GLU:OE1	2.53	0.42
1:A:509:VAL:HG23	1:A:514:ASP:HB2	2.02	0.42
1:B:198:HIS:CD2	1:B:200:THR:HB	2.54	0.42
1:B:346:ASP:OD2	1:B:348:ARG:NH2	2.53	0.42
1:B:359:ARG:NH2	1:B:530:GLU:OE1	2.48	0.42
1:B:55:LYS:HA	1:B:56:PRO:HD2	1.91	0.42
1:A:121:LYS:O	1:A:125:ILE:HG13	2.20	0.41
1:A:344:TYR:CG	1:A:350:MET:HB2	2.55	0.41
1:A:225:ARG:NH2	1:A:240:SER:OG	2.54	0.41
1:A:117:LEU:HA	1:A:117:LEU:HD12	1.83	0.41
1:B:187:LYS:HA	1:B:188:PRO:HD3	1.92	0.41
1:A:506:VAL:O	1:A:540:VAL:O	2.38	0.41
2:E:18:SER:O	2:E:22:LYS:HG2	2.21	0.41
1:A:460:GLN:HG3	1:A:460:GLN:H	1.48	0.41
1:A:199:MET:N	4:A:602:SO4:O4	2.54	0.41
1:A:118:GLY:HA2	1:A:119:ASN:HA	1.75	0.41
1:A:139:ARG:HD3	1:A:139:ARG:HH11	1.74	0.41
1:A:379:GLU:HG3	1:A:379:GLU:H	1.24	0.41
1:B:20:GLU:O	1:B:24:LYS:HG2	2.20	0.41
1:B:41:HIS:ND1	1:B:43:ASP:HB2	2.36	0.41
1:A:77:GLU:HB2	1:A:221:PHE:CZ	2.56	0.40
1:B:443:TYR:CE1	1:B:471:GLU:HB2	2.56	0.40
1:A:22:ALA:HA	1:A:29:ALA:CB	2.51	0.40
1:A:310:PHE:HB2	1:A:329:ASN:O	2.21	0.40
1:B:399:SER:HA	1:B:400:PRO:C	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	537/553 (97%)	523 (97%)	13 (2%)	1 (0%)	47	79
1	B	537/553 (97%)	519 (97%)	17 (3%)	1 (0%)	47	79
2	E	24/216 (11%)	24 (100%)	0	0	100	100
2	F	24/216 (11%)	24 (100%)	0	0	100	100
All	All	1122/1538 (73%)	1090 (97%)	30 (3%)	2 (0%)	47	79

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	507	PRO
1	B	507	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	481/494 (97%)	471 (98%)	10 (2%)	53	79
1	B	481/494 (97%)	477 (99%)	4 (1%)	81	92
2	E	24/195 (12%)	23 (96%)	1 (4%)	30	62
2	F	24/195 (12%)	23 (96%)	1 (4%)	30	62
All	All	1010/1378 (73%)	994 (98%)	16 (2%)	62	84

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	THR
1	A	50	LYS
1	A	165	LEU
1	A	229	ARG
1	A	232	ARG
1	A	235	ARG
1	A	255	VAL
1	A	329	ASN
1	A	363	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	436	VAL
1	B	28	THR
1	B	165	LEU
1	B	212	LYS
1	B	460	GLN
2	E	12	LYS
2	F	12	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	460	GLN
1	B	329	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ATP	A	601	-	26,33,33	1.01	1 (3%)	31,52,52	1.51	6 (19%)
4	SO4	A	602	-	4,4,4	0.62	0	6,6,6	0.24	0
3	ATP	B	601	-	26,33,33	1.05	2 (7%)	31,52,52	1.44	6 (19%)
4	SO4	B	602	-	4,4,4	0.58	0	6,6,6	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	601	-	-	6/18/38/38	0/3/3/3
3	ATP	B	601	-	-	5/18/38/38	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	ATP	C2'-C1'	-2.65	1.49	1.53
3	A	601	ATP	C2'-C1'	-2.34	1.50	1.53
3	B	601	ATP	C5-C4	2.02	1.46	1.40

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	ATP	C3'-C2'-C1'	3.55	106.32	100.98
3	B	601	ATP	C3'-C2'-C1'	3.19	105.78	100.98
3	A	601	ATP	N3-C2-N1	-3.12	123.80	128.68
3	B	601	ATP	N3-C2-N1	-2.86	124.20	128.68
3	B	601	ATP	C2'-C3'-C4'	2.69	107.86	102.64
3	A	601	ATP	C2'-C3'-C4'	2.47	107.45	102.64
3	A	601	ATP	O3'-C3'-C2'	-2.43	103.98	111.82
3	A	601	ATP	O2'-C2'-C3'	-2.40	104.05	111.82
3	A	601	ATP	C4-C5-N7	-2.30	107.01	109.40
3	B	601	ATP	O2'-C2'-C3'	-2.28	104.44	111.82
3	B	601	ATP	O3'-C3'-C2'	-2.20	104.72	111.82
3	B	601	ATP	C4-C5-N7	-2.13	107.18	109.40

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	601	ATP	C5'-O5'-PA-O1A
3	B	601	ATP	C5'-O5'-PA-O2A
3	B	601	ATP	PA-O3A-PB-O3B
3	A	601	ATP	C5'-O5'-PA-O3A
3	B	601	ATP	C5'-O5'-PA-O3A
3	A	601	ATP	PG-O3B-PB-O2B
3	A	601	ATP	PA-O3A-PB-O3B
3	A	601	ATP	C5'-O5'-PA-O2A
3	B	601	ATP	C5'-O5'-PA-O1A
3	A	601	ATP	PG-O3B-PB-O1B
3	B	601	ATP	PA-O3A-PB-O1B


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	602	SO4	1	0
4	B	602	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	539/553 (97%)	0.12	0 100 100	25, 40, 69, 96	0
1	B	539/553 (97%)	0.11	0 100 100	25, 41, 68, 98	0
2	E	26/216 (12%)	0.14	0 100 100	42, 61, 90, 102	0
2	F	26/216 (12%)	0.11	0 100 100	42, 61, 89, 100	0
All	All	1130/1538 (73%)	0.11	0 100 100	25, 42, 72, 102	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ATP	B	601	31/31	0.93	0.23	34,40,71,88	0
3	ATP	A	601	31/31	0.95	0.24	33,41,70,87	0
4	SO4	A	602	5/5	0.98	0.22	33,36,43,59	0
4	SO4	B	602	5/5	0.98	0.24	34,34,41,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ATP B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ATP A 601:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.