



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 19, 2021 – 02:42 PM EDT

PDB ID : 6X6V  
Title : Crystal structure of inactive enzymatic binary toxin component from *Clostridium difficile* in complex with NADPH  
Authors : Pozharski, E.  
Deposited on : 2020-05-29  
Resolution : 2.42 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.22
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.22


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4647 (2.44-2.40)
Clashscore	141614	5161 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	429	
1	B	429	
1	C	429	
1	D	429	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14229 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CdtA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C	N	O	S	0	2	0
			3355	2141	556	651	7			
1	B	416	Total	C	N	O	S	0	2	0
			3345	2139	554	645	7			
1	C	416	Total	C	N	O	S	0	1	0
			3361	2145	560	650	6			
1	D	416	Total	C	N	O	S	0	2	0
			3339	2133	556	644	6			

There are 56 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP F5B5W8
A	1	VAL	-	expression tag	UNP F5B5W8
A	2	ALA	-	expression tag	UNP F5B5W8
A	345	PHE	SER	conflict	UNP F5B5W8
A	385	GLN	GLU	conflict	UNP F5B5W8
A	387	GLN	GLU	conflict	UNP F5B5W8
A	421	LEU	-	expression tag	UNP F5B5W8
A	422	GLU	-	expression tag	UNP F5B5W8
A	423	HIS	-	expression tag	UNP F5B5W8
A	424	HIS	-	expression tag	UNP F5B5W8
A	425	HIS	-	expression tag	UNP F5B5W8
A	426	HIS	-	expression tag	UNP F5B5W8
A	427	HIS	-	expression tag	UNP F5B5W8
A	428	HIS	-	expression tag	UNP F5B5W8
B	0	MET	-	initiating methionine	UNP F5B5W8
B	1	VAL	-	expression tag	UNP F5B5W8
B	2	ALA	-	expression tag	UNP F5B5W8
B	345	PHE	SER	conflict	UNP F5B5W8
B	385	GLN	GLU	conflict	UNP F5B5W8
B	387	GLN	GLU	conflict	UNP F5B5W8
B	421	LEU	-	expression tag	UNP F5B5W8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	422	GLU	-	expression tag	UNP F5B5W8
B	423	HIS	-	expression tag	UNP F5B5W8
B	424	HIS	-	expression tag	UNP F5B5W8
B	425	HIS	-	expression tag	UNP F5B5W8
B	426	HIS	-	expression tag	UNP F5B5W8
B	427	HIS	-	expression tag	UNP F5B5W8
B	428	HIS	-	expression tag	UNP F5B5W8
C	0	MET	-	initiating methionine	UNP F5B5W8
C	1	VAL	-	expression tag	UNP F5B5W8
C	2	ALA	-	expression tag	UNP F5B5W8
C	345	PHE	SER	conflict	UNP F5B5W8
C	385	GLN	GLU	conflict	UNP F5B5W8
C	387	GLN	GLU	conflict	UNP F5B5W8
C	421	LEU	-	expression tag	UNP F5B5W8
C	422	GLU	-	expression tag	UNP F5B5W8
C	423	HIS	-	expression tag	UNP F5B5W8
C	424	HIS	-	expression tag	UNP F5B5W8
C	425	HIS	-	expression tag	UNP F5B5W8
C	426	HIS	-	expression tag	UNP F5B5W8
C	427	HIS	-	expression tag	UNP F5B5W8
C	428	HIS	-	expression tag	UNP F5B5W8
D	0	MET	-	initiating methionine	UNP F5B5W8
D	1	VAL	-	expression tag	UNP F5B5W8
D	2	ALA	-	expression tag	UNP F5B5W8
D	345	PHE	SER	conflict	UNP F5B5W8
D	385	GLN	GLU	conflict	UNP F5B5W8
D	387	GLN	GLU	conflict	UNP F5B5W8
D	421	LEU	-	expression tag	UNP F5B5W8
D	422	GLU	-	expression tag	UNP F5B5W8
D	423	HIS	-	expression tag	UNP F5B5W8
D	424	HIS	-	expression tag	UNP F5B5W8
D	425	HIS	-	expression tag	UNP F5B5W8
D	426	HIS	-	expression tag	UNP F5B5W8
D	427	HIS	-	expression tag	UNP F5B5W8
D	428	HIS	-	expression tag	UNP F5B5W8

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	B	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	C	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	D	1	Total 48	C 21	N 7	O 17	P 3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	140	Total O 140 140	0	0
3	B	177	Total O 177 177	0	0
3	C	165	Total O 165 165	0	0
3	D	155	Total O 155 155	0	0



- Molecule 1: CdtA





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	82.77Å 101.10Å 104.33Å 98.80° 112.36° 106.72°	Depositor
Resolution (Å)	38.91 – 2.42 38.91 – 2.42	Depositor EDS
% Data completeness (in resolution range)	98.4 (38.91-2.42) 80.3 (38.91-2.42)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.52 (at 2.42Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, $R_{free}$	0.206 , 0.234 0.225 , 0.255	Depositor DCC
$R_{free}$ test set	5428 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.3	Xtriage
Anisotropy	0.494	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 14.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	14229	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.47	0/3441	0.68	0/4650
1	B	0.48	0/3428	0.68	0/4633
1	C	0.48	0/3441	0.71	1/4648 (0.0%)
1	D	0.47	0/3425	0.69	0/4630
All	All	0.48	0/13735	0.69	1/18561 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	384	GLY	C-N-CA	6.00	136.71	121.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3355	0	3297	28	0
1	B	3345	0	3291	29	0
1	C	3361	0	3319	21	0
1	D	3339	0	3281	23	0
2	A	48	0	26	2	0
2	B	48	0	26	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	48	0	26	1	0
2	D	48	0	26	2	0
3	A	140	0	0	1	0
3	B	177	0	0	0	0
3	C	165	0	0	2	0
3	D	155	0	0	0	0
All	All	14229	0	13292	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:384:GLY:HA3	1:D:385:GLN:HG2	1.56	0.85
1:B:76:ARG:HG2	1:B:76:ARG:HH21	1.45	0.81
1:A:308:GLU:HG3	2:A:501:NDP:O3X	1.90	0.71
1:B:376:LEU:CD1	1:B:389:LEU:HB2	2.21	0.71
1:B:26:TRP:CZ2	1:B:30:GLU:HG3	2.25	0.71
1:A:376:LEU:CD1	1:A:389:LEU:HB2	2.22	0.69
1:C:119:ASN:HA	1:C:205:LYS:HG3	1.73	0.69
1:C:254:MET:SD	1:C:376:LEU:HD12	2.34	0.68
1:B:92:ILE:HD13	1:B:173[B]:MET:HE3	1.74	0.67
1:A:92:ILE:HD13	1:A:173[B]:MET:HE3	1.78	0.65
1:B:76:ARG:HH21	1:B:76:ARG:CG	2.09	0.65
1:C:48:SER:HA	1:C:51:LYS:HD2	1.84	0.59
1:C:92:ILE:HD13	1:C:173[A]:MET:HE3	1.83	0.59
1:D:227:GLY:HA3	1:D:348:ILE:HD13	1.85	0.59
1:C:130:LYS:HE3	3:C:729:HOH:O	2.01	0.59
1:C:227:GLY:HA3	1:C:348:ILE:HD13	1.84	0.59
1:D:92:ILE:HD13	1:D:173[A]:MET:HE3	1.83	0.59
1:B:227:GLY:HA3	1:B:348:ILE:HD13	1.85	0.58
1:A:227:GLY:HA3	1:A:348:ILE:HD13	1.84	0.57
1:B:55:GLU:HB3	1:B:76:ARG:NH1	2.20	0.57
1:A:384:GLY:HA2	3:A:660:HOH:O	2.05	0.57
1:B:376:LEU:HD11	1:B:389:LEU:HB2	1.87	0.56
1:A:376:LEU:HD11	1:A:389:LEU:HB2	1.88	0.56
1:D:251:ASN:HA	1:D:254:MET:HE2	1.87	0.55
1:A:200:ILE:HG12	1:A:209:LYS:HB2	1.88	0.55
1:B:76:ARG:HG2	1:B:76:ARG:NH2	2.18	0.55
1:C:113:ILE:HD13	1:C:208:ILE:HD12	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:113:ILE:HD13	1:D:208:ILE:HD12	1.90	0.54
1:C:380:PRO:HB2	1:C:381:GLY:HA2	1.89	0.54
1:D:26:TRP:CZ2	1:D:30:GLU:HG3	2.41	0.54
1:C:130:LYS:HB2	1:C:197:ILE:HD11	1.88	0.54
1:D:387:GLN:HG2	2:D:501:NDP:H6N	1.90	0.53
1:A:113:ILE:HD13	1:A:208:ILE:HD12	1.91	0.53
1:A:69:TYR:HA	1:A:72:GLU:HG3	1.92	0.52
1:C:385:GLN:HG2	1:C:387:GLN:HE21	1.74	0.52
1:A:376:LEU:HD11	1:A:389:LEU:CB	2.39	0.52
1:B:376:LEU:HD11	1:B:389:LEU:CB	2.40	0.51
1:A:323:LEU:HD22	1:A:326:ILE:HD12	1.93	0.51
1:B:69:TYR:HA	1:B:72:GLU:HG3	1.93	0.51
1:D:130:LYS:HB2	1:D:197:ILE:HD11	1.93	0.51
1:A:130:LYS:HB2	1:A:197:ILE:HD11	1.92	0.50
1:A:348:ILE:HG13	1:A:386:TYR:HB3	1.95	0.49
1:A:381:GLY:HA2	1:B:69:TYR:O	2.13	0.49
1:D:24:LYS:HD3	1:D:182:VAL:HG23	1.95	0.48
1:D:173[A]:MET:HG2	1:D:184:THR:CG2	2.43	0.48
1:D:173[B]:MET:HG2	1:D:184:THR:CG2	2.44	0.48
1:D:26:TRP:CE2	1:D:30:GLU:HG3	2.49	0.48
1:D:360:LYS:HA	1:D:411:LYS:HG2	1.95	0.48
1:A:46:LEU:HD13	1:A:174:LEU:HD21	1.97	0.46
1:B:221:LYS:O	1:B:349:GLY:HA2	2.15	0.46
1:B:119:ASN:HA	1:B:205:LYS:HG3	1.97	0.46
1:B:26:TRP:CE2	1:B:30:GLU:HG3	2.51	0.46
1:D:84:ARG:HG3	1:D:187:GLU:OE1	2.15	0.46
1:A:221:LYS:O	1:A:349:GLY:HA2	2.16	0.46
1:C:188:GLN:HA	1:C:190:TYR:CE2	2.51	0.46
1:B:375:TYR:CE2	1:B:377:SER:HB2	2.50	0.46
1:B:165:LEU:HA	1:B:212:ALA:O	2.16	0.45
1:B:302:ARG:HB3	1:B:363:LEU:HB3	1.97	0.45
1:A:187:GLU:O	1:A:187:GLU:HG3	2.14	0.45
1:B:294:ILE:HG13	1:B:367:ILE:HG21	1.98	0.45
1:C:221:LYS:O	1:C:349:GLY:HA2	2.17	0.45
1:C:251:ASN:HA	1:C:254:MET:HE2	1.99	0.45
1:A:302:ARG:HB3	1:A:363:LEU:HB3	1.98	0.44
1:D:382:TYR:CD1	1:D:383:ALA:N	2.86	0.44
1:C:348:ILE:HG13	1:C:386:TYR:HB3	1.99	0.44
1:D:254:MET:O	1:D:382:TYR:CE1	2.71	0.44
1:C:294:ILE:HG13	1:C:367:ILE:HG21	1.99	0.43
1:C:379:ILE:HG22	3:C:703:HOH:O	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:387:GLN:HG2	2:D:501:NDP:C6N	2.47	0.43
1:B:376:LEU:HD12	1:B:389:LEU:HB2	1.99	0.43
1:D:114:ARG:HG2	1:D:121:ILE:HG12	2.00	0.43
1:D:302:ARG:HB3	1:D:363:LEU:HB3	2.00	0.43
1:B:308:GLU:HG2	2:B:501:NDP:C5A	2.49	0.43
1:D:221:LYS:O	1:D:349:GLY:HA2	2.17	0.43
1:B:384:GLY:HA3	2:B:501:NDP:H6N	1.99	0.43
1:D:143:PHE:CE1	1:D:187:GLU:HG3	2.54	0.43
1:B:84:ARG:HG3	1:B:187:GLU:OE1	2.17	0.43
1:C:130:LYS:HD3	1:C:197:ILE:HG12	2.00	0.42
1:C:387:GLN:HG2	2:C:501:NDP:H6N	2.01	0.42
1:D:294:ILE:HG13	1:D:367:ILE:HG21	2.01	0.42
1:B:348:ILE:HG13	1:B:386:TYR:HB3	2.01	0.42
1:A:57:SER:O	1:A:61:GLN:HG3	2.20	0.42
1:B:309:PHE:CE2	1:B:338:LEU:HD22	2.55	0.42
1:A:27:GLU:HG2	1:A:182:VAL:HG22	2.02	0.41
1:C:302:ARG:HB3	1:C:363:LEU:HB3	2.01	0.41
1:A:330:LYS:HG2	1:A:401:ILE:HB	2.02	0.41
1:A:384:GLY:HA3	1:A:387:GLN:NE2	2.35	0.41
1:B:387:GLN:HG2	2:B:501:NDP:H5N	2.02	0.41
1:A:294:ILE:HG13	1:A:367:ILE:HG21	2.02	0.41
1:D:330:LYS:HG2	1:D:401:ILE:HB	2.02	0.41
1:B:137:LEU:HD23	1:B:193:LYS:HB3	2.03	0.41
1:C:12:ARG:HB3	1:C:26:TRP:CD1	2.55	0.41
1:A:34:ILE:HD13	1:A:34:ILE:HA	1.95	0.40
1:A:305:GLY:HA3	2:A:501:NDP:O1X	2.21	0.40
1:B:101:PHE:CE2	1:B:151:PRO:HG2	2.56	0.40
1:A:205:LYS:HB3	1:A:207:TYR:CE1	2.57	0.40
1:A:396:PHE:HB3	1:A:416:ALA:HB1	2.03	0.40
1:C:12:ARG:NE	1:C:96:MET:HE1	2.35	0.40
1:A:69:TYR:O	1:B:381:GLY:HA2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	416/429 (97%)	409 (98%)	7 (2%)	0	100	100
1	B	416/429 (97%)	404 (97%)	12 (3%)	0	100	100
1	C	415/429 (97%)	403 (97%)	12 (3%)	0	100	100
1	D	416/429 (97%)	403 (97%)	11 (3%)	2 (0%)	29	40
All	All	1663/1716 (97%)	1619 (97%)	42 (2%)	2 (0%)	51	67

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	382	TYR
1	D	384	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	367/386 (95%)	348 (95%)	19 (5%)	23	37
1	B	363/386 (94%)	346 (95%)	17 (5%)	26	41
1	C	368/386 (95%)	351 (95%)	17 (5%)	27	42
1	D	363/386 (94%)	344 (95%)	19 (5%)	23	37
All	All	1461/1544 (95%)	1389 (95%)	72 (5%)	25	39

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LYS
1	A	44	GLU
1	A	72	GLU
1	A	89	LYS
1	A	96[A]	MET
1	A	96[B]	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	131	GLU
1	A	144	LYS
1	A	147	SER
1	A	156	GLU
1	A	187	GLU
1	A	191	SER
1	A	201	VAL
1	A	273	ASN
1	A	296	THR
1	A	315	SER
1	A	323	LEU
1	A	354	SER
1	A	397	LYS
1	B	46	LEU
1	B	53	SER
1	B	72	GLU
1	B	76	ARG
1	B	78	LYS
1	B	96	MET
1	B	130	LYS
1	B	131	GLU
1	B	147	SER
1	B	153	LYS
1	B	156	GLU
1	B	191	SER
1	B	205	LYS
1	B	296	THR
1	B	315	SER
1	B	354	SER
1	B	397	LYS
1	C	10	ILE
1	C	40	ARG
1	C	51	LYS
1	C	79	GLU
1	C	133	ILE
1	C	147	SER
1	C	166	LYS
1	C	198	VAL
1	C	236	ASN
1	C	273	ASN
1	C	296	THR
1	C	315	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	323	LEU
1	C	354	SER
1	C	379	ILE
1	C	385	GLN
1	C	415	ASP
1	D	48	SER
1	D	51	LYS
1	D	96	MET
1	D	115	THR
1	D	116	GLU
1	D	131	GLU
1	D	133	ILE
1	D	147	SER
1	D	153	LYS
1	D	182	VAL
1	D	190	TYR
1	D	201	VAL
1	D	273	ASN
1	D	296	THR
1	D	315	SER
1	D	323	LEU
1	D	354	SER
1	D	379	ILE
1	D	397	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	387	GLN
1	B	336	GLN
1	B	387	GLN
1	C	236	ASN
1	C	240	ASN
1	C	387	GLN
1	D	240	ASN
1	D	385	GLN
1	D	387	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NDP	B	501	-	45,52,52	0.57	0	53,80,80	0.74	2 (3%)
2	NDP	D	501	-	45,52,52	0.51	0	53,80,80	0.72	1 (1%)
2	NDP	C	501	-	45,52,52	0.55	0	53,80,80	0.76	1 (1%)
2	NDP	A	501	-	45,52,52	0.55	0	53,80,80	0.83	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	B	501	-	-	7/30/77/77	0/5/5/5
2	NDP	D	501	-	-	8/30/77/77	0/5/5/5
2	NDP	C	501	-	-	13/30/77/77	0/5/5/5
2	NDP	A	501	-	-	8/30/77/77	0/5/5/5

There are no bond length outliers.

All (6) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NDP	O5D-PN-O1N	2.70	119.61	109.07
2	C	501	NDP	C5A-C6A-N6A	2.46	124.09	120.35
2	D	501	NDP	C5A-C6A-N6A	2.38	123.97	120.35
2	A	501	NDP	C5A-C6A-N6A	2.22	123.73	120.35
2	B	501	NDP	C5A-C6A-N6A	2.16	123.64	120.35
2	B	501	NDP	O5D-PN-O1N	2.11	117.31	109.07

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NDP	C5D-O5D-PN-O1N
2	B	501	NDP	PN-O3-PA-O5B
2	B	501	NDP	C5D-O5D-PN-O1N
2	B	501	NDP	O4D-C1D-N1N-C6N
2	C	501	NDP	C5B-O5B-PA-O1A
2	C	501	NDP	PN-O3-PA-O5B
2	C	501	NDP	C2N-C3N-C7N-N7N
2	D	501	NDP	O4B-C4B-C5B-O5B
2	D	501	NDP	C3B-C4B-C5B-O5B
2	D	501	NDP	C5D-O5D-PN-O1N
2	D	501	NDP	C5D-O5D-PN-O2N
2	D	501	NDP	O4D-C1D-N1N-C6N
2	A	501	NDP	O4D-C1D-N1N-C6N
2	C	501	NDP	O4D-C1D-N1N-C6N
2	A	501	NDP	C3D-C4D-C5D-O5D
2	C	501	NDP	O4D-C4D-C5D-O5D
2	D	501	NDP	PN-O3-PA-O1A
2	A	501	NDP	O4D-C4D-C5D-O5D
2	A	501	NDP	PN-O3-PA-O5B
2	C	501	NDP	O4B-C4B-C5B-O5B
2	A	501	NDP	C2B-O2B-P2B-O3X
2	A	501	NDP	C5D-O5D-PN-O3
2	B	501	NDP	C5D-O5D-PN-O3
2	C	501	NDP	C5B-O5B-PA-O3
2	C	501	NDP	C3B-C4B-C5B-O5B
2	A	501	NDP	C5D-O5D-PN-O2N
2	B	501	NDP	C5D-O5D-PN-O2N
2	C	501	NDP	C5B-O5B-PA-O2A
2	C	501	NDP	C2D-C1D-N1N-C2N
2	D	501	NDP	C4B-C5B-O5B-PA
2	C	501	NDP	C3D-C4D-C5D-O5D
2	B	501	NDP	C2B-O2B-P2B-O1X

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	C	501	NDP	C2B-O2B-P2B-O3X
2	D	501	NDP	C5D-O5D-PN-O3
2	C	501	NDP	PN-O3-PA-O1A
2	B	501	NDP	C3D-C4D-C5D-O5D


There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	NDP	3	0
2	D	501	NDP	2	0
2	C	501	NDP	1	0
2	A	501	NDP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	416/429 (96%)	-0.63	0	100 100	13, 29, 52, 70	0
1	B	416/429 (96%)	-0.67	0	100 100	13, 27, 46, 69	0
1	C	416/429 (96%)	-0.60	3 (0%)	87 86	15, 29, 55, 88	0
1	D	416/429 (96%)	-0.58	2 (0%)	91 89	15, 31, 57, 79	0
All	All	1664/1716 (96%)	-0.62	5 (0%)	94 93	13, 29, 53, 88	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	382	TYR	3.3
1	C	383	ALA	3.0
1	D	382	TYR	2.7
1	C	385	GLN	2.5
1	D	383	ALA	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NDP	C	501	48/48	0.93	0.12	35,56,72,73	0
2	NDP	D	501	48/48	0.94	0.11	33,58,66,70	0
2	NDP	A	501	48/48	0.97	0.10	15,36,51,53	0
2	NDP	B	501	48/48	0.97	0.10	13,39,47,49	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









**Electron density around NDP D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NDP A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.