



Full wwPDB X-ray Structure Validation Report ⓘ

May 3, 2021 – 10:08 pm BST

PDB ID : 2X8B
Title : Crystal structure of human acetylcholinesterase inhibited by aged tabun and complexed with fasciculin-II
Authors : Carletti, E.; Colletier, J.P.; Nachon, F.
Deposited on : 2010-03-08
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.18
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.18


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	583	<div> <div>3%</div> <div>61%</div> <div>28%</div> <div>8%</div> </div>
2	B	61	<div> <div>10%</div> <div>59%</div> <div>36%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	UNX	A	1556	-	-	-	X
5	UNX	A	1557	-	-	-	X

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4938 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACETHYLCHOLINESTERASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	537	Total	C	N	O	P	S	0	1	0
			4191	2688	733	756	1	13			


- Molecule 2 is a protein called FASCICULIN-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	61	Total	C	N	O	S	0	0	0
			464	276	88	90	10			

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	11	Total	Cl	0	0
			11	11		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is UNKNOWN ATOM OR ION (three-letter code: UNX) (formula: X).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	X	0	0
			3	3		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	215	Total	O	0	0
			215	215		
7	B	21	Total	O	0	0
			21	21		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ACETHYLCHOLINESTERASE



• Molecule 2: FASCICULIN-2



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	151.31Å 151.31Å 247.24Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.26 – 2.95 46.26 – 2.95	Depositor EDS
% Data completeness (in resolution range)	98.8 (46.26-2.95) 97.6 (46.26-2.95)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.07 (at 2.96Å)	Xtriage
Refinement program	REFMAC 5.4.0069	Depositor
R, R_{free}	0.183 , 0.253 0.180 , 0.244	Depositor DCC
R_{free} test set	1130 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	61.5	Xtriage
Anisotropy	0.758	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 53.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4938	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UNX, SEN, NAG, SO4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/4308	0.51	0/5888
2	B	0.32	0/473	0.54	0/636
All	All	0.32	0/4781	0.51	0/6524

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4191	0	4075	133	0
2	B	464	0	442	32	0
3	A	11	0	0	2	0
4	A	5	0	0	0	0
5	A	3	0	0	0	0
6	A	28	0	26	1	0
7	A	215	0	0	11	0
7	B	21	0	0	2	0
All	All	4938	0	4543	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:197:VAL:H	1:A:223:HIS:CD2	1.79	1.01
1:A:197:VAL:H	1:A:223:HIS:HD2	1.02	0.94
1:A:534:ARG:CG	1:A:534:ARG:HH11	1.92	0.83
1:A:166:GLU:HG3	7:A:2114:HOH:O	1.79	0.81
1:A:534:ARG:HH11	1:A:534:ARG:HG3	1.48	0.77
1:A:329:GLY:HA3	1:A:428:TYR:CZ	2.23	0.74
1:A:490:ASN:H	1:A:490:ASN:HD22	1.33	0.73
2:B:11:ARG:CG	2:B:11:ARG:HH11	2.03	0.71
1:A:226:VAL:HG22	1:A:327:LEU:HB3	1.71	0.71
1:A:113:PRO:HG2	1:A:485:ARG:HG2	1.71	0.71
1:A:5:ASP:CG	1:A:6:ALA:H	1.92	0.69
1:A:325:GLN:HE21	1:A:487:GLY:HA3	1.58	0.69
1:A:433:ARG:HG3	1:A:437:LEU:HD12	1.74	0.69
1:A:111:PRO:HB2	1:A:193:ASP:HB2	1.76	0.68
1:A:197:VAL:N	1:A:223:HIS:HD2	1.86	0.67
1:A:179:ALA:O	1:A:183:VAL:HG23	1.95	0.67
2:B:11:ARG:HH11	2:B:11:ARG:HG2	1.60	0.66
1:A:490:ASN:H	1:A:490:ASN:ND2	1.94	0.66
2:B:25:LYS:HD3	2:B:48:LEU:HD13	1.77	0.66
2:B:56:PRO:HB2	2:B:59:CYS:HB3	1.77	0.66
1:A:491:GLU:HG2	7:A:2186:HOH:O	1.96	0.65
1:A:216:PRO:HB2	1:A:217:PRO:HD3	1.81	0.63
1:A:159:LEU:C	1:A:159:LEU:HD23	2.20	0.63
1:A:290:PRO:O	1:A:291:GLN:HB2	1.98	0.62
1:A:24:THR:HG22	1:A:26:GLY:H	1.64	0.62
1:A:320:ASP:OD1	1:A:322:HIS:HD2	1.82	0.61
1:A:490:ASN:HD22	1:A:490:ASN:N	1.90	0.61
1:A:468:GLU:HG3	7:A:2180:HOH:O	1.99	0.61
2:B:20:ASN:CG	2:B:21:SER:H	2.05	0.60
1:A:81:GLU:O	1:A:85:MET:HB3	2.01	0.60
1:A:482:ASN:ND2	1:A:485:ARG:HH21	2.01	0.59
1:A:329:GLY:HA3	1:A:428:TYR:CE2	2.37	0.59
1:A:509:GLN:HG3	7:A:2191:HOH:O	2.02	0.59
1:A:510:TYR:CZ	1:A:521:ARG:HB2	2.38	0.58
6:A:1558:NAG:O4	6:A:1559:NAG:C1	2.52	0.58
1:A:356:ARG:HD3	1:A:388:PRO:O	2.05	0.57
2:B:42:PRO:HB2	7:B:2017:HOH:O	2.04	0.57
1:A:329:GLY:HA3	1:A:428:TYR:CE1	2.40	0.57
2:B:42:PRO:HD2	2:B:50:VAL:HG11	1.86	0.57
1:A:24:THR:HB	1:A:27:GLY:O	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:19:GLU:O	2:B:20:ASN:ND2	2.38	0.57
1:A:68:VAL:HG13	1:A:127:ALA:HB2	1.88	0.56
1:A:255:VAL:CG1	1:A:276:ARG:HG3	2.35	0.56
1:A:227:LEU:HD12	1:A:227:LEU:N	2.21	0.56
1:A:332:LYS:HG3	1:A:431:GLU:HB3	1.87	0.56
1:A:255:VAL:HG11	1:A:276:ARG:HG3	1.88	0.56
2:B:27:ARG:HD3	2:B:31:PRO:O	2.06	0.56
2:B:20:ASN:CG	2:B:21:SER:N	2.59	0.55
1:A:5:ASP:CG	1:A:6:ALA:N	2.60	0.55
1:A:24:THR:HG23	1:A:25:PRO:HD2	1.87	0.55
2:B:57:ASP:O	2:B:58:LYS:HG2	2.07	0.55
1:A:407:VAL:O	1:A:410:PRO:HD2	2.07	0.54
1:A:296:ARG:NH1	3:A:1549:CL:CL	2.78	0.54
2:B:55:SER:HB2	2:B:56:PRO:HD3	1.90	0.54
2:B:6:HIS:CE1	2:B:36:GLY:HA2	2.43	0.53
1:A:328:VAL:O	1:A:427:ALA:HA	2.08	0.53
1:A:430:PHE:CD1	1:A:450:GLU:HB2	2.44	0.53
2:B:11:ARG:CG	2:B:11:ARG:NH1	2.69	0.53
1:A:493:ARG:NH1	1:A:493:ARG:HA	2.23	0.53
1:A:71:GLN:HA	7:A:2025:HOH:O	2.08	0.52
1:A:41:PRO:HG3	1:A:97:LEU:CD1	2.40	0.52
1:A:138:LEU:HD13	1:A:477:MET:HG2	1.92	0.52
1:A:265:ASN:HB3	1:A:268:GLU:HG2	1.90	0.52
1:A:434:ALA:O	1:A:437:LEU:HB2	2.09	0.52
1:A:530:ALA:O	1:A:534:ARG:HB2	2.11	0.51
1:A:370:VAL:HG22	1:A:374:ALA:CB	2.40	0.51
1:A:456:GLY:HA2	1:A:473:ALA:HB1	1.92	0.51
1:A:291:GLN:HG3	2:B:27:ARG:HH22	1.76	0.51
1:A:320:ASP:OD1	1:A:322:HIS:CD2	2.63	0.51
2:B:1:THR:HG21	2:B:54:THR:O	2.11	0.51
1:A:488:ASP:OD1	1:A:490:ASN:ND2	2.44	0.51
1:A:510:TYR:CE1	1:A:521:ARG:HB2	2.45	0.51
1:A:300:VAL:HB	1:A:301:PRO:HD2	1.92	0.51
1:A:289:LEU:HB3	2:B:27:ARG:NH2	2.25	0.51
1:A:213:LEU:HD22	1:A:324:LEU:HD11	1.94	0.50
1:A:114:VAL:HB	1:A:197:VAL:HG22	1.94	0.50
1:A:255:VAL:CG1	1:A:255:VAL:O	2.59	0.49
1:A:317:ASN:HA	1:A:417:ARG:NH1	2.27	0.49
1:A:387:HIS:N	1:A:388:PRO:HD3	2.26	0.49
1:A:359:PHE:HD2	1:A:360:LEU:HD23	1.77	0.49
1:A:291:GLN:CG	2:B:27:ARG:HH22	2.25	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:437:LEU:HD22	1:A:439:TRP:H	1.78	0.48
1:A:24:THR:HG22	1:A:26:GLY:N	2.29	0.48
1:A:356:ARG:O	1:A:360:LEU:HG	2.13	0.48
2:B:27:ARG:NH1	2:B:30:PRO:O	2.47	0.48
1:A:257:CYS:HA	1:A:258:PRO:HA	1.51	0.48
1:A:119:TYR:CE1	1:A:151:TYR:CE1	3.02	0.48
1:A:407:VAL:C	1:A:410:PRO:HD2	2.34	0.48
1:A:40:PRO:HA	1:A:41:PRO:HD3	1.80	0.47
1:A:253:HIS:HB2	7:A:2104:HOH:O	2.14	0.47
1:A:389:GLU:O	1:A:391:PRO:HD3	2.15	0.47
1:A:41:PRO:HG3	1:A:97:LEU:HD12	1.97	0.47
1:A:470:LYS:O	1:A:474:GLN:HG3	2.14	0.47
1:A:266:ASP:O	1:A:270:VAL:HG23	2.15	0.47
1:A:291:GLN:HG3	2:B:27:ARG:NH2	2.30	0.47
1:A:395:ARG:HD3	1:A:442:TRP:CE3	2.51	0.46
1:A:433:ARG:CG	1:A:437:LEU:HD12	2.42	0.46
1:A:94:GLU:HG3	7:A:2042:HOH:O	2.15	0.46
1:A:364:ARG:HA	1:A:364:ARG:HD2	1.74	0.46
1:A:534:ARG:HG3	1:A:534:ARG:NH1	2.21	0.45
1:A:36:PRO:HB2	1:A:53:LYS:HG2	1.98	0.45
1:A:187:VAL:HG22	1:A:192:GLY:HA3	1.97	0.45
1:A:18:ARG:HD3	7:A:2003:HOH:O	2.16	0.45
1:A:367:VAL:HG12	1:A:367:VAL:O	2.16	0.44
1:A:495:PRO:HB2	1:A:496:LYS:NZ	2.32	0.44
2:B:34:VAL:HG11	2:B:37:ARG:NH2	2.33	0.44
1:A:50:PRO:HB2	1:A:178:LEU:HD22	1.98	0.44
1:A:68:VAL:HG23	1:A:90:ARG:HB2	1.98	0.44
1:A:331:VAL:HG22	1:A:334:GLU:OE2	2.17	0.44
2:B:19:GLU:O	2:B:20:ASN:CB	2.65	0.44
1:A:319:GLY:HA2	7:A:2142:HOH:O	2.17	0.44
1:A:460:ASP:OD1	1:A:461:PRO:HD2	2.17	0.44
2:B:21:SER:HB3	2:B:54:THR:HG22	1.99	0.44
2:B:19:GLU:O	2:B:20:ASN:HB3	2.18	0.43
1:A:130:LEU:HB2	1:A:133:TYR:CD2	2.53	0.43
1:A:375:ALA:O	1:A:379:VAL:HG23	2.18	0.43
1:A:491:GLU:HB2	1:A:494:ASP:CB	2.48	0.43
1:A:208:SER:O	1:A:211:MET:N	2.48	0.43
1:A:368:PRO:O	1:A:369:GLN:C	2.57	0.43
2:B:6:HIS:HB3	2:B:12:ALA:HA	2.00	0.43
2:B:61:TYR:C	2:B:61:TYR:CD1	2.92	0.43
1:A:370:VAL:HG22	1:A:374:ALA:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:LEU:HD23	1:A:100:ASN:HB3	2.00	0.43
1:A:208:SER:O	1:A:209:VAL:C	2.57	0.43
1:A:159:LEU:HD23	1:A:160:ALA:N	2.33	0.43
1:A:252:ALA:HB1	1:A:269:LEU:HD11	2.00	0.43
2:B:19:GLU:H	2:B:19:GLU:HG3	1.49	0.43
1:A:38:ALA:HB2	1:A:178:LEU:HD23	2.01	0.43
1:A:122:GLY:O	1:A:123:PHE:HB2	2.19	0.43
1:A:166:GLU:CD	1:A:267:THR:HG23	2.39	0.43
1:A:540:LEU:HD23	1:A:540:LEU:HA	1.85	0.43
1:A:482:ASN:HB2	1:A:489:PRO:O	2.19	0.42
2:B:21:SER:HB3	2:B:54:THR:CG2	2.50	0.42
1:A:312:PRO:O	1:A:316:ILE:HG13	2.20	0.42
1:A:115:LEU:HD23	1:A:198:THR:HB	2.01	0.42
1:A:75:THR:O	2:B:37:ARG:NH2	2.52	0.42
1:A:43:GLY:HA3	1:A:44:PRO:HD3	1.85	0.42
1:A:114:VAL:HG21	1:A:187:VAL:HG21	2.02	0.42
1:A:161:LEU:O	1:A:164:SER:HB3	2.20	0.42
1:A:218:SER:HA	1:A:221:LEU:HD12	2.02	0.42
1:A:23:LYS:HA	7:A:2009:HOH:O	2.19	0.41
1:A:440:PRO:HB2	1:A:442:TRP:CD1	2.55	0.41
1:A:161:LEU:O	1:A:164:SER:CB	2.68	0.41
1:A:116:VAL:HA	1:A:147:VAL:O	2.20	0.41
1:A:70:TYR:HA	1:A:92:LEU:HG	2.02	0.41
1:A:265:ASN:HB2	7:A:2048:HOH:O	2.20	0.41
1:A:316:ILE:HD13	1:A:414:LEU:HD13	2.03	0.41
1:A:495:PRO:HA	1:A:497:ALA:H	1.84	0.41
1:A:114:VAL:HG22	1:A:145:VAL:HB	2.02	0.41
1:A:224:ARG:NH2	3:A:1564:CL:CL	2.90	0.41
1:A:291:GLN:CG	2:B:27:ARG:NH2	2.84	0.41
1:A:409:CYS:N	1:A:410:PRO:CD	2.84	0.41
2:B:19:GLU:HB3	7:B:2010:HOH:O	2.21	0.41
1:A:139:VAL:O	1:A:143:ARG:HA	2.21	0.40
1:A:35:ILE:HA	1:A:36:PRO:HD3	1.98	0.40
1:A:544:ASP:C	1:A:546:LEU:H	2.24	0.40
1:A:159:LEU:C	1:A:159:LEU:CD2	2.89	0.40
1:A:273:LEU:HD12	1:A:273:LEU:HA	1.86	0.40
1:A:87:ASN:HB3	2:B:11:ARG:HH12	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	533/583 (91%)	482 (90%)	46 (9%)	5 (1%)	17	51
2	B	59/61 (97%)	52 (88%)	6 (10%)	1 (2%)	9	34
All	All	592/644 (92%)	534 (90%)	52 (9%)	6 (1%)	15	48

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	20	ASN
1	A	369	GLN
1	A	95	ASP
1	A	143	ARG
1	A	291	GLN
1	A	492	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	436/475 (92%)	410 (94%)	26 (6%)	19	50
2	B	55/55 (100%)	51 (93%)	4 (7%)	14	41
All	All	491/530 (93%)	461 (94%)	30 (6%)	18	49

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	VAL
1	A	85	MET
1	A	149	MET
1	A	161	LEU
1	A	165	ARG
1	A	200	PHE
1	A	295	PHE
1	A	297	PHE
1	A	302	VAL
1	A	324	LEU
1	A	325	GLN
1	A	332	LYS
1	A	337	TYR
1	A	347	SER
1	A	364	ARG
1	A	369	GLN
1	A	386	LEU
1	A	424	ARG
1	A	437	LEU
1	A	480	TRP
1	A	490	ASN
1	A	493	ARG
1	A	496	LYS
1	A	524	LEU
1	A	534	ARG
1	A	546	LEU
2	B	11	ARG
2	B	19	GLU
2	B	20	ASN
2	B	35	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	223	HIS
1	A	228	GLN
1	A	291	GLN
1	A	322	HIS
1	A	325	GLN
1	A	387	HIS
1	A	474	GLN
1	A	482	ASN
1	A	490	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	527	GLN
2	B	29	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	SEN	A	203	1	10,11,12	3.17	2 (20%)	8,15,17	2.37	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEN	A	203	1	-	2/9/14/16	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	203	SEN	P-O3	9.27	1.61	1.46
1	A	203	SEN	P-O2	-3.34	1.47	1.56

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	203	SEN	OG-CB-CA	6.02	114.01	108.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	203	SEN	O3-P-N1	2.05	116.48	113.28

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	203	SEN	N-CA-CB-OG
1	A	203	SEN	C2-N1-P-O3

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 11 are monoatomic and 3 are unknown - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	1555	-	4,4,4	0.15	0	6,6,6	0.16	0
6	NAG	A	1558	1	14,14,15	0.55	0	17,19,21	1.53	3 (17%)
6	NAG	A	1559	-	14,14,15	0.59	0	17,19,21	1.18	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	1558	1	-	4/6/23/26	0/1/1/1
6	NAG	A	1559	-	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1558	NAG	C3-C4-C5	3.68	116.80	110.24
6	A	1558	NAG	C1-O5-C5	3.16	116.47	112.19
6	A	1559	NAG	C1-O5-C5	2.30	115.31	112.19
6	A	1559	NAG	C4-C3-C2	-2.15	107.86	111.02
6	A	1558	NAG	O4-C4-C3	-2.15	105.38	110.35

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1558	NAG	C8-C7-N2-C2
6	A	1558	NAG	O7-C7-N2-C2
6	A	1558	NAG	C4-C5-C6-O6
6	A	1558	NAG	O5-C5-C6-O6
6	A	1559	NAG	C8-C7-N2-C2
6	A	1559	NAG	O7-C7-N2-C2

There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1558	NAG	1	0
6	A	1559	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	536/583 (91%)	0.09	17 (3%) 47 31	48, 68, 101, 175	0
2	B	61/61 (100%)	0.35	6 (9%) 7 4	58, 82, 125, 156	0
All	All	597/644 (92%)	0.11	23 (3%) 39 25	48, 69, 108, 175	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	493	ARG	5.5
1	A	492	PRO	5.0
1	A	495	PRO	5.0
1	A	545	THR	4.0
2	B	1	THR	3.7
1	A	496	LYS	3.7
1	A	547	ASP	3.3
1	A	546	LEU	3.2
2	B	18	GLY	3.1
2	B	2	MET	3.1
1	A	499	GLN	3.0
2	B	14	LEU	2.8
1	A	208	SER	2.5
1	A	9	LEU	2.5
1	A	497	ALA	2.5
1	A	5	ASP	2.4
1	A	491	GLU	2.4
1	A	8	LEU	2.3
1	A	58	GLY	2.3
2	B	19	GLU	2.3
1	A	494	ASP	2.2
2	B	16	ASN	2.1
1	A	267	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEN	A	203	12/13	0.98	0.25	51,53,58,58	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	A	1561	1/1	0.55	0.21	104,104,104,104	0
5	UNX	A	1556	1/1	0.70	3.02	55,55,55,55	0
3	CL	A	1553	1/1	0.74	0.18	92,92,92,92	0
3	CL	A	1560	1/1	0.74	0.21	113,113,113,113	0
6	NAG	A	1558	14/15	0.74	0.28	110,110,110,110	0
3	CL	A	1563	1/1	0.75	0.13	96,96,96,96	0
6	NAG	A	1559	14/15	0.78	0.26	123,123,123,123	0
3	CL	A	1562	1/1	0.80	0.10	99,99,99,99	0
5	UNX	A	1557	1/1	0.80	0.69	49,49,49,49	0
3	CL	A	1554	1/1	0.81	0.14	75,75,75,75	0
5	UNX	A	1565	1/1	0.81	1.27	39,39,39,39	0
3	CL	A	1551	1/1	0.82	0.12	83,83,83,83	0
3	CL	A	1564	1/1	0.88	0.21	102,102,102,102	0
3	CL	A	1549	1/1	0.90	0.24	94,94,94,94	0
3	CL	A	1552	1/1	0.92	0.10	82,82,82,82	0
3	CL	A	1550	1/1	0.94	0.05	69,69,69,69	0
4	SO4	A	1555	5/5	0.96	0.13	103,103,103,103	0

6.5 Other polymers [i](#)

There are no such residues in this entry.