



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 08:51 pm BST

PDB ID : 1XAD
Title : CHIMERA ISOPROPYLMALATE DEHYDROGENASE BETWEEN
BACILLUS SUBTILIS (M) AND THERMUS THERMOPHILUS (T) FROM
N-TERMINAL: 20% T MIDDLE 20% M RESIDUAL 60% T, MUTATED AT
S82R. LOW TEMPERATURE (150K) STRUCTURE.
Authors : Nagata, C.; Moriyama, H.; Tanaka, N.
Deposited on : 1995-11-09
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	345	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 3818 atoms, of which 987 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-ISOPROPYLMALATE DEHYDROGENASE 2T2M6T S82R.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	345	Total	C	H	N	O	S	0	0	0
			3161	1665	549	450	491	6			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	79	GLN	GLY	CONFLICT	UNP P00351
A	80	ASN	LEU	CONFLICT	UNP P00351
A	83	GLU	LYS	CONFLICT	UNP P00351
A	84	LEU	ILE	CONFLICT	UNP P00351
A	85	ARG	SER	CONFLICT	UNP P00351
A	88	LYS	THR	CONFLICT	UNP P00351
A	93	ILE	LEU	CONFLICT	UNP P00351
A	96	GLN	SER	CONFLICT	UNP P00351
A	97	LEU	GLN	CONFLICT	UNP P00351
A	106	VAL	ALA	CONFLICT	UNP P00351
A	110	GLU	PRO	CONFLICT	UNP P00351
A	111	SER	GLY	CONFLICT	UNP P00351
A	113	SER	GLU	CONFLICT	UNP P00351
A	114	ASP	ARG	CONFLICT	UNP P00351
A	115	ALA	LEU	CONFLICT	UNP P00351
A	120	LYS	GLU	CONFLICT	UNP P00351
A	122	TYR	ILE	CONFLICT	UNP P00351
A	123	ILE	ALA	CONFLICT	UNP P00351
A	124	ASP	ARG	CONFLICT	UNP P00351
A	125	ASN	GLY	CONFLICT	UNP P00351
A	128	PHE	VAL	CONFLICT	UNP P00351
A	129	VAL	LEU	CONFLICT	UNP P00351

- Molecule 2 is water.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	219	Total	H	O	0	0
			657	438	219		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: 3-ISOPROPYLMALATE DEHYDROGENASE 2T2M6T S82R



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	77.40 Å 77.40 Å 156.80 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.10	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.10)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.194 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3818	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.12	1/2668 (0.0%)	1.90	65/3621 (1.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	275	SER	CA-CB	-6.02	1.44	1.52

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	58	ARG	NE-CZ-NH1	12.70	126.65	120.30
1	A	204	ARG	NE-CZ-NH1	11.16	125.88	120.30
1	A	77	TRP	CG-CD2-CE3	8.99	141.99	133.90
1	A	85	ARG	NE-CZ-NH1	8.95	124.78	120.30
1	A	156	ARG	NE-CZ-NH2	-8.93	115.83	120.30
1	A	177	ARG	NE-CZ-NH1	8.61	124.60	120.30
1	A	156	ARG	NE-CZ-NH1	8.42	124.51	120.30
1	A	215	TYR	CB-CG-CD1	-8.29	116.02	121.00
1	A	77	TRP	CD1-CG-CD2	7.95	112.66	106.30
1	A	204	ARG	NE-CZ-NH2	-7.90	116.35	120.30
1	A	195	TRP	CD1-CG-CD2	7.88	112.60	106.30
1	A	77	TRP	CE2-CD2-CG	-7.63	101.20	107.30
1	A	177	ARG	NE-CZ-NH2	-7.54	116.53	120.30
1	A	164	ARG	NE-CZ-NH1	7.32	123.96	120.30
1	A	164	ARG	CB-CG-CD	-7.01	93.36	111.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	195	TRP	CE2-CD2-CG	-6.85	101.82	107.30
1	A	77	TRP	CB-CG-CD1	-6.83	118.12	127.00
1	A	229	ARG	NE-CZ-NH2	-6.79	116.91	120.30
1	A	152	TRP	CE2-CD2-CG	-6.76	101.89	107.30
1	A	34	LEU	CA-CB-CG	6.71	130.73	115.30
1	A	32	LEU	CA-CB-CG	6.53	130.33	115.30
1	A	273	HIS	CA-CB-CG	6.50	124.65	113.60
1	A	176	ARG	NE-CZ-NH1	6.47	123.54	120.30
1	A	179	HIS	CB-CA-C	-6.47	97.46	110.40
1	A	184	ASP	CB-CG-OD1	6.47	124.12	118.30
1	A	56	PRO	CA-N-CD	-6.42	102.52	111.50
1	A	179	HIS	N-CA-CB	6.39	122.10	110.60
1	A	82	ARG	NE-CZ-NH1	6.33	123.46	120.30
1	A	114	ASP	CB-CG-OD1	6.29	123.96	118.30
1	A	152	TRP	CG-CD2-CE3	6.26	139.54	133.90
1	A	311	VAL	CG1-CB-CG2	-6.00	101.29	110.90
1	A	24	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	A	58	ARG	CA-CB-CG	5.95	126.49	113.40
1	A	91	LEU	CB-CG-CD1	-5.93	100.92	111.00
1	A	264	ARG	NE-CZ-NH2	-5.80	117.40	120.30
1	A	344	LEU	CA-CB-CG	5.79	128.61	115.30
1	A	67	VAL	CA-C-N	5.75	129.84	117.20
1	A	246	LEU	CB-CG-CD1	-5.71	101.30	111.00
1	A	233	VAL	CG1-CB-CG2	-5.60	101.94	110.90
1	A	3	VAL	CA-C-N	5.58	129.47	117.20
1	A	114	ASP	CA-CB-CG	5.57	125.66	113.40
1	A	217	ASP	CB-CG-OD1	5.57	123.31	118.30
1	A	164	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	A	58	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	A	309	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	A	82	ARG	NE-CZ-NH2	-5.47	117.56	120.30
1	A	268	VAL	CA-C-N	5.47	129.24	117.20
1	A	25	ALA	CB-CA-C	-5.44	101.94	110.10
1	A	176	ARG	O-C-N	-5.41	114.05	122.70
1	A	181	VAL	CA-C-N	5.41	129.09	117.20
1	A	152	TRP	CD1-CG-CD2	5.38	110.60	106.30
1	A	94	ARG	NE-CZ-NH1	5.37	122.98	120.30
1	A	16	THR	N-CA-CB	5.34	120.44	110.30
1	A	232	VAL	CA-CB-CG2	-5.30	102.95	110.90
1	A	53	PHE	CB-CG-CD2	-5.23	117.14	120.80
1	A	272	VAL	CA-CB-CG1	-5.21	103.08	110.90
1	A	158	SER	N-CA-CB	-5.20	102.70	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	304	LEU	CA-CB-CG	5.16	127.17	115.30
1	A	165	VAL	CG1-CB-CG2	-5.14	102.68	110.90
1	A	201	GLU	CA-CB-CG	-5.13	102.10	113.40
1	A	273	HIS	CA-C-N	5.12	126.43	116.20
1	A	152	TRP	NE1-CE2-CD2	5.10	112.40	107.30
1	A	215	TYR	CB-CG-CD2	5.07	124.04	121.00
1	A	181	VAL	CG1-CB-CG2	-5.04	102.84	110.90
1	A	256	LEU	CA-C-N	5.03	128.26	117.20

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	157	TYR	Sidechain
1	A	80	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2612	549	2630	53	0
2	A	219	438	0	4	1
All	All	2831	987	2630	53	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:ARG:HD2	1:A:134:LEU:HD13	1.58	0.85
1:A:30:GLU:HB2	1:A:32:LEU:HD12	1.64	0.80
1:A:325:PRO:HA	1:A:329:GLY:O	1.90	0.72
1:A:83:GLU:HA	1:A:88:LYS:HG3	1.75	0.68
1:A:112:LEU:HB2	2:A:583:HOH:O	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:LEU:HD13	1:A:262:LEU:HD22	1.78	0.65
1:A:246:LEU:O	1:A:249:VAL:HG22	1.99	0.61
1:A:97:LEU:HD23	1:A:266:THR:O	2.03	0.57
1:A:159:LYS:N	1:A:160:PRO:HD2	2.20	0.56
1:A:181:VAL:HG21	1:A:230:PHE:HD1	1.71	0.56
1:A:108:VAL:HG22	1:A:251:PRO:HA	1.89	0.54
1:A:292:LEU:HD21	1:A:315:VAL:HG21	1.89	0.54
1:A:302:PHE:O	1:A:304:LEU:HD13	2.09	0.53
1:A:339:THR:HA	1:A:342:ARG:HB3	1.91	0.53
1:A:335:ALA:O	1:A:339:THR:HG22	2.09	0.53
1:A:30:GLU:HB2	1:A:32:LEU:CD1	2.38	0.52
1:A:341:LEU:HA	1:A:344:LEU:CD2	2.41	0.51
1:A:170:PHE:O	1:A:173:ALA:HB3	2.11	0.50
1:A:40:PRO:HG3	1:A:49:PHE:CE2	2.46	0.50
1:A:81:PRO:HD2	1:A:84:LEU:HB2	1.94	0.50
1:A:323:PRO:HG2	1:A:329:GLY:HA3	1.93	0.50
1:A:99:LEU:HD13	1:A:261:SER:HB2	1.93	0.49
1:A:1:MET:HG3	1:A:302:PHE:CE2	2.48	0.49
1:A:11:ILE:HG12	1:A:275:SER:O	2.13	0.49
1:A:325:PRO:HD3	1:A:331:ALA:O	2.14	0.47
1:A:100:PHE:CE1	1:A:164:ARG:HB3	2.50	0.47
1:A:272:VAL:O	1:A:273:HIS:HB3	2.15	0.47
1:A:322:THR:OG1	1:A:339:THR:HG21	2.14	0.47
1:A:77:TRP:HA	1:A:80:ASN:OD1	2.15	0.47
1:A:127:ASP:HB3	1:A:177:ARG:HH12	1.80	0.47
1:A:276:ALA:N	1:A:277:PRO:HD3	2.30	0.46
1:A:123:ILE:O	1:A:126:VAL:HG23	2.15	0.46
1:A:160:PRO:HG2	1:A:161:GLU:H	1.80	0.46
1:A:184:ASP:O	1:A:215:TYR:HA	2.17	0.45
1:A:1:MET:N	2:A:727:HOH:O	2.49	0.45
1:A:341:LEU:HA	1:A:344:LEU:HD22	1.98	0.45
1:A:75:PRO:HA	1:A:78:ASP:OD2	2.17	0.44
1:A:78:ASP:HA	1:A:85:ARG:HD2	1.99	0.44
1:A:297:MET:O	1:A:301:ALA:HB3	2.18	0.44
1:A:269:PHE:CZ	1:A:297:MET:HA	2.54	0.43
1:A:181:VAL:HG21	1:A:230:PHE:CD1	2.51	0.43
1:A:55:GLU:HA	1:A:58:ARG:HB2	2.00	0.43
1:A:257:LEU:HA	1:A:258:PRO:HD3	1.94	0.42
1:A:278:ASP:OD2	1:A:279:ILE:HG23	2.19	0.42
1:A:99:LEU:HD13	1:A:261:SER:CB	2.49	0.42
1:A:177:ARG:NH2	1:A:231:ASP:HA	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:SER:O	1:A:115:ALA:N	2.53	0.42
1:A:206:TYR:O	1:A:208:ASP:N	2.52	0.41
1:A:179:HIS:O	1:A:231:ASP:HB3	2.20	0.41
1:A:132:ARG:HD3	2:A:614:HOH:O	2.20	0.41
1:A:109:PHE:HB3	2:A:642:HOH:O	2.20	0.40
1:A:142:GLU:CG	1:A:143:PRO:HA	2.52	0.40
1:A:53:PHE:CD2	1:A:58:ARG:HD2	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:485:HOH:H1	2:A:485:HOH:H1[4_556]	1.21	0.39

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	343/345 (99%)	312 (91%)	26 (8%)	5 (2%)	10 5

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	81	PRO
1	A	273	HIS
1	A	228	ALA
1	A	28	GLU
1	A	207	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	270/270 (100%)	242 (90%)	28 (10%)	7 4

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	PRO
1	A	34	LEU
1	A	55	GLU
1	A	58	ARG
1	A	68	LEU
1	A	79	GLN
1	A	82	ARG
1	A	83	GLU
1	A	85	ARG
1	A	95	LYS
1	A	110	GLU
1	A	111	SER
1	A	152	TRP
1	A	157	TYR
1	A	165	VAL
1	A	176	ARG
1	A	190	GLU
1	A	217	ASP
1	A	246	LEU
1	A	251	PRO
1	A	253	SER
1	A	273	HIS
1	A	275	SER
1	A	304	LEU
1	A	313	ASP
1	A	324	PRO
1	A	339	THR
1	A	344	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	GLN
1	A	222	HIS
1	A	300	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.