



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 05:41 pm BST

PDB ID : 5XA8
Title : Complete structure factors and an atomic model of the calcium pump (SERCA1A) and associated phospholipids in the E1-ALF4-ADP-2CA2+ crystals
Authors : Norimatsu, Y.; Hasegawa, K.; Shimizu, N.; Toyoshima, C.
Deposited on : 2017-03-11
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	995	<div> <div>3%</div> <div>86%</div> <div>14%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PCW	A	1007	-	-	-	X
6	PCW	A	1008	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PCW	A	1009	-	-	-	X
6	PCW	A	1013	-	-	-	X
6	PCW	A	1015	-	-	-	X
6	PCW	A	1016	-	-	-	X
6	PCW	A	1019	-	-	-	X
6	PCW	A	1021	-	-	-	X
6	PCW	A	1022	-	-	-	X
6	PCW	A	1024	-	-	-	X
6	PCW	A	1025	-	-	-	X
6	PCW	A	1028	-	-	-	X
6	PCW	A	1029	-	-	-	X
6	PCW	A	1030	-	-	-	X
6	PCW	A	1031	-	-	-	X
6	PCW	A	1032	-	-	-	X
6	PCW	A	1033	-	-	-	X
6	PCW	A	1034	-	-	-	X
6	PCW	A	1035	-	-	-	X
6	PCW	A	1036	-	-	-	X
6	PCW	A	1037	-	-	-	X
6	PCW	A	1039	-	-	-	X
6	PCW	A	1040	-	-	-	X
6	PCW	A	1041	-	-	-	X
6	PCW	A	1042	-	-	-	X
6	PCW	A	1043	-	-	-	X
6	PCW	A	1044	-	-	-	X
6	PCW	A	1045	-	-	-	X
6	PCW	A	1046	-	-	-	X
6	PCW	A	1047	-	-	-	X
6	PCW	A	1048	-	-	-	X
6	PCW	A	1049	-	-	-	X
6	PCW	A	1052	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8842 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sarcoplasmic/endoplasmic reticulum calcium ATPase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	995	Total	C	N	O	S	0	0	0
			7674	4878	1287	1452	57			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ACE	-	acetylation	UNP P04191


- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ca	0	0
			2	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		

- Molecule 4 is TETRAFLUOROALUMINATE ION (three-letter code: ALF) (formula: AlF_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	Al	F	0	0
			5	1	4		

- Molecule 5 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0
			27	10	5	10	2	0

- Molecule 6 is 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PCW) (formula: $C_{44}H_{85}NO_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
6	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	120	Total	O	0	0
			120	120		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sarcoplasmic/endoplasmic reticulum calcium ATPase 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	162.97Å 75.02Å 152.24Å 90.00° 109.31° 90.00°	Depositor
Resolution (Å)	79.64 – 3.20 143.68 – 3.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (79.64-3.20) 100.0 (143.68-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.92 (at 3.19Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.213 , 0.241 0.219 , 0.246	Depositor DCC
R_{free} test set	1426 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	66.9	Xtriage
Anisotropy	0.165	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 87.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	8842	wwPDB-VP
Average B, all atoms (Å ²)	111.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP, ACE, ALF, CA, PCW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.24	0/7813	0.39	1/10594 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	224	ALA	CB-CA-C	-6.89	99.77	110.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7674	0	7767	93	0
2	A	2	0	0	0	0
3	A	2	0	0	0	0
4	A	5	0	0	0	0
5	A	27	0	12	0	0
6	A	1012	0	828	24	0
7	A	120	0	0	0	0
All	All	8842	0	8607	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 6.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:ASP:O	1:A:63:ARG:HG3	1.27	1.34
6:A:1023:PCW:O11	6:A:1046:PCW:C7	1.77	1.33
6:A:1023:PCW:O11	6:A:1046:PCW:H71	1.46	1.13
6:A:1023:PCW:O11	6:A:1046:PCW:H72	1.43	1.11
1:A:972:LYS:HE3	6:A:1046:PCW:H12	1.30	1.08
6:A:1023:PCW:C11	6:A:1046:PCW:H71	1.93	0.98
1:A:59:ASP:O	1:A:63:ARG:CG	2.18	0.91
6:A:1023:PCW:C12	6:A:1046:PCW:H71	2.12	0.80
1:A:972:LYS:HE3	6:A:1046:PCW:C1	2.15	0.76
1:A:148:GLY:O	1:A:222:ILE:HG13	1.86	0.75
1:A:96:LEU:HD22	1:A:797:LEU:HD21	1.70	0.74
1:A:931:ILE:HG21	6:A:1021:PCW:H2	1.69	0.73
1:A:52:LEU:HD11	1:A:109:GLU:HG2	1.73	0.70
1:A:876:CYS:HA	1:A:879:ASP:O	1.92	0.70
1:A:836:ARG:HH22	1:A:985:LYS:HA	1.57	0.69
6:A:1023:PCW:C11	6:A:1046:PCW:C7	2.57	0.67
1:A:354:GLY:HA2	1:A:359:ASN:HB2	1.77	0.66
1:A:67:LEU:O	1:A:71:ILE:HG13	1.96	0.66
1:A:63:ARG:O	1:A:66:LEU:HB3	1.95	0.66
1:A:352:LYS:HD2	1:A:635:ILE:HD12	1.80	0.64
1:A:373:ASP:HB2	1:A:376:PHE:HB3	1.79	0.64
1:A:968:LEU:HD13	6:A:1046:PCW:H52	1.80	0.62
1:A:491:ARG:NH1	1:A:588:GLU:OE1	2.33	0.62
1:A:486:GLU:O	1:A:491:ARG:NH2	2.33	0.61
1:A:96:LEU:CD2	1:A:797:LEU:HD21	2.31	0.60
1:A:286:GLY:HA3	1:A:290:ARG:HD3	1.83	0.60
1:A:811:PRO:HG2	1:A:929:VAL:HG22	1.84	0.59
1:A:810:ASN:OD1	1:A:930:ASN:ND2	2.32	0.59
1:A:798:VAL:HG13	1:A:940:SER:HB3	1.83	0.59
1:A:527:TYR:HB2	1:A:592:THR:HG23	1.83	0.59
1:A:528:VAL:HG12	1:A:593:PHE:HB3	1.84	0.58
6:A:1023:PCW:C12	6:A:1046:PCW:C7	2.82	0.58
1:A:129:VAL:HG12	1:A:151:VAL:HG22	1.85	0.58
1:A:19:SER:HB2	1:A:22:THR:HB	1.85	0.58
1:A:163:ILE:HB	1:A:208:LEU:HB2	1.86	0.57
1:A:552:TRP:HB3	1:A:559:LEU:HD12	1.85	0.57
1:A:54:ILE:HD11	6:A:1050:PCW:H2	1.86	0.57
1:A:96:LEU:HD22	1:A:797:LEU:HD11	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:968:LEU:HD13	6:A:1046:PCW:C5	2.36	0.55
1:A:832:TRP:HE1	1:A:836:ARG:HE	1.54	0.54
1:A:604:ARG:HB2	1:A:607:VAL:HG23	1.89	0.54
1:A:932:TRP:CZ3	6:A:1017:PCW:H31	2.42	0.54
1:A:174:ARG:NH2	1:A:186:SER:O	2.41	0.53
1:A:600:LEU:HD12	1:A:602:PRO:HD3	1.90	0.53
1:A:770:GLY:HA3	1:A:844:VAL:HG23	1.91	0.53
1:A:679:VAL:HG13	1:A:683:HIS:HB2	1.91	0.52
1:A:58:GLU:O	1:A:63:ARG:HD2	2.10	0.52
1:A:932:TRP:HE1	6:A:1017:PCW:H63	1.74	0.52
1:A:65:LEU:HD22	1:A:309:GLU:HG2	1.93	0.51
1:A:626:GLY:HA2	1:A:679:VAL:H	1.75	0.51
6:A:1040:PCW:H42	6:A:1045:PCW:H82	1.93	0.51
1:A:490:ASP:OD2	1:A:491:ARG:N	2.44	0.51
1:A:357:THR:HA	1:A:603:PRO:HA	1.92	0.51
1:A:65:LEU:HD22	1:A:98:LEU:HD21	1.93	0.50
1:A:947:ILE:HA	1:A:953:LEU:HD23	1.93	0.49
1:A:347:VAL:HG11	1:A:691:LEU:HD13	1.95	0.49
1:A:415:THR:HA	1:A:475:ILE:HD13	1.96	0.48
1:A:950:VAL:HG12	1:A:952:PRO:HD2	1.95	0.48
1:A:690:TYR:O	1:A:693:SER:OG	2.21	0.48
1:A:527:TYR:CG	1:A:534:ARG:HD3	2.49	0.47
1:A:411:VAL:HG13	1:A:454:VAL:HG11	1.97	0.47
1:A:63:ARG:HH21	6:A:1008:PCW:H11	1.79	0.47
1:A:829:ILE:HD13	1:A:837:TYR:HE2	1.79	0.46
1:A:147:PRO:HA	1:A:223:VAL:HB	1.98	0.46
1:A:311:LEU:HB3	1:A:312:PRO:HD3	1.98	0.46
1:A:417:CYS:HB3	1:A:445:LEU:HB3	1.97	0.46
1:A:880:HIS:HB2	1:A:883:PHE:HB2	1.96	0.46
1:A:898:THR:HG23	1:A:959:LEU:HD22	1.98	0.46
1:A:164:ARG:NH1	1:A:165:ILE:O	2.49	0.46
1:A:874:MET:HE2	6:A:1032:PCW:H81	1.98	0.46
1:A:921:SER:HB3	1:A:924:ARG:HG2	1.98	0.46
6:A:1030:PCW:H73	6:A:1030:PCW:H41	1.81	0.45
1:A:629:LYS:HD2	1:A:654:THR:HG23	1.98	0.45
1:A:383:SER:HB2	1:A:396:LEU:HB2	1.98	0.45
1:A:932:TRP:CE3	6:A:1017:PCW:H31	2.53	0.44
1:A:567:ARG:HD3	1:A:570:PRO:HA	1.99	0.44
1:A:816:ILE:HG23	1:A:817:MET:HG2	1.99	0.44
1:A:762:ARG:HG3	1:A:837:TYR:HE1	1.83	0.43
1:A:41:LEU:HD13	1:A:236:ARG:HG2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:ILE:HD12	1:A:772:VAL:HG11	1.99	0.43
1:A:61:LEU:HD22	1:A:307:ILE:HG23	2.00	0.43
1:A:52:LEU:HD23	1:A:106:VAL:HG13	2.00	0.43
1:A:874:MET:CE	6:A:1032:PCW:H81	2.48	0.43
1:A:963:ASP:OD1	1:A:964:LEU:N	2.50	0.43
6:A:1024:PCW:H42	6:A:1024:PCW:H62	1.87	0.43
1:A:762:ARG:HA	1:A:837:TYR:CE1	2.54	0.43
1:A:780:ALA:HB1	6:A:1024:PCW:C12	2.49	0.43
1:A:773:VAL:HG23	1:A:845:GLY:HA3	2.00	0.42
1:A:62:VAL:HG13	1:A:98:LEU:HD22	2.01	0.42
1:A:620:ARG:NH2	1:A:671:ARG:HA	2.34	0.42
1:A:161:ALA:HA	1:A:210:SER:HB2	2.00	0.42
1:A:947:ILE:HD11	1:A:957:PHE:CE1	2.55	0.42
1:A:637:ARG:NH1	1:A:643:GLY:O	2.50	0.42
1:A:416:ILE:HD11	1:A:566:THR:CG2	2.51	0.41
1:A:308:PRO:HB3	1:A:764:LEU:HD23	2.02	0.41
1:A:342:LEU:HG	1:A:716:ILE:HD13	2.02	0.41
1:A:712:LYS:HG3	1:A:730:ALA:HB1	2.03	0.41
1:A:491:ARG:HB3	1:A:491:ARG:HE	1.57	0.41
1:A:342:LEU:HD23	1:A:342:LEU:HA	1.97	0.41
1:A:266:LEU:HD11	6:A:1010:PCW:C12	2.51	0.40
1:A:529:ARG:HG2	1:A:592:THR:HG22	2.04	0.40
1:A:53:VAL:HG22	1:A:106:VAL:HG21	2.03	0.40
1:A:491:ARG:HD2	1:A:588:GLU:OE2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	993/995 (100%)	944 (95%)	49 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	840/840 (100%)	840 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 52 ligands modelled in this entry, 4 are monoatomic - leaving 48 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PCW	A	1048	-	21,21,53	0.70	0	27,29,61	1.03	1 (3%)
6	PCW	A	1020	-	21,21,53	0.75	0	27,29,61	1.03	1 (3%)
6	PCW	A	1049	-	21,21,53	0.87	1 (4%)	27,29,61	1.02	1 (3%)
6	PCW	A	1023	-	21,21,53	0.84	1 (4%)	27,29,61	1.13	2 (7%)
6	PCW	A	1039	-	21,21,53	0.89	0	27,29,61	1.04	1 (3%)
6	PCW	A	1014	-	21,21,53	0.90	0	27,29,61	1.04	1 (3%)
6	PCW	A	1038	-	21,21,53	0.77	0	27,29,61	1.04	1 (3%)
6	PCW	A	1036	-	21,21,53	0.85	1 (4%)	27,29,61	1.08	2 (7%)
6	PCW	A	1044	-	21,21,53	0.96	0	27,29,61	1.13	2 (7%)
4	ALF	A	1004	-	0,4,4	0.00	-	-	-	-
6	PCW	A	1011	-	21,21,53	0.73	0	27,29,61	1.05	1 (3%)
6	PCW	A	1052	-	21,21,53	0.64	0	27,29,61	1.03	1 (3%)
6	PCW	A	1018	-	21,21,53	0.94	0	27,29,61	1.05	2 (7%)
6	PCW	A	1042	-	21,21,53	0.62	0	27,29,61	1.04	1 (3%)
6	PCW	A	1024	-	21,21,53	0.94	0	27,29,61	1.14	2 (7%)
6	PCW	A	1013	-	21,21,53	0.79	0	27,29,61	1.01	1 (3%)
6	PCW	A	1015	-	21,21,53	0.63	0	27,29,61	1.01	1 (3%)
6	PCW	A	1012	-	21,21,53	0.82	1 (4%)	27,29,61	1.03	2 (7%)
6	PCW	A	1032	-	21,21,53	0.93	0	27,29,61	1.11	2 (7%)
5	ADP	A	1006	3	24,29,29	0.95	1 (4%)	29,45,45	1.30	4 (13%)
6	PCW	A	1029	-	21,21,53	0.74	0	27,29,61	1.15	2 (7%)
6	PCW	A	1045	-	21,21,53	0.80	0	27,29,61	1.00	1 (3%)
6	PCW	A	1028	-	21,21,53	0.81	0	27,29,61	1.11	2 (7%)
6	PCW	A	1008	-	21,21,53	0.75	1 (4%)	27,29,61	1.02	1 (3%)
6	PCW	A	1035	-	21,21,53	0.66	0	27,29,61	1.03	1 (3%)
6	PCW	A	1007	-	21,21,53	0.88	0	27,29,61	1.08	2 (7%)
6	PCW	A	1047	-	21,21,53	0.77	0	27,29,61	1.06	0
6	PCW	A	1040	-	21,21,53	0.79	0	27,29,61	1.06	1 (3%)
6	PCW	A	1022	-	21,21,53	0.77	0	27,29,61	2.43	3 (11%)
6	PCW	A	1034	-	21,21,53	0.85	0	27,29,61	1.11	2 (7%)
6	PCW	A	1026	-	21,21,53	0.92	0	27,29,61	1.07	0
6	PCW	A	1037	-	21,21,53	0.69	0	27,29,61	1.12	2 (7%)
6	PCW	A	1027	-	21,21,53	0.62	0	27,29,61	1.01	1 (3%)
6	PCW	A	1031	-	21,21,53	0.81	0	27,29,61	1.07	1 (3%)
6	PCW	A	1033	-	21,21,53	0.77	0	27,29,61	1.01	1 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PCW	A	1041	-	21,21,53	0.81	0	27,29,61	1.06	1 (3%)
6	PCW	A	1050	-	21,21,53	0.79	0	27,29,61	1.03	1 (3%)
6	PCW	A	1010	-	21,21,53	0.73	0	27,29,61	1.03	1 (3%)
6	PCW	A	1051	-	21,21,53	0.76	0	27,29,61	1.06	1 (3%)
6	PCW	A	1009	-	21,21,53	0.72	0	27,29,61	1.03	1 (3%)
6	PCW	A	1046	-	21,21,53	1.04	0	27,29,61	1.13	2 (7%)
6	PCW	A	1043	-	21,21,53	0.78	0	27,29,61	1.03	1 (3%)
6	PCW	A	1021	-	21,21,53	0.82	0	27,29,61	0.98	1 (3%)
6	PCW	A	1030	-	21,21,53	0.80	1 (4%)	27,29,61	1.03	1 (3%)
6	PCW	A	1017	-	21,21,53	0.89	0	27,29,61	1.14	2 (7%)
6	PCW	A	1025	-	21,21,53	0.93	0	27,29,61	1.07	2 (7%)
6	PCW	A	1019	-	21,21,53	0.63	0	27,29,61	1.06	1 (3%)
6	PCW	A	1016	-	21,21,53	0.89	1 (4%)	27,29,61	1.03	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PCW	A	1048	-	-	9/23/23/57	-
6	PCW	A	1020	-	-	4/23/23/57	-
6	PCW	A	1049	-	-	9/23/23/57	-
6	PCW	A	1023	-	-	9/23/23/57	-
6	PCW	A	1039	-	-	8/23/23/57	-
6	PCW	A	1014	-	-	8/23/23/57	-
6	PCW	A	1038	-	-	6/23/23/57	-
6	PCW	A	1036	-	-	9/23/23/57	-
6	PCW	A	1044	-	-	6/23/23/57	-
6	PCW	A	1011	-	-	6/23/23/57	-
6	PCW	A	1052	-	-	9/23/23/57	-
6	PCW	A	1018	-	-	6/23/23/57	-
6	PCW	A	1042	-	-	7/23/23/57	-
6	PCW	A	1024	-	-	7/23/23/57	-
6	PCW	A	1013	-	-	6/23/23/57	-
6	PCW	A	1015	-	-	6/23/23/57	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PCW	A	1012	-	-	8/23/23/57	-
6	PCW	A	1032	-	-	9/23/23/57	-
5	ADP	A	1006	3	-	5/12/32/32	0/3/3/3
6	PCW	A	1029	-	-	9/23/23/57	-
6	PCW	A	1045	-	-	4/23/23/57	-
6	PCW	A	1028	-	-	7/23/23/57	-
6	PCW	A	1008	-	-	11/23/23/57	-
6	PCW	A	1035	-	-	5/23/23/57	-
6	PCW	A	1007	-	-	5/23/23/57	-
6	PCW	A	1047	-	-	8/23/23/57	-
6	PCW	A	1040	-	-	7/23/23/57	-
6	PCW	A	1022	-	-	10/23/23/57	-
6	PCW	A	1034	-	-	9/23/23/57	-
6	PCW	A	1026	-	-	7/23/23/57	-
6	PCW	A	1037	-	-	8/23/23/57	-
6	PCW	A	1027	-	-	5/23/23/57	-
6	PCW	A	1031	-	-	6/23/23/57	-
6	PCW	A	1033	-	-	7/23/23/57	-
6	PCW	A	1041	-	-	5/23/23/57	-
6	PCW	A	1050	-	-	10/23/23/57	-
6	PCW	A	1010	-	-	3/23/23/57	-
6	PCW	A	1051	-	-	12/23/23/57	-
6	PCW	A	1009	-	-	5/23/23/57	-
6	PCW	A	1046	-	-	7/23/23/57	-
6	PCW	A	1043	-	-	8/23/23/57	-
6	PCW	A	1021	-	-	10/23/23/57	-
6	PCW	A	1030	-	-	4/23/23/57	-
6	PCW	A	1017	-	-	7/23/23/57	-
6	PCW	A	1025	-	-	8/23/23/57	-
6	PCW	A	1019	-	-	6/23/23/57	-
6	PCW	A	1016	-	-	7/23/23/57	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1006	ADP	C5-C4	2.45	1.47	1.40
6	A	1012	PCW	C5-C4	2.25	1.58	1.51
6	A	1008	PCW	P-O2P	2.11	1.58	1.50
6	A	1023	PCW	P-O2P	2.08	1.58	1.50
6	A	1016	PCW	C5-C4	2.06	1.57	1.51
6	A	1030	PCW	P-O2P	2.06	1.58	1.50
6	A	1036	PCW	C3-C2	2.03	1.56	1.50
6	A	1049	PCW	P-O2P	2.00	1.58	1.50

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1022	PCW	O11-C11-C12	-11.36	83.45	124.81
6	A	1029	PCW	C2-O2-C31	3.08	123.64	117.90
5	A	1006	ADP	N3-C2-N1	-3.07	123.89	128.68
5	A	1006	ADP	C3'-C2'-C1'	3.03	105.55	100.98
6	A	1046	PCW	C2-O2-C31	2.97	123.44	117.90
6	A	1024	PCW	C2-O2-C31	2.97	123.43	117.90
6	A	1037	PCW	P-O3P-C1	-2.84	105.05	121.68
6	A	1044	PCW	C2-O2-C31	2.79	123.10	117.90
6	A	1023	PCW	C2-O2-C31	2.78	123.08	117.90
6	A	1040	PCW	P-O3P-C1	-2.75	105.56	121.68
6	A	1017	PCW	C3-O3-C11	2.72	123.94	117.10
6	A	1022	PCW	O3-C11-C12	-2.71	100.54	112.38
6	A	1032	PCW	C2-O2-C31	2.70	122.93	117.90
6	A	1024	PCW	P-O3P-C1	-2.65	106.16	121.68
5	A	1006	ADP	C4-C5-N7	-2.62	106.67	109.40
6	A	1038	PCW	P-O3P-C1	-2.59	106.47	121.68
6	A	1031	PCW	P-O3P-C1	-2.59	106.48	121.68
6	A	1034	PCW	C2-O2-C31	2.59	122.72	117.90
6	A	1044	PCW	P-O3P-C1	-2.56	106.64	121.68
6	A	1017	PCW	P-O3P-C1	-2.55	106.70	121.68
6	A	1019	PCW	P-O3P-C1	-2.51	106.96	121.68
6	A	1042	PCW	P-O3P-C1	-2.51	106.98	121.68
6	A	1009	PCW	P-O3P-C1	-2.50	107.01	121.68
6	A	1041	PCW	P-O3P-C1	-2.48	107.12	121.68
6	A	1023	PCW	P-O3P-C1	-2.48	107.12	121.68
6	A	1029	PCW	P-O3P-C1	-2.46	107.24	121.68
6	A	1018	PCW	C2-O2-C31	2.46	122.48	117.90
6	A	1021	PCW	P-O3P-C1	-2.44	107.38	121.68
6	A	1036	PCW	C2-O2-C31	2.44	122.44	117.90
6	A	1011	PCW	P-O3P-C1	-2.43	107.42	121.68
6	A	1007	PCW	P-O3P-C1	-2.42	107.48	121.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1016	PCW	P-O3P-C1	-2.40	107.63	121.68
6	A	1035	PCW	P-O3P-C1	-2.38	107.71	121.68
6	A	1052	PCW	P-O3P-C1	-2.38	107.75	121.68
6	A	1007	PCW	C2-O2-C31	2.36	122.30	117.90
6	A	1045	PCW	P-O3P-C1	-2.36	107.82	121.68
5	A	1006	ADP	PA-O3A-PB	-2.35	124.76	132.83
6	A	1048	PCW	P-O3P-C1	-2.34	107.98	121.68
6	A	1046	PCW	P-O3P-C1	-2.33	108.02	121.68
6	A	1030	PCW	P-O3P-C1	-2.33	108.04	121.68
6	A	1051	PCW	P-O3P-C1	-2.29	108.24	121.68
6	A	1020	PCW	P-O3P-C1	-2.28	108.33	121.68
6	A	1027	PCW	P-O3P-C1	-2.26	108.42	121.68
6	A	1008	PCW	P-O3P-C1	-2.26	108.42	121.68
6	A	1043	PCW	P-O3P-C1	-2.26	108.42	121.68
6	A	1032	PCW	P-O3P-C1	-2.25	108.48	121.68
6	A	1013	PCW	P-O3P-C1	-2.24	108.57	121.68
6	A	1028	PCW	P-O3P-C1	-2.23	108.59	121.68
6	A	1049	PCW	P-O3P-C1	-2.22	108.64	121.68
6	A	1028	PCW	C2-O2-C31	2.21	122.02	117.90
6	A	1037	PCW	C2-O2-C31	2.20	122.00	117.90
6	A	1034	PCW	P-O3P-C1	-2.20	108.78	121.68
6	A	1025	PCW	P-O3P-C1	-2.20	108.79	121.68
6	A	1036	PCW	P-O3P-C1	-2.17	108.96	121.68
6	A	1022	PCW	P-O3P-C1	-2.16	109.00	121.68
6	A	1033	PCW	P-O3P-C1	-2.14	109.12	121.68
6	A	1015	PCW	P-O3P-C1	-2.14	109.14	121.68
6	A	1018	PCW	P-O3P-C1	-2.11	109.30	121.68
6	A	1014	PCW	P-O3P-C1	-2.11	109.33	121.68
6	A	1025	PCW	C2-O2-C31	2.09	121.79	117.90
6	A	1012	PCW	C2-O2-C31	2.08	121.77	117.90
6	A	1039	PCW	P-O3P-C1	-2.08	109.49	121.68
6	A	1050	PCW	P-O3P-C1	-2.05	109.68	121.68
6	A	1012	PCW	P-O3P-C1	-2.04	109.74	121.68
6	A	1010	PCW	P-O3P-C1	-2.01	109.90	121.68

There are no chirality outliers.

All (337) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1049	PCW	C1-O3P-P-O1P
6	A	1049	PCW	C1-O3P-P-O2P
6	A	1049	PCW	C1-O3P-P-O4P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1044	PCW	C1-O3P-P-O1P
6	A	1040	PCW	C32-C31-O2-C2
6	A	1040	PCW	O31-C31-O2-C2
6	A	1052	PCW	C1-O3P-P-O2P
6	A	1022	PCW	O4P-C4-C5-N
6	A	1011	PCW	O2-C2-C3-O3
6	A	1036	PCW	O3P-C1-C2-O2
6	A	1036	PCW	O4P-C4-C5-N
6	A	1024	PCW	C1-O3P-P-O1P
6	A	1013	PCW	C1-O3P-P-O2P
6	A	1012	PCW	C32-C31-O2-C2
6	A	1032	PCW	C32-C31-O2-C2
5	A	1006	ADP	C5'-O5'-PA-O2A
6	A	1029	PCW	O4P-C4-C5-N
6	A	1008	PCW	C1-O3P-P-O2P
6	A	1035	PCW	O4P-C4-C5-N
6	A	1033	PCW	C32-C31-O2-C2
6	A	1033	PCW	O31-C31-O2-C2
6	A	1007	PCW	O4P-C4-C5-N
6	A	1047	PCW	C1-O3P-P-O4P
6	A	1034	PCW	C32-C31-O2-C2
6	A	1045	PCW	C1-O3P-P-O1P
6	A	1050	PCW	C12-C11-O3-C3
6	A	1050	PCW	C32-C31-O2-C2
6	A	1050	PCW	O31-C31-O2-C2
6	A	1051	PCW	C1-O3P-P-O4P
6	A	1021	PCW	C32-C31-O2-C2
6	A	1021	PCW	C1-O3P-P-O2P
6	A	1021	PCW	C1-O3P-P-O4P
6	A	1030	PCW	O2-C2-C3-O3
6	A	1017	PCW	O4P-C4-C5-N
6	A	1017	PCW	C1-O3P-P-O2P
6	A	1025	PCW	O2-C2-C3-O3
6	A	1025	PCW	C1-O3P-P-O1P
6	A	1019	PCW	C1-O3P-P-O4P
6	A	1016	PCW	C1-O3P-P-O2P
6	A	1048	PCW	C32-C31-O2-C2
6	A	1044	PCW	C32-C31-O2-C2
6	A	1051	PCW	C32-C31-O2-C2
6	A	1048	PCW	O31-C31-O2-C2
6	A	1044	PCW	O31-C31-O2-C2
6	A	1012	PCW	O31-C31-O2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1032	PCW	O31-C31-O2-C2
6	A	1034	PCW	O31-C31-O2-C2
6	A	1051	PCW	O31-C31-O2-C2
6	A	1021	PCW	O31-C31-O2-C2
6	A	1040	PCW	O11-C11-O3-C3
6	A	1040	PCW	C12-C11-O3-C3
6	A	1032	PCW	C12-C11-O3-C3
6	A	1034	PCW	C12-C11-O3-C3
6	A	1008	PCW	C32-C31-O2-C2
6	A	1021	PCW	O11-C11-O3-C3
6	A	1052	PCW	C12-C11-O3-C3
6	A	1032	PCW	O11-C11-O3-C3
6	A	1051	PCW	O11-C11-O3-C3
6	A	1021	PCW	C12-C11-O3-C3
6	A	1034	PCW	O11-C11-O3-C3
6	A	1008	PCW	C12-C11-O3-C3
6	A	1050	PCW	O11-C11-O3-C3
6	A	1051	PCW	C12-C11-O3-C3
6	A	1052	PCW	O11-C11-O3-C3
6	A	1022	PCW	O11-C11-O3-C3
6	A	1038	PCW	C12-C11-O3-C3
6	A	1022	PCW	C12-C11-O3-C3
6	A	1008	PCW	O31-C31-O2-C2
6	A	1008	PCW	O11-C11-O3-C3
6	A	1028	PCW	O3P-C1-C2-O2
6	A	1038	PCW	O11-C11-O3-C3
6	A	1044	PCW	C1-O3P-P-O4P
6	A	1011	PCW	C1-O3P-P-O4P
6	A	1012	PCW	C1-O3P-P-O4P
6	A	1045	PCW	C1-O3P-P-O4P
6	A	1047	PCW	O3P-C1-C2-O2
6	A	1017	PCW	C12-C11-O3-C3
6	A	1040	PCW	C1-O3P-P-O4P
6	A	1036	PCW	O3P-C1-C2-C3
6	A	1042	PCW	O3P-C1-C2-C3
6	A	1026	PCW	O3P-C1-C2-C3
6	A	1028	PCW	O3P-C1-C2-C3
6	A	1048	PCW	C1-C2-C3-O3
6	A	1052	PCW	C1-C2-C3-O3
6	A	1036	PCW	C1-C2-C3-O3
6	A	1034	PCW	C1-C2-C3-O3
6	A	1031	PCW	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1015	PCW	C1-C2-C3-O3
6	A	1051	PCW	C1-C2-C3-O3
6	A	1017	PCW	C1-C2-C3-O3
6	A	1025	PCW	C1-C2-C3-O3
6	A	1024	PCW	C3-C2-O2-C31
6	A	1029	PCW	C3-C2-O2-C31
6	A	1049	PCW	O3P-C1-C2-O2
6	A	1025	PCW	O3P-C1-C2-O2
6	A	1049	PCW	O2-C2-C3-O3
6	A	1024	PCW	O2-C2-C3-O3
6	A	1029	PCW	O2-C2-C3-O3
6	A	1013	PCW	O3P-C1-C2-C3
6	A	1029	PCW	O3P-C1-C2-C3
6	A	1037	PCW	O3P-C1-C2-C3
6	A	1025	PCW	O3P-C1-C2-C3
6	A	1014	PCW	C1-C2-C3-O3
6	A	1038	PCW	C1-C2-C3-O3
6	A	1022	PCW	C1-C2-C3-O3
6	A	1011	PCW	C1-C2-C3-O3
6	A	1042	PCW	C1-C2-C3-O3
6	A	1024	PCW	C1-C2-C3-O3
6	A	1032	PCW	C1-C2-C3-O3
6	A	1047	PCW	C1-C2-C3-O3
6	A	1027	PCW	C1-C2-C3-O3
6	A	1043	PCW	C1-C2-C3-O3
6	A	1028	PCW	C1-C2-C3-O3
6	A	1030	PCW	C1-C2-C3-O3
6	A	1019	PCW	C1-C2-C3-O3
6	A	1018	PCW	O3P-C1-C2-O2
6	A	1042	PCW	O2-C2-C3-O3
6	A	1034	PCW	O2-C2-C3-O3
6	A	1015	PCW	O2-C2-C3-O3
6	A	1051	PCW	O2-C2-C3-O3
6	A	1028	PCW	O2-C2-C3-O3
5	A	1006	ADP	PB-O3A-PA-O5'
6	A	1048	PCW	O3P-C1-C2-C3
6	A	1014	PCW	O3P-C1-C2-C3
6	A	1035	PCW	O3P-C1-C2-C3
6	A	1050	PCW	O3P-C1-C2-C3
6	A	1021	PCW	O3P-C1-C2-C3
6	A	1036	PCW	C3-C2-O2-C31
6	A	1046	PCW	C3-C2-O2-C31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1046	PCW	C1-C2-C3-O3
6	A	1008	PCW	C1-C2-C3-O3
6	A	1041	PCW	C1-C2-C3-O3
6	A	1048	PCW	O3P-C1-C2-O2
6	A	1039	PCW	O3P-C1-C2-O2
6	A	1014	PCW	O3P-C1-C2-O2
6	A	1022	PCW	O3P-C1-C2-O2
6	A	1042	PCW	O3P-C1-C2-O2
6	A	1012	PCW	O3P-C1-C2-O2
6	A	1023	PCW	O3P-C1-C2-O2
6	A	1035	PCW	O3P-C1-C2-O2
6	A	1026	PCW	O3P-C1-C2-O2
6	A	1050	PCW	O3P-C1-C2-O2
6	A	1051	PCW	O3P-C1-C2-O2
6	A	1048	PCW	O2-C2-C3-O3
6	A	1014	PCW	O2-C2-C3-O3
6	A	1022	PCW	O2-C2-C3-O3
6	A	1032	PCW	O2-C2-C3-O3
6	A	1023	PCW	O2-C2-C3-O3
6	A	1047	PCW	O2-C2-C3-O3
6	A	1026	PCW	O2-C2-C3-O3
5	A	1006	ADP	C5'-O5'-PA-O3A
6	A	1008	PCW	C1-O3P-P-O4P
6	A	1017	PCW	C1-O3P-P-O4P
6	A	1016	PCW	C1-O3P-P-O4P
6	A	1011	PCW	C1-O3P-P-O2P
6	A	1018	PCW	C1-O3P-P-O1P
6	A	1024	PCW	C1-O3P-P-O2P
6	A	1012	PCW	C1-O3P-P-O2P
5	A	1006	ADP	C5'-O5'-PA-O1A
6	A	1047	PCW	C1-O3P-P-O1P
6	A	1051	PCW	C1-O3P-P-O1P
6	A	1019	PCW	C1-O3P-P-O1P
6	A	1020	PCW	O3P-C1-C2-C3
6	A	1039	PCW	O3P-C1-C2-C3
6	A	1018	PCW	O3P-C1-C2-C3
6	A	1012	PCW	O3P-C1-C2-C3
6	A	1008	PCW	O3P-C1-C2-C3
6	A	1043	PCW	O3P-C1-C2-C3
6	A	1051	PCW	O3P-C1-C2-C3
6	A	1013	PCW	O3P-C1-C2-O2
6	A	1029	PCW	O3P-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1008	PCW	O3P-C1-C2-O2
6	A	1037	PCW	O3P-C1-C2-O2
6	A	1043	PCW	O3P-C1-C2-O2
6	A	1021	PCW	O3P-C1-C2-O2
6	A	1048	PCW	O4P-C4-C5-N
6	A	1049	PCW	C1-C2-C3-O3
6	A	1049	PCW	O4P-C4-C5-N
6	A	1044	PCW	O4P-C4-C5-N
6	A	1039	PCW	O4P-C4-C5-N
6	A	1014	PCW	O4P-C4-C5-N
6	A	1038	PCW	O4P-C4-C5-N
6	A	1040	PCW	O4P-C4-C5-N
6	A	1052	PCW	O4P-C4-C5-N
6	A	1011	PCW	O4P-C4-C5-N
6	A	1018	PCW	O4P-C4-C5-N
6	A	1042	PCW	O4P-C4-C5-N
6	A	1013	PCW	O4P-C4-C5-N
6	A	1012	PCW	O4P-C4-C5-N
6	A	1032	PCW	O4P-C4-C5-N
6	A	1023	PCW	O4P-C4-C5-N
6	A	1046	PCW	O4P-C4-C5-N
6	A	1008	PCW	O4P-C4-C5-N
6	A	1033	PCW	O4P-C4-C5-N
6	A	1047	PCW	O4P-C4-C5-N
6	A	1026	PCW	C1-C2-C3-O3
6	A	1026	PCW	O4P-C4-C5-N
6	A	1034	PCW	O4P-C4-C5-N
6	A	1037	PCW	O4P-C4-C5-N
6	A	1045	PCW	O4P-C4-C5-N
6	A	1027	PCW	O4P-C4-C5-N
6	A	1031	PCW	O4P-C4-C5-N
6	A	1015	PCW	O4P-C4-C5-N
6	A	1041	PCW	O4P-C4-C5-N
6	A	1050	PCW	O4P-C4-C5-N
6	A	1043	PCW	O4P-C4-C5-N
6	A	1010	PCW	O4P-C4-C5-N
6	A	1051	PCW	O4P-C4-C5-N
6	A	1009	PCW	O4P-C4-C5-N
6	A	1028	PCW	O4P-C4-C5-N
6	A	1021	PCW	O4P-C4-C5-N
6	A	1025	PCW	O4P-C4-C5-N
6	A	1019	PCW	O4P-C4-C5-N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1016	PCW	O4P-C4-C5-N
6	A	1038	PCW	O2-C2-C3-O3
6	A	1052	PCW	O2-C2-C3-O3
6	A	1036	PCW	O2-C2-C3-O3
6	A	1046	PCW	O2-C2-C3-O3
6	A	1033	PCW	O2-C2-C3-O3
6	A	1041	PCW	O2-C2-C3-O3
6	A	1019	PCW	O2-C2-C3-O3
6	A	1007	PCW	C1-C2-O2-C31
6	A	1047	PCW	O3P-C1-C2-C3
6	A	1034	PCW	O3P-C1-C2-O2
6	A	1020	PCW	O2-C2-C3-O3
6	A	1031	PCW	O2-C2-C3-O3
6	A	1043	PCW	O2-C2-C3-O3
6	A	1048	PCW	C1-O3P-P-O4P
6	A	1048	PCW	C4-O4P-P-O3P
6	A	1020	PCW	C1-O3P-P-O4P
6	A	1020	PCW	C4-O4P-P-O3P
6	A	1049	PCW	C4-O4P-P-O3P
6	A	1044	PCW	C4-O4P-P-O3P
6	A	1039	PCW	C1-O3P-P-O4P
6	A	1039	PCW	C4-O4P-P-O3P
6	A	1014	PCW	C1-O3P-P-O4P
6	A	1014	PCW	C4-O4P-P-O3P
6	A	1038	PCW	C4-O4P-P-O3P
6	A	1040	PCW	C4-O4P-P-O3P
6	A	1052	PCW	C1-O3P-P-O4P
6	A	1052	PCW	C4-O4P-P-O3P
6	A	1022	PCW	C1-O3P-P-O4P
6	A	1022	PCW	C4-O4P-P-O3P
6	A	1011	PCW	C4-O4P-P-O3P
6	A	1036	PCW	C1-O3P-P-O4P
6	A	1036	PCW	C4-O4P-P-O3P
6	A	1018	PCW	C4-O4P-P-O3P
6	A	1042	PCW	C1-O3P-P-O4P
6	A	1042	PCW	C4-O4P-P-O3P
6	A	1024	PCW	C1-O3P-P-O4P
6	A	1024	PCW	C4-O4P-P-O3P
6	A	1013	PCW	C1-O3P-P-O4P
6	A	1013	PCW	C4-O4P-P-O3P
6	A	1012	PCW	C4-O4P-P-O3P
6	A	1032	PCW	C1-O3P-P-O4P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1032	PCW	C4-O4P-P-O3P
6	A	1029	PCW	C1-O3P-P-O4P
6	A	1029	PCW	C4-O4P-P-O3P
6	A	1023	PCW	C1-O3P-P-O4P
6	A	1023	PCW	C4-O4P-P-O3P
6	A	1046	PCW	C1-O3P-P-O4P
6	A	1046	PCW	C4-O4P-P-O3P
6	A	1008	PCW	C4-O4P-P-O3P
6	A	1035	PCW	C1-O3P-P-O4P
6	A	1035	PCW	C4-O4P-P-O3P
6	A	1033	PCW	C1-O3P-P-O4P
6	A	1033	PCW	C4-O4P-P-O3P
6	A	1007	PCW	C1-O3P-P-O4P
6	A	1007	PCW	C4-O4P-P-O3P
6	A	1047	PCW	C4-O4P-P-O3P
6	A	1026	PCW	C1-O3P-P-O4P
6	A	1026	PCW	C4-O4P-P-O3P
6	A	1034	PCW	C4-O4P-P-O3P
6	A	1037	PCW	C1-O3P-P-O4P
6	A	1037	PCW	C4-O4P-P-O3P
6	A	1045	PCW	C4-O4P-P-O3P
6	A	1027	PCW	C1-O3P-P-O4P
6	A	1027	PCW	C4-O4P-P-O3P
6	A	1031	PCW	C1-O3P-P-O4P
6	A	1031	PCW	C4-O4P-P-O3P
6	A	1015	PCW	C1-O3P-P-O4P
6	A	1015	PCW	C4-O4P-P-O3P
6	A	1041	PCW	C1-O3P-P-O4P
6	A	1041	PCW	C4-O4P-P-O3P
6	A	1050	PCW	C1-O3P-P-O4P
6	A	1050	PCW	C4-O4P-P-O3P
6	A	1043	PCW	C1-O3P-P-O4P
6	A	1043	PCW	C4-O4P-P-O3P
6	A	1010	PCW	C1-O3P-P-O4P
6	A	1010	PCW	C4-O4P-P-O3P
6	A	1051	PCW	C4-O4P-P-O3P
6	A	1009	PCW	C1-O3P-P-O4P
6	A	1009	PCW	C4-O4P-P-O3P
6	A	1028	PCW	C1-O3P-P-O4P
6	A	1028	PCW	C4-O4P-P-O3P
6	A	1021	PCW	C4-O4P-P-O3P
6	A	1030	PCW	C1-O3P-P-O4P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	A	1030	PCW	C4-O4P-P-O3P
6	A	1017	PCW	C4-O4P-P-O3P
6	A	1025	PCW	C4-O4P-P-O3P
6	A	1019	PCW	C4-O4P-P-O3P
6	A	1016	PCW	C4-O4P-P-O3P
6	A	1049	PCW	O3P-C1-C2-C3
6	A	1017	PCW	O11-C11-O3-C3
6	A	1016	PCW	O2-C2-C3-O3
6	A	1029	PCW	C1-C2-C3-O3
6	A	1037	PCW	C1-C2-O2-C31
6	A	1016	PCW	C1-C2-O2-C31
6	A	1016	PCW	C3-C2-O2-C31
6	A	1052	PCW	O3P-C1-C2-C3
6	A	1022	PCW	O3P-C1-C2-C3
6	A	1027	PCW	O2-C2-C3-O3
6	A	1009	PCW	C1-C2-C3-O3
6	A	1023	PCW	C1-C2-O2-C31
6	A	1023	PCW	C1-C2-C3-O3
6	A	1033	PCW	C1-C2-C3-O3
6	A	1023	PCW	O3P-C1-C2-C3
6	A	1039	PCW	O2-C2-C3-O3
6	A	1050	PCW	O2-C2-C3-O3
5	A	1006	ADP	PB-O3A-PA-O2A
6	A	1039	PCW	C1-C2-C3-O3
6	A	1039	PCW	C1-O3P-P-O2P
6	A	1014	PCW	C1-O3P-P-O2P
6	A	1022	PCW	C1-O3P-P-O2P
6	A	1036	PCW	C1-O3P-P-O2P
6	A	1018	PCW	C1-O3P-P-O2P
6	A	1029	PCW	C1-O3P-P-O2P
6	A	1023	PCW	C1-O3P-P-O2P
6	A	1046	PCW	C1-O3P-P-O2P
6	A	1007	PCW	C1-O3P-P-O2P
6	A	1037	PCW	C1-O3P-P-O2P
6	A	1031	PCW	C1-O3P-P-O2P
6	A	1015	PCW	C1-O3P-P-O2P
6	A	1043	PCW	C1-O3P-P-O2P
6	A	1009	PCW	C1-O3P-P-O2P
6	A	1025	PCW	C1-O3P-P-O2P
6	A	1037	PCW	C3-C2-O2-C31

There are no ring outliers.


12 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1023	PCW	7	0
6	A	1024	PCW	2	0
6	A	1032	PCW	2	0
6	A	1045	PCW	1	0
6	A	1008	PCW	1	0
6	A	1040	PCW	1	0
6	A	1050	PCW	1	0
6	A	1010	PCW	1	0
6	A	1046	PCW	11	0
6	A	1021	PCW	1	0
6	A	1030	PCW	1	0
6	A	1017	PCW	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand PCW A 1020




Ligand PCW A 1049




Ligand PCW A 1023




Ligand PCW A 1039




Ligand PCW A 1014




Ligand PCW A 1038




Ligand PCW A 1036




Ligand PCW A 1044




Ligand PCW A 1011




Ligand PCW A 1052




Ligand PCW A 1018




Ligand PCW A 1042




Ligand PCW A 1024




Ligand PCW A 1013




Ligand PCW A 1015




Ligand PCW A 1012




Ligand PCW A 1032




Ligand ADP A 1006




Ligand PCW A 1029




Ligand PCW A 1045




Ligand PCW A 1028




Ligand PCW A 1008




Ligand PCW A 1035




Ligand PCW A 1007




Ligand PCW A 1047




Ligand PCW A 1040




Ligand PCW A 1022




Ligand PCW A 1034




Ligand PCW A 1026




Ligand PCW A 1037




Ligand PCW A 1027




Ligand PCW A 1031




Ligand PCW A 1033




Ligand PCW A 1041




Ligand PCW A 1050




Ligand PCW A 1010




Ligand PCW A 1051




Ligand PCW A 1009




Ligand PCW A 1046




Ligand PCW A 1043




Ligand PCW A 1021




Ligand PCW A 1030




Ligand PCW A 1017



Ligand PCW A 1025





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	994/995 (99%)	-0.14	29 (2%)	51	36	28, 84, 193, 539	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	507	ALA	7.2
1	A	89	VAL	4.8
1	A	840	ILE	4.7
1	A	266	LEU	4.0
1	A	980	LEU	4.0
1	A	882	HIS	4.0
1	A	92	PHE	4.0
1	A	971	LEU	3.9
1	A	94	ILE	3.8
1	A	842	GLY	3.5
1	A	504	SER	3.4
1	A	904	LEU	3.1
1	A	88	PHE	3.1
1	A	273	LEU	3.0
1	A	267	ILE	3.0
1	A	67	LEU	3.0
1	A	839	ALA	2.9
1	A	844	VAL	2.9
1	A	270	ALA	2.9
1	A	69	ALA	2.8
1	A	44	GLU	2.5
1	A	803	PRO	2.4
1	A	77	TRP	2.4
1	A	71	ILE	2.4
1	A	66	LEU	2.3
1	A	268	CYS	2.3
1	A	776	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	907	ILE	2.2
1	A	73	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	PCW	A	1015	22/54	0.13	1.69	241,241,241,241	0
6	PCW	A	1037	22/54	0.19	0.81	230,230,230,230	0
6	PCW	A	1040	22/54	0.22	1.11	231,231,231,231	0
6	PCW	A	1036	22/54	0.24	0.74	228,228,228,228	0
6	PCW	A	1045	22/54	0.26	1.66	285,285,285,285	0
6	PCW	A	1007	22/54	0.26	0.76	250,250,250,250	0
6	PCW	A	1022	22/54	0.30	0.53	227,227,227,227	0
6	PCW	A	1019	22/54	0.30	0.78	268,268,268,268	0
6	PCW	A	1016	22/54	0.30	0.67	213,213,213,213	0
6	PCW	A	1052	22/54	0.32	0.83	282,282,282,282	0
6	PCW	A	1042	22/54	0.32	0.54	249,249,249,249	0
6	PCW	A	1030	22/54	0.33	0.73	285,285,285,285	0
6	PCW	A	1046	22/54	0.35	0.97	236,236,236,236	0
6	PCW	A	1024	22/54	0.35	0.95	253,253,253,253	0
6	PCW	A	1021	22/54	0.37	0.56	246,246,246,246	0
6	PCW	A	1008	22/54	0.38	0.95	243,243,243,243	0
6	PCW	A	1013	22/54	0.39	0.54	299,299,299,299	0
6	PCW	A	1025	22/54	0.40	0.77	208,208,208,208	0
6	PCW	A	1031	22/54	0.42	0.45	257,257,257,257	0
6	PCW	A	1039	22/54	0.43	0.48	249,249,249,249	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	PCW	A	1011	22/54	0.43	0.34	212,212,212,212	0
6	PCW	A	1028	22/54	0.47	0.42	225,225,225,225	0
6	PCW	A	1033	22/54	0.47	0.41	267,267,267,267	0
6	PCW	A	1049	22/54	0.48	0.65	276,276,276,276	0
6	PCW	A	1041	22/54	0.48	0.65	218,218,218,218	0
6	PCW	A	1023	22/54	0.48	0.29	231,231,231,231	0
6	PCW	A	1034	22/54	0.48	0.74	269,269,269,269	0
6	PCW	A	1044	22/54	0.53	0.54	235,235,235,235	0
6	PCW	A	1026	22/54	0.53	0.39	217,217,217,217	0
6	PCW	A	1047	22/54	0.54	0.54	200,200,200,200	0
6	PCW	A	1035	22/54	0.54	0.66	223,223,223,223	0
6	PCW	A	1032	22/54	0.55	0.84	215,215,215,215	0
6	PCW	A	1029	22/54	0.58	0.41	213,213,213,213	0
6	PCW	A	1027	22/54	0.60	0.31	223,223,223,223	0
6	PCW	A	1050	22/54	0.62	0.26	237,237,237,237	0
6	PCW	A	1048	22/54	0.67	0.47	266,266,266,266	0
6	PCW	A	1009	22/54	0.67	0.42	235,235,235,235	0
6	PCW	A	1017	22/54	0.69	0.28	126,126,126,126	0
6	PCW	A	1038	22/54	0.69	0.33	239,239,239,239	0
6	PCW	A	1020	22/54	0.70	0.20	241,241,241,241	0
6	PCW	A	1043	22/54	0.70	0.60	223,223,223,223	0
6	PCW	A	1018	22/54	0.71	0.39	214,214,214,214	0
6	PCW	A	1012	22/54	0.73	0.25	189,189,189,189	0
6	PCW	A	1010	22/54	0.74	0.30	207,207,207,207	0
6	PCW	A	1051	22/54	0.78	0.23	268,268,268,268	0
6	PCW	A	1014	22/54	0.80	0.23	196,196,196,196	0
2	CA	A	1001	1/1	0.97	0.06	73,73,73,73	0
4	ALF	A	1004	5/5	0.98	0.18	27,31,38,51	0
5	ADP	A	1006	27/27	0.98	0.18	20,31,41,55	0
2	CA	A	1002	1/1	0.99	0.09	72,72,72,72	0
3	MG	A	1003	1/1	0.99	0.14	22,22,22,22	0
3	MG	A	1005	1/1	0.99	0.17	28,28,28,28	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PCW A 1015:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1037:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1040:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1036:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1045:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1007:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1022:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around PCW A 1019:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1016:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around PCW A 1052:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1042:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1030:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1046:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1024:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1021:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1008:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1013:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1025:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around PCW A 1031:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1039:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1011:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1028:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1033:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1049:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1041:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1023:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1034:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1044:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1026:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1047:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around PCW A 1035:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1032:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1029:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around PCW A 1027:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1050:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1048:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1009:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1017:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1038:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1020:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1043:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1018:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCW A 1012:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1010:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around PCW A 1051:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1014:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP A 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.