



# Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 04:14 pm BST

PDB ID : 2XCS  
Title : The 2.1A crystal structure of S. aureus Gyrase complex with GSK299423 and DNA  
Authors : Bax, B.D.; Chan, P.F.; Eggleston, D.S.; Fosberry, A.; Gentry, D.R.; Gorrec, F.; Giordano, I.; Hann, M.M.; Hennessy, A.; Hibbs, M.; Huang, J.; Jones, E.; Jones, J.; Brown, K.K.; Lewis, C.J.; May, E.W.; Singh, O.; Spitzfaden, C.; Shen, C.; Shillings, A.; Theobald, A.F.; Wohlkonig, A.; Pearson, N.D.; Gwynn, M.N.  
Deposited on : 2010-04-25  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	692	<div> <div>2%</div> <div> <div></div> <div>84%</div> <div>13%</div> <div>• •</div> </div> </div>
1	D	692	<div> <div>3%</div> <div> <div></div> <div>87%</div> <div>9%</div> <div>•</div> </div> </div>
2	E	20	<div> <div>60%</div> <div>40%</div> </div>
2	F	20	<div> <div>40%</div> <div>50%</div> <div>5%</div> <div>5%</div> </div>

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 12713 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA GYRASE SUBUNIT B, DNA GYRASE SUBUNIT A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	672	Total	C	N	O	S	0	26	0
			5543	3438	1009	1069	27			
1	D	670	Total	C	N	O	S	0	20	0
			5470	3394	995	1055	26			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	409	MET	-	expression tag	UNP P66937
B	544	THR	-	insertion	UNP P66937
B	545	GLY	-	insertion	UNP P66937
B	1123	PHE	TYR	engineered mutation	UNP Q99XG5
D	409	MET	-	expression tag	UNP P66937
D	544	THR	-	insertion	UNP P66937
D	545	GLY	-	insertion	UNP P66937
D	1123	PHE	TYR	engineered mutation	UNP Q99XG5

- Molecule 2 is a DNA chain called 5'-5UA\*D(GP\*CP\*CP\*GP\*TP\*AP\*GP\*GP\*GP\*CP\*C P \*CP\*TP\*AP\*CP\*GP\*GP\*CP\*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	20	Total	C	N	O	P	0	0	0
			410	194	77	120	19			
2	F	19	Total	C	N	O	P	0	0	0
			390	184	75	113	18			

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Mn	0	0
			2	2		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	1	Total	Mn	0	0
			1	1		
3	E	1	Total	Mn	0	0
			1	1		

- Molecule 4 is 6-METHOXY-4-(2-{4-[(1,3]OXATHIOLO[5,4-C]PYRIDIN-6-YLMETHYL) AMINO]PIPERIDIN-1-YL}ETHYL)QUINOLINE-3-CARBONITRILE (three-letter code: RXV) (formula: C<sub>25</sub>H<sub>27</sub>N<sub>5</sub>O<sub>2</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	F	1	Total	C	N	O	S	0	1
			66	50	10	4	2		


- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	386	Total	O	0	2
			388	388		
5	D	365	Total	O	0	1
			366	366		
5	E	40	Total	O	0	0
			40	40		
5	F	35	Total	O	0	1
			36	36		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA GYRASE SUBUNIT B, DNA GYRASE SUBUNIT A





● Molecule 2: 5'-5UA\*D(GP\*CP\*CP\*GP\*TP\*AP\*GP\*GP\*GP\*CP\*CP \*CP\*TP\*AP\*CP\*GP\*GP\*CP\*T)-3'



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.32Å 93.32Å 412.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.10 24.97 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-2.10) 98.6 (24.97-2.10)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.00 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.4.0073	Depositor
R, $R_{free}$	0.183 , 0.214 0.186 , 0.218	Depositor DCC
$R_{free}$ test set	2907 reflections (2.50%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.1	Xtriage
Anisotropy	0.199	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 48.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.048 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	12713	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.68% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, 5UA, RXV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	B	0.39	0/5615	0.58	0/7556
1	D	0.37	0/5542	0.57	0/7466
2	E	0.76	0/435	1.47	10/669 (1.5%)
2	F	0.76	0/413	1.53	10/635 (1.6%)
All	All	0.42	0/12005	0.70	20/16326 (0.1%)

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	17	DG	O4'-C1'-N9	-9.64	101.25	108.00
2	E	9	DG	O4'-C4'-C3'	-8.64	100.82	106.00
2	E	13	DC	C4'-C3'-C2'	-8.22	95.70	103.10
2	F	14	DT	C4'-C3'-C2'	-7.01	96.79	103.10
2	F	3	DC	P-O3'-C3'	-6.58	111.81	119.70
2	F	19	DC	O4'-C1'-N1	6.50	112.55	108.00
2	E	17	DG	O4'-C1'-N9	-6.44	103.49	108.00
2	E	6	DT	O4'-C1'-N1	6.11	112.28	108.00
2	F	9	DG	O4'-C1'-N9	5.87	112.11	108.00
2	E	13	DC	O4'-C4'-C3'	-5.81	102.18	104.50
2	F	16	DC	C1'-O4'-C4'	-5.80	104.30	110.10
2	F	13	DC	O4'-C1'-N1	5.69	111.98	108.00
2	F	6	DT	O4'-C1'-N1	5.61	111.93	108.00
2	E	10	DG	P-O3'-C3'	-5.57	113.01	119.70
2	F	14	DT	O4'-C1'-N1	5.45	111.82	108.00
2	E	14	DT	C4'-C3'-C2'	-5.40	98.24	103.10
2	E	9	DG	C4'-C3'-C2'	-5.25	98.37	103.10
2	F	9	DG	C4'-C3'-C2'	-5.12	98.49	103.10
2	E	16	DC	C1'-O4'-C4'	-5.09	105.01	110.10
2	E	14	DT	O4'-C4'-C3'	-5.07	102.47	104.50



There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	5543	0	5540	73	0
1	D	5470	0	5453	45	0
2	E	410	0	224	1	0
2	F	390	0	212	4	0
3	B	2	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
4	F	66	0	54	2	0
5	B	388	0	0	3	0
5	D	366	0	0	4	0
5	E	40	0	0	1	0
5	F	36	0	0	0	0
All	All	12713	0	11483	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:424:LYS:O	1:B:426:PRO:HD3	1.57	1.05
1:D:424:LYS:O	1:D:426:PRO:HD3	1.63	0.98
1:B:1438:ARG:HH12	1:B:1442[B]:GLU:HG3	1.31	0.93
1:B:450[A]:ARG:HH11	1:B:450[A]:ARG:HG2	1.35	0.89
1:B:1432:ARG:HG3	1:B:1432:ARG:HH11	1.36	0.89
1:B:1438:ARG:NH1	1:B:1442[B]:GLU:HG3	1.92	0.83
1:B:1075:MET:HE1	4:F:1021[A]:RXV:H30	1.64	0.79
2:E:1:5UA:OP3	5:E:2038:HOH:O	2.04	0.76
1:D:475:ASN:O	1:D:479:ARG:HG3	1.87	0.74
1:B:450[A]:ARG:NH1	1:B:450[A]:ARG:HG2	2.00	0.73
1:B:470:ASP:O	1:B:474[A]:ASN:ND2	2.24	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1432:ARG:O	1:B:1437:GLU:HG3	1.94	0.68
1:D:1092[A]:ARG:NH1	2:F:5:DG:OP1	2.30	0.65
1:D:503:ILE:N	1:D:503:ILE:HD12	2.12	0.64
1:D:1360:LYS:HE2	1:D:1466:LEU:HD13	1.80	0.64
1:D:461:ILE:HD13	1:D:520:LEU:HD23	1.78	0.64
1:B:1432:ARG:HG3	1:B:1432:ARG:NH1	2.08	0.63
1:B:1069[B]:ARG:HG3	1:B:1070:ILE:N	2.13	0.62
1:B:1058:MET:HG2	1:B:1065:LYS:HG3	1.84	0.60
1:D:1137[B]:ARG:O	1:D:1138[B]:ASP:OD2	2.19	0.60
1:B:473:LEU:O	1:B:479:ARG:HD2	2.01	0.60
1:B:1063:SER:O	1:B:1065:LYS:HE3	2.01	0.60
1:B:1238[B]:ARG:HE	1:B:1334:ASN:ND2	1.99	0.60
1:B:1450[A]:ASN:N	1:B:1450[A]:ASN:HD22	2.00	0.59
1:D:1408:MET:CE	1:D:1423:GLN:HG2	2.33	0.59
1:D:1058:MET:HG2	1:D:1065:LYS:HG3	1.85	0.58
1:B:1381:LEU:HD22	1:B:1441:ILE:HG23	1.85	0.58
1:D:488:GLY:O	1:D:489:ILE:CG2	2.51	0.58
1:B:1083[B]:ASP:OD2	5:B:2110[B]:HOH:O	2.17	0.57
1:D:488:GLY:O	1:D:489:ILE:HG23	2.04	0.56
1:D:493:PHE:CE2	1:D:530:PRO:HB2	2.40	0.56
1:D:1447:GLU:HG3	5:D:2331:HOH:O	2.05	0.56
1:D:488:GLY:C	1:D:489:ILE:HG23	2.25	0.56
1:B:1445:TYR:CE1	1:B:1449:LEU:HD11	2.41	0.56
1:D:1109:ASN:HB3	1:D:1119:ALA:HB2	1.88	0.56
1:B:1393[B]:GLU:HA	1:B:1393[B]:GLU:OE1	2.06	0.56
1:D:1100:ARG:HG3	1:D:1101:TYR:CE2	2.41	0.56
1:B:1405[B]:LYS:O	1:B:1409[B]:GLU:HG3	2.06	0.56
1:B:443:THR:HG22	1:B:454:ILE:CD1	2.36	0.55
1:B:1109:ASN:HB3	1:B:1119:ALA:HB2	1.88	0.55
1:D:1391:ILE:O	1:D:1395:ILE:HG12	2.06	0.55
1:D:430:GLU:HB3	1:D:502:LYS:HB2	1.89	0.54
1:D:1368:GLN:NE2	5:D:2283:HOH:O	2.40	0.54
1:B:1069[A]:ARG:HG3	5:D:2080:HOH:O	2.07	0.53
1:D:419:ALA:HB2	1:D:444:LYS:HE2	1.89	0.53
2:F:1:5UA:H2'2	2:F:2:DG:C8	2.44	0.53
1:D:447:ARG:HD3	1:D:454:ILE:HD11	1.91	0.52
1:B:1092[A]:ARG:NH2	5:B:2118:HOH:O	2.41	0.52
1:B:1391:ILE:O	1:B:1395:ILE:HG12	2.10	0.52
1:B:1234:TYR:O	1:B:1347:ASN:HB2	2.09	0.52
1:B:1402[A]:ASP:OD1	1:B:1403:THR:N	2.44	0.51
1:B:605:GLN:NE2	1:B:607:LYS:HE2	2.25	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1054:ASN:HA	1:D:1128:MET:CE	2.41	0.51
1:B:503:ILE:HD12	1:B:503:ILE:N	2.27	0.50
1:D:447:ARG:HD3	1:D:454:ILE:CD1	2.42	0.50
1:B:1012:ARG:HH22	1:B:1020:GLU:CD	2.14	0.50
1:B:1472:GLU:O	1:B:1476:ILE:HG12	2.12	0.49
1:B:1059:THR:HA	1:B:1128:MET:HE3	1.93	0.49
1:B:1438:ARG:HH12	1:B:1442[B]:GLU:CG	2.14	0.49
1:D:1225:LEU:HD21	1:D:1244:ARG:HD2	1.94	0.49
1:B:1382:GLU:O	1:B:1385[A]:ARG:HG2	2.13	0.48
1:D:1234:TYR:O	1:D:1347:ASN:HB2	2.13	0.48
1:B:1299:ARG:N	1:B:1299:ARG:HD3	2.28	0.48
1:B:1393[B]:GLU:HG3	1:B:1415:PHE:HZ	1.79	0.48
1:B:1100:ARG:HG3	1:B:1101:TYR:CE2	2.49	0.48
1:B:1403:THR:HG22	1:D:1436:LEU:HD22	1.96	0.47
1:D:1083[A]:ASP:OD2	5:D:2089[A]:HOH:O	2.20	0.47
1:B:427:GLU:HA	1:B:501:HIS:CG	2.50	0.47
1:B:1377:ARG:HG3	1:B:1448:LEU:HD11	1.97	0.46
1:B:471:ARG:HH21	2:F:14:DT:P	2.39	0.46
1:D:1245:SER:OG	1:D:1265:PRO:HD3	2.15	0.46
1:D:612:ILE:O	1:D:616:GLN:HG3	2.15	0.46
1:B:1183:ILE:HG12	1:B:1335:MET:HG2	1.98	0.46
1:D:1244:ARG:HG2	1:D:1322:TYR:CE1	2.51	0.46
1:D:1408:MET:HE1	1:D:1423:GLN:HG2	1.96	0.46
1:D:503:ILE:CD1	1:D:503:ILE:N	2.79	0.46
5:B:2103:HOH:O	1:D:1069:ARG:HG3	2.15	0.46
1:B:1238[B]:ARG:HH21	1:B:1334:ASN:HD21	1.64	0.45
1:D:1064:TYR:HB3	1:D:1125:GLU:HB3	1.97	0.45
1:D:502:LYS:HG2	1:D:538:TYR:CE1	2.51	0.45
1:B:624[B]:ASP:OD2	1:B:624[B]:ASP:N	2.49	0.45
1:D:506:MET:HG2	1:D:583:LEU:HD11	1.98	0.45
1:D:529:ARG:N	1:D:530:PRO:CD	2.80	0.45
1:B:1038:VAL:HA	1:B:1167:LEU:HD22	1.98	0.45
1:B:639:TYR:O	1:B:640:ALA:HB2	2.16	0.45
1:B:1246:ARG:HB3	1:B:1263:GLU:HB2	1.99	0.44
1:B:1135:LEU:HA	1:B:1162:ALA:HA	1.99	0.44
1:B:450[A]:ARG:HH11	1:B:450[A]:ARG:CG	2.15	0.44
1:B:1409[A]:GLU:HA	1:B:1409[A]:GLU:OE1	2.18	0.44
1:B:1408:MET:HG2	1:B:1426:LEU:CD1	2.48	0.44
1:B:605:GLN:NE2	1:B:607:LYS:CE	2.81	0.44
1:B:1245:SER:OG	1:B:1265:PRO:HD3	2.18	0.44
1:B:474[A]:ASN:HD22	1:B:474[A]:ASN:N	2.17	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1069[A]:ARG:NH1	1:D:1077:LYS:HE3	2.34	0.43
1:B:639:TYR:CG	1:B:1342:ARG:HG2	2.54	0.43
2:F:1:5UA:H2'1	2:F:1:5UA:N3	2.34	0.43
1:B:1277:ILE:HG12	1:B:1325:THR:HG21	2.00	0.43
1:B:1382:GLU:O	1:B:1385[A]:ARG:CG	2.67	0.43
1:B:1385[A]:ARG:HG3	1:B:1386:ILE:N	2.33	0.43
1:D:1186:HIS:HB2	1:D:1191:LEU:HD11	2.01	0.43
1:D:1137[A]:ARG:O	1:D:1138[A]:ASP:HB2	2.18	0.42
1:B:1382:GLU:HA	1:B:1385[A]:ARG:HG2	2.00	0.42
1:B:1450[A]:ASN:ND2	1:B:1450[A]:ASN:N	2.68	0.42
1:D:1270:LYS:NZ	1:D:1294:ASP:OD2	2.46	0.42
1:B:1232[B]:ARG:HG2	1:B:1238[B]:ARG:O	2.19	0.41
1:B:444:LYS:O	1:B:447:ARG:HG2	2.19	0.41
1:B:1344:LYS:HZ2	1:B:1350[B]:GLU:CD	2.24	0.41
1:D:1144:ILE:HD12	1:D:1144:ILE:C	2.41	0.41
1:B:444:LYS:HA	1:B:454:ILE:CD1	2.51	0.41
1:B:430:GLU:HB3	1:B:502:LYS:HB2	2.02	0.41
1:D:488:GLY:C	1:D:489:ILE:CG2	2.88	0.41
1:D:1059:THR:HB	1:D:1060:PRO:HD2	2.03	0.41
1:D:476:ASN:HA	1:D:479:ARG:HD3	2.03	0.41
1:B:1064:TYR:HB3	1:B:1125:GLU:HB3	2.03	0.41
1:B:1231:ARG:O	1:B:1235[A]:GLU:HG3	2.21	0.41
1:B:1408:MET:SD	1:B:1426:LEU:HD12	2.61	0.40
1:B:501:HIS:CE1	1:B:536:TYR:OH	2.74	0.40
4:F:1021[B]:RXV:H201	4:F:1021[B]:RXV:H132	1.82	0.40
1:B:1027[A]:MET:HE2	1:B:1027[A]:MET:HB3	1.93	0.40
1:B:1029:VAL:HA	1:B:1033:ARG:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	694/692 (100%)	677 (98%)	16 (2%)	1 (0%)	51	54
1	D	686/692 (99%)	667 (97%)	17 (2%)	2 (0%)	41	41
All	All	1380/1384 (100%)	1344 (97%)	33 (2%)	3 (0%)	47	49

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	1033	ARG
1	B	1033	ARG
1	D	1254	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	597/591 (101%)	592 (99%)	5 (1%)	81	86
1	D	587/591 (99%)	584 (100%)	3 (0%)	88	92
All	All	1184/1182 (100%)	1176 (99%)	8 (1%)	88	88

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1299	ARG
1	B	1404	ASP
1	B	1432	ARG
1	B	1450[A]	ASN
1	B	1450[B]	ASN
1	D	517	ARG
1	D	1083[A]	ASP
1	D	1083[B]	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	480	GLN
1	B	501	HIS
1	B	605	GLN
1	B	1324	GLN
1	B	1334	ASN
1	B	1368	GLN
1	B	1423	GLN
1	D	476	ASN
1	D	1334	ASN
1	D	1368	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	5UA	E	1	3,2	18,23,23	2.61	2 (11%)	18,33,33	3.29	5 (27%)
2	5UA	F	1	2	18,23,23	2.70	2 (11%)	18,33,33	2.93	5 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5UA	E	1	3,2	-	3/3/21/21	0/3/3/3
2	5UA	F	1	2	-	1/3/21/21	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1	5UA	C2-N3	8.73	1.46	1.32
2	E	1	5UA	C2-N3	8.26	1.45	1.32
2	F	1	5UA	C2-N1	6.66	1.46	1.33
2	E	1	5UA	C2-N1	6.56	1.46	1.33

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1	5UA	N3-C2-N1	-8.80	114.93	128.68
2	F	1	5UA	N3-C2-N1	-8.71	115.07	128.68
2	E	1	5UA	C5'-O5'-C6'	8.10	125.17	117.46
2	F	1	5UA	C5'-O5'-C6'	6.48	123.63	117.46
2	E	1	5UA	O5'-C5'-C4'	4.74	120.78	108.17
2	F	1	5UA	C4-C5-N7	-3.60	105.64	109.40
2	E	1	5UA	C4-C5-N7	-3.58	105.66	109.40
2	E	1	5UA	C2-N1-C6	3.24	124.29	118.75
2	F	1	5UA	C2-N1-C6	3.05	123.97	118.75
2	F	1	5UA	O5'-C5'-C4'	2.37	114.47	108.17

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	1	5UA	O4'-C4'-C5'-O5'
2	E	1	5UA	C3'-C4'-C5'-O5'
2	F	1	5UA	C4'-C5'-O5'-C6'
2	E	1	5UA	C4'-C5'-O5'-C6'

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	1	5UA	1	0
2	F	1	5UA	2	0

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	RXV	F	1021[B]	-	36,37,37	2.21	4 (11%)	45,51,51	1.70	8 (17%)
4	RXV	F	1021[A]	-	36,37,37	2.18	4 (11%)	45,51,51	1.70	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	RXV	F	1021[B]	-	-	3/14/30/30	0/5/5/5
4	RXV	F	1021[A]	-	-	1/14/30/30	0/5/5/5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	1021[A]	RXV	C9-C10	-10.31	1.28	1.44
4	F	1021[B]	RXV	C9-C10	-10.29	1.28	1.44
4	F	1021[B]	RXV	C25-S26	-6.07	1.70	1.76
4	F	1021[A]	RXV	C25-S26	-5.71	1.70	1.76
4	F	1021[B]	RXV	C12-C32	-2.22	1.39	1.43
4	F	1021[A]	RXV	C12-C32	-2.13	1.39	1.43
4	F	1021[B]	RXV	C9-C12	-2.07	1.38	1.41
4	F	1021[A]	RXV	C9-C12	-2.00	1.38	1.41

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	1021[B]	RXV	C9-C8-N7	-6.78	120.64	125.68
4	F	1021[A]	RXV	C9-C8-N7	-6.38	120.93	125.68
4	F	1021[B]	RXV	C22-N21-C18	3.85	119.65	114.14

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	1021[A]	RXV	C22-N21-C18	3.39	118.98	114.14
4	F	1021[B]	RXV	C8-N7-C6	3.23	120.80	116.91
4	F	1021[A]	RXV	C27-O28-C29	3.15	112.84	106.68
4	F	1021[A]	RXV	C8-N7-C6	3.11	120.65	116.91
4	F	1021[A]	RXV	C9-C10-N11	-3.09	172.79	177.88
4	F	1021[B]	RXV	C27-O28-C29	3.00	112.55	106.68
4	F	1021[A]	RXV	C30-N31-C23	2.78	121.38	117.82
4	F	1021[B]	RXV	C30-N31-C23	2.73	121.33	117.82
4	F	1021[B]	RXV	C29-C30-N31	-2.47	118.87	122.66
4	F	1021[A]	RXV	C29-C30-N31	-2.45	118.90	122.66
4	F	1021[A]	RXV	C32-C6-N7	-2.21	120.47	122.83
4	F	1021[A]	RXV	C19-C18-C17	-2.17	107.05	110.82
4	F	1021[B]	RXV	C17-C16-N15	-2.16	107.76	111.11
4	F	1021[B]	RXV	C32-C6-N7	-2.10	120.59	122.83

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	F	1021[A]	RXV	C13-C14-N15-C16
4	F	1021[B]	RXV	C4-C3-O2-C1
4	F	1021[B]	RXV	C33-C3-O2-C1
4	F	1021[B]	RXV	N21-C22-C23-N31


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	1021[B]	RXV	1	0
4	F	1021[A]	RXV	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	B	672/692 (97%)	-0.06	16 (2%) 59 64	25, 37, 52, 67	0
1	D	670/692 (96%)	-0.04	19 (2%) 53 59	25, 36, 58, 70	0
2	E	19/20 (95%)	-0.65	0 100 100	26, 34, 46, 48	0
2	F	18/20 (90%)	-0.33	0 100 100	28, 35, 49, 53	0
All	All	1379/1424 (96%)	-0.06	35 (2%) 57 62	25, 36, 55, 70	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	491	GLY	6.7
1	B	640	ALA	6.5
1	B	1490	LEU	5.5
1	B	1491	GLY	4.9
1	D	638	VAL	3.8
1	B	600	HIS	3.7
1	D	490	GLY	3.5
1	B	424	LYS	3.4
1	B	638	VAL	3.2
1	B	1435	GLY	3.2
1	B	1436	LEU	3.2
1	D	425	SER	2.9
1	D	639	TYR	2.9
1	D	473	LEU	2.9
1	B	1442[A]	GLU	2.8
1	D	468	ARG	2.6
1	D	423	SER	2.6
1	D	429	CYS	2.5
1	D	427	GLU	2.4
1	D	1400	GLU	2.4
1	D	1011	GLU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	450[A]	ARG	2.3
1	B	1284	LYS	2.3
1	B	612	ILE	2.3
1	D	1436	LEU	2.3
1	B	1282	ARG	2.2
1	D	1010	ASN	2.2
1	B	639	TYR	2.2
1	D	600	HIS	2.2
1	B	1061	ASP	2.2
1	B	1449	LEU	2.1
1	D	1300	THR	2.0
1	D	1169	ALA	2.0
1	D	424	LYS	2.0
1	D	492	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	5UA	F	1	21/21	0.55	0.33	68,72,84,85	0
2	5UA	E	1	21/21	0.86	0.15	36,40,52,57	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	RXV	F	1021[B]	33/33	0.93	0.18	33,40,43,46	33
4	RXV	F	1021[A]	33/33	0.93	0.18	34,43,45,47	33

*Continued on next page...*


*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MN	E	1022	1/1	0.97	0.06	49,49,49,49	0
3	MN	B	2492	1/1	0.99	0.21	53,53,53,53	0
3	MN	B	2493	1/1	1.00	0.05	31,31,31,31	0
3	MN	D	2491	1/1	1.00	0.05	32,32,32,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around RXV F 1021 (B):**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around RXV F 1021 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.