



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 07:43 am BST

PDB ID : 5XGL
Title : Co-crystal structure of Ac-AChBPP in complex with alpha-conotoxin LvIA
Authors : Wang, X.Q.; Xu, M.Y.; Luo, S.L.; Zhu, X.P.
Deposited on : 2017-04-14
Resolution : 3.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1278 (3.50-3.38)
Clashscore	141614	1361 (3.50-3.38)
Ramachandran outliers	138981	1327 (3.50-3.38)
Sidechain outliers	138945	1328 (3.50-3.38)
RSRZ outliers	127900	1192 (3.50-3.38)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	<div> <div>5%</div> <div> <div></div> <div>83%</div> <div>10%</div> <div>8%</div> </div> </div>
1	B	224	<div> <div>4%</div> <div> <div></div> <div>83%</div> <div>9%</div> <div>8%</div> </div> </div>
1	D	224	<div> <div>7%</div> <div> <div></div> <div>78%</div> <div>14%</div> <div>8%</div> </div> </div>
1	G	224	<div> <div>3%</div> <div> <div></div> <div>82%</div> <div>10%</div> <div>8%</div> </div> </div>
1	I	224	<div> <div>4%</div> <div> <div></div> <div>77%</div> <div>15%</div> <div>8%</div> </div> </div>
2	C	17	<div> <div>53%</div> <div> <div></div> <div>59%</div> <div>29%</div> <div>12%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	17	<div><div></div><div>65%</div><div></div><div>76%</div><div></div><div>24%</div></div>
2	F	17	<div><div></div><div>35%</div><div></div><div>59%</div><div></div><div>41%</div></div>
2	H	17	<div><div></div><div>53%</div><div></div><div>41%</div><div></div><div>6%</div></div>
2	J	17	<div><div></div><div>29%</div><div></div><div>65%</div><div></div><div>35%</div></div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8835 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Soluble acetylcholine receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	207	Total	C	N	O	S	0	0	0
			1653	1045	271	328	9			
1	B	207	Total	C	N	O	S	0	0	0
			1653	1045	271	328	9			
1	D	207	Total	C	N	O	S	0	0	0
			1653	1045	271	328	9			
1	G	207	Total	C	N	O	S	0	0	0
			1653	1045	271	328	9			
1	I	207	Total	C	N	O	S	0	0	0
			1653	1045	271	328	9			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	41	VAL	ALA	conflict	UNP Q8WSF8
A	136	VAL	ALA	conflict	UNP Q8WSF8
A	218	HIS	-	expression tag	UNP Q8WSF8
A	219	HIS	-	expression tag	UNP Q8WSF8
A	220	HIS	-	expression tag	UNP Q8WSF8
A	221	HIS	-	expression tag	UNP Q8WSF8
A	222	HIS	-	expression tag	UNP Q8WSF8
A	223	HIS	-	expression tag	UNP Q8WSF8
B	41	VAL	ALA	conflict	UNP Q8WSF8
B	136	VAL	ALA	conflict	UNP Q8WSF8
B	218	HIS	-	expression tag	UNP Q8WSF8
B	219	HIS	-	expression tag	UNP Q8WSF8
B	220	HIS	-	expression tag	UNP Q8WSF8
B	221	HIS	-	expression tag	UNP Q8WSF8
B	222	HIS	-	expression tag	UNP Q8WSF8
B	223	HIS	-	expression tag	UNP Q8WSF8
D	41	VAL	ALA	conflict	UNP Q8WSF8
D	136	VAL	ALA	conflict	UNP Q8WSF8
D	218	HIS	-	expression tag	UNP Q8WSF8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	219	HIS	-	expression tag	UNP Q8WSF8
D	220	HIS	-	expression tag	UNP Q8WSF8
D	221	HIS	-	expression tag	UNP Q8WSF8
D	222	HIS	-	expression tag	UNP Q8WSF8
D	223	HIS	-	expression tag	UNP Q8WSF8
G	41	VAL	ALA	conflict	UNP Q8WSF8
G	136	VAL	ALA	conflict	UNP Q8WSF8
G	218	HIS	-	expression tag	UNP Q8WSF8
G	219	HIS	-	expression tag	UNP Q8WSF8
G	220	HIS	-	expression tag	UNP Q8WSF8
G	221	HIS	-	expression tag	UNP Q8WSF8
G	222	HIS	-	expression tag	UNP Q8WSF8
G	223	HIS	-	expression tag	UNP Q8WSF8
I	41	VAL	ALA	conflict	UNP Q8WSF8
I	136	VAL	ALA	conflict	UNP Q8WSF8
I	218	HIS	-	expression tag	UNP Q8WSF8
I	219	HIS	-	expression tag	UNP Q8WSF8
I	220	HIS	-	expression tag	UNP Q8WSF8
I	221	HIS	-	expression tag	UNP Q8WSF8
I	222	HIS	-	expression tag	UNP Q8WSF8
I	223	HIS	-	expression tag	UNP Q8WSF8

- Molecule 2 is a protein called Alpha-conotoxin LvIA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	F	17	Total	C	N	O	S	0	0	1
			114	66	22	22	4			
2	C	17	Total	C	N	O	S	0	0	1
			114	66	22	22	4			
2	E	17	Total	C	N	O	S	0	0	1
			114	66	22	22	4			
2	H	17	Total	C	N	O	S	0	0	1
			114	66	22	22	4			
2	J	17	Total	C	N	O	S	0	0	1
			114	66	22	22	4			

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	417	NH2	-	amidation	UNP L8BU87
C	417	NH2	-	amidation	UNP L8BU87
E	417	NH2	-	amidation	UNP L8BU87

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	417	NH2	-	amidation	UNP L8BU87
J	417	NH2	-	amidation	UNP L8BU87

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:
-
- 83% 5% 10% 8%
- R205 R206 ALA GLY ASN GLY PHE PHE ARG ASN LEU PHE ASP HIS HIS HIS HIS HIS HIS V130 E133 E134 G135 S144 Y147 F150 L154 Y167 A168 S169 L175 Y186 S187 C188 E191 V196 K201 F204


- Chain B:
-
- | Residue | Percentage |
|---------|------------|
| S0 | 4% |
| Q1 | |
| A2 | |
| N3 | |
| T34 | |
| S43 | |
| Y53 | |
| M65 | |
| D66 | |
| P67 | |
| N68 | |
| E69 | |
| Y70 | |
| I73 | |
| R77 | |
| Y91 | |
| I104 | |
| A105 | |
| V106 | |
| V107 | |
| V113 | |
| M114 | |
| F115 | |
| I116 | |
| P117 | |
| A118 | |
| Q119 | |
| R120 | |
| V130 | |
| E134 | |
| S144 | |
| W145 | |
| V146 | |
| E173 | |
| E204 | |
| R205 | |
| R206 | |
| ALA | |
| GLY | |
| ASN | |
| GLY | |
| PHE | |
| PHE | |
| ARG | |
| ASN | |
| LEU | |

- Chain D:
-
- 7% 78% 14% 8%
- 50 Q1 H13 P16 P17 L31 L50 E54 Q55 Q56 K59 T68 N72 R77 D87 T88 T94 V106 V107 T108 H109 D110 V113 M114 F123 V130 E133 E134 V146 Y147 F150 D159 Q160 Y167 A168 S169 E173 I174 I175
- Q184 H185 Y186 S187 C188 C189 P190 E191 P192 K201 F202 R203 E204 R205 R206 ALA GLY ASN GLY PHE PHE ARG ASN ASN LEU PHE ASP HIS HIS HIS HIS HIS HIS HIS


- Chain G:

LEU
PHE
ASP
HIS
HIS
HIS
HIS
HIS


- Molecule 1: Soluble acetylcholine receptor




- Molecule 2: Alpha-conotoxin LvIA



- Molecule 2: Alpha-conotoxin LvIA




- Molecule 2: Alpha-conotoxin LvIA



- Molecule 2: Alpha-conotoxin LvIA



- Molecule 2: Alpha-conotoxin LvIA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	77.39 Å 83.99 Å 209.68 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.44 – 3.44 28.44 – 3.44	Depositor EDS
% Data completeness (in resolution range)	97.8 (28.44-3.44) 97.9 (28.44-3.44)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 3.47 Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155)	Depositor
R, R_{free}	0.239 , 0.283 0.240 , 0.285	Depositor DCC
R_{free} test set	908 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	93.7	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 46.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8835	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/1693	0.48	0/2309
1	B	0.27	0/1693	0.48	0/2309
1	D	0.27	0/1693	0.48	0/2309
1	G	0.27	0/1693	0.47	0/2309
1	I	0.27	0/1693	0.47	0/2309
2	C	0.40	0/116	0.57	0/158
2	E	0.43	0/116	0.55	0/158
2	F	0.35	0/116	0.49	0/158
2	H	0.34	0/116	0.40	0/158
2	J	0.30	0/116	0.43	0/158
All	All	0.28	0/9045	0.48	0/12335

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	1
1	I	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	G	188	CYS	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	I	188	CYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1653	0	1590	21	0
1	B	1653	0	1590	21	0
1	D	1653	0	1590	23	0
1	G	1653	0	1590	17	0
1	I	1653	0	1590	24	0
2	C	114	0	91	11	0
2	E	114	0	92	7	0
2	F	114	0	92	8	0
2	H	114	0	92	6	0
2	J	114	0	92	5	0
All	All	8835	0	8409	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:MET:HB3	2:C:410:VAL:HG13	1.38	1.02
1:B:114:MET:HB3	2:E:410:VAL:HG13	1.50	0.94
2:C:413:PRO:HG2	2:C:414:GLU:H	1.33	0.93
1:A:191:GLU:OE2	2:F:412:HIS:NE2	2.13	0.79
1:G:146:VAL:O	1:I:77:ARG:NH1	2.17	0.78
2:H:411:ASP:OD1	1:I:77:ARG:NH2	2.16	0.77
1:A:117:PRO:HG2	1:A:119:GLN:HE21	1.51	0.76
1:G:191:GLU:OE2	2:H:412:HIS:NE2	2.20	0.75
2:F:410:VAL:HG13	1:G:114:MET:HB3	1.70	0.72
1:I:191:GLU:OE2	2:J:412:HIS:NE2	2.24	0.70
1:A:77:ARG:NH2	2:C:411:ASP:OD1	2.26	0.68
2:C:413:PRO:HG2	2:C:414:GLU:N	2.09	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:117:PRO:HG2	1:B:119:GLN:HE21	1.60	0.66
1:B:106:VAL:HB	2:E:410:VAL:HG12	1.78	0.65
1:B:0:SER:HA	1:B:3:ASN:HD22	1.60	0.65
2:E:403:CYS:HA	2:E:409:ASN:OD1	1.97	0.64
1:I:133:GLU:O	1:I:203:ARG:NH2	2.31	0.64
1:D:31:LEU:HD11	1:D:88:ILE:HG21	1.79	0.63
1:A:106:VAL:HB	2:C:410:VAL:HG12	1.82	0.62
2:H:409:ASN:ND2	1:I:114:MET:SD	2.72	0.61
1:D:114:MET:HB3	2:J:410:VAL:HG13	1.81	0.61
1:D:77:ARG:HG3	1:D:106:VAL:HG22	1.83	0.60
1:D:108:THR:OG1	1:D:110:ASP:OD1	2.15	0.60
1:I:30:THR:HB	1:I:57:ARG:HB3	1.83	0.60
1:A:108:THR:OG1	1:A:110:ASP:OD1	2.18	0.59
2:C:413:PRO:O	2:C:416:CYS:N	2.35	0.59
1:I:31:LEU:HD11	1:I:88:ILE:HG21	1.85	0.59
1:B:77:ARG:HD3	1:B:106:VAL:HG22	1.84	0.59
1:D:77:ARG:CG	1:D:106:VAL:HG22	2.33	0.58
1:A:117:PRO:HG2	1:A:119:GLN:NE2	2.18	0.58
1:D:130:VAL:HG22	1:D:204:GLU:HG3	1.84	0.58
1:B:173:GLU:HB2	1:B:205:ARG:HG3	1.85	0.58
1:D:191:GLU:OE2	2:E:412:HIS:NE2	2.32	0.58
2:C:413:PRO:CG	2:C:414:GLU:H	2.11	0.57
2:J:403:CYS:O	2:J:409:ASN:ND2	2.37	0.57
1:D:133:GLU:O	1:D:203:ARG:NH2	2.35	0.57
1:G:54:GLU:OE2	1:G:56:GLN:NE2	2.36	0.56
2:F:405:HIS:CE1	2:F:407:ALA:HB3	2.42	0.55
1:B:114:MET:CB	2:E:410:VAL:HG13	2.33	0.54
1:D:107:VAL:HG22	1:D:113:VAL:HG22	1.91	0.53
1:G:10:ASP:O	1:G:14:ARG:HB2	2.09	0.53
1:B:107:VAL:HG22	1:B:113:VAL:HG22	1.91	0.53
2:J:406:PRO:O	2:J:410:VAL:HG23	2.09	0.53
1:D:167:TYR:CZ	1:D:169:SER:HB2	2.44	0.52
1:G:173:GLU:HB2	1:G:205:ARG:HD3	1.91	0.52
1:A:77:ARG:CG	1:A:106:VAL:HG22	2.39	0.52
1:I:107:VAL:HG22	1:I:113:VAL:HG22	1.91	0.52
1:D:175:LEU:HD12	1:D:201:LYS:HG2	1.92	0.51
1:G:77:ARG:CG	1:G:106:VAL:HG22	2.41	0.51
2:H:414:GLU:HG2	2:H:415:ILE:HG13	1.92	0.51
1:A:106:VAL:HB	2:C:410:VAL:CG1	2.41	0.51
1:D:185:HIS:NE2	1:D:192:PRO:HB3	2.26	0.51
1:B:130:VAL:HG22	1:B:204:GLU:HG3	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ASP:O	1:A:14:ARG:HB2	2.11	0.50
2:F:405:HIS:HE1	2:F:407:ALA:HB3	1.76	0.50
2:F:410:VAL:HG11	1:G:106:VAL:HB	1.93	0.50
1:G:77:ARG:HG2	1:G:106:VAL:HG22	1.92	0.50
2:C:413:PRO:CG	2:C:414:GLU:N	2.69	0.49
1:B:116:ILE:HD13	2:E:409:ASN:HD22	1.77	0.49
1:A:114:MET:CB	2:C:410:VAL:HG13	2.27	0.48
1:A:77:ARG:HG3	1:A:106:VAL:HG22	1.95	0.48
1:B:106:VAL:HB	2:E:410:VAL:CG1	2.43	0.48
1:I:167:TYR:CZ	1:I:169:SER:HB2	2.48	0.48
1:G:16:PRO:HG2	1:I:5:MET:SD	2.53	0.48
2:C:403:CYS:HA	2:C:409:ASN:OD1	2.14	0.47
2:F:410:VAL:CG1	1:G:106:VAL:HB	2.45	0.47
1:B:77:ARG:HG3	1:D:147:TYR:CE1	2.49	0.47
1:A:154:LEU:HD13	1:A:196:VAL:HG23	1.97	0.47
1:D:185:HIS:CE1	1:D:192:PRO:HB3	2.50	0.47
1:B:120:ARG:HD2	1:D:94:THR:O	2.15	0.47
1:I:101:SER:HB3	1:I:118:ALA:HB3	1.97	0.47
1:A:167:TYR:CZ	1:A:169:SER:HB2	2.50	0.46
1:I:117:PRO:HG2	1:I:119:GLN:HE21	1.80	0.46
1:I:50:LEU:HG	1:I:123:PHE:HE1	1.80	0.46
1:D:173:GLU:HB2	1:D:205:ARG:HD2	1.97	0.46
1:A:175:LEU:HD12	1:A:201:LYS:HG2	1.97	0.46
1:A:104:ILE:HG21	1:B:146:VAL:HG21	1.98	0.46
1:B:77:ARG:CD	1:B:106:VAL:HG22	2.45	0.46
1:D:59:LYS:HE3	1:D:110:ASP:O	2.16	0.45
2:F:403:CYS:HA	2:F:409:ASN:OD1	2.16	0.45
1:D:54:GLU:OE2	1:D:56:GLN:NE2	2.50	0.45
1:I:100:LEU:HD11	1:I:120:ARG:HB2	1.99	0.45
1:B:117:PRO:HG2	1:B:119:GLN:NE2	2.31	0.44
1:G:90:ALA:HB2	1:G:142:PHE:CE2	2.53	0.43
1:A:130:VAL:HG22	1:A:204:GLU:HG3	1.99	0.43
1:B:91:TYR:OH	1:B:144:SER:O	2.30	0.43
1:I:11:LEU:O	1:I:15:SER:HB2	2.18	0.43
1:A:104:ILE:HB	1:B:146:VAL:HG11	2.00	0.43
2:H:405:HIS:CE1	2:H:407:ALA:HB3	2.53	0.43
1:I:77:ARG:HG2	1:I:106:VAL:HG22	1.99	0.43
1:I:191:GLU:CD	2:J:412:HIS:HE2	2.18	0.43
1:A:77:ARG:HG2	1:A:106:VAL:HG22	2.00	0.43
1:B:34:THR:HB	1:B:53:TYR:HB2	1.99	0.43
1:D:50:LEU:HG	1:D:123:PHE:HE1	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:101:SER:HB3	1:G:118:ALA:HB3	2.01	0.42
1:D:87:ASP:OD2	1:D:146:VAL:HG22	2.19	0.42
1:B:77:ARG:HG3	1:D:147:TYR:CZ	2.55	0.42
1:I:155:LYS:HA	1:I:181:ARG:HD2	2.01	0.42
1:D:1:GLN:HG2	1:I:25:ASP:OD2	2.19	0.42
2:F:406:PRO:O	2:F:410:VAL:HG23	2.20	0.42
1:I:77:ARG:CG	1:I:106:VAL:HG22	2.50	0.41
1:B:104:ILE:HB	1:D:146:VAL:HG11	2.01	0.41
1:I:68:ASN:ND2	1:I:72:ASN:OD1	2.51	0.41
1:A:144:SER:OG	1:A:147:TYR:HB2	2.21	0.41
1:G:130:VAL:HG22	1:G:204:GLU:HG3	2.02	0.41
1:I:21:PRO:HD2	1:I:147:TYR:CZ	2.56	0.41
1:G:59:LYS:HE2	1:G:59:LYS:HB3	1.70	0.40
2:H:410:VAL:HG11	1:I:106:VAL:CG2	2.51	0.40
1:I:144:SER:OG	1:I:147:TYR:HB2	2.21	0.40
1:A:94:THR:O	1:G:120:ARG:HD2	2.21	0.40
1:G:185:HIS:NE2	1:G:192:PRO:HB3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	205/224 (92%)	202 (98%)	3 (2%)	0	100	100
1	B	205/224 (92%)	202 (98%)	3 (2%)	0	100	100
1	D	205/224 (92%)	200 (98%)	5 (2%)	0	100	100
1	G	205/224 (92%)	203 (99%)	2 (1%)	0	100	100
1	I	205/224 (92%)	202 (98%)	3 (2%)	0	100	100
2	C	15/17 (88%)	12 (80%)	1 (7%)	2 (13%)	0	3
2	E	15/17 (88%)	15 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	15/17 (88%)	15 (100%)	0	0	100	100
2	H	15/17 (88%)	15 (100%)	0	0	100	100
2	J	15/17 (88%)	15 (100%)	0	0	100	100
All	All	1100/1205 (91%)	1081 (98%)	17 (2%)	2 (0%)	47	80

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	414	GLU
2	C	413	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/204 (93%)	190 (100%)	0	100	100
1	B	190/204 (93%)	190 (100%)	0	100	100
1	D	190/204 (93%)	189 (100%)	1 (0%)	88	95
1	G	190/204 (93%)	190 (100%)	0	100	100
1	I	190/204 (93%)	189 (100%)	1 (0%)	88	95
2	C	14/14 (100%)	14 (100%)	0	100	100
2	E	14/14 (100%)	14 (100%)	0	100	100
2	F	14/14 (100%)	14 (100%)	0	100	100
2	H	14/14 (100%)	13 (93%)	1 (7%)	14	46
2	J	14/14 (100%)	13 (93%)	1 (7%)	14	46
All	All	1020/1090 (94%)	1016 (100%)	4 (0%)	91	96

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	205	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	409	ASN
1	I	77	ARG
2	J	414	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	1	GLN
1	B	3	ASN
2	C	412	HIS
1	D	3	ASN
2	H	409	ASN
1	I	55	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	207/224 (92%)	0.25	12 (5%) 23 24	58, 85, 128, 144	0
1	B	207/224 (92%)	0.41	9 (4%) 35 34	60, 85, 136, 155	0
1	D	207/224 (92%)	0.41	16 (7%) 13 16	63, 95, 133, 153	0
1	G	207/224 (92%)	0.17	6 (2%) 51 50	62, 89, 113, 144	0
1	I	207/224 (92%)	0.27	9 (4%) 35 34	62, 92, 118, 140	0
2	C	16/17 (94%)	2.09	9 (56%) 0 0	30, 129, 142, 150	0
2	E	16/17 (94%)	2.93	11 (68%) 0 0	110, 149, 162, 165	0
2	F	16/17 (94%)	1.45	6 (37%) 0 0	110, 131, 145, 157	0
2	H	16/17 (94%)	0.21	0 100 100	83, 101, 122, 125	0
2	J	16/17 (94%)	1.35	5 (31%) 0 0	99, 126, 143, 148	0
All	All	1115/1205 (92%)	0.40	83 (7%) 14 17	30, 91, 134, 165	0

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	66	ASP	7.4
2	E	414	GLU	5.8
2	E	413	PRO	5.5
2	E	411	ASP	5.4
2	E	416	CYS	4.9
1	D	16	PRO	4.5
2	C	401	GLY	4.2
2	C	412	HIS	4.1
2	E	412	HIS	4.1
1	D	17	MET	4.1
1	B	65	TRP	4.0
2	E	408	CYS	3.8
2	J	402	CYS	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	206	ARG	3.7
1	B	73	ILE	3.6
2	C	402	CYS	3.6
1	B	206	ARG	3.5
1	B	68	ASN	3.5
1	A	134	GLU	3.4
1	I	134	GLU	3.4
1	D	68	ASN	3.3
2	E	415	ILE	3.2
2	C	411	ASP	3.2
1	I	68	ASN	3.2
2	F	414	GLU	3.2
1	I	185	HIS	3.1
1	D	150	PHE	3.1
1	A	133	GLU	3.0
1	I	206	ARG	3.0
2	C	403	CYS	2.9
2	J	401	GLY	2.9
1	A	175	LEU	2.8
2	E	409	ASN	2.8
1	A	135	GLY	2.7
1	G	131	ASP	2.7
1	D	190	PRO	2.7
2	C	408	CYS	2.7
2	F	402	CYS	2.7
2	F	416	CYS	2.6
1	A	201	LYS	2.6
2	J	408	CYS	2.6
1	A	150	PHE	2.6
1	A	186	TYR	2.6
1	I	153	ASP	2.6
2	C	409	ASN	2.6
1	B	70	TYR	2.6
1	G	134	GLU	2.5
1	G	206	ARG	2.5
2	F	401	GLY	2.5
1	D	186	TYR	2.5
1	D	72	ASN	2.5
1	B	134	GLU	2.4
1	I	70	TYR	2.4
1	A	206	ARG	2.4
1	D	13	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	43	SER	2.4
2	E	402	CYS	2.4
1	D	134	GLU	2.3
2	J	413	PRO	2.3
1	A	188	CYS	2.3
1	G	182	GLN	2.3
1	D	188	CYS	2.2
1	I	187	SER	2.2
1	G	203	ARG	2.2
2	E	410	VAL	2.2
1	D	187	SER	2.2
2	C	416	CYS	2.2
1	A	3	ASN	2.2
1	D	159	ASP	2.2
1	I	11	LEU	2.2
2	F	413	PRO	2.1
1	G	185	HIS	2.1
1	A	69	GLU	2.1
1	D	184	GLN	2.1
2	J	416	CYS	2.1
1	B	1	GLN	2.1
2	E	404	SER	2.1
1	D	160	GLN	2.1
2	F	412	HIS	2.1
1	D	205	ARG	2.0
1	A	70	TYR	2.0
1	I	72	ASN	2.0
2	C	415	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.