



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 06:37 am BST

PDB ID : 2XI2
Title : HCV-H77 NS5B Apo Polymerase
Authors : Harrus, D.; Ahmed-El-Sayed, N.; Simister, P.C.; Miller, S.; Triconnet, M.;
Hagedorn, C.H.; Mahias, K.; Rey, F.A.; Astier-Gin, T.; Bressanelli, S.
Deposited on : 2010-06-25
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	576	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>9%</div> <div>.</div> </div> </div>
1	B	576	<div> <div>3%</div> <div> <div></div> <div>89%</div> <div>8%</div> <div>.</div> </div> </div>
1	C	576	<div> <div>2%</div> <div> <div></div> <div>89%</div> <div>8%</div> <div>.</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14490 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-DIRECTED RNA POLYMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	562	Total	C	N	O	S	0	4	0
			4377	2755	789	801	32			
1	B	559	Total	C	N	O	S	0	3	0
			4339	2734	780	793	32			
1	C	561	Total	C	N	O	S	0	6	0
			4380	2760	791	797	32			

There are 58 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	49	GLN	LYS	conflict	UNP P27958
A	65	HIS	GLN	engineered mutation	UNP P27958
A	92	THR	ALA	conflict	UNP P27958
A	217	PHE	LEU	conflict	UNP P27958
A	283	GLY	ARG	conflict	UNP P27958
A	295	CYS	ARG	conflict	UNP P27958
A	505	ARG	TRP	conflict	UNP P27958
A	513	SER	ALA	conflict	UNP P27958
A	517	ARG	LYS	conflict	UNP P27958
A	540	ALA	THR	conflict	UNP P27958
A	571	HIS	-	expression tag	UNP P27958
A	572	HIS	-	expression tag	UNP P27958
A	573	HIS	-	expression tag	UNP P27958
A	574	HIS	-	expression tag	UNP P27958
A	575	HIS	-	expression tag	UNP P27958
A	576	HIS	-	expression tag	UNP P27958
B	49	GLN	LYS	conflict	UNP P27958
B	65	HIS	GLN	engineered mutation	UNP P27958
B	92	THR	ALA	conflict	UNP P27958
B	217	PHE	LEU	conflict	UNP P27958
B	283	GLY	ARG	conflict	UNP P27958
B	295	CYS	ARG	conflict	UNP P27958
B	505	ARG	TRP	conflict	UNP P27958

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	513	SER	ALA	conflict	UNP P27958
B	517	ARG	LYS	conflict	UNP P27958
B	540	ALA	THR	conflict	UNP P27958
B	571	HIS	-	expression tag	UNP P27958
B	572	HIS	-	expression tag	UNP P27958
B	573	HIS	-	expression tag	UNP P27958
B	574	HIS	-	expression tag	UNP P27958
B	575	HIS	-	expression tag	UNP P27958
B	576	HIS	-	expression tag	UNP P27958
C	49	GLN	LYS	conflict	UNP P27958
C	65	HIS	GLN	engineered mutation	UNP P27958
C	92	THR	ALA	conflict	UNP P27958
C	217	PHE	LEU	conflict	UNP P27958
C	283	GLY	ARG	conflict	UNP P27958
C	295	CYS	ARG	conflict	UNP P27958
C	505	ARG	TRP	conflict	UNP P27958
C	513	SER	ALA	conflict	UNP P27958
C	517	ARG	LYS	conflict	UNP P27958
C	540	ALA	THR	conflict	UNP P27958
C	49	GLN	LYS	conflict	UNP P27958
C	65	HIS	GLN	conflict	UNP P27958
C	92	THR	ALA	conflict	UNP P27958
C	217	PHE	LEU	conflict	UNP P27958
C	283	GLY	ARG	conflict	UNP P27958
C	295	CYS	ARG	conflict	UNP P27958
C	505	ARG	TRP	conflict	UNP P27958
C	513	SER	ALA	conflict	UNP P27958
C	517	ARG	LYS	conflict	UNP P27958
C	540	ALA	THR	conflict	UNP P27958
C	571	HIS	-	expression tag	UNP P27958
C	572	HIS	-	expression tag	UNP P27958
C	573	HIS	-	expression tag	UNP P27958
C	574	HIS	-	expression tag	UNP P27958
C	575	HIS	-	expression tag	UNP P27958
C	576	HIS	-	expression tag	UNP P27958

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	1
			15	12	3		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	1
			15	12	3		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	1
			15	12	3		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	474	Total	O	0	0
			474	474		
3	B	352	Total	O	0	0
			352	352		
3	C	438	Total	O	0	0
			438	438		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RNA-DIRECTED RNA POLYMERASE



• Molecule 1: RNA-DIRECTED RNA POLYMERASE



• Molecule 1: RNA-DIRECTED RNA POLYMERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.33 Å 272.43 Å 60.97 Å 90.00° 98.75° 90.00°	Depositor
Resolution (Å)	43.05 – 1.80 43.05 – 1.80	Depositor EDS
% Data completeness (in resolution range)	91.9 (43.05-1.80) 91.9 (43.05-1.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 1.81 Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.163 , 0.207 0.158 , 0.203	Depositor DCC
R_{free} test set	4343 reflections (3.00%)	wwPDB-VP
Wilson B-factor (Å ²)	16.6	Xtriage
Anisotropy	0.014	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14490	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/4480	0.51	0/6079
1	B	0.31	0/4444	0.49	0/6029
1	C	0.33	0/4497	0.50	0/6098
All	All	0.33	0/13421	0.50	0/18206

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4377	0	4394	38	0
1	B	4339	0	4361	36	0
1	C	4380	0	4421	42	0
2	A	45	0	0	0	0
2	B	45	0	0	2	0
2	C	40	0	0	0	0
3	A	474	0	0	8	0
3	B	352	0	0	7	0
3	C	438	0	0	12	0
All	All	14490	0	13176	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:321:VAL:HG21	1:C:365:SER:HB3	1.55	0.85
1:A:20:LYS:HE2	3:A:2054:HOH:O	1.80	0.79
1:C:321:VAL:HG21	1:C:365:SER:CB	2.17	0.74
1:C:176:TYR:OH	1:C:562:HIS:HE1	1.75	0.69
1:B:118:HIS:HE1	3:B:2093:HOH:O	1.77	0.67
1:A:445:CYS:SG	1:A:454:ILE:HD12	2.35	0.66
1:A:514:ARG:HD3	3:A:2474:HOH:O	1.97	0.64
1:C:197:PRO:HG3	1:C:414:MET:HE3	1.80	0.64
1:A:20:LYS:HB3	3:A:2054:HOH:O	2.00	0.62
1:A:103:TYR:OH	1:A:118:HIS:HD2	1.83	0.62
1:A:445:CYS:HB2	3:A:2369:HOH:O	2.00	0.62
1:C:465:ARG:NH1	1:C:545:LEU:HB2	2.14	0.62
1:C:103:TYR:OH	1:C:118:HIS:HD2	1.83	0.61
1:A:405:VAL:HG11	1:A:446:GLU:HG3	1.81	0.60
1:B:145:PHE:CE2	1:B:155:LYS:HD2	2.38	0.59
1:B:314:LEU:HB3	1:B:321:VAL:CG1	2.33	0.59
1:B:150:GLU:CD	1:B:150:GLU:H	2.05	0.58
1:A:503:ARG:HG2	3:A:2377:HOH:O	2.04	0.57
1:B:197:PRO:HG3	1:B:414:MET:HE3	1.86	0.57
1:C:461:PRO:HB2	1:C:545:LEU:HD11	1.86	0.57
1:B:103:TYR:OH	1:B:118:HIS:HD2	1.88	0.57
1:C:206:GLN:HG2	3:C:2209:HOH:O	2.04	0.56
1:C:346:TYR:O	1:C:347[A]:SER:HB3	2.04	0.56
1:C:107:ASP:HB3	3:C:2142:HOH:O	2.06	0.56
1:C:220:ASP:HB2	3:C:2220:HOH:O	2.07	0.55
1:B:428:HIS:HD2	3:B:2022:HOH:O	1.90	0.55
1:C:192:GLY:HA3	1:C:316:CYS:SG	2.46	0.55
1:B:314:LEU:HB3	1:B:321:VAL:HG13	1.88	0.55
1:C:321:VAL:CG2	1:C:365:SER:HB3	2.31	0.55
1:C:465:ARG:HG3	1:C:545:LEU:HD12	1.88	0.55
1:B:187:MET:HG2	1:B:190:SER:HB2	1.90	0.53
1:B:23:ILE:HD12	1:B:23:ILE:N	2.24	0.53
1:B:77:LYS:HD2	1:B:77:LYS:N	2.24	0.53
1:A:2:MET:HB2	1:A:278[B]:ARG:HH21	1.74	0.53
1:C:197:PRO:HG3	1:C:414:MET:CE	2.38	0.53
1:A:50:LYS:HB2	1:A:50:LYS:NZ	2.25	0.52
1:C:172:LYS:HE3	1:C:560:ILE:HD13	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:546:ASP:OD1	1:A:547:LEU:N	2.37	0.52
1:C:112:ALA:HB3	3:C:2142:HOH:O	2.10	0.51
1:B:197:PRO:HG3	1:B:414:MET:CE	2.40	0.51
1:B:496:PRO:HB2	2:B:1568:SO4:O3	2.10	0.51
1:C:124:LYS:HE2	1:C:128:GLU:OE2	2.11	0.51
1:B:349:PRO:HD2	3:B:2166:HOH:O	2.12	0.50
1:B:346:TYR:O	1:B:347[A]:SER:HB3	2.12	0.50
1:B:460:PRO:HB2	1:B:461:PRO:HD3	1.94	0.50
1:A:192:GLY:HA3	1:A:316:CYS:SG	2.52	0.50
1:A:461:PRO:HB2	1:A:545:LEU:HD11	1.94	0.50
1:A:148:GLN:HB3	1:A:150:GLU:OE2	2.11	0.50
1:C:21:LEU:HD12	1:C:22:PRO:HD2	1.93	0.50
1:C:308:LEU:HB3	1:C:311:CYS:SG	2.52	0.50
1:C:178:VAL:HG23	3:C:2189:HOH:O	2.10	0.50
1:C:200:ARG:HH21	1:C:365:SER:CB	2.23	0.50
1:A:178:VAL:HG23	3:A:2212:HOH:O	2.12	0.49
1:B:99:SER:HB2	1:B:165:LEU:HB3	1.94	0.49
1:A:141:LYS:CG	1:A:160:ILE:HG23	2.42	0.49
1:C:346:TYR:O	1:C:347[A]:SER:CB	2.60	0.49
1:C:176:TYR:OH	1:C:562:HIS:CE1	2.62	0.49
1:B:404:PRO:HD2	3:B:2278:HOH:O	2.13	0.49
1:C:114:LYS:HG2	3:C:2140:HOH:O	2.12	0.48
1:A:48[B]:ARG:NH1	1:A:51:LYS:HD3	2.28	0.48
1:C:18:GLU:HG3	3:C:2021:HOH:O	2.13	0.48
1:A:172:LYS:HE3	1:A:560:ILE:HD13	1.96	0.48
1:B:399:THR:OG1	1:B:428:HIS:HE1	1.96	0.48
1:C:321:VAL:CG2	1:C:365:SER:CB	2.89	0.47
1:B:445:CYS:SG	1:B:454:ILE:HD12	2.54	0.47
1:A:475:HIS:HD2	1:A:476:SER:OG	1.97	0.47
1:A:20:LYS:HE3	1:A:154:ARG:HH12	1.80	0.47
1:B:160:ILE:HD12	1:B:282:SER:OG	2.14	0.47
1:B:268:ASN:HB3	1:B:274:CYS:SG	2.55	0.47
1:A:465:ARG:NH2	1:A:545:LEU:O	2.48	0.46
1:A:141:LYS:HG2	1:A:160:ILE:HG23	1.96	0.46
1:A:375:ASP:C	1:A:375:ASP:OD1	2.51	0.46
1:C:118:HIS:HE1	3:C:2145:HOH:O	1.98	0.46
1:B:83:LEU:HB2	1:B:173:MET:HA	1.98	0.46
1:A:308:LEU:HB3	1:A:311:CYS:SG	2.56	0.46
1:A:197:PRO:HG3	1:A:414:MET:HE3	1.98	0.46
1:C:423:MET:HE3	1:C:528:TRP:CZ3	2.50	0.45
1:C:98:LYS:HD2	3:C:2132:HOH:O	2.15	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:106:LYS:HG3	3:B:2082:HOH:O	2.16	0.45
1:B:405:VAL:HG13	1:B:445:CYS:HA	1.98	0.45
1:A:188:GLY:HA2	1:C:113:ARG:HG3	1.98	0.44
1:A:349:PRO:HD2	3:A:2255:HOH:O	2.17	0.44
1:A:357:GLU:OE2	1:A:362:LEU:HD12	2.16	0.44
1:B:544:ARG:NH2	2:B:1569:SO4:O1	2.50	0.44
1:B:145:PHE:CZ	1:B:155:LYS:HD2	2.53	0.44
1:C:346:TYR:O	1:C:347[B]:SER:CB	2.61	0.44
1:A:314:LEU:HB3	1:A:321:VAL:CG1	2.48	0.43
1:C:441:GLN:NE2	3:C:2354:HOH:O	2.50	0.43
1:B:178:VAL:HG23	3:B:2138:HOH:O	2.19	0.43
1:B:192:GLY:HA3	1:B:316:CYS:SG	2.59	0.43
1:B:346:TYR:O	1:B:347[B]:SER:CB	2.66	0.43
1:A:346:TYR:O	1:A:347[B]:SER:CB	2.67	0.42
1:A:308:LEU:CB	1:A:311:CYS:SG	3.07	0.42
1:B:119:ILE:HD13	1:B:169:VAL:HG11	2.01	0.42
1:B:531:ARG:HD3	3:B:2331:HOH:O	2.20	0.42
1:C:423:MET:HA	1:C:528:TRP:CZ2	2.55	0.42
1:A:278[B]:ARG:NH2	3:A:2295:HOH:O	2.53	0.42
1:A:144:VAL:HB	1:A:394:ARG:HG2	2.02	0.42
1:C:84:SER:OG	1:C:87:GLU:HG3	2.19	0.42
1:C:114:LYS:CG	3:C:2142:HOH:O	2.67	0.41
1:A:375:ASP:O	1:A:475:HIS:HE1	2.03	0.41
1:C:405:VAL:HG11	1:C:446:GLU:HG3	2.02	0.41
1:C:114:LYS:HG3	3:C:2142:HOH:O	2.21	0.41
1:A:423:MET:HA	1:A:528:TRP:CZ2	2.55	0.41
1:C:549:GLY:HA2	1:C:552:THR:HG21	2.03	0.41
1:A:346:TYR:O	1:A:347[A]:SER:CB	2.68	0.40
1:C:503[C]:ARG:HD2	1:C:503[C]:ARG:HA	1.74	0.40
1:A:469:LEU:HA	1:A:469:LEU:HD12	1.97	0.40
1:B:187:MET:HE1	1:B:292:THR:HG22	2.03	0.40
1:B:405:VAL:HG11	1:B:446:GLU:HG3	2.02	0.40
1:B:93:PRO:HA	1:B:94:PRO:HD3	1.96	0.40
1:C:445:CYS:SG	1:C:454:ILE:HD12	2.61	0.40
1:A:375:ASP:O	1:A:475:HIS:CE1	2.74	0.40
1:B:160:ILE:HA	1:B:282:SER:OG	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/576 (98%)	554 (98%)	8 (1%)	2 (0%)	34	21
1	B	558/576 (97%)	543 (97%)	12 (2%)	3 (0%)	29	15
1	C	564/576 (98%)	552 (98%)	10 (2%)	2 (0%)	34	21
All	All	1686/1728 (98%)	1649 (98%)	30 (2%)	7 (0%)	47	21

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	347[A]	SER
1	A	347[B]	SER
1	B	347[A]	SER
1	B	347[B]	SER
1	C	347[A]	SER
1	C	347[B]	SER
1	B	22	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	472/481 (98%)	469 (99%)	3 (1%)	86	84
1	B	468/481 (97%)	465 (99%)	3 (1%)	86	84
1	C	474/481 (98%)	472 (100%)	2 (0%)	91	89
All	All	1414/1443 (98%)	1406 (99%)	8 (1%)	86	84

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	LYS
1	A	502	HIS
1	A	535	LYS
1	B	77	LYS
1	B	142	ASN
1	B	459	LEU
1	C	113	ARG
1	C	406	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	HIS
1	A	118	HIS
1	A	475	HIS
1	B	118	HIS
1	B	428	HIS
1	B	475	HIS
1	B	562	HIS
1	C	118	HIS
1	C	148	GLN
1	C	441	GLN
1	C	562	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	C	1567	-	4,4,4	0.14	0	6,6,6	0.04	0
2	SO4	B	1565	-	4,4,4	0.14	0	6,6,6	0.07	0
2	SO4	C	1568	-	4,4,4	0.14	0	6,6,6	0.14	0
2	SO4	B	1566	-	4,4,4	0.14	0	6,6,6	0.08	0
2	SO4	C	1563	-	4,4,4	0.16	0	6,6,6	0.18	0
2	SO4	B	1567	-	4,4,4	0.14	0	6,6,6	0.28	0
2	SO4	B	1563	-	4,4,4	0.16	0	6,6,6	0.18	0
2	SO4	A	1563	-	4,4,4	0.12	0	6,6,6	0.17	0
2	SO4	C	1564	-	4,4,4	0.14	0	6,6,6	0.18	0
2	SO4	C	1565	-	4,4,4	0.14	0	6,6,6	0.08	0
2	SO4	B	1568	-	4,4,4	0.15	0	6,6,6	0.08	0
2	SO4	A	1569	-	4,4,4	0.13	0	6,6,6	0.08	0
2	SO4	B	1564[C]	-	4,4,4	0.15	0	6,6,6	0.10	0
2	SO4	A	1565	-	4,4,4	0.15	0	6,6,6	0.10	0
2	SO4	B	1564[B]	-	4,4,4	0.16	0	6,6,6	0.11	0
2	SO4	B	1564[A]	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	B	1569	-	4,4,4	0.14	0	6,6,6	0.07	0
2	SO4	A	1568	-	4,4,4	0.19	0	6,6,6	0.17	0
2	SO4	A	1566[B]	-	4,4,4	0.14	0	6,6,6	0.15	0
2	SO4	A	1566[C]	-	4,4,4	0.16	0	6,6,6	0.12	0
2	SO4	A	1567	-	4,4,4	0.20	0	6,6,6	0.28	0
2	SO4	A	1566[A]	-	4,4,4	0.15	0	6,6,6	0.11	0
2	SO4	C	1566[B]	-	4,4,4	0.15	0	6,6,6	0.04	0
2	SO4	C	1566[C]	-	4,4,4	0.12	0	6,6,6	0.08	0
2	SO4	A	1564	-	4,4,4	0.13	0	6,6,6	0.11	0
2	SO4	C	1566[A]	-	4,4,4	0.13	0	6,6,6	0.10	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1568	SO4	1	0
2	B	1569	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	562/576 (97%)	-0.42	7 (1%) 79 76	7, 14, 36, 67	0
1	B	559/576 (97%)	-0.30	16 (2%) 51 46	9, 20, 49, 107	0
1	C	561/576 (97%)	-0.36	10 (1%) 68 64	7, 16, 40, 82	0
All	All	1682/1728 (97%)	-0.36	33 (1%) 65 61	7, 17, 41, 107	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	531	ARG	7.5
1	B	26	LEU	6.4
1	B	25	ALA	5.8
1	B	23	ILE	5.0
1	B	14	CYS	4.8
1	C	14	CYS	4.5
1	C	152	GLY	4.1
1	C	545	LEU	3.7
1	B	15	ALA	3.7
1	B	27	SER	3.5
1	B	402	HIS	3.5
1	C	150	GLU	3.4
1	A	352	ASP	3.2
1	A	14	CYS	3.0
1	C	377	ALA	2.8
1	B	545	LEU	2.7
1	C	153	GLY	2.7
1	A	531	ARG	2.6
1	B	535	LYS	2.5
1	C	15	ALA	2.5
1	A	546	ASP	2.5
1	B	151	LYS	2.4
1	A	548	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	543	GLY	2.4
1	B	16	ALA	2.4
1	A	376	GLY	2.3
1	C	540	ALA	2.2
1	B	543	GLY	2.2
1	B	110	CYS	2.2
1	C	531	ARG	2.2
1	B	57	LEU	2.1
1	B	352	ASP	2.1
1	A	544	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	B	1566	5/5	0.71	0.24	64,64,68,77	5
2	SO4	C	1567	5/5	0.83	0.18	93,94,95,96	0
2	SO4	B	1564[C]	5/5	0.84	0.28	34,34,37,39	5
2	SO4	B	1564[B]	5/5	0.84	0.28	10,24,27,31	5
2	SO4	B	1564[A]	5/5	0.84	0.28	31,34,36,38	5
2	SO4	B	1569	5/5	0.85	0.24	93,94,94,97	0
2	SO4	A	1566[B]	5/5	0.85	0.27	6,21,23,25	5
2	SO4	A	1566[C]	5/5	0.85	0.27	30,32,35,35	5
2	SO4	A	1566[A]	5/5	0.85	0.27	25,31,35,36	5
2	SO4	C	1566[B]	5/5	0.88	0.26	20,26,31,31	5
2	SO4	C	1566[C]	5/5	0.88	0.26	23,23,25,25	5
2	SO4	C	1566[A]	5/5	0.88	0.26	12,25,30,33	5
2	SO4	A	1564	5/5	0.90	0.14	34,38,49,62	5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	C	1565	5/5	0.95	0.16	60,65,68,72	0
2	SO4	A	1569	5/5	0.96	0.11	15,20,24,24	5
2	SO4	B	1565	5/5	0.96	0.19	77,78,78,81	0
2	SO4	B	1568	5/5	0.96	0.09	49,51,52,57	5
2	SO4	B	1567	5/5	0.97	0.07	22,24,26,27	5
2	SO4	C	1564	5/5	0.97	0.09	34,34,40,49	0
2	SO4	A	1563	5/5	0.98	0.08	18,19,23,26	5
2	SO4	C	1563	5/5	0.98	0.11	20,27,29,34	5
2	SO4	C	1568	5/5	0.98	0.10	27,27,30,35	5
2	SO4	B	1563	5/5	0.98	0.07	18,21,24,25	5
2	SO4	A	1567	5/5	0.99	0.07	8,15,18,19	0
2	SO4	A	1565	5/5	0.99	0.11	29,32,35,40	5
2	SO4	A	1568	5/5	0.99	0.09	14,14,21,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.