



Full wwPDB EM Validation Report ⓘ

Nov 15, 2022 – 06:29 PM EST

PDB ID : 6XJD
EMDB ID : EMD-22206
Title : Two mouse cGAS catalytic domain binding to human assembled nucleosome
Authors : Xu, P.; Li, P.; Zhao, B.
Deposited on : 2020-06-23
Resolution : 6.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 6.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	135	
1	E	135	
2	B	102	
2	F	102	
3	C	129	
3	G	129	
4	D	125	
4	H	125	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	I	147	<div><div></div><div>77%</div><div>22%</div><div></div><div>.</div></div>
6	J	147	<div><div></div><div>78%</div><div>20%</div><div></div><div>..</div></div>
7	K	372	<div><div>25%</div><div></div><div>58%</div><div></div><div>34%</div><div>5%</div><div></div><div>..</div></div>
7	L	372	<div><div>5%</div><div></div><div>56%</div><div></div><div>35%</div><div>5%</div><div></div><div>..</div></div>

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 17957 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3.2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	98	Total	C	N	O	S	0	0
			809	511	157	139	2		
1	E	98	Total	C	N	O	S	0	0
			809	511	157	139	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	110	ALA	CYS	conflict	UNP Q71DI3
E	110	ALA	CYS	conflict	UNP Q71DI3

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	80	Total	C	N	O	S	0	0
			637	401	125	110	1		
2	F	81	Total	C	N	O	S	0	0
			645	407	126	111	1		

- Molecule 3 is a protein called Histone H2A type 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	108	Total	C	N	O		0	0
			828	523	162	143			
3	G	107	Total	C	N	O		0	0
			821	518	161	142			

- Molecule 4 is a protein called Histone H2B type 1-C/E/F/G/I.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	95	Total	C	N	O	S	0	0
			745	467	136	140	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	94	Total	C	N	O	S	0	0
			736	461	134	139	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	SER	-	expression tag	UNP P62807
H	1	SER	-	expression tag	UNP P62807

- Molecule 5 is a DNA chain called DNA (145-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	145	Total	C	N	O	P	0	0
			2954	1404	537	869	144		

- Molecule 6 is a DNA chain called DNA (145-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
6	J	145	Total	C	N	O	P	0	0
			2985	1414	560	867	144		

- Molecule 7 is a protein called Cyclic GMP-AMP synthase.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	K	362	Total	C	N	O	S	0	0
			2993	1924	509	547	13		
7	L	362	Total	C	N	O	S	0	0
			2993	1924	509	547	13		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	136	GLY	-	expression tag	UNP Q8C6L5
K	137	SER	-	expression tag	UNP Q8C6L5
K	138	GLU	-	expression tag	UNP Q8C6L5
K	139	PHE	-	expression tag	UNP Q8C6L5
K	140	GLU	-	expression tag	UNP Q8C6L5
K	141	LEU	-	expression tag	UNP Q8C6L5
L	136	GLY	-	expression tag	UNP Q8C6L5
L	137	SER	-	expression tag	UNP Q8C6L5
L	138	GLU	-	expression tag	UNP Q8C6L5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	139	PHE	-	expression tag	UNP Q8C6L5
L	140	GLU	-	expression tag	UNP Q8C6L5
L	141	LEU	-	expression tag	UNP Q8C6L5

- Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
8	K	1	Total 1	Zn 1	0
8	L	1	Total 1	Zn 1	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Histone H3.2

Chain A: 



• Molecule 1: Histone H3.2

Chain E: 



• Molecule 2: Histone H4

Chain B: 




• Molecule 2: Histone H4

Chain F: 




• Molecule 3: Histone H2A type 1

Chain C: 




• Molecule 3: Histone H2A type 1

Chain G: 65% 18% 17%




• Molecule 4: Histone H2B type 1-C/E/F/G/I

Chain D: 62% 13% 24%




• Molecule 4: Histone H2B type 1-C/E/F/G/I

Chain H: 61% 14% 25%




• Molecule 5: DNA (145-MER)

Chain I: 77% 22%




• Molecule 6: DNA (145-MER)


Chain J: 78% 20%



• Molecule 7: Cyclic GMP-AMP synthase



• Molecule 7: Cyclic GMP-AMP synthase



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	9454	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	48	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.037	Depositor
Minimum map value	-0.015	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.0053	Depositor
Map size (Å)	231.12001, 231.12001, 231.12001	wwPDB
Map dimensions	216, 216, 216	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/821	0.82	2/1101 (0.2%)
1	E	0.42	0/821	0.82	2/1101 (0.2%)
2	B	0.39	0/644	0.86	4/862 (0.5%)
2	F	0.40	0/652	0.78	2/873 (0.2%)
3	C	0.39	0/838	0.76	3/1131 (0.3%)
3	G	0.36	0/830	0.74	1/1119 (0.1%)
4	D	0.41	0/756	0.84	3/1015 (0.3%)
4	H	0.38	0/747	0.76	1/1004 (0.1%)
5	I	0.86	0/3310	1.11	4/5103 (0.1%)
6	J	0.87	1/3352 (0.0%)	1.10	7/5176 (0.1%)
7	K	0.44	1/3058 (0.0%)	0.96	20/4106 (0.5%)
7	L	0.44	1/3058 (0.0%)	0.96	21/4106 (0.5%)
All	All	0.62	3/18887 (0.0%)	0.97	70/26697 (0.3%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	J	41	DT	C3'-O3'	5.54	1.51	1.44
7	K	381	GLU	CB-CG	5.18	1.62	1.52
7	L	381	GLU	CB-CG	5.14	1.61	1.52

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	K	461	ARG	NE-CZ-NH1	12.60	126.60	120.30
7	L	461	ARG	NE-CZ-NH1	12.58	126.59	120.30
7	L	326	LEU	CA-CB-CG	9.07	136.17	115.30
7	K	326	LEU	CA-CB-CG	9.07	136.15	115.30
4	D	80	LEU	CA-CB-CG	8.30	134.39	115.30
7	K	505	ASP	CB-CG-OD1	7.93	125.43	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	L	505	ASP	CB-CG-OD1	7.89	125.40	118.30
7	K	347	LEU	CA-CB-CG	7.69	132.98	115.30
7	L	347	LEU	CA-CB-CG	7.66	132.91	115.30
7	L	381	GLU	CA-CB-CG	7.54	129.99	113.40
7	K	381	GLU	CA-CB-CG	7.54	129.98	113.40
7	L	461	ARG	NE-CZ-NH2	-7.52	116.54	120.30
7	K	461	ARG	NE-CZ-NH2	-7.51	116.54	120.30
3	C	58	LEU	CA-CB-CG	7.46	132.46	115.30
7	K	310	LEU	CA-CB-CG	7.32	132.12	115.30
7	L	310	LEU	CA-CB-CG	7.29	132.08	115.30
7	K	287	GLU	CA-CB-CG	7.16	129.15	113.40
7	L	287	GLU	CA-CB-CG	7.14	129.10	113.40
7	L	159	LEU	CA-CB-CG	6.96	131.31	115.30
7	K	159	LEU	CA-CB-CG	6.94	131.25	115.30
2	B	90	LEU	CA-CB-CG	6.90	131.18	115.30
7	L	195	LEU	CA-CB-CG	6.78	130.89	115.30
7	K	461	ARG	CD-NE-CZ	6.77	133.08	123.60
7	L	461	ARG	CD-NE-CZ	6.76	133.07	123.60
7	K	195	LEU	CA-CB-CG	6.75	130.82	115.30
3	C	30	VAL	CA-CB-CG1	6.43	120.54	110.90
6	J	41	DT	P-O3'-C3'	6.40	127.38	119.70
7	K	257	LEU	CA-CB-CG	6.39	130.01	115.30
7	L	257	LEU	CA-CB-CG	6.36	129.92	115.30
7	L	409	LYS	CA-CB-CG	6.26	127.17	113.40
7	K	409	LYS	CA-CB-CG	6.25	127.16	113.40
1	A	100	LEU	CA-CB-CG	6.22	129.60	115.30
1	E	100	LEU	CA-CB-CG	6.20	129.55	115.30
6	J	116	DA	O4'-C4'-C3'	-6.18	102.03	104.50
2	F	58	LEU	CA-CB-CG	6.15	129.45	115.30
1	A	105	GLU	CA-CB-CG	6.15	126.93	113.40
1	E	105	GLU	CA-CB-CG	6.14	126.91	113.40
3	C	51	LEU	CA-CB-CG	5.99	129.08	115.30
2	B	58	LEU	CA-CB-CG	5.88	128.82	115.30
4	D	100	LEU	CA-CB-CG	5.72	128.46	115.30
7	L	461	ARG	CG-CD-NE	5.64	123.64	111.80
7	K	461	ARG	CG-CD-NE	5.64	123.64	111.80
6	J	107	DC	P-O3'-C3'	5.58	126.40	119.70
2	B	62	LEU	CA-CB-CG	5.54	128.05	115.30
7	K	297	LEU	CA-CB-CG	5.54	128.05	115.30
7	L	297	LEU	CA-CB-CG	5.54	128.04	115.30
7	K	460	LEU	CA-CB-CG	5.51	127.97	115.30
7	L	460	LEU	CA-CB-CG	5.50	127.95	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	48	DA	OP1-P-O3'	5.42	117.13	105.20
3	G	91	GLU	CA-CB-CG	5.37	125.22	113.40
5	I	139	DC	OP2-P-O3'	5.37	117.02	105.20
7	L	287	GLU	CB-CA-C	5.36	121.12	110.40
7	K	287	GLU	CB-CA-C	5.35	121.11	110.40
2	B	65	VAL	CA-CB-CG2	5.34	118.92	110.90
2	F	97	LEU	CA-CB-CG	5.26	127.40	115.30
6	J	117	DT	P-O3'-C3'	5.24	125.99	119.70
5	I	87	DT	OP1-P-O3'	5.17	116.57	105.20
7	K	365	LEU	CB-CG-CD1	-5.16	102.22	111.00
7	L	365	LEU	CB-CG-CD1	-5.16	102.24	111.00
5	I	44	DC	OP2-P-O3'	5.14	116.52	105.20
6	J	131	DC	O4'-C1'-N1	5.14	111.60	108.00
4	D	118	VAL	CA-CB-CG2	5.12	118.58	110.90
6	J	143	DC	O4'-C1'-N1	5.09	111.56	108.00
7	L	445	LEU	CA-CB-CG	5.08	126.99	115.30
6	J	73	DG	OP2-P-O3'	5.08	116.37	105.20
7	K	445	LEU	CA-CB-CG	5.07	126.95	115.30
4	H	54	ILE	CG1-CB-CG2	-5.03	100.33	111.40
7	L	206	ILE	CG1-CB-CG2	-5.02	100.35	111.40
7	L	385	CYS	CA-CB-SG	5.02	123.03	114.00
7	K	385	CYS	CA-CB-SG	5.01	123.03	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	809	0	851	23	0
1	E	809	0	851	25	0
2	B	637	0	676	18	0
2	F	645	0	687	14	0
3	C	828	0	889	23	0
3	G	821	0	882	18	0
4	D	745	0	769	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	H	736	0	756	15	0
5	I	2954	0	1629	26	0
6	J	2985	0	1628	23	0
7	K	2993	0	3042	63	0
7	L	2993	0	3042	69	0
8	K	1	0	0	0	0
8	L	1	0	0	0	0
All	All	17957	0	15702	269	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (269) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:L:165:SER:O	7:L:169:GLU:HB2	1.83	0.79
7:K:165:SER:O	7:K:169:GLU:HB2	1.83	0.78
1:A:83:ARG:HB3	5:I:49:DG:H4'	1.77	0.67
7:L:271:LYS:HD2	7:L:275:LYS:HZ1	1.60	0.67
7:L:280:ILE:HG23	7:L:300:ASN:HD22	1.61	0.65
7:K:271:LYS:HD2	7:K:275:LYS:HZ1	1.60	0.65
7:K:280:ILE:HG23	7:K:300:ASN:HD22	1.61	0.65
1:E:83:ARG:HB2	2:F:80:THR:HG22	1.80	0.64
7:K:419:CYS:SG	7:K:420:SER:N	2.71	0.64
7:L:419:CYS:SG	7:L:420:SER:N	2.71	0.63
7:L:328:ILE:HB	7:L:332:LEU:HB2	1.84	0.60
7:K:439:GLN:HA	7:K:444:ASN:HD22	1.68	0.59
7:K:328:ILE:HB	7:K:332:LEU:HB2	1.84	0.59
1:A:130:ILE:O	1:E:131:ARG:NH1	2.36	0.58
4:D:50:PRO:HG2	7:L:323:LYS:HD2	1.83	0.58
7:L:192:VAL:HG22	7:L:218:LEU:HB2	1.85	0.58
7:K:482:ASP:OD1	7:K:482:ASP:N	2.36	0.58
1:A:40:ARG:NH2	6:J:82:DT:O2	2.36	0.58
2:F:85:ASP:OD1	2:F:85:ASP:N	2.35	0.58
7:L:439:GLN:HA	7:L:444:ASN:HD22	1.67	0.58
5:I:1:DT:O4	6:J:144:DC:N3	2.37	0.58
7:K:192:VAL:HG22	7:K:218:LEU:HB2	1.85	0.57
7:L:482:ASP:N	7:L:482:ASP:OD1	2.36	0.57
7:K:377:ASN:HB3	7:K:382:LYS:HD2	1.87	0.57
7:K:375:LEU:O	7:K:378:HIS:ND1	2.32	0.56
4:H:50:PRO:HG2	7:K:323:LYS:HD2	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:L:320:ILE:HA	7:L:323:LYS:HG2	1.88	0.56
7:L:377:ASN:HB3	7:L:382:LYS:HD2	1.86	0.56
2:B:29:ILE:O	2:B:55:ARG:NH2	2.38	0.56
7:K:438:SER:OG	7:K:443:ARG:NH2	2.38	0.56
1:A:116:ARG:NH2	1:A:120:MET:SD	2.79	0.56
1:E:116:ARG:NH2	1:E:120:MET:SD	2.79	0.55
3:G:65:LEU:HD13	3:G:68:ASN:HD22	1.71	0.55
7:L:438:SER:OG	7:L:443:ARG:NH2	2.39	0.55
1:A:59:GLU:O	2:B:40:ARG:NH1	2.40	0.55
7:K:430:MET:SD	7:K:451:LYS:NZ	2.78	0.55
3:C:61:GLU:OE2	7:L:222:ARG:NH2	2.39	0.55
1:E:42:ARG:NH2	6:J:68:DG:O5'	2.40	0.55
7:K:253:GLU:HG3	7:K:256:VAL:HB	1.89	0.55
7:K:320:ILE:HA	7:K:323:LYS:HG2	1.88	0.55
7:L:155:ASP:OD1	7:L:158:ARG:NH1	2.39	0.54
7:K:155:ASP:OD1	7:K:158:ARG:NH1	2.39	0.54
7:L:430:MET:SD	7:L:451:LYS:NZ	2.78	0.54
7:L:493:ILE:O	7:L:497:ARG:HB2	2.07	0.54
2:F:52:GLU:OE2	2:F:55:ARG:NH1	2.39	0.54
3:G:32:ARG:NH2	4:H:35:GLU:OE1	2.40	0.54
3:G:92:GLU:OE1	7:K:241:ARG:NH2	2.40	0.54
7:K:161:ARG:NH1	7:K:199:SER:O	2.40	0.54
1:A:49:ARG:HA	1:A:52:ARG:HD2	1.90	0.54
2:B:85:ASP:OD2	2:B:85:ASP:N	2.39	0.54
7:K:346:TYR:HB2	7:K:366:SER:HB2	1.89	0.54
7:K:493:ILE:O	7:K:497:ARG:HB2	2.07	0.54
7:L:372:LYS:O	7:L:376:ASN:ND2	2.40	0.54
3:C:42:ARG:NH2	6:J:110:DC:O2	2.39	0.54
3:G:29:ARG:NH1	4:H:36:SER:O	2.41	0.54
3:C:38:ASN:ND2	3:G:39:TYR:O	2.41	0.54
7:L:346:TYR:HB2	7:L:366:SER:HB2	1.89	0.54
7:L:161:ARG:NH1	7:L:199:SER:O	2.40	0.54
7:L:253:GLU:HG3	7:L:256:VAL:HB	1.89	0.54
7:K:372:LYS:O	7:K:376:ASN:ND2	2.40	0.53
3:C:92:GLU:OE1	7:L:241:ARG:NH2	2.40	0.53
7:L:466:ASP:OD1	7:L:466:ASP:N	2.42	0.53
2:B:96:THR:HG23	3:G:100:VAL:HA	1.90	0.53
1:E:49:ARG:HA	1:E:52:ARG:HD2	1.90	0.53
4:H:33:ARG:HH21	5:I:121:DG:H4'	1.72	0.53
5:I:1:DT:O4	6:J:144:DC:C4	2.61	0.53
7:K:315:LYS:HD3	7:K:344:PRO:HB3	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:80:LEU:O	4:D:84:ASN:ND2	2.42	0.52
2:F:29:ILE:O	2:F:55:ARG:NH2	2.38	0.52
3:G:26:PRO:HG2	3:G:30:VAL:HG23	1.92	0.52
1:A:113:HIS:O	1:A:115:LYS:NZ	2.41	0.52
7:L:221:PRO:HG2	7:L:239:PHE:HE2	1.75	0.52
7:K:325:GLY:O	7:K:337:ARG:NH2	2.43	0.52
7:L:315:LYS:HD3	7:L:344:PRO:HB3	1.91	0.52
4:D:61:ILE:HG12	2:F:98:TYR:HB3	1.92	0.52
7:K:212:PHE:HB3	7:K:306:VAL:HG13	1.92	0.52
7:K:221:PRO:HG2	7:K:239:PHE:HE2	1.75	0.52
3:G:17:ARG:HA	3:G:20:ARG:HB2	1.92	0.52
1:A:73:GLU:OE1	2:B:25:ASN:ND2	2.43	0.52
7:L:416:ASP:OD2	7:L:416:ASP:N	2.43	0.52
7:K:416:ASP:OD2	7:K:416:ASP:N	2.43	0.51
4:D:77:ALA:HA	4:D:80:LEU:HG	1.93	0.51
3:G:11:ARG:NH2	5:I:116:DT:O2	2.41	0.51
7:L:325:GLY:O	7:L:337:ARG:NH2	2.43	0.51
1:A:69:ARG:O	2:B:23:ARG:NH1	2.44	0.51
3:G:88:ARG:NH1	3:G:94:ASN:OD1	2.43	0.51
7:L:212:PHE:HB3	7:L:306:VAL:HG13	1.92	0.51
3:C:81:ARG:NH2	1:E:57:SER:O	2.44	0.51
7:K:294:VAL:HB	7:K:308:ILE:HB	1.94	0.50
7:K:317:SER:H	7:K:345:PHE:HZ	1.60	0.50
1:E:113:HIS:O	1:E:115:LYS:NZ	2.41	0.50
7:K:430:MET:HE1	7:K:440:TRP:HE1	1.77	0.50
4:D:51:ASP:OD1	4:D:51:ASP:N	2.43	0.50
5:I:94:DC:C2	6:J:52:DG:N2	2.80	0.50
4:H:51:ASP:OD1	4:H:51:ASP:N	2.43	0.50
4:H:33:ARG:HG2	5:I:122:DC:H5"	1.94	0.50
7:L:294:VAL:HB	7:L:308:ILE:HB	1.94	0.50
2:F:60:VAL:O	2:F:64:ASN:ND2	2.45	0.49
3:G:69:ALA:O	3:G:73:ASN:ND2	2.43	0.49
4:D:30:LYS:HA	5:I:103:DT:H5"	1.94	0.49
7:L:375:LEU:O	7:L:378:HIS:ND1	2.32	0.49
3:C:88:ARG:HB2	3:C:108:LEU:HD13	1.94	0.49
7:L:317:SER:H	7:L:345:PHE:HZ	1.60	0.49
3:C:65:LEU:HD13	3:C:68:ASN:HD22	1.76	0.49
3:G:96:LEU:HD13	4:H:103:PRO:HD3	1.94	0.49
2:B:62:LEU:HA	2:B:65:VAL:HG22	1.94	0.49
4:D:95:GLN:HG3	4:D:111:VAL:HG22	1.93	0.49
1:E:128:ARG:HD3	1:E:134:ARG:HH21	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:42:ARG:HB3	6:J:111:DG:H4'	1.95	0.49
2:B:35:ARG:NH2	6:J:81:DG:OP2	2.42	0.49
3:C:80:PRO:HA	3:C:83:LEU:HD12	1.95	0.49
5:I:58:DA:N6	6:J:87:DT:O4	2.46	0.48
3:C:109:PRO:HB3	1:E:55:GLN:HB3	1.95	0.48
7:K:194:GLN:HE22	7:K:196:ASN:HB2	1.78	0.48
1:E:65:LEU:HB2	5:I:90:DA:H5''	1.95	0.48
1:E:84:PHE:HB3	2:F:81:VAL:HB	1.96	0.48
3:C:69:ALA:O	3:C:73:ASN:ND2	2.46	0.48
3:C:16:THR:O	3:C:19:SER:OG	2.31	0.48
5:I:14:DT:O4	6:J:131:DC:N4	2.47	0.48
7:L:450:ASP:HA	7:L:453:LEU:HD12	1.95	0.48
1:A:128:ARG:HD3	1:A:134:ARG:HH21	1.77	0.48
1:E:44:GLY:O	1:E:48:LEU:N	2.45	0.48
7:K:332:LEU:HD13	7:K:382:LYS:HZ1	1.78	0.48
7:L:351:ASN:OD1	7:L:359:GLN:NE2	2.45	0.48
3:G:26:PRO:HG3	3:G:29:ARG:HD2	1.96	0.48
7:K:179:LEU:HD21	7:K:193:GLU:HA	1.96	0.48
7:L:179:LEU:HD21	7:L:193:GLU:HA	1.96	0.48
7:L:430:MET:HE1	7:L:440:TRP:HE1	1.79	0.48
7:L:378:HIS:HE1	7:L:385:CYS:HB3	1.79	0.47
7:L:167:ALA:O	7:L:170:THR:OG1	2.30	0.47
7:L:194:GLN:HE22	7:L:196:ASN:HB2	1.78	0.47
3:G:54:VAL:HG23	4:H:110:ALA:HB1	1.95	0.47
5:I:118:DC:N4	6:J:27:DT:O4	2.48	0.47
7:K:378:HIS:HE1	7:K:385:CYS:HB3	1.79	0.47
7:K:450:ASP:HA	7:K:453:LEU:HD12	1.95	0.47
1:E:128:ARG:NH2	1:E:133:GLU:O	2.48	0.47
7:L:442:PRO:HA	7:L:445:LEU:HB2	1.95	0.47
3:C:88:ARG:NH1	3:C:94:ASN:OD1	2.42	0.47
7:K:222:ARG:HB3	7:K:240:LYS:HD2	1.97	0.47
1:A:61:LEU:HD13	2:B:36:ARG:HB3	1.97	0.47
1:E:65:LEU:HD22	5:I:90:DA:H2'	1.97	0.47
7:L:222:ARG:HB3	7:L:240:LYS:HD2	1.96	0.47
7:K:442:PRO:HA	7:K:445:LEU:HB2	1.95	0.47
3:G:78:ILE:HB	4:H:54:ILE:HG23	1.97	0.46
7:K:351:ASN:OD1	7:K:359:GLN:NE2	2.45	0.46
7:K:429:HIS:NE2	7:K:466:ASP:O	2.49	0.46
7:L:332:LEU:HD13	7:L:382:LYS:HZ1	1.80	0.46
7:L:429:HIS:NE2	7:L:466:ASP:O	2.49	0.46
1:A:128:ARG:NH2	1:A:133:GLU:O	2.48	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:27:VAL:HA	3:C:30:VAL:HG12	1.98	0.46
4:H:36:SER:OG	4:H:37:TYR:N	2.48	0.46
1:A:54:TYR:HB3	2:B:40:ARG:HG3	1.96	0.46
7:L:368:SER:HA	7:L:371:GLU:HG2	1.98	0.46
2:F:55:ARG:O	2:F:59:LYS:HB2	2.16	0.46
7:K:466:ASP:N	7:K:466:ASP:OD1	2.42	0.46
2:B:36:ARG:HH12	5:I:59:DA:H3'	1.80	0.45
3:C:75:LYS:HA	3:C:75:LYS:HD3	1.78	0.45
7:K:368:SER:HA	7:K:371:GLU:HG2	1.98	0.45
1:A:44:GLY:O	1:A:48:LEU:N	2.45	0.45
7:K:220:VAL:HB	7:K:312:LEU:HD12	1.98	0.45
7:L:220:VAL:HB	7:L:312:LEU:HD12	1.98	0.45
7:L:347:LEU:HD12	7:L:365:LEU:HA	1.99	0.45
6:J:130:DG:H2''	6:J:131:DC:H2'	1.98	0.45
7:L:395:LYS:HE2	7:L:395:LYS:HB2	1.76	0.45
3:C:34:LEU:HD11	3:C:51:LEU:HD21	1.99	0.45
3:C:78:ILE:O	4:D:57:LYS:NZ	2.43	0.45
5:I:142:DC:N4	6:J:3:DG:O6	2.50	0.45
7:L:492:LYS:HB2	7:L:492:LYS:HE3	1.81	0.45
2:B:75:HIS:CG	4:D:96:THR:HG21	2.53	0.45
5:I:66:DG:H2''	5:I:67:DT:C5	2.52	0.44
7:K:391:LYS:NZ	7:K:392:CYS:O	2.50	0.44
7:K:406:GLU:HA	7:K:409:LYS:HE3	1.99	0.44
7:L:495:TYR:O	7:L:499:ASN:ND2	2.50	0.44
5:I:63:DC:H2'	5:I:64:DA:C8	2.52	0.44
1:E:128:ARG:HB2	1:E:134:ARG:HE	1.81	0.44
7:K:165:SER:O	7:K:169:GLU:CB	2.62	0.44
7:K:495:TYR:O	7:K:499:ASN:ND2	2.50	0.44
1:A:128:ARG:HB2	1:A:134:ARG:HE	1.81	0.44
3:C:32:ARG:NE	5:I:29:DA:OP1	2.50	0.44
4:H:113:GLU:HA	4:H:116:LYS:HE2	1.98	0.44
7:L:406:GLU:HA	7:L:409:LYS:HE3	1.99	0.44
1:E:57:SER:OG	2:F:40:ARG:NH2	2.51	0.44
1:E:73:GLU:OE1	2:F:25:ASN:ND2	2.43	0.44
1:A:131:ARG:NH1	1:E:130:ILE:O	2.51	0.44
1:E:116:ARG:HE	1:E:116:ARG:HB2	1.65	0.43
2:F:64:ASN:OD1	2:F:67:ARG:NH1	2.49	0.43
7:K:167:ALA:O	7:K:170:THR:OG1	2.30	0.43
7:L:391:LYS:NZ	7:L:392:CYS:O	2.50	0.43
2:B:82:THR:OG1	2:B:83:ALA:N	2.49	0.43
6:J:135:DG:H1'	6:J:136:DG:H5'	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:59:THR:HA	3:C:62:ILE:HD12	1.99	0.43
7:K:347:LEU:HD12	7:K:365:LEU:HA	1.99	0.43
7:L:162:LYS:HA	7:L:162:LYS:HD3	1.86	0.43
5:I:74:DT:O4	6:J:71:DC:N4	2.51	0.43
7:K:238:LYS:HE3	7:K:256:VAL:HG22	2.01	0.43
7:L:164:ILE:O	7:L:168:ALA:HB3	2.18	0.43
7:L:165:SER:O	7:L:169:GLU:CB	2.62	0.43
7:K:164:ILE:O	7:K:168:ALA:HB3	2.18	0.43
7:K:395:LYS:HB2	7:K:395:LYS:HE2	1.76	0.43
1:A:123:ASP:N	1:A:123:ASP:OD1	2.51	0.43
1:E:123:ASP:OD1	1:E:123:ASP:N	2.51	0.43
7:L:354:ASP:OD1	7:L:359:GLN:NE2	2.52	0.43
1:E:79:LYS:NZ	1:E:80:THR:O	2.38	0.43
5:I:53:DC:H2''	5:I:54:DG:H5''	2.00	0.43
7:K:354:ASP:OD1	7:K:359:GLN:NE2	2.52	0.42
7:L:161:ARG:O	7:L:165:SER:OG	2.37	0.42
1:A:60:LEU:H	1:A:60:LEU:HG	1.68	0.42
5:I:69:DC:H6	5:I:69:DC:H2'	1.70	0.42
7:K:397:CYS:HA	7:K:400:LEU:HD12	2.01	0.42
2:F:26:ILE:HD11	2:F:55:ARG:HB3	2.02	0.42
4:H:37:TYR:HE2	4:H:67:ASN:HD21	1.67	0.42
7:L:238:LYS:HE3	7:L:256:VAL:HG22	2.01	0.42
7:L:353:LYS:HA	7:L:353:LYS:HD3	1.91	0.42
7:L:397:CYS:HA	7:L:400:LEU:HD12	2.01	0.42
7:K:461:ARG:HH11	7:K:461:ARG:HG2	1.84	0.42
7:L:461:ARG:HG2	7:L:461:ARG:HH11	1.84	0.42
7:K:378:HIS:HD2	7:K:394:ARG:HD2	1.85	0.42
7:K:259:ALA:H	7:K:361:GLU:HG3	1.85	0.42
4:H:95:GLN:HG3	4:H:111:VAL:HG22	2.02	0.42
7:K:161:ARG:O	7:K:165:SER:OG	2.36	0.42
7:L:378:HIS:HD2	7:L:394:ARG:HD2	1.85	0.42
4:D:58:ALA:HA	4:D:61:ILE:HD12	2.01	0.42
7:K:147:PRO:HB3	7:K:445:LEU:HD23	2.02	0.42
7:L:403:TYR:HA	7:L:406:GLU:HB3	2.02	0.42
1:A:59:GLU:HA	3:G:104:GLN:HE22	1.84	0.41
1:A:63:ARG:HD2	6:J:90:DA:H4'	2.01	0.41
5:I:117:DC:N4	6:J:28:DG:O6	2.53	0.41
7:K:215:MET:N	7:K:215:MET:SD	2.93	0.41
7:K:403:TYR:HA	7:K:406:GLU:HB3	2.02	0.41
7:L:249:SER:HA	7:L:252:LEU:HB2	2.03	0.41
3:G:93:LEU:O	3:G:97:LEU:N	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:I:80:DC:N4	6:J:65:DG:O6	2.53	0.41
7:L:215:MET:SD	7:L:215:MET:N	2.93	0.41
1:E:60:LEU:H	1:E:60:LEU:HG	1.68	0.41
1:A:83:ARG:HB2	2:B:80:THR:HG22	2.01	0.41
3:C:26:PRO:HD3	4:D:40:TYR:CG	2.55	0.41
2:F:39:ARG:HD3	2:F:39:ARG:HA	1.84	0.41
7:K:349:PRO:HB3	7:K:363:TRP:CE2	2.56	0.41
7:L:147:PRO:HB3	7:L:445:LEU:HD23	2.02	0.41
7:L:259:ALA:H	7:L:361:GLU:HG3	1.85	0.41
7:L:349:PRO:HB3	7:L:363:TRP:CE2	2.56	0.41
2:B:79:LYS:HE2	6:J:100:DG:H3'	2.02	0.41
3:C:26:PRO:HB2	3:C:29:ARG:HB3	2.03	0.41
3:C:78:ILE:HG23	3:C:82:HIS:CE1	2.56	0.41
7:L:470:ILE:HB	7:L:473:PHE:HB3	2.03	0.41
1:A:79:LYS:NZ	1:A:80:THR:O	2.38	0.41
5:I:56:DT:O4	6:J:89:DA:C6	2.73	0.41
5:I:128:DT:H2''	5:I:129:DC:C5	2.56	0.41
6:J:25:DC:H6	6:J:25:DC:H2'	1.76	0.41
1:A:64:LYS:HE2	1:A:64:LYS:HB2	1.88	0.41
6:J:20:DA:H2''	6:J:21:DC:H5''	2.02	0.41
6:J:118:DT:H2''	6:J:119:DG:C8	2.55	0.41
7:L:285:GLU:HB3	7:L:295:THR:HG23	2.03	0.41
2:B:30:THR:OG1	5:I:60:DA:OP1	2.37	0.40
4:D:105:GLU:HA	4:D:108:LYS:HD2	2.03	0.40
4:H:37:TYR:H	4:H:63:ASN:HD21	1.70	0.40
7:K:470:ILE:HB	7:K:473:PHE:HB3	2.03	0.40
7:L:249:SER:HA	7:L:252:LEU:HD12	2.03	0.40
7:L:364:ARG:HE	7:L:364:ARG:HB3	1.78	0.40
3:C:113:ALA:HA	3:C:116:LEU:HD12	2.03	0.40
1:E:61:LEU:HB3	2:F:36:ARG:HH21	1.85	0.40
3:G:88:ARG:NH1	3:G:97:LEU:O	2.41	0.40
7:K:249:SER:HA	7:K:252:LEU:HB2	2.02	0.40
2:B:31:LYS:HA	2:B:34:ILE:HD12	2.04	0.40
2:B:32:PRO:HA	2:B:35:ARG:HD3	2.03	0.40
1:E:37:LYS:HE3	1:E:37:LYS:HB3	1.94	0.40
1:E:64:LYS:HB2	1:E:64:LYS:HE2	1.88	0.40
4:H:80:LEU:HD11	4:H:97:ALA:HB2	2.04	0.40
7:K:291:SER:O	7:K:291:SER:OG	2.39	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	96/135 (71%)	92 (96%)	4 (4%)	0	100	100
1	E	96/135 (71%)	92 (96%)	4 (4%)	0	100	100
2	B	78/102 (76%)	73 (94%)	5 (6%)	0	100	100
2	F	79/102 (78%)	75 (95%)	4 (5%)	0	100	100
3	C	106/129 (82%)	98 (92%)	8 (8%)	0	100	100
3	G	105/129 (81%)	92 (88%)	13 (12%)	0	100	100
4	D	93/125 (74%)	90 (97%)	3 (3%)	0	100	100
4	H	92/125 (74%)	83 (90%)	9 (10%)	0	100	100
7	K	360/372 (97%)	326 (91%)	34 (9%)	0	100	100
7	L	360/372 (97%)	326 (91%)	34 (9%)	0	100	100
All	All	1465/1726 (85%)	1347 (92%)	118 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	85/109 (78%)	81 (95%)	4 (5%)	26	51
1	E	85/109 (78%)	81 (95%)	4 (5%)	26	51
2	B	65/78 (83%)	65 (100%)	0	100	100
2	F	66/78 (85%)	65 (98%)	1 (2%)	65	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	83/98 (85%)	83 (100%)	0	100	100
3	G	82/98 (84%)	82 (100%)	0	100	100
4	D	82/105 (78%)	82 (100%)	0	100	100
4	H	81/105 (77%)	80 (99%)	1 (1%)	71	83
7	K	335/343 (98%)	280 (84%)	55 (16%)	2	12
7	L	335/343 (98%)	280 (84%)	55 (16%)	2	12
All	All	1299/1466 (89%)	1179 (91%)	120 (9%)	13	29

All (120) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	ARG
1	A	94	GLU
1	A	100	LEU
1	A	112	ILE
1	E	53	ARG
1	E	94	GLU
1	E	100	LEU
1	E	112	ILE
2	F	71	THR
4	H	79	ARG
7	K	149	LYS
7	K	152	LYS
7	K	157	LEU
7	K	165	SER
7	K	169	GLU
7	K	175	VAL
7	K	178	LEU
7	K	184	LYS
7	K	188	GLU
7	K	199	SER
7	K	207	SER
7	K	213	ASP
7	K	215	MET
7	K	221	PRO
7	K	224	GLU
7	K	230	GLU
7	K	244	ARG
7	K	253	GLU
7	K	257	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	K	262	MET
7	K	265	LYS
7	K	266	PHE
7	K	271	LYS
7	K	274	VAL
7	K	275	LYS
7	K	279	ASP
7	K	287	GLU
7	K	288	LYS
7	K	291	SER
7	K	295	THR
7	K	299	ARG
7	K	305	SER
7	K	306	VAL
7	K	309	ILE
7	K	313	GLU
7	K	336	VAL
7	K	375	LEU
7	K	381	GLU
7	K	385	CYS
7	K	387	SER
7	K	393	CYS
7	K	405	LEU
7	K	409	LYS
7	K	413	GLN
7	K	419	CYS
7	K	457	LEU
7	K	461	ARG
7	K	465	LEU
7	K	470	ILE
7	K	472	LYS
7	K	475	LEU
7	K	477	SER
7	K	484	LYS
7	K	485	SER
7	K	506	LYS
7	L	149	LYS
7	L	152	LYS
7	L	157	LEU
7	L	165	SER
7	L	169	GLU
7	L	175	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	L	178	LEU
7	L	184	LYS
7	L	188	GLU
7	L	199	SER
7	L	207	SER
7	L	213	ASP
7	L	215	MET
7	L	221	PRO
7	L	224	GLU
7	L	230	GLU
7	L	244	ARG
7	L	253	GLU
7	L	257	LEU
7	L	262	MET
7	L	265	LYS
7	L	266	PHE
7	L	271	LYS
7	L	274	VAL
7	L	275	LYS
7	L	279	ASP
7	L	287	GLU
7	L	288	LYS
7	L	291	SER
7	L	295	THR
7	L	299	ARG
7	L	305	SER
7	L	306	VAL
7	L	309	ILE
7	L	313	GLU
7	L	336	VAL
7	L	375	LEU
7	L	381	GLU
7	L	385	CYS
7	L	387	SER
7	L	393	CYS
7	L	405	LEU
7	L	409	LYS
7	L	413	GLN
7	L	419	CYS
7	L	457	LEU
7	L	461	ARG
7	L	465	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	L	470	ILE
7	L	472	LYS
7	L	475	LEU
7	L	477	SER
7	L	484	LYS
7	L	485	SER
7	L	506	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	25	ASN
2	B	27	GLN
3	C	38	ASN
3	C	73	ASN
3	C	110	ASN
4	D	49	HIS
4	D	84	ASN
3	G	89	ASN
4	H	63	ASN
7	K	300	ASN
7	K	339	ASN
7	K	444	ASN
7	L	300	ASN
7	L	339	ASN
7	L	376	ASN
7	L	377	ASN
7	L	444	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-22206. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 108



Y Index: 108



Z Index: 108

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 83



Y Index: 105




Z Index: 105


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0053. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 294 nm³; this corresponds to an approximate mass of 266 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.147 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.147 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	6.80	-	-
Author-provided FSC curve	6.68	7.98	6.84
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-22206 and PDB model 6XJD. Per-residue inclusion information can be found in section 3 on page 7.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0053 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0053).

9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 87% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0053) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8709	<div></div> 0.1960
A	<div></div> 0.9023	<div></div> 0.1730
B	<div></div> 0.9198	<div></div> 0.1800
C	<div></div> 0.9153	<div></div> 0.2010
D	<div></div> 0.8967	<div></div> 0.1930
E	<div></div> 0.8882	<div></div> 0.1630
F	<div></div> 0.8901	<div></div> 0.1780
G	<div></div> 0.8995	<div></div> 0.1860
H	<div></div> 0.8954	<div></div> 0.1950
I	<div></div> 0.9919	<div></div> 0.2550
J	<div></div> 0.9946	<div></div> 0.2640
K	<div></div> 0.5984	<div></div> 0.1400
L	<div></div> 0.8366	<div></div> 0.1530

1.0

0.0

<0.0