



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 11:11 AM BST

PDB ID : 5XL8
Title : The structure of hemagglutinin G228S mutant from a avian-origin H4N6 influenza virus (A/duck/Czech/1956)
Authors : Song, H.; Qi, J.; Gao, G.F.
Deposited on : 2017-05-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	503	<div> <div>7%</div> <div> <div></div> <div>83%</div> <div>11%</div> <div>• •</div> </div> </div>
1	B	503	<div> <div>9%</div> <div> <div></div> <div>82%</div> <div>13%</div> <div>• • •</div> </div> </div>
1	C	503	<div> <div>6%</div> <div> <div></div> <div>86%</div> <div>10%</div> <div>• •</div> </div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 12745 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	486	Total	C	N	O	S	0	0	0
			3833	2390	682	745	16			
1	B	486	Total	C	N	O	S	0	0	0
			3833	2390	682	745	16			
1	C	486	Total	C	N	O	S	0	0	0
			3833	2390	682	745	16			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	225	SER	GLY	engineered mutation	UNP A3KF09
B	225	SER	GLY	engineered mutation	UNP A3KF09
C	225	SER	GLY	engineered mutation	UNP A3KF09

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	382	Total	O	0	0
			382	382		
3	B	388	Total	O	0	0
			388	388		
3	C	392	Total	O	0	0
			392	392		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin




• Molecule 1: Hemagglutinin



• Molecule 1: Hemagglutinin





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.20Å 115.97Å 132.34Å 90.00° 102.38° 90.00°	Depositor
Resolution (Å)	43.16 – 2.00 43.16 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (43.16-2.00) 99.6 (43.16-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.95 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.186 , 0.214 0.188 , 0.213	Depositor DCC
R_{free} test set	6484 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.366	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 55.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12745	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/3910	0.56	2/5302 (0.0%)
1	B	0.38	0/3910	0.57	1/5302 (0.0%)
1	C	0.39	0/3910	0.55	2/5302 (0.0%)
All	All	0.38	0/11730	0.56	5/15906 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	2
All	All	0	3

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	379	LEU	CA-CB-CG	7.37	132.24	115.30
1	B	239	LEU	CA-CB-CG	6.07	129.26	115.30
1	C	385	LYS	N-CA-C	-5.46	96.25	111.00
1	A	29	GLN	CA-CB-CG	5.46	125.42	113.40
1	C	239	LEU	CA-CB-CG	5.45	127.83	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	383	ILE	Peptide
1	C	338	GLU	Peptide
1	C	385	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3833	0	3700	61	0
1	B	3833	0	3700	59	1
1	C	3833	0	3700	46	0
2	A	28	0	26	0	0
2	B	28	0	26	0	0
2	C	28	0	26	1	0
3	A	382	0	0	9	1
3	B	388	0	0	12	0
3	C	392	0	0	11	0
All	All	12745	0	11178	161	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:386:THR:HG23	3:B:979:HOH:O	1.19	1.28
1:B:384:GLU:OE2	3:B:701:HOH:O	1.81	0.97
1:C:484:TYR:O	3:C:702:HOH:O	1.83	0.96
1:B:386:THR:CG2	3:B:979:HOH:O	1.80	0.96
1:C:373:ASP:OD1	3:C:701:HOH:O	1.83	0.95
1:A:14:HIS:HD2	1:A:348:TRP:HA	1.33	0.94
1:B:14:HIS:HD2	1:B:348:TRP:HA	1.34	0.90
1:C:384:GLU:HG3	1:C:385:LYS:HG2	1.55	0.87
1:C:456:ASN:OD1	3:C:703:HOH:O	1.92	0.86
1:C:384:GLU:HG2	1:C:385:LYS:H	1.41	0.85
1:A:454:ARG:HD3	1:A:486:HIS:CE1	2.13	0.82
1:C:14:HIS:HD2	1:C:348:TRP:HA	1.44	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:14:HIS:CD2	1:B:348:TRP:HA	2.17	0.80
1:B:99:PRO:O	3:B:703:HOH:O	1.99	0.79
1:B:366:LYS:O	3:B:704:HOH:O	2.01	0.79
1:B:5:GLY:HA2	1:B:468:PHE:HA	1.63	0.79
1:C:14:HIS:CD2	1:C:348:TRP:HA	2.18	0.78
1:A:14:HIS:CD2	1:A:348:TRP:HA	2.20	0.76
1:B:384:GLU:HB2	1:B:385:LYS:HD2	1.68	0.76
1:B:339:ASN:ND2	1:B:340:GLY:O	2.20	0.75
1:B:496:ASN:HD22	1:B:496:ASN:N	1.86	0.73
1:C:323:GLU:HG3	1:C:339:ASN:HD22	1.54	0.72
1:A:281:THR:HG23	1:A:286:LEU:HD11	1.73	0.71
1:C:319:ARG:HG3	3:C:763:HOH:O	1.90	0.71
1:A:23:LYS:HD2	1:B:381:ARG:NH1	2.07	0.70
1:C:88:ASN:OD1	3:C:704:HOH:O	2.10	0.69
1:C:36:GLN:HA	1:C:36:GLN:OE1	1.92	0.69
1:A:323:GLU:O	3:A:701:HOH:O	2.10	0.69
1:C:447:GLU:OE1	1:C:450:ARG:NH1	2.26	0.68
1:B:27:ASP:OD1	3:B:706:HOH:O	2.11	0.68
1:A:354:GLN:HG2	1:A:359:THR:HG22	1.76	0.68
1:A:486:HIS:HD2	1:A:487:ASP:N	1.92	0.68
1:C:477:GLU:HG2	1:C:480:ARG:HH21	1.59	0.68
1:A:451:ARG:NH1	3:A:705:HOH:O	2.24	0.67
1:A:26:ALA:O	3:A:702:HOH:O	2.12	0.67
1:B:378:LYS:NZ	1:B:430:GLU:O	2.28	0.67
1:A:11:MET:HB2	1:A:336:PHE:HE2	1.60	0.66
1:C:436:ASP:OD2	3:C:705:HOH:O	2.13	0.66
1:B:379:LEU:HA	1:B:382:LEU:CB	2.27	0.65
1:A:31:GLU:OE1	3:A:703:HOH:O	2.15	0.64
1:C:384:GLU:CG	1:C:385:LYS:H	2.08	0.64
1:B:279:CYS:SG	1:B:286:LEU:HD23	2.37	0.64
1:C:384:GLU:CG	1:C:385:LYS:HG2	2.27	0.64
1:C:302:ASP:OD1	1:C:386:THR:HB	1.99	0.63
1:B:382:LEU:HD11	1:B:426:LEU:HD21	1.80	0.63
1:A:454:ARG:HD3	1:A:486:HIS:HE1	1.62	0.62
1:C:5:GLY:HA2	1:C:468:PHE:HA	1.80	0.62
1:B:340:GLY:HA2	3:B:714:HOH:O	1.99	0.62
1:B:322:PRO:O	1:B:323:GLU:HB2	1.99	0.61
1:B:448:ARG:HA	1:B:451:ARG:HH21	1.65	0.61
1:B:291:PRO:HD3	1:B:383:ILE:HD12	1.82	0.60
1:C:384:GLU:CG	1:C:385:LYS:N	2.65	0.60
1:C:334:ALA:HB1	1:C:338:GLU:HG3	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:ARG:CZ	1:C:23:LYS:HD3	2.32	0.59
1:B:79:GLU:OE1	3:B:708:HOH:O	2.17	0.58
1:A:451:ARG:HD2	1:C:461:GLY:HA2	1.85	0.58
1:A:29:GLN:HE21	1:A:29:GLN:HA	1.68	0.58
1:A:376:ASN:HA	1:A:379:LEU:HG	1.87	0.57
1:B:385:LYS:N	1:B:385:LYS:HD2	2.19	0.57
1:B:384:GLU:HB2	1:B:385:LYS:CD	2.34	0.57
1:A:11:MET:HB2	1:A:336:PHE:CE2	2.37	0.57
1:A:499:GLN:NE2	3:A:711:HOH:O	2.35	0.57
1:A:337:ILE:O	1:A:338:GLU:HG3	2.05	0.56
1:A:14:HIS:CE1	1:A:33:VAL:HG21	2.41	0.56
1:A:379:LEU:HA	1:A:382:LEU:HD12	1.86	0.56
1:B:171:TYR:CZ	1:B:256:LYS:HD2	2.41	0.56
1:B:475:CYS:O	1:B:478:SER:OG	2.17	0.56
1:C:27:ASP:HB2	1:C:30:VAL:HG22	1.88	0.56
1:B:369:GLN:NE2	1:B:373:ASP:OD1	2.37	0.55
1:A:136:LYS:NZ	3:A:717:HOH:O	2.39	0.55
1:A:405:GLN:HG2	1:A:409:LYS:HD3	1.89	0.55
1:C:405:GLN:HG2	1:C:409:LYS:HD3	1.89	0.55
1:B:303:CYS:O	1:B:387:ASN:HB3	2.08	0.54
1:A:171:TYR:CZ	1:A:256:LYS:HD2	2.42	0.54
1:A:335:GLY:HA2	1:A:341:TRP:HZ2	1.73	0.54
1:A:137:ARG:NE	1:A:142:ASP:OD2	2.36	0.54
1:A:486:HIS:CD2	1:A:487:ASP:N	2.73	0.53
1:C:384:GLU:HG2	1:C:385:LYS:N	2.18	0.53
1:A:375:ILE:O	1:A:378:LYS:HG2	2.10	0.52
1:A:29:GLN:HA	1:A:29:GLN:NE2	2.25	0.52
1:C:455:GLU:O	1:C:497:ARG:NH1	2.41	0.51
1:C:323:GLU:HG3	1:C:339:ASN:ND2	2.24	0.51
1:B:256:LYS:NZ	3:B:718:HOH:O	2.40	0.51
1:A:383:ILE:O	1:A:383:ILE:HG12	2.11	0.51
1:C:238:ASP:OD2	3:C:706:HOH:O	2.17	0.51
1:A:381:ARG:NH2	1:C:23:LYS:HD3	2.26	0.51
1:B:405:GLN:HG2	1:B:409:LYS:HD3	1.93	0.50
1:B:487:ASP:HA	1:B:490:ARG:HB2	1.91	0.50
1:A:450:ARG:NH2	1:A:459:ASP:OD2	2.45	0.50
1:B:14:HIS:CE1	1:B:33:VAL:HG11	2.47	0.50
1:B:291:PRO:CD	1:B:383:ILE:HD12	2.42	0.49
1:B:6:ASN:H	1:B:7:PRO:CD	2.26	0.49
1:B:379:LEU:HA	1:B:382:LEU:HB3	1.93	0.49
1:B:490:ARG:O	1:B:494:ILE:HG12	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:475:CYS:O	1:C:478:SER:OG	2.27	0.48
1:A:335:GLY:HA2	1:A:341:TRP:CZ2	2.47	0.48
1:A:281:THR:HG23	1:A:286:LEU:CD1	2.42	0.48
1:C:357:GLU:OE2	1:C:472:ASP:HB2	2.13	0.48
1:A:28:ASP:OD2	3:A:704:HOH:O	2.19	0.48
1:C:346:ASP:OD2	1:C:363:ALA:HB2	2.13	0.47
1:C:351:PHE:CD2	1:C:480:ARG:HG2	2.48	0.47
1:A:14:HIS:HE1	1:A:33:VAL:HG21	1.78	0.47
1:A:384:GLU:OE1	1:A:384:GLU:N	2.46	0.47
1:B:131:LYS:HE3	1:B:131:LYS:HB2	1.78	0.47
1:C:28:ASP:OD1	1:C:28:ASP:N	2.46	0.47
1:C:217:ARG:HB2	1:C:224:SER:O	2.14	0.47
1:C:477:GLU:HG2	1:C:480:ARG:NH2	2.28	0.47
1:A:429:LEU:HD13	1:C:429:LEU:HD21	1.96	0.47
1:A:166:ILE:HG22	1:A:168:ASN:OD1	2.15	0.46
1:B:379:LEU:HA	1:B:382:LEU:HB2	1.96	0.46
1:A:376:ASN:CA	1:A:379:LEU:HG	2.45	0.46
1:A:217:ARG:HB2	1:A:224:SER:O	2.16	0.46
1:A:7:PRO:HD2	1:A:467:ILE:O	2.16	0.46
1:A:286:LEU:HD12	1:A:286:LEU:N	2.31	0.46
1:B:14:HIS:CE1	1:B:33:VAL:HG21	2.50	0.46
1:B:366:LYS:HG3	3:B:704:HOH:O	2.15	0.46
1:B:496:ASN:ND2	1:B:496:ASN:N	2.60	0.46
1:A:376:ASN:HB2	1:A:379:LEU:HG	1.97	0.46
1:B:24:THR:HG21	1:B:435:ILE:HD12	1.97	0.46
1:A:11:MET:HE1	1:A:351:PHE:CE2	2.52	0.45
2:C:602:NAG:H83	3:C:824:HOH:O	2.17	0.45
1:B:289:THR:O	1:B:383:ILE:HG21	2.17	0.45
1:A:136:LYS:HD3	1:A:139:ASN:HA	1.99	0.44
1:A:164:THR:HG23	1:A:239:LEU:HD23	1.98	0.44
1:A:27:ASP:HB2	1:A:30:VAL:HG22	1.99	0.44
1:B:27:ASP:HB2	1:B:30:VAL:HG22	1.99	0.44
1:B:450:ARG:HB2	1:B:465:PHE:HZ	1.83	0.44
1:C:14:HIS:CE1	1:C:33:VAL:HG11	2.53	0.44
1:C:192:TYR:O	1:C:194:ASN:N	2.48	0.43
1:B:11:MET:HE1	1:B:449:VAL:HG21	1.99	0.43
1:B:136:LYS:HE2	3:B:729:HOH:O	2.17	0.43
1:B:139:ASN:ND2	3:B:702:HOH:O	1.98	0.43
1:B:158:TYR:CZ	1:B:246:GLY:HA2	2.53	0.43
1:A:5:GLY:HA2	1:A:468:PHE:HA	2.01	0.43
1:B:291:PRO:CG	1:B:383:ILE:HD12	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:LYS:HD2	3:A:810:HOH:O	2.19	0.43
1:B:219:LEU:HD23	3:C:1019:HOH:O	2.19	0.43
1:B:110:ASN:HA	1:B:263:SER:O	2.18	0.42
1:C:14:HIS:CE1	1:C:33:VAL:HG21	2.54	0.42
1:B:357:GLU:OE2	1:B:472:ASP:HB2	2.20	0.42
1:C:383:ILE:HD12	1:C:383:ILE:HA	1.88	0.42
1:B:379:LEU:HD12	1:B:382:LEU:HB3	2.01	0.42
1:A:460:LYS:HE2	1:A:460:LYS:HB3	1.86	0.41
1:A:357:GLU:OE2	1:A:472:ASP:HB2	2.20	0.41
1:C:111:ASN:HB3	3:C:813:HOH:O	2.19	0.41
1:C:351:PHE:CE1	1:C:364:ASP:HB2	2.55	0.41
1:A:454:ARG:HD3	1:A:486:HIS:ND1	2.33	0.41
1:B:161:GLN:O	1:B:243:ASN:HA	2.20	0.41
1:B:281:THR:HG23	1:B:286:LEU:HD21	2.02	0.41
1:C:323:GLU:O	3:C:707:HOH:O	2.21	0.41
1:A:11:MET:HE2	1:A:11:MET:HB3	1.88	0.41
1:B:57:GLY:O	1:B:74:HIS:HE1	2.02	0.41
1:A:27:ASP:HB2	1:A:30:VAL:CG2	2.51	0.41
1:C:450:ARG:HB2	1:C:465:PHE:HZ	1.85	0.41
1:A:378:LYS:HB3	1:A:378:LYS:HE2	1.82	0.41
1:B:354:GLN:HG3	1:B:359:THR:HG22	2.03	0.40
1:C:490:ARG:O	1:C:494:ILE:HG12	2.22	0.40
1:A:104:LEU:HB2	1:A:231:TRP:CZ3	2.56	0.40
1:A:218:PRO:HG3	1:B:239:LEU:HD22	2.03	0.40
1:A:110:ASN:HA	1:A:263:SER:O	2.22	0.40
1:A:6:ASN:ND2	3:A:733:HOH:O	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:154:ASP:O	3:A:756:HOH:O[1_454]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	482/503 (96%)	462 (96%)	16 (3%)	4 (1%)	19	13
1	B	482/503 (96%)	462 (96%)	18 (4%)	2 (0%)	34	30
1	C	482/503 (96%)	462 (96%)	19 (4%)	1 (0%)	47	44
All	All	1446/1509 (96%)	1386 (96%)	53 (4%)	7 (0%)	29	23

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	337	ILE
1	B	6	ASN
1	A	338	GLU
1	A	6	ASN
1	A	26	ALA
1	C	6	ASN
1	B	386	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	421/433 (97%)	415 (99%)	6 (1%)	67	72
1	B	421/433 (97%)	412 (98%)	9 (2%)	53	57
1	C	421/433 (97%)	415 (99%)	6 (1%)	67	72
All	All	1263/1299 (97%)	1242 (98%)	21 (2%)	60	65

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	239	LEU
1	A	337	ILE
1	A	376	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	382	LEU
1	A	385	LYS
1	A	486	HIS
1	B	239	LEU
1	B	286	LEU
1	B	355	ASN
1	B	380	ASN
1	B	383	ILE
1	B	384	GLU
1	B	385	LYS
1	B	386	THR
1	B	496	ASN
1	C	28	ASP
1	C	36	GLN
1	C	239	LEU
1	C	286	LEU
1	C	346	ASP
1	C	384	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	29	GLN
1	A	486	HIS
1	B	14	HIS
1	B	74	HIS
1	B	243	ASN
1	B	342	GLN
1	B	496	ASN
1	C	14	HIS
1	C	342	GLN
1	C	353	HIS
1	C	499	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	601	1	14,14,15	0.27	0	17,19,21	0.35	0
2	NAG	B	601	1	14,14,15	0.38	0	17,19,21	0.38	0
2	NAG	C	602	1	14,14,15	0.33	0	17,19,21	0.73	1 (5%)
2	NAG	B	602	1	14,14,15	0.28	0	17,19,21	0.68	1 (5%)
2	NAG	A	602	1	14,14,15	0.31	0	17,19,21	0.63	1 (5%)
2	NAG	C	601	1	14,14,15	0.34	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	601	1	-	0/6/23/26	0/1/1/1
2	NAG	B	601	1	-	2/6/23/26	0/1/1/1
2	NAG	C	602	1	-	2/6/23/26	0/1/1/1
2	NAG	B	602	1	-	2/6/23/26	0/1/1/1
2	NAG	A	602	1	-	2/6/23/26	0/1/1/1
2	NAG	C	601	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	C	602	NAG	C1-O5-C5	2.65	115.78	112.19
2	B	602	NAG	C1-O5-C5	2.33	115.35	112.19
2	A	602	NAG	C1-O5-C5	2.04	114.95	112.19

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	601	NAG	O5-C5-C6-O6
2	C	601	NAG	C4-C5-C6-O6
2	C	602	NAG	C8-C7-N2-C2
2	C	602	NAG	O7-C7-N2-C2
2	B	602	NAG	C8-C7-N2-C2
2	B	602	NAG	O7-C7-N2-C2
2	A	602	NAG	C8-C7-N2-C2
2	A	602	NAG	O7-C7-N2-C2
2	B	601	NAG	O5-C5-C6-O6
2	B	601	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	602	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	486/503 (96%)	-0.01	35 (7%) 15 14	14, 30, 75, 166	0
1	B	486/503 (96%)	0.02	44 (9%) 9 8	12, 28, 89, 158	0
1	C	486/503 (96%)	0.00	30 (6%) 20 19	12, 30, 78, 148	0
All	All	1458/1509 (96%)	0.00	109 (7%) 14 13	12, 29, 82, 166	0

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	383	ILE	14.6
1	C	383	ILE	10.6
1	B	383	ILE	10.5
1	A	379	LEU	10.0
1	A	377	GLY	9.3
1	A	382	LEU	8.5
1	C	382	LEU	7.2
1	B	498	PHE	6.8
1	B	356	ALA	6.7
1	C	356	ALA	6.5
1	B	380	ASN	5.6
1	B	322	PRO	5.3
1	C	386	THR	5.3
1	B	382	LEU	5.2
1	C	380	ASN	5.2
1	B	358	GLY	5.1
1	B	377	GLY	5.1
1	C	358	GLY	5.0
1	B	384	GLU	4.7
1	A	376	ASN	4.7
1	B	386	THR	4.6
1	B	17	ALA	4.4
1	A	356	ALA	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	384	GLU	4.3
1	A	336	PHE	4.2
1	B	474	ASN	4.2
1	B	471	CYS	4.1
1	A	498	PHE	3.9
1	A	17	ALA	3.9
1	B	385	LYS	3.9
1	A	18	ASN	3.8
1	A	354	GLN	3.7
1	C	385	LYS	3.7
1	B	379	LEU	3.7
1	A	5	GLY	3.7
1	A	358	GLY	3.6
1	B	473	ASN	3.4
1	B	488	ILE	3.4
1	A	380	ASN	3.4
1	B	359	THR	3.4
1	B	345	ILE	3.3
1	C	359	THR	3.2
1	B	336	PHE	3.2
1	B	489	TYR	3.2
1	C	381	ARG	3.0
1	B	470	LYS	3.0
1	A	381	ARG	3.0
1	B	335	GLY	3.0
1	A	8	VAL	3.0
1	B	18	ASN	3.0
1	C	488	ILE	3.0
1	A	359	THR	3.0
1	C	379	LEU	3.0
1	A	384	GLU	2.9
1	C	5	GLY	2.9
1	C	377	GLY	2.9
1	B	344	LEU	2.9
1	A	365	LEU	2.8
1	A	322	PRO	2.8
1	C	365	LEU	2.7
1	B	333	ILE	2.6
1	C	322	PRO	2.6
1	B	339	ASN	2.6
1	B	354	GLN	2.6
1	B	365	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	360	GLY	2.6
1	A	477	GLU	2.6
1	A	494	ILE	2.6
1	C	468	PHE	2.6
1	A	344	LEU	2.6
1	A	474	ASN	2.6
1	C	481	ASN	2.5
1	A	333	ILE	2.5
1	A	353	HIS	2.5
1	A	360	GLY	2.5
1	A	337	ILE	2.5
1	C	138	ALA	2.4
1	B	8	VAL	2.4
1	B	360	GLY	2.4
1	A	385	LYS	2.3
1	B	469	HIS	2.3
1	A	470	LYS	2.3
1	B	494	ILE	2.3
1	B	5	GLY	2.3
1	B	323	GLU	2.3
1	C	495	ASN	2.3
1	B	361	THR	2.3
1	A	472	ASP	2.3
1	C	8	VAL	2.2
1	A	26	ALA	2.2
1	A	475	CYS	2.2
1	B	475	CYS	2.2
1	C	333	ILE	2.1
1	A	386	THR	2.1
1	B	387	ASN	2.1
1	B	334	ALA	2.1
1	B	355	ASN	2.1
1	B	487	ASP	2.1
1	B	338	GLU	2.1
1	C	11	MET	2.1
1	C	479	ILE	2.0
1	C	125	THR	2.0
1	B	495	ASN	2.0
1	C	355	ASN	2.0
1	C	345	ILE	2.0
1	C	343	GLY	2.0
1	A	467	ILE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	472	ASP	2.0
1	C	470	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	A	601	14/15	0.61	0.30	66,83,89,91	0
2	NAG	C	601	14/15	0.70	0.27	77,85,89,89	0
2	NAG	B	601	14/15	0.72	0.23	72,82,89,91	0
2	NAG	B	602	14/15	0.92	0.10	27,34,38,47	0
2	NAG	A	602	14/15	0.93	0.11	30,33,39,42	0
2	NAG	C	602	14/15	0.94	0.10	23,29,33,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.